

VITAL STATISTICS

MISSISSIPPI

1972

**STATISTICAL SERVICES UNIT
MISSISSIPPI STATE BOARD OF HEALTH
P. O. BOX 1700
JACKSON, MISSISSIPPI 39205**

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Occurrence and Residence Allocation	1
Urban-Rural Classification	2
Population	2
Rates	2
Classification of Cause of Death	2
 SUMMARY TABLES, 1972	
 LIVE BIRTHS	
Table A1. Live Births and Percentage Distribution, by Attendant and Race	5
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1952, 1962, 1968-1972	5
Table A3. Live Births and Average per Day, by Month	6
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race	6
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	7
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race	8
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race	9
Table A8. Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in 1972, by Race and Outcome of Last Delivery	10
Table A9. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	10
Table A10. Live Births and Percentage Distribution, by Maturity and Race..	11
Table A11. Live Births and Percentage Distribution, by Whether Child had any Birth Injuries or Congenital Malformations, Whether Injury or Malformation, and Race	12
Table A12. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race	12
 FETAL DEATHS	
Table B1. Fetal Deaths and Percentage Distribution, by Attendant and Race	13
Table B2. Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	13
Table B3. Percentage Distribution of Live Births and Fetal Deaths, by Whether Mother Received Prenatal Care and Race, and Average Number of Visits per Mother Who Received Care, by Race	14
Table B4. Percentage Distribution of Fetal Deaths, by Completed Weeks of Gestation and Race	14
 DEATHS	
Table C1. Deaths and Average per Day, by Month	15
Table C2. Deaths and Percentage Distribution, by Age and Race	15
Table C3. Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	16
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	17

DEATHS (continued)

Table C5.	Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause	18
Table C6.	Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race	19
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1952, 1957, 1962, 1967, 1972	20
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	20
Table C9.	Deaths in Mississippi from Selected Types of Accident, by Age ..	21
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1945, 1950, 1955, 1960, 1965-1972	22
Table C11.	Infant Deaths and Mortality Rates, by Age and Race	22
Table C12.	Infant Deaths and Mortality Rates for Significant Causes of Infant Death, by Cause and Race	23

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	24
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	25
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	26
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race, also by Previous Marital Status and Race	27
Table D5.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	28

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	29
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	29
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	30

MAJOR TABLES, 1972

LIVE BIRTHS

Table 1.	Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1972	33
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1972	36
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1972	39
Table 3B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1972	41
Table 3C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1972	43
Table 4.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1972	45
Table 5.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1972	47

MAJOR TABLES, 1972

LIVE BIRTHS (continued)

Table 6.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1972	49
----------	---	----

FETAL DEATHS

Table 7.	Fetal Deaths, by County of Occurrence and Race, also Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1972	51
----------	--	----

DEATHS

Table 8.	Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1972	53
Table 9.	Deaths, by Cause and Race, Mississippi Residents, 1972	56
Table 10.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1972	70
Table 11.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1972	77
Table 12.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1972	79
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1972	81

MARRIAGES

Table 14.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1972	83
-----------	--	----

DIVORCES

Table 15.	Divorces, by County of Occurrence and Race, Mississippi, 1972	85
-----------	--	----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 16.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	87
	The State	107

VITAL STATISTICS
MISSISSIPPI, 1972

INTRODUCTION

Description of Bulletin

The 1972 Vital Statistics Bulletin was prepared by the Statistical Services Unit from information contained on records of live births, deaths, fetal deaths, marriages, and divorces collected by the office of Vital Records Registration. This introduction provides certain explanations and definitions necessary for understanding the data presented. Following the introduction are summary tables containing statistics for the state as a whole for 1972. The next section contains major statistical tables for 1972. The last section of the book contains tables on causes of death for each county as well as for the state. In addition to the information in this bulletin, a considerable amount of more detailed, unpublished data has been compiled and is available on request.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems. All figures given in this publication are residence counts unless otherwise specified.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to the place of previous residence, regardless of length of stay in the institution.

Vital Statistics
Mississippi - 1972

Marriages were classified according to place of issuance of marriage license, place of occurrence of marriage, and place of residence of bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Urban-Rural Classification

The urban category included all incorporated towns with populations of 2,500 or more according to the 1970 Census. Definitions used in this bulletin differ from those used by the U.S. Census Bureau which also includes as urban certain areas it is not possible to identify from entries on vital records - unincorporated places of 2,500 or more and certain other densely settled areas outside the limits of incorporated towns. Urban-rural classifications were used for live births and deaths only. Information on marriage records is inadequate for proper classification, and divorce records do not contain this item.

Population

The only population figure used in this bulletin is the estimate of 2,256,000 for the state as of July 1, 1972. This is a final figure from the U.S. Census Bureau. No breakdown by age, race, or sex is available. Only provisional totals have been prepared for counties, and these were not used as they are considerably less reliable than the state figure and, again, there was no breakdown to show the wide variations in racial composition.

Rates

Population-based rates included those for live births, total deaths, and deaths from specific causes (except maternal and certain causes of mortality in early infancy). However, since only one final population figure could be obtained, the number of rates that could be calculated was extremely limited. Figures on live births were used as the base for calculating rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain causes of mortality in early infancy as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. On certificates with more than one cause entered, only that indicated as the underlying cause was classified. This latest revision (Eighth) was first used in 1968 and, for the most part, is not markedly different from the Seventh Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1972

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by attendant and race
Mississippi, 1972

Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,907</u>	<u>23,745</u>	<u>22,162</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Hospital or clinic	43,723	23,686	20,037	95.2	99.8	90.4
Physician, other place	139	16	123	0.3	0.1	0.6
"Granny" midwife	1,992	28	1,964	4.3	0.1	8.9
Other	53	15	38	0.1	0.1	0.2

Table A2. Percentage of live births in hospitals or clinics,
by year and race, 1952, 1962, 1968-1972
Mississippi

Year	Total	White	Non-white
1952	54.8	91.5	26.5
1962	74.6	99.3	52.9
1968	84.3	99.5	69.0
1969	87.1	99.5	74.2
1970*	90.0	99.7	79.7
1971*	92.2	99.6	84.2
1972*	95.2	99.8	90.4

* Includes births in any facility
which provides medical care;
prior to 1970 only births in
facilities providing in-patient
care were included.

Table A3. Live births and average per day, by month
Mississippi, 1972

Month	Births	Average per Day	Month	Births	Average per Day
<u>Total</u>	<u>45,907</u>	<u>125</u>			
January	3,894	126	July	3,996	129
February	3,631	125	August	4,341	140
March	3,602	116	September	4,219	141
April	3,277	109	October	3,944	127
May	3,389	109	November	3,829	128
June	3,474	116	December	4,311	139

Table A4. Live births and percentage distribution, by age of mother and race
Mississippi, 1972

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,907</u>	<u>23,745</u>	<u>22,162</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
10-14	403	64	339	0.9	0.3	1.5
15-19	12,562	4,919	7,643	27.4	20.7	34.5
20-24	16,246	9,179	7,067	35.4	38.6	31.9
25-29	9,657	6,210	3,447	21.0	26.2	15.6
30-34	4,379	2,365	2,014	9.5	10.0	9.1
35-39	2,010	818	1,192	4.4	3.4	5.4
40-44	583	176	407	1.3	0.7	1.8
45-49	56	12	44	0.1	*	0.2
Unknown	11	2	9	*	*	*

* Less than 0.06 percent.

Table A5. Live births and percentage distribution,
by years of school completed by father and mother and race
Mississippi, 1972

		Years of School Completed by Father and Mother		Number		Percent*		Cumulative Percent*			
		Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	
FATHER											
Median years completed*		12.3	12.6	11.3	100.0	100.0	100.0	100.0	100.0	100.0	
Total legitimate births		35,979	22,910	13,069	6.6	3.3	12.5	6.6	3.3	12.5	
0-6 years		2,299	751	1,548	11.8	23.3	22.4	15.1	15.1	35.8	
7-9 years		5,538	2,654	2,884	15.8	13.7	21.6	39.0	28.8	57.5	
10, 11 years		5,774	3,102	2,672	16.5	13.7	21.6	39.0	28.8	57.5	
12 years		11,737	8,234	3,503	33.6	36.5	28.3	72.6	65.3	85.8	
1-3 years college		5,198	4,162	1,036	14.9	18.4	8.4	87.5	83.8	94.2	
4 or more years college		4,378	3,658	720	12.5	16.2	5.8	100.0	100.0	100.0	
Unknown		1,055	349	706							
MOTHER											
Median years completed*		12.0	12.4	11.2	100.0	100.0	100.0	100.0	100.0	100.0	
Total births		45,907	23,745	22,162	3.9	1.7	6.3	3.9	1.7	6.3	
0-6 years		1,787	402	1,385	20.3	13.8	27.2	24.2	15.6	33.5	
7-9 years		9,214	3,247	5,967	23.9	19.3	28.8	48.1	34.8	62.3	
10, 11 years		10,853	4,521	6,332	23.9	19.3	28.8	48.1	34.8	62.3	
12 years		15,015	9,260	5,755	33.1	39.5	26.2	81.2	74.3	88.5	
1-3 years college		5,512	3,817	1,695	12.1	16.3	7.7	93.3	90.6	96.2	
4 or more years college		3,028	2,199	829	6.7	9.4	3.8	100.0	100.0	100.0	
Unknown		498	299	199							

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births and percent of total live births
 in specified group, by age of mother and race
 Mississippi, 1972

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>9,928</u>	<u>835</u>	<u>9,093</u>	<u>21.6</u>	<u>3.5</u>	<u>41.0</u>
10-14	342	27	315	84.9	42.2	92.9
15-19	5,308	486	4,822	42.2	9.9	63.1
20-24	2,635	218	2,417	16.2	2.4	34.2
25-29	835	62	773	8.6	1.0	22.4
30-34	457	23	434	10.4	1.0	21.5
35-39	246	17	229	12.2	2.1	19.2
40-44	91	1	90	15.6	0.6	22.1
45-49	8	0	8	14.3	-	18.2
Unknown	6	1	5			

Table A7. Live births, percentage distribution, and median age of mother,
by total-birth order and race
Mississippi, 1972

Total-Birth Order*	Number			Percent		Median Age of Mother			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,907</u>	<u>23,745</u>	<u>22,162</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>22.9</u>	<u>23.7</u>	<u>21.8</u>
First	17,082	9,094	7,988	37.2	38.3	36.0	19.6	20.6	18.6
Second	10,311	6,212	4,099	22.5	26.2	18.5	22.8	24.0	20.9
Third	5,927	3,438	2,489	12.9	14.5	11.2	24.8	26.2	22.8
Fourth	3,518	1,796	1,722	7.7	7.6	7.8	26.6	28.2	24.8
Fifth	2,149	914	1,235	4.7	3.8	5.6	27.9	29.5	26.7
Sixth	1,310	439	871	2.8	1.8	3.9	29.3	31.1	28.2
Seventh	907	253	654	2.0	1.1	3.0	30.8	32.2	30.3
Eighth	698	160	538	1.5	0.7	2.4	32.2	33.5	31.8
Ninth	494	69	425	1.1	0.3	1.9	33.3	34.0	33.1
Tenth and over	1,258	104	1,154	2.7	0.4	5.2	36.9	36.7	37.0
Unknown	2,253	1,266	987	4.9	5.3	4.4			

* Includes all live births plus all fetal deaths regardless of length of gestation.

Table A8. Median number of months between last delivery to mothers who had previous pregnancies and live birth in 1972, by race and outcome of last delivery Mississippi, 1972

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
Total	<u>28.9</u>	<u>30.3</u>	<u>18.9</u>
White	33.5	36.0	18.9
Nonwhite	24.5	25.0	18.8

* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1972

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	<u>45,907</u>	<u>23,745</u>	<u>22,162</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No prenatal care	685	145	540	1.5	0.6	2.4
Some prenatal care	<u>44,079</u>	<u>22,987</u>	<u>21,092</u>	<u>96.0</u>	<u>96.8</u>	<u>95.2</u>
First trimester	<u>28,871</u>	<u>18,120</u>	<u>10,751</u>	<u>62.9</u>	<u>76.3</u>	<u>48.5</u>
Second trimester	<u>11,956</u>	<u>4,086</u>	<u>7,870</u>	<u>26.0</u>	<u>17.2</u>	<u>35.5</u>
Third trimester	<u>2,871</u>	<u>658</u>	<u>2,213</u>	<u>6.2</u>	<u>2.8</u>	<u>10.0</u>
Unknown month	<u>381</u>	<u>123</u>	<u>258</u>	<u>0.8</u>	<u>0.5</u>	<u>1.2</u>
Unknown whether any prenatal care	<u>1,143</u>	<u>613</u>	<u>530</u>	<u>2.5</u>	<u>2.6</u>	<u>2.4</u>

Table A10. Live births and percentage distribution, by maturity and race
Mississippi, 1972

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,907</u>	<u>23,745</u>	<u>22,162</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Immature only**	2,100	740	1,360	4.6	3.1	6.1
Premature only**	4,596	1,477	3,119	10.0	6.2	14.1
Both immature and premature	2,314	833	1,481	5.0	3.5	6.7
Total immature	4,414	1,573	2,841	9.6	6.6	12.8
Total premature	6,910	2,310	4,600	15.0	9.7	20.8
Total immature and/or premature	9,010	3,050	5,960	19.6	12.8	26.9
Neither immature nor premature**	36,897	20,695	16,202	80.4	87.2	73.1

* Immature - birthweight $5\frac{1}{2}$ pounds (2,500 grams) or less; premature - gestation less than 37 weeks.

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Live births and percentage distribution, by whether child had any birth injuries or congenital malformations, whether injury or malformation, and race
Mississippi, 1972

Birth Injuries and Congenital Malformations	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,907</u>	<u>23,745</u>	<u>22,162</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Without injury or malformation	42,728	22,019	20,709	93.1	92.7	93.4
With injury and/or malformation	393	235	158	0.8	1.0	0.7
(Injury)	(83)	(55)	(28)	(0.2)	(0.2)	(0.1)
(Malformation)	(312)	(181)	(131)	(0.7)	(0.8)	(0.6)
Other*	2,786	1,491	1,295	6.1	6.3	5.8

* Both categories unknown or one category none and other unknown.

Table A12. Congenital malformations reported on live birth certificates, by system or organs affected and race
Mississippi, 1972

System or Organs Affected and International Classification Number*	Total	White	Non-white
<u>Total malformations reported</u>	<u>375</u>	<u>227</u>	<u>148</u>
Musculoskeletal system (754-756)	160	63	97
Nervous system (740-743)	51	42	9
Digestive system (749-751)	49	32	17
Genital organs (752)	40	31	9
All others	75	59	16

* From the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

FETAL DEATHS

Table B1. Fetal deaths and percentage distribution, by attendant and race
Mississippi, 1972

Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>2,401</u>	<u>1,215</u>	<u>1,186</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Hospital or clinic	2,301	1,203	1,098	95.8	99.0	92.6
Physician, other place	27	10	17	1.1	0.8	1.4
"Granny" midwife	64	0	64	2.7	-	5.4
Other	9	2	7	0.4	0.2	0.6

Table B2. Fetal deaths and fetal death ratios, by age of mother and race
Mississippi, 1972

Age of Mother	Number			Ratio*		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>2,401</u>	<u>1,215</u>	<u>1,186</u>	<u>52.3</u>	<u>51.2</u>	<u>53.5</u>
10-14	33	7	26	81.9	**	76.7
15-19	563	234	329	44.8	47.6	43.0
20-24	688	368	320	42.3	40.1	45.3
25-29	543	333	210	56.2	53.6	60.9
30-34	299	163	136	68.3	68.9	67.5
35-39	170	67	103	84.6	81.9	86.4
40-44	83	29	54	142.4	164.8	132.7
45-49	10	7	3	**	**	**
Unknown	12	7	5			

* Fetal deaths per 1,000 live births to mothers in specified group.

** Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and fetal deaths,
 by whether mother received prenatal care and race, and
 average number of visits per mother who received care, by race
 Mississippi, 1972

Prenatal Care and Visits	Live Births			Fetal Deaths		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No care	1.5	0.6	2.4	17.4	15.1	19.6
Some care	96.0	96.8	95.2	67.8	68.3	67.2
Unknown whether any care	2.5	2.6	2.4	14.9	16.5	13.2
Average number of visits	9.3	11.1	7.3	4.5	4.4	4.6

Table B4. Percentage distribution of fetal deaths,
 by completed weeks of gestation and race
 Mississippi, 1972

Weeks of Gestation	Total	White	Non- white
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under 20</u>	<u>49.5</u>	<u>59.5</u>	<u>39.3</u>
Under 10	12.7	15.0	10.3
10-19	36.8	44.5	29.0
<u>20-36</u>	<u>24.2</u>	<u>19.2</u>	<u>29.3</u>
20-27	12.9	11.4	14.4
28-36	11.3	7.8	14.9
<u>37 and over</u>	<u>12.4</u>	<u>8.5</u>	<u>16.4</u>
37-39	6.2	3.6	8.8
40	2.4	1.8	3.0
Over 40	3.8	3.0	4.6
<u>Unknown</u>	<u>13.8</u>	<u>12.8</u>	<u>14.9</u>

DEATHS

Table C1. Deaths and average per day, by month
Mississippi, 1972

Month	Deaths	Average per Day	Month	Deaths	Average per Day
Total	<u>23,663</u>	<u>65</u>			
January	2,148	69	July	1,818	59
February	2,176	75	August	1,900	61
March	2,020	65	September	1,868	62
April	1,848	62	October	1,959	63
May	1,934	62	November	1,999	67
June	1,895	63	December	2,098	68

Table C2. Deaths and percentage distribution, by age and race
Mississippi, 1972

Age	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Total	<u>23,663</u>	<u>14,077</u>	<u>9,586</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Under 1	1,187	459	728	5.0	3.3	7.6
1-4	199	79	120	0.8	0.6	1.2
5-9	127	59	68	0.5	0.4	0.7
10-14	143	70	73	0.6	0.5	0.8
15-24	759	399	360	3.2	2.8	3.8
25-34	615	291	324	2.6	2.1	3.4
35-44	893	476	417	3.8	3.4	4.4
45-54	1,967	1,180	787	8.3	8.4	8.2
55-64	3,735	2,281	1,454	15.8	16.2	15.2
65-74	5,450	3,283	2,167	23.0	23.3	22.6
75-84	5,496	3,568	1,928	23.2	25.3	20.1
85 and over	3,086	1,930	1,156	13.0	13.7	12.0
Unknown	6	2	4	*	*	*

* Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios
by age and race
Mississippi, 1972

Age	Total		White		Nonwhite		Males per Female	Males per Female	Males per Female
	Male	Female	Male	Female	Male	Female			
Total	13,558	10,105	1.34	8,246	5,831	1.41	5,312	4,274	1.24
Under 1	648	539	1.20	265	194	1.36	383	345	1.11
1-4	106	93	1.14	50	29	1.72	56	64	0.88
5-9	74	53	1.40	31	28	1.11	43	25	1.72
10-14	98	45	2.18	48	22	2.18	50	23	2.17
15-24	561	198	2.83	300	99	3.03	261	99	2.64
25-34	421	194	2.17	199	92	2.16	222	102	2.18
35-44	559	334	1.67	317	159	1.99	242	175	1.38
45-54	1,292	675	1.91	840	340	2.47	452	335	1.35
55-64	2,438	1,297	1.88	1,595	686	2.32	843	611	1.38
65-74	3,243	2,207	1.47	2,067	1,216	1.70	1,176	991	1.19
75-84	2,829	2,667	1.06	1,789	1,779	1.00	1,040	888	1.17
85 and over	1,287	1,799	0.72	745	1,185	0.63	542	614	0.88
Unknown	2	4		0	2		2	2	
Median age	66.8	72.4		67.3	75.3		65.9	68.6	

Table C4. Deaths and percent of total deaths from ten leading causes, by cause and race
Mississippi, 1972

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total of ten leading causes</u>	<u>18,912</u>	<u>11,674</u>	<u>7,238</u>	<u>79.9</u>	<u>82.9</u>	<u>75.5</u>
1. Heart diseases (390-398, 402, 404-429)	7,810	5,114	2,696	33.0	36.3	28.1
2. Malignant neoplasms (140-209)	3,453	2,275	1,178	14.6	16.2	12.3
3. Cerebrovascular disease (430-438)	3,005	1,710	1,295	12.7	12.1	13.5
4. Accidents (800-949)	1,900	1,167	733	8.0	8.3	7.6
5. Influenza and pneumonia (470-486)	714	419	295	3.0	3.0	3.1
6. Certain causes of mortality in early infancy (760-778)	642	284	358	2.7	2.0	3.7
7. Diabetes mellitus (250)	496	234	262	2.1	1.7	2.7
8. Homicide (960-978)	332	76	256	1.4	0.5	2.7
9. Arteriosclerosis (440)	314	203	111	1.3	1.4	1.2
10. Chronic and unqualified bronchitis, emphysema, asthma (490-493)	246	192	54	1.0	1.4	0.6

Table C5. Deaths and percent of total deaths from five leading causes, by age and cause
Mississippi, 1972

Age	Cause and International Classification Number	Number	Percent
1-4	<u>All causes</u>	<u>199</u>	<u>100.0</u>
	1. Accidents (800-949)	75	37.7
	2. Influenza and pneumonia (470-486)	25	12.6
	3. Congenital anomalies (740-759)	24	12.1
	4. Malignant neoplasms (140-209)	11	5.5
	5. Enteritis and other diarrheal diseases (008, 009)	10	5.0
5-14	<u>All causes</u>	<u>270</u>	<u>100.0</u>
	1. Accidents (800-949)	157	58.1
	2. Malignant neoplasms (140-209)	23	8.5
	3. Congenital anomalies (740-759)	15	5.6
	4. Heart diseases (390-398, 402, 404-429)	8	3.0
	5. Influenza and pneumonia (470-486)	7	2.6
15-24	<u>All causes</u>	<u>759</u>	<u>100.0</u>
	1. Accidents (800-949)	452	59.6
	2. Homicide (960-978)	82	10.8
	3. Malignant neoplasms (140-209)	37	4.9
	4. Suicide (950-959)	32	4.2
	5. Heart diseases (390-398, 402, 404-429)	15	2.0
25-44	<u>All causes</u>	<u>1,508</u>	<u>100.0</u>
	1. Accidents (800-949)	435	28.8
	2. Heart diseases (390-398, 402, 404-429)	197	13.1
	3. Malignant neoplasms (140-209)	174	11.5
	4. Homicide (960-978)	158	10.5
	5. Suicide (950-959)	57	3.8
45-64	<u>All causes</u>	<u>5,702</u>	<u>100.0</u>
	1. Heart diseases (390-398, 402, 404-429)	1,919	33.6
	2. Malignant neoplasms (140-209)	1,223	21.4
	3. Cerebrovascular disease (430-438)	500	8.8
	4. Accidents (800-949)	368	6.4
	5. Diabetes mellitus (250)	146	2.6
65 and over	<u>All causes</u>	<u>14,032</u>	<u>100.0</u>
	1. Heart diseases (390-398, 402, 404-429)	5,658	40.3
	2. Cerebrovascular disease (430-438)	2,427	17.3
	3. Malignant neoplasms (140-209)	1,983	14.1
	4. Influenza and pneumonia (470-486)	439	3.1
	5. Accidents (800-949)	360	2.6

Table C6. Deaths from malignant neoplasms and percentage distribution,
by primary site, sex, and race
Mississippi, 1972

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Percent			
	Male	Female	Male	Female	Non-white	White	Non-white	White
Total	<u>1,301</u>	<u>659</u>	<u>974</u>	<u>519</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
1. Digestive organs and peritoneum (150-159)	325	208	275	157	25.0	31.6	28.2	30.2
2. Respiratory system (160-163)	464	175	96	29	35.7	26.6	9.8	5.6
3. Genital organs (180-187)	139	121	121	124	10.7	18.4	12.4	23.9
4. Lymphatic and hematopoietic tissue (200-209)	125	57	112	34	9.6	8.6	11.5	6.6
5. Breast (174)	0	1	188	86	-	0.2	19.3	16.6
6. Urinary organs (188, 189)	58	26	29	15	4.4	3.9	3.0	2.9
7. Skin (172, 173)	40	3	23	5	3.1	0.4	2.4	1.0
8. Brain (191)	32	4	28	3	2.4	0.6	2.9	0.6
9. Buccal cavity and pharynx (140-149)	28	13	10	10	2.2	2.0	1.0	1.9
10. Bone and connective tissue (170, 171)	15	10	7	7	1.2	1.5	0.7	1.3
- Other and unspecified sites (190, 192-199)	75	41	85	49	5.8	6.2	8.7	9.4

Table C7. Deaths from major chronic respiratory diseases
Mississippi, 1952, 1957, 1962, 1967, 1972

Cause and International Classification Number	1952	1957	1962	1967	1972
Tuberculosis of respiratory system (010-012)	388	150	119	76	41
Malignant neoplasms of respiratory system (160-163)	210	273	427	588	764
Malignant neoplasms of trachea, bronchus, and lung (162)	186	247	392	556	736
Chronic and unqualified bronchitis (490, 491)	19	25	40	43	54
Emphysema (492)	10	43	111	194	170
Asthma (493)	67	59	43	50	22
<u>(Adjusted figures*)</u>	<u>(37)</u>	<u>(33)</u>	<u>(30)</u>	<u>(35)</u>	

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C8. Deaths and percent of total accidental deaths from
five leading causes of accidental death, by cause and race
Mississippi, 1972

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total of five leading causes</u>	<u>1,490</u>	<u>926</u>	<u>564</u>	<u>78.4</u>	<u>79.3</u>	<u>76.9</u>
1. Motor vehicle (810-823)	989	645	344	52.0	55.3	46.9
2. Falls (880-887)	157	129	28	8.3	11.0	3.8
3. Fires and flames (890-899)	141	51	90	7.4	4.4	12.3
4. Drowning, except in water transport (910)	118	47	71	6.2	4.0	9.7
5. Firearm missiles (922)	85	54	31	4.5	4.6	4.2

Table C9.
Deaths in Mississippi from selected types of accident, by age
1972

Type of Accident and International Classification Number	Total	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-64	65 & Over
<u>ALL ACCIDENTS</u>	<u>1,911</u>	<u>55</u>	<u>82</u>	<u>74</u>	<u>92</u>	<u>463</u>	<u>249</u>	<u>186</u>	<u>369</u>	<u>341</u>
Motor vehicle (810-823)	1,019	10	43	41	48	305	173	109	189	101
Water transport (830-838)	41	0	0	2	1	8	5	5	18	2
Submersion, drowning (830, 832)	37	0	0	2	1	6	4	5	17	2
Other (831, 833-838)	4	0	0	0	0	2	1	0	1	0
Air and space transport (840-845)	23	0	0	0	0	2	10	7	3	1
Poisoning (850-877)	34	1	3	0	0	11	5	3	6	5
By drugs and medicaments (850-859)	17	0	2	0	0	4	3	3	3	3
By other solid and liquid substances (860-869)	5	1	1	0	0	0	0	0	2	1
By gases and vapors (870-877)	12	0	0	0	0	7	3	0	1	1
Falls (880-887)	146	3	0	1	1	3	5	4	16	113
Fires and flames (890-899)	142	3	17	6	0	6	10	16	24	60
Drowning and submersion (except in transport accidents) (910)	128	4	5	13	23	61	3	4	10	5
Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912)	40	15	4	1	0	2	2	2	9	5
Mechanical suffocation (including in bed or cradle) (913)	35	16	1	5	0	3	2	2	1	7
Struck by, striking against, and caught in or between objects (916-918)	63	1	0	1	4	8	10	8	25	6
Caused by firearm missiles (922)	84	0	4	3	10	25	10	10	18	4
Caused by electric current (925)	24	0	0	0	2	8	6	2	4	2
Caused by machinery and not elsewhere classifiable (928)	27	0	0	0	1	6	1	1	3	14

Table C10. Motor vehicle accident deaths occurring in Mississippi and rates,
also motor vehicle accident deaths of Mississippi residents and rates,
by year, 1945, 1950, 1955, 1960, 1965-1972

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1945	377	**	362	18.2
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1966	883	9.4	868	36.8
1967	944	9.6	931	39.4
1968	824	7.8	821	34.9
1969	920	8.2	903	40.7
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8

* Deaths in Mississippi per 100,000,000
miles of vehicle travel; deaths of
residents per 100,000 population.

** Not available.

Table C11. Infant deaths and mortality rates, by age and race
Mississippi, 1972

Age	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>1,187</u>	<u>459</u>	<u>728</u>	<u>25.8</u>	<u>19.3</u>	<u>32.8</u>
Under one day	465	204	261	10.1	8.6	11.8
One to 28 days	372	158	214	8.1	6.6	9.6
28 days to one year	350	97	253	7.6	4.1	11.4

* Deaths per 1,000 live births.

Table C12. Infant deaths and mortality rates for significant causes of infant death, by cause and race Mississippi, 1972

Cause of Death and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	1,187	459	728	25.8	19.3	32.8
Influenza, and pneumonia (470-486)	83	17	66	1.8	0.7	3.0
Congenital anomalies (740-759)	127	75	52	2.8	3.2	2.3
Complications of pregnancy and childbirth, including conditions of placenta and umbilical cord (760-771)	119	59	60	2.6	2.5	2.7
Anoxic and hypoxic conditions not elsewhere classifiable (776)	288	152	136	6.3	6.4	6.1
Immaturity, unqualified (777)	167	50	117	3.6	2.1	5.3
Accidents (800-949)	53	29	24	1.2	1.2	1.1

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month
Mississippi, 1972

<u>Month</u>	<u>Marriages</u>	<u>Average per Day</u>	<u>Month</u>	<u>Marriages</u>	<u>Average per Day</u>
<u>Total</u>	<u>28,703</u>	<u>78</u>			
January	1,857	60	July	2,799	90
February	1,844	64	August	2,904	94
March	2,173	70	September	2,295	76
April	2,090	70	October	1,916	62
May	2,278	73	November	2,032	68
June	3,499	117	December	3,016	97

Table D2. Brides and grooms and percentage distribution, by age and race
Mississippi, 1972

Age	Number				Bride				Groom				Percent			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Groom	Percent		
Total	28,703	19,178	9,525	28,703	19,190	9,513	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Under 20	12,389	8,451	3,938	5,881	4,134	1,747	43.2	44.1	41.3	20.5	21.5	18.4	-	-	-	-
13	21	14	7	0	0	0	0.1	0.1	0.1	-	-	-	*	0.1	0.1	0.1
14	131	81	50	0	0	0	0.4	0.4	0.5	-	-	-	*	0.6	0.6	0.3
15	1,057	792	265	19	11	8	3.7	4.1	2.8	0.1	-	-	*	3.2	3.7	2.2
16	1,842	1,275	567	133	106	27	6.4	6.6	6.0	0.5	-	-	*	7.1	7.7	5.9
17	2,808	1,937	871	923	714	209	9.8	10.1	9.1	3.2	-	-	*	11.7	11.1	9.5
18	3,508	2,391	1,117	2,042	1,482	560	12.2	12.5	11.7	7.1	-	-	*	12.5	12.2	11.7
19	3,022	1,961	1,061	2,764	1,821	943	10.5	10.2	11.1	9.6	-	-	*	10.5	10.2	11.1
20-24	8,232	5,259	2,973	11,887	7,648	4,239	28.7	27.4	31.2	41.4	-	-	*	39.8	44.6	44.6
25-34	3,933	2,684	1,249	5,621	3,899	1,722	13.7	14.0	13.1	19.6	-	-	*	20.3	20.3	18.1
35-44	1,909	1,315	594	2,193	1,566	627	6.6	6.8	6.2	7.6	-	-	*	8.2	8.2	6.6
45-54	1,264	866	398	1,538	1,051	487	4.4	4.5	4.2	5.4	-	-	*	5.5	5.5	5.1
55-64	685	429	256	896	541	355	2.4	2.2	2.7	3.1	-	-	*	2.8	2.8	3.7
65-74	254	153	101	514	272	242	0.9	0.8	1.1	1.8	-	-	*	1.4	1.4	2.5
75 & over	31	18	13	167	78	89	0.1	0.1	0.1	0.6	-	-	*	0.9	0.9	*
Unknown	6	3	3	6	1	5	* *	* *	* *	* *	-	-	*	*	*	*

* Less than 0.06 percent.

Table D3. Median age of bride and groom,
for all marriages and first marriages, by race
Mississippi, 1972

All and First Marriages	Bride		Groom	
	White	Non- white	White	Non- white
All marriages	20.7	21.0	23.1	23.0
First marriages	19.1	20.0	21.8	22.4

Table D4. Brides and grooms and percentage distribution,
by marriage order and race, also by previous marital status and race
Mississippi, 1972

Marriage Order and Previous Marital Status	Number				Bride				Groom				Percent			
	Bride		Non-white		Total		White		Non-white		Total		White		Non-white	
	Total	White	Non-white	Total	Total	White	Non-white	Total	Total	White	Total	White	Non-white	Total	White	Non-white
Total	28,703	19,178	9,525	28,703	19,190	9,513	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
First	20,424	12,755	7,669	20,315	12,903	7,412	71.2	66.5	80.5	70.8	67.2	77.9				
Remarriage	8,214	6,392	1,822	8,344	6,266	2,078	28.6	33.3	19.1	29.1	32.6	21.8				
Second	6,222	4,716	1,506	6,390	4,758	1,632	21.7	24.6	15.8	22.3	24.8	17.2				
Over two	1,2992	1,676	316	1,954	1,508	446	6.9	8.7	3.3	6.8	7.8	4.7				
Third	1,580	1,325	255	1,589	1,217	372	5.5	6.9	2.7	5.5	6.3	3.9				
Fourth	360	303	57	302	240	62	1.2	1.6	0.6	1.0	1.2	0.6				
Fifth	42	38	4	43	35	8	0.1	0.2	#/#	0.1	0.2	0.1				
Sixth	5	5	0	15	12	3	#/#	#/#	-	#/#	#/#	0.1				
Seventh	4	4	0	3	3	0	#/#	#/#	-	#/#	#/#	-				
Eighth	0	0	0	1	1	0	#/#	#/#	-	#/#	#/#	-				
Ninth	1	1	0	0	0	0	-	-	-	-	-	-				
Tenth	0	0	0	1	0	1	-	-	-	-	#/#	-				
Eleventh	0	0	0	0	0	0	-	-	-	-	-	-				
Widowed	1,720	1,230	490	1,398	845	553	6.0	6.4	5.1	4.9	4.4	5.8				
Divorced*	6,423	5,151	1,272	6,880	5,403	1,477	22.4	26.8	13.4	24.0	28.2	15.5				
Unknown**	71	11	60	66	18	48	0.2	#/#	0.6	0.2	0.1	0.5				
Unknown#	65	31	34	44	21	23	0.2	0.2	0.4	0.2	0.1	0.2				

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

Unknown whether any previous marriage.

#/# Less than 0.06 percent.

Table D5. Marriages and percentage distribution, by residence of
bride and groom and race of bride
Mississippi, 1972

Residence of Groom	Race and Residence of Bride				Nonwhite Mississ- ippi	Other		
	Total		White					
	Missis- ippi	Other	Total	Missis- ippi				
NUMBER								
Total	28,703	25,167	3,536	19,178	9,525	611		
Mississippi	24,148	23,414	734	15,528	8,620	134		
Other	4,555	1,753	2,802	3,650	905	477		
PERCENT								
Total	100.0	87.7	12.3	100.0	84.7	6.4		
Mississippi	84.1	81.6	2.6	81.0	77.8	1.4		
Other	15.9	6.1	9.8	19.0	6.9	5.0		

DIVORCES

Table E1. Divorces and percentage distribution, by cause and race
Mississippi, 1972

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>10,097</u>	<u>7,510</u>	<u>2,587</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Cruel and inhuman treatment	6,948	5,909	1,039	68.8	78.7	40.2
Desertion	2,374	1,001	1,373	23.5	13.3	53.1
Adultery	418	303	115	4.1	4.0	4.4
Drunkenness	229	190	39	2.3	2.5	1.5
Penitentiary	37	28	9	0.4	0.4	0.3
Insanity	3	3	0	*	*	-
Annulment	41	37	4	0.4	0.5	0.2
Bigamy	10	6	4	0.1	0.1	0.2
Miscellaneous and other	15	13	2	0.1	0.2	0.1
Not stated	22	20	2	0.2	0.3	0.1

* Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race
Mississippi, 1972

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total divorces</u>	<u>10,097</u>	<u>7,510</u>	<u>2,587</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	4,389	3,263	1,126	43.5	43.4	43.5
One	2,420	1,888	532	24.0	25.1	20.6
Two	1,619	1,230	389	16.0	16.4	15.0
Three or more	1,564	1,058	506	15.5	14.1	19.6
Not stated	105	71	34	1.0	0.9	1.3

Table E3. Divorces and percentage distribution, by number of years married and race
Mississippi, 1972

Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total divorces</u>	<u>10,097</u>	<u>7,510</u>	<u>2,587</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>4,506</u>	<u>3,765</u>	<u>741</u>	<u>44.6</u>	<u>50.1</u>	<u>28.6</u>
Under one	868	800	68	8.6	10.6	2.6
One	1,111	956	155	11.0	12.7	6.0
Two	982	807	175	9.7	10.7	6.8
Three	856	676	180	8.5	9.0	7.0
Four	689	526	163	6.8	7.0	6.3
Five-nine	2,144	1,599	545	21.2	21.3	21.1
Ten-nineteen	1,890	1,316	574	18.7	17.5	22.2
Twenty and over	1,480	779	701	14.6	10.4	27.1
Not stated	77	51	26	0.8	0.7	1.0

MINUTE STANLES

1972

TABLE 1
 LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
 ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE,
 (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL),
 MISSISSIPPI, 1972

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
STATE	45,562	23,720	21,842	45,907	23,745	22,162
Adams	1,505	697	808	773	319	454
Alcorn	228	173	55	461	389	72
Amite	35	0	35	222	87	135
Attala	330	180	150	343	171	172
Benton	2	0	2	90	60	30
Bolivar	2,438	345	2,093	1,375	302	1,073
Calhoun	149	58	91	254	145	109
Carroll	28	0	28	151	46	105
Chickasaw	307	114	193	349	177	172
Choctaw	134	46	88	118	73	45
Claiborne	61	12	49	205	40	165
Clarke	44	22	22	268	143	125
Clay	301	119	182	368	140	228
Coahoma	506	258	248	877	201	676
Copiah	590	208	382	516	171	345
Covington	137	93	44	270	143	127
DeSoto	23	0	23	806	567	239
Forrest	1,602	1,204	398	1,119	719	400
Franklin	34	22	12	129	57	72
George	245	199	46	277	225	52
Greene	81	43	38	195	124	71
Grenada	406	192	214	376	168	208
Hancock	47	32	15	301	259	42
Harrison	3,702	2,975	727	3,178	2,492	686
Hinds	6,193	2,912	3,281	4,152	1,923	2,229
Holmes	505	57	448	508	66	442
Humphreys	300	38	262	316	79	237
Issaquena	1	0	1	34	12	22
Itawamba	30	24	6	254	226	28
Jackson	1,717	1,259	458	2,156	1,658	498
Jasper	209	127	82	334	125	209
Jefferson	49	5	44	181	25	156
Jeff Davis	107	38	69	243	90	153
Jones	1,776	799	977	946	634	312
Kemper	46	6	40	205	37	168
Lafayette	539	339	200	419	237	182
Lamar	63	47	16	304	244	60
Lauderdale	2,321	1,244	1,077	1,508	889	619
Lawrence	86	36	50	204	119	85
Leake	109	63	46	265	118	147
Lee	1,655	1,281	374	1,014	707	307
Leflore	974	332	642	919	279	640

Table 1 - Page 2
Live Births - Mississippi - 1972

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	400	272	128	518	283	235
Lowndes	1,182	740	442	1,107	630	477
Madison	352	101	251	771	191	580
Marion	323	206	117	447	264	183
Marshall	256	20	236	582	174	408
Monroe	1,019	692	327	707	391	316
Montgomery	326	110	216	266	101	165
Neshoba	414	256	158	426	260	166
Newton	196	128	68	336	183	153
Noxubee	339	48	291	321	63	258
Oktibbeha	565	247	318	554	265	289
Panola	707	211	496	599	195	404
Pearl River	623	518	105	563	427	136
Perry	132	84	48	204	131	73
Pike	747	424	323	592	282	310
Pontotoc	227	178	49	264	218	46
Prentiss	342	295	47	354	290	64
Quitman	511	153	358	394	122	272
Rankin	93	63	30	823	618	205
Scott	284	196	88	479	249	230
Sharkey	101	11	90	248	50	198
Simpson	198	132	66	393	215	178
Smith	87	55	32	296	175	121
Stone	103	62	41	165	105	60
Sunflower	546	118	428	880	191	689
Tallahatchie	334	78	256	404	99	305
Tate	34	0	34	416	180	236
Tippah	350	266	84	311	234	77
Tishomingo	215	206	9	234	229	5
Tunica	255	27	228	291	59	232
Union	265	182	83	352	274	78
Walthall	235	108	127	218	89	129
Warren	1,426	503	923	887	427	460
Washington	1,403	670	733	1,682	551	1,131
Wayne	332	224	108	307	185	122
Webster	152	111	41	174	127	47
Wilkinson	170	78	92	202	54	148
Winston	279	158	121	365	166	199
Yalobusha	150	69	81	271	127	144
Yazoo	274	121	153	521	185	336
Out of state	1,939	1,327	612	1,594	1,302	292

Table 1 - Page 3
Births - Mississippi - 1972

Town*	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Biloxi	2,254	1,937	317	1,168	943	225
Brookhaven	400	272	128	238	94	144
Canton	270	98	172	297	67	230
Clarksdale	461	258	203	497	141	356
Cleveland	654	286	368	392	143	249
Columbus	832	463	369	560	248	312
Corinth	11	0	11	178	127	51
Greenville	1,061	533	528	1,002	345	657
Greenwood	798	332	466	453	170	283
Gulfport	1,439	1,035	404	934	612	322
Hattiesburg	1,601	1,204	397	676	374	302
Jackson	5,306	2,251	3,055	3,160	1,429	1,731
Laurel	1,758	781	977	429	209	220
McComb	644	394	250	215	109	106
Meridian	2,303	1,233	1,070	940	485	455
Moss Point	29	1	28	489	190	299
Natchez	1,504	696	808	430	146	284
Oxford	502	339	163	151	105	46
Pascagoula	1,686	1,257	429	663	531	132
Picayune	571	478	93	226	131	95
Starkville	477	225	252	243	146	97
Tupelo	1,453	1,132	321	392	272	120
Vicksburg	1,426	503	923	506	190	316
Yazoo City	210	121	89	232	81	151
Total urban**	36,997	20,476	16,521	19,376	9,774	9,602
Total rural	8,565	3,244	5,321	26,531	13,971	12,560

* Towns of 10,000 population or more, according to 1970 census.

** All incorporated towns of 2,500 population or more, according to 1970 census.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1972

County	White		Nonwhite		Sex	
	Hosp. or Clinic	Phys., Other Place	Hosp. or Clinic	Phys., Other Place	Male	Female
	Total	43	Total	123	2,002	23,435
STATE	<u>45,907</u>	<u>23,745</u>	<u>23,686</u>	<u>22,162</u>	<u>20,037</u>	<u>22,472</u>
Adams	773	319	318	0	1	454
Alcorn	461	389	388	1	72	453
Amite	222	87	87	0	0	55
Attala	343	171	171	0	0	135
Benton	90	60	59	1	0	99
Bolivar	1,375	302	302	0	0	172
Calhoun	254	145	144	0	1	102
Carroll	151	46	46	0	0	109
Chickasaw	349	177	177	0	0	80
Choctaw	118	73	73	0	0	172
Claiborne	205	40	40	0	0	168
Clarke	268	143	143	0	0	45
Clay	368	140	140	0	0	32
Coahoma	877	201	201	0	0	28
Copiah	516	171	171	0	0	32
Covington	270	143	143	0	0	32
DeSoto	806	567	567	0	0	153
Forrest	1,119	719	718	1	0	125
Franklin	129	57	57	0	0	124
George	277	225	225	0	0	72
Greene	195	124	124	0	0	52
Grenada	376	168	168	0	0	68
Hancock	301	259	257	0	0	208
Harrison	3,178	2,492	2,485	2	2	159

Table 2 - Page 2
Live Births - Mississippi - 1972

County	White			Nonwhite			Sex	
	Total	Hosp. or Clinic	Phys., Other Place	Total	Hosp. or Clinic	Phys., Other Place	Male	Female
Hinds	4,152	1,923	1,916	3	2,229	2,198	16	2,121
Holmes	508	66	66	0	442	415	27	273
Humphreys	316	79	79	0	237	204	0	158
Issaquena	34	12	12	0	22	21	1	19
Itawamba	254	226	226	0	28	28	0	133
Jackson	2,156	1,658	1,654	2	498	443	26	1,086
Jasper	334	125	125	0	209	206	1	188
Jefferson	181	25	25	0	156	154	2	92
Jeff Davis	243	90	90	0	153	140	0	13
Jones	946	634	632	0	312	309	3	0
Kemper	205	37	37	0	0	168	153	15
Lafayette	419	237	237	0	0	182	145	0
Lamar	304	244	243	1	0	60	0	0
Lauderdale	1,508	889	889	0	619	612	1	6
Lawrence	204	119	118	0	85	74	0	11
Leake	265	118	117	0	11	147	139	0
Lee	1,014	707	705	0	2	307	300	2
Leflore	919	279	279	0	0	640	380	1
Lincoln	518	283	283	0	0	235	234	1
Lowndes	1,107	630	626	0	4	477	294	4
Madison	771	191	190	0	1	580	475	3
Marion	447	264	264	0	0	183	161	0
Marshall	582	174	174	0	0	408	370	2
Monroe	707	391	389	1	1	316	305	2
Montgomery	266	101	101	0	0	165	148	0
Neshoba	426	260	260	0	0	166	166	0
Newton	336	183	183	0	0	153	152	1
Noxubee	321	63	62	1	0	258	210	2
Oktibbeha	554	265	264	0	1	289	236	0
Panola	599	195	195	0	0	404	368	10

Table 2 - Page 3
Live Births - Mississippi - 1972

County	Total	White			Nonwhite			Sex	
		Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male
Pearl River	563	427	426	0	1	136	130	0	6
Perry	204	131	131	0	0	73	72	1	0
Pike	592	282	281	0	1	310	275	1	34
Pontotoc	264	218	218	0	0	46	46	0	0
Prentiss	354	290	289	1	0	64	61	0	3
Quitman	394	122	121	0	1	272	258	0	14
Rankin	823	618	615	1	2	205	199	5	1
Scott	479	249	249	0	0	230	210	4	16
Sharkey	248	50	50	0	0	198	193	1	4
Simpson	393	215	215	0	0	178	170	3	5
Smith	296	175	175	0	0	121	113	1	7
Stone	165	105	105	0	0	60	32	0	28
Sunflower	880	191	190	0	1	689	624	3	62
Tallahatchie	404	99	99	0	0	305	224	2	79
Tate	416	180	180	0	0	236	205	0	31
Tippah	311	234	234	0	0	77	76	0	1
Tishomingo	234	229	229	0	0	5	5	0	0
Tunica	291	59	59	0	0	232	191	0	41
Union	352	274	272	0	2	78	73	0	5
Walhall	218	89	85	0	4	129	94	0	35
Warren	887	427	425	0	2	460	457	1	2
Washington	1,682	551	550	0	1	1,131	1,067	3	61
Wayne	307	185	185	0	0	122	121	0	1
Webster	174	127	127	0	0	47	47	0	0
Wilkinson	202	54	54	0	0	148	138	0	10
Winston	365	166	166	0	0	199	187	2	10
Yalobusha	271	127	126	0	1	144	136	1	7
Yazoo	521	185	185	0	0	336	235	2	99

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1972

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
<u>STATE</u>	<u>45,907</u>	<u>403</u>	<u>12,562</u>	<u>16,246</u>	<u>9,657</u>	<u>4,379</u>	<u>2,010</u>	<u>583</u>	<u>56</u>	<u>11</u>
Adams	773	10	234	253	160	75	33	7	1	0
Alcorn	461	4	108	156	116	41	26	9	0	1
Amite	222	2	50	87	42	25	14	1	1	0
Attala	343	4	109	105	64	40	15	6	0	0
Benton	90	1	37	27	12	8	5	0	0	0
Bolivar	1,375	26	448	456	263	115	46	15	2	4
Calhoun	254	2	73	98	43	21	14	3	0	0
Carroll	151	3	45	43	27	19	10	3	1	0
Chickasaw	349	4	76	149	72	24	17	7	0	0
Choctaw	118	1	32	50	24	9	2	0	0	0
Claiborne	205	1	58	70	35	28	12	0	1	0
Clarke	268	3	71	114	49	21	8	2	0	0
Clay	368	1	99	140	71	25	25	6	0	1
Coahoma	877	18	290	286	158	66	43	14	1	1
Copiah	516	7	159	188	88	43	24	7	0	0
Covington	270	1	85	103	45	28	7	1	0	0
DeSoto	806	2	191	287	208	89	20	9	0	0
Forrest	1,119	8	288	402	272	107	36	5	1	0
Franklin	129	1	32	40	32	16	4	4	0	0
George	277	2	74	101	63	26	8	3	0	0
Greene	195	1	51	65	51	17	5	4	1	0
Grenada	376	3	110	142	64	28	19	10	0	0
Hancock	301	3	66	104	78	31	17	1	1	0
Harrison	3,178	14	919	1,213	644	259	110	17	1	1
Hinds	4,152	23	1,031	1,403	1,052	449	140	49	5	0
Holmes	508	8	159	154	85	56	37	8	1	0
Humphreys	316	3	105	105	57	26	14	5	1	0
Issaquena	34	0	11	9	5	4	4	1	0	0
Itawamba	254	2	44	102	68	27	9	1	1	0
Jackson	2,156	9	503	800	535	207	86	15	1	0
Jasper	334	5	77	129	62	37	17	6	1	0
Jefferson	181	2	56	49	34	22	14	4	0	0
Jeff Davis	243	1	57	91	46	20	20	8	0	0
Jones	946	13	248	356	202	89	26	11	1	0
Kemper	205	1	58	76	38	20	8	4	0	0
Lafayette	419	3	106	157	83	37	26	7	0	0
Lamar	304	1	85	103	70	27	12	6	0	0
Lauderdale	1,508	10	379	591	307	133	74	13	1	0
Lawrence	204	0	47	69	54	16	14	3	1	0
Leake	265	1	72	93	47	24	24	4	0	0
Lee	1,014	2	242	389	221	104	43	12	0	1
Leflore	919	9	293	302	178	85	36	16	0	0

Table 3A - Page 2
 Live Births - Mississippi - 1972

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	518	5	128	191	109	62	18	4	1	0	0
Lowndes	1,107	11	255	451	249	91	45	5	0	0	0
Madison	771	11	223	243	142	94	48	7	3	0	0
Marion	447	3	118	190	72	39	19	6	0	0	0
Marshall	582	6	179	204	79	58	43	11	2	0	0
Monroe	707	5	207	243	140	68	32	12	0	0	0
Montgomery	266	3	75	88	53	24	16	6	1	0	0
Neshoba	426	2	93	161	95	49	19	6	1	0	0
Newton	336	4	81	133	70	33	12	3	0	0	0
Noxubee	321	2	100	87	64	40	23	5	0	0	0
Oktibbeha	554	5	155	192	128	49	18	7	0	0	0
Panola	599	8	165	198	117	68	27	15	1	0	0
Pearl River	563	3	154	213	117	50	22	4	0	0	0
Perry	204	2	52	83	46	16	5	0	0	0	0
Pike	592	5	141	226	121	68	21	9	1	0	0
Pontotoc	264	1	60	108	60	18	10	6	1	0	0
Prentiss	354	1	88	126	78	37	18	5	1	0	0
Quitman	394	9	120	125	71	36	28	5	0	0	0
Rankin	823	5	175	324	208	77	26	8	0	0	0
Scott	479	3	146	151	102	45	24	7	1	0	0
Sharkey	248	2	95	77	40	19	14	0	1	0	0
Simpson	393	6	101	147	85	33	16	5	0	0	0
Smith	296	2	78	112	61	24	14	4	1	0	0
Stone	165	1	42	66	28	14	11	3	0	0	0
Sunflower	880	17	276	263	150	93	56	24	1	0	0
Tallahatchie	404	2	162	106	72	37	14	9	2	0	0
Tate	416	4	124	151	87	28	11	10	1	0	0
Tippah	311	1	78	126	56	32	13	3	2	0	0
Tishomingo	234	0	51	88	62	15	14	4	0	0	0
Tunica	291	5	92	86	50	23	25	10	0	0	0
Union	352	0	87	141	75	37	8	4	0	0	0
Walthall	218	1	54	73	43	34	8	5	0	0	0
Warren	887	20	243	277	214	88	31	12	2	0	0
Washington	1,682	25	562	527	316	148	75	25	4	0	0
Wayne	307	2	74	114	63	32	14	5	2	1	0
Webster	174	0	41	58	40	23	11	1	0	0	0
Wilkinson	202	1	65	69	36	15	13	2	1	0	0
Winston	365	1	90	131	79	36	21	6	1	0	0
Yalobusha	271	0	79	90	53	31	13	5	0	0	0
Yazoo	521	4	175	150	101	51	30	8	1	0	1

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1972

County	Total	Age of Mother									
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known	
<u>STATE</u>	<u>23,745</u>	<u>64</u>	<u>4,919</u>	<u>9,179</u>	<u>6,210</u>	<u>2,365</u>	<u>818</u>	<u>176</u>	<u>12</u>	<u>2</u>	
Adams	319	2	63	116	85	45	6	2	0	0	
Alcorn	389	1	88	132	103	36	21	7	0	1	
Amite	87	0	13	35	25	11	3	0	0	0	
Attala	171	2	34	65	38	20	9	3	0	0	
Benton	60	1	23	17	8	8	3	0	0	0	
Bolivar	302	1	53	117	93	26	10	2	0	0	
Calhoun	145	0	29	57	29	18	10	2	0	0	
Carroll	46	0	10	14	15	3	3	1	0	0	
Chickasaw	177	0	38	82	38	10	9	0	0	0	
Choctaw	73	0	12	34	19	6	2	0	0	0	
Claiborne	40	0	8	10	12	8	2	0	0	0	
Clarke	143	0	31	65	35	8	3	1	0	0	
Clay	140	0	27	58	37	9	6	3	0	0	
Coahoma	201	1	40	74	62	21	2	1	0	0	
Copiah	171	0	41	73	37	13	6	1	0	0	
Covington	143	0	36	58	27	17	5	0	0	0	
DeSoto	567	2	96	216	179	65	8	1	0	0	
Forrest	719	2	133	292	205	62	23	2	0	0	
Franklin	57	0	6	18	22	7	2	2	0	0	
George	225	1	50	87	56	22	6	3	0	0	
Greene	124	0	29	42	37	12	3	1	0	0	
Grenada	168	0	39	75	34	10	8	2	0	0	
Hancock	259	2	55	87	74	26	15	0	0	0	
Harrison	2,492	5	702	981	516	207	67	12	1	1	
Hinds	1,923	0	277	667	660	248	62	8	1	0	
Holmes	66	0	10	28	18	4	6	0	0	0	
Humphreys	79	0	21	32	20	5	1	0	0	0	
Issaquena	12	0	3	7	2	0	0	0	0	0	
Itawamba	226	1	38	90	63	24	9	0	1	0	
Jackson	1,658	3	342	637	442	154	65	14	1	0	
Jasper	125	1	20	52	34	13	4	1	0	0	
Jefferson	25	0	5	6	6	5	1	2	0	0	
Jeff Davis	90	0	18	33	24	8	4	3	0	0	
Jones	634	4	138	247	160	64	15	6	0	0	
Kemper	37	0	5	14	12	5	1	0	0	0	
Lafayette	237	1	37	93	68	22	15	1	0	0	
Lamar	244	0	65	83	58	22	10	6	0	0	
Lauderdale	889	2	166	395	218	79	26	3	0	0	
Lawrence	119	0	19	41	39	10	9	1	0	0	
Leake	118	0	28	41	24	12	12	1	0	0	
Lee	707	0	128	282	184	80	28	5	0	0	
Leflore	279	0	65	99	75	28	8	4	0	0	

Table 3B - Page 2
 White Live Births - Mississippi - 1972

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	283	1	54	108	67	44	8	1	0	0	0
Lowndes	630	1	114	277	177	42	17	2	0	0	0
Madison	191	1	27	78	55	21	9	0	0	0	0
Marion	264	2	66	120	45	21	7	3	0	0	0
Marshall	174	0	38	74	30	19	10	3	0	0	0
Monroe	391	0	96	140	98	37	17	3	0	0	0
Montgomery	101	1	15	36	29	11	7	2	0	0	0
Neshoba	260	0	53	99	64	30	10	3	1	0	0
Newton	183	2	30	78	41	25	6	1	0	0	0
Noxubee	63	0	13	26	17	6	1	0	0	0	0
Oktibbeha	265	1	41	98	93	27	5	0	0	0	0
Panola	195	1	43	54	59	29	5	4	0	0	0
Pearl River	427	1	104	173	94	42	11	2	0	0	0
Perry	131	0	34	51	31	13	2	0	0	0	0
Pike	282	1	52	115	78	33	1	2	0	0	0
Pontotoc	218	1	44	95	50	14	8	5	1	0	0
Prentiss	290	1	63	109	68	27	16	5	1	0	0
Quitman	122	2	27	38	32	15	7	1	0	0	0
Rankin	618	2	106	245	176	65	22	2	0	0	0
Scott	249	0	64	82	63	25	12	2	1	0	0
Sharkey	50	0	11	23	15	1	0	0	0	0	0
Simpson	215	1	47	83	50	25	7	2	0	0	0
Smith	175	2	35	72	44	13	7	2	0	0	0
Stone	105	1	23	43	21	9	7	1	0	0	0
Sunflower	191	0	37	72	49	25	8	0	0	0	0
Tallahatchie	99	0	32	34	21	10	2	0	0	0	0
Tate	180	0	38	79	46	11	3	3	0	0	0
Tippah	234	1	59	97	46	21	6	2	2	0	0
Tishomingo	229	0	47	87	62	15	14	4	0	0	0
Tunica	59	1	11	23	14	6	4	0	0	0	0
Union	274	0	55	118	64	28	6	3	0	0	0
Walthall	89	0	20	32	22	14	1	0	0	0	0
Warren	427	4	82	141	141	45	12	2	0	0	0
Washington	551	3	126	209	147	45	15	5	1	0	0
Wayne	185	1	40	75	40	20	6	3	0	0	0
Webster	127	0	24	44	31	19	8	1	0	0	0
Wilkinson	54	0	14	17	15	7	0	1	0	0	0
Winston	166	0	25	67	41	19	11	3	0	0	0
Yalobusha	127	0	26	49	32	15	4	1	0	0	0
Yazoo	185	0	42	66	49	18	8	1	1	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1972

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
STATE	22,162	339	7,643	7,067	3,447	2,014	1,192	407	44	9
Adams	454	8	171	137	75	30	27	5	1	0
Alcorn	72	3	20	24	13	5	5	2	0	0
Amite	135	2	37	52	17	14	11	1	1	0
Attala	172	2	75	40	26	20	6	3	0	0
Benton	30	0	14	10	4	0	2	0	0	0
Bolivar	1,073	25	395	339	170	89	36	13	2	4
Calhoun	109	2	44	41	14	3	4	1	0	0
Carroll	105	3	35	29	12	16	7	2	1	0
Chickasaw	172	4	38	67	34	14	8	7	0	0
Choctaw	45	1	20	16	5	3	0	0	0	0
Claiborne	165	1	50	60	23	20	10	0	1	0
Clarke	125	3	40	49	14	13	5	1	0	0
Clay	228	1	72	82	34	16	19	3	0	1
Coahoma	676	17	250	212	96	45	41	13	1	1
Copiah	345	7	118	115	51	30	18	6	0	0
Covington	127	1	49	45	18	11	2	1	0	0
DeSoto	239	0	95	71	29	24	12	8	0	0
Forrest	400	6	155	110	67	45	13	3	1	0
Franklin	72	1	26	22	10	9	2	2	0	0
George	52	1	24	14	7	4	2	0	0	0
Greene	71	1	22	23	14	5	2	3	1	0
Grenada	208	3	71	67	30	18	11	8	0	0
Hancock	42	1	11	17	4	5	2	1	1	0
Harrison	686	9	217	232	128	52	43	5	0	0
Hinds	2,229	23	754	736	392	201	78	41	4	0
Holmes	442	8	149	126	67	52	31	8	1	0
Humphreys	237	3	84	73	37	21	13	5	1	0
Issaquena	22	0	8	2	3	4	4	1	0	0
Itawamba	28	1	6	12	5	3	0	1	0	0
Jackson	498	6	161	163	93	53	21	1	0	0
Jasper	209	4	57	77	28	24	13	5	1	0
Jefferson	156	2	51	43	28	17	13	2	0	0
Jeff Davis	153	1	39	58	22	12	16	5	0	0
Jones	312	9	110	109	42	25	11	5	1	0
Kemper	168	1	53	62	26	15	7	4	0	0
Lafayette	182	2	69	64	15	15	11	6	0	0
Lamar	60	1	20	20	12	5	2	0	0	0
Lauderdale	619	8	213	196	89	54	48	10	1	0
Lawrence	85	0	28	28	15	6	5	2	1	0
Leake	147	1	44	52	23	12	12	3	0	0
Lee	307	2	114	107	37	24	15	7	0	1
Leflore	640	9	228	203	103	57	28	12	0	0

Table 3C - Page 2
Nonwhite Live Births - Mississippi - 1972

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	235	4	74	83	42	18	10	3	1	0	0
Lowndes	477	10	141	174	72	49	28	3	0	0	0
Madison	580	10	196	165	87	73	39	7	3	0	0
Marion	183	1	52	70	27	18	12	3	0	0	0
Marshall	408	6	141	130	49	39	33	8	2	0	0
Monroe	316	5	111	103	42	31	15	9	0	0	0
Montgomery	165	2	60	52	24	13	9	4	1	0	0
Neshoba	166	2	40	62	31	19	9	3	0	0	0
Newton	153	2	51	55	29	8	6	2	0	0	0
Noxubee	258	2	87	61	47	34	22	5	0	0	0
Oktibbeha	289	4	114	94	35	22	13	7	0	0	0
Panola	404	7	122	144	58	39	22	11	1	0	0
Pearl River	136	2	50	40	23	8	11	2	0	0	0
Perry	73	-2	18	32	15	3	3	0	0	0	0
Pike	310	4	89	111	43	35	20	7	1	0	0
Pontotoc	46	0	16	13	10	4	2	1	0	0	0
Prentiss	64	0	25	17	10	10	2	0	0	0	0
Quitman	272	7	93	87	39	21	21	4	0	0	0
Rankin	205	3	69	79	32	12	4	6	0	0	0
Scott	230	3	82	69	39	20	12	5	0	0	0
Sharkey	198	2	84	54	25	18	14	0	1	0	0
Simpson	178	5	54	64	35	8	9	3	0	0	0
Smith	121	0	43	40	17	11	7	2	1	0	0
Stone	60	0	19	23	7	5	4	2	0	0	0
Sunflower	689	17	239	191	101	68	48	24	1	0	0
Tallahatchie	305	2	130	72	51	27	12	9	2	0	0
Tate	236	4	86	72	41	17	8	7	1	0	0
Tippah	77	0	19	29	10	11	7	1	0	0	0
Tishomingo	5	0	4	1	0	0	0	0	0	0	0
Tunica	232	4	81	63	36	17	21	10	0	0	0
Union	78	0	32	23	11	9	2	1	0	0	0
Walton	129	1	34	41	21	20	7	5	0	0	0
Warren	460	16	161	136	73	43	19	10	2	0	0
Washington	1,131	22	436	318	169	103	60	20	3	0	0
Wayne	122	1	34	39	23	12	8	2	2	1	0
Webster	47	0	17	14	9	4	3	0	0	0	0
Wilkinson	148	1	51	52	21	8	13	1	1	0	0
Winston	199	1	65	64	38	17	10	3	1	0	0
Yalobusha	144	0	53	41	21	16	9	4	0	0	0
Yazoo	336	4	133	84	52	33	22	7	0	1	0

TABLE 4
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1972

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>9,928</u>	<u>835</u>	<u>9,093</u>	<u>21.6</u>	<u>3.5</u>	<u>41.0</u>
Adams	253	21	232	32.7	6.6	51.1
Alcorn	39	11	28	8.4	2.8	38.9
Amite	37	0	37	16.7	-	27.4
Attala	55	5	50	16.0	2.9	29.1
Benton	14	2	12	15.6	3.3	40.0
Bolivar	609	10	599	44.3	3.3	55.8
Calhoun	50	3	47	19.7	2.1	43.1
Carroll	35	0	35	23.2	-	33.3
Chickasaw	54	6	48	15.5	3.4	27.9
Choctaw	16	0	16	13.6	-	35.6
Claiborne	73	3	70	35.6	7.5	42.4
Clarke	51	5	46	19.0	3.5	36.8
Clay	91	5	86	24.7	3.6	37.7
Coahoma	331	6	325	37.7	3.0	48.1
Copiah	130	5	125	25.2	2.9	36.2
Covington	56	5	51	20.7	3.5	40.2
DeSoto	123	12	111	15.3	2.1	46.4
Forrest	182	23	159	16.3	3.2	39.8
Franklin	23	1	22	17.8	1.8	30.6
George	25	5	20	9.0	2.2	38.5
Greene	36	7	29	18.5	5.6	40.8
Grenada	93	10	83	24.7	6.0	39.9
Hancock	21	7	14	7.0	2.7	33.3
Harrison	312	101	211	9.8	4.0	30.8
Hinds	955	87	868	23.0	4.5	38.9
Holmes	197	1	196	38.8	1.5	44.3
Humphreys	121	5	116	38.3	6.3	48.9
Issaquena	10	1	9	29.4	8.3	40.9
Itawamba	16	8	8	6.3	3.5	28.6
Jackson	217	68	149	10.1	4.1	29.9
Jasper	52	4	48	15.6	3.2	23.0
Jefferson	75	2	73	41.4	8.0	46.8
Jeff Davis	49	1	48	20.2	1.1	31.4
Jones	152	21	131	16.1	3.3	42.0
Kemper	54	1	53	26.3	2.7	31.5
Lafayette	78	14	64	18.6	5.9	35.2
Lamar	34	8	26	11.2	3.3	43.3
Lauderdale	250	30	220	16.6	3.4	35.5
Lawrence	26	0	26	12.7	-	30.6
Leake	38	0	38	14.3	-	25.8
Lee	123	20	103	12.1	2.8	33.6
Leflore	305	8	297	33.2	2.9	46.4

Table 4 - Page 2
Illegitimate Live Births - Mississippi - 1972

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	105	16	89	20.3	5.6	37.9
Lowndes	234	15	219	21.1	2.4	45.9
Madison	269	4	265	34.9	2.1	45.7
Marion	73	6	67	16.3	2.3	36.6
Marshall	198	9	189	34.0	5.2	46.3
Monroe	146	17	129	20.6	4.3	40.8
Montgomery	81	3	78	30.4	3.0	47.3
Neshoba	50	5	45	11.7	1.9	27.1
Newton	50	8	42	14.9	4.4	27.4
Noxubee	106	3	103	33.0	4.8	39.9
Oktibbeha	110	6	104	19.8	2.3	36.0
Panola	185	10	175	30.9	5.1	43.3
Pearl River	74	18	56	13.1	4.2	41.2
Perry	40	7	33	19.6	5.3	45.2
Pike	124	12	112	20.9	4.2	36.1
Pontotoc	21	6	15	8.0	2.8	32.6
Prentiss	34	18	16	9.6	6.2	25.0
Quitman	115	6	109	29.2	4.9	40.1
Rankin	92	11	81	11.2	1.8	39.5
Scott	86	13	73	18.0	5.2	31.7
Sharkey	95	1	94	38.3	2.0	47.5
Simpson	48	5	43	12.2	2.3	24.2
Smith	36	3	33	12.2	1.7	27.3
Stone	27	1	26	16.4	1.0	43.3
Sunflower	346	5	341	39.3	2.6	49.5
Tallahatchie	149	4	145	36.9	4.0	47.5
Tate	116	3	113	27.9	1.7	47.9
Tippah	32	7	25	10.3	3.0	32.5
Tishomingo	10	6	4	4.3	2.6	80.0
Tunica	91	2	89	31.3	3.4	38.4
Union	29	5	24	8.2	1.8	30.8
Walthall	39	3	36	17.9	3.4	27.9
Warren	224	15	209	25.2	3.5	45.4
Washington	615	24	591	36.6	4.4	52.2
Wayne	48	9	39	15.6	4.9	32.0
Webster	27	5	22	15.5	3.9	46.8
Wilkinson	58	5	53	28.7	9.2	35.8
Winston	66	3	63	18.1	1.8	31.6
Yalobusha	54	2	52	19.9	1.6	36.1
Yazoo	164	2	162	31.5	1.1	48.2

TABLE 5
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1972

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>4,414</u>	<u>1,573</u>	<u>2,841</u>	<u>9.6</u>	<u>6.6</u>	<u>12.8</u>
Adams	73	18	55	9.4	5.6	12.1
Alcorn	42	30	12	9.1	7.7	16.7
Amite	22	6	16	9.9	6.9	11.8
Attala	20	8	12	5.8	4.7	7.0
Benton	3	1	2	3.3	1.7	6.7
Bolivar	152	17	135	11.0	5.6	12.6
Calhoun	17	3	14	6.7	2.1	12.8
Carroll	18	6	12	11.9	13.0	11.4
Chickasaw	34	8	26	9.7	4.5	15.1
Choctaw	12	7	5	10.2	9.6	11.1
Claiborne	27	3	24	13.2	7.5	14.5
Clarke	32	14	18	11.9	9.8	14.4
Clay	47	10	37	12.8	7.1	16.2
Coahoma	113	13	100	12.9	6.5	14.8
Copiah	54	18	36	10.5	10.5	10.4
Covington	15	3	12	5.6	2.1	9.4
DeSoto	68	35	33	8.4	6.2	13.8
Forrest	96	43	53	8.6	6.0	13.2
Franklin	12	5	7	9.3	8.8	9.7
George	17	15	2	6.1	6.7	3.8
Greene	9	2	7	4.6	1.6	9.8
Grenada	34	5	29	9.0	3.0	13.9
Hancock	34	25	9	11.3	9.6	21.4
Harrison	261	178	83	8.2	7.1	12.1
Hinds	410	107	303	9.9	5.6	13.6
Holmes	58	1	57	11.4	1.5	12.9
Humphreys	35	4	31	11.1	5.1	13.1
Issaquena	0	0	0	-	-	-
Itawamba	24	15	9	9.4	6.6	32.1
Jackson	153	88	65	7.1	5.3	13.0
Jasper	27	6	21	8.1	4.8	10.0
Jefferson	21	1	20	11.6	4.0	12.8
Jeff Davis	22	4	18	9.0	4.4	11.8
Jones	75	42	33	7.9	6.6	10.6
Kemper	25	2	23	12.2	5.4	13.7
Lafayette	39	15	24	9.3	6.3	13.2
Lamar	24	17	7	7.9	7.0	11.7
Lauderdale	149	61	88	9.9	6.9	14.2
Lawrence	17	3	14	8.3	2.5	16.5
Leake	29	16	13	10.9	13.6	8.8
Lee	94	56	38	9.3	7.9	12.4
Leflore	98	23	75	10.7	8.2	11.7

Table 5 - Page 2
Immature Live Births - Mississippi - 1972

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	52	21	31	10.0	7.4	13.2
Lowndes	110	40	70	9.9	6.3	14.7
Madison	92	11	81	11.9	5.8	14.0
Marion	32	16	16	7.2	6.1	8.7
Marshall	56	8	48	9.6	4.6	11.8
Monroe	87	37	50	12.3	9.5	15.8
Montgomery	25	2	23	9.4	2.0	13.9
Neshoba	40	19	21	9.4	7.3	12.6
Newton	29	12	17	8.6	6.6	11.1
Noxubee	32	1	31	10.0	1.6	12.0
Oktibbeha	62	18	44	11.2	6.8	15.2
Panola	56	15	41	9.3	7.7	10.1
Pearl River	56	25	31	9.9	5.8	22.8
Perry	16	7	9	7.8	5.3	12.3
Pike	52	18	34	8.8	6.4	11.0
Pontotoc	16	9	7	6.1	4.1	15.2
Prentiss	36	24	12	10.2	8.3	18.8
Quitman	49	14	35	12.4	11.5	12.9
Rankin	80	51	29	9.7	8.2	14.1
Scott	55	20	35	11.5	8.0	15.2
Sharkey	25	3	22	10.1	6.0	11.1
Simpson	37	14	23	9.4	6.5	12.9
Smith	35	15	20	11.8	8.6	16.5
Stone	16	5	11	9.7	4.8	18.3
Sunflower	95	16	79	10.8	8.4	11.5
Tallahatchie	65	12	53	16.1	12.1	17.4
Tate	35	11	24	8.4	6.1	10.2
Tippah	21	16	5	6.8	6.8	6.5
Tishomingo	15	12	3	6.4	5.2	60.0
Tunica	16	3	13	5.5	5.1	5.6
Union	33	19	14	9.4	6.9	17.9
Walthall	17	7	10	7.8	7.9	7.8
Warren	99	29	70	11.2	6.8	15.2
Washington	190	48	142	11.3	8.7	12.6
Wayne	29	18	11	9.4	9.7	9.0
Webster	15	9	6	8.6	7.1	12.8
Wilkinson	21	0	21	10.4	-	14.2
Winston	23	9	14	6.3	5.4	7.0
Yalobusha	26	10	16	9.6	7.9	11.1
Yazoo	56	15	41	10.7	8.1	12.2

* Birthweight 5½ pounds (2,500 grams) or less.

TABLE 6
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1972

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>6,911</u>	<u>2,311</u>	<u>4,600</u>	<u>15.0</u>	<u>9.7</u>	<u>20.8</u>
Adams	107	28	79	13.8	8.8	17.4
Alcorn	68	48	20	14.8	12.3	27.8
Amite	44	8	36	19.8	9.2	26.7
Attala	50	16	34	14.6	9.4	19.8
Benton	6	4	2	6.7	6.7	6.7
Bolivar	249	26	223	18.1	8.6	20.8
Calhoun	30	8	22	11.8	5.5	20.2
Carroll	31	5	26	20.5	10.9	24.8
Chickasaw	51	15	36	14.6	8.5	20.9
Choctaw	18	10	8	15.2	13.7	17.8
Claiborne	44	4	40	21.5	10.0	24.2
Clarke	30	11	19	11.2	7.7	15.2
Clay	79	14	65	21.5	10.0	28.5
Coahoma	165	25	140	18.8	12.4	20.7
Copiah	85	27	58	16.5	15.8	16.8
Covington	34	15	19	12.6	10.5	15.0
DeSoto	111	57	54	13.8	10.0	22.6
Forrest	143	63	80	12.8	8.8	20.0
Franklin	20	7	13	15.5	12.3	18.0
George	20	14	6	7.2	6.2	11.5
Greene	21	12	9	10.8	9.7	12.7
Grenada	75	21	54	19.9	12.5	26.0
Hancock	36	26	10	12.0	10.0	23.8
Harrison	382	243	139	12.0	9.8	20.3
Hinds	590	162	428	14.2	8.4	19.2
Holmes	103	7	96	20.3	10.6	21.7
Humphreys	64	8	56	20.2	10.1	23.6
Issaquena	3	1	2	8.8	8.3	9.1
Itawamba	34	26	8	13.4	11.5	28.6
Jackson	266	155	111	12.3	9.3	22.3
Jasper	52	11	41	15.6	8.8	19.6
Jefferson	38	1	37	21.0	4.0	23.7
Jeff Davis	49	7	42	20.2	7.8	27.4
Jones	130	70	60	13.7	11.0	19.2
Kemper	37	4	33	18.0	10.8	19.6
Lafayette	62	16	46	14.8	6.8	25.3
Lamar	33	23	10	10.8	9.4	16.7
Lauderdale	209	100	109	13.8	11.2	17.6
Lawrence	35	9	26	17.2	7.6	30.6
Leake	35	16	19	13.2	13.6	12.9
Lee	133	70	63	13.1	9.9	20.5
Leflore	175	39	136	19.0	14.0	21.2

Table 6 - Page 2
 Premature Live Births - Mississippi - 1972

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	53	20	33	10.2	7.1	14.0
Lowndes	172	58	114	15.5	9.2	23.9
Madison	139	16	123	18.0	8.4	21.2
Marion	59	27	32	13.2	10.2	17.5
Marshall	89	13	76	15.3	7.5	18.6
Monroe	148	59	89	20.9	15.1	28.2
Montgomery	41	6	35	15.4	5.9	21.2
Neshoba	50	25	25	11.7	9.6	15.1
Newton	40	14	26	11.9	7.6	17.0
Noxubee	79	8	71	24.6	12.7	27.5
Oktibbeha	87	24	63	15.7	9.0	21.8
Panola	98	13	85	16.4	6.7	21.0
Pearl River	78	46	32	13.8	10.8	23.5
Perry	21	7	14	10.3	5.3	19.2
Pike	109	29	80	18.4	10.3	25.8
Pontotoc	26	19	7	9.8	8.7	15.2
Prentiss	43	28	15	12.1	9.6	23.4
Quitman	86	14	72	21.8	11.5	26.5
Rankin	91	60	31	11.0	9.7	15.1
Scott	72	30	42	15.0	12.0	18.3
Sharkey	36	3	33	14.5	6.0	16.7
Simpson	54	23	31	13.7	10.7	17.4
Smith	49	15	34	16.6	8.6	28.1
Stone	29	12	17	17.6	11.4	28.3
Sunflower	166	24	142	18.9	12.6	20.6
Tallahatchie	82	14	68	20.3	14.1	22.3
Tate	90	23	67	21.6	12.8	28.4
Tippah	33	18	15	10.6	7.7	19.5
Tishomingo	23	21	2	9.8	9.2	40.0
Tunica	36	6	30	12.4	10.2	12.9
Union	44	23	21	12.5	8.4	26.9
Walthall	31	5	26	14.2	5.6	20.2
Warren	150	43	107	16.9	10.1	23.3
Washington	303	67	236	18.0	12.2	20.9
Wayne	39	17	22	12.7	9.2	18.0
Webster	25	12	13	14.4	9.4	27.6
Wilkinson	19	0	19	9.4	-	12.8
Winston	34	8	26	9.3	4.8	13.1
Yalobusha	46	11	35	17.0	8.7	24.3
Yazoo	94	18	76	18.0	9.7	22.6

* Gestation less than 37 weeks.

TABLE 7
 FETAL DEATHS*, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1972

County	Occurrence Data			Residence Data					
	Number		Non-white	Number		Non-white	Ratio**		Non-white
	Total	White		Total	White		Total	White	
STATE	2,455	1,266	1,189	2,401	1,215	1,186	52.3	51.2	53.5
Adams	72	36	36	40	17	23	51.7	53.3	50.7
Alcorn	4	0	4	15	10	5	32.5	25.7	69.4
Amite	1	0	1	9	2	7	40.5	23.0	51.8
Attala	19	9	10	19	9	10	55.4	52.6	58.1
Benton	0	0	0	10	7	3	111.1	116.7	100.0
Bolivar	71	11	60	39	10	29	28.4	33.1	27.0
Calhoun	2	1	1	7	3	4	27.6	20.7	36.7
Carroll	0	0	0	3	1	2	19.9	21.7	19.0
Chickasaw	44	14	30	30	11	19	86.0	62.1	110.5
Choctaw	4	0	4	5	3	2	42.4	41.1	44.4
Claiborne	2	0	2	15	1	14	73.2	25.0	84.8
Clarke	5	3	2	13	8	5	48.5	55.9	40.0
Clay	8	4	4	10	5	5	27.2	35.7	21.9
Coahoma	59	29	30	57	18	39	65.0	89.6	57.7
Copiah	8	3	5	20	10	10	38.8	58.5	29.0
Covington	5	4	1	14	8	6	51.8	55.9	47.2
DeSoto	1	0	1	14	6	8	17.4	10.6	33.5
Forrest	90	66	24	65	42	23	58.1	58.4	57.5
Franklin	1	0	1	7	1	6	54.3	17.5	83.3
George	7	6	1	9	9	0	32.5	40.0	-
Greene	4	3	1	7	5	2	35.9	40.3	28.2
Grenada	12	6	6	12	6	6	31.9	35.7	28.8
Hancock	1	0	1	5	4	1	16.6	15.4	23.8
Harrison	263	215	48	216	172	44	68.0	69.0	64.1
Hinds	692	361	331	452	231	221	108.9	120.1	99.1
Holmes	14	2	12	23	2	21	45.3	30.3	47.5
Humphreys	10	2	8	18	7	11	57.0	88.6	46.4
Issaquena	0	0	0	2	1	1	58.8	83.3	45.4
Itawamba	1	0	1	4	3	1	15.7	13.3	35.7
Jackson	32	19	13	74	57	17	34.3	34.4	34.1
Jasper	4	1	3	7	3	4	21.0	24.0	19.1
Jefferson	4	0	4	6	0	6	33.1	-	38.5
Jeff Davis	4	2	2	11	6	5	45.3	66.7	32.7
Jones	59	17	42	30	16	14	31.7	25.2	44.9
Kemper	0	0	0	1	1	0	4.9	27.0	-
Lafayette	8	5	3	6	3	3	14.3	12.6	16.5
Lamar	1	0	1	18	16	2	59.2	65.6	33.3
Lauderdale	112	80	32	80	57	23	53.0	64.1	37.2
Lawrence	5	1	4	8	1	7	39.2	8.4	82.4
Leake	0	0	0	10	3	7	37.7	25.4	47.6
Lee	24	16	8	14	7	7	13.8	9.9	22.8
Leflore	44	13	31	44	13	31	47.9	46.6	48.4

Table 7 - Page 2
 Fetal Deaths - Mississippi - 1972

County	Occurrence Data			Residence Data			Ratio**		
	Number			Number			Total		Non-white
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	7	4	3	18	4	14	34.7	14.1	59.6
Lowndes	27	9	18	28	8	20	25.3	12.7	41.9
Madison	16	4	12	45	15	30	58.4	78.5	51.7
Marion	31	19	12	37	23	14	82.8	87.1	76.5
Marshall	7	0	7	10	2	8	17.2	11.5	19.6
Monroe	18	11	7	15	7	8	21.2	17.9	25.3
Montgomery	7	4	3	6	4	2	22.6	39.6	12.1
Neshoba	7	3	4	18	8	10	42.2	30.8	60.2
Newton	18	5	13	23	7	16	68.4	38.2	104.6
Noxubee	15	2	13	15	4	11	46.7	63.5	42.6
Oktibbeha	11	3	8	15	5	10	27.1	18.9	34.6
Panola	14	3	11	16	4	12	26.7	20.5	29.7
Pearl River	8	6	2	10	6	4	17.8	14.0	29.4
Perry	3	3	0	8	3	5	39.2	22.9	68.5
Pike	60	32	28	52	25	27	87.8	88.6	87.1
Pontotoc	5	1	4	8	3	5	30.3	13.8	108.7
Prentiss	23	20	3	16	14	2	45.2	48.3	31.2
Quitman	16	3	13	16	7	9	40.6	57.4	33.1
Rankin	14	6	8	89	66	23	108.1	106.8	112.2
Scott	13	7	6	22	12	10	45.9	48.2	43.5
Sharkey	1	0	1	12	4	8	48.4	80.0	40.4
Simpson	4	4	0	20	14	6	50.9	65.1	33.7
Smith	7	3	4	15	6	9	50.7	34.3	74.4
Stone	1	1	0	4	1	3	24.2	9.5	50.0
Sunflower	22	2	20	36	4	32	40.9	20.9	46.4
Tallahatchie	9	3	6	13	6	7	32.2	60.6	23.0
Tate	1	0	1	9	1	8	21.6	5.6	33.9
Tippah	38	29	9	26	20	6	83.6	85.5	77.9
Tishomingo	4	4	0	5	5	0	21.4	21.8	-
Tunica	10	0	10	11	1	10	37.8	16.9	43.1
Union	17	9	8	16	7	9	45.4	25.5	115.4
Walthall	25	11	14	23	10	13	105.5	112.4	100.8
Warren	152	56	96	108	43	65	121.8	100.7	141.3
Washington	109	59	50	116	50	66	69.0	90.7	58.4
Wayne	12	7	5	10	4	6	32.6	21.6	49.2
Webster	2	1	1	5	1	4	28.7	7.9	85.1
Wilkinson	3	0	3	4	1	3	19.8	18.5	20.3
Winston	9	2	7	11	3	8	30.1	18.1	40.2
Yalobusha	4	0	4	9	4	5	33.2	31.5	34.7
Yazoo	8	1	7	32	8	24	61.4	43.2	71.4
Out of state	40	20	20	94	71	23			

* All fetal deaths regardless of length of gestation.

** Fetal deaths per 1,000 live births.

TABLE 8
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL)
MISSISSIPPI, 1972

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
STATE	23,361	13,876	9,485	23,663	14,077	9,586
Adams	459	198	261	403	171	232
Alcorn	251	217	34	301	263	38
Amite	48	18	30	143	83	60
Attala	210	122	88	230	134	96
Benton	31	16	15	82	55	27
Bolivar	558	151	407	570	190	380
Calhoun	145	114	31	207	169	38
Carroll	32	14	18	96	49	47
Chickasaw	177	112	65	194	118	76
Choctaw	81	53	28	120	93	27
Claiborne	109	26	83	142	34	108
Clarke	114	76	38	218	147	71
Clay	162	83	79	205	111	94
Coahoma	469	168	301	490	157	333
Copiah	267	135	132	343	189	154
Covington	132	97	35	177	127	50
DeSoto	150	69	81	278	171	107
Forrest	783	565	218	604	398	206
Franklin	112	67	45	113	68	45
George	118	103	15	131	113	18
Greene	62	44	18	78	63	15
Grenada	280	177	103	218	125	93
Hancock	166	142	24	196	170	26
Harrison	1,278	1,038	240	1,088	870	218
Hinds	2,879	1,667	1,212	1,808	982	826
Holmes	276	80	196	319	103	216
Humphreys	190	52	138	195	71	124
Issaquena	16	3	13	26	3	23
Itawamba	102	99	3	164	160	4
Jackson	477	367	110	558	439	119
Jasper	138	74	64	194	116	78
Jefferson	80	15	65	125	33	92
Jeff Davis	130	67	63	154	79	75
Jones	748	531	217	641	470	171
Kemper	80	43	37	147	72	75
Lafayette	210	138	72	182	113	69
Lamar	71	59	12	136	114	22
Lauderdale	1,112	761	351	831	559	272
Lawrence	90	51	39	131	91	40
Leake	177	98	79	251	150	101
Lee	695	523	172	493	356	137
Leflore	567	236	331	492	184	308

Table 8 - Page 2
 Deaths - Mississippi - 1972

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	298	207	91	317	212	105
Lowndes	467	261	206	456	230	226
Madison	276	84	192	339	117	222
Marion	174	119	55	242	171	71
Marshall	188	71	117	272	110	162
Monroe	389	253	136	403	269	134
Montgomery	190	103	87	164	93	71
Neshoba	237	168	69	283	208	75
Newton	243	155	88	277	189	88
Noxubee	166	49	117	171	62	109
Oktibbeha	205	98	107	248	131	117
Panola	265	127	138	353	179	174
Pearl River	240	195	45	298	241	57
Perry	81	56	25	102	67	35
Pike	406	261	145	400	252	148
Pontotoc	168	146	22	205	178	27
Prentiss	186	166	20	248	221	27
Quitman	93	21	72	163	62	101
Rankin	416	249	167	333	227	106
Scott	200	130	70	241	148	93
Sharkey	69	12	57	98	30	68
Simpson	200	137	63	227	161	66
Smith	60	47	13	144	121	23
Stone	111	83	28	95	74	21
Sunflower	336	117	219	370	135	235
Tallahatchie	206	75	131	248	99	149
Tate	67	32	35	136	78	58
Tippah	182	162	20	194	166	28
Tishomingo	119	111	8	168	161	7
Tunica	126	36	90	148	35	113
Union	221	186	35	229	195	34
Walhall	124	84	40	129	83	46
Warren	634	307	327	521	252	269
Washington	782	300	482	783	274	509
Wayne	171	114	57	197	133	64
Webster	104	88	16	119	98	21
Wilkinson	152	78	74	120	43	77
Winston	198	124	74	232	138	94
Yalobusha	111	74	37	162	113	49
Yazoo	268	121	147	354	158	196
Out of state	1,244	926	318	942	725	217

Table 8 - Page 3
Deaths - Mississippi - 1972

Town*	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Biloxi	456	394	62	361	295	66
Brookhaven	263	181	82	138	72	66
Canton	191	60	131	134	45	89
Clarksdale	380	154	226	274	96	178
Cleveland	224	111	113	138	60	78
Columbus	402	235	167	283	135	148
Corinth	46	33	13	149	117	32
Greenville	579	262	317	472	181	291
Greenwood	471	204	267	293	128	165
Gulfport	501	398	103	361	270	91
Hattiesburg	746	545	201	413	248	165
Jackson	2,347	1,351	996	1,409	790	619
Laurel	638	442	196	312	187	125
McComb	271	182	89	157	117	40
Meridian	1,061	724	337	588	374	214
Moss Point	23	12	11	130	67	63
Natchez	423	191	232	272	110	162
Oxford	183	124	59	69	46	23
Pascagoula	367	279	88	184	152	32
Picayune	169	133	36	125	80	45
Starkville	130	58	72	99	61	38
Tupelo	571	426	145	207	139	68
Vicksburg	582	284	298	367	172	195
Yazoo City	194	95	99	173	68	105
Total urban**	16,002	9,871	6,131	10,032	5,804	4,228
Total rural	7,359	4,005	3,354	13,631	8,273	5,358

* Towns of 10,000 population or more, according to 1970 census.

** All incorporated towns of 2,500 population or more, according to 1970 census.

TABLE 9
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1972

International Classification Number*	Cause*	Total	White	Non-white
<u>000-999</u>	<u>ALL CAUSES</u>	<u>23,663</u>	<u>14,077</u>	<u>9,586</u>
<u>000-136</u>	<u>INFECTIVE AND PARASITIC DISEASES</u>	<u>246</u>	<u>92</u>	<u>154</u>
<u>000-009</u>	<u>Intestinal infectious diseases</u>	<u>100</u>	<u>26</u>	<u>74</u>
<u> 002,003</u>	<u> Paratyphoid fever and other Salmonella infections</u>	<u> 3</u>	<u> 3</u>	<u> 0</u>
003	Other Salmonella infections	3	3	0
<u> 008,009</u>	<u> Enteritis and other diarrheal disease</u>	<u> 97</u>	<u> 23</u>	<u> 74</u>
008	Enteritis due to other specified organism	8	1	7
009	Diarrheal disease	89	22	67
<u>010-019</u>	<u>Tuberculosis, all forms</u>	<u>50</u>	<u>16</u>	<u>34</u>
<u> 010-012</u>	<u> Respiratory</u>	<u> 41</u>	<u> 12</u>	<u> 29</u>
011	Pulmonary	39	10	29
012	Other respiratory	2	2	0
<u> 013-018</u>	<u> Other forms</u>	<u> 4</u>	<u> 0</u>	<u> 4</u>
013	Meninges and central nervous system	2	0	2
015	Bones and joints	1	0	1
018	Disseminated	1	0	1
019	Late effects of tuberculosis	5	4	1
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>030-039</u>	<u>Other bacterial disease</u>	<u>57</u>	<u>28</u>	<u>29</u>
031	Other diseases due to mycobacteria	1	1	0
034	Streptococcal sore throat and scarlet fever	1	1	0
036	Meningococcal infection	7	4	3
037	Tetanus	1	0	1
038	Septicemia	42	20	22
039	Other bacterial diseases	5	2	3
<u>040-046</u>	<u>Poliomyelitis and other enterovirus diseases of central nervous system</u>	<u>2</u>	<u>2</u>	<u>0</u>
045	Aseptic meningitis due to enterovirus	1	1	0
046	Other enterovirus diseases of central nervous system	1	1	0
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>6</u>	<u>5</u>	<u>1</u>
052	Chickenpox	3	3	0
055	Measles	3	2	1
<u>060-068</u>	<u>Arthropod-borne viral diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u> 062-065</u>	<u> Viral encephalitis</u>	<u> 1</u>	<u> 1</u>	<u> 0</u>
065	Viral encephalitis, unspecified	1	1	0
066	Late effects of viral encephalitis	1	0	1
<u> 070-079</u>	<u> Other viral diseases</u>	<u> 15</u>	<u> 8</u>	<u> 7</u>
070	Infectious hepatitis	7	4	3
074	Specific diseases due to Coxsackie virus	1	1	0
079	Other viral diseases	7	3	4
<u>080-089</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>4</u>	<u>2</u>	<u>2</u>
<u> 080-083</u>	<u> Typhus and other rickettsioses</u>	<u> 4</u>	<u> 2</u>	<u> 2</u>
082	Tick-borne rickettsioses	4	2	2
<u> 090-099</u>	<u> Syphilis and other venereal diseases</u>	<u> 1</u>	<u> 0</u>	<u> 1</u>
<u> 090-097</u>	<u> Syphilis and its sequelae</u>	<u> 1</u>	<u> 0</u>	<u> 1</u>
093	Cardiovascular	1	0	1
<u>100-104</u>	<u> Other spirochetal diseases</u>	<u> 0</u>	<u> 0</u>	<u> 0</u>

Table 9 - Page 2
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
<u>110-117</u>	<u>Mycoses</u>	<u>6</u>	<u>3</u>	<u>3</u>
112	Moniliasis	1	0	1
115	Histoplasmosis	1	1	0
116	Blastomycosis	2	1	1
117	Other systemic mycosis	2	1	1
<u>120-129</u>	<u>Helminthiases</u>	<u>1</u>	<u>0</u>	<u>1</u>
127	Other intestinal helminthiasis	1	0	1
<u>130-136</u>	<u>Other infective and parasitic diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
135	Sarcoidosis	1	1	0
136	Other and unspecified infective and parasitic diseases	1	0	1
<u>140-239</u>	<u>NEOPLASMS</u>	<u>3,487</u>	<u>2,294</u>	<u>1,193</u>
<u>140-209</u>	<u>Malignant neoplasms</u>	<u>3,453</u>	<u>2,275</u>	<u>1,178</u>
<u>140-149</u>	<u>Buccal cavity and pharynx</u>	<u>61</u>	<u>38</u>	<u>23</u>
140	Lip	3	3	0
141	Tongue	12	6	6
142	Salivary gland	5	2	3
143	Gum	2	1	1
144	Floor of mouth	2	2	0
145	Other and unspecified parts of mouth	10	8	2
146	Oropharynx	2	2	0
147	Nasopharynx	7	3	4
148	Hypopharynx	6	4	2
149	Pharynx, unspecified	12	7	5
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>965</u>	<u>600</u>	<u>365</u>
150	Esophagus	71	37	34
151	Stomach	183	87	96
152	Small intestine, including duodenum	6	4	2
153	Large intestine, except rectum	291	202	89
154	Rectum and rectosigmoid junction	71	42	29
155	Liver and intrahepatic bile ducts, specified as primary	30	19	11
156	Gallbladder and bile ducts	27	23	4
157	Pancreas	261	167	94
158	Peritoneum and retroperitoneal tissue	12	10	2
159	Unspecified digestive organs	13	9	4
<u>160-163</u>	<u>Respiratory system</u>	<u>764</u>	<u>560</u>	<u>204</u>
160	Nose, nasal cavities, middle ear, and accessory sinuses	8	6	2
161	Larynx	14	12	2
162	Trachea, bronchus, and lung	736	539	197
163	Other and unspecified respiratory organs	6	3	3
<u>170-174</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>385</u>	<u>273</u>	<u>112</u>
170	Bone	25	13	12
171	Connective and other soft tissue	14	9	5
172	Melanoma of skin	39	35	4
173	Skin, other	32	28	4
174	Breast	275	188	87
<u>180-189</u>	<u>Genitourinary organs</u>	<u>633</u>	<u>347</u>	<u>286</u>

Table 9 - Page 3
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
(180-187)	<u>(Genital organs)</u>	505	260	245
180	Cervix uteri	101	40	61
182	Uterus, other	60	26	34
183	Ovary, fallopian tube, and broad ligament	73	50	23
184	Other and unspecified female genital organs	11	5	6
185	Prostate	246	129	117
186	Testis	7	6	1
187	Other and unspecified male genital organs	7	4	3
(188,189)	<u>(Urinary organs)</u>	128	87	41
188	Bladder	69	45	24
189	Other and unspecified urinary organs	59	42	17
190-199	<u>Other and unspecified sites</u>	317	220	97
190	Eye	5	3	2
191	Brain	67	60	7
192	Other parts of nervous system	21	15	6
193	Thyroid gland	10	7	3
194	Other endocrine glands	5	3	2
195	Ill-defined sites	34	24	10
196	Lymph nodes, secondary and unspecified	1	0	1
197	Respiratory and digestive systems, secondary	85	61	24
198	Other secondary	10	5	5
199	Site unspecified	79	42	37
200-209	<u>Lymphatic and hematopoietic tissue</u>	328	237	91
200	Lymphosarcoma and reticulum-cell sarcoma	47	41	6
201	Hodgkin's disease	34	27	7
202	Lymphoid tissue, other	27	21	6
203	Multiple myeloma	63	31	32
208	Polycythemia vera	5	4	1
209	Myelofibrosis	8	7	1
(204-207)	<u>(Leukemia)</u>	144	106	38
204	Lymphatic	45	33	12
205	Myeloid	60	46	14
206	Monocytic	4	3	1
207	Other and unspecified	35	24	11
210-228	<u>Benign neoplasms</u>	15	11	4
210	Benign neoplasm of buccal cavity and pharynx	1	1	0
211	Benign neoplasm of other parts of digestive system	1	1	0
215	Other benign neoplasm of muscular and connective tissue	1	1	0
218	Uterine fibroma	3	2	1
225	Benign neoplasm of brain and other parts of nervous system	7	5	2
226	Benign neoplasm of endocrine glands	1	0	1
228	Benign neoplasm of other and unspecified organs and tissues	1	1	0
230-239	<u>Neoplasms of unspecified nature</u>	19	8	11
230	Digestive organs	1	0	1
231	Respiratory organs	2	1	1
234	Uterus	1	0	1
235	Ovary	1	0	1
238	Eye, brain, and other parts of nervous system	14	7	7

Table 9 - Page 4
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>584</u>	<u>282</u>	<u>302</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>8</u>	<u>6</u>	<u>2</u>
242	Thyrotoxicosis with or without goiter	4	3	1
244	Myxedema	4	3	1
<u>250-258</u>	<u>Diseases of other endocrine glands</u>	<u>503</u>	<u>237</u>	<u>266</u>
250	Diabetes mellitus	496	234	262
251	Disorders of pancreatic internal secretion other than diabetes mellitus	3	2	1
252	Diseases of parathyroid gland	1	0	1
255	Diseases of adrenal glands	1	0	1
258	Polyglandular dysfunction and other diseases of endocrine glands	2	1	1
<u>260-269</u>	<u>Avitaminoses and other nutritional deficiency</u>	<u>27</u>	<u>16</u>	<u>11</u>
268	Nutritional marasmus	5	3	2
269	Other nutritional deficiency	22	13	9
<u>270-279</u>	<u>Other metabolic diseases</u>	<u>46</u>	<u>23</u>	<u>23</u>
270	Congenital disorders of amino-acid metabolism	2	2	0
273	Other and unspecified congenital disorders of metabolism	9	9	0
274	Gout	2	0	2
275	Plasma protein abnormalities	3	2	1
276	Amyloidosis	2	0	2
277	Obesity not specified as of endocrine origin	24	7	17
279	Other and unspecified metabolic diseases	4	3	1
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>77</u>	<u>37</u>	<u>40</u>
<u>280-285</u>	<u>Anemias</u>	<u>58</u>	<u>21</u>	<u>37</u>
280	Iron deficiency	2	0	2
281	Other deficiency	4	2	2
282	Hereditary hemolytic	20	3	17
283	Acquired hemolytic	1	0	1
284	Aplastic	15	14	1
285	Other and unspecified	16	2	14
286	Coagulation defects	6	5	1
287	Purpura and other hemorrhagic conditions	8	6	2
288	Agranulocytosis	1	1	0
289	Other diseases of blood and blood-forming organs	4	4	0
<u>290-315</u>	<u>MENTAL DISORDERS</u>	<u>69</u>	<u>43</u>	<u>26</u>
<u>290-299</u>	<u>Psychoses</u>	<u>15</u>	<u>11</u>	<u>4</u>
290	Senile and presenile dementia	7	5	2
291	Alcoholic psychosis	6	5	1
295	Schizophrenia	1	0	1
299	Unspecified psychosis	1	1	0
<u>300-309</u>	<u>Neuroses, personality disorders, and other nonpsychotic mental disorders</u>	<u>52</u>	<u>32</u>	<u>20</u>
300	Neuroses	1	1	0
303	Alcoholism	33	19	14
304	Drug dependence	2	2	0
306	Special symptoms not elsewhere classified	1	1	0

Table 9 - Page 5
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
309	Mental disorders not specified as psychotic associated with physical conditions	15	9	6
310-315	<u>Mental retardation</u>	2	0	2
313	Severe	1	0	1
315	Unspecified degree	1	0	1
320-389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	174	102	72
320-324	<u>Inflammatory diseases of central nervous system</u>	27	11	16
320	Meningitis	21	7	14
322	Intracranial and intraspinal abscess	1	0	1
323	Encephalitis, myelitis, and encephalomylitis	3	2	1
324	Late effects of intracranial abscess or pyogenic infection	2	2	0
330-333	<u>Hereditary and familial diseases of nervous system</u>	17	13	4
330	Hereditary neuromuscular disorders	13	10	3
331	Hereditary diseases of the striatopallidal system	1	0	1
332	Hereditary ataxia	1	1	0
333	Other hereditary and familial diseases of nervous system	2	2	0
340-349	<u>Other diseases of central nervous system</u>	120	70	50
340	Multiple sclerosis	14	10	4
341	Other demyelinating diseases of central nervous system	3	1	2
342	Paralysis agitans	16	14	2
343	Cerebral spastic infantile paralysis	10	6	4
344	Other cerebral paralysis	5	1	4
345	Epilepsy	30	11	19
347	Other diseases of brain	29	19	10
348	Motor neurone disease	10	7	3
349	Other diseases of spinal cord	3	1	2
350-358	<u>Diseases of nerves and peripheral ganglia</u>	3	2	1
351	Trigeminal neuralgia	2	1	1
354	Polyneuritis and polyradiculitis	1	1	0
360-369	<u>Inflammatory diseases of the eye</u>	0	0	0
370-379	<u>Other diseases and conditions of eye</u>	2	2	0
374	Cataract	1	1	0
377	Other diseases of retina and optic nerve	1	1	0
380-389	<u>Diseases of the ear and mastoid process</u>	5	4	1
381-383	<u>Otitis media and mastoiditis</u>	5	4	1
381	Otitis media without mention of mastoiditis	5	4	1
390-458	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	11,739	7,391	4,348
390-392	<u>Active rheumatic fever</u>	1	0	1
391	Rheumatic fever with heart involvement	1	0	1
393-398	<u>Chronic rheumatic heart disease</u>	85	47	38
394	Diseases of mitral valve	25	15	10
395	Disease of aortic valve	20	11	9
396	Diseases of mitral and aortic valves	8	3	5
397	Diseases of other endocardial structures	5	5	0
398	Other heart disease, specified as rheumatic	27	13	14

Table 9 - Page 6
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
<u>400-404</u>	<u>Hypertensive disease</u>	<u>309</u>	<u>117</u>	<u>192</u>
<u> 400,401,</u>				
<u> 403</u>	<u>Hypertension</u>	<u>124</u>	<u>36</u>	<u>88</u>
<u> 400</u>	Malignant hypertension	27	4	23
<u> 401</u>	Essential benign hypertension	23	5	18
<u> 403</u>	Hypertensive renal disease	74	27	47
<u> 402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>185</u>	<u>81</u>	<u>104</u>
<u> 402</u>	Hypertensive heart disease	119	47	72
<u> 404</u>	Hypertensive heart and renal disease	66	34	32
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>6,708</u>	<u>4,541</u>	<u>2,167</u>
<u> 410</u>	Acute myocardial infarction	<u>3,956</u>	<u>2,868</u>	<u>1,088</u>
<u> 411</u>	Other acute and subacute forms of ischemic heart disease	25	18	7
<u> 412</u>	Chronic ischemic heart disease	2,725	1,653	1,072
<u> 413</u>	Angina pectoris	2	2	0
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>831</u>	<u>445</u>	<u>386</u>
<u> 420</u>	Acute pericarditis, nonrheumatic	2	2	0
<u> 421</u>	Acute and subacute endocarditis	6	3	3
<u> 422</u>	Acute myocarditis	3	2	1
<u> 423</u>	Chronic disease of pericardium, nonrheumatic	6	4	2
<u> 424</u>	Chronic disease of endocardium	8	4	4
<u> 425</u>	Cardiomyopathy	23	12	11
<u> 426</u>	Pulmonary heart disease	7	6	1
<u> 427</u>	Symptomatic heart disease	357	197	160
<u> 428</u>	Other myocardial insufficiency	85	51	34
<u> 429</u>	Ill-defined heart disease	334	164	170
<u>430-438</u>	<u>Cerebrovascular disease</u>	<u>3,005</u>	<u>1,710</u>	<u>1,295</u>
<u> 430</u>	Subarachnoid hemorrhage	75	47	28
<u> 431</u>	Cerebral hemorrhage	573	293	280
<u> 432</u>	Occlusion of precerebral arteries	24	15	9
<u> 433</u>	Cerebral thrombosis	631	405	226
<u> 434</u>	Cerebral embolism	14	10	4
<u> 435</u>	Transient cerebral ischemia	2	2	0
<u> 436</u>	Acute but ill-defined cerebrovascular disease	1,244	644	600
<u> 437</u>	Generalized ischemic cerebrovascular disease	414	277	137
<u> 438</u>	Other and ill-defined cerebrovascular disease	28	17	11
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>594</u>	<u>396</u>	<u>198</u>
<u> 440</u>	Arteriosclerosis	314	203	111
<u> 441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>280</u>	<u>193</u>	<u>87</u>
<u> 441</u>	Aortic aneurysm (nonsyphilitic)	119	85	34
<u> 442</u>	Other aneurysm	16	7	9
<u> 443</u>	Other peripheral vascular disease	5	2	3
<u> 444</u>	Arterial embolism and thrombosis	84	65	19
<u> 445</u>	Gangrene	45	26	19
<u> 446</u>	Polyarteritis nodosa and allied conditions	6	5	1
<u> 447</u>	Other diseases of arteries and arterioles	5	3	2
<u>450-458</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>206</u>	<u>135</u>	<u>71</u>
<u> 450-453</u>	<u>Venous thrombosis and embolism</u>	<u>173</u>	<u>117</u>	<u>56</u>

Table 9 - Page 7
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
450	Pulmonary embolism and infarction	107	68	39
451	Phlebitis and thrombophlebitis	35	26	9
452	Portal vein thrombosis	4	4	0
453	Other venous embolism and thrombosis	27	19	8
<u>454-458</u>	<u>Other diseases of the circulatory system</u>	<u>33</u>	<u>18</u>	<u>15</u>
454	Varicose veins of lower extremities	8	5	3
455	Hemorrhoids	1	0	1
456	Varicose veins of other sites	3	2	1
458	Other diseases of circulatory system	21	11	10
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,145</u>	<u>737</u>	<u>408</u>
<u>460-466</u>	<u>Acute respiratory infections, except influenza</u>	<u>28</u>	<u>10</u>	<u>18</u>
460	Acute nasopharyngitis (common cold)	5	0	5
462	Acute pharyngitis	2	2	0
465	Acute upper respiratory infection of multiple or unspecified sites	14	4	10
466	Acute bronchitis and bronchiolitis	7	4	3
<u>470-474</u>	<u>Influenza</u>	<u>93</u>	<u>53</u>	<u>40</u>
470	Unqualified	41	22	19
471	With pneumonia	47	27	20
472	With other respiratory manifestations	3	2	1
473	With digestive manifestations	2	2	0
<u>480-486</u>	<u>Pneumonia</u>	<u>621</u>	<u>366</u>	<u>255</u>
480	Viral	15	10	5
<u>481,482</u>	<u>Bacterial</u>	<u>66</u>	<u>36</u>	<u>30</u>
481	Pneumococcal	51	22	29
482	Other bacterial pneumonia	15	14	1
483	Pneumonia due to other specified organism	5	3	2
484	Acute interstitial, organism unspecified	3	1	2
485	Broncho, organism unspecified	146	83	63
486	Unspecified	386	233	153
<u>490-493</u>	<u>Bronchitis, emphysema, and asthma</u>	<u>246</u>	<u>192</u>	<u>54</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>54</u>	<u>42</u>	<u>12</u>
490	Unqualified	11	6	5
491	Chronic	43	36	7
492	Emphysema	170	143	27
493	Asthma	22	7	15
<u>500-508</u>	<u>Other diseases of upper respiratory tract</u>	<u>2</u>	<u>2</u>	<u>0</u>
500	Hypertrophy of tonsils and adenoids	1	1	0
508	Other diseases of upper respiratory tract	1	1	0
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>155</u>	<u>114</u>	<u>41</u>
510	Empyema	2	1	1
511	Pleurisy	3	1	2
512	Spontaneous pneumothorax	1	0	1
513	Abscess of lung	6	4	2
514	Pulmonary congestion and hypostasis	12	7	5
517	Other chronic interstitial pneumonia	28	25	3
518	Bronchiectasis	10	7	3
519	Other diseases of respiratory system	93	69	24

Table 9 - Page 8
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
520-577	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	646	452	194
520-529	<u>Diseases of oral cavity, salivary glands, and jaws</u>	2	1	1
527	Diseases of the salivary glands	1	1	0
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	0	1
530-537	<u>Diseases of esophagus, stomach, and duodenum</u>	112	81	31
530	Diseases of esophagus	14	11	3
531-533	<u>Peptic ulcer</u>	81	56	25
531	Ulcer of stomach	21	14	7
532	Ulcer of duodenum	38	27	11
533	Peptic ulcer, site unspecified	22	15	7
534	Gastrojejunal ulcer	6	5	1
535	Gastritis and duodenitis	5	5	0
537	Other diseases of stomach and duodenum	6	4	2
540-543	<u>Appendicitis</u>	23	13	10
540	Acute appendicitis	22	12	10
541	Appendicitis, unqualified	1	1	0
550-553	<u>Hernia of abdominal cavity</u>	41	30	11
550	Inguinal, without mention of obstruction	2	2	0
551	Other, of abdominal cavity without mention of obstruction	13	11	2
552	Inguinal, with obstruction	14	7	7
553	Other, of abdominal cavity with obstruction	12	10	2
560-569	<u>Other diseases of intestine and peritoneum</u>	167	97	70
560	Intestinal obstruction without mention of hernia	54	22	32
562	Diverticula of intestine	30	24	6
563	Chronic enteritis and ulcerative colitis	13	6	7
564	Functional disorders of intestines	3	2	1
566	Abscess of anal and rectal regions	1	0	1
567	Peritonitis	8	5	3
568	Peritoneal adhesions	1	1	0
569	Other diseases of intestines and peritoneum	57	37	20
570-577	<u>Diseases of liver, gallbladder, and pancreas</u>	301	230	71
570	Acute and subacute necrosis of liver	5	4	1
571	Cirrhosis of liver	185	140	45
572	Suppurative hepatitis and liver abscess	1	0	1
573	Other diseases of liver	20	14	6
574,575	<u>Cholelithiasis, cholecystitis, and cholangitis</u>	47	39	8
574	Cholelithiasis	27	24	3
575	Cholecystitis and cholangitis, without mention of calculus	20	15	5
576	Other diseases of gallbladder and biliary ducts	15	12	3
577	Diseases of pancreas	28	21	7
580-629	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	410	208	202
580-584	<u>Nephritis and nephrosis</u>	122	50	72
580,581	<u>Acute nephritis and nephrotic syndrome</u>	25	14	11
580	Acute nephritis	21	11	10
581	Nephrotic syndrome	4	3	1
582-584	<u>Chronic and unqualified nephritis and renal sclerosis</u>	97	36	61

Table 9 - Page 9
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
582	Chronic nephritis	85	32	53
583	Nephritis, unqualified	11	4	7
584	Renal sclerosis, unqualified	1	0	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>222</u>	<u>126</u>	<u>96</u>
590	Infections of kidney	122	69	53
591	Hydronephrosis	1	0	1
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>8</u>	<u>5</u>	<u>3</u>
592	Of kidney and ureter	8	5	3
593	Other diseases of kidney and ureter	57	31	26
595	Cystitis	4	2	2
596	Other diseases of bladder	2	1	1
598	Stricture of urethra	3	2	1
599	Other diseases of urinary tract	25	16	9
<u>600-607</u>	<u>Diseases of male genital organs</u>	<u>48</u>	<u>21</u>	<u>27</u>
600	Hyperplasia of prostate	39	20	19
601	Prostatitis	2	1	1
602	Other diseases of prostate	2	0	2
604	Orchitis and epididymitis	2	0	2
607	Other diseases of male genital organs	3	0	3
<u>610-616</u>	<u>Diseases of breast, ovary, fallopian tube, and parametrium</u>	<u>4</u>	<u>2</u>	<u>2</u>
614	Salpingitis and oophoritis, unqualified	2	1	1
615	Other diseases of ovary and fallopian tube	1	1	0
616	Diseases of parametrium and pelvic peritoneum (female)	1	0	1
<u>620-629</u>	<u>Diseases of uterus and other female genital organs</u>	<u>14</u>	<u>9</u>	<u>5</u>
622	Infective diseases of uterus (except cervix), vagina, and vulva	2	1	1
623	Uterovaginal prolapse	2	1	1
625	Other diseases of uterus	3	2	1
626	Disorders of menstruation	2	1	1
629	Other diseases of female genital organs	5	4	1
<u>630-678</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>24</u>	<u>5</u>	<u>19</u>
<u>630-634</u>	<u>Complications of pregnancy</u>	<u>4</u>	<u>0</u>	<u>4</u>
630	Infections of genital tract during pregnancy	1	0	1
631	Ectopic pregnancy	1	0	1
634	Other complications of pregnancy	2	0	2
<u>635-639</u>	<u>Urinary infections and toxemias of pregnancy and the puerperium</u>	<u>3</u>	<u>0</u>	<u>3</u>
<u>636-639</u>	<u>Toxemias of pregnancy and the puerperium, except abortion with toxemia</u>	<u>3</u>	<u>0</u>	<u>3</u>
637	Pre-eclampsia, eclampsia, and toxemia, unspecified	3	0	3
<u>640-645</u>	<u>Abortion</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>650-662</u>	<u>Delivery</u>	<u>9</u>	<u>4</u>	<u>5</u>
651	Delivery complicated by placenta previa or antepartum hemorrhage	5	3	2
653	Delivery complicated by other postpartum hemorrhage	2	0	2
657	Delivery complicated by prolonged labor of other origin	1	1	0

Table 9 - Page 10
Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
662	Anesthetic death in uncomplicated delivery	1	0	1
670-678	<u>Complications of the puerperium</u>	<u>8</u>	<u>1</u>	<u>7</u>
<u>670,671,</u>				
673	<u>Sepsis of childbirth and the puerperium</u>	<u>6</u>	<u>1</u>	<u>5</u>
670	Sepsis of childbirth and the puerperium	2	0	2
671	Puerperal phlebitis and thrombosis	1	0	1
673	Puerperal pulmonary embolism	3	1	2
674	Cerebral hemorrhage in the puerperium	1	0	1
675	Puerperal blood dyscrasias	1	0	1
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>26</u>	<u>6</u>	<u>20</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>8</u>	<u>2</u>	<u>6</u>
680	Boil and carbuncle	1	0	1
682	Other cellulitis and abscess	4	0	4
684	Impetigo	1	1	0
686	Other local infections of skin and subcutaneous tissue	2	1	1
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>6</u>	<u>1</u>	<u>5</u>
692	Other eczema dermatitis	2	0	2
695	Erythematous conditions	4	1	3
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>12</u>	<u>3</u>	<u>9</u>
707	Chronic ulcer of skin	11	2	9
709	Other diseases of skin	1	1	0
<u>710-738</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>54</u>	<u>34</u>	<u>20</u>
<u>710-718</u>	<u>Arthritis and rheumatism, except rheumatic fever</u>	<u>29</u>	<u>18</u>	<u>11</u>
<u>710-715</u>	<u>Arthritis and spondylitis</u>	<u>28</u>	<u>18</u>	<u>10</u>
712	Rheumatoid arthritis and allied conditions	16	12	4
713	Osteoarthritis and allied conditions	6	4	2
715	Arthritis, unspecified	6	2	4
<u>716-718</u>	<u>Nonarticular rheumatism and rheumatism unspecified</u>	<u>1</u>	<u>0</u>	<u>1</u>
716	Polymyositis and dermatomyositis	1	0	1
<u>720-729</u>	<u>Osteomyelitis and other diseases of bone and joint</u>	<u>9</u>	<u>7</u>	<u>2</u>
720	Osteomyelitis and periostitis	3	2	1
721	Osteitis deformans	1	0	1
723	Other diseases of bone	2	2	0
725	Displacement of intervertebral disc	3	3	0
<u>730-738</u>	<u>Other diseases of musculoskeletal system</u>	<u>16</u>	<u>9</u>	<u>7</u>
733	Other diseases of muscle, tendon, and fascia	3	2	1
734	Diffuse diseases of connective tissue	11	5	6
735	Curvature of spine	2	2	0
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>203</u>	<u>116</u>	<u>87</u>
<u>740-743</u>	<u>Nervous system</u>	<u>43</u>	<u>28</u>	<u>15</u>

Table 9 - Page 11
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
740	Anencephalus	10	8	2
741	Spina bifida	12	11	1
742	Congenital hydrocephalus	14	6	8
743	Other congenital anomalies of nervous system	7	3	4
<u>746,747</u>	<u>Circulatory system</u>	<u>104</u>	<u>51</u>	<u>53</u>
746	Heart	92	43	49
747	Other of circulatory system	12	8	4
748	Respiratory system	10	5	5
<u>749-751</u>	<u>Digestive system</u>	<u>12</u>	<u>6</u>	<u>6</u>
749	Cleft palate with cleft lip	2	2	0
750	Other congenital anomalies of upper alimentary tract	5	3	2
751	Other congenital anomalies of digestive system	5	1	4
<u>752,753</u>	<u>Genitourinary system</u>	<u>12</u>	<u>11</u>	<u>1</u>
752	Genital organs	1	1	0
753	Urinary system	11	10	1
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>4</u>	<u>3</u>	<u>1</u>
755	Other congenital anomalies of limbs	1	0	1
756	Other congenital anomalies of musculoskeletal system	3	3	0
758	Other and unspecified	6	3	3
759	Congenital syndromes affecting multiple systems	12	9	3
<u>760-778</u>	<u>CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY</u>	<u>642</u>	<u>284</u>	<u>358</u>
761	Other maternal conditions unrelated to pregnancy	2	0	2
762	Toxemia of pregnancy	2	0	2
763	Maternal ante- and intrapartum infection	2	0	2
<u>764-768</u>	<u>Difficult labor</u>	<u>8</u>	<u>4</u>	<u>4</u>
766	With malposition of fetus	3	3	0
767	Difficult labor with abnormality of forces of labor	1	0	1
768	With other and unspecified complications	4	1	3
769	Other complications of pregnancy and childbirth	65	36	29
<u>770,771</u>	<u>Conditions of placenta and cord</u>	<u>40</u>	<u>19</u>	<u>21</u>
770	Of placenta	32	17	15
771	Of umbilical cord	8	2	6
772	Birth injury without mention of cause	35	17	18
<u>774,775</u>	<u>Hemolytic disease of newborn</u>	<u>4</u>	<u>0</u>	<u>4</u>
775	Without mention of kernicterus	4	0	4
776	Anoxic and hypoxic conditons not elsewhere classifiable	288	152	136
777	Immaturity, unqualified	167	50	117
778	Other conditions of fetus or newborn	29	6	23
<u>780-796</u>	<u>SYMPTOMS AND ILL-DEFINED CONDITIONS</u>	<u>1,634</u>	<u>545</u>	<u>1,089</u>
<u>780-789</u>	<u>Symptoms referable to systems or organs</u>	<u>61</u>	<u>27</u>	<u>34</u>
780	Certain symptoms referable to nervous system and special senses	6	2	4
782	Symptoms referable to cardiovascular and lymphatic system	44	23	21

Table 9 - Page 12
Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
783	Symptoms referable to respiratory system	4	2	2
784	Symptoms referable to upper gastrointestinal tract	1	0	1
788	Other general symptoms	6	0	6
<u>790-796</u>	<u>Senility and ill-defined diseases</u>	<u>1,573</u>	<u>518</u>	<u>1,055</u>
791	Headache	1	0	1
792	Uremia	5	0	5
794	Senility without mention of psychosis	43	6	37
795	Sudden death (cause unknown)	6	3	3
796	Other ill-defined and unknown causes	1,518	509	1,009
<u>800-999</u>	<u>ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)</u>	<u>2,503</u>	<u>1,449</u>	<u>1,054</u>
<u>800-949</u>	<u>Accidents</u>	<u>1,900</u>	<u>1,167</u>	<u>733</u>
<u>800-807</u>	<u>Railway</u>	<u>13</u>	<u>8</u>	<u>5</u>
802	Involving derailment without antecedent collision	1	1	0
804	Fall in, on, or from train	2	1	1
805	Hit by rolling stock	10	6	4
<u>810-823</u>	<u>Motor vehicle</u>	<u>989</u>	<u>645</u>	<u>344</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>970</u>	<u>633</u>	<u>337</u>
810	Involving collision with train	19	16	3
812	Involving collision with another motor vehicle	384	273	111
813	Involving collision with other vehicle	17	11	6
814	Involving collision with pedestrian	95	45	50
815	Other involving collision	97	59	38
816	Noncollision due to loss of control	200	133	67
818	Other noncollision	9	6	3
819	Of unspecified nature	149	90	59
<u>(820-823)</u>	<u>(Nontraffic)</u>	<u>19</u>	<u>12</u>	<u>7</u>
820	Involving collision with moving object	14	10	4
823	Of other and unspecified nature	5	2	3
<u>825-827</u>	<u>Other road vehicle</u>	<u>6</u>	<u>5</u>	<u>1</u>
827	Other nonmotor road vehicle	6	5	1
<u>830-838</u>	<u>Water transport</u>	<u>36</u>	<u>27</u>	<u>9</u>
830	Accident to watercraft causing submersion	21	17	4
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	12	7	5
835	Other and unspecified fall in water transport	1	1	0
837	Explosion, fire, burning, in water transport	1	1	0
<u>840-845</u>	<u>Air and space transport</u>	<u>22</u>	<u>22</u>	<u>0</u>
841	Accident to powered aircraft, other and unspecified	22	22	0
<u>850-877</u>	<u>Poisoning</u>	<u>33</u>	<u>18</u>	<u>15</u>
<u>(850-859)</u>	<u>(By drugs and medicaments)</u>	<u>15</u>	<u>11</u>	<u>4</u>
851	Accidental poisoning by hormones and synthetic substitutes	1	1	0
852	Primarily systemic and hematologic agents	2	1	1
853	Analgesics and antipyretics	4	2	2
854	Other sedatives and hypnotics	1	1	0
855	Autonomic nervous system and psychotherapeutic drugs	3	3	0
859	Other and unspecified drugs and medicaments	4	3	1

Table 9 - Page 13
 Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total	White	Non-white
(860-869)	(By other solid and liquid substances)	6	3	3
862	Disinfectants	1	1	0
865	Pesticides, fertilizers, or plant food	2	0	2
866	Heavy metals and their fumes	1	0	1
869	Other and unspecified solid and liquid substances	2	2	0
(870-877)	(By gases and vapors)	12	4	8
870	Gas distributed by pipeline	2	0	2
873	Motor vehicle exhaust gas	6	3	3
874	Carbon monoxide from incomplete combustion of domestic fuels	2	0	2
875	Other carbon monoxide	1	0	1
876	Other gases and vapors	1	1	0
880-887	Falls	157	129	28
880	On or from stairs and steps	1	0	1
881	On or from ladders or scaffolding	6	4	2
882	From or out of building or other structure	5	5	0
883	Into hole or other opening in surface	6	5	1
884	Other from one level to another	11	6	5
885	On same level from slipping, stumbling, or tripping	5	3	2
887	Other and unspecified fall	123	106	17
890-899	Caused by fires and flames	141	51	90
890	Conflagration in private dwelling	100	30	70
891	Conflagration in other building or structure	6	6	0
892	Conflagration not in building or structure	2	1	1
893	Ignition of clothing	11	8	3
894	Ignition of highly inflammable material	5	2	3
895	Controlled fire in private dwelling	7	1	6
898	Other specified fires or flames	3	3	0
899	Unspecified fire	7	0	7
900-909	Due to natural and environmental factors	23	11	12
900	Excessive heat	1	1	0
901	Excessive cold	6	2	4
904	Hunger, thirst, exposure, and neglect	7	2	5
906	Other accidents caused by animals	3	2	1
907	Lightning	4	3	1
908	Cataclysm	2	1	1
910-929	Other accidents	450	237	213
910	Drowning and submersion	118	47	71
911	Inhalation and ingestion of food causing obstruction or suffocation	28	14	14
912	Inhalation and ingestion of other object causing obstruction or suffocation	10	6	4
913	Mechanical suffocation	38	13	25
915	Foreign body accidentally entering other orifice	1	0	1
916	Struck by falling object	31	16	15
917	Striking against or struck by objects	34	19	15
918	Caught in or between objects	6	4	2
919	Overexertion and strenuous movements	1	0	1
920	Caused by cutting or piercing instruments	5	2	3
922	Caused by firearm missiles	85	54	31
923	Caused by explosive material	10	7	3

Table 9 - Page 14
Deaths - Mississippi - 1972

International Classification Number*	Cause*	Non-white
924	Caused by hot substance or steam	7 3
925	Caused by electric current	21 4
928	Machinery accident	18 10
929	Other and unspecified	14 11
<u>930-936</u>	<u>Surgical and medical misadventures</u>	<u>7 6</u>
930	In operative therapy	3 5
931	In other and unspecified	4 1
<u>940-949</u>	<u>Late effects of accidents</u>	<u>7 10</u>
940	Of motor vehicle accident	1 3
941	Of other transportation	1 0
943	Of accidental fall	1 2
944	Of accident caused by fire	1 0
946	Of other accident	3 5
<u>950-959</u>	<u>Suicide and self-inflicted</u>	<u>177 33</u>
<u>950-952</u>	<u>By poisoning</u>	<u>10 2</u>
950	By solid or liquid poison	8 2
952	By other gases	2 0
953	By hanging, strangulation	12 3
954	By submersion (drowning)	4 0
955	By firearms and explosives	150 26
956	By cutting and piercing	1 1
958	By other and unspecified	0 1
<u>960-978</u>	<u>Homicide and injury purposefully inflicted upon persons; legal intervention</u>	<u>76 256</u>
<u>960-969</u>	<u>Homicide and injury purposefully inflicted upon persons</u>	<u>74 251</u>
962	Assault by poisonings	0 1
963	Assault by hanging and strangulation	2 1
965	Assault by firearms and explosives	65 208
966	Assault by cutting and piercing	3 36
968	Assault by other and unspecified	4 5
<u>970-978</u>	<u>Legal intervention</u>	<u>2 5</u>
970	Injury by firearms	2 5
<u>980-989</u>	<u>Injury undetermined whether or not purposefully inflicted</u>	<u>29 32</u>
980	Poisoning by solid or liquid poison	4 2
983	Hanging, strangulation	1 0
984	Submersion (drowning)	2 0
985	Injury by firearms and explosives	17 21
986	Injury by cutting and piercing	1 0
987	Falling from high place	1 0
988	Injury by other and unspecified	3 8
989	Late effect of injury	0 1
<u>990-999</u>	<u>Injury resulting from operation</u>	<u>0 0</u>

* Numbers and causes are from the Eighth Revision of the International Classification of Diseases, Adapted for Use in the United States. If the cause did not fit into a specific three-digit category, number and cause were omitted.

TABLE 10
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1972

Inter-national Classi-fication Number*	Cause*	Total		Total by Race and Sex	Age	65 and Over		Unknown
		Number	Rate#			1-4	5-9	
000-999	<u>ALL CAUSES</u>	<u>23,663</u>	<u>10.5</u>	W	<u>14,077</u>	M	<u>8,246</u>	0
				NW	<u>9,586</u>	F	<u>5,831</u>	<u>4,601</u>
							<u>2,180</u>	<u>2</u>
							<u>2,758</u>	<u>2</u>
							<u>2,493</u>	<u>2</u>
000-136	<u>Infective and parasitic diseases</u>	<u>246</u>	<u>10.9</u>	W	<u>92</u>	M	<u>47</u>	0
				NW	<u>154</u>	F	<u>45</u>	<u>843</u>
							<u>686</u>	<u>4</u>
							<u>340</u>	<u>2</u>
							<u>242</u>	<u>2</u>
							<u>175</u>	<u>2</u>
							<u>335</u>	<u>2</u>
008,009	Enteritis and other diarrheal diseases	97	4.3	W	23	M	8	0
				NW	74	F	15	0
					37		2	0
					22		4	0
					4		0	0
010-019	Tuberculosis	50	2.2	W	16	M	12	0
				NW	34	F	4	0
					26		0	0
					8		0	0
070	Infectious hepatitis	7	0.3	W	4	M	2	1
				NW	3	F	2	0
					1		0	0
					0		0	0
140-209	<u>Malignant neoplasms</u>	<u>3,453</u>	<u>153.0</u>	W	<u>2,275</u>	M	<u>1,301</u>	0
				NW	<u>1,178</u>	F	<u>974</u>	<u>46</u>
							<u>659</u>	<u>15</u>
							<u>519</u>	<u>106</u>
							<u>0</u>	<u>0</u>
							<u>0</u>	<u>0</u>
							<u>17</u>	<u>330</u>
							<u>15</u>	<u>226</u>
							<u>2</u>	<u>154</u>
							<u>23</u>	<u>106</u>
							<u>720</u>	<u>0</u>
							<u>69</u>	<u>568</u>
							<u>17</u>	<u>401</u>
							<u>2</u>	<u>294</u>

Table 10 - Page 2
Deaths - Mississippi - 1972

Inter-national Classification Number*	Cause*			Total by Race and Sex	Total by Race	Rate/ Number	Rate/ #	Total by Race and Sex	Total by Race	Age	Unknown Over 65 and Under 55-64	
		Male	Female									
303	Alcoholism	33	1.5	W	19	M	11	0	0	1	2	2
				NW	14	M	8	0	0	1	3	0
					5	F	9	0	0	3	0	0
320-389	Diseases of the nervous system and sense organs	174	7.7	W	102	M	63	5	0	0	4	19
				NW	72	M	39	10	0	0	3	21
					28	F	44	2	0	0	9	9
320	Meningitis	21	0.9	W	7	M	5	2	1	0	0	3
				NW	14	M	10	6	2	0	0	1
					4	F	4	2	0	0	1	0
345	Epilepsy	30	1.3	W	11	M	10	0	0	2	4	0
				NW	19	M	1	0	0	0	0	0
					6	F	13	0	0	3	3	0
390-458	Diseases of the circulatory system	11,739	520.3	W	7,391	M	4,166	3	3	1	78	803
				NW	4,348	M	3,225	1	0	0	40	277
					2,092	F	2,256	5	4	0	182	2,790
390-398, 402, 404-429	Heart diseases	7,810	346.2	W	5,114	M	3,063	3	1	2	6	69
				NW	2,696	M	2,051	0	0	1	4	58
					1,275	F	1,421	2	2	1	10	23
400,401, 403	Hypertension	124	5.5	W	36	M	18	0	0	0	0	0
				NW	88	M	18	0	0	0	1	1
					49	F	39	0	0	0	9	4
										2	0	0
										6	6	7
										2	0	0

Table 10 • Page 4
Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total		Total by Race	Total by Sex	Age	Unknown						
		Number	Rate#				Under 1-4	1-4	5-9	10-14	15-24	25-34	35-44
430-438	Cerebrovascular disease	3,005	133.2	W	1,710	M	818	0	1	2	4	1	5
				NW	1,295	F	892	0	0	0	2	3	10
				M	663	M	663	3	2	0	1	3	11
440	Arteriosclerosis	314	13.9	W	203	M	84	0	0	0	0	0	0
				NW	111	F	119	0	0	0	0	0	0
460-519	Diseases of the respiratory system	1,145	50.8	W	737	M	466	14	4	1	1	1	6
				NW	408	M	271	7	3	2	2	2	4
				F	244	F	47	10	2	1	1	1	1
470-474	Influenza	93	4.1	W	53	M	28	0	1	0	0	0	0
				NW	40	M	25	0	1	0	0	0	0
480-486	Pneumonia	621	27.5	W	366	M	203	11	3	0	1	2	0
				NW	255	M	163	6	2	1	0	4	5
490,491	Chronic and unqualified bronchitis	54	2.4	W	42	M	30	0	0	0	0	0	0
				NW	12	M	139	36	8	1	1	0	0
492	Emphysema	170	7.5	W	143	M	116	0	0	0	0	0	0
				NW	27	M	27	24	3	0	0	0	0

Table 10 • Page 5
Deaths - Mississippi - 1972

International Classification Number*	Cause*			Total by Race	Total by Sex	Total by Race and Sex	Number	Rate#	Age	
		Total	Cause#						Over 65 and Unknown	
493	Asthma	22	1.0	W	7	M 3 F 4	NW 15	M 452 F 194	0 0 0 1	0 0
	Diseases of the digestive system	646	28.6	W	452	M 236 F 216	M 114 F 80		0 0 0 1	0 0
520-577		81	3.6	W	56	M 32 F 24	M 18 F 7		0 0 0 0	0 0
531-533	Peptic ulcer			NW	25	M 21 F 31	M 14 F 43		0 0 0 0	0 0
550-553, 560	Hernia and intestinal obstruction	95	4.2	W	52	M 21 F 29	M 14 F 40		0 0 0 0	0 0
571	Cirrhosis of liver	185	8.2	W	140	M 82 F 58	M 18 F 45		0 0 0 0	0 0
580-629	Diseases of the genitourinary system	410	18.2	W	208	M 107 F 101	M 115 F 87		0 0 0 0	0 0
580-584	Nephritis and nephrosis	122	5.4	W	50	M 22 F 28	M 37 F 35		0 0 0 0	0 0

Table 10 - Page 6
Deaths - Mississippi - 1972

International Classification Number*	Cause*	Number	Rate#	Total		Race by Race and Sex	Total by Race	Race by Race	Number	Rate#	Total		Race by Race and Sex	Total by Race	Race by Race	Number	Rate#	Total		Race by Race and Sex	Total by Race	Race by Race	Number	Rate#			
				Male	Female						Male	Female	Male							Female							
590	Infections of kidney	122	5.4	M	NW	69	M	F	39	0	26	M	F	53	M	F	27	0	30	M	F	39	0	26	M	F	27
630-678	Complications of pregnancy, child-birth, and the puerperium	24	52.3	W	NW	5	M	F	19	M	6	M	F	20	M	F	19	0	5	M	F	19	0	5	M	F	19
680-709	Diseases of the skin and subcutaneous tissue	26	1.2	W	NW	—	M	F	—	M	—	M	F	—	M	F	—	0	—	M	F	—	0	—	M	F	—
710-738	Diseases of the musculoskeletal system and connective tissue	54	2.4	W	NW	34	M	F	21	M	6	M	F	20	M	F	19	0	5	M	F	21	0	5	M	F	19
740-759	Congenital anomalies	203	9.0	W	NW	116	M	F	53	M	36	M	F	87	M	F	87	0	63	M	F	53	0	39	M	F	27
760-778	Certain causes of mortality in early infancy	642	14.0	W	NW	284	M	F	115	M	169	M	F	358	M	F	358	0	169	M	F	115	0	134	M	F	27
780-796	Symptoms and ill-defined conditions	1,634	72.4	W	NW	545	M	F	166	M	379	M	F	1,089	M	F	1,089	0	545	M	F	166	0	172	M	F	27

Table 10 • Page 7
Deaths - Mississippi - 1972

International Classification Number*	Cause*	Total		Race	Sex	Total by Race and Sex	Age						
		Number	Rate #				10-14	15-24	25-34	35-44	45-54	55-64	65 and over
800-999	<u>Accidents, poisonings, and violence</u>	2,503	110.9	W	M	1,449	20	35	135	136	138	144	158
				NW	F	1,054	13	14	70	40	38	41	116
						399	13	13	222	97	81	66	97
						817	13	12	163	15	15	13	52
						237	13	11	25	31	15	13	0
810-823	Motor vehicle accidents	989	43.8	W	M	645	3	16	12	22	152	71	53
				NW	F	165	6	11	6	7	46	20	13
						344	0	5	18	8	81	60	34
						275	0	7	2	6	19	13	21
						69	0				10	3	27
800-807, 825-949	All other accidents	911	40.4	W	M	522	8	12	66	42	43	52	50
				NW	F	370	13	7	5	7	6	11	12
						152	7	1	22	71	29	11	11
						282	11	14	9	5	11	0	27
						107	13	14	9			3	31
950-959	Suicide	210	9.3	W	M	177	0	0	0	17	10	16	40
				NW	F	50	0	0	0	0	8	10	9
						33	0	0	0	0	5	4	5
						25	0	0	0	0	1	5	0
						8	0	0	0	0		2	0
960-978	Homicide	332	14.7	W	M	76	55	0	0	0	4	10	13
				NW	F	21	0	0	0	0	5	5	0
						256	207	0	0	3	60	36	24
						49	0	0	1	0	13	11	10
											7	2	3

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-678) are per 100,000 live births and deaths from certain causes of mortality in early infancy (classification numbers 760-778) are per 1,000 live births.

TABLE 11
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1972

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	1,187	459	728	837	362	475	350	97	253
Adams	21	7	14	18	7	11	3	0	3
Alcorn	13	11	2	9	7	2	4	4	0
Amite	5	3	2	4	2	2	1	1	0
Attala	9	2	7	4	1	3	5	1	4
Benton	4	4	0	1	1	0	3	3	0
Bolivar	42	7	35	28	6	22	14	1	13
Calhoun	7	2	5	4	1	3	3	1	2
Carroll	3	0	3	1	0	1	2	0	2
Chickasaw	9	2	7	7	2	5	2	0	2
Choctaw	2	0	2	2	0	2	0	0	0
Claiborne	11	0	11	9	0	9	2	0	2
Clarke	4	1	3	3	1	2	1	0	1
Clay	8	2	6	7	2	5	1	0	1
Coahoma	32	6	26	21	5	16	11	1	10
Copiah	11	2	9	5	1	4	6	1	5
Covington	6	0	6	4	0	4	2	0	2
DeSoto	12	6	6	11	6	5	1	0	1
Forrest	26	13	13	22	13	9	4	0	4
Franklin	2	1	1	1	0	1	1	1	0
George	6	5	1	4	4	0	2	1	1
Greene	4	0	4	3	0	3	1	0	1
Grenada	13	3	10	8	3	5	5	0	5
Hancock	8	7	1	6	5	1	2	2	0
Harrison	66	46	20	48	35	13	18	11	7
Hinds	66	25	41	53	21	32	13	4	9
Holmes	14	1	13	10	1	9	4	0	4
Humphreys	9	1	8	7	0	7	2	1	1
Issaquena	3	0	3	0	0	0	3	0	3
Itawamba	9	9	0	4	4	0	5	5	0
Jackson	43	28	15	33	24	9	10	4	6
Jasper	10	3	7	8	3	5	2	0	2
Jefferson	5	0	5	3	0	3	2	0	2
Jeff Davis	8	1	7	5	1	4	3	0	3
Jones	21	17	4	16	13	3	5	4	1
Kemper	8	1	7	5	1	4	3	0	3
Lafayette	13	5	8	12	5	7	1	0	1
Lamar	9	5	4	8	5	3	1	0	1
Lauderdale	38	19	19	30	16	14	8	3	5
Lawrence	3	1	2	2	1	1	1	0	1
Leake	11	3	8	9	3	6	2	0	2
Lee	29	20	9	21	15	6	8	5	3
Leflore	34	4	30	25	4	21	9	0	9

Table 11 - Page 2
 Infant Deaths - Mississippi - 1972

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	9	3	6	5	3	2	4	0	4
Lowndes	24	7	17	13	3	10	11	4	7
Madison	14	2	12	7	1	6	7	1	6
Marion	16	7	9	9	3	6	7	4	3
Marshall	15	4	11	8	3	5	7	1	6
Monroe	31	17	14	23	12	11	8	5	3
Montgomery	4	0	4	2	0	2	2	0	2
Neshoba	10	6	4	8	5	3	2	1	1
Newton	11	6	5	8	4	4	3	2	1
Noxubee	18	1	17	12	1	11	6	0	6
Oktibbeha	16	4	12	7	2	5	9	2	7
Panola	20	6	14	13	5	8	7	1	6
Pearl River	16	9	7	13	7	6	3	2	1
Perry	4	2	2	3	2	1	1	0	1
Pike	18	5	13	14	4	10	4	1	3
Pontotoc	7	3	4	5	3	2	2	0	2
Prentiss	11	9	2	9	7	2	2	2	0
Quitman	15	4	11	13	4	9	2	0	2
Rankin	13	10	3	10	8	2	3	2	1
Scott	17	6	11	10	5	5	7	1	6
Sharkey	7	0	7	3	0	3	4	0	4
Simpson	10	2	8	5	2	3	5	0	5
Smith	5	1	4	3	1	2	2	0	2
Stone	2	0	2	0	0	0	2	0	2
Sunflower	21	3	18	15	3	12	6	0	6
Tallahatchie	21	5	16	12	5	7	9	0	9
Tate	7	3	4	6	3	3	1	0	1
Tippah	10	7	3	6	4	2	4	3	1
Tishomingo	4	4	0	3	3	0	1	1	0
Tunica	5	1	4	1	0	1	4	1	3
Union	12	8	4	9	5	4	3	3	0
Walthall	5	2	3	3	1	2	2	1	1
Warren	29	11	18	28	10	18	1	1	0
Washington	49	10	39	34	7	27	15	3	12
Wayne	12	7	5	9	6	3	3	1	2
Webster	2	2	0	2	2	0	0	0	0
Wilkinson	7	0	7	5	0	5	2	0	2
Winston	10	3	7	6	3	3	4	0	4
Yalobusha	5	2	3	5	2	3	0	0	0
Yazoo	18	4	14	9	4	5	9	0	9

* Infant Deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 12
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1972

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	25.8	19.3	32.8	18.2	15.2	21.4	7.6	4.1	11.4
Adams	27.2	21.9	30.8	23.3	21.9	24.2	3.9	-	6.6
Alcorn	28.2	28.3	27.8	19.5	18.0	27.8	8.7	10.3	-
Amite	22.5	34.5	14.8	18.0	23.0	14.8	4.5	11.5	-
Attala	26.2	11.7	40.7	11.7	5.8	17.4	14.6	5.8	23.2
Benton	44.4	66.7	-	11.1	16.7	-	33.3	50.0	-
Bolivar	30.5	23.2	32.6	20.4	19.9	20.5	10.2	3.3	12.1
Calhoun	27.6	13.8	45.9	15.7	6.9	27.5	11.8	6.9	18.3
Carroll	19.9	-	28.6	6.6	-	9.5	13.2	-	19.0
Chickasaw	25.8	11.3	40.7	20.0	11.3	29.1	5.7	-	11.6
Choctaw	16.9	-	44.4	16.9	-	44.4	-	-	-
Claiborne	53.6	-	66.7	43.9	-	54.5	9.8	-	12.1
Clarke	14.9	7.0	24.0	11.2	7.0	16.0	3.7	-	8.0
Clay	21.7	14.3	26.3	19.0	14.3	21.9	2.7	-	4.4
Coahoma	36.5	29.8	38.5	23.9	24.9	23.7	12.5	5.0	14.8
Copiah	21.3	11.7	26.1	9.7	5.8	11.6	11.6	5.8	14.5
Covington	22.2	-	47.2	14.8	-	31.5	7.4	-	15.7
DeSoto	14.9	10.6	25.1	13.6	10.6	20.9	1.2	-	4.2
Forrest	23.2	18.1	32.5	19.7	18.1	22.5	3.6	-	10.0
Franklin	15.5	17.5	13.9	7.8	-	13.9	7.8	17.5	-
George	21.7	22.2	19.2	14.4	17.8	-	7.2	4.4	19.2
Greene	20.5	-	56.3	15.4	-	42.2	5.1	-	14.1
Grenada	34.6	17.8	48.1	21.3	17.8	24.0	13.3	-	24.0
Hancock	26.6	27.0	23.8	19.9	19.3	23.8	6.6	7.7	-
Harrison	20.8	18.4	29.2	15.1	14.0	19.0	5.7	4.4	10.2
Hinds	15.9	13.0	18.4	12.8	10.9	14.4	3.1	2.1	4.0
Holmes	27.6	15.2	29.4	19.7	15.2	20.4	7.9	-	9.0
Humphreys	28.5	12.6	33.8	22.2	-	29.5	6.3	12.6	4.2
Issaquena	88.2	-	136.4	-	-	-	88.2	-	136.4
Itawamba	35.4	39.8	-	15.7	17.7	-	19.7	22.1	-
Jackson	19.9	16.9	30.1	15.3	14.5	18.1	4.6	2.4	12.0
Jasper	29.9	24.0	33.5	24.0	24.0	23.9	6.0	-	9.6
Jefferson	27.6	-	32.0	16.6	-	19.2	11.0	-	12.8
Jeff Davis	32.9	11.1	45.8	20.6	11.1	26.1	12.3	-	19.6
Jones	22.2	26.8	12.8	16.9	20.5	9.6	5.3	6.3	3.2
Kemper	39.0	27.0	41.7	24.4	27.0	23.8	14.6	-	17.8
Lafayette	31.0	21.1	44.0	28.6	21.1	38.5	2.4	-	5.5
Lamar	29.6	20.5	66.7	26.3	20.5	50.0	3.3	-	16.7
Lauderdale	25.2	21.4	30.7	19.9	18.0	22.6	5.3	3.4	8.1
Lawrence	14.7	8.4	23.5	9.8	8.4	11.8	4.9	-	11.8
Leake	41.5	25.4	54.4	34.0	25.4	40.8	7.5	-	13.6
Lee	28.6	28.3	29.3	20.7	21.2	19.5	7.9	7.1	9.8
Leflore	37.0	14.3	46.9	27.2	14.3	32.8	9.8	-	14.1

Table 12 - Page 2
 Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1972

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	17.4	10.6	25.5	9.6	10.6	8.5	7.7	-	17.0
Lowndes	21.7	11.1	35.6	11.7	4.8	21.0	9.9	6.3	14.7
Madison	18.2	10.5	20.7	9.1	5.2	10.3	9.1	5.2	10.3
Marion	35.8	26.5	49.2	20.1	11.4	32.8	15.6	15.2	16.4
Marshall	25.8	23.0	27.0	13.7	17.2	12.2	12.0	5.7	14.7
Monroe	43.8	43.5	44.3	32.5	30.7	34.8	11.3	12.8	9.5
Montgomery	15.0	-	24.2	7.5	-	12.1	7.5	-	12.1
Neshoba	23.5	23.1	24.1	18.8	19.2	18.1	4.7	3.8	6.0
Newton	32.7	32.8	32.7	23.8	21.8	26.1	8.9	10.9	6.5
Noxubee	56.1	15.9	65.9	37.4	15.9	42.6	18.7	-	23.2
Oktibbeha	28.9	15.1	41.5	12.6	7.5	17.3	16.2	7.5	24.2
Panola	33.4	30.8	34.6	21.7	25.6	19.8	11.7	5.1	14.8
Pearl River	28.4	21.1	51.5	23.1	16.4	44.1	5.3	4.7	7.4
Perry	19.6	15.3	27.4	14.7	15.3	13.7	4.9	-	13.7
Pike	30.4	17.7	41.9	23.6	14.2	32.2	6.8	3.5	9.7
Pontotoc	26.5	13.8	87.0	18.9	13.8	43.5	7.6	-	43.5
Prentiss	31.1	31.0	31.2	25.4	24.1	31.2	5.6	6.9	-
Quitman	38.1	32.8	40.4	33.0	32.8	33.1	5.1	-	7.4
Rankin	15.8	16.2	14.6	12.2	12.9	9.8	3.6	3.2	4.9
Scott	35.5	24.1	47.8	20.9	20.1	21.7	14.6	4.0	26.1
Sharkey	28.2	-	35.4	12.1	-	15.2	16.1	-	20.2
Simpson	25.4	9.3	44.9	12.7	9.3	16.8	12.7	-	28.1
Smith	16.9	5.7	33.0	10.1	5.7	16.5	6.8	-	16.5
Stone	12.1	-	33.3	-	-	-	12.1	-	33.3
Sunflower	23.9	15.7	26.1	17.0	15.7	17.4	6.8	-	8.7
Tallahatchie	52.0	50.5	52.4	29.7	50.5	23.0	22.3	-	29.5
Tate	16.8	16.7	16.9	14.4	16.7	12.7	2.4	-	4.2
Tippah	32.2	29.9	39.0	19.3	17.1	26.0	12.9	12.8	13.0
Tishomingo	17.1	17.5	-	12.8	13.1	-	4.3	4.4	-
Tunica	17.2	16.9	17.2	3.4	-	4.3	13.7	16.9	12.9
Union	34.1	29.2	51.3	25.6	18.2	51.3	8.5	10.9	-
Walthall	22.9	22.5	23.2	13.8	11.2	15.5	9.2	11.2	7.8
Warren	32.7	25.8	39.1	31.6	23.4	39.1	1.1	2.3	-
Washington	29.1	18.1	34.5	20.2	12.7	23.9	8.9	5.4	10.6
Wayne	39.1	37.8	41.0	29.3	32.4	24.6	9.8	5.4	16.4
Webster	11.5	15.7	-	11.5	15.7	-	-	-	-
Wilkinson	34.6	-	47.3	24.8	-	33.8	9.9	-	13.5
Winston	27.4	18.1	35.2	16.4	18.1	15.1	11.0	-	20.1
Yalobusha	18.4	15.7	20.8	18.4	15.7	20.8	-	-	-
Yazoo	34.5	21.6	41.7	17.3	21.6	14.9	17.3	-	26.8

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1972

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
ALL CAUSES	1,187	25.8	W	459	362	204	130	17	6	5	97
			NW	728	475	261	141	23	26	24	253
Diarrheal disease (009)	49	1.1	W	1	1	0	0	1	0	0	0
			NW	48	18	0	3	2	5	8	30
Septicemia (038)	19	0.4	W	4	2	0	1	1	0	0	2
			NW	15	8	0	3	3	2	0	7
Other infective and parasitic diseases (000-008, 010-037, 039-136)	14	0.3	W	6	1	0	0	0	1	0	5
			NW	8	1	0	0	0	1	0	7
Meningitis (320)	10	0.2	W	2	1	0	0	1	0	0	1
			NW	8	1	0	0	0	1	0	7
Acute upper respiratory infections (460-465)	9	0.2	W	1	0	0	0	0	0	0	1
			NW	8	3	0	1	1	1	0	5
Bronchitis and bronchiolitis (466, 490, 491)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	0	0	0	0	0	0	3
Influenza and pneumonia (470-486)	83	1.8	W	17	5	0	4	0	0	1	12
			NW	66	22	3	7	4	8	0	44
Hernia and intestinal obstruction (550-553, 560)	10	0.2	W	6	5	2	3	0	0	0	1
			NW	4	1	0	1	0	0	0	3
Congenital anomalies (740-759)	127	2.8	W	75	52	29	12	7	2	2	23
			NW	52	28	19	5	2	2	0	24
Maternal conditions unrelated to pregnancy (760, 761)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	2	0	0	0	0	0
Toxemia of pregnancy (762)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	2	0	0	0	0	0
*Maternal antepartum and intrapartum infection (763)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	0	2	0	0	0	0
Difficult labor (764-768)	8	0.2	W	4	4	3	1	0	0	0	0
			NW	4	4	2	2	0	0	0	0
Other complications of pregnancy and childbirth (769)	65	1.4	W	36	36	23	13	0	0	0	0
			NW	29	29	21	6	1	1	0	0

Table 13 - Page 2
 Infant Deaths - Mississippi - 1972

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate [#]			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Conditions of placenta (770)	32	0.7	W NW	17 15	17 15	12 11	5 4	0 0	0 0	0 0	0 0
Conditions of umbilical cord (771)	8	0.2	W NW	2 6	2 6	1 3	1 3	0 0	0 0	0 0	0 0
Birth injury without mention of cause (772)	35	0.8	W NW	17 18	17 18	7 9	9 7	1 1	0 0	0 1	0 0
Hemolytic disease of newborn (774, 775)	4	0.1	W NW	0 4	0 4	0 2	0 2	0 0	0 0	0 0	0 0
Hyaline membrane disease (776.1)	89	1.9	W NW	51 38	51 38	23 21	27 17	0 0	0 0	1 0	0 0
Respiratory distress syndrome (776.2)	79	1.7	W NW	44 35	44 35	21 17	23 17	0 1	0 0	0 0	0 0
Asphyxia of newborn, unspecified (776.9)	106	2.3	W NW	52 54	52 54	36 40	14 12	2 1	0 0	0 1	0 0
Other anoxic and hypoxic conditions now elsewhere classifiable (776.0, 776.3, 776.4)	14	0.3	W NW	5 9	5 9	1 6	3 1	1 1	0 1	0 0	0 0
Immaturity, unqualified (777)	167	3.6	W NW	50 117	50 116	38 81	10 31	2 3	0 0	0 1	0 1
Hemorrhagic disease of newborn (778.2)	3	0.1	W NW	0 3	0 3	0 2	0 1	0 0	0 0	0 0	0 0
Other conditions of newborn (778.0, 778.1, 778.3, 778.9)	26	0.6	W NW	6 20	6 20	4 9	2 6	0 1	0 3	0 1	0 0
Symptoms and ill-defined conditions (780-796)	122	2.6	W NW	17 105	6 23	4 5	1 7	0 1	1 1	0 1	0 9
Accidents (800-949)	53	1.2	W NW	29 24	3 4	0 1	0 2	0 0	2 0	1 0	26 20
All other causes	45	1.0	W NW	16 29	2 9	0 5	1 1	1 1	0 0	0 2	14 20

* Deaths of children under 1 year of age.

** Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Deaths per 1,000 live births.

Rate less than 0.06.

TABLE 14
 MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
 ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
 ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
 MISSISSIPPI, 1972

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>28,703</u>	<u>19,178</u>	<u>9,525</u>	<u>28,703</u>	<u>19,178</u>	<u>9,525</u>	<u>25,167</u>	<u>16,253</u>	<u>8,914</u>
Adams	441	263	178	448	265	183	383	207	176
Alcorn	562	508	54	584	529	55	326	291	35
Amite	111	67	44	117	70	47	97	52	45
Attala	187	111	76	182	116	66	185	113	72
Benton	65	35	30	79	47	32	70	38	32
Bolivar	532	261	271	496	233	263	494	227	267
Calhoun	159	106	53	185	130	55	172	112	60
Carroll	84	50	34	100	62	38	79	47	32
Chickasaw	273	159	114	238	141	97	225	143	82
Choctaw	109	74	35	101	68	33	70	48	22
Claiborne	104	21	83	107	21	86	90	18	72
Clarke	204	123	81	203	127	76	176	105	71
Clay	210	116	94	195	105	90	189	106	83
Coahoma	474	188	286	460	184	276	438	165	273
Copiah	275	121	154	292	134	158	294	132	162
Covington	163	106	57	181	119	62	181	113	68
DeSoto	881	589	292	882	585	297	293	214	79
Forrest	905	673	232	846	620	226	786	576	210
Franklin	86	56	30	93	66	27	90	53	37
George	249	223	26	241	219	22	160	140	20
Greene	69	58	11	100	84	16	77	52	25
Grenada	263	162	101	239	140	99	246	146	100
Hancock	327	284	43	323	282	41	169	141	28
Harrison	2,187	1,868	319	2,218	1,897	321	1,817	1,533	284
Hinds	2,786	1,717	1,069	2,558	1,527	1,031	2,584	1,598	986
Holmes	240	58	182	264	68	196	290	81	209
Humphreys	171	70	101	173	71	102	165	64	101
Issaquena	22	15	7	18	9	9	13	6	7
Itawamba	172	167	5	176	172	4	118	113	5
Jackson	1,351	1,113	238	1,337	1,095	242	1,147	947	200
Jasper	131	71	60	153	92	61	160	87	73
Jefferson	107	23	84	82	16	66	83	17	66
Jeff Davis	139	73	66	130	62	68	115	62	53
Jones	724	550	174	732	562	170	684	524	160
Kemper	97	27	70	95	33	62	74	25	49
Lafayette	229	157	72	220	140	80	201	132	69
Lamar	170	148	22	204	176	28	207	178	29
Lauderdale	824	536	288	812	519	293	774	483	291
Lawrence	100	68	32	119	83	36	156	101	55
Leake	225	135	90	239	148	91	221	127	94
Lee	619	478	141	630	492	138	729	572	157
Leflore	510	240	270	492	222	270	519	246	273

Table 14 - Page 2
 Marriages - Mississippi - 1972

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	297	217	80	296	213	83	266	193	73
Lowndes	558	370	188	554	371	183	493	329	164
Madison	293	107	186	325	129	196	291	116	175
Marion	364	242	122	354	237	117	339	226	113
Marshall	414	219	195	393	207	186	254	119	135
Monroe	349	262	87	385	276	109	337	233	104
Montgomery	148	95	53	148	96	52	161	102	59
Neshoba	245	163	82	238	151	87	214	135	79
Newton	163	96	67	202	129	73	206	133	73
Noxubee	99	33	66	118	41	77	115	38	77
Oktibbeha	306	195	111	288	174	114	282	159	123
Panola	315	177	138	321	181	140	307	160	147
Pearl River	398	347	51	419	366	53	326	276	50
Perry	108	84	24	103	79	24	110	92	18
Pike	453	249	204	470	265	205	419	227	192
Pontotoc	238	204	34	216	185	31	187	162	25
Prentiss	236	199	37	213	182	31	174	154	20
Quitman	192	92	100	201	98	103	185	90	95
Rankin	403	315	88	496	403	93	437	336	101
Scott	283	171	112	259	155	104	284	174	110
Sharkey	114	44	70	103	38	65	110	47	63
Simpson	267	188	79	258	178	80	244	173	71
Smith	118	95	23	149	118	31	131	91	40
Stone	130	105	25	107	82	25	109	84	25
Sunflower	370	143	227	421	180	241	389	156	233
Tallahatchie	106	39	67	119	54	65	114	50	64
Tate	232	138	94	215	126	89	197	105	92
Tippah	223	194	29	224	193	31	204	173	31
Tishomingo	417	406	11	412	402	10	167	163	4
Tunica	110	54	56	95	43	52	82	36	46
Union	243	205	38	251	214	37	234	196	38
Walton	136	85	51	137	85	52	99	53	46
Warren	540	343	197	557	365	192	518	322	196
Washington	889	498	391	904	511	393	817	437	380
Wayne	211	126	85	196	112	84	170	96	74
Webster	118	90	28	113	85	28	110	83	27
Wilkinson	442	358	84	437	343	94	102	33	69
Winston	194	108	86	186	101	85	184	104	80
Yalobusha	127	80	47	143	95	48	147	96	51
Yazoo	317	174	143	321	180	141	305	166	139
Not reported				12	4	8			
Out of state	*	*	*	*	*	*	3,536	2,925	611

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 15
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE,
MISSISSIPPI, 1972

County	Total	White	Non-white	County	Total	White	Non-white
<u>STATE</u>	<u>10,097</u>	<u>7,510</u>	<u>2,587</u>				
Adams	154	81	73	Lincoln	78	57	21
Alcorn	149	135	14	Lowndes	189	147	42
Amite	19	13	6	Madison	151	73	78
Attala	74	49	25	Marion	118	101	17
Benton	31	15	16	Marshall	147	92	55
Bolivar	201	110	91	Monroe	146	98	48
Calhoun	56	46	10	Montgomery	50	29	21
Carroll	19	11	8	Neshoba	126	96	30
Chickasaw	74	64	10	Newton	36	26	10
Choctaw	22	17	5	Noxubee	27	7	20
Claiborne	22	3	19	Oktibbeha	118	79	39
Clarke	56-	39	17	Panola	120	63	57
Clay	74	35	39	Pearl River	182	157	25
Coahoma	155	79	76	Perry	42	31	11
Copiah	69	30	39	Pike	158	94	64
Covington	59	39	20	Pontotoc	87	78	9
DeSoto	287	257	30	Prentiss	87	81	6
Forrest	368	308	60	Quitman	46	25	21
Franklin	15	12	3	Rankin	130	103	27
George	46	42	4	Scott	67	41	26
Greene	32	29	3	Sharkey	29	17	12
Grenada	99	72	27	Simpson	83	65	18
Hancock	102	90	12	Smith	38	30	8
Harrison	937	822	115	Stone	42	29	13
Hinds	1,153	818	335	Sunflower	80	43	37
Holmes	65	30	35	Tallahatchie	58	32	26
Humphreys	35	18	17	Tate	59	43	16
Issaquena	4	2	2	Tippah	56	44	12
Itawamba	39	37	2	Tishomingo	42	41	1
Jackson	625	540	85	Tunica	28	17	11
Jasper	18	13	5	Union	91	75	16
Jefferson	23	7	16	Walthall	46	32	14
Jeff Davis	34	23	11	Warren	261	204	57
Jones	280	249	31	Washington	355	219	136
Kemper	16	6	10	Wayne	83	59	24
Lafayette	88	73	15	Webster	31	24	7
Lamar	73	65	8	Wilkinson	21	7	14
Lauderdale	315	253	62	Winston	77	42	35
Lawrence	34	30	4	Yalobusha	33	25	8
Leake	57	37	20	Yazoo	98	67	31
Lee	259	234	25				
Leflore	143	84	59				

NOTE:

Table 16 extends from page 87 through page 107 with identical data for each county as well as for the state.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Adams County			Alcorn County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	69	28	41	40	36	4
Diabetes mellitus (250)	12	2	10	5	4	1
Heart diseases (390-398, 402, 404-429)	151	71	80	121	105	16
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	36	18	18	39	34	5
Arteriosclerosis (440)	9	3	6	6	6	0
Influenza and pneumonia (470-486)	7	4	3	4	4	0
Bronchitis, emphysema, asthma (490-493)	3	2	1	2	2	0
Cirrhosis of liver (571)	5	4	1	1	1	0
Nephritis and nephrosis (580-584)	1	0	1	2	2	0
Infections of kidney (590)	2	1	1	4	2	2
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	15	6	9	9	7	2
Accidents (800-949)	23	11	12	22	21	1
Motor vehicle accidents (810-823)	13	8	5	12	11	1
Suicide (950-959)	4	3	1	5	4	1
Homicide (960-978)	6	0	6	5	1	4
Ill-defined and unknown# (780-796)	22	2	20	6	6	0
Amite County						
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	25	14	11	28	22	6
Diabetes mellitus (250)	1	1	0	7	1	6
Heart diseases (390-398, 402, 404-429)	39	28	11	87	52	35
Hypertension (400, 401, 403)	0	0	0	2	1	1
Cerebrovascular disease (430-438)	11	8	3	38	23	15
Arteriosclerosis (440)	1	0	1	1	0	1
Influenza and pneumonia (470-486)	1	1	0	4	2	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	3	3	0
Cirrhosis of liver (571)	2	0	2	3	2	1
Nephritis and nephrosis (580-584)	1	0	1	1	1	0
Infections of kidney (590)	0	0	0	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0
Certain causes of mortality in early infancy (760-778)	3	2	1	2	0	2
Accidents (800-949)	9	8	1	10	6	4
Motor vehicle accidents (810-823)	5	4	1	7	3	4
Suicide (950-959)	1	0	1	2	1	1
Homicide (960-978)	2	1	1	3	1	2
Ill-defined and unknown# (780-796)	30	10	20	17	8	9

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Benton County			Bolivar County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	1	1	0	1	0	1
Malignant neoplasms (140-209)	12	7	5	70	28	42
Diabetes mellitus (250)	2	1	1	6	2	4
Heart diseases (390-398, 402, 404-429)	30	25	5	166	73	93
Hypertension (400, 401, 403)	1	1	0	4	1	3
Cerebrovascular disease (430-438)	2	0	2	86	25	61
Arteriosclerosis (440)	2	1	1	11	7	4
Influenza and pneumonia (470-486)	4	3	1	15	6	9
Bronchitis, emphysema, asthma (490-493)	1	1	0	6	4	2
Cirrhosis of liver (571)	1	0	1	4	3	1
Nephritis and nephrosis (580-584)	1	0	1	5	1	4
Infections of kidney (590)	0	0	0	4	2	2
Maternal causes (630-678)	0	0	0	2	0	2
Congenital anomalies (740-759)	0	0	0	8	1	7
Certain causes of mortality in early infancy (760-778)	1	1	0	20	5	15
Accidents (800-949)	11	8	3	34	12	22
Motor vehicle accidents (810-823)	7	5	2	16	4	12
Suicide (950-959)	1	1	0	1	0	1
Homicide (960-978)	0	0	0	7	0	7
Ill-defined and unknown# (780-796)	9	4	5	67	4	63
	Calhoun County			Carroll County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	28	25	3	15	9	6
Diabetes mellitus (250)	6	6	0	2	0	2
Heart diseases (390-398, 402, 404-429)	88	79	9	40	22	18
Hypertension (400, 401, 403)	1	1	0	1	0	1
Cerebrovascular disease (430-438)	24	19	5	8	5	3
Arteriosclerosis (440)	1	1	0	0	0	0
Influenza and pneumonia (470-486)	9	6	3	3	1	2
Bronchitis, emphysema, asthma (490-493)	4	4	0	3	2	1
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	2	2	0	0	0	0
Infections of kidney (590)	3	2	1	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	3	0	3	0	0	0
Accidents (800-949)	16	10	6	10	3	7
Motor vehicle accidents (810-823)	10	6	4	6	2	4
Suicide (950-959)	1	1	0	0	0	0
Homicide (960-978)	0	0	0	0	0	0
Ill-defined and unknown# (780-796)	4	3	1	3	2	1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Chickasaw County			Choctaw County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	23	17	6	13	13	0
Diabetes mellitus (250)	4	1	3	2	2	0
Heart diseases (390-398, 402, 404-429)	71	45	26	51	43	8
Hypertension (400, 401, 403)	1	0	1	1	0	1
Cerebrovascular disease (430-438)	25	14	11	16	16	0
Arteriosclerosis (440)	1	0	1	0	0	0
Influenza and pneumonia (470-486)	7	4	3	4	2	2
Bronchitis, emphysema, asthma (490-493)	3	3	0	2	1	1
Cirrhosis of liver (571)	1	0	1	1	1	0
Nephritis and nephrosis (580-584)	1	1	0	0	0	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	0	0	0
Certain causes of mortality in early infancy (760-778)	5	1	4	0	0	0
Accidents (800-949)	11	7	4	12	5	7
Motor vehicle accidents (810-823)	6	5	1	8	2	6
Suicide (950-959)	1	1	0	0	0	0
Homicide (960-978)	0	0	0	4	1	3
Ill-defined and unknown# (780-796)	20	13	7	3	1	2
	Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	21	4	17	32	24	8
Diabetes mellitus (250)	1	1	0	1	0	1
Heart diseases (390-398, 402, 404-429)	59	17	42	86	63	23
Hypertension (400, 401, 403)	1	0	1	1	0	1
Cerebrovascular disease (430-438)	16	6	10	30	21	9
Arteriosclerosis (440)	0	0	0	2	2	0
Influenza and pneumonia (470-486)	6	0	6	9	6	3
Bronchitis, emphysema, asthma (490-493)	1	0	1	1	1	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	2	0	2	0	0	0
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	3	3	0
Certain causes of mortality in early infancy (760-778)	6	0	6	0	0	0
Accidents (800-949)	7	2	5	13	9	4
Motor vehicle accidents (810-823)	1	0	1	7	5	2
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	3	0	3	3	1	2
Ill-defined and unknown# (780-796)	1	1	0	19	8	11

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, 1972

Cause and International Classification Number*	Clay County			Coahoma County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	34	22	12	65	29	36
Diabetes mellitus (250)	6	2	4	11	2	9
Heart diseases (390-398, 402, 404-429)	68	38	30	152	51	101
Hypertension (400, 401, 403)	3	1	2	1	0	1
Cerebrovascular disease (430-438)	29	15	14	57	17	40
Arteriosclerosis (440)	4	2	2	6	3	3
Influenza and pneumonia (470-486)	4	3	1	16	3	13
Bronchitis, emphysema, asthma (490-493)	1	1	0	4	1	3
Cirrhosis of liver (571)	1	1	0	2	2	0
Nephritis and nephrosis (580-584)	0	0	0	5	3	2
Infections of kidney (590)	1	0	1	7	1	6
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	3	0	3	2	0	2
Certain causes of mortality in early infancy (760-778)	5	2	3	18	5	13
Accidents (800-949)	18	8	10	35	17	18
Motor vehicle accidents (810-823)	6	2	4	21	12	9
Suicide (950-959)	1	1	0	3	2	1
Homicide (960-978)	0	0	0	10	0	10
Ill-defined and unknown# (780-796)	8	2	6	53	5	48
	Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	43	29	14	26	22	4
Diabetes mellitus (250)	7	2	5	3	3	0
Heart diseases (390-398, 402, 404-429)	121	71	50	48	40	8
Hypertension (400, 401, 403)	0	0	0	2	1	1
Cerebrovascular disease (430-438)	45	21	24	37	25	12
Arteriosclerosis (440)	5	3	2	6	3	3
Influenza and pneumonia (470-486)	16	8	8	1	1	0
Bronchitis, emphysema, asthma (490-493)	6	5	1	1	1	0
Cirrhosis of liver (571)	5	5	0	2	2	0
Nephritis and nephrosis (580-584)	1	0	1	0	0	0
Infections of kidney (590)	4	2	2	2	1	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	4	1	3	1	0	1
Certain causes of mortality in early infancy (760-778)	3	1	2	3	0	3
Accidents (800-949)	19	7	12	14	9	5
Motor vehicle accidents (810-823)	8	2	6	8	6	2
Suicide (950-959)	3	3	0	1	1	0
Homicide (960-978)	9	2	7	1	1	0
Ill-defined and unknown# (780-796)	22	9	13	13	6	7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	DeSoto County			Forrest County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	5	2	3
Malignant neoplasms (140-209)	33	27	6	92	70	22
Diabetes mellitus (250)	3	1	2	20	7	13
Heart diseases (390-398, 402, 404-429)	63	42	21	206	148	58
Hypertension (400, 401, 403)	1	1	0	6	2	4
Cerebrovascular disease (430-438)	28	18	10	64	48	16
Arteriosclerosis (440)	7	5	2	10	7	3
Influenza and pneumonia (470-486)	4	3	1	18	14	4
Bronchitis, emphysema, asthma (490-493)	6	5	1	11	10	1
Cirrhosis of liver (571)	3	3	0	10	7	3
Nephritis and nephrosis (580-584)	0	0	0	2	1	1
Infections of kidney (590)	0	0	0	2	0	2
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	3	2	1	5	4	1
Certain causes of mortality in early infancy (760-778)	7	3	4	15	9	6
Accidents (800-949)	34	20	14	43	25	18
Motor vehicle accidents (810-823)	14	10	4	23	13	10
Suicide (950-959)	6	5	1	6	6	0
Homicide (960-978)	5	3	2	6	3	3
Ill-defined and unknown# (780-796)	43	11	32	41	10	31
Franklin County						
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	18	8	10	18	15	3
Diabetes mellitus (250)	5	3	2	3	2	1
Heart diseases (390-398, 402, 404-429)	41	28	13	44	39	5
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	17	7	10	11	9	2
Arteriosclerosis (440)	1	1	0	0	0	0
Influenza and pneumonia (470-486)	3	2	1	5	3	2
Bronchitis, emphysema, asthma (490-493)	0	0	0	3	3	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	1	1	0	0	0	0
Infections of kidney (590)	0	0	0	2	2	0
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	0	0	0	2	2	0
Certain causes of mortality in early infancy (760-778)	0	0	0	4	4	0
Accidents (800-949)	13	10	3	25	23	2
Motor vehicle accidents (810-823)	10	7	3	15	14	1
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	1	0	1	0	0	0
Ill-defined and unknown# (780-796)	5	1	4	2	0	2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, 1972

Cause and International Classification Number*	Greene County			Grenada County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	13	13	0	30	23	7
Diabetes mellitus (250)	2	2	0	9	3	6
Heart diseases (390-398, 402, 404-429)	31	26	5	73	46	27
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	7	7	0	38	19	19
Arteriosclerosis (440)	0	0	0	0	0	0
Influenza and pneumonia (470-486)	3	1	2	4	4	0
Bronchitis, emphysema, asthma (490-493)	0	0	0	4	3	1
Cirrhosis of liver (571)	0	0	0	2	0	2
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	1	1	0	1	1	0
Maternal causes (630-678)	2	0	2	3	2	1
Congenital anomalies (740-759)	1	1	0	1	1	0
Certain causes of mortality in early infancy (760-778)	2	0	2	7	3	4
Accidents (800-949)	6	5	1	13	8	5
Motor vehicle accidents (810-823)	4	3	1	6	3	3
Suicide (950-959)	1	1	0	3	3	0
Homicide (960-978)	0	0	0	1	0	1
Ill-defined and unknown# (780-796)	2	2	0	17	4	13
	Hancock County			Harrison County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	4	3	1
Malignant neoplasms (140-209)	20	15	5	183	152	31
Diabetes mellitus (250)	4	4	0	14	9	5
Heart diseases (390-398, 402, 404-429)	66	60	6	393	336	57
Hypertension (400, 401, 403)	1	1	0	2	1	1
Cerebrovascular disease (430-438)	29	23	6	115	90	25
Arteriosclerosis (440)	1	1	0	4	4	0
Influenza and pneumonia (470-486)	8	8	0	24	17	7
Bronchitis, emphysema, asthma (490-493)	0	0	0	19	12	7
Cirrhosis of liver (571)	2	2	0	12	11	1
Nephritis and nephrosis (580-584)	0	0	0	9	7	2
Infections of kidney (590)	0	0	0	7	7	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	5	4	1
Certain causes of mortality in early infancy (760-778)	6	5	1	42	29	13
Accidents (800-949)	19	18	1	84	66	18
Motor vehicle accidents (810-823)	10	10	0	32	25	7
Suicide (950-959)	1	1	0	15	13	2
Homicide (960-978)	0	0	0	17	5	12
Ill-defined and unknown# (780-796)	18	15	3	37	25	12

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Hinds County			Holmes County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	4	0	4	1	0	1
Malignant neoplasms (140-209)	337	190	147	40	11	29
Diabetes mellitus (250)	38	12	26	9	2	7
Heart diseases (390-398, 402, 404-429)	549	344	205	109	47	62
Hypertension (400, 401, 403)	13	3	10	2	0	2
Cerebrovascular disease (430-438)	204	81	123	56	12	44
Arteriosclerosis (440)	20	12	8	4	2	2
Influenza and pneumonia (470-486)	56	35	21	6	4	2
Bronchitis, emphysema, asthma (490-493)	19	15	4	3	3	0
Cirrhosis of liver (571)	34	23	11	3	2	1
Nephritis and nephrosis (580-584)	7	4	3	3	1	2
Infections of kidney (590)	5	5	0	1	0	1
Maternal causes (630-678)	1	1	0	0	0	0
Congenital anomalies (740-759)	18	10	8	3	0	3
Certain causes of mortality in early infancy (760-778)	42	14	28	6	0	6
Accidents (800-949)	142	78	64	19	2	17
Motor vehicle accidents (810-823)	76	44	32	6	1	5
Suicide (950-959)	20	15	5	2	2	0
Homicide (960-978)	53	13	40	5	1	4
Ill-defined and unknown# (780-796)	76	25	51	28	4	24
	Humphreys County			Issaquena County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	29	16	13	2	0	2
Diabetes mellitus (250)	6	0	6	1	0	1
Heart diseases (390-398, 402, 404-429)	60	23	37	7	2	5
Hypertension (400, 401, 403)	1	0	1	0	0	0
Cerebrovascular disease (430-438)	20	6	14	3	0	3
Arteriosclerosis (440)	11	6	5	2	0	2
Influenza and pneumonia (470-486)	1	0	1	2	0	2
Bronchitis, emphysema, asthma (490-493)	1	1	0	0	0	0
Cirrhosis of liver (571)	1	0	1	0	0	0
Nephritis and nephrosis (580-584)	2	0	2	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	2	0	2	0	0	0
Certain causes of mortality in early infancy (760-778)	6	0	6	0	0	0
Accidents (800-949)	10	4	6	2	0	2
Motor vehicle accidents (810-823)	6	4	2	2	0	2
Suicide (950-959)	0	0	0	1	0	1
Homicide (960-978)	9	2	7	0	0	0
Ill-defined and unknown# (780-796)	20	5	15	3	1	2

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Itawamba County			Jackson County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	0	0	0	1	1	0
Malignant neoplasms (140-209)	28	28	0	96	82	14
Diabetes mellitus (250)	4	4	0	12	9	3
Heart diseases (390-398, 402, 404-429)	60	57	3	179	134	45
Hypertension (400, 401, 403)	1	1	0	5	2	3
Cerebrovascular disease (430-438)	34	34	0	38	31	7
Arteriosclerosis (440)	0	0	0	8	8	0
Influenza and pneumonia (470-486)	1	1	0	15	10	5
Bronchitis, emphysema, asthma (490-493)	2	2	0	7	7	0
Cirrhosis of liver (571)	1	1	0	6	6	0
Nephritis and nephrosis (580-584)	1	1	0	2	2	0
Infections of kidney (590)	0	0	0	2	2	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	12	10	2
Certain causes of mortality in early infancy (760-778)	3	3	0	20	12	8
Accidents (800-949)	20	19	1	69	54	15
Motor vehicle accidents (810-823)	17	16	1	35	31	4
Suicide (950-959)	1	1	0	7	7	0
Homicide (960-978)	1	1	0	4	1	3
Ill-defined and unknown# (780-796)	0	0	0	21	19	2
	Jasper County			Jefferson County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	19	18	1	25	4	21
Diabetes mellitus (250)	4	1	3	4	1	3
Heart diseases (390-398, 402, 404-429)	74	44	30	45	17	28
Hypertension (400, 401, 403)	3	1	2	0	0	0
Cerebrovascular disease (430-438)	25	14	11	11	3	8
Arteriosclerosis (440)	4	2	2	2	0	2
Influenza and pneumonia (470-486)	8	5	3	1	0	1
Bronchitis, emphysema, asthma (490-493)	1	1	0	0	0	0
Cirrhosis of liver (571)	0	0	0	2	1	1
Nephritis and nephrosis (580-584)	1	1	0	1	0	1
Infections of kidney (590)	2	0	2	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	2	0	2
Certain causes of mortality in early infancy (760-778)	5	2	3	2	0	2
Accidents (800-949)	23	14	9	11	0	11
Motor vehicle accidents (810-823)	13	7	6	4	0	4
Suicide (950-959)	4	4	0	0	0	0
Homicide (960-978)	2	0	2	1	0	1
Ill-defined and unknown# (780-796)	5	3	2	5	2	3

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Jeff Davis County			Jones County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	0	0	0	2	0	2
Malignant neoplasms (140-209)	22	14	8	81	62	19
Diabetes mellitus (250)	2	0	2	12	8	4
Heart diseases (390-398, 402, 404-429)	47	27	20	190	148	42
Hypertension (400, 401, 403)	0	0	0	2	0	2
Cerebrovascular disease (430-438)	28	13	15	74	50	24
Arteriosclerosis (440)	1	1	0	11	11	0
Influenza and pneumonia (470-486)	9	4	5	17	12	5
Bronchitis, emphysema, asthma (490-493)	1	1	0	9	8	1
Cirrhosis of liver (571)	1	0	1	7	5	2
Nephritis and nephrosis (580-584)	0	0	0	7	2	5
Infections of kidney (590)	5	2	3	5	5	0
Maternal causes (630-678)	0	0	0	1	1	0
Congenital anomalies (740-759)	1	0	1	8	7	1
Certain causes of mortality in early infancy (760-778)	5	1	4	13	10	3
Accidents (800-949)	9	6	3	61	47	14
Motor vehicle accidents (810-823)	5	2	3	27	23	4
Suicide (950-959)	1	1	0	6	6	0
Homicide (960-978)	3	0	3	4	1	3
Ill-defined and unknown# (780-796)	4	1	3	72	40	32
	Kemper County			Lafayette County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	13	10	3	27	19	8
Diabetes mellitus (250)	0	0	0	7	5	2
Heart diseases (390-398, 402, 404-429)	48	27	21	63	44	19
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	17	9	8	22	9	13
Arteriosclerosis (440)	2	1	1	1	0	1
Influenza and pneumonia (470-486)	4	1	3	2	2	0
Bronchitis, emphysema, asthma (490-493)	4	3	1	2	2	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	1	1	0	0	0	0
Infections of kidney (590)	2	0	2	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	3	3	0
Certain causes of mortality in early infancy (760-778)	4	1	3	9	3	6
Accidents (800-949)	15	7	8	12	8	4
Motor vehicle accidents (810-823)	7	5	2	7	6	1
Suicide (950-959)	4	3	1	0	0	0
Homicide (960-978)	1	0	1	3	0	3
Ill-defined and unknown# (780-796)	15	4	11	12	5	7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Lamar County			Lauderdale County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	0	2
Malignant neoplasms (140-209)	16	14	2	135	98	37
Diabetes mellitus (250)	4	3	1	8	6	2
Heart diseases (390-398, 402, 404-429)	41	39	2	197	144	53
Hypertension (400, 401, 403)	1	0	1	2	1	1
Cerebrovascular disease (430-438)	24	22	2	119	74	45
Arteriosclerosis (440)	2	1	1	17	14	3
Influenza and pneumonia (470-486)	4	3	1	22	13	9
Bronchitis, emphysema, asthma (490-493)	2	2	0	7	6	1
Cirrhosis of liver (571)	1	1	0	13	10	3
Nephritis and nephrosis (580-584)	0	0	0	3	2	1
Infections of kidney (590)	1	1	0	7	7	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	7	7	0
Certain causes of mortality in early infancy (760-778)	6	4	2	24	11	13
Accidents (800-949)	11	6	5	72	57	15
Motor vehicle accidents (810-823)	6	4	2	46	39	7
Suicide (950-959)	2	1	1	4	4	0
Homicide (960-978)	1	0	1	18	1	17
Ill-defined and unknown# (780-796)	4	3	1	123	67	56
	Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	16	9	7	39	31	8
Diabetes mellitus (250)	4	4	0	7	4	3
Heart diseases (390-398, 402, 404-429)	51	35	16	94	67	27
Hypertension (400, 401, 403)	2	0	2	0	0	0
Cerebrovascular disease (430-438)	16	12	4	35	17	18
Arteriosclerosis (440)	0	0	0	0	0	0
Influenza and pneumonia (470-486)	3	3	0	6	2	4
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	1	1	0	2	0	2
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	2	2	0
Certain causes of mortality in early infancy (760-778)	2	1	1	5	2	3
Accidents (800-949)	8	5	3	31	11	20
Motor vehicle accidents (810-823)	3	2	1	19	5	14
Suicide (950-959)	1	1	0	4	2	2
Homicide (960-978)	1	1	0	6	1	5
Ill-defined and unknown# (780-796)	7	3	4	0	0	0

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNES COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Lee County			Leflore County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	2	0	2
Malignant neoplasms (140-209)	78	59	19	78	35	43
Diabetes mellitus (250)	8	3	5	5	2	3
Heart diseases (390-398, 402, 404-429)	198	141	57	150	61	89
Hypertension (400, 401, 403)	0	0	0	8	1	7
Cerebrovascular disease (430-438)	59	43	16	84	36	48
Arteriosclerosis (440)	4	1	3	6	2	4
Influenza and pneumonia (470-486)	17	12	5	15	6	9
Bronchitis, emphysema, asthma (490-493)	6	5	1	5	5	0
Cirrhosis of liver (571)	4	4	0	3	2	1
Nephritis and nephrosis (580-584)	3	2	1	0	0	0
Infections of kidney (590)	1	1	0	2	0	2
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	5	4	1	3	0	3
Certain causes of mortality in early infancy (760-778)	16	12	4	20	4	16
Accidents (800-949)	39	32	7	37	12	25
Motor vehicle accidents (810-823)	14	10	4	19	9	10
Suicide (950-959)	3	3	0	4	4	0
Homicide (960-978)	8	4	4	10	1	9
Ill-defined and unknown# (780-796)	7	5	2	19	2	17
	Lincoln County			Lowndes County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	2	0	2	4	2	2
Malignant neoplasms (140-209)	39	28	11	66	46	20
Diabetes mellitus (250)	9	5	4	9	4	5
Heart diseases (390-398, 402, 404-429)	111	78	33	111	68	43
Hypertension (400, 401, 403)	1	0	1	2	0	2
Cerebrovascular disease (430-438)	46	35	11	63	23	40
Arteriosclerosis (440)	4	4	0	9	5	4
Influenza and pneumonia (470-486)	12	9	3	10	4	6
Bronchitis, emphysema, asthma (490-493)	4	3	1	8	5	3
Cirrhosis of liver (571)	2	2	0	3	2	1
Nephritis and nephrosis (580-584)	1	1	0	0	0	0
Infections of kidney (590)	2	1	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	0	0	0
Certain causes of mortality in early infancy (760-778)	2	2	0	11	2	9
Accidents (800-949)	17	10	7	44	30	14
Motor vehicle accidents (810-823)	6	4	2	19	14	5
Suicide (950-959)	6	5	1	5	4	1
Homicide (960-978)	4	1	3	7	2	5
Ill-defined and unknown# (780-796)	27	5	22	56	9	47

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Madison County			Marion County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	31	14	17	37	25	12
Diabetes mellitus (250)	8	2	6	2	2	0
Heart diseases (390-398, 402, 404-429)	99	43	56	53	45	8
Hypertension (400, 401, 403)	0	0	0	4	2	2
Cerebrovascular disease (430-438)	45	16	29	42	32	10
Arteriosclerosis (440)	8	3	5	7	5	2
Influenza and pneumonia (470-486)	19	7	12	6	4	2
Bronchitis, emphysema, asthma (490-493)	1	1	0	1	1	0
Cirrhosis of liver (571)	1	1	0	1	1	0
Nephritis and nephrosis (580-584)	4	1	3	2	0	2
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	4	1	3	5	3	2
Certain causes of mortality in early infancy (760-778)	4	1	3	7	3	4
Accidents (800-949)	22	10	12	25	16	9
Motor vehicle accidents (810-823)	10	5	5	16	8	8
Suicide (950-959)	3	2	1	0	0	0
Homicide (960-978)	8	2	6	4	1	3
Ill-defined and unknown# (780-796)	55	4	51	16	6	10
	Marshall County			Monroe County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	43	18	25	46	36	10
Diabetes mellitus (250)	2	1	1	7	5	2
Heart diseases (390-398, 402, 404-429)	74	39	35	168	116	52
Hypertension (400, 401, 403)	3	1	2	1	0	1
Cerebrovascular disease (430-438)	35	7	28	40	25	15
Arteriosclerosis (440)	3	1	2	10	9	1
Influenza and pneumonia (470-486)	6	1	5	11	8	3
Bronchitis, emphysema, asthma (490-493)	3	3	0	3	1	2
Cirrhosis of liver (571)	1	1	0	1	1	0
Nephritis and nephrosis (580-584)	2	0	2	3	0	3
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	1	0	1	1	0	1
Congenital anomalies (740-759)	0	0	0	5	5	0
Certain causes of mortality in early infancy (760-778)	8	3	5	18	9	9
Accidents (800-949)	27	8	19	34	24	10
Motor vehicle accidents (810-823)	14	6	8	20	14	6
Suicide (950-959)	1	1	0	5	3	2
Homicide (960-978)	6	2	4	4	0	4
Ill-defined and unknown# (780-796)	22	8	14	15	5	10

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOBIA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Montgomery County			Neshoba County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	21	15	6	37	29	8
Diabetes mellitus (250)	6	2	4	5	2	3
Heart diseases (390-398, 402, 404-429)	68	46	22	81	71	10
Hypertension (400, 401, 403)	0	0	0	3	1	2
Cerebrovascular disease (430-438)	34	20	14	47	36	11
Arteriosclerosis (440)	0	0	0	3	3	0
Influenza and pneumonia (470-486)	2	0	2	9	7	2
Bronchitis, emphysema, asthma (490-493)	1	1	0	1	1	0
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	1	1	0	2	0	2
Infections of kidney (590)	1	1	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	0	2	6	4	2
Certain causes of mortality in early infancy (760-778)	1	0	1	8	5	3
Accidents (800-949)	11	2	9	35	22	13
Motor vehicle accidents (810-823)	7	1	6	23	13	10
Suicide (950-959)	1	1	0	3	2	1
Homicide (960-978)	0	0	0	5	1	4
Ill-defined and unknown# (780-796)	4	0	4	18	9	9
	Newton County			Noxubee County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	2	0	2
Malignant neoplasms (140-209)	30	23	7	21	8	13
Diabetes mellitus (250)	13	7	6	5	1	4
Heart diseases (390-398, 402, 404-429)	110	80	30	56	27	29
Hypertension (400, 401, 403)	1	1	0	1	0	1
Cerebrovascular disease (430-438)	48	35	13	12	4	.8
Arteriosclerosis (440)	1	1	0	0	0	0
Influenza and pneumonia (470-486)	8	4	4	11	3	8
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	0	1
Cirrhosis of liver (571)	1	0	1	1	1	0
Nephritis and nephrosis (580-584)	1	0	1	0	0	0
Infections of kidney (590)	0	0	0	2	0	2
Maternal causes (630-678)	1	1	0	2	0	2
Congenital anomalies (740-759)	2	2	0	1	0	1
Certain causes of mortality in early infancy (760-778)	4	2	2	8	1	7
Accidents (800-949)	19	12	7	11	4	7
Motor vehicle accidents (810-823)	9	8	1	4	1	3
Suicide (950-959)	2	0	2	0	0	0
Homicide (960-978)	1	1	0	1	0	1
Ill-defined and unknown# (780-796)	7	2	5	18	4	14

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Oktibbeha County			Panola County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	34	22	12	43	22	21
Diabetes mellitus (250)	8	4	4	11	5	6
Heart diseases (390-398, 402, 404-429)	90	44	46	137	75	62
Hypertension (400, 401, 403)	0	0	0	2	0	2
Cerebrovascular disease (430-438)	31	18	13	47	18	29
Arteriosclerosis (440)	4	2	2	3	2	1
Influenza and pneumonia (470-486)	7	4	3	11	6	5
Bronchitis, emphysema, asthma (490-493)	5	0	5	7	5	2
Cirrhosis of liver (571)	0	0	0	1	1	0
Nephritis and nephrosis (580-584)	3	1	2	3	2	1
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	1	1	0	6	3	3
Certain causes of mortality in early infancy (760-778)	5	1	4	10	4	6
Accidents (800-949)	12	7	5	28	15	13
Motor vehicle accidents (810-823)	6	2	4	10	6	4
Suicide (950-959)	5	5	0	0	0	0
Homicide (960-978)	5	0	5	4	2	2
Ill-defined and unknown# (780-796)	3	0	3	10	3	7
	Pearl River County			Perry County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	42	37	5	15	12	3
Diabetes mellitus (250)	6	2	4	3	3	0
Heart diseases (390-398, 402, 404-429)	107	95	12	36	22	14
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	29	19	10	9	6	3
Arteriosclerosis (440)	2	2	0	0	0	0
Influenza and pneumonia (470-486)	14	9	5	6	5	1
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	0
Cirrhosis of liver (571)	1	1	0	3	3	0
Nephritis and nephrosis (580-584)	2	2	0	0	0	0
Infections of kidney (590)	4	3	1	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	5	3	2	0	0	0
Certain causes of mortality in early infancy (760-778)	9	5	4	2	2	0
Accidents (800-949)	31	30	1	13	5	8
Motor vehicle accidents (810-823)	17	16	1	6	1	5
Suicide (950-959)	3	3	0	1	0	1
Homicide (960-978)	0	0	0	2	0	2
Ill-defined and unknown# (780-796)	25	16	9	3	2	1

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, 1972

Cause and International Classification Number*	Pike County			Pontotoc County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	3	2	1	0	0	0
Malignant neoplasms (140-209)	57	39	18	30	26	4
Diabetes mellitus (250)	9	4	5	1	1	0
Heart diseases (390-398, 402, 404-429)	127	86	41	85	78	7
Hypertension (400, 401, 403)	2	0	2	1	0	1
Cerebrovascular disease (430-438)	55	41	14	31	28	3
Arteriosclerosis (440)	4	3	1	5	4	1
Influenza and pneumonia (470-486)	11	9	2	6	4	2
Bronchitis, emphysema, asthma (490-493)	3	2	1	2	2	0
Cirrhosis of liver (571)	5	2	3	0	0	0
Nephritis and nephrosis (580-584)	4	0	4	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	1	2	1	1	0
Certain causes of mortality in early infancy (760-778)	12	3	9	4	3	1
Accidents (800-949)	18	11	7	18	14	4
Motor vehicle accidents (810-823)	11	7	4	12	11	1
Suicide (950-959)	3	3	0	5	5	0
Homicide (960-978)	2	0	2	0	0	0
Ill-defined and unknown# (780-796)	49	21	28	4	2	2
Prentiss County						
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	32	29	3	22	9	13
Diabetes mellitus (250)	6	5	1	1	1	0
Heart diseases (390-398, 402, 404-429)	94	87	7	41	15	26
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	21	18	3	26	11	15
Arteriosclerosis (440)	6	5	1	2	1	1
Influenza and pneumonia (470-486)	10	9	1	5	2	3
Bronchitis, emphysema, asthma (490-493)	4	4	0	3	2	1
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	2	1	1	5	3	2
Maternal causes (630-678)	0	0	0	1	0	1
Congenital anomalies (740-759)	0	0	0	2	1	1
Certain causes of mortality in early infancy (760-778)	7	5	2	8	3	5
Accidents (800-949)	23	18	5	13	4	9
Motor vehicle accidents (810-823)	8	8	0	5	2	3
Suicide (950-959)	4	3	1	0	0	0
Homicide (960-978)	0	0	0	2	0	2
Ill-defined and unknown# (780-796)	13	13	0	10	1	9

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Rankin County			Scott County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	1	0	1	0	0	0
Malignant neoplasms (140-209)	45	29	16	33	23	10
Diabetes mellitus (250)	2	2	0	3	1	2
Heart diseases (390-398, 402, 404-429)	106	80	26	86	55	31
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	27	14	13	23	15	8
Arteriosclerosis (440)	7	6	1	4	3	1
Influenza and pneumonia (470-486)	14	11	3	5	2	3
Bronchitis, emphysema, asthma (490-493)	3	2	1	1	1	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	2	2	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	3	0	1	1	0
Certain causes of mortality in early infancy (760-778)	10	8	2	9	4	5
Accidents (800-949)	31	23	8	27	16	11
Motor vehicle accidents (810-823)	20	16	4	17	10	7
Suicide (950-959)	9	9	0	2	2	0
Homicide (960-978)	3	2	1	6	3	3
Ill-defined and unknown# (780-796)	40	20	20	15	7	8
	Sharkey County			Simpson County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	16	6	10	39	31	8
Diabetes mellitus (250)	2	0	2	7	4	3
Heart diseases (390-398, 402, 404-429)	26	5	21	82	67	15
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	13	3	10	32	21	11
Arteriosclerosis (440)	2	1	1	1	0	1
Influenza and pneumonia (470-486)	1	0	1	10	7	3
Bronchitis, emphysema, asthma (490-493)	0	0	0	1	1	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	1	0	1	0	0	0
Infections of kidney (590)	0	0	0	1	0	1
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	2	0
Certain causes of mortality in early infancy (760-778)	1	0	1	4	1	3
Accidents (800-949)	12	6	6	10	7	3
Motor vehicle accidents (810-823)	7	5	2	7	4	3
Suicide (950-959)	0	0	0	0	0	0
Homicide (960-978)	0	0	0	4	0	4
Ill-defined and unknown# (780-796)	10	0	10	13	6	7

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Smith County			Stone County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	24	22	2	19	15	4
Diabetes mellitus (250)	2	2	0	2	0	2
Heart diseases (390-398, 402, 404-429)	55	47	8	36	32	4
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	18	16	2	8	7	1
Arteriosclerosis (440)	2	2	0	9	7	2
Influenza and pneumonia (470-486)	3	3	0	2	2	0
Bronchitis, emphysema, asthma (490-493)	1	1	0	0	0	0
Cirrhosis of liver (571)	0	0	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	1	1	0
Certain causes of mortality in early infancy (760-778)	3	1	2	0	0	0
Accidents (800-949)	13	11	2	9	4	5
Motor vehicle accidents (810-823)	8	7	1	5	4	1
Suicide (950-959)	1	1	0	1	1	0
Homicide (960-978)	0	0	0	0	0	0
Ill-defined and unknown# (780-796)	4	2	2	3	2	1
Sunflower County						
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	64	31	33	39	20	19
Diabetes mellitus (250)	12	3	9	3	1	2
Heart diseases (390-398, 402, 404-429)	107	41	66	98	48	50
Hypertension (400, 401, 403)	2	0	2	1	0	1
Cerebrovascular disease (430-438)	60	24	36	28	13	15
Arteriosclerosis (440)	2	1	1	5	0	5
Influenza and pneumonia (470-486)	14	4	10	10	2	8
Bronchitis, emphysema, asthma (490-493)	2	2	0	3	1	2
Cirrhosis of liver (571)	3	2	1	0	0	0
Nephritis and nephrosis (580-584)	5	2	3	3	1	2
Infections of kidney (590)	5	1	4	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	3	0	3	1	0	1
Certain causes of mortality in early infancy (760-778)	11	3	8	8	5	3
Accidents (800-949)	24	6	18	11	3	8
Motor vehicle accidents (810-823)	12	4	8	8	3	5
Suicide (950-959)	3	2	1	0	0	0
Homicide (960-978)	11	2	9	1	0	1
Ill-defined and unknown# (780-796)	19	1	18	21	2	19

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Tate County			Tippah County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	19	12	7	27	21	6
Diabetes mellitus (250)	5	3	2	8	8	0
Heart diseases (390-398, 402, 404-429)	44	27	17	90	85	5
Hypertension (400, 401, 403)	2	0	2	1	0	1
Cerebrovascular disease (430-438)	18	7	11	19	16	3
Arteriosclerosis (440)	0	0	0	4	2	2
Influenza and pneumonia (470-486)	5	5	0	3	1	2
Bronchitis, emphysema, asthma (490-493)	2	2	0	2	2	0
Cirrhosis of liver (571)	0	0	0	2	2	0
Nephritis and nephrosis (580-584)	1	0	1	0	0	0
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	2	2	0
Certain causes of mortality in early infancy (760-778)	5	3	2	4	2	2
Accidents (800-949)	11	8	3	14	10	4
Motor vehicle accidents (810-823)	6	4	2	9	7	2
Suicide (950-959)	0	0	0	2	2	0
Homicide (960-978)	2	1	1	2	2	0
Ill-defined and unknown# (780-796)	4	2	2	3	2	1
	Tishomingo County			Tunica County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	1	0	1
Malignant neoplasms (140-209)	24	23	1	22	6	16
Diabetes mellitus (250)	4	4	0	2	0	2
Heart diseases (390-398, 402, 404-429)	50	47	3	43	14	29
Hypertension (400, 401, 403)	1	0	1	0	0	0
Cerebrovascular disease (430-438)	34	33	1	25	3	.22
Arteriosclerosis (440)	4	4	0	1	0	1
Influenza and pneumonia (470-486)	5	5	0	8	7	1
Bronchitis, emphysema, asthma (490-493)	2	2	0	3	0	3
Cirrhosis of liver (571)	1	1	0	1	0	1
Nephritis and nephrosis (580-584)	1	1	0	1	0	1
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1
Certain causes of mortality in early infancy (760-778)	3	3	0	1	0	1
Accidents (800-949)	12	12	0	11	2	9
Motor vehicle accidents (810-823)	5	5	0	5	1	4
Suicide (950-959)	3	3	0	0	0	0
Homicide (960-978)	2	2	0	2	0	2
Ill-defined and unknown# (780-796)	7	7	0	13	0	13

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1972

Cause and International Classification Number*	Union County			Walthall County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	33	28	5	10	6	4
Diabetes mellitus (250)	5	4	1	7	2	5
Heart diseases (390-398, 402, 404-429)	69	61	8	44	34	10
Hypertension (400, 401, 403)	0	0	0	1	0	1
Cerebrovascular disease (430-438)	29	27	2	20	12	8
Arteriosclerosis (440)	3	2	1	3	1	2
Influenza and pneumonia (470-486)	10	8	2	9	3	6
Bronchitis, emphysema, asthma (490-493)	2	2	0	2	2	0
Cirrhosis of liver (571)	1	1	0	1	1	0
Nephritis and nephrosis (580-584)	0	0	0	0	0	0
Infections of kidney (590)	3	2	1	0	0	0
Maternal causes (630-678)	1	0	1	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0
Certain causes of mortality in early infancy (760-778)	7	4	3	1	1	0
Accidents (800-949)	20	19	1	19	14	5
Motor vehicle accidents (810-823)	11	10	1	9	6	3
Suicide (950-959)	2	2	0	0	0	0
Homicide (960-978)	1	0	1	1	1	0
Ill-defined and unknown# (780-796)	21	17	4	2	1	1
	Warren County			Washington County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	0	1	1	0	1
Malignant neoplasms (140-209)	81	41	40	106	49	57
Diabetes mellitus (250)	11	3	8	15	1	14
Heart diseases (390-398, 402, 404-429)	150	82	68	246	92	154
Hypertension (400, 401, 403)	2	1	1	5	1	4
Cerebrovascular disease (430-438)	58	26	32	98	28	70
Arteriosclerosis (440)	4	3	1	4	2	2
Influenza and pneumonia (470-486)	18	10	8	28	13	15
Bronchitis, emphysema, asthma (490-493)	4	3	1	5	3	2
Cirrhosis of liver (571)	5	4	1	4	3	1
Nephritis and nephrosis (580-584)	1	0	1	1	0	1
Infections of kidney (590)	5	3	2	1	1	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	4	2	2	9	2	7
Certain causes of mortality in early infancy (760-778)	24	9	15	28	7	21
Accidents (800-949)	35	20	15	61	31	30
Motor vehicle accidents (810-823)	14	10	4	32	19	13
Suicide (950-959)	5	5	0	4	3	1
Homicide (960-978)	5	0	5	12	3	9
Ill-defined and unknown# (780-796)	47	4	43	81	9	72

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, 1972

Cause and International Classification Number*	Wayne County			Webster County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	32	25	7	19	18	1
Diabetes mellitus (250)	7	6	1	2	2	0
Heart diseases (390-398, 402, 404-429)	71	44	27	44	34	10
Hypertension (400, 401, 403)	9	5	4	0	0	0
Cerebrovascular disease (430-438)	20	14	6	24	22	2
Arteriosclerosis (440)	3	3	0	0	0	0
Influenza and pneumonia (470-486)	7	5	2	3	2	1
Bronchitis, emphysema, asthma (490-493)	0	0	0	0	0	0
Cirrhosis of liver (571)	1	1	0	0	0	0
Nephritis and nephrosis (580-584)	0	0	0	1	0	1
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	0	0	0
Certain causes of mortality in early infancy (760-778)	9	6	3	2	2	0
Accidents (800-949)	15	11	4	8	6	2
Motor vehicle accidents (810-823)	6	6	0	8	6	2
Suicide (950-959)	0	0	0	1	1	0
Homicide (960-978)	5	2	3	0	0	0
Ill-defined and unknown# (780-796)	2	0	2	4	2	2
Wilkinson County						
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	25	12	13	28	19	9
Diabetes mellitus (250)	4	1	3	4	4	0
Heart diseases (390-398, 402, 404-429)	35	14	21	77	45	32
Hypertension (400, 401, 403)	1	1	0	0	0	0
Cerebrovascular disease (430-438)	10	3	7	35	29	6
Arteriosclerosis (440)	1	0	1	2	2	0
Influenza and pneumonia (470-486)	2	1	1	10	4	6
Bronchitis, emphysema, asthma (490-493)	2	1	1	2	2	0
Cirrhosis of liver (571)	2	1	1	3	3	0
Nephritis and nephrosis (580-584)	1	0	1	3	1	2
Infections of kidney (590)	1	1	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	4	2	2
Certain causes of mortality in early infancy (760-778)	4	0	4	4	2	2
Accidents (800-949)	11	2	9	13	10	3
Motor vehicle accidents (810-823)	4	2	2	8	6	2
Suicide (950-959)	0	0	0	3	1	2
Homicide (960-978)	1	0	1	3	0	3
Ill-defined and unknown# (780-796)	9	0	9	8	2	6

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 16
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1972

Cause and International Classification Number*	Yalobusha County			Yazoo County		
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-019)	1	1	0	0	0	0
Malignant neoplasms (140-209)	27	24	3	43	24	19
Diabetes mellitus (250)	1	1	0	6	1	5
Heart diseases (390-398, 402, 404-429)	62	43	19	84	53	31
Hypertension (400, 401, 403)	0	0	0	5	1	4
Cerebrovascular disease (430-438)	25	12	13	43	19	24
Arteriosclerosis (440)	0	0	0	9	4	5
Influenza and pneumonia (470-486)	4	2	2	11	8	3
Bronchitis, emphysema, asthma (490-493)	2	2	0	1	1	0
Cirrhosis of liver (571)	0	0	0	3	2	1
Nephritis and nephrosis (580-584)	0	0	0	5	0	5
Infections of kidney (590)	1	0	1	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	5	2	3
Certain causes of mortality in early infancy (760-778)	5	2	3	7	4	3
Accidents (800-949)	11	7	4	29	17	12
Motor vehicle accidents (810-823)	4	3	1	14	10	4
Suicide (950-959)	4	4	0	1	1	0
Homicide (960-978)	0	0	0	3	0	3
Ill-defined and unknown# (780-796)	2	2	0	68	6	62
State of Mississippi						
	Total	White	Non-white			
Tuberculosis (010-019)	50	16	34			
Malignant neoplasms (140-209)	3,453	2,275	1,178			
Diabetes mellitus (250)	496	234	262			
Heart diseases (390-398, 402, 404-429)	7,810	5,114	2,696			
Hypertension (400, 401, 403)	124	36	88			
Cerebrovascular disease (430-438)	3,005	1,710	1,295			
Arteriosclerosis (440)	314	203	111			
Influenza and pneumonia (470-486)	714	419	295			
Bronchitis, emphysema, asthma (490-493)	246	192	54			
Cirrhosis of liver (571)	185	140	45			
Nephritis and nephrosis (580-584)	122	50	72			
Infections of kidney (590)	122	69	53			
Maternal causes (630-678)	24	5	19			
Congenital anomalies (740-759)	203	116	87			
Certain causes of mortality in early infancy (760-778)	642	284	358			
Accidents (800-949)	1,900	1,167	733			
Motor vehicle accidents (810-823)	989	645	344			
Suicide (950-959)	210	177	33			
Homicide (960-978)	332	76	256			
Ill-defined and unknown# (780-796)	1,634	545	1,089			

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.