

VITAL STATISTICS
MISSISSIPPI, 1973

INTRODUCTION

Description of Bulletin

The 1973 Vital Statistics Bulletin was prepared by the Statistical Services Unit from information contained on records of live birth, death, fetal death, marriages, and divorces collected by the office of Vital Records Registration. This introduction provides certain explanations and definitions necessary for understanding the data presented. Following the introduction are summary tables containing statistics for the state as a whole for 1973. The next section contains major statistical tables for 1973. The last section of the book contains tables on causes of death for each county as well as for the state. In addition to the information in this bulletin, a considerable amount of more detailed, unpublished data has been compiled and is available on request.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems. All figures given in this publication are residence counts unless otherwise specified.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to the place of previous residence, regardless of length of stay in the institution.

Vital Statistics
Mississippi - 1973

Marriages were classified according to place of issuance of marriage license, place of occurrence of marriage, and place of residence of bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Urban-Rural Classification

The urban category included all incorporated towns with populations of 2,500 or more according to the 1970 Census. Definitions used in this bulletin differ from those used by the U.S. Census Bureau which also includes as urban certain areas it is not possible to identify from entries on vital records - unincorporated places of 2,500 or more and certain other densely settled areas outside the limits of incorporated towns. Urban-rural classifications were used for live births and deaths only. Information on marriage records is inadequate for proper classification, and divorce records do not contain this item.

Population

The only population figure used in this bulletin is the estimate of 2,317,000 for the state as of July 1, 1973. This is a final figure from the U.S. Census Bureau. No breakdown by age, race, or sex is available. Only provisional totals have been prepared for counties, and these were not used as they are considerably less reliable than the state figure and, again, there was no breakdown to show the wide variations in racial composition.

Rates

Population-based rates included those for live births, total deaths, and deaths from specific causes (except maternal and certain causes of mortality in early infancy). However, since only one final population figure could be obtained, the number of rates that could be calculated was extremely limited. Figures on live births were used as the base for calculating rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain causes of mortality in early infancy as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. On certificates with more than one cause entered, only that indicated as the underlying cause was classified. This latest revision (Eighth) was first used in 1968 and, for the most part, is not markedly different from the Seventh Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1973

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

Table A1. Live births and percentage distribution, by attendant and race
Mississippi, 1973

| Attendant | Number | | | Percent | | |
|---------------------------------------|-------------------|-----------------|-------------------|---------------|---------------|---------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>44,638</u> | <u>23,119</u> | <u>21,519</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| Hospital or clinic (Nurse-midwife) | 43,016 (1,171) | 23,046 (109) | 19,970 (1,062) | 96.4 (2.6) | 99.7 (0.5) | 92.8 (4.9) |
| Physician, other place | 78 | 8 | 70 | 0.2 | * | 0.3 |
| "Granny" midwife | 1,505 | 53 | 1,452 | 3.4 | 0.2 | 6.7 |
| Other | 39 | 12 | 27 | 0.1 | * | 0.1 |

* Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics,
by year and race, 1953, 1963, 1969-1973

| Year | Total | White | Non-white |
|-------|-------|-------|-----------|
| 1953 | 58.2 | 93.3 | 30.5 |
| 1963 | 74.9 | 99.3 | 53.4 |
| 1969 | 87.1 | 99.5 | 74.2 |
| 1970* | 90.0 | 99.7 | 79.7 |
| 1971* | 92.2 | 99.6 | 84.2 |
| 1972* | 95.2 | 99.8 | 90.4 |
| 1973* | 96.4 | 99.7 | 92.8 |

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing in-patient care were included.

Table A3. Live births and average per day, by month
Mississippi, 1973

| Month | Births | Average per Day | Month | Births | Average per Day |
|--------------|---------------|-----------------|-----------|--------|-----------------|
| <u>Total</u> | <u>44,638</u> | <u>122</u> | | | |
| January | 3,982 | 128 | July | 3,803 | 123 |
| February | 3,489 | 125 | August | 4,209 | 136 |
| March | 3,657 | 118 | September | 4,106 | 137 |
| April | 3,336 | 111 | October | 3,938 | 127 |
| May | 3,255 | 105 | November | 3,686 | 123 |
| June | 3,343 | 111 | December | 3,834 | 124 |

Table A4. Live births and percentage distribution, by age of mother and race
Mississippi, 1973

| Age of Mother | Number | | | Percent | | |
|---------------|---------------|---------------|---------------|--------------|--------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>44,638</u> | <u>23,119</u> | <u>21,519</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| 10-14 | 430 | 45 | 385 | 1.0 | 0.2 | 1.8 |
| 15-19 | 12,576 | 4,824 | 7,752 | 28.2 | 20.9 | 36.0 |
| 20-24 | 15,429 | 8,695 | 6,734 | 34.6 | 37.6 | 31.3 |
| 25-29 | 9,487 | 6,249 | 3,238 | 21.2 | 27.0 | 15.0 |
| 30-34 | 4,177 | 2,260 | 1,917 | 9.4 | 9.8 | 8.9 |
| 35-39 | 1,884 | 832 | 1,052 | 4.2 | 3.6 | 4.9 |
| 40-44 | 601 | 201 | 400 | 1.3 | 0.9 | 1.8 |
| 45-49 | 42 | 10 | 32 | 0.1 | * | 0.1 |
| Unknown | 12 | 3 | 9 | * | * | * |

* Less than 0.06 percent.

Table A5. Live births and percentage distribution,
by years of school completed by father and mother and race
Mississippi, 1973

| Years of School Completed by Father and Mother | Number | | | Percent* | | | Cumulative Percent* | | |
|--|---------------|---------------|---------------|--------------|--------------|---------------|---------------------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white | Total | White | Non- white |
| FATHER | | | | | | | | | |
| Median years completed* | 12.4 | 12.6 | 11.7 | | | | | | |
| Total legitimate births | 34,721 | 22,287 | 12,434 | 100.0 | 100.0 | 100.0 | | | |
| 0-6 years | 1,867 | 647 | 1,220 | 5.5 | 2.9 | 10.4 | 5.5 | 2.9 | 10.4 |
| 7-9 years | 5,068 | 2,591 | 2,477 | 15.0 | 11.8 | 21.1 | 20.6 | 14.8 | 31.4 |
| 10, 11 years | 5,591 | 2,958 | 2,633 | 16.6 | 13.5 | 22.4 | 37.2 | 28.2 | 53.8 |
| 12 years | 11,391 | 7,796 | 3,595 | 33.8 | 35.5 | 30.6 | 71.0 | 63.8 | 84.4 |
| 1-3 years college | 5,408 | 4,251 | 1,157 | 16.0 | 19.4 | 9.8 | 87.0 | 83.2 | 94.2 |
| 4 or more years college | 4,368 | 3,692 | 676 | 13.0 | 16.8 | 5.7 | 100.0 | 100.0 | 100.0 |
| Unknown | 1,028 | 352 | 676 | | | | | | |
| MOTHER | | | | | | | | | |
| Median years completed* | 12.1 | 12.4 | 11.2 | | | | | | |
| Total births | 44,638 | 23,119 | 21,519 | 100.0 | 100.0 | 100.0 | | | |
| 0-6 years | 1,551 | 328 | 1,223 | 3.5 | 1.4 | 5.7 | 3.5 | 1.4 | 5.7 |
| 7-9 years | 8,512 | 3,036 | 5,476 | 19.3 | 13.3 | 25.7 | 22.8 | 14.7 | 31.4 |
| 10, 11 years | 10,611 | 4,263 | 6,348 | 24.0 | 18.7 | 29.8 | 46.8 | 33.4 | 61.2 |
| 12 years | 14,902 | 9,078 | 5,824 | 33.7 | 39.7 | 27.3 | 80.5 | 73.1 | 88.5 |
| 1-3 years college | 5,422 | 3,794 | 1,628 | 12.3 | 1.6 | 7.6 | 92.8 | 89.7 | 96.1 |
| 4 or more years college | 3,169 | 2,342 | 827 | 7.2 | 10.2 | 3.9 | 100.0 | 100.0 | 100.0 |
| Unknown | 471 | 278 | 193 | | | | | | |

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births and percent of total live births
in specified group, by age of mother and race
Mississippi, 1973

| Age of Mother | Number | | | Percent | | |
|------------------|--------------|------------|---------------|-------------|------------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| Total | 9,917 | 832 | 9,085 | 22.2 | 3.6 | 42.2 |
| 10-14 | 387 | 22 | 365 | 90.0 | 48.9 | 94.8 |
| 15-19 | 5,453 | 487 | 4,966 | 43.4 | 10.1 | 64.1 |
| 20-24 | 2,494 | 212 | 2,282 | 16.2 | 2.4 | 33.9 |
| 25-29 | 802 | 75 | 727 | 8.4 | 1.2 | 22.4 |
| 30-34 | 449 | 24 | 425 | 10.7 | 1.1 | 22.2 |
| 35-39 | 236 | 11 | 225 | 12.5 | 1.3 | 21.4 |
| 40-44 | 88 | 1 | 87 | 14.6 | 0.5 | 21.8 |
| 45-49 | 3 | 0 | 3 | 7.1 | - | 9.4 |
| Unknown | 5 | 0 | 5 | 41.7 | - | 55.6 |

Table A7. Live births, percentage distribution, and median age of mother,
by total-birth order and race
Mississippi, 1973

| Total-Birth Order* | Number | | | Percent | | | Median Age of Mother | | |
|--------------------|--------|--------|-----------|---------|-------|-----------|----------------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Total | 44,638 | 23,119 | 21,519 | 100.0 | 100.0 | 100.0 | 22.8 | 23.8 | 21.6 |
| First | 16,872 | 8,949 | 7,923 | 37.8 | 38.7 | 36.8 | 19.6 | 20.7 | 18.6 |
| Second | 10,571 | 6,215 | 4,356 | 23.7 | 26.9 | 20.2 | 22.8 | 24.2 | 20.9 |
| Third | 5,801 | 3,280 | 2,521 | 13.0 | 14.2 | 11.7 | 24.9 | 26.3 | 23.0 |
| Fourth | 3,188 | 1,652 | 1,536 | 7.1 | 7.1 | 7.1 | 26.5 | 28.3 | 24.8 |
| Fifth | 1,943 | 807 | 1,136 | 4.4 | 3.5 | 5.3 | 28.1 | 30.1 | 26.6 |
| Sixth | 1,212 | 413 | 799 | 2.7 | 1.8 | 3.7 | 30.0 | 31.4 | 29.2 |
| Seventh | 758 | 185 | 573 | 1.7 | 0.8 | 2.7 | 31.6 | 33.6 | 30.9 |
| Eighth | 564 | 107 | 457 | 1.3 | 0.5 | 2.1 | 32.4 | 34.7 | 31.9 |
| Ninth | 394 | 57 | 337 | 0.9 | 0.2 | 1.6 | 33.6 | 35.0 | 33.4 |
| Tenth and over | 1,047 | 97 | 950 | 2.3 | 0.4 | 4.4 | 37.4 | 37.4 | 37.5 |
| Unknown | 2,288 | 1,357 | 931 | 5.1 | 5.9 | 4.3 | | | |

* Includes all live births plus all fetal deaths regardless of length of gestation.

Table A8. Percentage distribution of live births to mothers who had previous pregnancies, by month since last delivery, race, and outcome of last delivery
Mississippi, 1973

| Months since Last Delivery | Total | | | White | | | Nonwhite | | |
|----------------------------|--------|--------------------------|-------------|--------|--------------------------|-------------|----------|--------------------------|-------------|
| | Total* | Outcome of Last Delivery | | Total* | Outcome of Last Delivery | | Total* | Outcome of Last Delivery | |
| | | Live Birth | Fetal Death | | Live Birth | Fetal Death | | Live Birth | Fetal Death |
| Total | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Under 24 | 35.0 | 32.4 | 55.0 | 27.1 | 22.7 | 55.7 | 43.0 | 41.9 | 53.8 |
| Under 12 | 3.4 | 2.7 | 9.1 | 2.1 | 1.1 | 8.6 | 4.7 | 4.2 | 9.8 |
| 12-23 | 31.5 | 29.8 | 45.9 | 25.0 | 21.6 | 47.1 | 38.3 | 37.7 | 44.0 |
| 24-59 | 45.3 | 47.5 | 27.1 | 49.3 | 52.8 | 26.9 | 41.2 | 42.5 | 27.4 |
| 60 and over | 16.6 | 17.8 | 6.1 | 20.5 | 22.6 | 6.6 | 12.5 | 13.2 | 5.3 |
| Unknown | 3.2 | 2.1 | 11.9 | 3.1 | 1.9 | 10.8 | 3.3 | 2.4 | 13.6 |
| Median month** | 30.3 | 31.8 | 19.4 | 34.6 | 36.7 | 19.4 | 25.9 | 26.6 | 19.4 |

* Excludes those with outcome of last delivery unknown.

** Calculated from ungrouped data.

Table A9. Median number of months between last delivery
to mothers who had had previous pregnancies
and live births in 1973,
by race and outcome of last delivery
Mississippi, 1973

| Race | Total* | Outcome of Last Delivery | |
|----------|--------|--------------------------|-------------|
| | | Live Birth | Fetal Death |
| Total | 30.3 | 31.8 | 19.4 |
| White | 34.6 | 36.7 | 19.4 |
| Nonwhite | 25.9 | 26.6 | 19.4 |

* Excludes those with outcome of last delivery unknown.

Table A10. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, number of visits to physician or clinic, and race
Mississippi, 1973

| Prenatal Care, Time Care Began, and Number of Visits | Number | | | Percent | | |
|--|--------|--------|---------------|---------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| Total | 44,638 | 23,119 | 21,519 | 100.0 | 100.0 | 100.0 |
| No prenatal care | 784 | 160 | 624 | 1.8 | 0.7 | 2.9 |
| Some prenatal care | 42,806 | 22,390 | 20,416 | 95.9 | 96.8 | 94.9 |
| First trimester | 28,867 | 17,969 | 10,898 | 64.7 | 77.7 | 50.6 |
| Second trimester | 10,821 | 3,608 | 7,213 | 24.2 | 15.6 | 33.5 |
| Third trimester | 2,688 | 672 | 2,016 | 6.0 | 2.9 | 9.4 |
| Unknown month | 430 | 141 | 289 | 1.0 | 0.6 | 1.3 |
| Average number of visits | 9.5 | 11.2 | 7.7 | | | |
| 1-5 visits | 8,214 | 1,558 | 6,656 | 18.4 | 6.7 | 30.9 |
| 6-10 visits | 16,956 | 7,810 | 9,146 | 38.0 | 33.8 | 42.5 |
| 11-15 visits | 14,222 | 10,523 | 3,699 | 31.9 | 45.5 | 17.2 |
| 16 visits or more | 2,938 | 2,296 | 642 | 6.6 | 9.9 | 3.0 |
| Unknown number | 476 | 203 | 273 | 1.1 | 0.9 | 1.3 |
| Unknown whether any prenatal care | 1,048 | 569 | 479 | 2.3 | 2.5 | 2.2 |

Table A11.
Live births and percentage distribution, by maturity and race
Mississippi, 1973

| Maturity* | Number | | | Percent | | |
|----------------------------------|---------------|---------------|---------------|--------------|--------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>44,638</u> | <u>23,119</u> | <u>21,519</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| Immature only** | 1,990 | 723 | 1,267 | 4.4 | 3.1 | 5.9 |
| Premature only** | 4,143 | 1,352 | 2,791 | 9.3 | 5.8 | 13.0 |
| Both immature and premature | 2,151 | 694 | 1,457 | 4.8 | 3.0 | 6.8 |
| Total immature | 4,141 | 1,417 | 2,724 | 9.3 | 6.1 | 12.6 |
| Total premature | 6,294 | 2,046 | 4,248 | 14.1 | 8.8 | 19.7 |
| Total immature and/or premature | 8,284 | 2,769 | 5,515 | 18.6 | 12.0 | 25.6 |
| Neither immature nor premature** | 36,354 | 20,350 | 16,004 | 81.4 | 88.0 | 74.4 |

* Immature - birth weight $5\frac{1}{2}$ pounds (2,500 grams) or less; premature - gestation less than 37 weeks.

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A12. Congenital malformations reported on live birth certificates, by system or organs affected and race
Mississippi, 1973

| System or Organs Affected and International Classification Number* | Total | White | Non-white |
|--|------------|------------|------------|
| <u>Total malformations reported</u> | <u>377</u> | <u>245</u> | <u>132</u> |
| Musculoskeletal system (754-756) | 137 | 68 | 69 |
| Digestive system (749-751) | 69 | 48 | 21 |
| Genital organs (752) | 56 | 44 | 12 |
| Nervous system (740-743) | 38 | 28 | 10 |
| All others | 77 | 57 | 20 |

* From the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Table A13. Live births and percentage distribution, by whether child had any birth injuries or congenital malformations, whether injury or malformation, and race
Mississippi, 1973

| Birth Injuries and Congenital Malformations | Number | | | Percent | | |
|---|---------------|---------------|---------------|--------------|--------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>44,638</u> | <u>23,119</u> | <u>21,519</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| Without injury or malformation | 40,710 | 20,912 | 19,798 | 91.2 | 90.4 | 92.0 |
| With injury and/or malformation | 387 | 254 | 133 | 0.9 | 1.1 | 0.6 |
| (Injury) | (76) | (57) | (19) | (0.2) | (0.2) | (0.1) |
| (Malformation) | (314) | (200) | (114) | (0.7) | (0.9) | (0.5) |
| Other* | 3,541 | 1,953 | 1,588 | 7.9 | 8.4 | 7.4 |

* Both categories unknown or one category none and other unknown.

Table B1. Fetal deaths and percentage distribution, by attendant and race
Mississippi, 1973

| Attendant | Number | | | Percent | | |
|---------------------------------------|--------------|--------------|--------------|---------------|---------------|---------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>2,458</u> | <u>1,229</u> | <u>1,229</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| Hospital or clinic (Nurse midwife) | 2,390 (3) | 1,220 (1) | 1,170 (2) | 97.2 (0.1) | 99.3 (0.1) | 95.2 (0.2) |
| Physician, other place | 23 | 6 | 17 | 0.9 | 0.5 | 1.4 |
| Granny midwife | 36 | 1 | 35 | 1.5 | 0.1 | 2.8 |
| Other | 9 | 2 | 7 | 0.4 | 0.2 | 0.6 |

Table B2. Fetal deaths and fetal death ratios, by age of mother and race
Mississippi, 1973

| Age of Mother | Number | | | Ratio* | | |
|---------------|--------------|--------------|--------------|-------------|-------------|-------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>2,458</u> | <u>1,229</u> | <u>1,229</u> | <u>55.1</u> | <u>53.2</u> | <u>57.1</u> |
| 10-14 | 38 | 11 | 27 | 88.4 | ** | 70.1 |
| 15-19 | 576 | 230 | 346 | 45.8 | 47.7 | 44.6 |
| 20-24 | 740 | 404 | 336 | 48.0 | 46.5 | 49.9 |
| 25-29 | 537 | 322 | 215 | 56.6 | 51.5 | 66.4 |
| 30-34 | 280 | 136 | 144 | 67.0 | 60.2 | 75.1 |
| 35-39 | 186 | 82 | 104 | 98.7 | 98.6 | 98.8 |
| 40-44 | 80 | 29 | 51 | 133.1 | 144.3 | 127.5 |
| 45-49 | 5 | 4 | 1 | ** | ** | ** |
| Unknown | 16 | 11 | 5 | | | |

* Fetal deaths per 1,000 live births to mothers in specified group.

** Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and fetal deaths,
by whether mother received prenatal care and race, and
average number of visits per mother who received care, by race
Mississippi, 1973

| Prenatal Care and Visits | Live Births | | | Fetal Deaths | | |
|-----------------------------|--------------|--------------|---------------|--------------|--------------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| <u>Total</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| No care | 1.8 | 0.7 | 2.9 | 17.2 | 16.8 | 17.6 |
| Some care | 95.9 | 96.8 | 94.9 | 63.2 | 66.1 | 60.4 |
| Unknown whether any care | 2.3 | 2.5 | 2.2 | 19.6 | 17.2 | 22.0 |
| Average number of visits | 9.5 | 11.2 | 7.7 | 4.6 | 4.5 | 4.6 |

Table B4. Percentage distribution of fetal deaths,
by completed weeks of gestation and race
Mississippi, 1973

| Weeks of Gestation | Total | White | Non- white |
|-----------------------|--------------|--------------|---------------|
| <u>Total</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| <u>Under 20</u> | <u>49.2</u> | <u>59.3</u> | <u>39.1</u> |
| Under 10 | 12.5 | 15.4 | 9.6 |
| 10-19 | 36.7 | 43.8 | 29.5 |
| <u>20-36</u> | <u>22.4</u> | <u>16.8</u> | <u>28.2</u> |
| 20-27 | 12.4 | 10.6 | 14.2 |
| 28-36 | 10.0 | 6.1 | 14.0 |
| <u>37 and over</u> | <u>11.9</u> | <u>8.7</u> | <u>15.1</u> |
| 37-39 | 6.7 | 4.2 | 9.2 |
| 40 | 1.3 | 0.8 | 1.7 |
| Over 40 | 3.9 | 3.7 | 4.2 |
| <u>Unknown</u> | <u>16.4</u> | <u>15.2</u> | <u>17.6</u> |

Table C1. Deaths and average per day, by month
Mississippi, 1973

| Month | Deaths | Average per Day | Month | Deaths | Average per Day |
|--------------|---------------|-----------------|-----------|--------|-----------------|
| <u>Total</u> | <u>24,007</u> | <u>66</u> | | | |
| January | 2,338 | 75 | July | 1,887 | 61 |
| February | 2,029 | 72 | August | 1,909 | 62 |
| March | 2,063 | 66 | September | 1,840 | 61 |
| April | 1,922 | 64 | October | 1,920 | 62 |
| May | 2,022 | 65 | November | 2,021 | 67 |
| June | 1,840 | 61 | December | 2,216 | 71 |

Table C2. Deaths and percentage distribution, by age and race
Mississippi, 1973

| Age | Number | | | Percent | | |
|--------------|---------------|---------------|--------------|--------------|--------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>24,007</u> | <u>14,461</u> | <u>9,546</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| Under 1 | 1,154 | 392 | 762 | 4.8 | 2.7 | 8.0 |
| 1-4 | 239 | 96 | 143 | 1.0 | 0.7 | 1.5 |
| 5-9 | 135 | 65 | 70 | 0.6 | 0.4 | 0.7 |
| 10-14 | 147 | 59 | 88 | 0.6 | 0.4 | 0.9 |
| 15-24 | 715 | 350 | 365 | 3.0 | 2.4 | 3.8 |
| 25-34 | 592 | 292 | 300 | 2.5 | 2.0 | 3.1 |
| 35-44 | 879 | 475 | 404 | 3.7 | 3.3 | 4.2 |
| 45-54 | 1,989 | 1,220 | 769 | 8.3 | 8.4 | 8.0 |
| 55-64 | 3,637 | 2,267 | 1,370 | 15.1 | 15.7 | 14.4 |
| 65-74 | 5,577 | 3,420 | 2,157 | 23.2 | 23.6 | 22.6 |
| 75-84 | 5,598 | 3,708 | 1,890 | 23.3 | 25.6 | 19.8 |
| 85 and over | 3,338 | 2,117 | 1,221 | 13.9 | 14.6 | 12.8 |
| Unknown | 7 | 0 | 7 | * | - | 0.1 |

* Less than 0.06 percent.

Table C3. Deaths, by age, race, and sex,
and male/female ratios, by age and race
Mississippi, 1973

| Age | Total | | | White | | | Nonwhite | | |
|-------------|--------|--------|------------------|-------|--------|------------------|----------|--------|------------------|
| | Male | Female | Males per Female | Male | Female | Males per Female | Male | Female | Males per Female |
| Total | 13,663 | 10,344 | 1.32 | 8,435 | 6,026 | 1.40 | 5,228 | 4,318 | 1.21 |
| Under 1 | 651 | 503 | 1.29 | 227 | 165 | 1.38 | 424 | 338 | 1.25 |
| 1-4 | 131 | 108 | 1.21 | 59 | 37 | 1.59 | 72 | 71 | 1.01 |
| 5-9 | 76 | 59 | 1.29 | 37 | 28 | 1.32 | 39 | 31 | 1.26 |
| 10-14 | 109 | 38 | 2.87 | 42 | 17 | 2.47 | 67 | 21 | 3.19 |
| 15-24 | 530 | 185 | 2.86 | 268 | 82 | 3.27 | 262 | 103 | 2.54 |
| 25-34 | 409 | 183 | 2.23 | 207 | 85 | 2.44 | 202 | 98 | 2.06 |
| 35-44 | 581 | 298 | 1.95 | 330 | 145 | 2.28 | 251 | 153 | 1.64 |
| 45-54 | 1,246 | 743 | 1.68 | 833 | 387 | 2.15 | 413 | 356 | 1.16 |
| 55-64 | 2,430 | 1,207 | 2.01 | 1,613 | 654 | 2.47 | 817 | 553 | 1.48 |
| 65-74 | 3,396 | 2,181 | 1.56 | 2,184 | 1,236 | 1.77 | 1,212 | 945 | 1.28 |
| 75-84 | 2,783 | 2,815 | 0.99 | 1,844 | 1,864 | 0.99 | 939 | 951 | 0.99 |
| 85 and over | 1,318 | 2,020 | 0.65 | 791 | 1,326 | 0.60 | 527 | 694 | 0.76 |
| Unknown | 3 | 4 | | 0 | 0 | | 3 | 4 | |
| Median age | 67.0 | 73.5 | | 67.8 | 76.0 | | 65.5 | 69.6 | |

Table C4. Deaths and percent of total deaths from ten leading causes, by cause and race
Mississippi, 1973

| Cause and International Classification Number | Number | | | Percent | | |
|---|--------|--------|-----------|---------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Total of ten leading causes | 19,088 | 11,882 | 7,206 | 79.5 | 82.2 | 75.5 |
| 1. Heart diseases (390-398, 402, 404-429) | 8,027 | 5,329 | 2,698 | 33.4 | 36.8 | 28.3 |
| 2. Malignant neoplasms (140-209) | 3,403 | 2,244 | 1,159 | 14.2 | 15.5 | 12.1 |
| 3. Cerebrovascular disease (430-438) | 3,099 | 1,821 | 1,278 | 12.9 | 12.6 | 13.4 |
| 4. Accidents (800-949) | 1,883 | 1,116 | 767 | 7.8 | 7.7 | 8.0 |
| 5. Influenza and pneumonia (470-486) | 683 | 408 | 275 | 2.8 | 2.8 | 2.9 |
| 6. Certain causes of mortality in early infancy (760-778) | 610 | 228 | 382 | 2.5 | 1.6 | 4.0 |
| 7. Diabetes mellitus (250) | 451 | 209 | 242 | 1.9 | 1.4 | 2.5 |
| 8. Homicide (960-978) | 373 | 96 | 277 | 1.6 | 0.7 | 2.9 |
| 9. Arteriosclerosis (440) | 305 | 214 | 91 | 1.3 | 1.5 | 1.0 |
| 10. Chronic and unqualified bronchitis, emphysema, asthma (490-493) | 254 | 217 | 37 | 1.0 | 1.5 | 0.4 |

Table C5. Deaths and percent of total deaths from five leading causes,
by age and cause
Mississippi, 1973

| Age | Cause and International Classification Number | Number | Percent |
|-------------|--|---------------|--------------|
| 1-4 | <u>All causes</u> | <u>239</u> | <u>100.0</u> |
| | 1. Accidents (800-949) | 100 | 41.8 |
| | 2. Influenza and pneumonia (470-474, 480-486) | 22 | 9.2 |
| | 3. Congenital anomalies (740-759) | 18 | 7.5 |
| | 4. Enteritis and other diarrheal diseases (008, 009) | 12 | 5.0 |
| | 5. Malignant neoplasms (140-209) | 8 | 3.3 |
| 5-14 | <u>All causes</u> | <u>282</u> | <u>100.0</u> |
| | 1. Accidents (800-949) | 178 | 63.1 |
| | 2. Malignant neoplasms (140-209) | 13 | 4.6 |
| | 3. Congenital anomalies (740-759) | 10 | 3.5 |
| | 4. Influenza and pneumonia (470-474, 480-486) | 8 | 2.8 |
| | 5. Homicide (960-978) | 7 | 2.5 |
| 15-24 | <u>All causes</u> | <u>715</u> | <u>100.0</u> |
| | 1. Accidents (800-949) | 422 | 59.0 |
| | 2. Homicide (960-978) | 84 | 11.7 |
| | 3. Suicide (950-959) | 33 | 4.6 |
| | 4. Malignant neoplasms (140-209) | 31 | 4.3 |
| | 5. Heart diseases (390-398, 402, 404-429) | 18 | 2.5 |
| 25-44 | <u>All causes</u> | <u>1,471</u> | <u>100.0</u> |
| | 1. Accidents (800-949) | 414 | 28.1 |
| | 2. Heart diseases (390-398, 402, 404-429) | 231 | 15.7 |
| | 3. Homicide (960-978) | 166 | 11.3 |
| | 4. Malignant neoplasms (140-209) | 151 | 10.3 |
| | 5. Cerebrovascular disease (430-438) | 72 | 4.9 |
| 45-64 | <u>All causes</u> | <u>5,626</u> | <u>100.0</u> |
| | 1. Heart diseases (390-398, 402, 404-429) | 1,899 | 33.8 |
| | 2. Malignant neoplasms (140-209) | 1,227 | 21.8 |
| | 3. Cerebrovascular disease (430-438) | 485 | 8.6 |
| | 4. Accidents (800-949) | 367 | 6.5 |
| | 5. Diabetes mellitus (250) | 118 | 2.1 |
| 65 and over | <u>All causes</u> | <u>14,513</u> | <u>100.0</u> |
| | 1. Heart diseases (390-398, 402, 404-429) | 5,852 | 40.3 |
| | 2. Cerebrovascular disease (430-438) | 2,522 | 17.4 |
| | 3. Malignant neoplasms (140-209) | 1,973 | 13.6 |
| | 4. Influenza and pneumonia (470-474, 480-486) | 415 | 2.8 |
| | 5. Accidents (800-949) | 352 | 2.4 |

Table C6. Deaths from malignant neoplasms and percentage distribution,
by primary site, sex, and race
Mississippi, 1973

| Primary Site (ranked according to number of deaths among total population) and International Classification Number | Number | | | | Percent | | | |
|--|--------|-----------|--------|-----------|---------|-----------|--------|-----------|
| | Male | | Female | | Male | | Female | |
| | White | Non-white | White | Non-white | White | Non-white | White | Non-white |
| Total | 1,319 | 636 | 925 | 523 | 100.0 | 100.0 | 100.0 | 100.0 |
| 1. Digestive organs and peritoneum (150-159) | 305 | 170 | 266 | 158 | 23.1 | 26.7 | 28.8 | 30.2 |
| 2. Respiratory system (160-163) | 482 | 186 | 105 | 38 | 36.5 | 29.2 | 11.4 | 7.3 |
| 3. Genital organs (180-187) | 137 | 119 | 113 | 115 | 10.4 | 18.7 | 12.2 | 22.0 |
| 4. Lymphatic and hematopoietic tissue (200-209) | 161 | 58 | 100 | 45 | 12.2 | 9.1 | 10.8 | 8.6 |
| 5. Breast (174) | 0 | 0 | 168 | 87 | - | - | 18.2 | 16.6 |
| 6. Urinary organs (188, 189) | 57 | 24 | 32 | 4 | 4.3 | 3.8 | 3.4 | 0.8 |
| 7. Brain (191) | 43 | 3 | 28 | 5 | 3.3 | 0.5 | 3.0 | 1.0 |
| 8. Buccal cavity and pharynx (140-149) | 26 | 11 | 12 | 6 | 2.0 | 1.7 | 1.3 | 1.1 |
| 9. Skin (172, 173) | 23 | 1 | 18 | 4 | 1.7 | 0.2 | 1.9 | 0.8 |
| 10. Bone and connective tissue (170, 171) | 21 | 4 | 7 | 4 | 1.6 | 0.6 | 0.8 | 0.8 |
| - Other and unspecified sites (190, 192-199) | 64 | 60 | 76 | 57 | 4.8 | 9.4 | 8.2 | 10.9 |

Table C7. Deaths from major chronic respiratory diseases,
Mississippi, 1953, 1958, 1963, 1968, 1973

| Cause and International Classification Number | 1953 | 1958 | 1963 | 1968 | 1973 |
|---|------|------|------|------|------|
| Tuberculosis of respiratory system (010-012) | 293 | 154 | 106 | 78 | 31 |
| Malignant neoplasms of respiratory system (160-163) | 223 | 310 | 480 | 634 | 811 |
| Malignant neoplasms of trachea, bronchus, and lung(162) | 200 | 279 | 443 | 602 | 768 |
| Chronic and unqualified bronchitis (490, 491) | 28 | 31 | 49 | 38 | 42 |
| Emphysema (492) | 12 | 61 | 152 | 213 | 191 |
| Asthma (493) | 62 | 58 | 45 | 52 | 21 |
| (Adjusted figures*) | (34) | (40) | (31) | | |

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revision of the cause-of-death classification system in 1958 and 1968.

Table C8. Deaths and percent of total accidental deaths from
 five leading causes of accidental death, by cause and race
 Mississippi, 1973

| Type of Accident and International Classification Number | Number | | | Percent | | |
|--|--------------|------------|---------------|-------------|-------------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| <u>Total of five leading causes</u> | <u>1,482</u> | <u>886</u> | <u>596</u> | <u>78.7</u> | <u>79.4</u> | <u>77.7</u> |
| 1. Motor vehicle (810-823) | 954 | 619 | 335 | 50.7 | 55.5 | 43.7 |
| 2. Fires and flames (890-899) | 174 | 59 | 115 | 9.2 | 5.3 | 15.0 |
| 3. Falls (880-887) | 145 | 108 | 37 | 7.7 | 9.7 | 4.8 |
| 4. Drowning, except in water transport (910) | 141 | 68 | 73 | 7.5 | 6.1 | 9.5 |
| 5. Firearm missiles (922) | 68 | 32 | 36 | 3.6 | 2.9 | 4.7 |

Table C9. Deaths occurring in Mississippi from selected types of accident, by age - 1973

| Type of Accident and International Classification Number | Total | Age | | | | | | | | | |
|--|--------------|-----------|-----------|-----------|-----------|------------|------------|------------|------------|------------|--|
| | | Under 1 | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-64 | 65 & Over | |
| <u>ALL ACCIDENTS</u> | <u>1,874</u> | <u>49</u> | <u>93</u> | <u>81</u> | <u>89</u> | <u>430</u> | <u>234</u> | <u>187</u> | <u>368</u> | <u>343</u> | |
| Motor vehicle (810-823) | 956 | 4 | 36 | 38 | 36 | 277 | 154 | 105 | 186 | 120 | |
| Water transport (830-838) | 61 | 0 | 0 | 1 | 5 | 14 | 10 | 8 | 19 | 4 | |
| Submersion, drowning (830, 832) | 56 | 0 | 0 | 1 | 5 | 12 | 9 | 8 | 17 | 4 | |
| Other (831, 833-838) | 5 | 0 | 0 | 0 | 0 | 2 | 1 | 0 | 2 | 0 | |
| Air and space transport (840-845) | 19 | 0 | 0 | 0 | 0 | 6 | 4 | 5 | 4 | 0 | |
| Poisoning (850-877) | 42 | 1 | 1 | 1 | 1 | 17 | 3 | 4 | 11 | 3 | |
| By drugs and medicaments (850-859) | 15 | 1 | 0 | 0 | 0 | 6 | 1 | 0 | 5 | 2 | |
| By other solid and liquid substances (860-869) | 12 | 0 | 1 | 1 | 1 | 3 | 0 | 2 | 3 | 1 | |
| By gases and vapors (870-877) | 15 | 0 | 0 | 0 | 0 | 8 | 2 | 2 | 3 | 0 | |
| Falls (880-887) | 140 | 0 | 1 | 0 | 1 | 6 | 5 | 3 | 27 | 97 | |
| Fires and flames (890-899) | 169 | 7 | 28 | 8 | 7 | 11 | 10 | 10 | 13 | 32 | |
| Drowning and submersion (except in transport accidents) (910) | 146 | 3 | 13 | 21 | 21 | 45 | 10 | 6 | 16 | 11 | |
| Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912) | 50 | 14 | 4 | 1 | 1 | 3 | 5 | 13 | 8 | | |
| Mechanical suffocation (including in bed or cradle) (913) | 20 | 14 | 1 | 1 | 0 | 0 | 1 | 1 | 1 | 1 | |
| Struck by, striking against, and caught in or between objects (916-918) | 63 | 0 | 3 | 2 | 2 | 13 | 7 | 10 | 16 | 10 | |
| Caused by firearm missiles (922) | 68 | 0 | 1 | 6 | 9 | 17 | 10 | 12 | 9 | 4 | |
| Caused by electric current (925) | 22 | 0 | 0 | 0 | 0 | 8 | 3 | 5 | 6 | 0 | |
| Caused by machinery and not elsewhere classifiable (928) | 18 | 0 | 0 | 0 | 0 | 4 | 3 | 3 | 4 | 4 | |

Table C10. Motor vehicle accident deaths occurring in Mississippi and rates,
also motor vehicle accident deaths of Mississippi residents and rates,
by year, 1950, 1955, 1960, 1965, 1970-1973

| Year | Occurrence Data | | Residence Data | |
|------|-----------------|-------|----------------|-------|
| | Number | Rate* | Number | Rate* |
| 1950 | 530 | ** | 515 | 23.6 |
| 1955 | 568 | ** | 541 | 24.8 |
| 1960 | 676 | 9.3 | 620 | 28.5 |
| 1965 | 748 | 8.4 | 742 | 31.8 |
| 1970 | 960 | 8.2 | 937 | 42.3 |
| 1971 | 1,011 | 8.2 | 984 | 44.4 |
| 1972 | 1,019 | 7.8 | 989 | 43.8 |
| 1973 | 956 | 7.0 | 954 | 41.2 |

* Deaths in Mississippi per 100,000,000
miles of vehicle travel; deaths of
residents per 100,000 population.

** Not available.

Table C11. Infant deaths, percentage distribution, and mortality rates by age and race
Mississippi, 1973

| Age | Number | | | Percent | | | Rate* | | |
|----------------------------------|--------------|------------|------------|--------------|--------------|--------------|-------------|-------------|-------------|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| <u>Total under 1 year</u> | <u>1,154</u> | <u>392</u> | <u>762</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> | <u>25.8</u> | <u>17.0</u> | <u>35.4</u> |
| Neonatal (under 28 days) | 793 | 301 | 492 | 68.7 | 76.8 | 64.6 | 17.8 | 13.0 | 22.9 |
| Hebdomadal (under 7 days) | 697 | 273 | 424 | 60.4 | 69.6 | 55.6 | 15.6 | 11.8 | 19.7 |
| Under 1 day | 415 | 161 | 254 | 36.0 | 41.1 | 33.3 | 9.3 | 7.0 | 11.8 |
| 1-6 days | 282 | 112 | 170 | 24.4 | 28.6 | 22.3 | 6.3 | 4.8 | 7.9 |
| 7-27 days | 96 | 28 | 68 | 8.3 | 7.1 | 8.9 | 2.2 | 1.2 | 3.2 |
| Postneonatal (28 days to 1 year) | 361 | 91 | 270 | 31.3 | 23.2 | 35.4 | 8.1 | 3.9 | 12.5 |

* Deaths per 1,000 live births.

Table C12. Deaths and mortality rates for six leading causes
of infant deaths, by cause and race
Mississippi, 1973

| Cause and International Classification Number | Number | | | Rate* | | |
|---|--------------|------------|------------|-------------|-------------|-------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>All causes</u> | <u>1,154</u> | <u>392</u> | <u>762</u> | <u>25.8</u> | <u>17.0</u> | <u>35.4</u> |
| 1. Immaturity, unqualified (777) | 162 | 28 | 134 | 3.6 | 1.2 | 6.2 |
| 2. Congenital anomalies (740-759) | 123 | 69 | 54 | 2.8 | 3.0 | 2.5 |
| 3. Influenza and pneumonia (470-486) | 103 | 20 | 83 | 2.3 | 0.9 | 3.8 |
| 4. Hyaline membrane disease (776.1) | 101 | 57 | 44 | 2.3 | 2.5 | 2.0 |
| 5. Asphyxia of newborn, unspecified (776.9) | 84 | 33 | 51 | 1.9 | 1.4 | 2.4 |
| 6. Respiratory distress syndrome (776.2) | 76 | 40 | 36 | 1.7 | 1.7 | 1.7 |

* Deaths per 1,000 live births.

Table D1. Marriages and average per day, by month
Mississippi, 1973

| Month | Marriages | Average per Day | Month | Marriages | Average per Day |
|--------------|---------------|-----------------|-----------|-----------|-----------------|
| <u>Total</u> | <u>28,513</u> | <u>78</u> | | | |
| January | 1,730 | 56 | July | 2,639 | 85 |
| February | 1,832 | 65 | August | 3,026 | 98 |
| March | 2,148 | 69 | September | 2,176 | 72 |
| April | 2,004 | 67 | October | 1,891 | 61 |
| May | 2,491 | 80 | November | 2,144 | 71 |
| June | 3,540 | 118 | December | 2,892 | 93 |

Table D3. Median age of bride and groom,
for all marriages and first marriages, by race
Mississippi, 1973

| All and First Marriages | Bride | | | Groom | | |
|----------------------------|-------|-------|---------------|-------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| All marriages | 21.0 | 21.0 | 21.1 | 23.3 | 23.4 | 23.2 |
| First marriages | 19.4 | 19.1 | 20.0 | 22.0 | 21.7 | 22.4 |

Table D2.
Brides and grooms and percentage distribution, by age and race, 1973

| Age | Number | | | | Bride | | | | Percent | | | |
|-----------|--------|--------|-----------|--------|--------|-----------|----------|----------|-----------|----------|----------|-----------|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Total | 28,513 | 19,276 | 9,237 | 28,513 | 19,295 | 9,218 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| Under 20 | 11,799 | 8,090 | 3,709 | 5,815 | 4,140 | 1,675 | 41.4 | 42.0 | 40.2 | 20.4 | 21.4 | 18.2 |
| 13 | 31 | 21 | 10 | 0 | 0 | 0 | 0.1 | 0.1 | 0.1 | - | - | - |
| 14 | 138 | 97 | 41 | 0 | 0 | 0 | 0.5 | 0.5 | 0.4 | - | - | - |
| 15 | 1,132 | 813 | 319 | 20 | 17 | 3 | 4.0 | 4.2 | 3.4 | 0.1 | 0.1 | * |
| 16 | 1,754 | 1,241 | 513 | 146 | 119 | 27 | 6.2 | 6.4 | 5.6 | 0.5 | 0.6 | 0.3 |
| 17 | 2,590 | 1,819 | 771 | 917 | 735 | 182 | 9.1 | 9.4 | 8.3 | 3.2 | 3.8 | 2.0 |
| 18 | 3,373 | 2,262 | 1,111 | 2,052 | 1,449 | 603 | 11.8 | 11.7 | 12.0 | 7.2 | 7.5 | 6.5 |
| 19 | 2,781 | 1,837 | 944 | 2,680 | 1,820 | 860 | 9.8 | 9.5 | 10.2 | 9.4 | 9.4 | 9.3 |
| 20-24 | 8,260 | 5,356 | 2,904 | 11,232 | 7,215 | 4,017 | 29.0 | 27.8 | 31.4 | 39.4 | 37.4 | 43.6 |
| 25-34 | 4,213 | 2,929 | 1,284 | 5,997 | 4,214 | 1,783 | 14.8 | 15.2 | 13.9 | 21.0 | 21.8 | 19.3 |
| 35-44 | 1,916 | 1,387 | 529 | 2,312 | 1,717 | 595 | 6.7 | 7.2 | 5.7 | 8.1 | 8.9 | 6.4 |
| 45-54 | 1,312 | 874 | 438 | 1,547 | 1,090 | 457 | 4.6 | 4.5 | 4.7 | 5.4 | 5.6 | 5.0 |
| 55-64 | 706 | 445 | 261 | 919 | 536 | 383 | 2.5 | 2.3 | 2.8 | 3.2 | 2.8 | 4.2 |
| 65-74 | 273 | 180 | 93 | 518 | 291 | 227 | 1.0 | 0.9 | 1.0 | 1.8 | 1.5 | 2.5 |
| 75 & over | 22 | 12 | 10 | 160 | 87 | 73 | 0.1 | 0.1 | 0.1 | 0.6 | 0.4 | 0.8 |
| Unknown | 12 | 3 | 9 | 13 | 5 | 8 | * 0.1 | * 0.1 | * 0.1 | * 0.1 | * 0.1 | * 0.1 |

* Less than 0.06 percent.

Table D4. Brides and grooms and percentage distribution,
by marriage order and race, also by previous marital status and race
Mississippi, 1973

| Marriage Order and Previous Marital Status | Number | | | | Bride | | | | Percent | | | |
|--|--------|--------|-----------|--------|--------|-----------|-------|-------|-----------|-------|---------|-----------|
| | Bride | | Groom | | Bride | | Groom | | Bride | | Percent | |
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Total | 28,513 | 19,276 | 9,237 | 28,513 | 19,295 | 9,218 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 | 100.0 |
| First | 19,878 | 12,491 | 7,387 | 19,619 | 12,533 | 7,086 | 69.7 | 64.8 | 80.0 | 68.8 | 65.0 | 76.9 |
| Remarriage | 8,587 | 6,769 | 1,818 | 8,854 | 6,750 | 2,104 | 30.1 | 35.1 | 19.7 | 31.0 | 35.0 | 22.8 |
| Second | 6,544 | 5,035 | 1,509 | 6,733 | 5,091 | 1,642 | 23.0 | 26.1 | 16.3 | 23.6 | 26.4 | 17.8 |
| Over two | 2,043 | 1,734 | 309 | 2,121 | 1,659 | 462 | 7.2 | 9.0 | 3.3 | 7.4 | 8.6 | 5.0 |
| Third | 1,657 | 1,401 | 256 | 1,727 | 1,360 | 367 | 5.8 | 7.3 | 2.8 | 6.0 | 7.0 | 4.0 |
| Fourth | 328 | 279 | 49 | 336 | 256 | 80 | 1.2 | 1.4 | 0.5 | 1.2 | 1.3 | 0.9 |
| Fifth | 48 | 44 | 4 | 43 | 34 | 9 | 0.2 | 0.2 | # | 0.2 | 0.2 | 0.1 |
| Sixth | 7 | 7 | 0 | 12 | 8 | 4 | # | # | - | # | # | # |
| Seventh | 1 | 1 | 0 | 1 | 0 | 1 | # | # | - | # | - | # |
| Eighth | 1 | 1 | 0 | 1 | 0 | 1 | # | # | - | # | - | # |
| Ninth | 1 | 1 | 0 | 0 | 0 | 0 | # | # | - | # | - | # |
| Tenth | 0 | 0 | 0 | 1 | 1 | 0 | - | - | - | # | - | - |
| Widowed | 1,715 | 1,236 | 479 | 1,376 | 867 | 509 | 6.0 | 6.4 | 5.2 | 4.8 | 4.5 | 5.5 |
| Divorced* | 6,810 | 5,510 | 1,300 | 7,436 | 5,873 | 1,563 | 23.9 | 28.6 | 14.1 | 26.1 | 30.4 | 17.0 |
| Unknown** | 62 | 23 | 39 | 42 | 10 | 32 | 0.2 | 0.1 | 0.4 | 0.1 | # | 0.3 |
| Unknown# | 48 | 16 | 32 | 40 | 12 | 28 | 0.2 | 0.1 | 0.3 | 0.1 | 0.1 | 0.3 |

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

Unknown whether any previous marriage.

Less than 0.06 percent.

Table D5. Marriages and percentage distribution,
by residence of bride and groom and race of bride
Mississippi, 1973

| Residence of Groom | Race and Residence of Bride | | | | | | | | |
|-----------------------|-----------------------------|------------------|-------|--------|------------------|-------|----------|------------------|-------|
| | Total | | | White | | | Nonwhite | | |
| | Total | Missis- sippi | Other | Total | Missis- sippi | Other | Total | Missis- sippi | Other |
| NUMBER | | | | | | | | | |
| <u>Total</u> | 28,513 | 25,140 | 3,373 | 19,276 | 16,477 | 2,799 | 9,237 | 8,663 | 574 |
| Mississippi | 24,223 | 23,448 | 775 | 15,837 | 15,194 | 643 | 8,386 | 8,254 | 132 |
| Other | 4,290 | 1,692 | 2,598 | 3,439 | 1,283 | 2,156 | 851 | 409 | 442 |
| PERCENT | | | | | | | | | |
| <u>Total</u> | 100.0 | 88.2 | 11.8 | 100.0 | 85.5 | 14.5 | 100.0 | 93.8 | 6.2 |
| Mississippi | 85.0 | 82.2 | 2.7 | 82.2 | 78.8 | 3.3 | 90.8 | 89.4 | 1.4 |
| Other | 15.0 | 5.9 | 9.1 | 17.8 | 6.6 | 11.2 | 9.2 | 4.4 | 4.8 |

Table El. Divorces and percentage distribution, by cause and race
Mississippi, 1973

| Cause | Number | | | Percent | | |
|-----------------------------|---------------|--------------|--------------|--------------|--------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total</u> | <u>10,787</u> | <u>8,138</u> | <u>2,649</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| Cruel and inhuman treatment | 7,729 | 6,536 | 1,193 | 71.6 | 80.3 | 45.0 |
| Desertion | 2,259 | 1,000 | 1,259 | 20.9 | 12.3 | 47.5 |
| Adultery | 441 | 322 | 119 | 4.1 | 4.0 | 4.5 |
| Drunkenness | 216 | 171 | 45 | 2.0 | 2.1 | 1.7 |
| Penitentiary | 48 | 35 | 13 | 0.4 | 0.4 | 0.5 |
| Insanity | 3 | 3 | 0 | * | * | - |
| Annulment | 38 | 34 | 4 | 0.4 | 0.4 | 0.2 |
| Bigamy | 16 | 7 | 9 | 0.1 | 0.1 | 0.3 |
| Miscellaneous and other | 15 | 14 | 1 | 0.1 | 0.2 | * |
| Not stated | 22 | 16 | 6 | 0.2 | 0.2 | 0.2 |

* Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race
Mississippi, 1973

| Number of Minor Children | Number | | | Percent | | |
|--------------------------|---------------|--------------|--------------|--------------|--------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>Total divorces</u> | <u>10,787</u> | <u>8,138</u> | <u>2,649</u> | <u>100.0</u> | <u>100.0</u> | <u>100.0</u> |
| None | 4,678 | 3,561 | 1,117 | 43.4 | 43.8 | 42.2 |
| One | 2,698 | 2,124 | 574 | 25.0 | 26.1 | 21.7 |
| Two | 1,714 | 1,313 | 401 | 15.9 | 16.1 | 15.1 |
| Three or more | 1,549 | 1,035 | 514 | 14.4 | 12.7 | 19.4 |
| Not stated | 148 | 105 | 43 | 1.4 | 1.3 | 1.6 |

Table E3. Divorces and percentage distribution, by number of years married and race
Mississippi, 1973

| Number of Years Married | Number | | | Percent | | |
|-------------------------|---------------|--------------|--------------|--------------|--------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| Total divorces | 10,787 | 8,138 | 2,649 | 100.0 | 100.0 | 100.0 |
| Under five | 4,958 | 4,156 | 802 | 46.0 | 51.1 | 30.3 |
| Under one | 894 | 817 | 77 | 8.3 | 10.0 | 2.9 |
| One | 1,200 | 1,026 | 174 | 11.1 | 12.6 | 6.6 |
| Two | 1,123 | 930 | 193 | 10.4 | 11.4 | 7.3 |
| Three | 1,015 | 825 | 190 | 9.4 | 10.1 | 7.2 |
| Four | 726 | 558 | 168 | 6.7 | 6.8 | 6.3 |
| Five - nine | 2,314 | 1,748 | 566 | 21.4 | 21.5 | 21.4 |
| Ten - nineteen | 1,902 | 1,366 | 536 | 17.6 | 16.8 | 20.2 |
| Twenty and over | 1,533 | 818 | 715 | 14.2 | 10.0 | 27.0 |
| Not stated | 80 | 50 | 30 | 0.7 | 0.6 | 1.1 |

MAJOR TABLES**1973**

TABLE 1
 LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
 ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE,
 (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL),
 MISSISSIPPI, 1973

| County | Occurrence Data | | | Residence Data | | |
|--------------|-----------------|---------------|---------------|----------------|---------------|---------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>STATE</u> | <u>44,139</u> | <u>22,963</u> | <u>21,176</u> | <u>44,638</u> | <u>23,119</u> | <u>21,519</u> |
| Adams | 1,402 | 638 | 764 | 705 | 275 | 430 |
| Alcorn | 251 | 209 | 42 | 429 | 374 | 55 |
| Amite | 18 | 0 | 18 | 205 | 87 | 118 |
| Attala | 327 | 182 | 145 | 341 | 169 | 172 |
| Benton | 5 | 0 | 5 | 103 | 66 | 37 |
| Bolivar | 2,160 | 328 | 1,832 | 1,183 | 253 | 930 |
| Calhoun | 148 | 44 | 104 | 267 | 153 | 114 |
| Carroll | 26 | 1 | 25 | 131 | 59 | 72 |
| Chickasaw | 287 | 107 | 180 | 333 | 167 | 166 |
| Choctaw | 136 | 38 | 98 | 134 | 78 | 56 |
| Claiborne | 65 | 5 | 60 | 195 | 20 | 175 |
| Clarke | 33 | 14 | 19 | 257 | 127 | 130 |
| Clay | 324 | 122 | 202 | 396 | 133 | 263 |
| Coahoma | 511 | 242 | 269 | 815 | 176 | 639 |
| Copiah | 409 | 158 | 251 | 432 | 138 | 294 |
| Covington | 161 | 98 | 63 | 271 | 120 | 151 |
| DeSoto | 20 | 1 | 19 | 835 | 593 | 242 |
| Forrest | 1,664 | 1,250 | 414 | 1,026 | 663 | 363 |
| Franklin | 34 | 18 | 16 | 127 | 52 | 75 |
| George | 226 | 188 | 38 | 260 | 223 | 37 |
| Greene | 74 | 43 | 31 | 167 | 109 | 58 |
| Grenada | 388 | 170 | 218 | 389 | 176 | 213 |
| Hancock | 7 | 2 | 5 | 231 | 188 | 43 |
| Harrison | 3,659 | 2,884 | 775 | 3,097 | 2,399 | 698 |
| Hinds | 6,468 | 3,022 | 3,446 | 4,071 | 1,834 | 2,237 |
| Holmes | 482 | 57 | 425 | 495 | 65 | 430 |
| Humphreys | 270 | 37 | 233 | 315 | 93 | 222 |
| Issaquena | 1 | 0 | 1 | 37 | 8 | 29 |
| Itawamba | 38 | 31 | 7 | 244 | 223 | 21 |
| Jackson | 1,646 | 1,160 | 486 | 2,113 | 1,562 | 551 |
| Jasper | 193 | 113 | 80 | 319 | 109 | 210 |
| Jefferson | 53 | 1 | 52 | 180 | 14 | 166 |
| Jeff Davis | 7 | 1 | 6 | 270 | 89 | 181 |
| Jones | 1,752 | 765 | 987 | 966 | 627 | 339 |
| Kemper | 37 | 10 | 27 | 206 | 56 | 150 |
| Lafayette | 595 | 348 | 247 | 440 | 263 | 177 |
| Lamar | 80 | 55 | 25 | 352 | 295 | 57 |
| Lauderdale | 2,242 | 1,180 | 1,062 | 1,460 | 821 | 639 |
| Lawrence | 96 | 29 | 67 | 222 | 136 | 86 |
| Leake | 151 | 82 | 69 | 353 | 165 | 188 |
| Lee | 1,585 | 1,241 | 344 | 974 | 676 | 298 |
| Leflore | 939 | 335 | 604 | 864 | 256 | 608 |

Table 1 - Page 2
Live Births - Mississippi - 1973

| County | Occurrence Data | | | Residence Data | | |
|--------------|-----------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Lincoln | 326 | 232 | 94 | 548 | 327 | 221 |
| Lowndes | 1,170 | 740 | 430 | 1,197 | 675 | 522 |
| Madison | 279 | 93 | 186 | 724 | 199 | 525 |
| Marion | 271 | 171 | 100 | 451 | 248 | 203 |
| Marshall | 126 | 8 | 118 | 537 | 188 | 349 |
| Monroe | 1,005 | 670 | 335 | 667 | 387 | 280 |
| Montgomery | 296 | 119 | 177 | 250 | 107 | 143 |
| Neshoba | 423 | 244 | 179 | 435 | 255 | 180 |
| Newton | 217 | 133 | 84 | 352 | 182 | 170 |
| Noxubee | 335 | 64 | 271 | 255 | 62 | 193 |
| Oktibbeha | 472 | 205 | 267 | 504 | 240 | 264 |
| Panola | 622 | 168 | 454 | 572 | 212 | 360 |
| Pearl River | 526 | 420 | 106 | 500 | 374 | 126 |
| Perry | 113 | 76 | 37 | 190 | 122 | 68 |
| Pike | 867 | 512 | 355 | 624 | 289 | 335 |
| Pontotoc | 250 | 190 | 60 | 287 | 235 | 52 |
| Prentiss | 310 | 259 | 51 | 330 | 276 | 54 |
| Quitman | 497 | 130 | 367 | 385 | 101 | 284 |
| Rankin | 78 | 50 | 28 | 920 | 688 | 232 |
| Scott | 259 | 179 | 80 | 461 | 247 | 214 |
| Sharkey | 96 | 10 | 86 | 209 | 48 | 161 |
| Simpson | 212 | 137 | 75 | 383 | 208 | 175 |
| Smith | 74 | 33 | 41 | 268 | 173 | 95 |
| Stone | 97 | 61 | 36 | 165 | 98 | 67 |
| Sunflower | 489 | 109 | 380 | 784 | 179 | 605 |
| Tallahatchie | 358 | 71 | 287 | 407 | 91 | 316 |
| Tate | 12 | 0 | 12 | 362 | 172 | 190 |
| Tippah | 344 | 267 | 77 | 304 | 241 | 63 |
| Tishomingo | 191 | 183 | 8 | 226 | 217 | 9 |
| Tunica | 202 | 16 | 186 | 261 | 56 | 205 |
| Union | 361 | 264 | 97 | 379 | 292 | 87 |
| Walthall | 205 | 109 | 96 | 203 | 97 | 106 |
| Warren | 1,354 | 498 | 856 | 905 | 440 | 465 |
| Washington | 1,436 | 654 | 782 | 1,653 | 541 | 1,112 |
| Wayne | 307 | 183 | 124 | 326 | 180 | 146 |
| Webster | 180 | 122 | 58 | 152 | 107 | 45 |
| Wilkinson | 176 | 74 | 102 | 163 | 41 | 122 |
| Winston | 260 | 144 | 116 | 360 | 157 | 203 |
| Yalobusha | 143 | 70 | 73 | 240 | 112 | 128 |
| Yazoo | 230 | 86 | 144 | 489 | 165 | 324 |
| Out of state | 1,961 | 1,369 | 592 | 1,462 | 1,213 | 249 |

Table 1 - Page 3
Live Births - Mississippi - 1973

| Town* | Occurrence Data | | | Residence Data | | |
|---------------|-----------------|--------|-----------|----------------|--------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Biloxi | 2,202 | 1,882 | 320 | 1,139 | 935 | 204 |
| Brookhaven | 324 | 231 | 93 | 253 | 120 | 133 |
| Canton | 235 | 92 | 143 | 279 | 61 | 218 |
| Clarksdale | 481 | 241 | 240 | 482 | 127 | 355 |
| Cleveland | 589 | 269 | 320 | 340 | 136 | 204 |
| Columbus | 968 | 612 | 356 | 582 | 286 | 296 |
| Corinth | 6 | 1 | 5 | 138 | 100 | 38 |
| Greenville | 1,064 | 546 | 518 | 975 | 320 | 655 |
| Greenwood | 802 | 333 | 469 | 437 | 145 | 292 |
| Gulfport | 1,450 | 1,000 | 450 | 975 | 627 | 348 |
| Hattiesburg | 1,661 | 1,248 | 413 | 602 | 314 | 288 |
| Jackson | 5,635 | 2,414 | 3,221 | 3,025 | 1,335 | 1,690 |
| Laurel | 1,745 | 758 | 987 | 429 | 199 | 230 |
| McComb | 773 | 488 | 285 | 219 | 114 | 105 |
| Meridian | 2,230 | 1,170 | 1,060 | 884 | 414 | 470 |
| Moss Point | 54 | 2 | 52 | 465 | 130 | 335 |
| Natchez | 1,402 | 638 | 764 | 405 | 143 | 262 |
| Oxford | 566 | 348 | 218 | 142 | 102 | 40 |
| Pascagoula | 1,587 | 1,155 | 432 | 597 | 468 | 129 |
| Picayune | 508 | 403 | 105 | 203 | 115 | 88 |
| Starkville | 443 | 201 | 242 | 221 | 124 | 97 |
| Tupelo | 1,414 | 1,105 | 309 | 386 | 271 | 115 |
| Vicksburg | 1,354 | 498 | 856 | 523 | 172 | 351 |
| Yazoo City | 187 | 86 | 101 | 221 | 73 | 148 |
| Total urban** | 36,920 | 20,165 | 16,755 | 18,850 | 9,246 | 9,604 |
| Total rural | 7,219 | 2,798 | 4,421 | 25,788 | 13,873 | 11,915 |

* Towns of 10,000 population or more, according to 1970 census.

** All incorporated towns of 2,500 population or more, according to 1970 census.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1973

Table 2 - Page 2
Live Births - Mississippi - 1973

| County | Total | White | | | Nonwhite | | | Sex | |
|------------|-------|-----------------|--------------------|-------|-----------------|--------------------|-------|------|--------|
| | | Hosp. or Clinic | Hosp., Other Place | Other | Hosp. or Clinic | Hosp., Other Place | Other | Male | Female |
| Hinds | 4,071 | 1,834 | 1,830 | 1 | 3 | 2,237 | 2,212 | 10 | 15 |
| Holmes | 495 | 65 | 65 | 0 | 0 | 430 | 417 | 0 | 13 |
| Humphreys | 315 | 93 | 93 | 0 | 0 | 222 | 206 | 0 | 16 |
| Issaquena | 37 | 8 | 8 | 0 | 0 | 29 | 28 | 0 | 1 |
| Itawamba | 244 | 223 | 223 | 0 | 0 | 21 | 20 | 1 | 0 |
| Jackson | 2,113 | 1,562 | 1,556 | 2 | 4 | 551 | 473 | 24 | 54 |
| Jasper | 319 | 109 | 109 | 0 | 0 | 210 | 207 | 1 | 2 |
| Jefferson | 180 | 14 | 14 | 0 | 0 | 166 | 164 | 0 | 2 |
| Jeff Davis | 270 | 89 | 89 | 0 | 0 | 181 | 176 | 0 | 5 |
| Jones | 966 | 627 | 624 | 0 | 3 | 339 | 338 | 1 | 0 |
| Kemper | 206 | 56 | 56 | 0 | 0 | 150 | 144 | 0 | 6 |
| Lafayette | 440 | 263 | 263 | 0 | 0 | 177 | 141 | 0 | 36 |
| Lamar | 352 | 295 | 292 | 1 | 2 | 57 | 57 | 0 | 0 |
| Lauderdale | 1,460 | 821 | 820 | 1 | 0 | 639 | 637 | 1 | 1 |
| Lawrence | 222 | 136 | 135 | 0 | 1 | 86 | 77 | 0 | 9 |
| Leake | 353 | 165 | 165 | 0 | 0 | 188 | 170 | 2 | 16 |
| Lee | 974 | 676 | 673 | 0 | 3 | 298 | 287 | 1 | 10 |
| Leflore | 864 | 256 | 254 | 0 | 2 | 608 | 419 | 0 | 189 |
| Lincoln | 548 | 327 | 326 | 0 | 1 | 221 | 219 | 0 | 2 |
| Lowndes | 1,197 | 675 | 675 | 0 | 0 | 522 | 352 | 3 | 167 |
| Madison | 724 | 199 | 199 | 0 | 0 | 525 | 469 | 0 | 56 |
| Marion | 451 | 248 | 247 | 0 | 1 | 203 | 183 | 0 | 20 |
| Marshall | 537 | 188 | 188 | 0 | 0 | 349 | 328 | 0 | 21 |
| Monroe | 667 | 387 | 384 | 1 | 2 | 280 | 272 | 1 | 7 |
| Montgomery | 250 | 107 | 107 | 0 | 0 | 143 | 128 | 0 | 15 |
| Neshoba | 435 | 255 | 255 | 0 | 0 | 180 | 176 | 1 | 3 |
| Newton | 352 | 182 | 182 | 0 | 0 | 170 | 170 | 0 | 0 |
| Noxubee | 255 | 62 | 62 | 0 | 0 | 193 | 166 | 0 | 27 |
| Oktibbeha | 504 | 240 | 240 | 0 | 0 | 264 | 244 | 0 | 20 |
| Panola | 572 | 212 | 212 | 0 | 0 | 360 | 344 | 1 | 15 |

Table 2 - Page 3
Live Births - Mississippi - 1973

| County | Total | White | | | Nonwhite | | | Sex | |
|--------------|-------|-------|-----------------|--------------------|----------|-----------------|--------------------|-------|-------------|
| | | Total | Hosp. or Clinic | Phys., Other Place | Total | Hosp. or Clinic | Phys., Other Place | Other | Male Female |
| Pearl River | 500 | 374 | 373 | 0 | 1 | 126 | 126 | 0 | 0 256 |
| Perry | 190 | 122 | 122 | 0 | 0 | 68 | 68 | 0 | 0 100 |
| Pike | 624 | 289 | 287 | 0 | 2 | 335 | 301 | 0 | 34 320 |
| Pontotoc | 287 | 235 | 235 | 0 | 0 | 52 | 52 | 0 | 0 144 |
| Prentiss | 330 | 276 | 275 | 0 | 1 | 54 | 49 | 0 | 5 158 |
| Quitman | 385 | 101 | 100 | 0 | 1 | 284 | 279 | 1 | 4 188 |
| Rankin | 920 | 688 | 686 | 0 | 2 | 232 | 232 | 0 | 0 450 |
| Scott | 461 | 247 | 247 | 0 | 0 | 214 | 205 | 0 | 9 217 |
| Sharkey | 209 | 48 | 48 | 0 | 0 | 161 | 156 | 1 | 4 105 |
| Simpson | 383 | 208 | 208 | 0 | 0 | 175 | 170 | 2 | 3 188 |
| Smith | 268 | 173 | 173 | 0 | 0 | 95 | 87 | 1 | 7 141 |
| Stone | 165 | 98 | 96 | 0 | 2 | 67 | 49 | 0 | 18 93 |
| Sunflower | 784 | 179 | 179 | 0 | 0 | 605 | 560 | 2 | 43 381 |
| Tallahatchie | 407 | 91 | 91 | 0 | 0 | 316 | 241 | 2 | 73 218 |
| Tate | 362 | 172 | 172 | 0 | 0 | 190 | 178 | 0 | 12 179 |
| Tippah | 304 | 241 | 240 | 0 | 1 | 63 | 63 | 0 | 0 150 |
| Tishomingo | 226 | 217 | 217 | 0 | 0 | 9 | 9 | 0 | 0 113 |
| Tunica | 261 | 56 | 56 | 0 | 0 | 205 | 169 | 0 | 36 131 |
| Union | 379 | 292 | 291 | 0 | 1 | 87 | 83 | 0 | 4 203 |
| Walthall | 203 | 97 | 91 | 0 | 6 | 106 | 85 | 0 | 21 112 |
| Warren | 905 | 440 | 437 | 0 | 3 | 465 | 462 | 0 | 3 487 |
| Washington | 1,653 | 541 | 539 | 0 | 2 | 1,112 | 1,074 | 2 | 36 853 |
| Wayne | 326 | 180 | 180 | 0 | 0 | 146 | 141 | 1 | 4 155 |
| Webster | 152 | 107 | 103 | 1 | 3 | 45 | 40 | 0 | 5 77 |
| Wilkinson | 163 | 41 | 41 | 0 | 0 | 122 | 117 | 1 | 4 98 |
| Winston | 360 | 157 | 157 | 0 | 0 | 203 | 198 | 0 | 5 168 |
| Yalobusha | 240 | 112 | 112 | 0 | 0 | 128 | 123 | 0 | 5 124 |
| Yazoo | 489 | 165 | 165 | 0 | 0 | 324 | 256 | 0 | 68 244 |

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1973

| County | Total | Age of Mother | | | | | | | | |
|------------|--------|---------------|--------|--------|-------|-------|-------|-------|-------|----------|
| | | Under 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | Un-known |
| STATE | 44,638 | 430 | 12,576 | 15,429 | 9,487 | 4,177 | 1,884 | 601 | 42 | 12 |
| Adams | 705 | 6 | 212 | 234 | 150 | 60 | 34 | 9 | 0 | 0 |
| Alcorn | 429 | 1 | 108 | 137 | 108 | 44 | 21 | 10 | 0 | 0 |
| Amite | 205 | 2 | 53 | 76 | 44 | 21 | 7 | 2 | 0 | 0 |
| Attala | 341 | 3 | 97 | 116 | 69 | 36 | 14 | 6 | 0 | 0 |
| Benton | 103 | 1 | 29 | 30 | 21 | 15 | 4 | 3 | 0 | 0 |
| Bolivar | 1,183 | 19 | 390 | 397 | 209 | 103 | 52 | 11 | 1 | 1 |
| Calhoun | 267 | 2 | 79 | 95 | 45 | 30 | 10 | 6 | 0 | 0 |
| Carroll | 131 | 3 | 38 | 44 | 24 | 18 | 4 | 0 | 0 | 0 |
| Chickasaw | 333 | 1 | 114 | 99 | 72 | 28 | 15 | 4 | 0 | 0 |
| Choctaw | 134 | 1 | 36 | 49 | 27 | 14 | 6 | 1 | 0 | 0 |
| Claiborne | 195 | 2 | 70 | 57 | 27 | 20 | 13 | 6 | 0 | 0 |
| Clarke | 257 | 2 | 70 | 95 | 50 | 26 | 10 | 3 | 1 | 0 |
| Clay | 396 | 3 | 119 | 130 | 73 | 39 | 27 | 4 | 0 | 1 |
| Coahoma | 815 | 17 | 297 | 246 | 139 | 65 | 37 | 13 | 1 | 0 |
| Copiah | 432 | 4 | 126 | 156 | 89 | 37 | 15 | 4 | 1 | 0 |
| Covington | 271 | 0 | 70 | 101 | 68 | 18 | 9 | 5 | 0 | 0 |
| DeSoto | 835 | 8 | 175 | 292 | 218 | 92 | 38 | 10 | 2 | 0 |
| Forrest | 1,026 | 7 | 267 | 384 | 233 | 89 | 40 | 6 | 0 | 0 |
| Franklin | 127 | 2 | 37 | 47 | 24 | 11 | 5 | 1 | 0 | 0 |
| George | 260 | 1 | 62 | 93 | 69 | 26 | 8 | 1 | 0 | 0 |
| Greene | 167 | 1 | 36 | 66 | 35 | 20 | 6 | 3 | 0 | 0 |
| Grenada | 389 | 3 | 101 | 150 | 76 | 36 | 14 | 9 | 0 | 0 |
| Hancock | 231 | 2 | 64 | 80 | 49 | 21 | 8 | 7 | 0 | 0 |
| Harrison | 3,097 | 14 | 913 | 1,152 | 643 | 231 | 120 | 24 | 0 | 0 |
| Hinds | 4,071 | 46 | 1,025 | 1,363 | 1,015 | 441 | 130 | 46 | 5 | 0 |
| Holmes | 495 | 6 | 177 | 164 | 75 | 37 | 22 | 11 | 3 | 0 |
| Humphreys | 315 | 7 | 121 | 81 | 58 | 27 | 16 | 4 | 1 | 0 |
| Issaquena | 37 | 0 | 10 | 10 | 6 | 5 | 3 | 3 | 0 | 0 |
| Itawamba | 244 | 1 | 64 | 88 | 51 | 29 | 9 | 2 | 0 | 0 |
| Jackson | 2,113 | 11 | 493 | 770 | 533 | 211 | 75 | 17 | 3 | 0 |
| Jasper | 319 | 2 | 77 | 118 | 67 | 41 | 12 | 2 | 0 | 0 |
| Jefferson | 180 | 6 | 50 | 58 | 31 | 20 | 11 | 3 | 1 | 0 |
| Jeff Davis | 270 | 5 | 92 | 88 | 45 | 23 | 11 | 6 | 0 | 0 |
| Jones | 966 | 4 | 283 | 355 | 192 | 85 | 37 | 10 | 0 | 0 |
| Kemper | 206 | 2 | 58 | 74 | 35 | 20 | 14 | 3 | 0 | 0 |
| Lafayette | 440 | 5 | 110 | 153 | 99 | 55 | 15 | 3 | 0 | 0 |
| Lamar | 352 | 1 | 80 | 130 | 83 | 38 | 15 | 5 | 0 | 0 |
| Lauderdale | 1,460 | 12 | 388 | 546 | 320 | 123 | 52 | 18 | 1 | 0 |
| Lawrence | 222 | 1 | 52 | 84 | 50 | 19 | 14 | 2 | 0 | 0 |
| Leake | 353 | 2 | 86 | 144 | 64 | 38 | 12 | 6 | 1 | 0 |
| Lee | 974 | 6 | 248 | 346 | 235 | 96 | 35 | 8 | 0 | 0 |
| Leflore | 864 | 12 | 277 | 274 | 161 | 78 | 53 | 9 | 0 | 0 |

Table 3A - Page 2
 Total Live Births - Mississippi - 1973

| County | Total | Age of Mother | | | | | | | | | Un-known |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|---|----------|
| | | Under 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | | |
| Lincoln | 548 | 4 | 127 | 208 | 115 | 54 | 29 | 9 | 1 | 1 | 0 |
| Lowndes | 1,197 | 11 | 313 | 421 | 281 | 108 | 43 | 17 | 3 | 0 | 0 |
| Madison | 724 | 11 | 225 | 217 | 148 | 73 | 40 | 10 | 0 | 0 | 0 |
| Marion | 451 | 4 | 145 | 140 | 95 | 33 | 25 | 9 | 0 | 0 | 0 |
| Marshall | 537 | 6 | 182 | 163 | 103 | 44 | 27 | 12 | 0 | 0 | 0 |
| Monroe | 667 | 5 | 181 | 247 | 143 | 63 | 19 | 7 | 2 | 0 | 0 |
| Montgomery | 250 | 2 | 82 | 88 | 33 | 31 | 10 | 4 | 0 | 0 | 0 |
| Neshoba | 435 | 2 | 109 | 169 | 97 | 29 | 20 | 7 | 2 | 0 | 0 |
| Newton | 352 | 2 | 87 | 132 | 79 | 39 | 9 | 4 | 0 | 0 | 0 |
| Noxubee | 255 | 3 | 71 | 80 | 52 | 21 | 19 | 7 | 1 | 1 | 1 |
| Oktibbeha | 504 | 5 | 139 | 174 | 103 | 52 | 22 | 9 | 0 | 0 | 0 |
| Panola | 572 | 9 | 179 | 191 | 96 | 53 | 33 | 10 | 0 | 0 | 1 |
| Pearl River | 500 | 3 | 136 | 196 | 101 | 42 | 18 | 4 | 0 | 0 | 0 |
| Perry | 190 | 1 | 53 | 71 | 42 | 14 | 8 | 1 | 0 | 0 | 0 |
| Pike | 624 | 4 | 174 | 196 | 159 | 53 | 28 | 8 | 1 | 1 | 1 |
| Pontotoc | 287 | 3 | 84 | 114 | 55 | 18 | 10 | 3 | 0 | 0 | 0 |
| Prentiss | 330 | 1 | 95 | 110 | 79 | 26 | 14 | 5 | 0 | 0 | 0 |
| Quitman | 385 | 9 | 115 | 122 | 78 | 34 | 18 | 9 | 0 | 0 | 0 |
| Rankin | 920 | 7 | 221 | 323 | 244 | 87 | 26 | 11 | 1 | 0 | 0 |
| Scott | 461 | 7 | 123 | 149 | 103 | 45 | 25 | 9 | 0 | 0 | 0 |
| Sharkey | 209 | 3 | 73 | 65 | 32 | 16 | 14 | 6 | 0 | 0 | 0 |
| Simpson | 383 | 0 | 105 | 160 | 62 | 29 | 17 | 9 | 1 | 0 | 0 |
| Smith | 268 | 2 | 76 | 108 | 44 | 20 | 10 | 8 | 0 | 0 | 0 |
| Stone | 165 | 0 | 43 | 60 | 32 | 23 | 3 | 3 | 0 | 0 | 1 |
| Sunflower | 784 | 14 | 257 | 257 | 130 | 69 | 37 | 16 | 2 | 2 | 2 |
| Tallahatchie | 407 | 12 | 171 | 109 | 54 | 36 | 20 | 5 | 0 | 0 | 0 |
| Tate | 362 | 4 | 105 | 109 | 85 | 31 | 18 | 10 | 0 | 0 | 0 |
| Tippah | 304 | 1 | 74 | 124 | 59 | 24 | 16 | 6 | 0 | 0 | 0 |
| Tishomingo | 226 | 1 | 53 | 84 | 52 | 17 | 15 | 1 | 1 | 2 | 0 |
| Tunica | 261 | 3 | 87 | 76 | 48 | 26 | 16 | 4 | 1 | 0 | 0 |
| Union | 379 | 3 | 82 | 140 | 84 | 42 | 18 | 10 | 0 | 0 | 0 |
| Walthall | 203 | 3 | 56 | 64 | 48 | 21 | 5 | 4 | 2 | 0 | 0 |
| Warren | 905 | 15 | 250 | 287 | 190 | 95 | 55 | 12 | 1 | 0 | 0 |
| Washington | 1,653 | 17 | 529 | 509 | 347 | 152 | 75 | 23 | 1 | 0 | 0 |
| Wayne | 326 | 4 | 96 | 118 | 64 | 24 | 13 | 6 | 0 | 1 | 0 |
| Webster | 152 | 1 | 45 | 53 | 29 | 19 | 4 | 1 | 0 | 0 | 0 |
| Wilkinson | 163 | 0 | 57 | 67 | 21 | 10 | 6 | 2 | 0 | 0 | 0 |
| Winston | 360 | 3 | 101 | 125 | 77 | 41 | 9 | 3 | 1 | 0 | 0 |
| Yalobusha | 240 | 3 | 65 | 86 | 56 | 20 | 7 | 3 | 0 | 0 | 0 |
| Yazoo | 489 | 8 | 156 | 145 | 85 | 57 | 30 | 8 | 0 | 0 | 0 |

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1973

| County | Total | Age of Mother | | | | | | | | |
|--------------|---------------|---------------|--------------|--------------|--------------|--------------|------------|------------|-----------|----------|
| | | Under 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | Un-known |
| STATE | 23,119 | 45 | 4,824 | 8,695 | 6,249 | 2,260 | 832 | 201 | 10 | 3 |
| Adams | 275 | 1 | 50 | 97 | 88 | 22 | 14 | 3 | 0 | 0 |
| Alcorn | 374 | 0 | 92 | 123 | 98 | 39 | 14 | 8 | 0 | 0 |
| Amite | 87 | 1 | 12 | 35 | 29 | 8 | 2 | 0 | 0 | 0 |
| Attala | 169 | 0 | 35 | 71 | 41 | 19 | 3 | 0 | 0 | 0 |
| Benton | 66 | 0 | 12 | 19 | 20 | 10 | 2 | 3 | 0 | 0 |
| Bolivar | 253 | 0 | 50 | 102 | 70 | 19 | 10 | 1 | 0 | 1 |
| Calhoun | 153 | 0 | 37 | 57 | 31 | 19 | 5 | 4 | 0 | 0 |
| Carroll | 59 | 1 | 12 | 21 | 14 | 10 | 1 | 0 | 0 | 0 |
| Chickasaw | 167 | 1 | 47 | 55 | 40 | 13 | 10 | 1 | 0 | 0 |
| Choctaw | 78 | 0 | 16 | 26 | 23 | 10 | 3 | 0 | 0 | 0 |
| Claiborne | 20 | 0 | 3 | 8 | 5 | 1 | 2 | 1 | 0 | 0 |
| Clarke | 127 | 0 | 23 | 48 | 34 | 16 | 5 | 1 | 0 | 0 |
| Clay | 133 | 0 | 24 | 42 | 42 | 16 | 8 | 1 | 0 | 0 |
| Coahoma | 176 | 2 | 31 | 66 | 53 | 19 | 4 | 1 | 0 | 0 |
| Copiah | 138 | 0 | 31 | 54 | 39 | 11 | 3 | 0 | 0 | 0 |
| Covington | 120 | 0 | 26 | 42 | 39 | 9 | 2 | 2 | 0 | 0 |
| DeSoto | 593 | 0 | 75 | 228 | 192 | 68 | 29 | 1 | 0 | 0 |
| Forrest | 663 | 2 | 138 | 253 | 184 | 59 | 24 | 3 | 0 | 0 |
| Franklin | 52 | 0 | 11 | 21 | 15 | 2 | 2 | 1 | 0 | 0 |
| George | 223 | 1 | 50 | 84 | 63 | 20 | 4 | 1 | 0 | 0 |
| Greene | 109 | 0 | 18 | 47 | 24 | 15 | 3 | 2 | 0 | 0 |
| Grenada | 176 | 1 | 30 | 73 | 48 | 16 | 5 | 3 | 0 | 0 |
| Hancock | 188 | 0 | 50 | 69 | 41 | 19 | 6 | 3 | 0 | 0 |
| Harrison | 2,399 | 4 | 669 | 913 | 549 | 156 | 90 | 18 | 0 | 0 |
| Hinds | 1,834 | 2 | 256 | 605 | 651 | 243 | 60 | 16 | 1 | 0 |
| Holmes | 65 | 0 | 7 | 28 | 22 | 2 | 5 | 1 | 0 | 0 |
| Humphreys | 93 | 1 | 26 | 33 | 21 | 8 | 3 | 1 | 0 | 0 |
| Issaquena | 8 | 0 | 1 | 4 | 3 | 0 | 0 | 0 | 0 | 0 |
| Itawamba | 223 | 1 | 58 | 80 | 46 | 27 | 9 | 2 | 0 | 0 |
| Jackson | 1,562 | 1 | 317 | 600 | 427 | 163 | 41 | 11 | 2 | 0 |
| Jasper | 109 | 0 | 18 | 48 | 27 | 11 | 5 | 0 | 0 | 0 |
| Jefferson | 14 | 0 | 3 | 7 | 1 | 1 | 2 | 0 | 0 | 0 |
| Jeff Davis | 89 | 0 | 23 | 35 | 17 | 11 | 2 | 1 | 0 | 0 |
| Jones | 627 | 0 | 155 | 236 | 146 | 59 | 25 | 6 | 0 | 0 |
| Kemper | 56 | 1 | 11 | 19 | 16 | 7 | 2 | 0 | 0 | 0 |
| Lafayette | 263 | 0 | 33 | 101 | 79 | 40 | 9 | 1 | 0 | 0 |
| Lamar | 295 | 0 | 63 | 102 | 79 | 34 | 14 | 3 | 0 | 0 |
| Lauderdale | 821 | 2 | 161 | 334 | 222 | 74 | 23 | 5 | 0 | 0 |
| Lawrence | 136 | 0 | 22 | 63 | 32 | 11 | 8 | 0 | 0 | 0 |
| Leake | 165 | 0 | 36 | 64 | 41 | 14 | 7 | 2 | 1 | 0 |
| Lee | 676 | 1 | 139 | 240 | 199 | 70 | 24 | 3 | 0 | 0 |
| Leflore | 256 | 1 | 46 | 94 | 67 | 32 | 13 | 3 | 0 | 0 |

Table 3B - Page 2
Live Births - Mississippi - 1973

| County | Total | Age of Mother | | | | | | | | | Un-known |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|---|----------|
| | | Under 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | | |
| Lincoln | 327 | 1 | 56 | 134 | 85 | 33 | 14 | 4 | 0 | 0 | 0 |
| Lowndes | 675 | 4 | 119 | 261 | 197 | 65 | 22 | 6 | 1 | 0 | 0 |
| Madison | 199 | 0 | 32 | 80 | 63 | 17 | 5 | 2 | 0 | 0 | 0 |
| Marion | 248 | 0 | 72 | 73 | 64 | 24 | 14 | 1 | 0 | 0 | 0 |
| Marshall | 188 | 1 | 48 | 69 | 48 | 18 | 3 | 1 | 0 | 0 | 0 |
| Monroe | 387 | 2 | 89 | 146 | 102 | 35 | 7 | 5 | 1 | 0 | 0 |
| Montgomery | 107 | 1 | 27 | 33 | 25 | 13 | 6 | 2 | 0 | 0 | 0 |
| Neshoba | 255 | 1 | 46 | 116 | 64 | 13 | 12 | 2 | 1 | 0 | 0 |
| Newton | 182 | 0 | 40 | 69 | 51 | 18 | 3 | 1 | 0 | 0 | 0 |
| Noxubee | 62 | 0 | 7 | 31 | 16 | 5 | 2 | 1 | 0 | 0 | 0 |
| Oktibbeha | 240 | 0 | 45 | 96 | 64 | 27 | 6 | 2 | 0 | 0 | 0 |
| Panola | 212 | 0 | 51 | 86 | 48 | 17 | 9 | 1 | 0 | 0 | 0 |
| Pearl River | 374 | 2 | 83 | 158 | 80 | 35 | 15 | 1 | 0 | 0 | 0 |
| Perry | 122 | 0 | 33 | 44 | 30 | 8 | 6 | 1 | 0 | 0 | 0 |
| Pike | 289 | 0 | 57 | 98 | 93 | 26 | 14 | 0 | 1 | 0 | 0 |
| Pontotoc | 235 | 1 | 66 | 92 | 47 | 17 | 9 | 3 | 0 | 0 | 0 |
| Prentiss | 276 | 1 | 75 | 95 | 68 | 24 | 8 | 5 | 0 | 0 | 0 |
| Quitman | 101 | 0 | 22 | 39 | 29 | 9 | 1 | 1 | 0 | 0 | 0 |
| Rankin | 688 | 1 | 138 | 252 | 207 | 72 | 13 | 4 | 1 | 0 | 0 |
| Scott | 247 | 0 | 50 | 95 | 60 | 26 | 13 | 3 | 0 | 0 | 0 |
| Sharkey | 48 | 0 | 12 | 18 | 11 | 5 | 2 | 0 | 0 | 0 | 0 |
| Simpson | 208 | 0 | 49 | 97 | 39 | 14 | 9 | 0 | 0 | 0 | 0 |
| Smith | 173 | 1 | 42 | 74 | 31 | 14 | 6 | 5 | 0 | 0 | 0 |
| Stone | 98 | 0 | 23 | 34 | 24 | 15 | 1 | 1 | 0 | 0 | 0 |
| Sunflower | 179 | 0 | 31 | 76 | 47 | 15 | 8 | 2 | 0 | 0 | 0 |
| Tallahatchie | 91 | 0 | 25 | 33 | 24 | 6 | 2 | 1 | 0 | 0 | 0 |
| Tate | 172 | 0 | 29 | 64 | 53 | 18 | 5 | 3 | 0 | 0 | 0 |
| Tippah | 241 | 0 | 53 | 105 | 45 | 19 | 13 | 6 | 0 | 0 | 0 |
| Tishomingo | 217 | 1 | 52 | 78 | 51 | 17 | 14 | 1 | 1 | 2 | 0 |
| Tunica | 56 | 0 | 13 | 18 | 18 | 4 | 3 | 0 | 0 | 0 | 0 |
| Union | 292 | 1 | 63 | 107 | 66 | 35 | 10 | 10 | 0 | 0 | 0 |
| Walthall | 97 | 1 | 22 | 35 | 27 | 10 | 1 | 1 | 0 | 0 | 0 |
| Warren | 440 | 0 | 66 | 159 | 131 | 53 | 27 | 4 | 0 | 0 | 0 |
| Washington | 541 | 1 | 103 | 200 | 166 | 52 | 17 | 2 | 0 | 0 | 0 |
| Wayne | 180 | 0 | 46 | 73 | 43 | 10 | 6 | 2 | 0 | 0 | 0 |
| Webster | 107 | 0 | 27 | 38 | 22 | 16 | 3 | 1 | 0 | 0 | 0 |
| Wilkinson | 41 | 0 | 9 | 18 | 8 | 3 | 2 | 1 | 0 | 0 | 0 |
| Winston | 157 | 0 | 26 | 57 | 47 | 19 | 7 | 1 | 0 | 0 | 0 |
| Yalobusha | 112 | 0 | 25 | 42 | 33 | 11 | 1 | 0 | 0 | 0 | 0 |
| Yazoo | 165 | 1 | 35 | 55 | 44 | 19 | 10 | 1 | 0 | 0 | 0 |

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1973

| County | Total | Age of Mother | | | | | | | | |
|--------------|---------------|---------------|--------------|--------------|--------------|--------------|--------------|------------|-----------|--------------|
| | | Under 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | Un- known |
| State | 21,519 | 385 | 7,752 | 6,734 | 3,238 | 1,917 | 1,052 | 400 | 32 | 9 |
| Adams | 430 | 5 | 162 | 137 | 62 | 38 | 20 | 6 | 0 | 0 |
| Alcorn | 55 | 1 | 16 | 14 | 10 | 5 | 7 | 2 | 0 | 0 |
| Amite | 118 | 1 | 41 | 41 | 15 | 13 | 5 | 2 | 0 | 0 |
| Attala | 172 | 3 | 62 | 45 | 28 | 17 | 11 | 6 | 0 | 0 |
| Benton | 37 | 1 | 17 | 11 | 1 | 5 | 2 | 0 | 0 | 0 |
| Bolivar | 930 | 19 | 340 | 295 | 139 | 84 | 42 | 10 | 1 | 0 |
| Calhoun | 114 | 2 | 42 | 38 | 14 | 11 | 5 | 2 | 0 | 0 |
| Carroll | 72 | 2 | 26 | 23 | 10 | 8 | 3 | 0 | 0 | 0 |
| Chickasaw | 166 | 0 | 67 | 44 | 32 | 15 | 5 | 3 | 0 | 0 |
| Choctaw | 56 | 1 | 20 | 23 | 4 | 4 | 3 | 1 | 0 | 0 |
| Claiborne | 175 | 2 | 67 | 49 | 22 | 19 | 11 | 5 | 0 | 0 |
| Clarke | 130 | 2 | 47 | 47 | 16 | 10 | 5 | 2 | 1 | 0 |
| Clay | 263 | 3 | 95 | 88 | 31 | 23 | 19 | 3 | 0 | 1 |
| Coahoma | 639 | 15 | 266 | 180 | 86 | 46 | 33 | 12 | 1 | 0 |
| Copiah | 294 | 4 | 95 | 102 | 50 | 26 | 12 | 4 | 1 | 0 |
| Covington | 151 | 0 | 44 | 59 | 29 | 9 | 7 | 3 | 0 | 0 |
| DeSoto | 242 | 8 | 100 | 64 | 26 | 24 | 9 | 9 | 2 | 0 |
| Forrest | 363 | 5 | 129 | 131 | 49 | 30 | 16 | 3 | 0 | 0 |
| Franklin | 75 | 2 | 26 | 26 | 9 | 9 | 3 | 0 | 0 | 0 |
| George | 37 | 0 | 12 | 9 | 6 | 6 | 4 | 0 | 0 | 0 |
| Greene | 58 | 1 | 18 | 19 | 11 | 5 | 3 | 1 | 0 | 0 |
| Grenada | 213 | 2 | 71 | 77 | 28 | 20 | 9 | 6 | 0 | 0 |
| Hancock | 43 | 2 | 14 | 11 | 8 | 2 | 2 | 4 | 0 | 0 |
| Harrison | 698 | 10 | 244 | 239 | 94 | 75 | 30 | 6 | 0 | 0 |
| Hinds | 2,237 | 44 | 769 | 758 | 364 | 198 | 70 | 30 | 4 | 0 |
| Holmes | 430 | 6 | 170 | 136 | 53 | 35 | 17 | 10 | 3 | 0 |
| Humphreys | 222 | 6 | 95 | 48 | 37 | 19 | 13 | 3 | 1 | 0 |
| Issaquena | 29 | 0 | 9 | 6 | 3 | 5 | 3 | 3 | 0 | 0 |
| Itawamba | 21 | 0 | 6 | 8 | 5 | 2 | 0 | 0 | 0 | 0 |
| Jackson | 551 | 10 | 176 | 170 | 106 | 48 | 34 | 6 | 1 | 0 |
| Jasper | 210 | 2 | 59 | 70 | 40 | 30 | 7 | 2 | 0 | 0 |
| Jefferson | 166 | 6 | 47 | 51 | 30 | 19 | 9 | 3 | 1 | 0 |
| Jeff Davis | 181 | 5 | 69 | 53 | 28 | 12 | 9 | 5 | 0 | 0 |
| Jones | 339 | 4 | 128 | 119 | 46 | 26 | 12 | 4 | 0 | 0 |
| Kemper | 150 | 1 | 47 | 55 | 19 | 13 | 12 | 3 | 0 | 0 |
| Lafayette | 177 | 5 | 77 | 52 | 20 | 15 | 6 | 2 | 0 | 0 |
| Lamar | 57 | 1 | 17 | 28 | 4 | 4 | 1 | 2 | 0 | 0 |
| Lauderdale | 639 | 10 | 227 | 212 | 98 | 49 | 29 | 13 | 1 | 0 |
| Lawrence | 86 | 1 | 30 | 21 | 18 | 8 | 6 | 2 | 0 | 0 |
| Leake | 188 | 2 | 50 | 80 | 23 | 24 | 5 | 4 | 0 | 0 |
| Lee | 298 | 5 | 109 | 106 | 36 | 26 | 11 | 5 | 0 | 0 |
| Leflore | 608 | 11 | 231 | 180 | 94 | 46 | 40 | 6 | 0 | 0 |

Table 3C - Page 2
 Nonwhite Live Births - Mississippi - 1973

| County | Total | Age of Mother | | | | | | | | | Un-known |
|--------------|-------|---------------|-------|-------|-------|-------|-------|-------|-------|---|----------|
| | | Under 15 | 15-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | | |
| Lincoln | 221 | 3 | 71 | 74 | 30 | 21 | 15 | 5 | 1 | 1 | |
| Lowndes | 522 | 7 | 194 | 160 | 84 | 43 | 21 | 11 | 2 | 0 | |
| Madison | 525 | 11 | 193 | 137 | 85 | 56 | 35 | 8 | 0 | 0 | |
| Marion | 203 | 4 | 73 | 67 | 31 | 9 | 11 | 8 | 0 | 0 | |
| Marshall | 349 | 5 | 134 | 94 | 55 | 26 | 24 | 11 | 0 | 0 | |
| Monroe | 280 | 3 | 92 | 101 | 41 | 28 | 12 | 2 | 1 | 0 | |
| Montgomery | 143 | 1 | 55 | 55 | 8 | 18 | 4 | 2 | 0 | 0 | |
| Neshoba | 180 | 1 | 63 | 53 | 33 | 16 | 8 | 5 | 1 | 0 | |
| Newton | 170 | 2 | 47 | 63 | 28 | 21 | 6 | 3 | 0 | 0 | |
| Noxubee | 193 | 3 | 64 | 49 | 36 | 16 | 17 | 6 | 1 | 1 | |
| Oktibbeha | 264 | 5 | 94 | 78 | 39 | 25 | 16 | 7 | 0 | 0 | |
| Panola | 360 | 9 | 128 | 105 | 48 | 36 | 24 | 9 | 0 | 1 | |
| Pearl River | 126 | 1 | 53 | 38 | 21 | 7 | 3 | 3 | 0 | 0 | |
| Perry | 68 | 1 | 20 | 27 | 12 | 6 | 2 | 0 | 0 | 0 | |
| Pike | 335 | 4 | 117 | 98 | 66 | 27 | 14 | 8 | 0 | 1 | |
| Pontotoc | 52 | 2 | 18 | 22 | 8 | 1 | 1 | 0 | 0 | 0 | |
| Prentiss | 54 | 0 | 20 | 15 | 11 | 2 | 6 | 0 | 0 | 0 | |
| Quitman | 284 | 9 | 93 | 83 | 49 | 25 | 17 | 8 | 0 | 0 | |
| Rankin | 232 | 6 | 83 | 71 | 37 | 15 | 13 | 7 | 0 | 0 | |
| Scott | 214 | 7 | 73 | 54 | 43 | 19 | 12 | 6 | 0 | 0 | |
| Sharkey | 161 | 3 | 61 | 47 | 21 | 11 | 12 | 6 | 0 | 0 | |
| Simpson | 175 | 0 | 56 | 63 | 23 | 15 | 8 | 9 | 1 | 0 | |
| Smith | 95 | 1 | 34 | 34 | 13 | 6 | 4 | 3 | 0 | 0 | |
| Stone | 67 | 0 | 20 | 26 | 8 | 8 | 2 | 2 | 0 | 1 | |
| Sunflower | 605 | 14 | 226 | 181 | 83 | 54 | 29 | 14 | 2 | 2 | |
| Tallahatchie | 316 | 12 | 146 | 76 | 30 | 30 | 18 | 4 | 0 | 0 | |
| Tate | 190 | 4 | 76 | 45 | 32 | 13 | 13 | 7 | 0 | 0 | |
| Tippah | 63 | 1 | 21 | 19 | 14 | 5 | 3 | 0 | 0 | 0 | |
| Tishomingo | 9 | 0 | 1 | 6 | 1 | 0 | 1 | 0 | 0 | 0 | |
| Tunica | 205 | 3 | 74 | 58 | 30 | 22 | 13 | 4 | 1 | 0 | |
| Union | 87 | 2 | 19 | 33 | 18 | 7 | 8 | 0 | 0 | 0 | |
| Walthall | 106 | 2 | 34 | 29 | 21 | 11 | 4 | 3 | 2 | 0 | |
| Warren | 465 | 15 | 184 | 128 | 59 | 42 | 28 | 8 | 1 | 0 | |
| Washington | 1,112 | 16 | 426 | 309 | 181 | 100 | 58 | 21 | 1 | 0 | |
| Wayne | 146 | 4 | 50 | 45 | 21 | 14 | 7 | 4 | 0 | 1 | |
| Webster | 45 | 1 | 18 | 15 | 7 | 3 | 1 | 0 | 0 | 0 | |
| Wilkinson | 122 | 0 | 48 | 49 | 13 | 7 | 4 | 1 | 0 | 0 | |
| Winston | 203 | 3 | 75 | 68 | 30 | 22 | 2 | 2 | 1 | 0 | |
| Yalobusha | 128 | 3 | 40 | 44 | 23 | 9 | 6 | 3 | 0 | 0 | |
| Yazoo | 324 | 7 | 121 | 90 | 41 | 38 | 20 | 7 | 0 | 0 | |

TABLE 4
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1973

| County | Number | | | Percent | | |
|--------------|--------------|------------|--------------|-------------|------------|-------------|
| | Total | White | Non-white | Total | White | Non-white |
| STATE | 9,917 | 832 | 9,085 | 22.2 | 3.6 | 42.2 |
| Adams | 230 | 16 | 214 | 32.6 | 5.8 | 49.8 |
| Alcorn | 30 | 14 | 16 | 7.0 | 3.7 | 29.1 |
| Amite | 46 | 4 | 42 | 22.4 | 4.6 | 35.6 |
| Attala | 73 | 9 | 64 | 21.4 | 5.3 | 37.2 |
| Benton | 19 | 2 | 17 | 18.4 | 3.0 | 45.9 |
| Bolivar | 528 | 3 | 525 | 44.6 | 1.2 | 56.4 |
| Calhoun | 49 | 5 | 44 | 18.4 | 3.3 | 38.6 |
| Carroll | 32 | 2 | 30 | 24.4 | 3.4 | 41.7 |
| Chickasaw | 55 | 10 | 45 | 16.5 | 6.0 | 27.1 |
| Choctaw | 31 | 4 | 27 | 23.1 | 5.1 | 48.2 |
| Claiborne | 84 | 2 | 82 | 43.1 | 10.0 | 46.8 |
| Clarke | 44 | 4 | 40 | 17.1 | 3.1 | 30.8 |
| Clay | 104 | 3 | 101 | 26.3 | 2.2 | 38.4 |
| Coahoma | 346 | 8 | 338 | 42.4 | 4.5 | 52.9 |
| Copiah | 131 | 5 | 126 | 30.3 | 3.6 | 42.8 |
| Covington | 51 | 4 | 47 | 18.8 | 3.3 | 31.1 |
| DeSoto | 131 | 17 | 114 | 15.7 | 2.9 | 47.1 |
| Forrest | 185 | 47 | 138 | 18.0 | 7.1 | 38.0 |
| Franklin | 34 | 0 | 34 | 26.8 | - | 45.3 |
| George | 14 | 2 | 12 | 5.4 | 0.9 | 32.4 |
| Greene | 32 | 5 | 27 | 19.2 | 4.6 | 46.6 |
| Grenada | 86 | 11 | 75 | 22.1 | 6.2 | 35.2 |
| Hancock | 22 | 6 | 16 | 9.5 | 3.2 | 37.2 |
| Harrison | 323 | 93 | 230 | 10.4 | 3.9 | 33.0 |
| Hinds | 978 | 67 | 911 | 24.0 | 3.6 | 40.7 |
| Holmes | 201 | 2 | 199 | 40.6 | 3.1 | 46.3 |
| Humphreys | 126 | 5 | 121 | 40.0 | 5.4 | 54.5 |
| Issaquena | 15 | 0 | 15 | 40.5 | - | 51.7 |
| Itawamba | 15 | 9 | 6 | 6.1 | 4.0 | 28.6 |
| Jackson | 234 | 58 | 176 | 11.1 | 3.7 | 31.9 |
| Jasper | 59 | 2 | 57 | 18.5 | 1.8 | 27.1 |
| Jefferson | 76 | 1 | 75 | 42.2 | 7.1 | 45.2 |
| Jeff Davis | 73 | 2 | 71 | 27.0 | 2.2 | 39.2 |
| Jones | 153 | 21 | 132 | 15.8 | 3.3 | 38.9 |
| Kemper | 48 | 1 | 47 | 23.3 | 1.8 | 31.3 |
| Lafayette | 80 | 5 | 75 | 18.2 | 1.9 | 42.4 |
| Lamar | 37 | 11 | 26 | 10.5 | 3.7 | 45.6 |
| Lauderdale | 282 | 35 | 247 | 19.3 | 4.3 | 38.6 |
| Lawrence | 32 | 4 | 28 | 14.4 | 2.9 | 32.6 |
| Leake | 52 | 4 | 48 | 14.7 | 2.4 | 25.5 |
| Lee | 132 | 27 | 105 | 13.6 | 4.0 | 35.2 |
| Leflore | 296 | 11 | 285 | 34.2 | 4.3 | 46.9 |

Table 4 - Page 2
Illegitimate Live Births - Mississippi - 1973

| County | Number | | | Percent | | |
|--------------|--------|-------|-----------|---------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Lincoln | 86 | 6 | 80 | 15.7 | 1.8 | 36.2 |
| Lowndes | 269 | 21 | 248 | 22.5 | 3.1 | 47.5 |
| Madison | 251 | 8 | 243 | 34.7 | 4.0 | 46.3 |
| Marion | 69 | 4 | 65 | 15.3 | 1.6 | 32.0 |
| Marshall | 158 | 9 | 149 | 29.4 | 4.8 | 42.7 |
| Monroe | 128 | 16 | 112 | 19.2 | 4.1 | 40.0 |
| Montgomery | 57 | 2 | 55 | 22.8 | 1.9 | 38.5 |
| Neshoba | 63 | 11 | 52 | 14.5 | 4.3 | 28.9 |
| Newton | 61 | 4 | 57 | 17.3 | 2.2 | 33.5 |
| Noxubee | 84 | 2 | 82 | 32.9 | 3.2 | 42.5 |
| Oktibbeha | 115 | 5 | 110 | 22.8 | 2.1 | 41.7 |
| Panola | 163 | 8 | 155 | 28.5 | 3.8 | 43.0 |
| Pearl River | 68 | 12 | 56 | 13.6 | 3.2 | 44.4 |
| Perry | 31 | 2 | 29 | 16.3 | 1.6 | 42.6 |
| Pike | 123 | 9 | 114 | 19.7 | 3.1 | 34.0 |
| Pontotoc | 32 | 9 | 23 | 11.1 | 3.8 | 44.2 |
| Prentiss | 31 | 10 | 21 | 9.4 | 3.6 | 38.9 |
| Quitman | 119 | 5 | 114 | 30.9 | 5.0 | 40.1 |
| Rankin | 121 | 21 | 100 | 13.2 | 3.0 | 43.1 |
| Scott | 79 | 11 | 68 | 17.1 | 4.4 | 31.8 |
| Sharkey | 82 | 1 | 81 | 39.2 | 2.1 | 50.3 |
| Simpson | 55 | 3 | 52 | 14.4 | 1.4 | 29.7 |
| Smith | 31 | 4 | 27 | 11.6 | 2.3 | 28.4 |
| Stone | 27 | 5 | 22 | 16.4 | 5.1 | 32.8 |
| Sunflower | 303 | 7 | 296 | 38.6 | 3.9 | 48.9 |
| Tallahatchie | 180 | 6 | 174 | 44.2 | 6.6 | 55.1 |
| Tate | 93 | 9 | 84 | 25.7 | 5.2 | 44.2 |
| Tippah | 20 | 3 | 17 | 6.6 | 1.2 | 27.0 |
| Tishomingo | 10 | 7 | 3 | 4.4 | 3.2 | 33.3 |
| Tunica | 97 | 2 | 95 | 37.2 | 3.6 | 46.3 |
| Union | 39 | 6 | 33 | 10.3 | 2.0 | 37.9 |
| Walthall | 49 | 7 | 42 | 24.1 | 7.2 | 39.6 |
| Warren | 251 | 13 | 238 | 27.7 | 3.0 | 51.2 |
| Washington | 585 | 18 | 567 | 35.4 | 3.3 | 51.0 |
| Wayne | 56 | 6 | 50 | 17.2 | 3.3 | 34.2 |
| Webster | 19 | 6 | 13 | 12.5 | 5.6 | 28.9 |
| Wilkinson | 55 | 1 | 54 | 33.7 | 2.4 | 44.3 |
| Winston | 79 | 2 | 77 | 21.9 | 1.3 | 37.9 |
| Yalobusha | 57 | 3 | 54 | 23.8 | 2.7 | 42.2 |
| Yazoo | 152 | 7 | 145 | 31.1 | 4.2 | 44.8 |

TABLE 5
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1973

| County | Number | | | Percent | | |
|--------------|--------------|--------------|--------------|------------|------------|-------------|
| | Total | White | Non-white | Total | White | Non-white |
| STATE | 4,141 | 1,417 | 2,724 | 9.3 | 6.1 | 12.6 |
| Adams | 44 | 6 | 38 | 6.2 | 2.2 | 8.8 |
| Alcorn | 33 | 27 | 6 | 7.7 | 7.2 | 10.9 |
| Amite | 23 | 6 | 17 | 11.2 | 6.9 | 14.4 |
| Attala | 25 | 9 | 16 | 7.3 | 5.3 | 9.3 |
| Benton | 13 | 5 | 8 | 12.6 | 7.6 | 21.6 |
| Bolivar | 137 | 12 | 125 | 11.6 | 4.7 | 13.4 |
| Calhoun | 34 | 12 | 22 | 12.7 | 7.8 | 19.3 |
| Carroll | 11 | 2 | 9 | 8.4 | 3.4 | 12.5 |
| Chickasaw | 33 | 9 | 24 | 9.9 | 5.4 | 14.4 |
| Choctaw | 8 | 2 | 6 | 6.0 | 2.6 | 10.7 |
| Claiborne | 23 | 1 | 22 | 11.8 | 5.0 | 12.6 |
| Clarke | 21 | 5 | 16 | 8.2 | 3.9 | 12.3 |
| Clay | 41 | 4 | 37 | 10.4 | 3.0 | 14.1 |
| Coahoma | 84 | 6 | 78 | 10.3 | 3.4 | 12.2 |
| Copiah | 49 | 10 | 39 | 11.3 | 7.2 | 13.3 |
| Covington | 25 | 7 | 18 | 9.2 | 5.8 | 11.9 |
| DeSoto | 63 | 31 | 32 | 7.5 | 5.2 | 13.2 |
| Forrest | 77 | 37 | 40 | 7.5 | 5.6 | 11.0 |
| Franklin | 9 | 0 | 9 | 7.1 | - | 12.0 |
| George | 17 | 15 | 2 | 6.5 | 6.7 | 5.4 |
| Greene | 18 | 6 | 12 | 10.8 | 5.5 | 20.7 |
| Grenada | 52 | 12 | 40 | 13.4 | 6.8 | 18.8 |
| Hancock | 20 | 15 | 5 | 8.6 | 8.0 | 11.6 |
| Harrison | 237 | 145 | 92 | 7.6 | 6.0 | 13.2 |
| Hinds | 379 | 108 | 271 | 9.3 | 5.9 | 12.1 |
| Holmes | 56 | 3 | 53 | 11.3 | 4.6 | 12.3 |
| Humphreys | 49 | 9 | 40 | 15.6 | 9.7 | 18.0 |
| Issaquena | 2 | 1 | 1 | 5.4 | 12.5 | 3.4 |
| Itawamba | 26 | 22 | 4 | 10.6 | 9.9 | 19.0 |
| Jackson | 173 | 90 | 83 | 8.2 | 5.8 | 15.1 |
| Jasper | 26 | 4 | 22 | 8.2 | 3.7 | 10.5 |
| Jefferson | 22 | 1 | 21 | 12.2 | 7.1 | 12.6 |
| Jeff Davis | 21 | 2 | 19 | 7.8 | 2.2 | 10.5 |
| Jones | 88 | 49 | 39 | 9.1 | 7.8 | 11.5 |
| Kemper | 15 | 2 | 13 | 7.3 | 3.6 | 8.7 |
| Lafayette | 33 | 11 | 22 | 7.5 | 4.2 | 12.4 |
| Lamar | 24 | 17 | 7 | 6.8 | 5.8 | 12.3 |
| Lauderdale | 132 | 46 | 86 | 9.0 | 5.6 | 13.4 |
| Lawrence | 23 | 11 | 12 | 10.4 | 8.1 | 14.0 |
| Leake | 38 | 15 | 23 | 10.8 | 9.1 | 12.2 |
| Lee | 90 | 42 | 48 | 9.2 | 6.2 | 16.1 |
| Leflore | 100 | 16 | 84 | 11.6 | 6.2 | 13.8 |

Table 5 - Page 2
Immature Live Births - Mississippi - 1973

| County | Number | | | Percent | | |
|--------------|--------|-------|-----------|---------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Lincoln | 43 | 14 | 29 | 7.8 | 4.3 | 13.1 |
| Lowndes | 90 | 26 | 64 | 7.5 | 3.8 | 12.3 |
| Madison | 84 | 20 | 64 | 11.6 | 10.0 | 12.2 |
| Marion | 39 | 13 | 26 | 8.6 | 5.2 | 12.8 |
| Marshall | 69 | 17 | 52 | 12.8 | 9.0 | 14.9 |
| Monroe | 64 | 29 | 35 | 9.6 | 7.5 | 12.5 |
| Montgomery | 23 | 3 | 20 | 9.2 | 2.8 | 14.0 |
| Neshoba | 42 | 23 | 19 | 9.6 | 9.0 | 10.6 |
| Newton | 32 | 12 | 20 | 9.1 | 6.6 | 11.8 |
| Noxubee | 25 | 4 | 21 | 9.8 | 6.4 | 10.9 |
| Oktibbeha | 51 | 19 | 32 | 10.1 | 7.9 | 12.1 |
| Panola | 62 | 19 | 43 | 10.8 | 9.0 | 11.9 |
| Pearl River | 38 | 18 | 20 | 7.6 | 4.8 | 15.9 |
| Perry | 12 | 4 | 8 | 6.3 | 3.3 | 11.8 |
| Pike | 70 | 26 | 44 | 11.2 | 9.0 | 13.1 |
| Pontotoc | 20 | 12 | 8 | 7.0 | 5.1 | 15.4 |
| Prentiss | 28 | 18 | 10 | 8.5 | 6.5 | 18.5 |
| Quitman | 29 | 7 | 22 | 7.5 | 6.9 | 7.7 |
| Rankin | 64 | 42 | 22 | 7.0 | 6.1 | 9.5 |
| Scott | 46 | 14 | 32 | 10.0 | 5.7 | 15.0 |
| Sharkey | 20 | 5 | 15 | 9.6 | 10.4 | 9.3 |
| Simpson | 34 | 10 | 24 | 8.9 | 4.8 | 13.7 |
| Smith | 27 | 12 | 15 | 10.1 | 6.9 | 15.8 |
| Stone | 14 | 4 | 10 | 8.5 | 4.1 | 14.9 |
| Sunflower | 94 | 14 | 80 | 12.0 | 7.8 | 13.2 |
| Tallahatchie | 52 | 9 | 43 | 12.8 | 9.9 | 13.6 |
| Tate | 38 | 8 | 30 | 10.5 | 4.6 | 15.8 |
| Tippah | 21 | 9 | 12 | 6.9 | 3.7 | 19.0 |
| Tishomingo | 11 | 10 | 1 | 4.9 | 4.6 | 11.1 |
| Tunica | 23 | 4 | 19 | 8.8 | 7.1 | 9.3 |
| Union | 39 | 25 | 14 | 10.3 | 8.6 | 16.1 |
| Walthall | 12 | 4 | 8 | 5.9 | 4.1 | 7.5 |
| Warren | 94 | 34 | 60 | 10.4 | 7.7 | 12.9 |
| Washington | 161 | 41 | 120 | 9.7 | 7.6 | 10.8 |
| Wayne | 22 | 9 | 13 | 6.7 | 5.0 | 8.9 |
| Webster | 15 | 7 | 8 | 9.9 | 6.5 | 17.8 |
| Wilkinson | 18 | 4 | 14 | 11.0 | 9.8 | 11.5 |
| Winston | 31 | 8 | 23 | 8.6 | 5.1 | 11.3 |
| Yalobusha | 25 | 11 | 14 | 10.4 | 9.8 | 10.9 |
| Yazoo | 65 | 16 | 49 | 13.3 | 9.7 | 15.1 |

* Birthweight 5½ pounds or less.

TABLE 6
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1973

| County | Number | | | Percent | | |
|--------------|--------------|--------------|--------------|-------------|------------|-------------|
| | Total | White | Non-white | Total | White | Non-white |
| <u>STATE</u> | <u>6,294</u> | <u>2,046</u> | <u>4,248</u> | <u>14.1</u> | <u>8.8</u> | <u>19.7</u> |
| Adams | 89 | 23 | 66 | 12.6 | 8.4 | 15.3 |
| Alcorn | 60 | 50 | 10 | 14.0 | 13.4 | 18.2 |
| Amite | 29 | 9 | 20 | 14.1 | 10.3 | 16.9 |
| Attala | 50 | 12 | 38 | 14.7 | 7.1 | 22.1 |
| Benton | 12 | 5 | 7 | 11.6 | 7.6 | 18.9 |
| Bolivar | 220 | 25 | 195 | 18.6 | 9.9 | 21.0 |
| Calhoun | 38 | 15 | 23 | 14.2 | 9.8 | 20.2 |
| Carroll | 24 | 4 | 20 | 18.3 | 6.8 | 27.8 |
| Chickasaw | 51 | 12 | 39 | 15.3 | 7.2 | 23.5 |
| Choctaw | 18 | 7 | 11 | 13.4 | 9.0 | 19.6 |
| Claiborne | 45 | 2 | 43 | 23.1 | 10.0 | 24.6 |
| Clarke | 30 | 10 | 20 | 11.7 | 7.9 | 15.4 |
| Clay | 67 | 10 | 57 | 16.9 | 7.5 | 21.7 |
| Coahoma | 153 | 14 | 139 | 18.8 | 8.0 | 21.8 |
| Copiah | 75 | 13 | 62 | 17.4 | 9.4 | 21.1 |
| Covington | 33 | 8 | 25 | 12.2 | 6.7 | 16.6 |
| DeSoto | 96 | 46 | 50 | 11.5 | 7.8 | 20.7 |
| Forrest | 118 | 54 | 64 | 11.5 | 8.1 | 17.6 |
| Franklin | 14 | 5 | 9 | 11.0 | 9.6 | 12.0 |
| George | 15 | 12 | 3 | 5.8 | 5.4 | 8.1 |
| Greene | 25 | 8 | 17 | 15.0 | 7.3 | 29.3 |
| Grenada | 76 | 23 | 53 | 19.5 | 13.1 | 24.9 |
| Hancock | 27 | 18 | 9 | 11.7 | 9.6 | 20.9 |
| Harrison | 325 | 200 | 125 | 10.5 | 8.3 | 17.9 |
| Hinds | 552 | 159 | 393 | 13.6 | 8.7 | 17.6 |
| Holmes | 95 | 4 | 91 | 19.2 | 6.2 | 21.2 |
| Humphreys | 52 | 6 | 46 | 16.5 | 6.4 | 20.7 |
| Issaquena | 9 | 2 | 7 | 24.3 | 25.0 | 24.1 |
| Itawamba | 24 | 18 | 6 | 9.8 | 8.1 | 28.6 |
| Jackson | 225 | 114 | 111 | 10.6 | 7.3 | 20.1 |
| Jasper | 42 | 8 | 34 | 13.2 | 7.3 | 16.2 |
| Jefferson | 24 | 2 | 22 | 13.3 | 14.3 | 13.2 |
| Jeff Davis | 45 | 9 | 36 | 16.7 | 10.1 | 19.9 |
| Jones | 136 | 65 | 71 | 14.1 | 10.4 | 20.9 |
| Kemper | 30 | 1 | 29 | 14.6 | 1.8 | 19.3 |
| Lafayette | 63 | 22 | 41 | 14.3 | 8.4 | 23.2 |
| Lamar | 38 | 24 | 14 | 10.8 | 8.1 | 24.6 |
| Lauderdale | 205 | 67 | 138 | 14.0 | 8.2 | 21.6 |
| Lawrence | 35 | 21 | 14 | 15.8 | 15.4 | 16.3 |
| Leake | 51 | 14 | 37 | 14.4 | 8.5 | 19.7 |
| Lee | 118 | 55 | 63 | 12.1 | 8.1 | 21.1 |
| Leflore | 150 | 24 | 126 | 17.4 | 9.4 | 20.7 |

Table 6 - Page 2
Premature Live Births - Mississippi - 1973

| County | Number | | | Percent | | |
|--------------|--------|-------|-----------|---------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Lincoln | 64 | 33 | 31 | 11.7 | 10.1 | 14.0 |
| Lowndes | 164 | 53 | 111 | 13.7 | 7.8 | 21.3 |
| Madison | 114 | 18 | 96 | 15.7 | 9.0 | 18.3 |
| Marion | 67 | 26 | 41 | 14.8 | 10.5 | 20.2 |
| Marshall | 91 | 21 | 70 | 16.9 | 11.2 | 20.0 |
| Monroe | 106 | 48 | 58 | 15.9 | 12.4 | 20.7 |
| Montgomery | 48 | 14 | 34 | 19.2 | 13.1 | 23.8 |
| Neshoba | 53 | 24 | 29 | 12.2 | 9.4 | 16.1 |
| Newton | 49 | 22 | 27 | 13.9 | 12.1 | 15.9 |
| Noxubee | 51 | 7 | 44 | 20.0 | 11.3 | 22.8 |
| Oktibbeha | 80 | 20 | 60 | 15.9 | 8.3 | 22.7 |
| Panola | 90 | 21 | 69 | 15.7 | 9.9 | 19.2 |
| Pearl River | 52 | 26 | 26 | 10.4 | 7.0 | 20.6 |
| Perry | 17 | 8 | 9 | 8.9 | 6.6 | 13.2 |
| Pike | 114 | 37 | 77 | 18.3 | 12.8 | 23.0 |
| Pontotoc | 40 | 24 | 16 | 13.9 | 10.2 | 30.8 |
| Prentiss | 42 | 28 | 14 | 12.7 | 10.1 | 25.9 |
| Quitman | 69 | 8 | 61 | 17.9 | 7.9 | 21.5 |
| Rankin | 108 | 67 | 41 | 11.7 | 9.7 | 17.7 |
| Scott | 72 | 27 | 45 | 15.6 | 10.9 | 21.0 |
| Sharkey | 36 | 8 | 28 | 17.2 | 16.7 | 17.4 |
| Simpson | 53 | 22 | 31 | 13.8 | 10.6 | 17.7 |
| Smith | 33 | 17 | 16 | 12.3 | 9.8 | 16.8 |
| Stone | 17 | 4 | 13 | 10.3 | 4.1 | 19.4 |
| Sunflower | 168 | 23 | 145 | 21.4 | 12.8 | 24.0 |
| Tallahatchie | 78 | 11 | 67 | 19.2 | 12.1 | 21.2 |
| Tate | 55 | 17 | 38 | 15.2 | 9.9 | 20.0 |
| Tippah | 32 | 18 | 14 | 10.5 | 7.5 | 22.2 |
| Tishomingo | 17 | 13 | 4 | 7.5 | 6.0 | 44.4 |
| Tunica | 55 | 6 | 49 | 21.1 | 10.7 | 23.9 |
| Union | 62 | 41 | 21 | 16.4 | 14.0 | 24.1 |
| Walthall | 29 | 4 | 25 | 14.3 | 4.1 | 23.6 |
| Warren | 116 | 27 | 89 | 12.8 | 6.1 | 19.1 |
| Washington | 240 | 41 | 199 | 14.5 | 7.6 | 17.9 |
| Wayne | 27 | 13 | 14 | 8.3 | 7.2 | 9.6 |
| Webster | 17 | 12 | 5 | 11.2 | 11.2 | 11.1 |
| Wilkinson | 10 | 3 | 7 | 6.1 | 7.3 | 5.7 |
| Winston | 42 | 10 | 32 | 11.7 | 6.4 | 15.8 |
| Yalobusha | 38 | 9 | 29 | 15.8 | 8.0 | 22.6 |
| Yazoo | 94 | 15 | 79 | 19.2 | 9.1 | 24.4 |

* Gestation less than 37 weeks.

TABLE 7
FETAL DEATHS*, BY COUNTY OF OCCURRENCE AND RACE,
ALSO FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1973

| County | Occurrence Data | | | Residence Data | | | Ratio** | | |
|--------------|-----------------|--------------|--------------|----------------|--------------|--------------|-------------|-------------|-------------|
| | Number | | Non-white | Number | | Non-white | Ratio** | | Non-white |
| | Total | White | | Total | White | | Total | White | |
| STATE | 2,486 | 1,252 | 1,234 | 2,458 | 1,229 | 1,229 | 55.1 | 53.2 | 57.1 |
| Adams | 84 | 23 | 61 | 47 | 10 | 37 | 66.7 | 36.4 | 86.0 |
| Alcorn | 7 | 5 | 2 | 19 | 17 | 2 | 44.3 | 45.4 | 36.4 |
| Amite | 2 | 0 | 2 | 18 | 7 | 11 | 87.8 | 80.4 | 93.2 |
| Attala | 14 | 7 | 7 | 17 | 8 | 9 | 49.8 | 47.3 | 52.3 |
| Benton | 0 | 0 | 0 | 4 | 3 | 1 | 38.8 | 45.4 | 27.0 |
| Bolivar | 63 | 10 | 53 | 46 | 9 | 37 | 38.9 | 35.6 | 39.8 |
| Calhoun | 7 | 1 | 6 | 13 | 4 | 9 | 48.7 | 26.1 | 78.9 |
| Carroll | 0 | 0 | 0 | 7 | 4 | 3 | 53.4 | 67.8 | 41.7 |
| Chickasaw | 26 | 7 | 19 | 19 | 4 | 15 | 57.0 | 24.0 | 90.4 |
| Choctaw | 4 | 0 | 4 | 8 | 6 | 2 | 59.7 | 76.9 | 35.7 |
| Claiborne | 0 | 0 | 0 | 9 | 2 | 7 | 46.2 | 100.0 | 40.0 |
| Clarke | 4 | 2 | 2 | 14 | 6 | 8 | 54.5 | 47.2 | 61.5 |
| Clay | 9 | 2 | 7 | 10 | 1 | 9 | 25.2 | 7.5 | 34.2 |
| Coahoma | 56 | 23 | 33 | 49 | 16 | 33 | 60.1 | 90.9 | 51.6 |
| Copiah | 9 | 2 | 7 | 22 | 3 | 19 | 50.9 | 21.7 | 64.6 |
| Covington | 4 | 2 | 2 | 15 | 2 | 13 | 55.4 | 16.7 | 86.1 |
| DeSoto | 0 | 0 | 0 | 12 | 9 | 3 | 14.4 | 15.2 | 12.4 |
| Forrest | 98 | 65 | 33 | 59 | 32 | 27 | 57.5 | 48.3 | 74.4 |
| Franklin | 2 | 1 | 1 | 8 | 2 | 6 | 63.0 | 38.5 | 80.0 |
| George | 7 | 6 | 1 | 8 | 7 | 1 | 30.8 | 31.4 | 27.0 |
| Greene | 2 | 2 | 0 | 9 | 8 | 1 | 53.9 | 73.4 | 17.2 |
| Grenada | 14 | 7 | 7 | 15 | 9 | 6 | 38.6 | 51.1 | 28.2 |
| Hancock | 0 | 0 | 0 | 6 | 6 | 0 | 26.0 | 31.9 | - |
| Harrison | 243 | 190 | 53 | 205 | 155 | 50 | 66.2 | 64.6 | 71.6 |
| Hinds | 758 | 385 | 373 | 499 | 258 | 241 | 122.6 | 140.7 | 107.7 |
| Holmes | 9 | 2 | 7 | 18 | 4 | 14 | 36.4 | 61.5 | 32.6 |
| Humphreys | 6 | 0 | 6 | 14 | 3 | 11 | 44.4 | 32.2 | 49.5 |
| Issaquena | 0 | 0 | 0 | 2 | 2 | 0 | 54.0 | 250.0 | - |
| Itawamba | 0 | 0 | 0 | 5 | 5 | 0 | 20.5 | 22.4 | - |
| Jackson | 38 | 22 | 16 | 75 | 56 | 19 | 35.5 | 35.8 | 34.5 |
| Jasper | 1 | 0 | 1 | 8 | 1 | 7 | 25.1 | 9.2 | 33.3 |
| Jefferson | 1 | 0 | 1 | 7 | 0 | 7 | 38.9 | - | 42.2 |
| Jeff Davis | 1 | 0 | 1 | 15 | 7 | 8 | 55.6 | 78.6 | 44.2 |
| Jones | 63 | 23 | 40 | 32 | 19 | 13 | 33.1 | 30.3 | 38.3 |
| Kemper | 2 | 0 | 2 | 10 | 1 | 9 | 48.5 | 17.8 | 60.0 |
| Lafayette | 8 | 3 | 5 | 3 | 2 | 1 | 6.8 | 7.6 | 5.6 |
| Lamar | 0 | 0 | 0 | 12 | 9 | 3 | 34.1 | 30.5 | 52.6 |
| Lauderdale | 134 | 90 | 44 | 90 | 61 | 29 | 61.6 | 74.3 | 45.4 |
| Lawrence | 1 | 0 | 1 | 15 | 12 | 3 | 67.6 | 88.2 | 34.9 |
| Leake | 0 | 0 | 0 | 11 | 4 | 7 | 31.2 | 24.2 | 37.2 |
| Lee | 28 | 12 | 16 | 27 | 11 | 16 | 27.7 | 16.3 | 53.7 |
| Leflore | 52 | 17 | 35 | 45 | 11 | 34 | 52.1 | 43.0 | 55.9 |

Table 7 - Page 2
Fetal Deaths - Mississippi - 1973

| County | Occurrence Data | | | Residence Data | | | | | |
|--------------|-----------------|-------|-----------|----------------|-------|-----------|---------|-------|-----------|
| | Number | | Non-white | Number | | | Ratio** | | |
| | Total | White | | Total | White | Non-white | Total | White | Non-white |
| Lincoln | 9 | 4 | 5 | 33 | 16 | 17 | 60.2 | 48.9 | 76.9 |
| Lowndes | 19 | 5 | 14 | 26 | 6 | 20 | 21.7 | 8.9 | 38.3 |
| Madison | 15 | 3 | 12 | 52 | 10 | 42 | 71.8 | 50.2 | 80.0 |
| Marion | 33 | 23 | 10 | 37 | 26 | 11 | 82.0 | 104.8 | 54.2 |
| Marshall | 5 | 1 | 4 | 15 | 2 | 13 | 27.9 | 10.6 | 37.2 |
| Monroe | 16 | 7 | 9 | 10 | 3 | 7 | 15.0 | 7.8 | 25.0 |
| Montgomery | 10 | 2 | 8 | 14 | 5 | 9 | 56.0 | 46.7 | 62.9 |
| Neshoba | 10 | 3 | 7 | 15 | 10 | 5 | 34.5 | 39.2 | 27.8 |
| Newton | 14 | 9 | 5 | 25 | 15 | 10 | 71.0 | 82.4 | 58.8 |
| Noxubee | 15 | 0 | 15 | 14 | 0 | 14 | 54.9 | - | 72.5 |
| Oktibbeha | 17 | 5 | 12 | 19 | 7 | 12 | 37.7 | 29.2 | 45.4 |
| Panola | 24 | 5 | 19 | 19 | 5 | 14 | 33.2 | 23.6 | 38.9 |
| Pearl River | 10 | 6 | 4 | 12 | 7 | 5 | 24.0 | 18.7 | 39.7 |
| Perry | 1 | 1 | 0 | 8 | 5 | 3 | 42.1 | 41.0 | 44.1 |
| Pike | 91 | 51 | 40 | 58 | 28 | 30 | 92.9 | 96.9 | 89.6 |
| Pontotoc | 4 | 4 | 0 | 6 | 6 | 0 | 20.9 | 25.5 | - |
| Prentiss | 24 | 22 | 2 | 11 | 9 | 2 | 33.3 | 32.6 | 37.0 |
| Quitman | 15 | 6 | 9 | 14 | 6 | 8 | 36.4 | 59.4 | 28.2 |
| Rankin | 11 | 8 | 3 | 87 | 69 | 18 | 94.6 | 100.3 | 77.6 |
| Scott | 7 | 5 | 2 | 22 | 13 | 9 | 47.7 | 52.6 | 42.0 |
| Sharkey | 1 | 0 | 1 | 9 | 1 | 8 | 43.1 | 20.8 | 49.7 |
| Simpson | 20 | 10 | 10 | 40 | 20 | 20 | 104.4 | 96.2 | 114.3 |
| Smith | 14 | 6 | 8 | 14 | 9 | 5 | 52.2 | 52.0 | 52.6 |
| Stone | 1 | 0 | 1 | 10 | 6 | 4 | 60.6 | 61.2 | 59.7 |
| Sunflower | 22 | 2 | 20 | 26 | 1 | 25 | 33.2 | 5.6 | 41.3 |
| Tallahatchie | 6 | 0 | 6 | 11 | 3 | 8 | 27.0 | 33.0 | 25.3 |
| Tate | 0 | 0 | 0 | 13 | 5 | 8 | 35.9 | 29.1 | 42.1 |
| Tippah | 29 | 20 | 9 | 21 | 13 | 8 | 69.1 | 53.9 | 127.0 |
| Tishomingo | 2 | 2 | 0 | 3 | 3 | 0 | 13.3 | 13.8 | - |
| Tunica | 10 | 0 | 10 | 12 | 1 | 11 | 46.0 | 17.8 | 53.6 |
| Union | 10 | 8 | 2 | 10 | 8 | 2 | 26.4 | 27.4 | 23.0 |
| Walthall | 8 | 2 | 6 | 13 | 4 | 9 | 64.0 | 41.2 | 84.9 |
| Warren | 130 | 66 | 64 | 99 | 57 | 42 | 109.4 | 129.5 | 90.3 |
| Washington | 98 | 41 | 57 | 98 | 34 | 64 | 59.3 | 62.8 | 57.6 |
| Wayne | 5 | 3 | 2 | 9 | 5 | 4 | 27.6 | 27.8 | 27.4 |
| Webster | 6 | 4 | 2 | 4 | 3 | 1 | 26.3 | 28.0 | 22.2 |
| Wilkinson | 4 | 3 | 1 | 8 | 2 | 6 | 49.1 | 48.8 | 49.2 |
| Winston | 4 | 0 | 4 | 9 | 2 | 7 | 25.0 | 12.7 | 34.5 |
| Yalobusha | 1 | 1 | 0 | 3 | 1 | 2 | 12.5 | 8.9 | 15.6 |
| Yazoo | 8 | 5 | 3 | 22 | 7 | 15 | 45.0 | 42.4 | 46.3 |
| Out of State | 56 | 37 | 19 | 84 | 60 | 24 | | | |

* All fetal deaths regardless of length of gestation.

** Fetal deaths per 1,000 live births.

TABLE 8
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL)
MISSISSIPPI, 1973

| County | Occurrence Data | | | Residence Data | | |
|--------------|-----------------|---------------|--------------|----------------|---------------|--------------|
| | Total | White | Non-white | Total | White | Non-white |
| STATE | 23,573 | 14,202 | 9,371 | 24,007 | 14,461 | 9,546 |
| Adams | 511 | 223 | 288 | 436 | 184 | 252 |
| Alcorn | 287 | 250 | 37 | 323 | 282 | 41 |
| Amite | 56 | 25 | 31 | 170 | 84 | 86 |
| Attala | 239 | 155 | 84 | 282 | 184 | 98 |
| Benton | 19 | 13 | 6 | 69 | 47 | 22 |
| Bolivar | 482 | 139 | 343 | 539 | 177 | 362 |
| Calhoun | 126 | 93 | 33 | 188 | 150 | 38 |
| Carroll | 30 | 12 | 18 | 105 | 61 | 44 |
| Chickasaw | 203 | 129 | 74 | 236 | 147 | 89 |
| Choctaw | 76 | 45 | 31 | 96 | 71 | 25 |
| Claiborne | 93 | 28 | 65 | 130 | 42 | 88 |
| Clarke | 120 | 70 | 50 | 196 | 121 | 75 |
| Clay | 159 | 82 | 77 | 202 | 99 | 103 |
| Coahoma | 507 | 204 | 303 | 474 | 158 | 316 |
| Copiah | 242 | 123 | 119 | 330 | 172 | 158 |
| Covington | 150 | 108 | 42 | 182 | 133 | 49 |
| DeSoto | 127 | 65 | 62 | 291 | 183 | 108 |
| Forrest | 874 | 636 | 238 | 632 | 437 | 195 |
| Franklin | 124 | 72 | 52 | 130 | 83 | 47 |
| George | 100 | 91 | 9 | 114 | 99 | 15 |
| Greene | 82 | 53 | 29 | 97 | 75 | 22 |
| Grenada | 311 | 197 | 114 | 236 | 137 | 99 |
| Hancock | 149 | 132 | 17 | 184 | 165 | 19 |
| Harrison | 1,427 | 1,144 | 283 | 1,183 | 936 | 247 |
| Hinds | 3,042 | 1,775 | 1,267 | 1,836 | 1,030 | 806 |
| Holmes | 250 | 73 | 177 | 294 | 101 | 193 |
| Humphreys | 174 | 32 | 142 | 184 | 55 | 129 |
| Issaquena | 14 | 6 | 8 | 24 | 10 | 14 |
| Itawamba | 114 | 103 | 11 | 164 | 151 | 13 |
| Jackson | 509 | 390 | 119 | 619 | 485 | 134 |
| Jasper | 127 | 66 | 61 | 186 | 101 | 85 |
| Jefferson | 72 | 15 | 57 | 102 | 26 | 76 |
| Jeff Davis | 127 | 66 | 61 | 161 | 76 | 85 |
| Jones | 744 | 520 | 224 | 639 | 465 | 174 |
| Kemper | 68 | 33 | 35 | 123 | 61 | 62 |
| Lafayette | 243 | 182 | 61 | 202 | 142 | 60 |
| Lamar | 63 | 51 | 12 | 177 | 144 | 33 |
| Lauderdale | 1,055 | 730 | 325 | 825 | 564 | 261 |
| Lawrence | 94 | 57 | 37 | 123 | 85 | 38 |
| Leake | 164 | 107 | 57 | 224 | 140 | 84 |
| Lee | 675 | 516 | 159 | 506 | 384 | 122 |
| Leflore | 531 | 239 | 292 | 470 | 190 | 280 |

Table 8 - Page 2
 Deaths - Mississippi - 1973

| County | Occurrence Data | | | Residence Data | | |
|--------------|-----------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Lincoln | 289 | 204 | 85 | 289 | 193 | 96 |
| Lowndes | 417 | 241 | 176 | 432 | 231 | 201 |
| Madison | 286 | 87 | 199 | 371 | 96 | 275 |
| Marion | 190 | 141 | 49 | 269 | 195 | 74 |
| Marshall | 143 | 49 | 94 | 258 | 107 | 151 |
| Monroe | 399 | 258 | 141 | 410 | 269 | 141 |
| Montgomery | 195 | 115 | 80 | 183 | 110 | 73 |
| Neshoba | 193 | 145 | 48 | 255 | 203 | 52 |
| Newton | 208 | 153 | 55 | 266 | 199 | 67 |
| Noxubee | 151 | 49 | 102 | 162 | 66 | 96 |
| Oktibbeha | 208 | 105 | 103 | 250 | 139 | 111 |
| Panola | 266 | 124 | 142 | 333 | 181 | 152 |
| Pearl River | 262 | 217 | 45 | 306 | 248 | 58 |
| Perry | 69 | 52 | 17 | 90 | 62 | 28 |
| Pike | 443 | 243 | 200 | 458 | 265 | 193 |
| Pontotoc | 169 | 137 | 32 | 220 | 182 | 38 |
| Prentiss | 170 | 145 | 25 | 241 | 207 | 34 |
| Quitman | 83 | 20 | 63 | 174 | 76 | 98 |
| Rankin | 387 | 239 | 148 | 320 | 223 | 97 |
| Scott | 187 | 119 | 68 | 231 | 141 | 90 |
| Sharkey | 70 | 21 | 49 | 102 | 34 | 68 |
| Simpson | 245 | 149 | 96 | 258 | 174 | 84 |
| Smith | 70 | 57 | 13 | 154 | 129 | 25 |
| Stone | 102 | 77 | 25 | 95 | 62 | 33 |
| Sunflower | 355 | 126 | 229 | 401 | 149 | 252 |
| Tallahatchie | 203 | 75 | 128 | 261 | 117 | 144 |
| Tate | 77 | 43 | 34 | 186 | 107 | 79 |
| Tippah | 159 | 139 | 20 | 172 | 148 | 24 |
| Tishomingo | 150 | 144 | 6 | 193 | 186 | 7 |
| Tunica | 101 | 21 | 80 | 139 | 27 | 112 |
| Union | 234 | 195 | 39 | 250 | 209 | 41 |
| Walthall | 136 | 94 | 42 | 160 | 101 | 59 |
| Warren | 598 | 282 | 316 | 498 | 227 | 271 |
| Washington | 809 | 308 | 501 | 760 | 274 | 486 |
| Wayne | 162 | 106 | 56 | 199 | 137 | 62 |
| Webster | 109 | 92 | 17 | 141 | 122 | 19 |
| Wilkinson | 148 | 60 | 88 | 112 | 40 | 72 |
| Winston | 197 | 128 | 69 | 232 | 142 | 90 |
| Yalobusha | 105 | 60 | 45 | 164 | 97 | 67 |
| Yazoo | 268 | 132 | 136 | 328 | 149 | 179 |
| Out of state | 1,343 | 973 | 370 | 909 | 714 | 195 |

Table 8 - Page 3
Deaths - Mississippi - 1973

| Town* | Occurrence Data | | | Residence Data | | |
|---------------|-----------------|--------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Biloxi | 746 | 632 | 114 | 371 | 308 | 63 |
| Brookhaven | 259 | 186 | 73 | 137 | 76 | 61 |
| Canton | 196 | 63 | 133 | 151 | 39 | 112 |
| Clarksdale | 431 | 199 | 232 | 286 | 115 | 171 |
| Cleveland | 205 | 98 | 107 | 132 | 55 | 77 |
| Columbus | 365 | 220 | 145 | 279 | 138 | 141 |
| Corinth | 38 | 28 | 10 | 151 | 123 | 28 |
| Greenville | 606 | 271 | 335 | 460 | 187 | 273 |
| Greenwood | 444 | 217 | 227 | 304 | 147 | 157 |
| Gulfport | 559 | 422 | 137 | 415 | 303 | 112 |
| Hattiesburg | 844 | 613 | 231 | 411 | 260 | 151 |
| Jackson | 2,490 | 1,456 | 1,034 | 1,424 | 836 | 588 |
| Laurel | 646 | 436 | 210 | 308 | 184 | 124 |
| McComb | 317 | 185 | 132 | 194 | 125 | 69 |
| Meridian | 996 | 684 | 312 | 595 | 385 | 210 |
| Moss Point | 27 | 18 | 9 | 136 | 66 | 70 |
| Natchez | 467 | 209 | 258 | 304 | 123 | 181 |
| Oxford | 200 | 157 | 43 | 68 | 51 | 17 |
| Pascagoula | 395 | 296 | 99 | 195 | 158 | 37 |
| Picayune | 170 | 136 | 34 | 117 | 71 | 46 |
| Starkville | 134 | 64 | 70 | 93 | 62 | 31 |
| Tupelo | 551 | 413 | 138 | 207 | 147 | 60 |
| Vicksburg | 537 | 261 | 276 | 338 | 143 | 195 |
| Yazoo City | 214 | 112 | 102 | 164 | 63 | 101 |
| Total urban** | 16,641 | 10,408 | 6,233 | 10,306 | 6,006 | 4,300 |
| Total rural | 6,932 | 3,794 | 3,138 | 13,701 | 8,455 | 5,246 |

* Towns of 10,000 population or more, according to 1970 census.

** All incorporated towns of 2,500 population or more, according to 1970 census.

TABLE 9
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|---------------|---------------|--------------|
| <u>000-999</u> | <u>All Causes</u> | <u>24,007</u> | <u>14,461</u> | <u>9,546</u> |
| <u>000-136</u> | <u>INFECTIVE AND PARASITIC DISEASES</u> | <u>251</u> | <u>111</u> | <u>140</u> |
| <u>000-009</u> | <u>Intestinal infectious diseases</u> | <u>85</u> | <u>32</u> | <u>53</u> |
| <u> 002,003</u> | <u> Parathyroid fever and other Salmonella infections</u> | <u>3</u> | <u>0</u> | <u>3</u> |
| <u> 003</u> | <u> Other Salmonella infections</u> | <u>3</u> | <u>0</u> | <u>3</u> |
| <u> 004,006</u> | <u> Bacillary dysentery and amebiasis</u> | <u>6</u> | <u>1</u> | <u>5</u> |
| <u> 004</u> | <u> Bacillary dysentery</u> | <u>4</u> | <u>1</u> | <u>3</u> |
| <u> 006</u> | <u> Amebiasis</u> | <u>2</u> | <u>0</u> | <u>2</u> |
| <u> 008,009</u> | <u> Enteritis and other diarrheal diseases</u> | <u>76</u> | <u>31</u> | <u>45</u> |
| <u> 008</u> | <u> Enteritis due to other specified organism</u> | <u>6</u> | <u>4</u> | <u>2</u> |
| <u> 009</u> | <u> Diarrheal disease</u> | <u>70</u> | <u>27</u> | <u>43</u> |
| <u>010-019</u> | <u>Tuberculosis, all forms</u> | <u>37</u> | <u>18</u> | <u>19</u> |
| <u> 010-012</u> | <u> Respiratory</u> | <u>31</u> | <u>15</u> | <u>16</u> |
| <u> 011</u> | <u> Pulmonary</u> | <u>31</u> | <u>15</u> | <u>16</u> |
| <u> 013-018</u> | <u> Other forms</u> | <u>4</u> | <u>2</u> | <u>2</u> |
| <u> 013</u> | <u> Meninges and central nervous system</u> | <u>3</u> | <u>2</u> | <u>1</u> |
| <u> 015</u> | <u> Bones and joints</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u> 019</u> | <u> Late effects of tuberculosis</u> | <u>2</u> | <u>1</u> | <u>1</u> |
| <u>020-027</u> | <u>Zoonotic bacterial diseases</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u> 027</u> | <u> Other zoonotic bacterial diseases</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u>030-039</u> | <u>Other bacterial diseases</u> | <u>71</u> | <u>36</u> | <u>35</u> |
| <u> 031</u> | <u> Other diseases due to mycobacteria</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| <u> 036</u> | <u> Meningococcal infection</u> | <u>6</u> | <u>5</u> | <u>1</u> |
| <u> 037</u> | <u> Tetanus</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u> 038</u> | <u> Septicemia</u> | <u>56</u> | <u>28</u> | <u>28</u> |
| <u> 039</u> | <u> Other bacterial diseases</u> | <u>7</u> | <u>2</u> | <u>5</u> |
| <u>040-046</u> | <u>Poliomyelitis and other enterovirus diseases</u> | | | |
| | <u> of central nervous system</u> | <u>4</u> | <u>2</u> | <u>2</u> |
| <u> 044</u> | <u> Late effects of acute poliomyelitis</u> | <u>2</u> | <u>2</u> | <u>0</u> |
| <u> 046</u> | <u> Other enterovirus diseases of central nervous system</u> | | | |
| | | <u>2</u> | <u>0</u> | <u>2</u> |
| <u>050-057</u> | <u>Viral diseases accompanied by exanthem</u> | <u>7</u> | <u>4</u> | <u>3</u> |
| <u> 052</u> | <u> Chickenpox</u> | <u>3</u> | <u>1</u> | <u>2</u> |
| <u> 053</u> | <u> Herpes zoster</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| <u> 054</u> | <u> Herpes simplex</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| <u> 055</u> | <u> Measles</u> | <u>1</u> | <u>0</u> | <u>1</u> |
| <u> 056</u> | <u> Rubella</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| <u>060-068</u> | <u>Arthropod-borne viral diseases</u> | <u>11</u> | <u>8</u> | <u>3</u> |
| <u> 062-065</u> | <u> Viral encephalitis</u> | <u>10</u> | <u>7</u> | <u>3</u> |
| <u> 065</u> | <u> Viral encephalitis, unspecified</u> | <u>10</u> | <u>7</u> | <u>3</u> |
| <u> 066</u> | <u> Late effects of viral encephalitis</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| <u>070-079</u> | <u>Other viral diseases</u> | <u>12</u> | <u>7</u> | <u>5</u> |
| <u> 070</u> | <u> Infectious hepatitis</u> | <u>8</u> | <u>4</u> | <u>4</u> |
| <u> 079</u> | <u> Other viral diseases</u> | <u>4</u> | <u>3</u> | <u>1</u> |
| <u>080-089</u> | <u>Rickettsioses and other arthropod-borne diseases</u> | <u>0</u> | <u>0</u> | <u>0</u> |

Table 9 - Page 2
 Deaths - Mississippi - 1973

| National Classification Number* | Cause* | Total | White | Non-white |
|---------------------------------|--|--------------|--------------|--------------|
| <u>090-099</u> | <u>Syphilis and other venereal diseases</u> | 8 | 1 | 7 |
| <u>090-097</u> | <u>Syphilis and its sequelae</u> | 7 | 1 | 6 |
| 093 | Cardiovascular | 5 | 0 | 5 |
| 094 | Central nervous system | 2 | 1 | 1 |
| 098 | Gonococcal infections | 1 | 0 | 1 |
| <u>100-104</u> | <u>Other spirochetal diseases</u> | 0 | 0 | 0 |
| <u>110-117</u> | <u>Mycoses</u> | 8 | 3 | 5 |
| 112 | Moniliasis | 2 | 0 | 2 |
| 115 | Histoplasmosis | 3 | 3 | 0 |
| 116 | Blastomycosis | 2 | 0 | 2 |
| 117 | Other systemic mycosis | 1 | 0 | 1 |
| <u>120-129</u> | <u>Helminthiases</u> | 0 | 0 | 0 |
| <u>130-136</u> | <u>Other infective and parasitic diseases</u> | 7 | 0 | 7 |
| 135 | Sarcoidosis | 7 | 0 | 7 |
| <u>140-239</u> | <u>NEOPLASMS</u> | <u>3,443</u> | <u>2,267</u> | <u>1,176</u> |
| <u>140-209</u> | <u>Malignant neoplasms</u> | <u>3,403</u> | <u>2,244</u> | <u>1,159</u> |
| <u>140-149</u> | <u>Buccal cavity and pharynx</u> | <u>55</u> | <u>38</u> | <u>17</u> |
| 141 | Tongue | 8 | 5 | 3 |
| 142 | Salivary gland | 7 | 3 | 4 |
| 143 | Gum | 1 | 1 | 0 |
| 144 | Floor of mouth | 1 | 1 | 0 |
| 145 | Other and unspecified parts of mouth | 8 | 6 | 2 |
| 146 | Oropharynx | 8 | 6 | 2 |
| 147 | Nasopharynx | 7 | 4 | 3 |
| 148 | Hypopharynx | 2 | 2 | 0 |
| 149 | Pharynx, unspecified | 13 | 10 | 3 |
| <u>150-159</u> | <u>Digestive organs and peritoneum</u> | <u>899</u> | <u>571</u> | <u>328</u> |
| 150 | Esophagus | 50 | 26 | 24 |
| 151 | Stomach | 140 | 77 | 63 |
| 152 | Small intestine, including duodenum | 6 | 4 | 2 |
| 153 | Large intestine, except rectum | 315 | 208 | 107 |
| 154 | Rectum and rectosigmoid junction | 66 | 35 | 31 |
| 155 | Liver and intrahepatic bile ducts, specified as primary | 28 | 20 | 8 |
| 156 | Gallbladder and bile ducts | 24 | 20 | 4 |
| 157 | Pancreas | 248 | 169 | 79 |
| 158 | Peritoneum and retroperitoneal tissue | 11 | 8 | 3 |
| 159 | Unspecified digestive organs | 11 | 4 | 7 |
| <u>160-163</u> | <u>Respiratory system</u> | <u>811</u> | <u>587</u> | <u>224</u> |
| 160 | Nose, nasal cavities, middle ear, and accessory sinuses | 9 | 6 | 3 |
| 161 | Larynx | 27 | 17 | 10 |
| 162 | Trachea, bronchus, and lung | 768 | 559 | 209 |
| 163 | Other and unspecified respiratory organs | 7 | 5 | 2 |
| <u>170-174</u> | <u>Bone, connective tissue, skin, and breast</u> | <u>337</u> | <u>237</u> | <u>100</u> |
| 170 | Bone | 20 | 17 | 3 |
| 171 | Connective and other soft tissue | 16 | 11 | 5 |
| 172 | Melanoma of skin | 27 | 26 | 1 |

Table 9 - Page 3
 Deaths - Mississippi - 1973

| National Classification Number* | Cause* | Total | White | Non- white |
|---------------------------------------|--|------------|------------|---------------|
| 173 | Skin, other | 19 | 15 | 4 |
| 174 | Breast | 255 | 168 | 87 |
| <u>180-189</u> | <u>Genitourinary organs</u> | <u>601</u> | <u>339</u> | <u>262</u> |
| (180-187) | (Genital organs) | <u>484</u> | <u>250</u> | <u>234</u> |
| 180 | Cervix uteri | 91 | 36 | 55 |
| 181 | Chorioneplielioma | 1 | 1 | 0 |
| 182 | Uterus, other | 61 | 26 | 35 |
| 183 | Ovary, fallopian tube, and broad ligament | 67 | 47 | 20 |
| 184 | Other and unspecified female genital organs | 8 | 3 | 5 |
| 185 | Prostate | 249 | 131 | 118 |
| 186 | Testis | 5 | 5 | 0 |
| 187 | Other and unspecified male genital organs | 2 | 1 | 1 |
| (188,189) | (Urinary organs) | <u>117</u> | <u>89</u> | <u>28</u> |
| 188 | Bladder | 68 | 51 | 17 |
| 189 | Other and unspecified urinary organs | 49 | 38 | 11 |
| <u>190-199</u> | <u>Other and unspecified sites</u> | <u>336</u> | <u>211</u> | <u>125</u> |
| 190 | Eye | 4 | 2 | 2 |
| 191 | Brain | 79 | 71 | 8 |
| 192 | Other parts of nervous system | 14 | 11 | 3 |
| 193 | Thyroid gland | 9 | 7 | 2 |
| 194 | Other endocrine glands | 2 | 2 | 0 |
| 195 | Ill-defined sites | 33 | 15 | 18 |
| 196 | Lymph nodes, secondary and unspecified | 2 | 2 | 0 |
| 197 | Respiratory and digestive systems, secondary | 64 | 31 | 33 |
| 198 | Other secondary | 19 | 13 | 6 |
| 199 | Site unspecified | 110 | 57 | 53 |
| <u>200-209</u> | <u>Lymphatic and hematopoietic tissue</u> | <u>364</u> | <u>261</u> | <u>103</u> |
| 200 | Lymphosarcoma and reticulum-cell sarcoma | 57 | 46 | 11 |
| 201 | Hodgkin's disease | 34 | 26 | 8 |
| 202 | Lymphoid tissue, other | 29 | 23 | 6 |
| 203 | Multiple myeloma | 66 | 39 | 27 |
| 208 | Polycythemia vera | 6 | 5 | 1 |
| 209 | Myelofibrosis | 5 | 4 | 1 |
| (204-207) | (Leukemia) | <u>167</u> | <u>118</u> | <u>49</u> |
| 204 | Lymphatic | <u>67</u> | <u>50</u> | <u>17</u> |
| 205 | Myeloid | 73 | 47 | 26 |
| 206 | Monocytic | 1 | 1 | 0 |
| 207 | Other and unspecified | 26 | 20 | 6 |
| <u>210-228</u> | <u>Benign neoplasms</u> | <u>16</u> | <u>10</u> | <u>6</u> |
| 210 | Benign neoplasm of buccal cavity and pharynx | 1 | 1 | 0 |
| 211 | Benign neoplasm of other parts of digestive system | 2 | 1 | 1 |
| 212 | Benign neoplasm of respiratory system | 1 | 1 | 0 |
| 218 | Uterine fibroma | 3 | 0 | 3 |
| 225 | Benign neoplasm of brain and other parts of nervous system | 6 | 4 | 2 |
| 226 | Benign neoplasm of endocrine glands | 2 | 2 | 0 |
| 227 | Hemangioma and lymphangioma | 1 | 1 | 0 |
| <u>230-239</u> | <u>Neoplasms of unspecified nature</u> | <u>24</u> | <u>13</u> | <u>11</u> |
| 230 | Digestive organs | <u>3</u> | <u>3</u> | <u>0</u> |
| 231 | Respiratory organs | 5 | 3 | 2 |
| 238 | Eye, brain, and other parts of nervous system | 16 | 7 | 9 |

Table 9 - Page 4
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|------------|------------|------------|
| <u>240-279</u> | <u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u> | <u>544</u> | <u>261</u> | <u>283</u> |
| 240-246 | Diseases of thyroid gland | 9 | 2 | 7 |
| 240 | Simple goiter | 1 | 0 | 1 |
| 242 | Thyrotoxicosis with or without goiter | 7 | 1 | 6 |
| 243 | Cretinism of congenital origin | 1 | 1 | 0 |
| <u>250-258</u> | <u>Diseases of other endocrine glands</u> | <u>465</u> | <u>217</u> | <u>248</u> |
| 250 | Diabetes mellitus | 451 | 209 | 242 |
| 251 | Disorders of pancreatic internal secretion other than diabetes mellitus | 2 | 0 | 2 |
| 252 | Diseases of parathyroid gland | 2 | 1 | 1 |
| 253 | Diseases of pituitary gland | 3 | 2 | 1 |
| 255 | Diseases of adrenal glands | 2 | 2 | 0 |
| 258 | Polyglandular dysfunction and other diseases of endocrine glands | 5 | 3 | 2 |
| <u>260-269</u> | <u>Avitaminoses and other nutritional deficiency</u> | <u>29</u> | <u>15</u> | <u>14</u> |
| 261 | Thiamine deficiency | 1 | 1 | 0 |
| 268 | Nutritional maramus | 5 | 3 | 2 |
| 269 | Other nutritional deficiency | 23 | 11 | 12 |
| <u>270-279</u> | <u>Other metabolic diseases</u> | <u>41</u> | <u>27</u> | <u>14</u> |
| 273 | Other and unspecified congenital disorders of metabolism | 15 | 10 | 5 |
| 274 | Gout | 3 | 3 | 0 |
| 275 | Plasma protein abnormalities | 3 | 3 | 0 |
| 276 | Amyloidosis | 4 | 1 | 3 |
| 277 | Obesity not specified as of endocrine origin | 11 | 7 | 4 |
| 278 | Other hyperalimentation | 1 | 1 | 0 |
| 279 | Other and unspecified metabolic diseases | 4 | 2 | 2 |
| <u>280-289</u> | <u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u> | <u>72</u> | <u>36</u> | <u>36</u> |
| <u>280-285</u> | <u>Anemias</u> | <u>54</u> | <u>23</u> | <u>31</u> |
| 281 | Other deficiency | 3 | 3 | 0 |
| 282 | Hereditary hemolytic | 18 | 0 | 18 |
| 283 | Acquired hemolytic | 1 | 1 | 0 |
| 284 | Aplastic | 13 | 9 | 4 |
| 285 | Other and unspecified | 19 | 10 | 9 |
| 286 | Coagulation defects | 6 | 4 | 2 |
| 287 | Purpura and other hemorrhagic conditions | 7 | 6 | 1 |
| 288 | Agranulocytosis | 3 | 3 | 0 |
| 289 | Other diseases of blood and blood-forming organs | 2 | 0 | 2 |
| <u>290-315</u> | <u>MENTAL DISORDERS</u> | <u>87</u> | <u>49</u> | <u>38</u> |
| <u>290-299</u> | <u>Psychoses</u> | <u>21</u> | <u>13</u> | <u>8</u> |
| 290 | Senile and presenile dementia | 7 | 5 | 2 |
| 291 | Alcoholic psychosis | 6 | 4 | 2 |
| 294 | Psychosis associated with other physical conditions | 1 | 0 | 1 |
| 295 | Schizophrenia | 3 | 1 | 2 |
| 296 | Affective psychoses | 1 | 1 | 0 |

Table 9 - Page 5

Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|------------|------------|-----------|
| 299 | Unspecified psychosis | 3 | 2 | 1 |
| <u>300-309</u> | <u>Neuroses, personality disorders, and other nonpsychotic mental disorders</u> | <u>62</u> | <u>34</u> | <u>28</u> |
| 300 | Neuroses | 1 | 1 | 0 |
| 303 | Alcoholism | 35 | 19 | 16 |
| 304 | Drug dependence | 2 | 2 | 0 |
| 306 | Special symptoms not elsewhere classified | 4 | 2 | 2 |
| 309 | Mental disorders not specified as psychotic associated with physical conditions | 20 | 10 | 10 |
| <u>310-315</u> | <u>Mental retardation</u> | <u>4</u> | <u>2</u> | <u>2</u> |
| 313 | Severe | 2 | 1 | 1 |
| 315 | Unspecified degree | 2 | 1 | 1 |
| <u>320-389</u> | <u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u> | <u>173</u> | <u>102</u> | <u>71</u> |
| <u>320-324</u> | <u>Inflammatory diseases of central nervous system</u> | <u>27</u> | <u>14</u> | <u>13</u> |
| 320 | Meningitis | 21 | 11 | 10 |
| 322 | Intracranial and intraspinal abscess | 3 | 2 | 1 |
| 323 | Encephalitis, myelitis, and encephalomylitis | 1 | 1 | 0 |
| 324 | Late effects of intracranial abscess or pyogenic infection | 2 | 0 | 2 |
| <u>330-333</u> | <u>Hereditary and familial diseases of nervous system</u> | <u>12</u> | <u>10</u> | <u>2</u> |
| 330 | Hereditary neuromuscular disorders | 9 | 8 | 1 |
| 331 | Hereditary diseases of the striatopallidal system | 1 | 1 | 0 |
| 333 | Other hereditary and familial diseases of nervous system | 2 | 1 | 1 |
| <u>340-349</u> | <u>Other diseases of central nervous system</u> | <u>123</u> | <u>73</u> | <u>50</u> |
| 340 | Multiple sclerosis | 5 | 4 | 1 |
| 342 | Paralysis agitans | 23 | 21 | 2 |
| 343 | Cerebral spastic infantile paralysis | 9 | 3 | 6 |
| 344 | Other cerebral paralysis | 4 | 2 | 2 |
| 345 | Epilepsy | 35 | 8 | 27 |
| 347 | Other diseases of brain | 27 | 17 | 10 |
| 348 | Motor neurone disease | 18 | 16 | 2 |
| 349 | Other diseases of spinal cord | 2 | 2 | 0 |
| <u>350-358</u> | <u>Diseases of nerves and peripheral ganglia</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| 354 | Polyneuritis and polyradiculitis | 4 | 2 | 2 |
| 355 | Other and unspecified forms of neuralgia and neuritis | 1 | 0 | 1 |
| <u>360-369</u> | <u>Inflammatory diseases of the eye</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>370-379</u> | <u>Other diseases and conditions of eye</u> | <u>2</u> | <u>1</u> | <u>1</u> |
| 374 | Cataract | 1 | 0 | 1 |
| 378 | Other diseases of eye | 1 | 1 | 0 |
| <u>380-389</u> | <u>Diseases of the ear and mastoid process</u> | <u>4</u> | <u>2</u> | <u>2</u> |
| <u>381-383</u> | <u>Otitis media and mastoiditis</u> | <u>4</u> | <u>2</u> | <u>2</u> |
| 381 | Otitis media without mention of mastoiditis | 3 | 2 | 1 |
| 383 | Mastoiditis without mention of otitis media | 1 | 0 | 1 |

Table 9 - Page 6
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|---------------|--------------|--------------|
| <u>390-458</u> | <u>DISEASES OF THE CIRCULATORY SYSTEM</u> | <u>12,054</u> | <u>7,762</u> | <u>4,292</u> |
| <u>390-392</u> | <u>Active rheumatic fever</u> | <u>3</u> | <u>1</u> | <u>2</u> |
| 391 | Rheumatic fever with heart involvement | 3 | 1 | 2 |
| <u>393-398</u> | <u>Chronic rheumatic heart disease</u> | <u>99</u> | <u>57</u> | <u>42</u> |
| 393 | Diseases of pericardium | 1 | 1 | 0 |
| 394 | Diseases of mitral valve | 30 | 14 | 16 |
| 395 | Diseases of aortic valve | 37 | 24 | 13 |
| 396 | Diseases of mitral and aortic valves | 11 | 7 | 4 |
| 397 | Diseases of other endocardial structures | 6 | 5 | 1 |
| 398 | Other heart disease, specified as rheumatic | 14 | 6 | 8 |
| <u>400-404</u> | <u>Hypertensive disease</u> | <u>300</u> | <u>131</u> | <u>169</u> |
| <u>400,401,</u> | | | | |
| 403 | <u>Hypertension</u> | <u>130</u> | <u>59</u> | <u>71</u> |
| 400 | Malignant hypertension | 16 | 3 | 13 |
| 401 | Essential benign hypertension | 14 | 4 | 10 |
| 403 | Hypertensive renal disease | 100 | 52 | 48 |
| <u>402,404</u> | <u>Hypertensive heart disease with or without renal disease</u> | <u>170</u> | <u>72</u> | <u>98</u> |
| 402 | Hypertensive heart disease | 105 | 39 | 66 |
| 404 | Hypertensive heart and renal disease | 65 | 33 | 32 |
| <u>410-414</u> | <u>Ischemic heart disease</u> | <u>6,913</u> | <u>4,746</u> | <u>2,167</u> |
| 410 | Acute myocardial infarction | 4,066 | 3,011 | 1,055 |
| 411 | Other acute and subacute forms of ischemic heart disease | 29 | 19 | 10 |
| 412 | Chronic ischemic heart disease | 2,815 | 1,713 | 1,102 |
| 413 | Angina pectoris | 3 | 3 | 0 |
| <u>420-429</u> | <u>Other forms of heart disease</u> | <u>842</u> | <u>453</u> | <u>389</u> |
| 421 | Acute and subacute endocarditis | 4 | 3 | 1 |
| 422 | Acute myocarditis | 5 | 1 | 4 |
| 423 | Chronic disease of pericardium, nonrheumatic | 5 | 3 | 2 |
| 424 | Chronic disease of endocardium | 12 | 8 | 4 |
| 425 | Cardiomyopathy | 22 | 14 | 8 |
| 426 | Pulmonary heart disease | 6 | 6 | 0 |
| 427 | Symptomatic heart disease | 429 | 212 | 217 |
| 428 | Other myocardial insufficiency | 60 | 38 | 22 |
| 429 | Ill-defined heart disease | 299 | 168 | 131 |
| <u>430-438</u> | <u>Cerebrovascular disease</u> | <u>3,099</u> | <u>1,821</u> | <u>1,278</u> |
| 430 | Subarachnoid hemorrhage | 95 | 65 | 30 |
| 431 | Cerebral hemorrhage | 466 | 268 | 198 |
| 432 | Occlusion of precerebral arteries | 39 | 27 | 12 |
| 433 | Cerebral thrombosis | 698 | 438 | 260 |
| 434 | Cerebral embolism | 9 | 3 | 6 |
| 436 | Acute but ill-defined cerebrovascular disease | 1,338 | 712 | 626 |
| 437 | Generalized ischemic cerebrovascular disease | 430 | 290 | 140 |
| 438 | Other and ill-defined cerebrovascular disease | 24 | 18 | 6 |
| <u>440-448</u> | <u>Disease of arteries, arterioles, and capillaries</u> | <u>566</u> | <u>404</u> | <u>162</u> |
| 440 | Arteriosclerosis | 305 | 214 | 91 |
| <u>441-448</u> | <u>Other diseases of arteries, arterioles, and capillaries</u> | <u>261</u> | <u>190</u> | <u>71</u> |
| 441 | Aortic aneurysm (nonsyphilitic) | 129 | 102 | 27 |

Table 9 - Page 7
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|--------------|------------|------------|
| 442 | Other aneurysm | 13 | 8 | 5 |
| 443 | Other peripheral vascular disease | 9 | 6 | 3 |
| 444 | Arterial embolism and thrombosis | 66 | 48 | 18 |
| 445 | Gangrene | 31 | 15 | 16 |
| 446 | Polyarteritis nodosa and allied conditions | 6 | 6 | 0 |
| 447 | Other diseases of arteries and arterioles | 5 | 3 | 2 |
| 448 | Diseases of capillaries | 2 | 2 | 0 |
| <u>450-458</u> | <u>Diseases of veins and lymphatics, and other diseases of circulatory system</u> | <u>232</u> | <u>149</u> | <u>83</u> |
| 450-453 | <u>Venous thrombosis and embolism</u> | <u>200</u> | <u>127</u> | <u>73</u> |
| 450 | Pulmonary embolism and infarction | 141 | 84 | 57 |
| 451 | Phlebitis and thrombophlebitis | 35 | 24 | 11 |
| 452 | Portal vein thrombosis | 1 | 0 | 1 |
| 453 | Other venous embolism and thrombosis | 23 | 19 | 4 |
| <u>454-458</u> | <u>Other diseases of the circulatory system</u> | <u>32</u> | <u>22</u> | <u>10</u> |
| 454 | Varicose veins of lower extremities | 6 | 5 | 1 |
| 455 | Hemorrhoids | 1 | 1 | 0 |
| 456 | Varicose veins of other sites | 6 | 5 | 1 |
| 457 | Noninfective disease of lymphatic channels | 1 | 0 | 1 |
| 458 | Other diseases of circulatory system | 18 | 11 | 7 |
| <u>460-519</u> | <u>DISEASES OF THE RESPIRATORY SYSTEM</u> | <u>1,169</u> | <u>797</u> | <u>372</u> |
| <u>460-466</u> | <u>Acute respiratory infections, except influenza</u> | <u>23</u> | <u>11</u> | <u>12</u> |
| 460 | Acute nasopharyngitis (common cold) | 2 | 0 | 2 |
| 462 | Acute pharyngitis | 1 | 0 | 1 |
| 464 | Acute laryngitis and tracheitis | 2 | 1 | 1 |
| 465 | Acute upper respiratory infection of multiple or unspecified sites | 9 | 3 | 6 |
| 466 | Acute bronchitis and bronchiolitis | 9 | 7 | 2 |
| <u>470-474</u> | <u>Influenza</u> | <u>65</u> | <u>43</u> | <u>22</u> |
| 470 | Unqualified | 23 | 14 | 9 |
| 471 | With pneumonia | 40 | 28 | 12 |
| 472 | With other respiratory manifestations | 1 | 0 | 1 |
| 473 | With digestive manifestations | 1 | 1 | 0 |
| <u>480-486</u> | <u>Pneumonia</u> | <u>618</u> | <u>365</u> | <u>253</u> |
| 480 | Viral | 11 | 7 | 4 |
| <u>481,482</u> | <u>Bacterial</u> | <u>68</u> | <u>43</u> | <u>25</u> |
| 481 | Pneumococcal | 44 | 28 | 16 |
| 482 | Other bacterial | 24 | 15 | 9 |
| 484 | Acute interstitial, organism unspecified | 8 | 5 | 3 |
| 485 | Broncho, organism unspecified | 165 | 102 | 63 |
| 486 | Unspecified | 366 | 208 | 158 |
| <u>490-493</u> | <u>Bronchitis, emphysema, and asthma</u> | <u>254</u> | <u>217</u> | <u>37</u> |
| <u>490,491</u> | <u>Chronic and unqualified bronchitis</u> | <u>42</u> | <u>35</u> | <u>7</u> |
| 490 | Unqualified | 7 | 5 | 2 |
| 491 | Chronic | 35 | 30 | 5 |
| 492 | Emphysema | 191 | 173 | 18 |
| 493 | Asthma | 21 | 9 | 12 |
| <u>500-508</u> | <u>Other diseases of upper respiratory tract</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| 500 | Hypertrophy of tonsils and adenoids | 2 | 1 | 1 |

Table 9 - Page 8
 Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|------------|------------|------------|
| 508 | Other diseases of upper respiratory tract | 3 | 1 | 2 |
| <u>510-519</u> | <u>Other diseases of respiratory system</u> | <u>204</u> | <u>159</u> | <u>45</u> |
| 510 | Empyema | 2 | 1 | 1 |
| 511 | Pleurisy | 4 | 3 | 1 |
| 512 | Spontaneous pneumothorax | 1 | 0 | 1 |
| 513 | Abscess of lung | 7 | 2 | 5 |
| 514 | Pulmonary congestion and hypostatis | 9 | 6 | 3 |
| 517 | Other chronic interstitial pneumonia | 35 | 30 | 5 |
| 518 | Bronchiectasis | 9 | 8 | 1 |
| 519 | Other diseases of respiratory system | 137 | 109 | 28 |
| <u>520-577</u> | <u>DISEASES OF THE DIGESTIVE SYSTEM</u> | <u>674</u> | <u>470</u> | <u>204</u> |
| <u>520-529</u> | <u>Diseases of oral cavity, salivary glands, and jaws</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 526 | Diseases of the jaws | 1 | 1 | 0 |
| <u>530-537</u> | <u>Diseases of esophagus, stomach, and duodenum</u> | <u>103</u> | <u>74</u> | <u>29</u> |
| 530 | Diseases of esophagus | 5 | 5 | 0 |
| <u>531-533</u> | <u>Peptic ulcer</u> | <u>82</u> | <u>60</u> | <u>22</u> |
| 531 | Ulcer of stomach | 32 | 23 | 9 |
| 532 | Ulcer of duodenum | 38 | 26 | 12 |
| 533 | Peptic ulcer, site unspecified | 12 | 11 | 1 |
| 534 | Gastrojejunal ulcer | 6 | 3 | 3 |
| 535 | Gastritis and duodenitis | 2 | 1 | 1 |
| 536 | Disorders of function of stomach | 1 | 1 | 0 |
| 537 | Other diseases of stomach and duodenum | 7 | 4 | 3 |
| <u>540-543</u> | <u>Appendicitis</u> | <u>26</u> | <u>14</u> | <u>12</u> |
| 540 | Acute appendicitis | 25 | 13 | 12 |
| 541 | Appendicitis, unqualified | 1 | 1 | 0 |
| <u>550-553</u> | <u>Hernia of abdominal cavity</u> | <u>34</u> | <u>22</u> | <u>12</u> |
| 550 | Inguinal, without mention of obstruction | 1 | 1 | 0 |
| 551 | Other, of abdominal cavity without mention of obstruction | 9 | 6 | 3 |
| 552 | Inguinal, with obstruction | 7 | 2 | 5 |
| 553 | Other, of abdominal cavity with obstruction | 17 | 13 | 4 |
| <u>560-569</u> | <u>Other diseases of intestine and peritoneum</u> | <u>208</u> | <u>147</u> | <u>61</u> |
| 560 | Intestinal obstruction without mention of hernia | 72 | 42 | 30 |
| 562 | Diverticula of intestine | 37 | 35 | 2 |
| 563 | Chronic enteritis and ulcerative colitis | 15 | 11 | 4 |
| 564 | Functional disorders of intestines | 1 | 1 | 0 |
| 567 | Peritonitis | 13 | 7 | 6 |
| 568 | Peritoneal adhesions | 2 | 2 | 0 |
| 569 | Other diseases of intestines and peritoneum | 68 | 49 | 19 |
| <u>570-577</u> | <u>Diseases of liver, gallbladder, and pancreas</u> | <u>302</u> | <u>212</u> | <u>90</u> |
| 570 | Acute and subacute necrosis of liver | 5 | 3 | 2 |
| 571 | Cirrhosis of liver | 185 | 137 | 48 |
| 572 | Suppurative hepatitis and liver abscess | 1 | 0 | 1 |
| 573 | Other diseases of liver | 14 | 5 | 9 |
| <u>574,575</u> | <u>Cholelithiasis, cholecystitis, and cholangitis</u> | <u>47</u> | <u>32</u> | <u>15</u> |

Table 9 - Page 9
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|------------|------------|------------|
| 574 | Cholelithiasis | 22 | 11 | 11 |
| 575 | Cholecystitis and cholangitis, without mention of calculus | 25 | 21 | 4 |
| 576 | Other diseases of gallbladder and biliary ducts | 11 | 6 | 5 |
| 577 | Diseases of pancreas | 39 | 29 | 10 |
| <u>580-629</u> | <u>DISEASES OF THE GENITOURINARY SYSTEM</u> | <u>419</u> | <u>207</u> | <u>212</u> |
| <u>580-584</u> | <u>Nephritis and nephrosis</u> | <u>139</u> | <u>60</u> | <u>79</u> |
| 580, 581 | Acute nephritis and nephrotic syndrome | 23 | 11 | 12 |
| 580 | Acute nephritis | 18 | 10 | 8 |
| 581 | Nephrotic syndrome | 5 | 1 | 4 |
| <u>582-584</u> | <u>Chronic and unqualified nephritis and renal sclerosis</u> | <u>116</u> | <u>49</u> | <u>67</u> |
| 582 | Chronic nephritis | 99 | 41 | 58 |
| 583 | Nephritis, unqualified | 15 | 6 | 9 |
| 584 | Renal sclerosis, unqualified | 2 | 2 | 0 |
| <u>590-599</u> | <u>Other diseases of urinary system</u> | <u>244</u> | <u>128</u> | <u>116</u> |
| 590 | Infections of kidney | 118 | 66 | 52 |
| <u>592, 594</u> | <u>Calculus of urinary system</u> | <u>8</u> | <u>8</u> | <u>0</u> |
| 592 | Of kidney and ureter | 8 | 8 | 0 |
| 593 | Other diseases of kidney and ureter | 68 | 24 | 44 |
| 595 | Cystitis | 4 | 3 | 1 |
| 596 | Other diseases of bladder | 8 | 4 | 4 |
| 597 | Urethritis (nonvenereal) | 2 | 2 | 0 |
| 598 | Stricture of urethra | 1 | 0 | 1 |
| 599 | Other diseases of urinary tract | 35 | 21 | 14 |
| <u>600-607</u> | <u>Diseases of male genital organs</u> | <u>28</u> | <u>16</u> | <u>12</u> |
| 600 | Hyperplasia of prostate | 18 | 12 | 6 |
| 601 | Prostatitis | 2 | 0 | 2 |
| 602 | Other diseases of prostate | 5 | 3 | 2 |
| 607 | Other diseases of male genital organs | 3 | 1 | 2 |
| <u>610-616</u> | <u>Diseases of breast, ovary, fallopian tube, and parametrium</u> | <u>3</u> | <u>1</u> | <u>2</u> |
| 614 | Salpingitis and oophoritis, unqualified | 1 | 0 | 1 |
| 616 | Diseases of parametrium and pelvic peritoneum (female) | 2 | 1 | 1 |
| <u>620-629</u> | <u>Diseases of uterus and other female genital organs</u> | <u>5</u> | <u>2</u> | <u>3</u> |
| 620 | Infective diseases of cervix uteri | 2 | 0 | 2 |
| 622 | Infective diseases of uterus (except cervix), vagina, and vulva | 1 | 1 | 0 |
| 629 | Other diseases of female genital organs | 2 | 1 | 1 |
| <u>630-678</u> | <u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u> | <u>12</u> | <u>4</u> | <u>8</u> |
| <u>630-634</u> | <u>Complications of pregnancy</u> | <u>2</u> | <u>1</u> | <u>1</u> |

Table 9 - Page 10
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|-----------|-----------|-----------|
| 634 | Other complications of pregnancy | 2 | 1 | 1 |
| <u>635-639</u> | <u>Urinary infections and toxemias of pregnancy and the puerperium</u> | <u>2</u> | <u>0</u> | <u>2</u> |
| <u>636-639</u> | <u>Toxemias of pregnancy and the puerperium, except abortion with toxemia</u> | <u>2</u> | <u>0</u> | <u>2</u> |
| 637 | Pre-eclampsia, eclampsia, and toxemia, unspecified | 2 | 0 | 2 |
| <u>640-645</u> | <u>Abortion</u> | <u>0</u> | <u>0</u> | <u>0</u> |
| <u>650-662</u> | <u>Delivery</u> | <u>2</u> | <u>1</u> | <u>1</u> |
| 657 | Delivery complicated by prolonged labor of other origin | 1 | 0 | 1 |
| 661 | Delivery with other complications | 1 | 1 | 0 |
| <u>670-678</u> | <u>Complications of the puerperium</u> | <u>6</u> | <u>2</u> | <u>4</u> |
| <u>670,671,</u> | <u>Sepsis of childbirth and the puerperium</u> | <u>3</u> | <u>1</u> | <u>2</u> |
| 673 | Puerperal phlebitis and thrombosis | 1 | 0 | 1 |
| 673 | Puerperal pulmonary embolism | 2 | 1 | 1 |
| 674 | Cerebral hemorrhage in the puerperium | 1 | 0 | 1 |
| 675 | Puerperal blood dyscrasias | 1 | 0 | 1 |
| 677 | Other and unspecified complications of the puerperium | 1 | 1 | 0 |
| <u>680-709</u> | <u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u> | <u>25</u> | <u>11</u> | <u>14</u> |
| <u>680-686</u> | <u>Infections of skin and subcutaneous tissue</u> | <u>11</u> | <u>7</u> | <u>4</u> |
| 682 | Other cellulitis and abscess | 8 | 6 | 2 |
| 686 | Other local infections of skin and subcutaneous tissue | 3 | 1 | 2 |
| <u>690-698</u> | <u>Other inflammatory conditions of skin and subcutaneous tissue</u> | <u>7</u> | <u>3</u> | <u>4</u> |
| 694 | Pemphigus | 2 | 2 | 0 |
| 695 | Erythematous conditions | 4 | 0 | 4 |
| 696 | Psoriasis and similar disorders | 1 | 1 | 0 |
| <u>700-709</u> | <u>Other diseases of skin and subcutaneous tissue</u> | <u>7</u> | <u>1</u> | <u>6</u> |
| 707 | Chronic ulcer of skin | 7 | 1 | 6 |
| <u>710-738</u> | <u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u> | <u>59</u> | <u>39</u> | <u>20</u> |
| <u>710-718</u> | <u>Arthritis and rheumatism, except rheumatic fever</u> | <u>35</u> | <u>23</u> | <u>12</u> |
| <u>710-715</u> | <u>Arthritis and spondylitis</u> | <u>31</u> | <u>20</u> | <u>11</u> |
| 710 | Acute arthritis due to pyogenic organisms | 1 | 0 | 1 |
| 712 | Rheumatoid arthritis and allied conditions | 21 | 13 | 8 |
| 713 | Osteoarthritis and allied conditions | 4 | 4 | 0 |
| 715 | Arthritis, unspecified | 5 | 3 | 2 |
| <u>716-718</u> | <u>Nonarticular rheumatism and rheumatism unspecified</u> | <u>4</u> | <u>3</u> | <u>1</u> |
| 716 | Polymyositis and dermatomyositis | 4 | 3 | 1 |
| <u>720-729</u> | <u>Osteomyelitis and other diseases of bone and joint</u> | <u>7</u> | <u>6</u> | <u>1</u> |
| 720 | Osteomyelitis and periostitis | 1 | 1 | 0 |

Table 9 - Page 11
 Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|------------|------------|------------|
| 721 | Osteitis Deformans | 1 | 0 | 1 |
| 725 | Displacement of intervertebral disc | 4 | 4 | 0 |
| 728 | Vertebrogenic pain syndrome | 1 | 1 | 0 |
| <u>730-738</u> | <u>Other diseases of musculoskeletal system</u> | <u>17</u> | <u>10</u> | <u>7</u> |
| 732 | Infective myositis and other inflammatory diseases of tendon and fascia | 2 | 1 | 1 |
| 733 | Other diseases of muscle, tendon, and fascia | 3 | 1 | 2 |
| 734 | Diffuse diseases of connective tissue | 12 | 8 | 4 |
| <u>740-759</u> | <u>CONGENITAL ANOMALIES</u> | <u>183</u> | <u>106</u> | <u>77</u> |
| <u>740-743</u> | <u>Nervous system</u> | <u>34</u> | <u>23</u> | <u>11</u> |
| 740 | Anencephalus | 4 | 3 | 1 |
| 741 | Spina bifida | 9 | 8 | 1 |
| 742 | Congenital hydrocephalus | 15 | 9 | 6 |
| 743 | Other congenital anomalies of nervous system | 6 | 3 | 3 |
| <u>746,747</u> | <u>Circulatory system</u> | <u>95</u> | <u>54</u> | <u>41</u> |
| 746 | Heart | 86 | 48 | 38 |
| 747 | Other of circulatory system | 9 | 6 | 3 |
| 748 | Respiratory system | 8 | 3 | 5 |
| <u>749-751</u> | <u>Digestive system</u> | <u>12</u> | <u>7</u> | <u>5</u> |
| 750 | Other congenital anomalies of upper alimentary tract | 2 | 1 | 1 |
| 751 | Other congenital anomalies of digestive system | 10 | 6 | 4 |
| <u>752,753</u> | <u>Genitourinary system</u> | <u>10</u> | <u>7</u> | <u>3</u> |
| 753 | Urinary system | 10 | 7 | 3 |
| <u>754-756</u> | <u>Musculoskeletal system</u> | <u>8</u> | <u>5</u> | <u>3</u> |
| 756 | Other congenital anomalies of musculoskeletal system | 8 | 5 | 3 |
| 758 | Other and unspecified | 3 | 2 | 1 |
| 759 | Congenital syndromes affecting multiple systems | 13 | 5 | 8 |
| <u>760-778</u> | <u>CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY</u> | <u>610</u> | <u>228</u> | <u>382</u> |
| 761 | Other maternal conditions unrelated to pregnancy | 5 | 3 | 2 |
| 762 | Toxemia of pregnancy | 3 | 1 | 2 |
| 763 | Maternal ante- and intrapartum infection | 2 | 2 | 0 |
| <u>764-768</u> | <u>Difficult labor</u> | <u>11</u> | <u>7</u> | <u>4</u> |
| 764 | With abnormality of bones, organs, or tissues of pelvis | 2 | 1 | 1 |
| 766 | With malposition of fetus | 6 | 4 | 2 |
| 768 | With other and unspecified complications | 3 | 2 | 1 |
| 769 | Other complications of pregnancy and childbirth | 56 | 14 | 42 |
| <u>770,771</u> | <u>Conditions of placenta and cord</u> | <u>30</u> | <u>10</u> | <u>20</u> |
| 770 | Of placenta | 23 | 10 | 13 |
| 771 | Of umbilical cord | 7 | 0 | 7 |
| 772 | Birth injury without mention of cause | 31 | 10 | 21 |

Table 9 - Page 12
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|--------------|--------------|--------------|
| 774,775 | <u>Hemolytic disease of newborn</u> | 6 | 6 | 0 |
| 775 | Without mention of kernicterus | 6 | 6 | 0 |
| 776 | Anoxic and hypoxic conditions not elsewhere classifiable | 277 | 133 | 144 |
| 777 | <u>Immaturity, unqualified</u> | 162 | 28 | 134 |
| 778 | Other conditions of fetus or newborn | 27 | 14 | 13 |
| <u>780-796</u> | <u>SYMPTOMS AND ILL-DEFINED CONDITIONS</u> | <u>1,703</u> | <u>582</u> | <u>1,121</u> |
| <u>780-789</u> | <u>Symptoms referable to systems or organs</u> | <u>65</u> | <u>27</u> | <u>38</u> |
| 780 | Certain symptoms referable to nervous system and special senses | 4 | 2 | 2 |
| 782 | Symptoms referable to cardiovascular and lymphatic system | 48 | 22 | 26 |
| 783 | Symptoms referable to respiratory system | 1 | 0 | 1 |
| 784 | Symptoms referable to upper gastrointestinal tract | 2 | 0 | 2 |
| 785 | Symptoms referable to abdomen and lower gastrointestinal tract | 2 | 0 | 2 |
| 786 | Symptoms referable to genitourinary system | 1 | 0 | 1 |
| 787 | Symptoms referable to limbs and joints | 1 | 1 | 0 |
| 788 | Other general symptoms | 6 | 2 | 4 |
| <u>790-796</u> | <u>Senility and ill-defined diseases</u> | <u>1,638</u> | <u>555</u> | <u>1,083</u> |
| 790 | Nervousness and debility | 2 | 1 | 1 |
| 792 | Uremia | 10 | 4 | 6 |
| 794 | Senility without mention of psychosis | 49 | 12 | 37 |
| 795 | Sudden death (cause unknown) | 12 | 4 | 8 |
| 796 | Other ill-defined and unknown causes | 1,565 | 534 | 1,031 |
| <u>800-999</u> | <u>ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)</u> | <u>2,529</u> | <u>1,429</u> | <u>1,100</u> |
| <u>800-949</u> | <u>Accidents</u> | <u>1,883</u> | <u>1,116</u> | <u>767</u> |
| <u>800-807</u> | <u>Railway</u> | <u>13</u> | <u>5</u> | <u>8</u> |
| 801 | Involving collision with other object | 1 | 1 | 0 |
| 805 | Hit by rolling stock | 11 | 3 | 8 |
| 807 | Accident of unspecified nature | 1 | 1 | 0 |
| <u>810-823</u> | <u>Motor vehicle</u> | <u>954</u> | <u>619</u> | <u>335</u> |
| (810-819) | <u>(Traffic)</u> | <u>931</u> | <u>607</u> | <u>324</u> |
| 810 | Involving collision with train | 20 | 15 | 5 |
| 812 | Involving collision with another motor vehicle | 374 | 270 | 104 |
| 813 | Involving collision with other vehicle | 11 | 6 | 5 |
| 814 | Involving collision with pedestrian | 122 | 56 | 66 |
| 815 | Other involving collision | 76 | 54 | 22 |
| 816 | Noncollision due to loss of control | 199 | 115 | 84 |
| 818 | Other noncollision | 13 | 4 | 9 |
| 819 | Of unspecified nature | 116 | 87 | 29 |
| (820-823) | <u>(Nontraffic)</u> | <u>23</u> | <u>12</u> | <u>11</u> |
| 820 | Involving collision with moving object | 16 | 7 | 9 |

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|--|------------|------------|------------|
| 823 | Of other and unspecified nature | 7 | 5 | 2 |
| <u>825</u> 827 | <u>Other road vehicle</u> | <u>1</u> | <u>1</u> | <u>0</u> |
| 827 | Other nonmotor road vehicle | 1 | 1 | 0 |
| <u>830</u> 838 | <u>Water transport</u> | <u>55</u> | <u>35</u> | <u>20</u> |
| 830 | Accident to watercraft causing submersion | 34 | 22 | 12 |
| 832 | Other submersion or drowning in water transport | 18 | 12 | 6 |
| 835 | Other and unspecified fall in water transport | 2 | 1 | 1 |
| 838 | Other and unspecified water transport accident | 1 | 0 | 1 |
| <u>840</u> 845 | <u>Air and space transport</u> | <u>9</u> | <u>9</u> | <u>0</u> |
| 841 | Accident to powered aircraft, other and unspecified | 9 | 9 | 0 |
| <u>850</u> 877 | <u>Poisoning</u> | <u>43</u> | <u>23</u> | <u>20</u> |
| (850) 859 | (By drugs and medicaments) | 16 | 12 | 4 |
| 851 | Accidental poisoning by hormones and synthetic substitutes | 1 | 1 | 0 |
| 852 | Primarily systemic and hematologic agents | 2 | 1 | 1 |
| 853 | Analgesics and antipyretics | 2 | 1 | 1 |
| 854 | Other sedatives and hypnotics | 5 | 5 | 0 |
| 855 | Autonomic nervous system and psycho-therapeutic drugs | 1 | 1 | 0 |
| (860) 859 | Other and unspecified drugs and medicaments | 5 | 3 | 2 |
| (860) 869 | (By other solid and liquid substances) | 13 | 7 | 6 |
| 860 | Alcohol | 3 | 2 | 1 |
| 864 | Petroleum products and other solvents | 1 | 0 | 1 |
| 865 | Pesticides, fertilizers, or plant food | 3 | 1 | 2 |
| 866 | Heavy metals and their fumes | 2 | 2 | 0 |
| 869 | Other and unspecified solid and liquid substances | 4 | 2 | 2 |
| (870) 877 | (By gases and vapors) | 14 | 4 | 10 |
| 873 | Motor vehicle exhaust gas | 12 | 4 | 8 |
| 874 | Carbon monoxide from incomplete combustion of domestic fuels | 1 | 0 | 1 |
| 875 | Other carbon monoxide | 1 | 0 | 1 |
| <u>880</u> 887 | <u>Falls</u> | <u>145</u> | <u>108</u> | <u>37</u> |
| 880 | On or from stairs and steps | 5 | 3 | 2 |
| 881 | On or from ladders or scaffolding | 1 | 1 | 0 |
| 882 | From or out of building or other structure | 12 | 6 | 6 |
| 883 | Into hole or other opening in surface | 4 | 2 | 2 |
| 884 | Other from one level to another | 9 | 7 | 2 |
| 885 | On same level from slipping, stumbling, or tripping | 1 | 1 | 0 |
| 887 | Other and unspecified fall | 113 | 88 | 25 |
| <u>890</u> 899 | <u>Caused by fires and flames</u> | <u>174</u> | <u>59</u> | <u>115</u> |
| 890 | Conflagration in private dwelling | 118 | 33 | 85 |
| 891 | Conflagration in other building or structure | 1 | 0 | 1 |
| 892 | Conflagration not in building or structure | 2 | 2 | 0 |
| 893 | Ignition of clothing | 17 | 7 | 10 |

Table 9 - Page 14
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|------------|------------|------------|
| 894 | Ignition of highly inflammable material | 7 | 4 | 3 |
| 895 | Controlled fire in private dwelling | 6 | 1 | 5 |
| 897 | Controlled fire not in building or structure | 1 | 1 | 0 |
| 898 | Other specified fires or flames | 5 | 3 | 2 |
| 899 | Unspecified fire | 17 | 8 | 9 |
| <u>900-909</u> | <u>Due to natural and environmental factors</u> | <u>32</u> | <u>12</u> | <u>20</u> |
| 900 | Excessive heat | 3 | 1 | 2 |
| 901 | Excessive cold | 2 | 0 | 2 |
| 904 | Hunger, thirst, exposure, and neglect | 8 | 3 | 5 |
| 906 | Other accidents caused by animals | 3 | 2 | 1 |
| 907 | Lightning | 4 | 3 | 1 |
| 908 | Cataclysm | 12 | 3 | 9 |
| <u>910-929</u> | <u>Other accidents</u> | <u>435</u> | <u>232</u> | <u>203</u> |
| 910 | Drowning and submersion | 141 | 68 | 73 |
| 911 | Inhalation and ingestion of food causing obstruction or suffocation | 40 | 28 | 12 |
| 912 | Inhalation and ingestion of other object causing obstruction or suffocation | 12 | 7 | 5 |
| 913 | Mechanical suffocation | 20 | 5 | 15 |
| 915 | Foreign body accidentally entering other orifice | 2 | 0 | 2 |
| 916 | Struck by falling object | 30 | 19 | 11 |
| 917 | Striking against or struck by objects | 22 | 13 | 9 |
| 918 | Caught in or between objects | 11 | 9 | 2 |
| 920 | Caused by cutting or piercing instruments | 4 | 2 | 2 |
| 921 | Caused by explosion of pressure vessel | 1 | 1 | 0 |
| 922 | Caused by firearm missiles | 68 | 32 | 36 |
| 923 | Caused by explosive material | 8 | 3 | 5 |
| 924 | Caused by hot substance, corrosive liquid, and steam | 4 | 1 | 3 |
| 925 | Caused by electric current | 25 | 20 | 5 |
| 928 | Machinery accidents not elsewhere classifiable | 19 | 12 | 7 |
| 929 | Other and unspecified accidents | 28 | 12 | 16 |
| <u>930-936</u> | <u>Surgical and medical complications and misadventures</u> | <u>16</u> | <u>8</u> | <u>8</u> |
| 930 | In operative therapeutic procedures | 8 | 3 | 5 |
| 931 | In other and unspecified therapeutic procedures | 6 | 4 | 2 |
| 932 | In diagnostic procedures | 2 | 1 | 1 |
| <u>940-949</u> | <u>Late effects of accidental injury</u> | <u>6</u> | <u>5</u> | <u>1</u> |
| 941 | Of other transport accident | 2 | 2 | 0 |
| 943 | Of accidental fall | 1 | 1 | 0 |
| 946 | Of other accident | 3 | 2 | 1 |
| <u>950-959</u> | <u>Suicide and self-inflicted injury</u> | <u>209</u> | <u>176</u> | <u>33</u> |
| <u>950-952</u> | <u>By poisoning</u> | <u>14</u> | <u>14</u> | <u>0</u> |
| 950 | By solid or liquid substances | 8 | 8 | 0 |
| 952 | By other gases | 6 | 6 | 0 |
| 953 | By hanging, strangulation, and suffocation | 16 | 12 | 4 |
| 954 | By submersion (drowning) | 1 | 0 | 1 |
| 955 | By firearms and explosives | 174 | 146 | 28 |

Table 9 - Page 15
 Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | White | Non-white |
|--------------------------------------|---|------------|-----------|------------|
| 956 | By cutting and piercing instruments | 1 | 1 | 0 |
| 957 | By jumping from high place | 2 | 2 | 0 |
| 958 | By other and unspecified means | 1 | 1 | 0 |
| <u>960-978</u> | <u>Homicide and injury purposely inflicted by other persons; legal intervention</u> | <u>373</u> | <u>96</u> | <u>277</u> |
| <u>960-969</u> | <u>Homicide and injury purposely inflicted by other persons</u> | <u>370</u> | <u>95</u> | <u>275</u> |
| 960 | Fight, brawl, rape | 4 | 2 | 2 |
| 963 | Assault by hanging and strangulation | 7 | 1 | 6 |
| 964 | Assault by submersion (drowning) | 3 | 1 | 2 |
| 965 | Assault by firearms and explosives | 295 | 77 | 218 |
| 966 | Assault by cutting and piercing instruments | 33 | 5 | 28 |
| 968 | Assault by other and unspecified means | 28 | 9 | 19 |
| <u>970-978</u> | <u>Legal intervention</u> | <u>3</u> | <u>1</u> | <u>2</u> |
| 970 | Injury by firearms | 3 | 1 | 2 |
| <u>980-989</u> | <u>Injury undetermined whether accidentally or purposely inflicted</u> | <u>64</u> | <u>41</u> | <u>23</u> |
| 980 | Poisoning by solid or liquid substances | 8 | 7 | 1 |
| 982 | Poisoning by other gases | 1 | 0 | 1 |
| 983 | Hanging, strangulation, or suffocation | 2 | 2 | 0 |
| 984 | Submersion (drowning) | 2 | 2 | 0 |
| 985 | Injury by firearms and explosives | 29 | 18 | 11 |
| 988 | Injury by other and unspecified means | 21 | 12 | 9 |
| 989 | Late effect of injury | 1 | 0 | 1 |
| <u>990-999</u> | <u>Injury resulting from operations of war</u> | <u>0</u> | <u>0</u> | <u>0</u> |

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 10
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1973

| International Classification Number* | Cause* | Cause# | Total Rate# | Race | Total by Race | Total by Race | Total by Race | Age | | | | | | | | | | | | |
|--------------------------------------|---|--------|-------------|-------|---------------|---------------|---------------|-----|-----|-------|-------|-------|-------|-------|-------|---------|-------------|-------|-----|---|
| | | | | | | | | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | Unknown | Over 65 and | | | |
| 000-999 | <u>ALL CAUSES</u> | | 24,007 | 10.4 | W 14,461 | M 8,435 | F 6,026 | 227 | 59 | 37 | 42 | 268 | 207 | 330 | 833 | 1,613 | 4,819 | 0 | | |
| | | | | | NW 9,546 | M 5,228 | F 4,318 | 37 | 28 | 17 | 39 | 67 | 262 | 202 | 251 | 413 | 654 | 4,426 | 0 | |
| 000-136 | <u>Infective and parasitic diseases</u> | | 251 | 10.8 | W | 111 | M | 68 | 6 | 3 | 1 | 0 | 3 | 2 | 4 | 5 | 553 | 2,590 | 4 | |
| | | | | | NW | M 140 | F 70 | 24 | 5 | 9 | 1 | 1 | 3 | 2 | 3 | 1 | 1 | 23 | 0 | |
| | | | | | | 140 | 70 | 28 | | | | | | | | | | 0 | | |
| 008,009 | Enteritis and other diarrheal diseases | | 76 | 3.3 | W | 31 | M | 10 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 4 | 0 | |
| | | | | | NW | M 45 | F 23 | 21 | 2 | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | |
| | | | | | | 45 | 23 | 11 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 5 | 0 | |
| 010-019 | Tuberculosis | | 37 | 1.6 | W | 18 | M | 16 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 13 | 0 | |
| | | | | | NW | M 19 | F 13 | 2 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | |
| | | | | | | 19 | 13 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 6 | 0 | |
| 070 | Infectious hepatitis | | 8 | 0.3 | W | 4 | M | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | |
| | | | | | NW | M 4 | F 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | |
| 140-209 | <u>Malignant neoplasms</u> | | 3,403 | 146.9 | W | 2,244 | M 1,319 | 0 | 3 | 2 | 0 | 1 | 1 | 1 | 9 | 11 | 41 | 353 | 735 | 0 |
| | | | | | NW | M 1,159 | F 523 | 925 | 0 | 0 | 1 | 1 | 1 | 1 | 1 | 1 | 12 | 186 | 538 | 0 |
| | | | | | | 1,159 | 523 | | | | | | | | | | 143 | 400 | 0 | |
| | | | | | | | | | | | | | | | | | 87 | 100 | 0 | |

Table 10 - Page 2
Deaths - Mississippi - 1973

| International Classification Number* | Cause* | Total | Race | Rate# | Total by Race | Sex | Total by Race and Sex | Age | | Unknown |
|--------------------------------------|---|-------|------|-------|---------------|-----|-----------------------|---------|-------------|---------|
| | | | | | | | | Under 1 | 65 and Over | |
| 210-239 | <u>Benign and unspecified neoplasms</u> | 40 | 1.7 | W | 23 | M | 16 | 7 | 3 | 0 |
| | | | | | NW | F | 7 | 1 | 1 | 0 |
| 240-279 | <u>Endocrine, nutritional, and metabolic diseases</u> | 544 | 23.5 | W | 261 | M | 111 | 2 | 67 | 0 |
| | | | | | NW | F | 150 | 1 | 111 | 0 |
| | | | | | 283 | M | 87 | 4 | 44 | 0 |
| | | | | | F | | 196 | 5 | 127 | 0 |
| 250 | Diabetes mellitus | 451 | 19.5 | W | 209 | M | 86 | 0 | 21 | 57 |
| | | | | | NW | F | 123 | 0 | 13 | 0 |
| | | | | | 242 | M | 69 | 0 | 96 | 0 |
| | | | | | F | | 173 | 1 | 37 | 0 |
| 260-269 | Avitaminoses and other nutritional deficiency | 29 | 1.2 | W | 15 | M | 5 | 0 | 0 | 0 |
| | | | | | NW | F | 10 | 1 | 1 | 0 |
| | | | | | 14 | M | 7 | 1 | 0 | 1 |
| | | | | | F | | 3 | 0 | 0 | 0 |
| 280-289 | <u>Diseases of the blood and blood-forming organs</u> | 72 | 3.1 | W | 36 | M | 17 | 3 | 11 | 0 |
| | | | | | NW | F | 19 | 0 | 15 | 0 |
| | | | | | 36 | M | 21 | 5 | 4 | 0 |
| | | | | | F | | 15 | 0 | 7 | 0 |
| 280-285 | Anemias | 54 | 2.3 | W | 23 | M | 8 | 0 | 0 | 1 |
| | | | | | NW | F | 15 | 0 | 2 | 2 |
| | | | | | 31 | M | 17 | 4 | 2 | 3 |
| | | | | | F | | 14 | 0 | 1 | 0 |
| 290-315 | <u>Mental disorders</u> | 87 | 3.8 | W | 49 | M | 31 | 7 | 10 | 0 |
| | | | | | NW | F | 18 | 2 | 12 | 0 |
| | | | | | 38 | M | 23 | 5 | 11 | 0 |
| | | | | | F | | 15 | 0 | 5 | 0 |

Table 10 - Page 3
Deaths - Mississippi - 1973

| Inter-national Classi-fication Number* | Cause* | Total | | Race/ Rate# | Total by Race | Total by Race | Total by Race and Sex | Age | Unknown Over 65 and Under 1 |
|--|---|--------|-------|----------------|---------------------|---------------------|-----------------------------------|-----|---|
| | | Number | Rate# | | | | | | |
| 303 | Alcoholism | 35 | 1.5 | W | 19 | M | 17 | 0 | 3 |
| | | | | NW | 16 | F | 2 | 1 | 0 |
| | | | | M | 13 | M | 0 | 0 | 0 |
| | | | | F | 3 | F | 0 | 0 | 0 |
| 320-389 | Diseases of the <u>nervous system and sense organs</u> | 173 | 7.5 | W | 102 | M | 58 | 4 | 17 |
| | | | | NW | 71 | F | 44 | 3 | 5 |
| | | | | M | 40 | M | 31 | 2 | 8 |
| | | | | F | 31 | F | 2 | 1 | 0 |
| 320 | Meningitis | 21 | 0.9 | W | 11 | M | 8 | 2 | 0 |
| | | | | NW | 10 | F | 3 | 0 | 0 |
| | | | | M | 5 | M | 1 | 0 | 0 |
| | | | | F | 4 | F | 0 | 0 | 0 |
| 345 | Epilepsy | 35 | 1.5 | W | 8 | M | 4 | 0 | 0 |
| | | | | NW | 27 | F | 4 | 0 | 0 |
| | | | | M | 17 | M | 0 | 0 | 0 |
| | | | | F | 10 | F | 2 | 1 | 0 |
| 390-458 | Diseases of the <u>circulatory system</u> | 12,054 | 520.2 | W | 7,762 | M | 4,267 | 1 | 1 |
| | | | | NW | 4,292 | F | 3,495 | 2 | 1 |
| | | | | M | 2,174 | M | 2,118 | 1 | 0 |
| | | | | F | 8 | F | 2 | 0 | 0 |
| 390-398, 402, 404-429 | Heart diseases | 8,027 | 346.4 | W | 5,329 | M | 3,088 | 1 | 1 |
| | | | | NW | 2,698 | F | 2,241 | 0 | 0 |
| | | | | M | 1,417 | M | 1,417 | 1 | 1 |
| | | | | F | 1,281 | F | 8 | 1 | 0 |
| 400,401 403 | Hypertension | 130 | 5.6 | W | 59 | M | 30 | 0 | 0 |
| | | | | NW | 71 | F | 29 | 0 | 0 |
| | | | | M | 33 | M | 0 | 0 | 0 |
| | | | | F | 38 | F | 0 | 1 | 0 |

| International Classification Number* | Cause* | Total | | Race/ Rate# | Sex Race | Total by Race and Sex | Age | Total by Race and Sex | Sex Race | Total by Race | Age | Total by Race and Sex | Sex Race | Total by Race | Age | | | |
|--|------------------------------------|--------|-------|----------------|-------------|-----------------------------------|-----|-----------------------------------|-------------|---------------------|----------|-----------------------------------|-------------|---------------------|-----------|------------|------------|----------|
| | | Number | Rate# | | | | | | | | | | | | | | | |
| 430-438 | Cerebrovascular disease | 3,099 | 133.8 | W | 1,821 | M | 848 | 0 | 1 | 0 | 2 | 1 | 43 | 80 | 706 | 0 | | |
| | | | | NW | 1,278 | M | 973 | 0 | 1 | 0 | 1 | 2 | 34 | 60 | 860 | 0 | | |
| | | | | M | 599 | F | 599 | 0 | 0 | 0 | 1 | 2 | 41 | 96 | 434 | 1 | | |
| | | | | F | 679 | 0 | 679 | 0 | 2 | 0 | 2 | 14 | 46 | 85 | 522 | 1 | | |
| 440 | Arteriosclerosis | 305 | 13.2 | W | 214 | M | 91 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 85 | 0 | | |
| | | | | NW | 91 | M | 123 | 0 | 0 | 0 | 0 | 0 | 0 | 4 | 119 | 0 | | |
| | | | | M | 49 | F | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 46 | 0 | | |
| | | | | F | 42 | | | | | | | | 0 | 5 | 37 | 0 | | |
| 460-519 | Diseases of the respiratory system | 1,169 | 50.4 | W | 797 | M | 522 | <u>15</u> | <u>3</u> | <u>1</u> | <u>4</u> | <u>6</u> | <u>2</u> | <u>27</u> | <u>82</u> | <u>377</u> | <u>0</u> | |
| | | | | NW | 372 | M | 275 | <u>9</u> | <u>3</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>22</u> | <u>22</u> | <u>202</u> | <u>0</u> |
| | | | | F | 218 | M | 218 | <u>14</u> | <u>3</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>24</u> | <u>14</u> | <u>95</u> | <u>0</u> |
| | | | | F | 154 | F | 154 | <u>7</u> | <u>1</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>0</u> | <u>13</u> | <u>13</u> | <u>66</u> | <u>0</u> |
| 470-474 | Influenza | 65 | 2.8 | W | 43 | M | 24 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 18 | 0 | |
| | | | | NW | 22 | M | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 17 | 0 | |
| | | | | F | 11 | F | 11 | 2 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 5 | 0 | |
| | | | | | 11 | | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 0 | 7 | 0 | |
| 480-486 | Pneumonia | 618 | 26.7 | W | 365 | M | 203 | 14 | 2 | 1 | 0 | 2 | 3 | 9 | 11 | 144 | 0 | |
| | | | | NW | 253 | M | 162 | 6 | 4 | 2 | 0 | 2 | 2 | 2 | 7 | 13 | 0 | |
| | | | | F | 112 | F | 141 | 47 | 12 | 1 | 2 | 6 | 1 | 2 | 7 | 9 | 53 | |
| | | | | | 33 | | 33 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 48 | 0 | |
| 490,491 | Chronic and unqualified bronchitis | 42 | 1.8 | W | 35 | M | 26 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 18 | 0 |
| | | | | NW | 7 | M | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 6 | 0 |
| | | | | F | 1 | F | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| | | | | | | | | | | | | | | | | 1 | 0 | 0 |
| 492 | Emphysema | 191 | 8.2 | W | 173 | M | 154 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 0 |
| | | | | NW | 18 | M | 19 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 0 |
| | | | | F | 16 | F | 16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |

Table 10 - Page 5
Deaths - Mississippi - 1973

| Inter-national Classification Number* | Cause# | Total | | Race | Total by Race | by Race | Sex | Total by Race and Sex | Age | | | | | | |
|---|---|--------|-------|------|---------------------|------------|-----|-----------------------------------|---------------------|---------------------|---------------------|---------------------|----------------------|----------------------|------------------------|
| | | Number | Rate# | | | | | | 1-4 | 5-9 | 10-14 | 15-24 | 25-34 | 35-44 | |
| 493 | Asthma | 21 | 0.9 | W | 9 | M | 5 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 |
| | | | | NW | 12 | F | 4 | 0 | 0 | 0 | 2 | 0 | 1 | 1 | 0 |
| 520-577 | <u>Diseases of the digestive system</u> | 674 | 29.1 | W | 470 | M | 225 | <u>1</u> / <u>4</u> | <u>0</u> / <u>2</u> | <u>0</u> / <u>2</u> | <u>0</u> / <u>1</u> | <u>1</u> / <u>3</u> | <u>2</u> / <u>7</u> | <u>4</u> / <u>9</u> | <u>166</u> / <u>91</u> |
| | | | | NW | 204 | F | 245 | <u>F</u> / <u>8</u> | <u>0</u> / <u>2</u> | <u>0</u> / <u>2</u> | <u>0</u> / <u>1</u> | <u>1</u> / <u>3</u> | <u>0</u> / <u>1</u> | <u>4</u> / <u>14</u> | <u>52</u> / <u>10</u> |
| 531-533 | Peptic ulcer | 82 | 3.5 | W | 60 | M | 32 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 |
| | | | | NW | 22 | F | 28 | 0 | 0 | 0 | 1 | 0 | 2 | 4 | 0 |
| 550-553, 560 | Hernia and intes-tinal obstruction | 106 | 4.6 | W | 64 | M | 19 | 1 | 0 | 0 | 0 | 0 | 0 | 3 | 0 |
| | | | | NW | 42 | F | 45 | 3 | 0 | 0 | 0 | 0 | 0 | 1 | 0 |
| 571 | Cirrhosis of liver | 185 | 8.0 | W | 137 | M | 87 | 0 | 0 | 0 | 0 | 0 | 13 | 30 | 0 |
| | | | | NW | 48 | F | 50 | 0 | 1 | 0 | 0 | 0 | 2 | 12 | 0 |
| 580-629 | <u>Diseases of the genitourinary system</u> | 419 | 18.1 | W | 207 | M | 101 | <u>0</u> / <u>1</u> | <u>0</u> / <u>1</u> | <u>0</u> / <u>1</u> | <u>0</u> / <u>1</u> | <u>0</u> / <u>1</u> | <u>2</u> / <u>3</u> | <u>7</u> / <u>15</u> | <u>83</u> / <u>73</u> |
| | | | | NW | 212 | F | 106 | <u>M</u> / <u>9</u> | <u>F</u> / <u>3</u> | <u>M</u> / <u>9</u> | <u>F</u> / <u>3</u> | <u>M</u> / <u>9</u> | <u>F</u> / <u>10</u> | <u>9</u> / <u>19</u> | <u>79</u> / <u>11</u> |
| 580-584 | Nephritis and nephrosis | 139 | 6.0 | W | 60 | M | 31 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 |
| | | | | NW | 79 | F | 29 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 0 |
| | | | | | | | 40 | 0 | 0 | 0 | 0 | 0 | 4 | 6 | 0 |
| | | | | | | | 39 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 0 |

Table 10 - Page 6
Deaths - Mississippi = 1973

| International Classification Number* | Cause* | Total Number | Rate# | Race by Race | Total by Race | Race by Sex | Race by Race | Race by Sex | Age | Unknown | |
|--|--|-----------------|-------|--------------------|---------------------|-------------------|--------------------|-------------------|-----|------------|------------|
| | | | | | | | | | | Under 1 | Over 65 |
| 590 | Infections of kidney | 118 | 5.1 | M | 66 | M | 21 | 0 | 0 | 2 | 15 |
| | | | | NW | 52 | F | 45 | 0 | 36 | 0 | 0 |
| | | | | M | 30 | F | 30 | 0 | 23 | 0 | 0 |
| | | | | F | 22 | | 0 | 3 | 17 | 0 | 0 |
| 630-678 | Complications of pregnancy, child-birth, and the puerperium | 12 | 26.9 | W | 4 | M | 0 | 0 | 0 | 2 | 15 |
| | | | | NW | 8 | M | 0 | 0 | 3 | 7 | 7 |
| | | | | F | 11 | F | 4 | 0 | 15 | 3 | 15 |
| | | | | | 14 | M | 3 | 0 | 3 | 1 | 1 |
| 680-709 | Diseases of the skin and subcutaneous tissue | 25 | 1.1 | W | NW | | 3 | 0 | 0 | 4 | 15 |
| | | | | | 14 | F | 2 | 0 | 1 | 1 | 1 |
| | | | | | 0 | 0 | 2 | 0 | 0 | 0 | 0 |
| | | | | | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 710-738 | Diseases of the musculoskeletal system and connective tissue | 59 | 2.5 | W | 39 | M | 14 | 0 | 0 | 0 | 0 |
| | | | | NW | 20 | M | 25 | 0 | 0 | 0 | 0 |
| | | | | F | 106 | M | 11 | 0 | 0 | 0 | 0 |
| | | | | | 77 | F | 9 | 0 | 0 | 0 | 0 |
| 740-759 | Congenital anomalies | 183 | 7.9 | W | NW | | 59 | 35 | 0 | 0 | 0 |
| | | | | | | | 47 | 34 | 0 | 0 | 0 |
| | | | | | | | 39 | 30 | 0 | 0 | 0 |
| | | | | | | | 38 | 24 | 0 | 0 | 0 |
| 760-778 | Certain causes of mortality in early infancy | 610 | 13.7 | W | 228 | M | 134 | 94 | 222 | 160 | 12 |
| | | | | NW | 382 | M | 94 | 222 | 160 | 160 | 5 |
| | | | | F | 1,121 | M | 222 | 222 | 160 | 160 | 51 |
| 780-796 | Symptoms and ill-defined conditions | 1,703 | 73.5 | W | 582 | M | 415 | 134 | 5 | 48 | 12 |
| | | | | NW | 1,121 | F | 167 | 167 | 5 | 51 | 21 |
| | | | | | | | 222 | 222 | 160 | 160 | 53 |
| | | | | | | | 160 | 160 | 160 | 160 | 43 |

| Inter-national Classification Number* | Cause* | Total | | Total by Race | Total by Race | Age | | Unknown Over 65 and 55-64 |
|---|--|--------|-------|---------------------|---------------------|--------------|-------------------|------------------------------------|
| | | Number | Rate# | | | Under 1-4 | 1-4 and 5-9 | |
| 800-999 | Accidents, poison- ings, and violence | 2,529 | 109.1 | W | 1,429 | M | 1,075 | 0 |
| | | | | NW | 1,100 | F | 354 823 277 | 0 |
| 810-823 | Motor vehicle acci- dents | 954 | 41.2 | W | 619 | M | 457 | 0 |
| | | | | NW | 335 | F | 162 261 74 | 0 |
| 800-807, 825-949 | All other accidents | 929 | 40.1 | W | 497 | M | 377 | 0 |
| | | | | NW | 432 | F | 120 305 127 | 0 |
| 950-959 | Suicide | 209 | 9.0 | W | 176 | M | 141 | 0 |
| | | | | NW | 33 | F | 35 27 6 | 0 |
| 960-978 | Homicide | 373 | 16.1 | W | 96 | M | 70 | 0 |
| | | | | NW | 277 | F | 26 215 62 | 0 |

* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-678) are per 100,000 live births and deaths from certain causes of mortality in early infancy (classification numbers 760-778) are per 1,000 live births.

TABLE 11
INFANT AND NEONATAL DEATHS* AND MORTALITY RATES, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1973

| County | Infant Deaths | | | | | | Neonatal Deaths | | | | | |
|-----------|---------------|-------|-----------|-------|-------|-----------|-----------------|-------|-----------|-------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| STATE | 1,154 | 392 | 762 | 25.8 | 17.0 | 35.4 | 793 | 301 | 492 | 17.8 | 13.0 | 22.9 |
| Adams | 15 | 2 | 13 | 21.3 | 7.3 | 30.2 | 12 | 1 | 11 | 17.0 | 3.6 | 25.6 |
| Alcorn | 11 | 9 | 2 | 25.6 | 24.1 | 36.4 | 7 | 6 | 1 | 16.3 | 16.0 | 18.2 |
| Amitte | 7 | 1 | 6 | 34.1 | 11.5 | 50.8 | 5 | 0 | 5 | 24.4 | - | 42.4 |
| Attala | 5 | 1 | 4 | 14.7 | 5.9 | 23.2 | 3 | 1 | 2 | 8.8 | 5.9 | 11.6 |
| Benton | 6 | 2 | 4 | 58.2 | 30.3 | 108.1 | 5 | 2 | 3 | 48.5 | 30.3 | 81.1 |
| Bolivar | 32 | 7 | 25 | 27.0 | 27.7 | 26.9 | 19 | 4 | 15 | 16.1 | 15.8 | 16.1 |
| Calhoun | 6 | 2 | 4 | 22.5 | 13.1 | 35.1 | 3 | 2 | 1 | 11.2 | 13.1 | 8.8 |
| Carroll | 2 | 0 | 2 | 15.3 | - | 27.8 | 1 | 0 | 1 | 7.6 | - | 13.9 |
| Chickasaw | 16 | 5 | 11 | 48.0 | 29.9 | 66.3 | 12 | 4 | 8 | 36.0 | 24.0 | 48.2 |
| Choctaw | 3 | 2 | 1 | 22.4 | 25.6 | 17.8 | 2 | 2 | 0 | 14.9 | 25.6 | - |
| Claiborne | 12 | 0 | 12 | 61.5 | - | 68.6 | 5 | 0 | 5 | 25.6 | - | 28.6 |
| Clarke | 8 | 3 | 5 | 31.1 | 23.6 | 38.5 | 6 | 2 | 4 | 23.3 | 15.7 | 30.8 |
| Clay | 14 | 3 | 11 | 35.4 | 22.6 | 41.8 | 9 | 2 | 7 | 22.7 | 15.0 | 26.6 |
| Coahoma | 26 | 2 | 24 | 31.9 | 11.4 | 37.6 | 16 | 2 | 14 | 19.6 | 11.4 | 21.9 |
| Copiah | 11 | 3 | 8 | 25.5 | 21.7 | 27.2 | 7 | 2 | 5 | 16.2 | 14.5 | 17.0 |
| Covington | 1 | 0 | 1 | 3.7 | - | 6.6 | 0 | 0 | 0 | - | - | - |
| DeSoto | 11 | 7 | 4 | 13.2 | 11.8 | 16.5 | 7 | 5 | 2 | 8.4 | 8.4 | 8.3 |
| Forrest | 25 | 12 | 13 | 24.4 | 18.1 | 35.8 | 19 | 10 | 9 | 18.5 | 15.1 | 24.8 |
| Franklin | 2 | 0 | 2 | 15.7 | - | 26.7 | 1 | 0 | 1 | 7.9 | - | 13.3 |
| George | 3 | 1 | 2 | 11.5 | 4.5 | 54.0 | 2 | 0 | 2 | 7.7 | - | 54.0 |
| Greene | 6 | 4 | 2 | 35.9 | 36.7 | 34.5 | 3 | 2 | 1 | 18.0 | 18.3 | 17.2 |
| Grenada | 11 | 3 | 8 | 28.3 | 17.0 | 37.6 | 8 | 2 | 6 | 20.6 | 11.4 | 28.2 |
| Hancock | 5 | 5 | 0 | 21.6 | 26.6 | - | 2 | 0 | 0 | 8.6 | 10.6 | - |
| Harrison | 59 | 38 | 21 | 19.0 | 15.8 | 30.1 | 42 | 25 | 17 | 13.6 | 10.4 | 24.4 |

Table 11 - Page 2
Infant and Neonatal Deaths - Mississippi - 1973

| County | Infant Deaths | | | | Neonatal Deaths | | | |
|------------|---------------|-------|-----------|-------|-----------------|-----------|-------|-------|
| | Total | White | Non-white | Total | White | Non-white | Total | White |
| Hinds | 72 | 23 | 49 | 17.7 | 12.5 | 21.9 | 33 | 12.3 |
| Holmes | 15 | 1 | 14 | 30.3 | 15.4 | 32.6 | 11 | 22.2 |
| Humphreys | 18 | 0 | 18 | 57.1 | - | 81.1 | 0 | 38.1 |
| Issaquena | 4 | 3 | 1 | 108.1 | 375.0 | 34.5 | 3 | 81.1 |
| Itawamba | 7 | 5 | 2 | 28.7 | 22.4 | 95.2 | 7 | 28.7 |
| Jackson | 49 | 23 | 26 | 23.2 | 14.7 | 47.2 | 36 | 18 |
| Jasper | 10 | 3 | 7 | 31.3 | 27.5 | 33.3 | 8 | 3 |
| Jefferson | 5 | 0 | 5 | 27.8 | - | 30.1 | 5 | 27.8 |
| Jeff Davis | 8 | 3 | 5 | 29.6 | 33.7 | 27.6 | 6 | 2 |
| Jones | 20 | 7 | 13 | 20.7 | 11.2 | 38.3 | 12 | 4 |
| Kemper | 14 | 2 | 12 | 68.0 | 35.7 | 80.0 | 3 | 1 |
| Lafayette | 8 | 4 | 4 | 18.2 | 15.2 | 22.6 | 6 | 3 |
| Lamar | 9 | 8 | 1 | 25.6 | 27.1 | 17.5 | 9 | 8 |
| Lauderdale | 29 | 12 | 17 | 19.9 | 14.6 | 26.6 | 22 | 11 |
| Lawrence | 3 | 1 | 2 | 13.5 | 7.4 | 23.2 | 3 | 1 |
| Leake | 11 | 5 | 6 | 31.2 | 30.3 | 31.9 | 7 | 4 |
| Lee | 28 | 20 | 8 | 28.7 | 29.6 | 26.8 | 20 | 15 |
| Leflore | 37 | 10 | 27 | 42.8 | 39.1 | 44.4 | 32 | 10 |
| Lincoln | 10 | 3 | 7 | 18.2 | 9.2 | 31.7 | 5 | 3 |
| Lowndes | 30 | 11 | 19 | 25.1 | 16.3 | 36.4 | 23 | 9 |
| Madison | 24 | 1 | 23 | 33.1 | 5.0 | 43.8 | 11 | 1 |
| Marion | 13 | 5 | 8 | 28.8 | 20.2 | 39.4 | 10 | 3 |
| Marshall | 14 | 2 | 12 | 26.1 | 10.6 | 34.4 | 10 | 2 |
| Monroe | 27 | 8 | 19 | 40.5 | 20.7 | 67.8 | 21 | 7 |
| Montgomery | 9 | 1 | 8 | 36.0 | 9.3 | 55.9 | 8 | 0 |
| Neshoba | 9 | 5 | 4 | 20.7 | 19.6 | 22.2 | 9 | 5 |
| Newton | 16 | 8 | 8 | 45.4 | 44.0 | 47.0 | 12 | 6 |
| Noxubee | 11 | 1 | 10 | 43.1 | 16.1 | 51.8 | 5 | 1 |
| Oktibbeha | 16 | 2 | 14 | 31.7 | 8.3 | 53.0 | 9 | 1 |
| Panola | 27 | 7 | 20 | 47.2 | 33.0 | 55.6 | 20 | 7 |

Table 11 - Page 3
Infant and Neonatal Deaths - Mississippi - 1973

| County | Infant Deaths | | | | Neonatal Deaths | | | | Rate** |
|--------------|---------------|-------|-----------|-------|-----------------|-----------|-------|-------|--------|
| | Total | White | Non-white | Total | White | Non-white | Total | White | |
| Pearl River | 11 | 8 | 3 | 22.0 | 21.4 | 23.8 | 9 | 7 | 18.0 |
| Perry | 3 | 0 | 3 | 15.8 | - | 44.1 | 2 | 2 | 10.5 |
| Pike | 21 | 4 | 17 | 33.6 | 13.8 | 50.7 | 15 | 3 | 24.0 |
| Pontotoc | 11 | 8 | 3 | 38.3 | 34.0 | 57.7 | 9 | 2 | 31.4 |
| Prentiss | 13 | 9 | 4 | 39.4 | 32.6 | 74.1 | 8 | 5 | 24.2 |
| Quitman | 10 | 1 | 9 | 26.0 | 9.9 | 31.7 | 9 | 1 | 23.4 |
| Rankin | 12 | 6 | 6 | 13.0 | 8.7 | 25.9 | 10 | 5 | 10.9 |
| Scott | 11 | 2 | 9 | 23.9 | 8.1 | 42.0 | 5 | 1 | 10.8 |
| Sharkey | 6 | 1 | 5 | 28.7 | 20.8 | 31.0 | 5 | 1 | 4 |
| Simpson | 9 | 3 | 6 | 23.5 | 14.4 | 34.3 | 6 | 3 | 15.7 |
| Smith | 4 | 2 | 2 | 14.9 | 11.6 | 21.0 | 3 | 2 | 11.2 |
| Stone | 4 | 0 | 4 | 24.2 | - | 59.7 | 2 | 0 | 12.1 |
| Sunflower | 24 | 2 | 22 | 30.6 | 11.2 | 36.4 | 9 | 1 | 8 |
| Tallahatchie | 14 | 0 | 14 | 34.4 | - | 44.3 | 7 | 0 | 7 |
| Tate | 7 | 1 | 6 | 19.3 | 5.8 | 31.6 | 5 | 1 | 4 |
| Tippah | 8 | 4 | 4 | 26.3 | 16.6 | 63.5 | 5 | 2 | 3 |
| Tishomingo | 4 | 4 | 0 | 17.7 | 18.4 | - | 3 | 0 | 13.3 |
| Tunica | 8 | 1 | 7 | 30.6 | 17.8 | 34.1 | 5 | 1 | 4 |
| Union | 11 | 6 | 5 | 29.0 | 20.5 | 57.5 | 9 | 6 | 3 |
| Walthall | 3 | 2 | 1 | 14.8 | 20.6 | 9.4 | 3 | 2 | 1 |
| Warren | 29 | 10 | 19 | 32.0 | 22.7 | 40.9 | 17 | 6 | 11 |
| Washington | 30 | 8 | 22 | 18.1 | 14.8 | 19.8 | 20 | 7 | 13 |
| Wayne | 6 | 1 | 5 | 18.4 | 5.6 | 34.2 | 5 | 1 | 4 |
| Webster | 9 | 5 | 4 | 59.2 | 46.7 | 88.9 | 7 | 4 | 3 |
| Wilkinson | 4 | 1 | 3 | 24.5 | 24.4 | 3 | 1 | 2 | 18.4 |
| Winston | 13 | 3 | 10 | 36.1 | 19.1 | 49.3 | 10 | 3 | 7 |
| Yalobusha | 9 | 3 | 6 | 37.5 | 26.8 | 46.9 | 5 | 2 | 3 |
| Yazoo | 10 | 1 | 9 | 20.4 | 6.1 | 27.8 | 6 | 0 | 6 |

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age.

** Deaths per 1,000 live births.

TABLE 12
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1973

| Cause of Death and International Classification Number** | Total | | Race | Total by Race | Under 28 Days of Age | | | | | | 28 Days and Over |
|--|--------------|-------------|---------|-------------------|----------------------|-------------------|-------------------|-----------------|----------------|----------------|------------------|
| | Number | Rate# | | | Total | Under 1 Day | 1-6 | 7-13 | 14-20 | 21-27 | |
| ALL CAUSES | 1,154 | 25.8 | W NW | 392 <u>762</u> | 301 <u>492</u> | 161 <u>254</u> | 112 <u>170</u> | 14 <u>37</u> | 9 <u>17</u> | 5 <u>14</u> | 91 <u>270</u> |
| Diarrheal disease (009) | 25 | 0.6 | W NW | 4 21 | 1 5 | 0 0 | 0 3 | 0 0 | 0 1 | 1 1 | 3 16 |
| Septicemia (038) | 25 | 0.6 | W NW | 7 18 | 5 11 | 1 2 | 1 3 | 1 4 | 1 2 | 1 0 | 2 7 |
| Other infective and parasitic diseases (000-008, 010-037, 039-136) | 16 | 0.4 | W NW | 3 13 | 2 2 | 1 0 | 0 0 | 0 0 | 0 1 | 1 1 | 1 11 |
| Meningitis (320) | 9 | 0.2 | W NW | 3 6 | 0 2 | 0 0 | 0 1 | 0 0 | 0 0 | 0 1 | 3 4 |
| Acute upper respiratory infections (460-465) | 7 | 0.2 | W NW | 1 6 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 | 1 6 |
| Bronchitis and bronchiolitis (466, 490, 491) | 3 | 0.1 | W NW | 0 3 | 0 1 | 0 0 | 0 0 | 0 0 | 0 1 | 0 0 | 0 2 |
| Influenza and pneumonia (470-486) | 103 | 2.3 | W NW | 20 83 | 5 19 | 2 1 | 2 9 | 0 3 | 1 3 | 0 3 | 15 64 |
| Hernia and intestinal obstruction (550-553, 560) | 7 | 0.2 | W NW | 4 3 | 2 3 | 2 0 | 0 2 | 0 0 | 0 1 | 0 0 | 2 0 |
| Congenital anomalies (740-759) | 123 | 2.8 | W NW | 69 54 | 49 33 | 23 15 | 20 10 | 5 5 | 1 1 | 0 2 | 20 21 |
| Maternal conditions unrelated to pregnancy (760, 761) | 5 | 0.1 | W NW | 3 2 | 3 2 | 1 1 | 1 1 | 0 0 | 1 0 | 0 0 | 0 0 |
| Toxemia of pregnancy (762) | 3 | 0.1 | W NW | 1 2 | 1 2 | 1 1 | 0 1 | 0 0 | 0 0 | 0 0 | 0 0 |
| Maternal antepartum and intrapartum infection (763) | 2 | # | W NW | 2 0 | 2 0 | 1 0 | 1 0 | 0 0 | 0 0 | 0 0 | 0 0 |
| Difficult labor (764-768) | 11 | 0.2 | W NW | 7 4 | 7 4 | 6 3 | 1 1 | 0 0 | 0 0 | 0 0 | 0 0 |

Table 12 - Page 2
 Infant Deaths - Mississippi - 1973

| Cause of Death and International Classification Number** | Total | | Race | Total by Race | Under 28 Days of Age | | | | | | 28 Days and Over |
|--|--------|-------|---------|---------------|----------------------|-------------|----------|--------|--------|--------|------------------|
| | Number | Rate# | | | Total | Under 1 Day | 1-6 | 7-13 | 14-20 | 21-27 | |
| Other complications of pregnancy and childbirth (769) | 56 | 1.2 | W NW | 14 42 | 14 42 | 12 27 | 2 13 | 0 2 | 0 0 | 0 0 | 0 0 |
| Conditions of placenta (770) | 23 | 0.5 | W NW | 10 13 | 10 13 | 10 7 | 0 5 | 0 1 | 0 0 | 0 0 | 0 0 |
| Conditions of umbilical cord (771) | 7 | 0.2 | W NW | 0 7 | 0 7 | 0 7 | 0 0 | 0 0 | 0 0 | 0 0 | 0 0 |
| Birth injury without mention of cause (772) | 31 | 0.7 | W NW | 10 21 | 10 20 | 4 4 | 5 12 | 1 3 | 0 0 | 0 1 | 0 1 |
| Hemolytic disease of newborn (774, 775) | 6 | 0.1 | W NW | 6 0 | 6 0 | 2 0 | 4 0 | 0 0 | 0 0 | 0 0 | 0 0 |
| Hyaline membrane disease (776.1) | 101 | 2.3 | W NW | 57 44 | 55 44 | 18 16 | 35 25 | 1 2 | 1 1 | 0 0 | 2 0 |
| Respiratory distress syndrome (776.2) | 76 | 1.7 | W NW | 40 36 | 40 36 | 18 14 | 18 18 | 4 3 | 0 0 | 0 1 | 0 0 |
| Asphyxia of newborn, unspecified (776.9) | 84 | 1.9 | W NW | 33 51 | 33 51 | 24 37 | 9 13 | 0 1 | 0 0 | 0 0 | 0 0 |
| Other anoxic and hypoxic conditions not elsewhere classifiable (776.0, 776.3, 776.4) | 16 | 0.4 | W NW | 3 13 | 3 13 | 1 7 | 2 5 | 0 1 | 0 0 | 0 0 | 0 0 |
| Immaturity, unqualified (777) | 162 | 3.6 | W NW | 28 134 | 28 132 | 24 95 | 4 32 | 0 5 | 0 0 | 0 0 | 0 2 |
| Hemorrhagic disease of newborn (778.2) | 10 | 0.2 | W NW | 4 6 | 4 6 | 2 2 | 2 3 | 0 0 | 0 1 | 0 0 | 0 0 |
| Other conditions of newborn (778.0, 778.1, 778.3, 778.9) | 17 | 0.4 | W NW | 10 7 | 10 7 | 7 3 | 1 2 | 1 1 | 1 0 | 0 1 | 0 0 |
| Symptoms and ill-defined conditions (780-796) | 116 | 2.6 | W NW | 17 99 | 3 24 | 0 12 | 1 4 | 0 2 | 1 3 | 1 3 | 14 75 |
| Accidents (800-949) | 50 | 1.1 | W NW | 18 32 | 1 4 | 0 0 | 0 1 | 0 1 | 0 2 | 1 0 | 17 28 |

Table 12 - Page 3
 Infant Deaths - Mississippi - 1973

| Cause of Death and International Classification Number** | Total | | Race | Total by Race | Under 28 Days of Age | | | | | | 28 Days and Over |
|--|--------|-------|---------|---------------|----------------------|-------------|--------|--------|--------|--------|------------------|
| | Number | Rate# | | | Total | Under 1 Day | 1-6 | 7-13 | 14-20 | 21-27 | |
| All other causes | 60 | 1.3 | W NW | 18 42 | 7 9 | 1 0 | 3 6 | 1 3 | 2 0 | 0 0 | 11 33 |

* Deaths of children under 1 year of age.

** Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Deaths per 1,000 live births.

Rate less than 0.06.

TABLE 13
MARRIAGES BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1973

| County | Licensure Data | | | Occurrence Data | | | Residence Data | | |
|------------|----------------|--------|-----------|-----------------|--------|-----------|----------------|--------|-----------|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| STATE | 28,513 | 19,276 | 9,237 | 28,513 | 19,276 | 9,237 | 25,140 | 16,477 | 8,663 |
| Adams | 447 | 254 | 193 | 471 | 263 | 208 | 379 | 192 | 187 |
| Alcorn | 475 | 426 | 49 | 492 | 441 | 51 | 285 | 250 | 35 |
| Amitie | 137 | 82 | 55 | 125 | 74 | 51 | 107 | 57 | 50 |
| Attala | 238 | 144 | 94 | 248 | 153 | 95 | 248 | 153 | 95 |
| Benton | 68 | 37 | 31 | 85 | 50 | 35 | 72 | 53 | 19 |
| Bolivar | 537 | 261 | 276 | 511 | 233 | 278 | 488 | 220 | 268 |
| Calhoun | 168 | 132 | 36 | 194 | 150 | 44 | 157 | 115 | 42 |
| Carroll | 85 | 52 | 33 | 82 | 48 | 34 | 73 | 40 | 33 |
| Chickasaw | 297 | 183 | 114 | 258 | 156 | 102 | 254 | 165 | 89 |
| Choctaw | 94 | 66 | 28 | 83 | 62 | 21 | 58 | 41 | 17 |
| Claiborne | 91 | 22 | 69 | 92 | 26 | 66 | 85 | 22 | 63 |
| Clarke | 165 | 107 | 58 | 175 | 117 | 58 | 156 | 96 | 60 |
| Clay | 209 | 107 | 102 | 211 | 112 | 99 | 202 | 106 | 96 |
| Coahoma | 405 | 175 | 230 | 402 | 169 | 233 | 378 | 158 | 220 |
| Copiah | 237 | 118 | 119 | 265 | 137 | 128 | 265 | 138 | 127 |
| Covington | 177 | 113 | 64 | 183 | 120 | 63 | 185 | 123 | 62 |
| DeSoto | 846 | 591 | 255 | 838 | 579 | 259 | 335 | 240 | 95 |
| Forrest | 840 | 650 | 190 | 768 | 589 | 179 | 739 | 565 | 174 |
| Franklin | 80 | 57 | 23 | 84 | 64 | 20 | 80 | 55 | 25 |
| George | 263 | 235 | 28 | 244 | 221 | 23 | 183 | 163 | 20 |
| Greene | 73 | 63 | 10 | 88 | 79 | 9 | 83 | 64 | 19 |
| Grenada | 244 | 159 | 85 | 223 | 140 | 83 | 224 | 143 | 81 |
| Hancock | 327 | 292 | 35 | 311 | 279 | 32 | 152 | 131 | 21 |
| Harrison | 2,322 | 1,987 | 335 | 2,358 | 2,030 | 328 | 1,906 | 1,617 | 289 |
| Hinds | 2,812 | 1,705 | 1,107 | 2,587 | 1,540 | 1,047 | 2,564 | 1,537 | 1,027 |
| Holmes | 224 | 87 | 137 | 240 | 93 | 147 | 262 | 106 | 156 |
| Humphreys | 144 | 56 | 88 | 139 | 49 | 90 | 146 | 60 | 86 |
| Issaquena | 11 | 6 | 5 | 10 | 3 | 7 | 11 | 3 | 8 |
| Itawamba | 215 | 205 | 10 | 212 | 200 | 12 | 159 | 148 | 11 |
| Jackson | 1,321 | 1,132 | 189 | 1,285 | 1,088 | 197 | 1,112 | 961 | 151 |
| Jasper | 134 | 64 | 70 | 156 | 80 | 76 | 159 | 82 | 77 |
| Jefferson | 89 | 15 | 74 | 70 | 12 | 58 | 74 | 10 | 64 |
| Jeff Davis | 154 | 64 | 90 | 160 | 74 | 86 | 124 | 56 | 68 |
| Jones | 679 | 546 | 133 | 683 | 552 | 131 | 653 | 530 | 123 |
| Kemper | 116 | 47 | 69 | 119 | 50 | 69 | 90 | 35 | 55 |
| Lafayette | 225 | 152 | 73 | 222 | 150 | 72 | 194 | 127 | 67 |
| Lamar | 152 | 131 | 21 | 177 | 148 | 29 | 201 | 170 | 31 |
| Lauderdale | 778 | 522 | 256 | 750 | 496 | 254 | 727 | 472 | 255 |
| Lawrence | 116 | 78 | 38 | 128 | 79 | 49 | 166 | 96 | 70 |
| Leake | 204 | 123 | 81 | 207 | 127 | 80 | 211 | 122 | 89 |
| Lee | 589 | 461 | 128 | 613 | 481 | 132 | 625 | 488 | 137 |
| Leflore | 468 | 212 | 256 | 487 | 226 | 261 | 454 | 206 | 248 |

Table 13. -- Page 2
 Marriages - Mississippi - 1973

| County | Licensure Data | | | Occurrence Data | | | Residence Data | | |
|--------------|----------------|-------|-----------|-----------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white | Total | White | Non-white |
| Lincoln | 306 | 219 | 87 | 312 | 227 | 85 | 279 | 194 | 85 |
| Lowndes | 538 | 348 | 190 | 567 | 368 | 199 | 503 | 315 | 188 |
| Madison | 345 | 136 | 209 | 367 | 153 | 214 | 347 | 144 | 203 |
| Marion | 371 | 267 | 104 | 369 | 260 | 109 | 340 | 245 | 95 |
| Marshall | 401 | 218 | 183 | 378 | 204 | 174 | 270 | 131 | 139 |
| Monroe | 358 | 252 | 106 | 365 | 250 | 115 | 326 | 221 | 105 |
| Montgomery | 160 | 90 | 70 | 175 | 102 | 73 | 185 | 102 | 83 |
| Neshoba | 266 | 188 | 78 | 264 | 185 | 79 | 223 | 151 | 72 |
| Newton | 176 | 113 | 63 | 208 | 148 | 60 | 234 | 163 | 71 |
| Noxubee | 128 | 43 | 85 | 148 | 55 | 93 | 153 | 54 | 99 |
| Oktibbeha | 296 | 184 | 112 | 271 | 163 | 108 | 263 | 151 | 112 |
| Panola | 350 | 189 | 161 | 353 | 195 | 158 | 309 | 166 | 143 |
| Pearl River | 432 | 377 | 55 | 450 | 395 | 55 | 334 | 285 | 49 |
| Perry | 120 | 97 | 23 | 125 | 98 | 27 | 112 | 94 | 18 |
| Pike | 437 | 252 | 185 | 469 | 272 | 197 | 408 | 233 | 175 |
| Pontotoc | 217 | 178 | 39 | 195 | 163 | 32 | 190 | 155 | 35 |
| Prentiss | 300 | 267 | 33 | 282 | 253 | 29 | 290 | 257 | 33 |
| Quitman | 196 | 93 | 103 | 206 | 101 | 105 | 191 | 90 | 101 |
| Rankin | 438 | 331 | 107 | 512 | 402 | 110 | 510 | 390 | 120 |
| Scott | 312 | 198 | 114 | 306 | 195 | 111 | 293 | 185 | 108 |
| Sharkey | 74 | 28 | 46 | 71 | 28 | 43 | 74 | 34 | 40 |
| Simpson | 285 | 208 | 77 | 282 | 203 | 79 | 260 | 187 | 73 |
| Smith | 103 | 87 | 16 | 135 | 109 | 26 | 126 | 92 | 34 |
| Stone | 129 | 98 | 31 | 113 | 84 | 29 | 122 | 96 | 26 |
| Sunflower | 354 | 146 | 208 | 388 | 176 | 212 | 371 | 160 | 211 |
| Tallahatchie | 84 | 32 | 52 | 89 | 38 | 51 | 92 | 34 | 58 |
| Tate | 229 | 122 | 107 | 209 | 111 | 98 | 200 | 101 | 99 |
| Tippah | 203 | 163 | 40 | 202 | 157 | 45 | 219 | 176 | 43 |
| Tishomingo | 455 | 442 | 13 | 449 | 437 | 12 | 182 | 176 | 6 |
| Tunica | 142 | 55 | 87 | 136 | 52 | 84 | 119 | 41 | 78 |
| Union | 227 | 188 | 39 | 231 | 196 | 35 | 207 | 166 | 41 |
| Walthall | 142 | 76 | 66 | 130 | 68 | 62 | 112 | 58 | 54 |
| Warren | 496 | 321 | 175 | 505 | 329 | 176 | 455 | 292 | 163 |
| Washington | 878 | 494 | 384 | 879 | 496 | 383 | 798 | 422 | 376 |
| Wayne | 217 | 146 | 71 | 209 | 137 | 72 | 149 | 96 | 53 |
| Webster | 113 | 89 | 24 | 117 | 95 | 22 | 118 | 97 | 21 |
| Wilkinson | 305 | 234 | 71 | 314 | 235 | 79 | 91 | 29 | 62 |
| Winston | 195 | 113 | 82 | 198 | 117 | 81 | 182 | 99 | 83 |
| Yalobusha | 137 | 78 | 59 | 155 | 93 | 62 | 160 | 98 | 62 |
| Yazoo | 342 | 197 | 145 | 330 | 183 | 147 | 317 | 181 | 136 |
| Not reported | | | | 13 | 3 | 10 | | | |
| Out of state | * | * | * | * | * | * | * | 3,373 | 2,799 |
| | | | | | | | | | 574 |

* Information on Mississippi brides who obtained licenses and/or married in other states is not available

TABLE 14
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE,
MISSISSIPPI, 1973

| County | Total | White | Non-white | County | Total | White | Non-white |
|--------------|---------------|--------------|--------------|--------------|-------|-------|-----------|
| <u>STATE</u> | <u>10,787</u> | <u>8,138</u> | <u>2,649</u> | | | | |
| Adams | 194 | 120 | 74 | Lincoln | 92 | 73 | 19 |
| Alcorn | 168 | 161 | 7 | Lowndes | 257 | 207 | 50 |
| Amite | 33 | 24 | 9 | Madison | 123 | 64 | 59 |
| Attala | 89 | 54 | 35 | Marion | 134 | 109 | 25 |
| Benton | 39 | 30 | 9 | Marshall | 148 | 102 | 46 |
| Bolivar | 172 | 94 | 78 | Monroe | 164 | 122 | 42 |
| Calhoun | 65 | 51 | 14 | Montgomery | 58 | 38 | 20 |
| Carroll | 29 | 18 | 11 | Neshoba | 129 | 85 | 44 |
| Chickasaw | 94 | 77 | 17 | Newton | 43 | 25 | 18 |
| Choctaw | 18 | 12 | 6 | Noxubee | 33 | 14 | 19 |
| Claiborne | 29 | 4 | 25 | Oktibbeha | 87 | 62 | 25 |
| Clarke | 47 | 34 | 13 | Panola | 104 | 62 | 42 |
| Clay | 98 | 44 | 54 | Pearl River | 227 | 208 | 19 |
| Coahoma | 175 | 97 | 78 | Perry | 45 | 40 | 5 |
| Copiah | 82 | 42 | 40 | Pike | 131 | 83 | 48 |
| Covington | 60 | 45 | 15 | Pontotoc | 85 | 68 | 17 |
| DeSoto | 341 | 302 | 39 | Prentiss | 103 | 91 | 12 |
| Forrest | 400 | 322 | 78 | Quitman | 40 | 16 | 24 |
| Franklin | 17 | 12 | 5 | Rankin | 134 | 108 | 26 |
| George | 60 | 51 | 9 | Scott | 100 | 59 | 41 |
| Greene | 29 | 24 | 5 | Sharkey | 14 | 8 | 6 |
| Grenada | 84 | 60 | 24 | Simpson | 122 | 92 | 30 |
| Hancock | 89 | 85 | 4 | Smith | 61 | 49 | 12 |
| Harrison | 1,000 | 873 | 127 | Stone | 55 | 42 | 13 |
| Hinds | 1,213 | 858 | 355 | Sunflower | 96 | 51 | 45 |
| Holmes | 44 | 18 | 26 | Tallahatchie | 49 | 31 | 18 |
| Humphreys | 18 | 12 | 6 | Tate | 63 | 46 | 17 |
| Issaquena | 1 | 0 | 1 | Tippah | 84 | 68 | 16 |
| Itawamba | 86 | 79 | 7 | Tishomingo | 47 | 45 | 2 |
| Jackson | 627 | 549 | 78 | Tunica | 24 | 17 | 7 |
| Jasper | 30 | 16 | 14 | Union | 76 | 72 | 4 |
| Jefferson | 20 | 6 | 14 | Walthall | 49 | 37 | 12 |
| Jeff Davis | 41 | 25 | 16 | Warren | 204 | 148 | 56 |
| Jones | 326 | 280 | 46 | Washington | 346 | 222 | 124 |
| Kemper | 22 | 14 | 8 | Wayne | 83 | 65 | 18 |
| Lafayette | 102 | 77 | 25 | Webster | 30 | 26 | 4 |
| Lamar | 77 | 73 | 4 | Wilkinson | 29 | 14 | 15 |
| Lauderdale | 351 | 290 | 61 | Winston | 93 | 52 | 41 |
| Lawrence | 42 | 29 | 13 | Yalobusha | 35 | 24 | 11 |
| Leake | 62 | 42 | 20 | Yazoo | 71 | 39 | 32 |
| Lee | 301 | 265 | 36 | | | | |
| Leflore | 144 | 85 | 59 | | | | |

NOTE:

Table 15 extends from page 87 through page 107 with identical data for each county as well as for the state.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Adams County | | | Alcorn County | | |
|--|--------------|-------|-----------|---------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 50 | 26 | 24 | 51 | 41 | 10 |
| Diabetes mellitus (250) | 12 | 3 | 9 | 2 | 2 | 0 |
| Heart diseases (390-398, 402, 404-429) | 168 | 65 | 103 | 118 | 105 | 13 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 1 | 1 | 0 |
| Cerebrovascular disease (430-438) | 43 | 18 | 25 | 37 | 29 | 8 |
| Arteriosclerosis (440) | 10 | 7 | 3 | 5 | 5 | 0 |
| Influenza and pneumonia (470-486) | 9 | 3 | 6 | 3 | 3 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 3 | 0 | 6 | 6 | 0 |
| Cirrhosis of liver (571) | 6 | 5 | 1 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 6 | 3 | 3 | 1 | 1 | 0 |
| Infections of kidney (590) | 2 | 1 | 1 | 4 | 3 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 3 | 1 | 2 | 3 | 3 | 0 |
| Certain causes of mortality in early infancy (760-778) | 11 | 1 | 10 | 6 | 5 | 1 |
| Accidents (800-949) | 28 | 17 | 11 | 32 | 31 | 1 |
| Motor vehicle accidents (810-823) | 8 | 6 | 2 | 18 | 18 | 0 |
| Suicide (950-959) | 2 | 2 | 0 | 4 | 4 | 0 |
| Homicide (960-978) | 11 | 3 | 8 | 7 | 7 | 0 |
| Ill-defined and unknown# (780-796) | 30 | 5 | 25 | 8 | 8 | 0 |
| | Amite County | | | Attala County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 1 | 0 | 1 | 1 | 0 | 1 |
| Malignant neoplasms (140-209) | 23 | 13 | 10 | 50 | 34 | 16 |
| Diabetes mellitus (250) | 2 | 0 | 2 | 5 | 5 | 0 |
| Heart diseases (390-398, 402, 404-429) | 41 | 23 | 18 | 109 | 71 | 38 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 1 | 0 | 1 |
| Cerebrovascular disease (430-438) | 22 | 14 | 8 | 39 | 29 | 10 |
| Arteriosclerosis (440) | 0 | 0 | 0 | 5 | 3 | 2 |
| Influenza and pneumonia (470-486) | 7 | 5 | 2 | 10 | 5 | 5 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 0 | 1 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 1 | 1 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 1 | 0 |
| Infections of kidney (590) | 0 | 0 | 0 | 2 | 1 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 1 | 0 | 1 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 3 | 0 | 3 | 3 | 1 | 2 |
| Accidents (800-949) | 19 | 7 | 12 | 7 | 4 | 3 |
| Motor vehicle accidents (810-823) | 4 | 3 | 1 | 5 | 3 | 2 |
| Suicide (950-959) | 1 | 1 | 0 | 4 | 4 | 0 |
| Homicide (960-978) | 4 | 0 | 4 | 3 | 0 | 3 |
| Ill-defined and unknown# (780-796) | 29 | 12 | 17 | 22 | 12 | 10 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Benton County | | | Bolivar County | | |
|--|----------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 5 | 3 | 2 | 64 | 22 | 42 |
| Diabetes mellitus (250) | 2 | 0 | 2 | 10 | 2 | 8 |
| Heart diseases (390-398, 402, 404-429) | 27 | 22 | 5 | 150 | 53 | 97 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 1 | 0 | 1 |
| Cerebrovascular disease (430-438) | 11 | 8 | 3 | 76 | 22 | 54 |
| Arteriosclerosis (440) | 3 | 1 | 2 | 4 | 1 | 3 |
| Influenza and pneumonia (470-486) | 2 | 1 | 1 | 17 | 6 | 11 |
| Bronchitis, emphysema, asthma (490-493) | 2 | 1 | 1 | 5 | 3 | 2 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 6 | 3 | 3 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 5 | 1 | 4 |
| Infections of kidney (590) | 0 | 0 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 3 | 3 | 0 |
| Certain causes of mortality in early infancy (760-778) | 3 | 1 | 2 | 13 | 2 | 11 |
| Accidents (800-949) | 3 | 2 | 1 | 58 | 24 | 34 |
| Motor vehicle accidents (810-823) | 2 | 1 | 1 | 30 | 18 | 12 |
| Suicide (950-959) | 1 | 1 | 0 | 3 | 3 | 0 |
| Homicide (960-978) | 0 | 0 | 0 | 6 | 1 | 5 |
| Ill-defined and unknown# (780-796) | 3 | 1 | 2 | 64 | 10 | 54 |
| | Calhoun County | | | Carroll County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 25 | 22 | 3 | 16 | 14 | 2 |
| Diabetes mellitus (250) | 5 | 3 | 2 | 2 | 1 | 1 |
| Heart diseases (390-398, 402, 404-429) | 71 | 60 | 11 | 34 | 21 | 13 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 4 | 1 | 3 |
| Cerebrovascular disease (430-438) | 29 | 23 | 6 | 20 | 9 | 11 |
| Arteriosclerosis (440) | 2 | 2 | 0 | 0 | 0 | 0 |
| Influenza and pneumonia (470-486) | 8 | 8 | 0 | 1 | 1 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 0 | 0 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 1 | 1 | 0 |
| Infections of kidney (590) | 1 | 0 | 1 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 0 | 0 | 0 | 1 | 0 | 1 |
| Certain causes of mortality in early infancy (760-778) | 3 | 2 | 1 | 1 | 0 | 1 |
| Accidents (800-949) | 17 | 7 | 10 | 10 | 6 | 4 |
| Motor vehicle accidents (810-823) | 12 | 4 | 8 | 7 | 5 | 2 |
| Suicide (950-959) | 0 | 0 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 0 | 0 | 0 | 1 | 0 | 1 |
| Ill-defined and unknown# (780-796) | 8 | 6 | 2 | 5 | 1 | 4 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Chickasaw County | | | Choctaw County | | |
|--|------------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 30 | 22 | 8 | 19 | 14 | 5 |
| Diabetes mellitus (250) | 6 | 4 | 2 | 0 | 0 | 0 |
| Heart diseases (390-398, 402, 404-429) | 77 | 50 | 27 | 36 | 27 | 9 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 36 | 22 | 14 | 10 | 9 | 1 |
| Arteriosclerosis (440) | 4 | 2 | 2 | 0 | 0 | 0 |
| Influenza and pneumonia (470-486) | 6 | 5 | 1 | 2 | 2 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 3 | 3 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 2 | 2 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 1 | 0 |
| Infections of kidney (590) | 1 | 1 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 2 | 2 | 0 | 1 | 0 | 1 |
| Certain causes of mortality in early infancy (760-778) | 10 | 2 | 8 | 2 | 2 | 0 |
| Accidents (800-949) | 16 | 10 | 6 | 5 | 2 | 3 |
| Motor vehicle accidents (810-823) | 9 | 6 | 3 | 4 | 2 | 2 |
| Suicide (950-959) | 3 | 1 | 2 | 2 | 0 | 2 |
| Homicide (960-978) | 0 | 0 | 0 | 4 | 0 | 4 |
| Ill-defined and unknown# (780-796) | 19 | 10 | 9 | 2 | 2 | 0 |
| | | | | | | |
| | Claiborne County | | | Clarke County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 18 | 8 | 10 | 17 | 12 | 5 |
| Diabetes mellitus (250) | 2 | 0 | 2 | 2 | 2 | 0 |
| Heart diseases (390-398, 402, 404-429) | 59 | 22 | 37 | 75 | 51 | 24 |
| Hypertension (400, 401, 403) | 1 | 1 | 0 | 3 | 2 | 1 |
| Cerebrovascular disease (430-438) | 6 | 1 | 5 | 22 | 9 | 13 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 6 | 5 | 1 |
| Influenza and pneumonia (470-486) | 6 | 0 | 6 | 4 | 3 | 1 |
| Bronchitis, emphysema, asthma (490-493) | 0 | 0 | 0 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 2 | 1 | 1 |
| Nephritis and nephrosis (580-584) | 1 | 0 | 1 | 0 | 0 | 0 |
| Infections of kidney (590) | 1 | 1 | 0 | 1 | 1 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 0 | 0 | 0 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 3 | 0 | 3 | 4 | 1 | 3 |
| Accidents (800-949) | 7 | 2 | 5 | 17 | 11 | 6 |
| Motor vehicle accidents (810-823) | 3 | 2 | 1 | 9 | 7 | 2 |
| Suicide (950-959) | 1 | 1 | 0 | 2 | 1 | 1 |
| Homicide (960-978) | 3 | 0 | 3 | 1 | 0 | 1 |
| Ill-defined and unknown# (780-796) | 9 | 0 | 9 | 17 | 8 | 9 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Clay County | | | Coahoma County | | |
|---|---------------|-------|---------------|------------------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 26 | 14 | 12 | 68 | 19 | 49 |
| Diabetes mellitus (250) | 3 | 3 | 0 | 15 | 1 | 14 |
| Heart diseases (390-398, 402, 404-429) | 77 | 38 | 39 | 157 | 70 | 87 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 3 | 0 | 3 |
| Cerebrovascular disease (430-438) | 30 | 15 | 15 | 65 | 21 | 44 |
| Arteriosclerosis (440) | 1 | 0 | 1 | 7 | 2 | 5 |
| Influenza and pneumonia (470-486) | 0 | 0 | 0 | 16 | 7 | 9 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 3 | 0 | 6 | 3 | 3 |
| Cirrhosis of liver (571) | 5 | 5 | 0 | 1 | 0 | 1 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 4 | 3 | 1 |
| Infections of kidney (590) | 0 | 0 | 0 | 5 | 3 | 2 |
| Maternal causes (630-678) | 0 | 0 | 0 | 1 | 0 | 1 |
| Congenital anomalies (740-759) | 4 | 1 | 3 | 4 | 0 | 4 |
| Certain causes of mortality in early infancy (760-778) | 5 | 1 | 4 | 12 | 1 | 11 |
| Accidents (800-949) | 10 | 6 | 4 | 32 | 11 | 21 |
| Motor vehicle accidents (810-823) | 5 | 3 | 2 | 17 | 6 | 11 |
| Suicide (950-959) | 0 | 0 | 0 | 3 | 1 | 2 |
| Homicide (960-978) | 5 | 2 | 3 | 5 | 1 | 4 |
| Ill-defined and unknown# (780-796) | 13 | 5 | 8 | 32 | 2 | 30 |
| | | | | | | |
| | Copiah County | | | Covington County | | |
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 1 | 0 | 1 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 46 | 24 | 22 | 32 | 24 | 8 |
| Diabetes mellitus (250) | 5 | 0 | 5 | 5 | 2 | 3 |
| Heart diseases (390-398, 402, 404-429) | 110 | 63 | 47 | 62 | 48 | 14 |
| Hypertension (400, 401, 403) | 2 | 0 | 2 | 1 | 0 | 1 |
| Cerebrovascular disease (430-438) | 47 | 24 | 23 | 35 | 23 | 12 |
| Arteriosclerosis (440) | 4 | 2 | 2 | 8 | 8 | 0 |
| Influenza and pneumonia (470-486) | 13 | 5 | 8 | 6 | 6 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 2 | 1 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 3 | 2 | 1 | 2 | 2 | 0 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 0 | 0 | 0 |
| Infections of kidney (590) | 2 | 1 | 1 | 1 | 1 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 0 | 1 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 7 | 2 | 5 | 0 | 0 | 0 |
| Accidents (800-949) | 20 | 12 | 8 | 8 | 6 | 2 |
| Motor vehicle accidents (810-823) | 8 | 5 | 3 | 3 | 2 | 1 |
| Suicide (950-959) | 2 | 2 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 7 | 0 | 7 | 2 | 0 | 2 |
| Ill-defined and unknown# (780-796) | 22 | 7 | 15 | 11 | 5 | 6 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | DeSoto County | | | Forrest County | | |
|--|---------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 2 | 1 | 1 |
| Malignant neoplasms (140-209) | 34 | 27 | 7 | 92 | 64 | 28 |
| Diabetes mellitus (250) | 3 | 2 | 1 | 11 | 6 | 5 |
| Heart diseases (390-398, 402, 404-429) | 77 | 51 | 26 | 210 | 164 | 46 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 5 | 4 | 1 |
| Cerebrovascular disease (430-438) | 28 | 17 | 11 | 80 | 48 | 32 |
| Arteriosclerosis (440) | 1 | 0 | 1 | 13 | 11 | 2 |
| Influenza and pneumonia (470-486) | 9 | 7 | 2 | 18 | 13 | 5 |
| Bronchitis, emphysema, asthma (490-493) | 6 | 6 | 0 | 11 | 9 | 2 |
| Cirrhosis of liver (571) | 1 | 0 | 1 | 6 | 5 | 1 |
| Nephritis and nephrosis (580-584) | 1 | 0 | 1 | 6 | 3 | 3 |
| Infections of kidney (590) | 0 | 0 | 0 | 4 | 1 | 3 |
| Maternal causes (630-678) | 0 | 0 | 0 | 1 | 0 | 1 |
| Congenital anomalies (740-759) | 6 | 4 | 2 | 7 | 6 | 1 |
| Certain causes of mortality in early infancy (760-778) | 5 | 3 | 2 | 16 | 8 | 8 |
| Accidents (800-949) | 33 | 23 | 10 | 38 | 24 | 14 |
| Motor vehicle accidents (810-823) | 18 | 14 | 4 | 21 | 14 | 7 |
| Suicide (950-959) | 6 | 6 | 0 | 2 | 1 | 1 |
| Homicide (960-978) | 4 | 1 | 3 | 7 | 2 | 5 |
| Ill-defined and unknown# (780-796) | 56 | 21 | 35 | 43 | 16 | 27 |
| Franklin County | | | | | | |
| | Total | White | Non-white | Total | White | Non-white |
| | | | | | | |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 18 | 10 | 8 | 22 | 20 | 2 |
| Diabetes mellitus (250) | 6 | 1 | 5 | 4 | 4 | 0 |
| Heart diseases (390-398, 402, 404-429) | 43 | 29 | 14 | 45 | 39 | 6 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 21 | 14 | 7 | 9 | 8 | 1 |
| Arteriosclerosis (440) | 4 | 3 | 1 | 3 | 1 | 2 |
| Influenza and pneumonia (470-486) | 4 | 4 | 0 | 1 | 1 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 0 | 1 | 0 | 0 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 0 | 0 | 0 |
| Infections of kidney (590) | 1 | 1 | 0 | 3 | 3 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 0 | 0 | 0 | 2 | 2 | 0 |
| Certain causes of mortality in early infancy (760-778) | 1 | 0 | 1 | 2 | 0 | 2 |
| Accidents (800-949) | 12 | 9 | 3 | 13 | 11 | 2 |
| Motor vehicle accidents (810-823) | 6 | 5 | 1 | 7 | 6 | 1 |
| Suicide (950-959) | 1 | 1 | 0 | 1 | 1 | 0 |
| Homicide (960-978) | 0 | 0 | 0 | 0 | 0 | 0 |
| Ill-defined and unknown# (780-796) | 9 | 5 | 4 | 0 | 0 | 0 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Greene County | | | Grenada County | | |
|--|----------------|-------|-----------|-----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 12 | 11 | 1 | 28 | 17 | 11 |
| Diabetes mellitus (250) | 2 | 1 | 1 | 3 | 2 | 1 |
| Heart diseases (390-398, 402, 404-429) | 45 | 33 | 12 | 72 | 47 | 25 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 4 | 1 | 3 |
| Cerebrovascular disease (430-438) | 14 | 10 | 4 | 45 | 26 | 19 |
| Arteriosclerosis (440) | 2 | 2 | 0 | 1 | 0 | 1 |
| Influenza and pneumonia (470-486) | 2 | 2 | 0 | 7 | 4 | 3 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 3 | 2 | 1 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 1 | 0 |
| Infections of kidney (590) | 3 | 3 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 0 | 0 | 0 | 3 | 1 | 2 |
| Certain causes of mortality in early infancy (760-778) | 2 | 2 | 0 | 5 | 2 | 3 |
| Accidents (800-949) | 4 | 4 | 0 | 14 | 10 | 4 |
| Motor vehicle accidents (810-823) | 3 | 3 | 0 | 8 | 7 | 1 |
| Suicide (950-959) | 0 | 0 | 0 | 3 | 2 | 1 |
| Homicide (960-978) | 0 | 0 | 0 | 5 | 0 | 5 |
| Ill-defined and unknown# (780-796) | 1 | 1 | 0 | 25 | 12 | 13 |
| | | | | | | |
| | Hancock County | | | Harrison County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 2 | 2 | 0 |
| Malignant neoplasms (140-209) | 26 | 20 | 6 | 206 | 174 | 32 |
| Diabetes mellitus (250) | 4 | 4 | 0 | 18 | 12 | 6 |
| Heart diseases (390-398, 402, 404-429) | 66 | 60 | 6 | 452 | 374 | 78 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 5 | 4 | 1 |
| Cerebrovascular disease (430-438) | 21 | 19 | 2 | 107 | 74 | 33 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 4 | 3 | 1 |
| Influenza and pneumonia (470-486) | 11 | 11 | 0 | 24 | 18 | 6 |
| Bronchitis, emphysema, asthma (490-493) | 2 | 2 | 0 | 13 | 12 | 1 |
| Cirrhosis of liver (571) | 2 | 2 | 0 | 18 | 16 | 2 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 4 | 3 | 1 |
| Infections of kidney (590) | 0 | 0 | 0 | 4 | 4 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 1 | 1 | 0 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 10 | 8 | 2 |
| Certain causes of mortality in early infancy (760-778) | 1 | 1 | 0 | 34 | 20 | 14 |
| Accidents (800-949) | 17 | 14 | 3 | 88 | 64 | 24 |
| Motor vehicle accidents (810-823) | 8 | 7 | 1 | 31 | 23 | 8 |
| Suicide (950-959) | 2 | 2 | 0 | 11 | 10 | 1 |
| Homicide (960-978) | 2 | 1 | 1 | 19 | 12 | 7 |
| Ill-defined and unknown# (780-796) | 11 | 10 | 1 | 43 | 22 | 21 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Hinds County | | | Holmes County | | |
|--|------------------|-------|-----------|------------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 7 | 0 | 7 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 315 | 178 | 137 | 31 | 13 | 18 |
| Diabetes mellitus (250) | 33 | 11 | 22 | 9 | 1 | 8 |
| Heart diseases (390-398, 402, 404-429) | 561 | 376 | 185 | 94 | 39 | 55 |
| Hypertension (400, 401, 403) | 10 | 4 | 6 | 3 | 1 | 2 |
| Cerebrovascular disease (430-438) | 205 | 113 | 92 | 52 | 17 | 35 |
| Arteriosclerosis (440) | 21 | 13 | 8 | 4 | 3 | 1 |
| Influenza and pneumonia (470-486) | 56 | 29 | 27 | 10 | 3 | 7 |
| Bronchitis, emphysema, asthma (490-493) | 15 | 14 | 1 | 1 | 1 | 0 |
| Cirrhosis of liver (571) | 17 | 12 | 5 | 3 | 2 | 1 |
| Nephritis and nephrosis (580-584) | 11 | 5 | 6 | 3 | 1 | 2 |
| Infections of kidney (590) | 7 | 3 | 4 | 2 | 1 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 1 | 0 | 1 |
| Congenital anomalies (740-759) | 15 | 9 | 6 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 39 | 10 | 29 | 9 | 0 | 9 |
| Accidents (800-949) | 151 | 83 | 68 | 19 | 4 | 15 |
| Motor vehicle accidents (810-823) | 68 | 39 | 29 | 8 | 3 | 5 |
| Suicide (950-959) | 22 | 17 | 5 | 2 | 2 | 0 |
| Homicide (960-978) | 59 | 9 | 50 | 2 | 0 | 2 |
| Ill-defined and unknown# (780-796) | 90 | 30 | 60 | 22 | 4 | 18 |
| | | | | | | |
| | Humphreys County | | | Issaquena County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 1 | 0 | 1 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 20 | 5 | 15 | 3 | 1 | 2 |
| Diabetes mellitus (250) | 4 | 1 | 3 | 0 | 0 | 0 |
| Heart diseases (390-398, 402, 404-429) | 67 | 25 | 42 | 5 | 2 | 3 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 21 | 6 | 15 | 3 | 1 | 2 |
| Arteriosclerosis (440) | 10 | 3 | 7 | 0 | 0 | 0 |
| Influenza and pneumonia (470-486) | 4 | 2 | 2 | 0 | 0 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 2 | 1 | 1 | 0 | 0 | 0 |
| Cirrhosis of liver (571) | 1 | 0 | 1 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 0 | 1 |
| Infections of kidney (590) | 1 | 1 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 1 | 0 | 1 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 0 | 1 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 10 | 0 | 10 | 3 | 3 | 0 |
| Accidents (800-949) | 10 | 1 | 9 | 2 | 0 | 2 |
| Motor vehicle accidents (810-823) | 3 | 0 | 3 | 1 | 0 | 1 |
| Suicide (950-959) | 0 | 0 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 1 | 1 | 0 | 0 | 0 | 0 |
| Ill-defined and unknown# (780-796) | 18 | 3 | 15 | 5 | 2 | 3 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Itawamba County | | | Jackson County | | |
|--|-----------------|-------|-----------|------------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 16 | 15 | 1 | 114 | 101 | 13 |
| Diabetes mellitus (250) | 2 | 2 | 0 | 17 | 16 | 1 |
| Heart diseases (390-398, 402, 404-429) | 60 | 53 | 7 | 160 | 113 | 47 |
| Hypertension (400, 401, 403) | 3 | 2 | 1 | 5 | 2 | 3 |
| Cerebrovascular disease (430-438) | 41 | 39 | 2 | 56 | 42 | 14 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 3 | 3 | 0 |
| Influenza and pneumonia (470-486) | 3 | 3 | 0 | 22 | 15 | 7 |
| Bronchitis, emphysema, asthma (490-493) | 2 | 2 | 0 | 9 | 9 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 9 | 9 | 0 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 4 | 1 | 3 |
| Infections of kidney (590) | 0 | 0 | 0 | 1 | 0 | 1 |
| Maternal causes (630-678) | 1 | 1 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 7 | 4 | 3 |
| Certain causes of mortality in early infancy (760-778) | 5 | 4 | 1 | 29 | 12 | 17 |
| Accidents (800-949) | 10 | 10 | 0 | 72 | 63 | 9 |
| Motor vehicle accidents (810-823) | 3 | 3 | 0 | 44 | 41 | 3 |
| Suicide (950-959) | 0 | 0 | 0 | 7 | 7 | 0 |
| Homicide (960-978) | 3 | 3 | 0 | 8 | 5 | 3 |
| Ill-defined and unknown# (780-796) | 1 | 1 | 0 | 23 | 18 | 5 |
| | | | | | | |
| | Jasper County | | | Jefferson County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 22 | 10 | 12 | 18 | 3 | 15 |
| Diabetes mellitus (250) | 5 | 1 | 4 | 4 | 1 | 3 |
| Heart diseases (390-398, 402, 404-429) | 81 | 42 | 39 | 37 | 13 | 24 |
| Hypertension (400, 401, 403) | 1 | 1 | 0 | 2 | 0 | 2 |
| Cerebrovascular disease (430-438) | 16 | 8 | 8 | 6 | 3 | 3 |
| Arteriosclerosis (440) | 2 | 2 | 0 | 0 | 0 | 0 |
| Influenza and pneumonia (470-486) | 6 | 3 | 3 | 2 | 0 | 2 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 0 | 0 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 1 | 0 | 1 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 0 | 1 |
| Infections of kidney (590) | 1 | 1 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 7 | 2 | 5 | 5 | 0 | 5 |
| Accidents (800-949) | 17 | 11 | 6 | 10 | 3 | 7 |
| Motor vehicle accidents (810-823) | 10 | 7 | 3 | 3 | 1 | 2 |
| Suicide (950-959) | 0 | 0 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 2 | 1 | 1 | 1 | 1 | 0 |
| Ill-defined and unknown# (780-796) | 5 | 2 | 3 | 7 | 0 | 7 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Jeff Davis County | | | Jones County | | |
|--|-------------------|-------|-----------|------------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 22 | 16 | 6 | 100 | 83 | 17 |
| Diabetes mellitus (250) | 4 | 1 | 3 | 8 | 4 | 4 |
| Heart diseases (390-398, 402, 404-429) | 54 | 32 | 22 | 216 | 170 | 46 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 4 | 2 | 2 |
| Cerebrovascular disease (430-438) | 26 | 8 | 18 | 80 | 56 | 24 |
| Arteriosclerosis (440) | 4 | 2 | 2 | 14 | 10 | 4 |
| Influenza and pneumonia (470-486) | 2 | 1 | 1 | 21 | 13 | 8 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 6 | 6 | 0 |
| Cirrhosis of liver (571) | 1 | 0 | 1 | 8 | 5 | 3 |
| Nephritis and nephrosis (580-584) | 2 | 1 | 1 | 6 | 3 | 3 |
| Infections of kidney (590) | 3 | 1 | 2 | 4 | 2 | 2 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 3 | 2 | 1 | 7 | 6 | 1 |
| Certain causes of mortality in early infancy (760-778) | 4 | 0 | 4 | 8 | 3 | 5 |
| Accidents (800-949) | 13 | 3 | 10 | 36 | 27 | 9 |
| Motor vehicle accidents (810-823) | 5 | 2 | 3 | 13 | 12 | 1 |
| Suicide (950-959) | 2 | 2 | 0 | 4 | 3 | 1 |
| Homicide (960-978) | 4 | 0 | 4 | 8 | 4 | 4 |
| Ill-defined and unknown# (780-796) | 4 | 2 | 2 | 49 | 26 | 23 |
| | Kemper County | | | Lafayette County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 1 | 0 | 1 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 7 | 5 | 2 | 28 | 24 | 4 |
| Diabetes mellitus (250) | 3 | 0 | 3 | 0 | 0 | 0 |
| Heart diseases (390-398, 402, 404-429) | 47 | 31 | 16 | 71 | 60 | 11 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 18 | 9 | 9 | 28 | 23 | 5 |
| Arteriosclerosis (440) | 4 | 2 | 2 | 1 | 1 | 0 |
| Influenza and pneumonia (470-486) | 10 | 2 | 8 | 7 | 6 | 1 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 0 | 0 | 0 |
| Cirrhosis of liver (571) | 1 | 0 | 1 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 0 | 1 |
| Infections of kidney (590) | 0 | 0 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 3 | 1 | 2 |
| Certain causes of mortality in early infancy (760-778) | 1 | 1 | 0 | 6 | 3 | 3 |
| Accidents (800-949) | 4 | 2 | 2 | 14 | 5 | 9 |
| Motor vehicle accidents (810-823) | 4 | 2 | 2 | 8 | 4 | 4 |
| Suicide (950-959) | 2 | 2 | 0 | 1 | 1 | 0 |
| Homicide (960-978) | 0 | 0 | 0 | 4 | 0 | 4 |
| Ill-defined and unknown# (780-796) | 12 | 3 | 9 | 29 | 14 | 15 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Lamar County | | | Lauderdale County | | |
|--|-----------------|-------|-----------|-------------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 2 | 2 | 0 |
| Malignant neoplasms (140-209) | 23 | 18 | 5 | 113 | 84 | 29 |
| Diabetes mellitus (250) | 4 | 4 | 0 | 17 | 10 | 7 |
| Heart diseases (390-398, 402, 404-429) | 52 | 44 | 8 | 233 | 180 | 53 |
| Hypertension (400, 401, 403) | 2 | 2 | 0 | 3 | 1 | 2 |
| Cerebrovascular disease (430-438) | 25 | 17 | 8 | 104 | 71 | 33 |
| Arteriosclerosis (440) | 3 | 3 | 0 | 11 | 9 | 2 |
| Influenza and pneumonia (470-486) | 5 | 4 | 1 | 26 | 14 | 12 |
| Bronchitis, emphysema, asthma (490-493) | 5 | 5 | 0 | 6 | 6 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 13 | 8 | 5 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 3 | 1 | 2 |
| Infections of kidney (590) | 0 | 0 | 0 | 5 | 4 | 1 |
| Maternal causes (630-678) | 1 | 1 | 0 | 1 | 0 | 1 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 3 | 2 | 1 |
| Certain causes of mortality in early infancy (760-778) | 8 | 7 | 1 | 17 | 8 | 9 |
| Accidents (800-949) | 14 | 13 | 1 | 53 | 33 | 20 |
| Motor vehicle accidents (810-823) | 9 | 8 | 1 | 28 | 17 | 11 |
| Suicide (950-959) | 0 | 0 | 0 | 11 | 10 | 1 |
| Homicide (960-978) | 3 | 0 | 3 | 12 | 4 | 8 |
| Ill-defined and unknown# (780-796) | 9 | 7 | 2 | 126 | 69 | 57 |
| | | | | | | |
| | Lawrence County | | | Leake County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 1 | 1 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 23 | 14 | 9 | 30 | 21 | 9 |
| Diabetes mellitus (250) | 0 | 0 | 0 | 4 | 2 | 2 |
| Heart diseases (390-398, 402, 404-429) | 40 | 33 | 7 | 93 | 66 | 27 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 16 | 9 | 7 | 21 | 13 | 8 |
| Arteriosclerosis (440) | 3 | 3 | 0 | 2 | 1 | 1 |
| Influenza and pneumonia (470-486) | 5 | 4 | 1 | 10 | 5 | 5 |
| Bronchitis, emphysema, asthma (490-493) | 2 | 1 | 1 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 1 | 0 | 1 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 0 | 0 | 0 |
| Infections of kidney (590) | 0 | 0 | 0 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 0 | 0 | 0 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 2 | 1 | 1 | 6 | 4 | 2 |
| Accidents (800-949) | 11 | 7 | 4 | 23 | 12 | 11 |
| Motor vehicle accidents (810-823) | 6 | 4 | 2 | 13 | 9 | 4 |
| Suicide (950-959) | 1 | 1 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 2 | 0 | 2 | 3 | 0 | 3 |
| Ill-defined and unknown# (780-796) | 7 | 3 | 4 | 9 | 4 | 5 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Lee County | | | Leflore County | | |
|--|----------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 63 | 50 | 13 | 68 | 36 | 32 |
| Diabetes mellitus (250) | 2 | 1 | 1 | 7 | 1 | 6 |
| Heart diseases (390-398, 402, 404-429) | 215 | 164 | 51 | 166 | 68 | 98 |
| Hypertension (400, 401, 403) | 4 | 3 | 1 | 3 | 0 | 3 |
| Cerebrovascular disease (430-438) | 62 | 50 | 12 | 57 | 23 | 34 |
| Arteriosclerosis (440) | 5 | 5 | 0 | 3 | 2 | 1 |
| Influenza and pneumonia (470-486) | 13 | 7 | 6 | 13 | 5 | 8 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 3 | 0 | 1 | 1 | 0 |
| Cirrhosis of liver (571) | 5 | 5 | 0 | 5 | 4 | 1 |
| Nephritis and nephrosis (580-584) | 2 | 1 | 1 | 3 | 0 | 3 |
| Infections of kidney (590) | 0 | 0 | 0 | 6 | 4 | 2 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 8 | 8 | 0 | 5 | 3 | 2 |
| Certain causes of mortality in early infancy (760-778) | 15 | 10 | 5 | 28 | 9 | 19 |
| Accidents (800-949) | 56 | 40 | 16 | 34 | 13 | 21 |
| Motor vehicle accidents (810-823) | 31 | 22 | 9 | 13 | 4 | 9 |
| Suicide (950-959) | 6 | 4 | 2 | 2 | 2 | 0 |
| Homicide (960-978) | 8 | 4 | 4 | 13 | 2 | 11 |
| Ill-defined and unknown# (780-796) | 4 | 2 | 2 | 13 | 0 | 13 |
| | | | | | | |
| | Lincoln County | | | Lowndes County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 36 | 26 | 10 | 53 | 41 | 12 |
| Diabetes mellitus (250) | 6 | 2 | 4 | 10 | 2 | 8 |
| Heart diseases (390-398, 402, 404-429) | 113 | 83 | 30 | 98 | 68 | 30 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 2 | 1 | 1 |
| Cerebrovascular disease (430-438) | 30 | 24 | 6 | 64 | 30 | 34 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 6 | 4 | 2 |
| Influenza and pneumonia (470-486) | 13 | 8 | 5 | 11 | 8 | 3 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 4 | 3 | 1 |
| Cirrhosis of liver (571) | 2 | 2 | 0 | 4 | 2 | 2 |
| Nephritis and nephrosis (580-584) | 3 | 1 | 2 | 4 | 1 | 3 |
| Infections of kidney (590) | 1 | 1 | 0 | 1 | 1 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 4 | 0 | 4 | 4 | 3 | 1 |
| Certain causes of mortality in early infancy (760-778) | 2 | 2 | 0 | 17 | 8 | 9 |
| Accidents (800-949) | 21 | 17 | 4 | 39 | 23 | 16 |
| Motor vehicle accidents (810-823) | 12 | 9 | 3 | 19 | 11 | 8 |
| Suicide (950-959) | 4 | 2 | 2 | 3 | 3 | 0 |
| Homicide (960-978) | 4 | 1 | 3 | 7 | 0 | 7 |
| Ill-defined and unknown# (780-796) | 23 | 7 | 16 | 62 | 8 | 54 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Madison County | | | Marion County | | |
|---|----------------|-------|---------------|---------------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 1 | 0 | 1 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 42 | 12 | 30 | 37 | 23 | 14 |
| Diabetes mellitus (250) | 14 | 4 | 10 | 7 | 5 | 2 |
| Heart diseases (390-398, 402, 404-429) | 112 | 37 | 75 | 71 | 60 | 11 |
| Hypertension (400, 401, 403) | 3 | 1 | 2 | 1 | 1 | 0 |
| Cerebrovascular disease (430-438) | 34 | 8 | 26 | 56 | 42 | 14 |
| Arteriosclerosis (440) | 3 | 0 | 3 | 2 | 1 | 1 |
| Influenza and pneumonia (470-486) | 10 | 3 | 7 | 8 | 6 | 2 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 6 | 6 | 0 |
| Cirrhosis of liver (571) | 1 | 0 | 1 | 2 | 2 | 0 |
| Nephritis and nephrosis (580-584) | 1 | 0 | 1 | 1 | 1 | 0 |
| Infections of kidney (590) | 1 | 0 | 1 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 0 | 1 | 2 | 1 | 1 |
| Certain causes of mortality in early infancy (760-778) | 9 | 1 | 8 | 8 | 3 | 5 |
| Accidents (800-949) | 32 | 7 | 25 | 19 | 14 | 5 |
| Motor vehicle accidents (810-823) | 13 | 2 | 11 | 13 | 11 | 2 |
| Suicide (950-959) | 3 | 2 | 1 | 2 | 2 | 0 |
| Homicide (960-978) | 6 | 0 | 6 | 5 | 1 | 4 |
| Ill-defined and unknown# (780-796) | 55 | 8 | 47 | 15 | 5 | 10 |

| | Marshall County | | | Monroe County | | |
|---|-----------------|-------|---------------|---------------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 33 | 21 | 12 | 56 | 38 | 18 |
| Diabetes mellitus (250) | 8 | 6 | 2 | 6 | 1 | 5 |
| Heart diseases (390-398, 402, 404-429) | 62 | 25 | 37 | 169 | 129 | 40 |
| Hypertension (400, 401, 403) | 3 | 2 | 1 | 2 | 2 | 0 |
| Cerebrovascular disease (430-438) | 40 | 11 | 29 | 59 | 34 | 25 |
| Arteriosclerosis (440) | 3 | 2 | 1 | 6 | 5 | 1 |
| Influenza and pneumonia (470-486) | 6 | 0 | 6 | 4 | 3 | 1 |
| Bronchitis, emphysema, asthma (490-493) | 2 | 1 | 1 | 3 | 3 | 0 |
| Cirrhosis of liver (571) | 6 | 5 | 1 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 0 | 1 |
| Infections of kidney (590) | 0 | 0 | 0 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 3 | 3 | 0 | 2 | 0 | 2 |
| Certain causes of mortality in early infancy (760-778) | 7 | 1 | 6 | 17 | 7 | 10 |
| Accidents (800-949) | 26 | 12 | 14 | 22 | 15 | 7 |
| Motor vehicle accidents (810-823) | 12 | 5 | 7 | 14 | 9 | 5 |
| Suicide (950-959) | 2 | 1 | 1 | 2 | 1 | 1 |
| Homicide (960-978) | 5 | 1 | 4 | 7 | 3 | 4 |
| Ill-defined and unknown# (780-796) | 22 | 6 | 16 | 24 | 8 | 16 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOBIA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Montgomery County | | | Neshoba County | | |
|--|-------------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 22 | 14 | 8 | 38 | 33 | 5 |
| Diabetes mellitus (250) | 1 | 0 | 1 | 9 | 4 | 5 |
| Heart diseases (390-398, 402, 404-429) | 68 | 47 | 21 | 86 | 73 | 13 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 31 | 21 | 10 | 27 | 25 | 2 |
| Arteriosclerosis (440) | 0 | 0 | 0 | 5 | 4 | 1 |
| Influenza and pneumonia (470-486) | 3 | 1 | 2 | 4 | 4 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 8 | 6 | 2 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 2 | 1 | 1 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 1 | 0 | 1 |
| Infections of kidney (590) | 2 | 1 | 1 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 3 | 1 | 2 | 1 | 0 | 1 |
| Certain causes of mortality in early infancy (760-778) | 6 | 0 | 6 | 7 | 4 | 3 |
| Accidents (800-949) | 16 | 7 | 9 | 17 | 10 | 7 |
| Motor vehicle accidents (810-823) | 6 | 2 | 4 | 10 | 7 | 3 |
| Suicide (950-959) | 4 | 3 | 1 | 3 | 2 | 1 |
| Homicide (960-978) | 2 | 0 | 2 | 2 | 0 | 2 |
| Ill-defined and unknown# (780-796) | 8 | 3 | 5 | 24 | 18 | 6 |
| | Newton County | | | Noxubee County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 34 | 24 | 10 | 15 | 9 | 6 |
| Diabetes mellitus (250) | 6 | 4 | 2 | 2 | 1 | 1 |
| Heart diseases (390-398, 402, 404-429) | 100 | 77 | 23 | 47 | 24 | 23 |
| Hypertension (400, 401, 403) | 2 | 1 | 1 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 35 | 29 | 6 | 23 | 7 | 16 |
| Arteriosclerosis (440) | 6 | 5 | 1 | 2 | 1 | 1 |
| Influenza and pneumonia (470-486) | 3 | 2 | 1 | 5 | 2 | 3 |
| Bronchitis, emphysema, asthma (490-493) | 6 | 6 | 0 | 3 | 3 | 0 |
| Cirrhosis of liver (571) | 2 | 1 | 1 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 1 | 0 | 1 |
| Infections of kidney (590) | 0 | 0 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 4 | 3 | 1 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 9 | 4 | 5 | 4 | 1 | 3 |
| Accidents (800-949) | 16 | 10 | 6 | 12 | 4 | 8 |
| Motor vehicle accidents (810-823) | 9 | 6 | 3 | 8 | 3 | 5 |
| Suicide (950-959) | 5 | 5 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 2 | 2 | 0 | 2 | 0 | 2 |
| Ill-defined and unknown# (780-796) | 9 | 5 | 4 | 27 | 5 | 22 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Oktibbeha County | | | Panola County | | |
|---|--------------------|-------|---------------|---------------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 1 | 0 |
| Malignant neoplasms (140-209) | 39 | 26 | 13 | 37 | 24 | 13 |
| Diabetes mellitus (250) | 7 | 1 | 6 | 3 | 1 | 2 |
| Heart diseases (390-398, 402, 404-429) | 97 | 63 | 34 | 130 | 76 | 54 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 2 | 1 | 1 |
| Cerebrovascular disease (430-438) | 24 | 11 | 13 | 52 | 30 | 22 |
| Arteriosclerosis (440) | 3 | 3 | 0 | 4 | 3 | 1 |
| Influenza and pneumonia (470-486) | 4 | 0 | 4 | 12 | 7 | 5 |
| Bronchitis, emphysema, asthma (490-493) | 4 | 2 | 2 | 3 | 3 | 0 |
| Cirrhosis of liver (571) | 2 | 1 | 1 | 2 | 0 | 2 |
| Nephritis and nephrosis (580-584) | 2 | 1 | 1 | 2 | 0 | 2 |
| Infections of kidney (590) | 2 | 0 | 2 | 2 | 2 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 5 | 2 | 3 | 3 | 1 | 2 |
| Certain causes of mortality in early infancy (760-778) | 4 | 0 | 4 | 17 | 7 | 10 |
| Accidents (800-949) | 24 | 10 | 14 | 22 | 13 | 9 |
| Motor vehicle accidents (810-823) | 16 | 8 | 8 | 10 | 8 | 2 |
| Suicide (950-959) | 2 | 2 | 0 | 2 | 2 | 0 |
| Homicide (960-978) | 1 | 0 | 1 | 8 | 1 | 7 |
| Ill-defined and unknown# (780-796) | 7 | 1 | 6 | 5 | 0 | 5 |
| | | | | | | |
| | Pearl River County | | | Perry County | | |
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 44 | 34 | 10 | 11 | 9 | 2 |
| Diabetes mellitus (250) | 2 | 2 | 0 | 0 | 0 | 0 |
| Heart diseases (390-398, 402, 404-429) | 123 | 103 | 20 | 34 | 23 | 11 |
| Hypertension (400, 401, 403) | 1 | 1 | 0 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 30 | 28 | 2 | 14 | 10 | 4 |
| Arteriosclerosis (440) | 5 | 4 | 1 | 1 | 1 | 0 |
| Influenza and pneumonia (470-486) | 11 | 9 | 2 | 7 | 3 | 4 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 1 | 0 | 1 | 1 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 3 | 2 | 1 | 1 | 0 | 1 |
| Infections of kidney (590) | 2 | 1 | 1 | 1 | 1 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 7 | 6 | 1 | 1 | 0 | 1 |
| Accidents (800-949) | 23 | 16 | 7 | 10 | 9 | 1 |
| Motor vehicle accidents (810-823) | 13 | 7 | 6 | 2 | 2 | 0 |
| Suicide (950-959) | 3 | 3 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 3 | 1 | 2 | 0 | 0 | 0 |
| Ill-defined and unknown# (780-796) | 18 | 13 | 5 | 3 | 2 | 1 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Pike County | | | Pontotoc County | | |
|--|-------------|-------|-----------|-----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 65 | 43 | 22 | 26 | 23 | 3 |
| Diabetes mellitus (250) | 4 | 1 | 3 | 2 | 2 | 0 |
| Heart diseases (390-398, 402, 404-429) | 134 | 84 | 50 | 81 | 64 | 17 |
| Hypertension (400, 401, 403) | 2 | 0 | 2 | 1 | 0 | 1 |
| Cerebrovascular disease (430-438) | 62 | 39 | 23 | 35 | 30 | 5 |
| Arteriosclerosis (440) | 2 | 2 | 0 | 3 | 2 | 1 |
| Influenza and pneumonia (470-486) | 15 | 11 | 4 | 10 | 8 | 2 |
| Bronchitis, emphysema, asthma (490-493) | 4 | 3 | 1 | 3 | 3 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 2 | 2 | 0 |
| Infections of kidney (590) | 1 | 1 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 1 | 0 | 1 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 3 | 1 | 2 | 1 | 1 | 0 |
| Certain causes of mortality in early infancy (760-778) | 13 | 3 | 10 | 8 | 7 | 1 |
| Accidents (800-949) | 49 | 32 | 17 | 17 | 16 | 1 |
| Motor vehicle accidents (810-823) | 32 | 22 | 10 | 10 | 9 | 1 |
| Suicide (950-959) | 3 | 3 | 0 | 4 | 4 | 0 |
| Homicide (960-978) | 3 | 1 | 2 | 5 | 2 | 3 |
| Ill-defined and unknown# (780-796) | 51 | 9 | 42 | 2 | 2 | 0 |
| Prentiss County | | | | | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 1 | 1 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 34 | 26 | 8 | 31 | 17 | 14 |
| Diabetes mellitus (250) | 4 | 4 | 0 | 3 | 2 | 1 |
| Heart diseases (390-398, 402, 404-429) | 85 | 79 | 6 | 64 | 27 | 37 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 1 | 0 | 1 |
| Cerebrovascular disease (430-438) | 32 | 26 | 6 | 23 | 11 | 12 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 1 | 0 | 1 |
| Influenza and pneumonia (470-486) | 6 | 5 | 1 | 6 | 4 | 2 |
| Bronchitis, emphysema, asthma (490-493) | 2 | 2 | 0 | 0 | 0 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 1 | 0 | 1 | 1 | 0 | 1 |
| Infections of kidney (590) | 1 | 1 | 0 | 1 | 1 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 2 | 2 | 0 | 2 | 0 | 2 |
| Certain causes of mortality in early infancy (760-778) | 7 | 4 | 3 | 6 | 1 | 5 |
| Accidents (800-949) | 17 | 14 | 3 | 11 | 3 | 8 |
| Motor vehicle accidents (810-823) | 10 | 9 | 1 | 4 | 1 | 3 |
| Suicide (950-959) | 2 | 2 | 0 | 1 | 1 | 0 |
| Homicide (960-978) | 3 | 3 | 0 | 2 | 0 | 2 |
| Ill-defined and unknown# (780-796) | 16 | 13 | 3 | 3 | 1 | 2 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Rankin County | | | Scott County | | |
|---|----------------|-------|---------------|----------------|-------|---------------|
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 1 | 1 | 0 | 2 | 1 | 1 |
| Malignant neoplasms (140-209) | 34 | 24 | 10 | 32 | 24 | 8 |
| Diabetes mellitus (250) | 5 | 3 | 2 | 6 | 3 | 3 |
| Heart diseases (390-398, 402, 404-429) | 95 | 77 | 18 | 99 | 61 | 38 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 1 | 1 | 0 |
| Cerebrovascular disease (430-438) | 40 | 28 | 12 | 23 | 17 | 6 |
| Arteriosclerosis (440) | 5 | 5 | 0 | 2 | 2 | 0 |
| Influenza and pneumonia (470-486) | 6 | 4 | 2 | 7 | 6 | 1 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 2 | 1 | 4 | 3 | 1 |
| Cirrhosis of liver (571) | 2 | 2 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 3 | 2 | 1 | 0 | 0 | 0 |
| Infections of kidney (590) | 1 | 0 | 1 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 4 | 2 | 2 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 7 | 4 | 3 | 5 | 1 | 4 |
| Accidents (800-949) | 30 | 23 | 7 | 18 | 9 | 9 |
| Motor vehicle accidents (810-823) | 22 | 20 | 2 | 8 | 6 | 2 |
| Suicide (950-959) | 4 | 4 | 0 | 2 | 2 | 0 |
| Homicide (960-978) | 3 | 1 | 2 | 6 | 1 | 5 |
| Ill-defined and unknown# (780-796) | 42 | 17 | 25 | 10 | 6 | 4 |
| | | | | | | |
| | Sharkey County | | | Simpson County | | |
| | Total | White | Non- white | Total | White | Non- white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 13 | 6 | 7 | 37 | 29 | 8 |
| Diabetes mellitus (250) | 0 | 0 | 0 | 5 | 2 | 3 |
| Heart diseases (390-398, 402, 404-429) | 36 | 12 | 24 | 89 | 67 | 22 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 2 | 2 | 0 |
| Cerebrovascular disease (430-438) | 15 | 6 | 9 | 33 | 21 | 12 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 2 | 1 | 1 |
| Influenza and pneumonia (470-486) | 4 | 1 | 3 | 7 | 3 | 4 |
| Bronchitis, emphysema, asthma (490-493) | 0 | 0 | 0 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 2 | 2 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 0 | 0 | 0 |
| Infections of kidney (590) | 0 | 0 | 0 | 8 | 3 | 5 |
| Maternal causes (630-678) | 0 | 0 | 0 | 1 | 0 | 1 |
| Congenital anomalies (740-759) | 2 | 0 | 2 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 4 | 1 | 3 | 5 | 2 | 3 |
| Accidents (800-949) | 17 | 4 | 13 | 15 | 9 | 6 |
| Motor vehicle accidents (810-823) | 11 | 2 | 9 | 11 | 8 | 3 |
| Suicide (950-959) | 0 | 0 | 0 | 2 | 2 | 0 |
| Homicide (960-978) | 1 | 1 | 0 | 1 | 1 | 0 |
| Ill-defined and unknown# (780-796) | 1 | 0 | 1 | 19 | 8 | 11 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Smith County | | | Stone County | | |
|--|------------------|-------|-----------|---------------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 27 | 22 | 5 | 19 | 13 | 6 |
| Diabetes mellitus (250) | 2 | 2 | 0 | 4 | 2 | 2 |
| Heart diseases (390-398, 402, 404-429) | 56 | 49 | 7 | 34 | 27 | 7 |
| Hypertension (400, 401, 403) | 1 | 1 | 0 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 17 | 14 | 3 | 5 | 2 | 3 |
| Arteriosclerosis (440) | 5 | 5 | 0 | 5 | 4 | 1 |
| Influenza and pneumonia (470-486) | 3 | 2 | 1 | 6 | 2 | 4 |
| Bronchitis, emphysema, asthma (490-493) | 4 | 4 | 0 | 1 | 1 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 1 | 1 | 0 |
| Nephritis and nephrosis (580-584) | 2 | 2 | 0 | 0 | 0 | 0 |
| Infections of kidney (590) | 0 | 0 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 1 | 1 | 0 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 2 | 2 | 0 | 2 | 0 | 2 |
| Accidents (800-949) | 15 | 12 | 3 | 13 | 7 | 6 |
| Motor vehicle accidents (810-823) | 13 | 10 | 3 | 4 | 3 | 1 |
| Suicide (950-959) | 1 | 0 | 1 | 0 | 0 | 0 |
| Homicide (960-978) | 0 | 0 | 0 | 0 | 0 | 0 |
| Ill-defined and unknown# (780-796) | 4 | 1 | 3 | 2 | 1 | 1 |
| | | | | | | |
| | Sunflower County | | | Tallahatchie County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 1 | 0 | 1 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 53 | 27 | 26 | 39 | 20 | 19 |
| Diabetes mellitus (250) | 5 | 3 | 2 | 2 | 2 | 0 |
| Heart diseases (390-398, 402, 404-429) | 126 | 57 | 69 | 84 | 43 | 41 |
| Hypertension (400, 401, 403) | 1 | 1 | 0 | 3 | 1 | 2 |
| Cerebrovascular disease (430-438) | 64 | 18 | 46 | 30 | 16 | 14 |
| Arteriosclerosis (440) | 5 | 2 | 3 | 2 | 1 | 1 |
| Influenza and pneumonia (470-486) | 14 | 2 | 12 | 8 | 4 | 4 |
| Bronchitis, emphysema, asthma (490-493) | 14 | 11 | 3 | 3 | 1 | 2 |
| Cirrhosis of liver (571) | 1 | 0 | 1 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 4 | 1 | 3 | 6 | 1 | 5 |
| Infections of kidney (590) | 9 | 3 | 6 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 2 | 0 | 2 | 2 | 0 | 2 |
| Certain causes of mortality in early infancy (760-778) | 6 | 1 | 5 | 7 | 0 | 7 |
| Accidents (800-949) | 31 | 9 | 22 | 22 | 11 | 11 |
| Motor vehicle accidents (810-823) | 20 | 7 | 13 | 9 | 4 | 5 |
| Suicide (950-959) | 6 | 3 | 3 | 4 | 3 | 1 |
| Homicide (960-978) | 5 | 0 | 5 | 5 | 1 | 4 |
| Ill-defined and unknown# (780-796) | 22 | 0 | 22 | 20 | 1 | 19 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases; Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Tate County | | | Tippah County | | |
|--|-------------|-------|-----------|---------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 2 | 1 | 1 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 25 | 16 | 9 | 18 | 17 | 1 |
| Diabetes mellitus (250) | 7 | 3 | 4 | 6 | 5 | 1 |
| Heart diseases (390-398, 402, 404-429) | 64 | 38 | 26 | 79 | 67 | 12 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 31 | 19 | 12 | 15 | 14 | 1 |
| Arteriosclerosis (440) | 3 | 1 | 2 | 2 | 2 | 0 |
| Influenza and pneumonia (470-486) | 3 | 3 | 0 | 8 | 7 | 1 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 2 | 1 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 1 | 1 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 0 | 0 | 0 |
| Infections of kidney (590) | 0 | 0 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 2 | 2 | 0 | 1 | 0 | 1 |
| Certain causes of mortality in early infancy (760-778) | 4 | 0 | 4 | 4 | 2 | 2 |
| Accidents (800-949) | 15 | 8 | 7 | 14 | 12 | 2 |
| Motor vehicle accidents (810-823) | 8 | 3 | 5 | 10 | 9 | 1 |
| Suicide (950-959) | 1 | 1 | 0 | 3 | 3 | 0 |
| Homicide (960-978) | 2 | 0 | 2 | 2 | 2 | 0 |
| Ill-defined and unknown# (780-796) | 7 | 3 | 4 | 4 | 3 | 1 |
| | | | | | | |
| Tishomingo County | | | | | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 31 | 30 | 1 | 17 | 3 | 14 |
| Diabetes mellitus (250) | 4 | 4 | 0 | 6 | 0 | 6 |
| Heart diseases (390-398, 402, 404-429) | 57 | 56 | 1 | 43 | 11 | 32 |
| Hypertension (400, 401, 403) | 2 | 2 | 0 | 1 | 0 | 1 |
| Cerebrovascular disease (430-438) | 40 | 39 | 1 | 27 | 5 | 22 |
| Arteriosclerosis (440) | 4 | 4 | 0 | 1 | 1 | 0 |
| Influenza and pneumonia (470-486) | 8 | 8 | 0 | 3 | 1 | 2 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 3 | 0 | 1 | 1 | 0 |
| Cirrhosis of liver (571) | 3 | 3 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 2 | 0 | 2 |
| Infections of kidney (590) | 0 | 0 | 0 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 2 | 2 | 0 | 2 | 0 | 2 |
| Certain causes of mortality in early infancy (760-778) | 1 | 1 | 0 | 3 | 1 | 2 |
| Accidents (800-949) | 18 | 16 | 2 | 9 | 2 | 7 |
| Motor vehicle accidents (810-823) | 10 | 9 | 1 | 1 | 0 | 1 |
| Suicide (950-959) | 2 | 2 | 0 | 2 | 2 | 0 |
| Homicide (960-978) | 0 | 0 | 0 | 0 | 0 | 0 |
| Ill-defined and unknown# (780-796) | 4 | 3 | 1 | 12 | 0 | 12 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Union County | | | Walthall County | | |
|--|---------------|-------|-----------|-------------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 33 | 26 | 7 | 26 | 16 | 10 |
| Diabetes mellitus (250) | 10 | 7 | 3 | 8 | 5 | 3 |
| Heart diseases (390-398, 402, 404-429) | 77 | 69 | 8 | 64 | 46 | 18 |
| Hypertension (400, 401, 403) | 1 | 1 | 0 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 33 | 26 | 7 | 11 | 8 | 3 |
| Arteriosclerosis (440) | 6 | 6 | 0 | 3 | 3 | 0 |
| Influenza and pneumonia (470-486) | 8 | 8 | 0 | 1 | 1 | 0 |
| Bronchitis, emphysema, asthma (490-493) | 3 | 3 | 0 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 2 | 0 | 2 |
| Nephritis and nephrosis (580-584) | 3 | 3 | 0 | 0 | 0 | 0 |
| Infections of kidney (590) | 0 | 0 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 1 | 1 | 0 |
| Congenital anomalies (740-759) | 2 | 1 | 1 | 2 | 2 | 0 |
| Certain causes of mortality in early infancy (760-778) | 6 | 4 | 2 | 0 | 0 | 0 |
| Accidents (800-949) | 17 | 14 | 3 | 15 | 5 | 10 |
| Motor vehicle accidents (810-823) | 6 | 6 | 0 | 3 | 2 | 1 |
| Suicide (950-959) | 7 | 7 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 1 | 0 | 1 | 3 | 1 | 2 |
| Ill-defined and unknown# (780-796) | 15 | 10 | 5 | 1 | 0 | 1 |
| | | | | | | |
| | Warren County | | | Washington County | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 0 | 1 |
| Malignant neoplasms (140-209) | 73 | 45 | 28 | 127 | 48 | 79 |
| Diabetes mellitus (250) | 11 | 3 | 8 | 8 | 0 | 8 |
| Heart diseases (390-398, 402, 404-429) | 133 | 61 | 72 | 208 | 96 | 112 |
| Hypertension (400, 401, 403) | 1 | 0 | 1 | 3 | 0 | 3 |
| Cerebrovascular disease (430-438) | 72 | 31 | 41 | 112 | 37 | 75 |
| Arteriosclerosis (440) | 4 | 2 | 2 | 4 | 3 | 1 |
| Influenza and pneumonia (470-486) | 11 | 8 | 3 | 14 | 11 | 3 |
| Bronchitis, emphysema, asthma (490-493) | 4 | 2 | 2 | 7 | 5 | 2 |
| Cirrhosis of liver (571) | 4 | 3 | 1 | 7 | 5 | 2 |
| Nephritis and nephrosis (580-584) | 4 | 0 | 4 | 4 | 0 | 4 |
| Infections of kidney (590) | 4 | 2 | 2 | 1 | 0 | 1 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 5 | 3 | 2 | 1 | 0 | 1 |
| Certain causes of mortality in early infancy (760-778) | 13 | 2 | 11 | 14 | 6 | 8 |
| Accidents (800-949) | 46 | 27 | 19 | 52 | 20 | 32 |
| Motor vehicle accidents (810-823) | 15 | 11 | 4 | 23 | 8 | 15 |
| Suicide (950-959) | 5 | 4 | 1 | 3 | 3 | 0 |
| Homicide (960-978) | 7 | 1 | 6 | 16 | 3 | 13 |
| Ill-defined and unknown# (780-796) | 35 | 2 | 33 | 126 | 16 | 110 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1973

| Cause and International Classification Number* | Wayne County | | | Webster County | | |
|--|--------------|-------|-----------|----------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 20 | 16 | 4 | 17 | 15 | 2 |
| Diabetes mellitus (250) | 3 | 2 | 1 | 1 | 1 | 0 |
| Heart diseases (390-398, 402, 404-429) | 67 | 51 | 16 | 50 | 45 | 5 |
| Hypertension (400, 401, 403) | 10 | 6 | 4 | 0 | 0 | 0 |
| Cerebrovascular disease (430-438) | 27 | 18 | 9 | 29 | 26 | 3 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 2 | 0 | 2 |
| Influenza and pneumonia (470-486) | 7 | 3 | 4 | 4 | 3 | 1 |
| Bronchitis, emphysema, asthma (490-493) | 1 | 0 | 1 | 2 | 2 | 0 |
| Cirrhosis of liver (571) | 1 | 1 | 0 | 2 | 2 | 0 |
| Nephritis and nephrosis (580-584) | 1 | 1 | 0 | 2 | 1 | 1 |
| Infections of kidney (590) | 0 | 0 | 0 | 2 | 2 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 3 | 0 | 3 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 3 | 1 | 2 | 6 | 3 | 3 |
| Accidents (800-949) | 24 | 15 | 9 | 8 | 8 | 0 |
| Motor vehicle accidents (810-823) | 16 | 10 | 6 | 5 | 5 | 0 |
| Suicide (950-959) | 3 | 3 | 0 | 0 | 0 | 0 |
| Homicide (960-978) | 3 | 2 | 1 | 3 | 1 | 2 |
| Ill-defined and unknown# (780-796) | 5 | 3 | 2 | 3 | 3 | 0 |
| | | | | | | |
| Wilkinson County | | | | | | |
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 0 | 0 | 0 |
| Malignant neoplasms (140-209) | 24 | 11 | 13 | 31 | 21 | 10 |
| Diabetes mellitus (250) | 3 | 0 | 3 | 3 | 1 | 2 |
| Heart diseases (390-398, 402, 404-429) | 34 | 16 | 18 | 91 | 59 | 32 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 1 | 1 | 0 |
| Cerebrovascular disease (430-438) | 14 | 6 | 8 | 30 | 19 | 11 |
| Arteriosclerosis (440) | 1 | 1 | 0 | 0 | 0 | 0 |
| Influenza and pneumonia (470-486) | 1 | 0 | 1 | 6 | 3 | 3 |
| Bronchitis, emphysema, asthma (490-493) | 0 | 0 | 0 | 3 | 2 | 1 |
| Cirrhosis of liver (571) | 1 | 0 | 1 | 5 | 4 | 1 |
| Nephritis and nephrosis (580-584) | 3 | 1 | 2 | 0 | 0 | 0 |
| Infections of kidney (590) | 0 | 0 | 0 | 3 | 1 | 2 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 0 | 0 | 0 | 2 | 1 | 1 |
| Certain causes of mortality in early infancy (760-778) | 2 | 1 | 1 | 7 | 2 | 5 |
| Accidents (800-949) | 5 | 0 | 5 | 15 | 9 | 6 |
| Motor vehicle accidents (810-823) | 4 | 0 | 4 | 7 | 4 | 3 |
| Suicide (950-959) | 0 | 0 | 0 | 2 | 1 | 1 |
| Homicide (960-978) | 3 | 0 | 3 | 4 | 1 | 3 |
| Ill-defined and unknown# (780-796) | 5 | 1 | 4 | 7 | 3 | 4 |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.

TABLE 15
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1973

| Cause and International Classification Number* | Yalobusha County | | | Yazoo County | | |
|--|------------------|-------|-----------|--------------|-------|-----------|
| | Total | White | Non-white | Total | White | Non-white |
| Tuberculosis (010-019) | 0 | 0 | 0 | 1 | 0 | 1 |
| Malignant neoplasms (140-209) | 19 | 11 | 8 | 41 | 29 | 12 |
| Diabetes mellitus (250) | 5 | 2 | 3 | 1 | 1 | 0 |
| Heart diseases (390-398, 402, 404-429) | 50 | 32 | 18 | 84 | 50 | 34 |
| Hypertension (400, 401, 403) | 0 | 0 | 0 | 4 | 1 | 3 |
| Cerebrovascular disease (430-438) | 30 | 17 | 13 | 40 | 18 | 22 |
| Arteriosclerosis (440) | 0 | 0 | 0 | 13 | 7 | 6 |
| Influenza and pneumonia (470-486) | 9 | 5 | 4 | 6 | 3 | 3 |
| Bronchitis, emphysema, asthma (490-493) | 4 | 4 | 0 | 1 | 1 | 0 |
| Cirrhosis of liver (571) | 0 | 0 | 0 | 0 | 0 | 0 |
| Nephritis and nephrosis (580-584) | 0 | 0 | 0 | 4 | 1 | 3 |
| Infections of kidney (590) | 3 | 3 | 0 | 0 | 0 | 0 |
| Maternal causes (630-678) | 0 | 0 | 0 | 0 | 0 | 0 |
| Congenital anomalies (740-759) | 0 | 0 | 0 | 0 | 0 | 0 |
| Certain causes of mortality in early infancy (760-778) | 2 | 1 | 1 | 4 | 0 | 4 |
| Accidents (800-949) | 12 | 6 | 6 | 22 | 11 | 11 |
| Motor vehicle accidents (810-823) | 5 | 4 | 1 | 14 | 9 | 5 |
| Suicide (950-959) | 1 | 1 | 0 | 2 | 2 | 0 |
| Homicide (960-978) | 3 | 0 | 3 | 9 | 0 | 9 |
| Ill-defined and unknown# (780-796) | 8 | 6 | 2 | 62 | 10 | 52 |
| State of Mississippi | | | | | | |
| | Total | White | Non-white | | | |
| Tuberculosis (010-019) | 37 | 18 | 19 | | | |
| Malignant neoplasms (140-209) | 3,403 | 2,244 | 1,159 | | | |
| Diabetes mellitus (250) | 451 | 209 | 242 | | | |
| Heart diseases (390-398, 402, 404-429) | 8,027 | 5,329 | 2,698 | | | |
| Hypertension (400, 401, 403) | 130 | 59 | 71 | | | |
| Cerebrovascular disease (430-438) | 3,099 | 1,821 | 1,278 | | | |
| Arteriosclerosis (440) | 305 | 214 | 91 | | | |
| Influenza and pneumonia (470-486) | 683 | 408 | 275 | | | |
| Bronchitis, emphysema, asthma (490-493) | 254 | 217 | 37 | | | |
| Cirrhosis of liver (571) | 185 | 137 | 48 | | | |
| Nephritis and nephrosis (580-584) | 139 | 60 | 79 | | | |
| Infections of kidney (590) | 118 | 66 | 52 | | | |
| Maternal causes (630-678) | 12 | 4 | 8 | | | |
| Congenital anomalies (740-759) | 183 | 106 | 77 | | | |
| Certain causes of mortality in early infancy (760-778) | 610 | 228 | 382 | | | |
| Accidents (800-949) | 1,883 | 1,116 | 767 | | | |
| Motor vehicle accidents (810-823) | 954 | 619 | 335 | | | |
| Suicide (950-959) | 209 | 176 | 33 | | | |
| Homicide (960-978) | 373 | 96 | 277 | | | |
| Ill-defined and unknown# (780-796) | 1,703 | 582 | 1,121 | | | |

* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

Not to be used for ranking.