


# VITAL STATISTICS

## MISSISSIPPI

1974

---



Mississippi State Board of Health  
Office of Public Health Statistics

**VITAL STATISTICS**

**MISSISSIPPI**

**1974**

\*\*\*\*\*

**STATISTICAL SERVICES UNIT  
MISSISSIPPI STATE BOARD OF HEALTH  
P. O. BOX 1700  
JACKSON, MISSISSIPPI 39205**

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin .....	v
Definitions of Live Birth and Fetal Death .....	v
Occurrence and Residence Allocation .....	v
Urban-Rural Classification .....	vi
Population .....	vi
Rates .....	vi
Classification of Cause of Death .....	vi
SUMMARY TABLES, 1974	
LIVE BIRTHS	
Table A1. Live Births and Percentage Distribution, by Attendant and Race .....	4
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1954, 1964, 1970-1974 .....	4
Table A3. Live Births and Average per Day, by Month .....	5
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race .....	5
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race .....	6
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race .....	7
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race .....	7
Table A8. Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in 1974, by Race and Outcome of Last Delivery .....	8
Table A9. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race .....	8
Table A10. Live Births and Percentage Distribution, by Maturity and Race..	9
Table A11. Live Births and Percentage Distribution, by Whether Child had any Birth Injuries or Congenital Malformations, Whether Injury or Malformation, and Race .....	10
Table A12. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race .....	10
FETAL DEATHS	
Table B1. Fetal Deaths and Percentage Distribution, by Attendant and Race .....	11
Table B2. Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race .....	11
DEATHS	
Table C1. Deaths and Average per Day, by Month .....	12
Table C2. Deaths and Percentage Distribution, by Age and Race .....	12
Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios, by Age and Race .....	13
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race .....	13
Table C5. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause .....	14

SUMMARY TABLES, 1974

DEATHS (continued)

Table C6.	Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race .....	15
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1954, 1959, 1964, 1969, 1974 .....	16
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race .....	16
Table C9.	Deaths in Mississippi from Selected Types of Accident, by Age ..	17
Table C10.	Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race .....	18
Table C11.	Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race .....	18

MARRIAGES

Table D1.	Marriages and Average per Day, by Month .....	19
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race .....	19
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race .....	20
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race, also by Previous Marital Status and Race ....	20
Table D5.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride .....	21

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race .....	22
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race .....	22
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race .....	23

MAJOR TABLES, 1974

LIVE BIRTHS

Table 1.	Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1974 .....	26
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1974 .....	29
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1974 .....	32
Table 3B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1974 .....	34
Table 3C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1974 .....	36
Table 4.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1974 .....	38
Table 5A.	Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1974 .....	40
Table 5B.	White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1974 .....	42
Table 5C.	Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1974 .....	44

## MAJOR TABLES, 1974

## LIVE BIRTHS (continued)

Table 6.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1974 .....	46
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1974 .....	48

## FETAL DEATHS

Table 8.	Fetal Deaths, by County of Occurrence and Race, also Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1974 .....	50
----------	--	----

## DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More, Urban, Rural), Mississippi, 1974 .....	52
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1974 .....	55
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1974 ...	69
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1974 .....	76
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1974 .....	78
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1974 .....	80

## MARRIAGES

Table 14.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1974 ....	82
-----------	---	----

## DIVORCES

Table 15.	Divorces, by County of Occurrence and Race, Mississippi, 1974 .....	84
-----------	--	----

## DEATHS (COUNTY AND STATE SUMMARIES)

Table 16.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order) .....	86
	The State .....	106

VITAL STATISTICS  
MISSISSIPPI, 1974

INTRODUCTION

Description of Bulletin

The 1974 Vital Statistics Bulletin was prepared by the Statistical Services Unit from information contained on records of live births, deaths, fetal deaths, marriages, and divorces collected by the office of Vital Records Registration. This introduction provides certain explanations and definitions necessary for understanding the data presented. Following the introduction are summary tables containing statistics for the state as a whole for 1974. The next section contains major statistical tables for 1974. The last section of the book contains tables on causes of death for each county as well as for the state. In addition to the information in this bulletin, a considerable amount of more detailed, unpublished data has been compiled and is available on request.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Board of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems. All figures given in this publication are residence counts unless otherwise specified.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to the place of previous residence, regardless of length of stay in the institution.

Vital Statistics  
Mississippi - 1974

Marriages were classified according to place of issuance of marriage license, place of occurrence of marriage, and place of residence of bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

#### Urban-Rural Classification

The urban category included all incorporated towns with populations of 2,500 or more according to the 1970 Census plus the City of Pearl which was not incorporated until 1973. Definitions used in this bulletin differ from those used by the U.S. Census Bureau which also includes as urban certain areas it is not possible to identify from entries on vital records - unincorporated places of 2,500 or more and certain other densely settled areas outside the limits of incorporated towns. Urban-rural classifications were used for live births and deaths only. Information on marriage records is inadequate for proper classification, and divorce records do not contain this item.

#### Population

The only population figure used in this bulletin is the estimate of 2,334,000 for the state as of July 1, 1974. This is a final figure from the U.S. Census Bureau. No breakdown by age, race, or sex is available. Only provisional totals have been prepared for counties, and these were not used as they are considerably less reliable than the state figure and, again, there was no breakdown to show the wide variations in racial composition.

#### Rates

Population-based rates included those for live births, total deaths, and deaths from specific causes (except maternal and certain causes of mortality in early infancy). However, since only one final population figure could be obtained, the number of rates that could be calculated was extremely limited. Figures on live births were used as the base for calculating rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain causes of mortality in early infancy as the birth counts represent the groups at risk more accurately than do general population figures.

#### Classification of Cause of Death

Causes of death were assigned according to the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. On certificates with more than one cause entered, only that indicated as the underlying cause was classified. This latest revision (Eighth) was first used in 1968 and, for the most part, is not markedly different from the Seventh Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

**SUMMARY TABLES, 1974**

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

## LIVE BIRTHS

Table A1.  
Live births and percentage distribution,  
by attendant and race, 1974  
Mississippi

Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>44,032</u>	<u>23,023</u>	<u>21,009</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Hospital or clinic (Nurse midwife)	42,886 (1,492)	22,961 (127)	19,925 (1,365)	97.4 3.4	99.7 0.6	94.8 6.5
Physician, other place	60	8	52	0.1	*	0.2
Midwife	1,047	39	1,008	2.4	0.2	4.8
Other	39	15	24	0.1	0.1	0.1

\* Less than 0.06 percent.

Table A2.  
Percentage of live births in hospitals or clinics,  
by year and race, 1954, 1964, 1970-1974  
Mississippi

Year	Total	White	Non-white
1954	60.2	94.4	33.0
1964	76.0	99.4	56.1
1970	90.0	99.7	79.7
1971	92.2	99.6	84.2
1972	95.2	99.8	90.4
1973	96.4	99.7	92.8
1974	97.4	99.7	94.8

Table A3,  
Live births and average per day, by month  
Mississippi, 1974

Month	Births	Average per Day	Month	Births	Average per Day
<u>Total</u>	<u>44,032</u>	<u>121</u>			
January	3,816	123	July	3,878	125
February	3,266	117	August	4,106	132
March	3,441	111	September	4,091	136
April	3,264	109	October	3,963	128
May	3,325	107	November	3,708	124
June	3,359	112	December	3,815	123

Table A4.  
Live births and percentage distribution,  
by age of mother and race  
Mississippi, 1974

Age of Mother	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>44,032</u>	<u>23,023</u>	<u>21,009</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
10-14	453	68	385	1.0	0.3	1.8
15-19	12,357	4,764	7,593	28.1	20.7	36.1
20-24	15,384	8,569	6,815	34.9	37.2	32.4
25-29	9,626	6,378	3,248	21.9	27.7	15.5
30-34	4,041	2,391	1,650	9.2	10.4	7.8
35-39	1,634	680	954	3.7	3.0	4.5
40-44	498	157	341	1.1	0.7	1.6
45-49	29	10	19	0.1	*	0.1
Unknown	10	6	4	*	*	*

\* Less than 0.06 percent.

Table A5. Live births and percentage distribution,  
by years of school completed by father and mother and race  
Mississippi, 1974

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<b>FATHER</b>									
Median years completed*	12.4	12.6	11.8						
Total legitimate births	33,849	22,177	11,672	100.0	100.0	100.0	4.8	2.6	9.1
0-6 years	1,584	573	1,011	4.8	2.6	9.1	19.2	14.1	29.2
7-9 years	4,756	2,507	2,249	14.4	11.5	20.2	35.7	27.4	51.9
10, 11 years	5,428	2,907	2,521	16.5	13.3	22.6	70.4	63.6	83.5
12 years	11,431	7,903	3,528	34.7	36.2	31.6	86.4	82.6	93.7
1-3 years college	5,280	4,149	1,131	16.0	19.0	10.1	100.0	100.0	100.0
4 or more years college	4,496	3,791	705	13.6	17.4	6.3			
Unknown	874	347	527						
<b>MOTHER</b>									
Median years completed*	12.1	12.4	11.3						
Total births	44,032	23,023	21,009	100.0	100.0	100.0	3.0	1.5	4.7
0-6 years	1,312	334	978	3.0	1.5	4.7	22.1	14.7	30.2
7-9 years	8,319	3,002	5,317	19.1	13.2	25.5	46.0	33.3	59.8
10, 11 years	10,405	4,242	6,163	23.9	18.7	29.6	79.9	72.4	88.0
12 years	14,788	8,891	5,897	33.9	39.1	28.3	92.2	88.8	95.9
1-3 years college	5,366	3,722	1,644	12.3	16.4	7.9	100.0	100.0	100.0
4 or more years college	3,392	2,541	851	7.8	11.2	4.1			
Unknown	450	291	159						

\* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births and percent of total live births  
in specified group, by age of mother and race  
Mississippi, 1974

Age of Mother	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>10,183</u>	<u>846</u>	<u>9,337</u>	<u>23.1</u>	<u>3.7</u>	<u>44.4</u>
10-14	394	29	365	87.0	42.6	94.8
15-19	5,588	495	5,093	45.2	10.4	67.1
20-24	2,655	225	2,430	17.2	2.6	35.6
25-29	827	60	767	8.6	0.9	23.6
30-34	394	25	369	9.8	1.0	22.4
35-39	238	7	231	14.6	1.0	24.2
40-44	79	3	76	15.9	1.9	22.3
45-49	4	0	4	13.8	-	21.0
Unknown	4	2	2			

Table A7. Live births, percentage distribution, and median age of mother,  
by total-birth order and race  
Mississippi, 1974

Total-Birth Order*	Number			Percent			Median Age of Mother		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>44,032</u>	<u>23,023</u>	<u>21,009</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>22.8</u>	<u>23.9</u>	<u>21.5</u>
1st	16,657	9,002	7,655	37.8	39.1	36.4	19.7	20.8	18.5
2nd	10,899	6,343	4,556	24.8	27.6	21.7	22.8	24.1	20.9
3rd	5,957	3,273	2,684	13.5	14.2	12.8	25.1	26.8	23.0
4th	3,146	1,539	1,607	7.1	6.7	7.6	26.6	28.4	24.9
5th	1,719	733	986	3.9	3.2	4.7	28.3	30.0	27.1
6th	1,088	368	720	2.5	1.6	3.4	29.8	31.6	28.8
7th	706	182	524	1.6	0.8	2.5	31.3	32.3	30.9
8th	477	89	388	1.1	0.4	1.8	32.7	33.2	32.6
9th	329	53	276	0.7	0.2	1.3	33.6	34.0	33.6
10th & over	797	61	736	1.8	0.3	3.5	37.2	37.0	37.2
Unknown	2,257	1,380	877	5.1	6.0	4.2			

\* Includes all live births plus all fetal deaths regardless of length of gestation.

Table A8. Median number of months between last delivery to mothers who had had previous pregnancies and live births in 1974, by race and outcome of last delivery Mississippi, 1974

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
<u>Total</u>	<u>31.5</u>	<u>33.4</u>	<u>18.7</u>
White	35.7	38.6	18.7
Nonwhite	27.1	27.9	18.7

\* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1974

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>44,032</u>	<u>23,023</u>	<u>21,009</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No prenatal care	786	160	626	1.8	0.7	3.0
<u>Some prenatal care</u>	<u>42,306</u>	<u>22,293</u>	<u>20,013</u>	<u>96.1</u>	<u>96.8</u>	<u>95.2</u>
First trimester	28,786	17,818	10,968	65.4	77.4	52.2
Second trimester	10,752	3,659	7,093	24.4	15.9	33.8
Third trimester	2,363	656	1,707	5.4	2.8	8.1
Unknown month	405	160	245	0.9	0.7	1.2
Unknown whether any prenatal care	940	570	370	2.1	2.5	1.8

Table A10,  
Live births and percentage distribution,  
by maturity and race, 1974  
Mississippi

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>44,032</u>	<u>23,023</u>	<u>21,009</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Immature only**	1,922	749	1,173	4.4	3.2	5.6
Premature only**	3,958	1,312	2,646	9.0	5.7	12.6
Both immature and premature	2,006	686	1,320	4.6	3.0	6.3
Total immature	3,928	1,435	2,493	8.9	6.2	11.9
Total premature	5,964	1,998	3,966	13.5	8.7	18.9
Total immature and/or premature	7,886	2,747	5,139	17.9	11.9	24.5
Neither immature nor premature**	36,146	20,276	15,870	82.1	88.1	75.5

\* Immature - birth weight  $5\frac{1}{2}$  pounds (2,500 grams) or less; premature - gestation less than 37 weeks.

\*\* Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Live births and percentage distribution, by whether child had any birth injuries or congenital malformations, whether injury or malformation, and race  
Mississippi, 1974

Birth Injuries and Congenital Malformations	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>44,032</u>	<u>23,023</u>	<u>21,009</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Without injury or mal- formation	40,773	21,112	19,661	92.6	91.7	93.6
With injury and/or mal- formation	347	208	139	0.8	0.9	0.7
(Injury)	(63)	(44)	(19)	(0.1)	(0.2)	(0.1)
(Malformation)	(288)	(166)	(122)	(0.6)	(0.7)	(0.6)
Other*	2,912	1,703	1,209	6.6	7.4	5.8

\* Both categories unknown or one category none and other unknown.

Table A12. Congenital malformations reported on live birth certificates,  
by system or organs affected and race  
Mississippi, 1974

System or Organs Affected and International Classification Number*	Total	White	Non- white
<u>Total malformations reported</u>	<u>352</u>	<u>207</u>	<u>145</u>
Musculoskeletal system (754-756)	131	60	71
Digestive system (749-751)	73	45	28
Nervous system (740-743)	48	34	14
Genital organs (752)	37	29	8
All others	63	39	24

\* From the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

## FETAL DEATHS

Table B1.  
Fetal deaths and percentage distribution, by attendant and race  
Mississippi, 1974

Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>2,397</u>	<u>1,258</u>	<u>1,139</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Hospital or clinic (Nurse midwife)	2,348 (7)	1,253 (0)	1,095 (7)	98.0 (0.3)	99.6 (-)	96.1 (0.6)
Physician, other place	25	5	20	1.0	0.4	1.8
Midwife	11	0	11	0.4	-	1.0
Other	6	0	6	0.2	-	0.5

Table B2.  
Fetal deaths and fetal death ratios, by age of mother and race  
Mississippi, 1974

Age of Mother	Number			Ratio*		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>2,397</u>	<u>1,258</u>	<u>1,139</u>	<u>54.4</u>	<u>54.6</u>	<u>54.2</u>
10-14	38	9	29	83.9	**	75.3
15-19	560	262	298	45.3	55.0	39.2
20-24	730	415	315	47.4	48.4	46.2
25-29	518	323	195	53.8	50.6	60.0
30-34	296	147	149	73.2	61.5	90.3
35-39	175	72	103	107.1	105.9	108.0
40-44	67	25	42	134.5	159.2	123.2
45-49	5	2	3	**	**	**
Unknown	8	3	5			

\* Fetal deaths per 1,000 live births to mothers in specified group.

\*\* Ratio not calculated on less than 100 live births.

## DEATHS

Table C1.  
Deaths and average per day, by month  
Mississippi, 1974

Month	Deaths	Average per Day	Month	Deaths	Average per Day
<u>Total</u>	<u>23,153</u>	<u>63</u>			
January	2,098	68	July	1,915	62
February	1,924	69	August	1,815	58
March	1,934	62	September	1,870	62
April	1,853	62	October	1,918	62
May	1,882	61	November	1,844	61
June	1,798	60	December	2,302	74

Table C2. Deaths and percentage distribution, by age and race  
Mississippi, 1974

Age	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>23,153</u>	<u>14,268</u>	<u>8,885</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Under 1	1,024	356	668	4.4	2.5	7.5
1-4	152	60	92	0.6	0.4	1.0
5-9	119	55	64	0.5	0.4	0.7
10-14	128	62	66	0.6	0.4	0.7
15-24	643	331	312	2.8	2.3	3.5
25-34	577	299	278	2.5	2.1	3.1
35-44	874	487	387	3.8	3.4	4.4
45-54	1,888	1,202	686	8.2	8.4	7.7
55-64	3,430	2,181	1,249	14.8	15.3	14.0
65-74	5,544	3,439	2,105	23.9	24.1	23.7
75-84	5,480	3,709	1,771	23.7	26.0	19.9
85 and over	3,290	2,087	1,203	14.2	14.6	13.5
Unknown	4	0	4	*	-	*

\* Less than 0.06 percent.

Table C3. Deaths, by age, race, and sex, and male/female ratios, by age and race  
Mississippi, 1974

Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
<b>Total</b>	<b>13,109</b>	<b>10,044</b>	<b>1.30</b>	<b>8,274</b>	<b>5,994</b>	<b>1.38</b>	<b>4,835</b>	<b>4,050</b>	<b>1.19</b>
Under 1	569	455	1.25	210	146	1.44	359	309	1.16
1-4	91	61	1.49	40	20	2.00	51	41	1.24
5-9	79	40	1.98	38	17	2.24	41	23	1.78
10-14	87	41	2.12	41	21	1.95	46	20	2.30
15-24	475	168	2.83	246	85	2.89	229	83	2.76
25-34	397	180	2.20	210	89	2.36	187	91	2.05
35-44	554	320	1.73	334	153	2.18	220	167	1.32
45-54	1,222	666	1.83	816	386	2.11	406	280	1.45
55-64	2,235	1,195	1.87	1,507	674	2.24	728	521	1.40
65-74	3,363	2,181	1.54	2,197	1,242	1.77	1,166	939	1.24
75-84	2,731	2,749	0.99	1,849	1,860	0.99	882	889	0.99
85 and over	1,303	1,987	0.66	786	1,301	0.60	517	686	0.75
Unknown	3	1		0	0		3	1	
Median age	67.5	73.7		68.2	75.9		66.3	70.2	

Table C4.

Deaths and percent of total deaths from ten leading causes, by cause and race  
Mississippi, 1974

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<b>Total of ten leading causes</b>	<b>18,340</b>	<b>11,677</b>	<b>6,663</b>	<b>79.2</b>	<b>81.8</b>	<b>75.0</b>
1. Heart diseases (390-398, 402, 404-429)	7,750	5,226	2,524	33.5	36.6	28.4
2. Malignant neoplasms (140-209)	3,735	2,514	1,221	16.1	17.6	13.7
3. Cerebrovascular disease (430-438)	2,936	1,749	1,187	12.7	12.2	13.4
4. Accidents (800-949)	1,497	913	584	6.5	6.4	6.6
5. Influenza and pneumonia (470-486)	561	347	214	2.4	2.4	2.4
6. Certain causes of mortality in early infancy (760-778)	548	212	336	2.4	1.5	3.8
7. Diabetes mellitus (250)	425	199	226	1.8	1.4	2.5
8. Homicide (960-978)	342	102	240	1.5	0.7	2.7
9. Arteriosclerosis (440)	301	208	93	1.3	1.4	1.0
10. Chronic and unqualified bronchitis, emphysema, asthma (490-493)	245	207	38	1.0	1.4	0.4

Table C5. Deaths and percent of total deaths from five leading causes,  
by age and cause  
Mississippi, 1974

Age	Cause and International Classification Number	Number	Percent
1-4	<u>All causes</u>	<u>152</u>	<u>100.0</u>
	1. Accidents (800-949)	62	40.8
	2. Influenza and pneumonia (470-486)	20	13.2
	3. Congenital anomalies (740-759)	19	12.5
	4. Heart diseases (390-398, 402, 404-429)	7	4.6
	5. Malignant neoplasms (140-209)	5	3.3
5-14	<u>All causes</u>	<u>247</u>	<u>100.0</u>
	1. Accidents (800-949)	156	63.2
	2. Malignant neoplasms (140-209)	22	8.9
	3. Congenital anomalies (740-759)	10	4.0
	4. Influenza and pneumonia (470-486)	6	2.4
	5. Cerebrovascular disease (430-438)	5	2.0
15-24	<u>All causes</u>	<u>643</u>	<u>100.0</u>
	1. Accidents (800-949)	324	50.4
	2. Homicide (960-978)	93	14.5
	3. Malignant neoplasms (140-209)	38	5.9
	4. Suicide (950-959)	32	5.0
	5. Congenital anomalies (740-759)	13	2.0
25-44	<u>All causes</u>	<u>1,451</u>	<u>100.0</u>
	1. Accidents (800-949)	335	23.1
	2. Heart diseases (390-398, 402, 404-429)	213	14.7
	3. Malignant neoplasms (140-209)	208	14.3
	4. Homicide (960-978)	148	10.2
	5. Suicide (950-959)	79	5.4
45-64	<u>All causes</u>	<u>5,318</u>	<u>100.0</u>
	1. Heart diseases (390-398, 402, 404-429)	1,754	33.0
	2. Malignant neoplasms (140-209)	1,303	24.5
	3. Cerebrovascular disease (430-438)	434	8.2
	4. Accidents (800-949)	290	5.4
	5. Cirrhosis of liver (571)	122	2.3
65 and over	<u>All causes</u>	<u>14,314</u>	<u>100.0</u>
	1. Heart diseases (390-398, 402, 404-429)	5,746	40.1
	2. Cerebrovascular disease (430-438)	2,412	16.8
	3. Malignant neoplasms (140-209)	2,159	15.1
	4. Influenza and pneumonia (470-486)	355	2.5
	5. Diabetes mellitus (250)	297	2.1

Table C6. Deaths from malignant neoplasms and percentage distribution,  
by primary site, sex, and race  
Mississippi, 1974

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Percent			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
<u>Total</u>	<u>1,449</u>	<u>698</u>	<u>1,065</u>	<u>523</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
1. Digestive organs and peritoneum (150-159)	331	180	301	164	22.8	25.8	28.3	31.4
2. Respiratory system (160-163)	565	197	137	44	39.0	28.2	12.9	8.4
3. Genital organs (180-187)	151	138	154	102	10.4	19.8	14.5	19.5
4. Lymphatic and hematopoietic tissue (200-209)	141	54	112	32	9.7	7.7	10.5	6.1
5. Breast (174)	0	0	174	81	-	-	16.3	15.5
6. Urinary organs (188, 189)	55	26	28	20	3.8	3.7	2.6	3.8
7. Brain (191)	39	6	29	9	2.7	0.8	2.7	1.7
8. Buccal cavity and pharynx (140-149)	38	12	13	5	2.6	1.7	1.2	1.0
9. Skin (172, 173)	31	5	23	4	2.1	0.7	2.2	0.8
10. Bone and connective tissue (170, 171)	19	11	10	11	1.3	1.6	0.9	2.1
- Other and unspecified sites (190, 192-199)	79	69	84	51	5.4	9.9	7.9	9.8

Table C7.  
Deaths from major chronic respiratory diseases, 1954, 1959, 1964, 1969, 1974  
Mississippi

Cause and International Classification Number	1954	1959	1964	1969	1974
Tuberculosis of respiratory system (010-012)	210	142	96	47	38
Malignant neoplasms of respiratory system (160-163)	227	339	447	669	943
Malignant neoplasms of trachea, bronchus, and lung (162)	206	308	418	637	904
Chronic and unqualified bronchitis (490-491)	27	34	32	62	51
Emphysema (492)	26	79	123	206	180
Asthma (493)	47	52	51	28	14
(Adjusted figures*)	(26)	(36)	(35)		

\* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revision of the cause-of-death classification system in 1958 and 1968.

Table C8.  
Deaths and percent of total accidental deaths  
from five leading causes of accidental death, by cause and race  
Mississippi, 1974

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total of five leading causes</u>	<u>1,183</u>	<u>724</u>	<u>459</u>	<u>79.0</u>	<u>79.3</u>	<u>78.6</u>
1. Motor vehicle (810-823)	717	478	239	47.9	52.4	40.9
2. Fires and flames (890-899)	148	58	90	9.9	6.4	15.4
3. Falls (880-887)	120	92	28	8.0	10.1	4.8
4. Drowning, except in transport accidents (910)	118	53	65	7.9	5.8	11.1
5. Firearm missiles (922)	80	43	37	5.3	4.7	6.3

Table C9.  
Deaths in Mississippi from selected types of accident, by age  
1974

Type of Accident and International Classification Number	Total	Age										65 & Over	Un- known
		Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-64	287	281		
<u>ALL ACCIDENTS</u>	<u>1,498</u>	<u>35</u>	<u>66</u>	<u>74</u>	<u>71</u>	<u>336</u>	<u>217</u>	<u>130</u>	<u>287</u>	<u>281</u>	<u>1</u>		
Motor vehicle (810-823)	711	5	24	30	26	206	128	75	127	90	0		
Water transport (830-838)	29	0	0	1	0	9	5	5	8	1	0		
Submersion, drowning (830, 832)	28	0	0	1	0	9	5	4	8	1	0		
Other (831, 833-838)	1	0	0	0	0	0	0	1	0	0	0		
Air and space transport (840-845)	15	0	0	0	0	2	7	2	4	0	0		
Poisoning (850-877)	34	0	3	0	0	11	6	1	6	7	0		
By drugs and medicaments (850-859)	16	0	1	0	0	7	2	0	2	4	0		
By other solid and liquid substances (860-869)	10	0	2	0	0	2	1	1	2	2	0		
By gases and vapors (870-877)	8	0	0	0	0	2	3	0	2	1	0		
Falls (880-887)	116	1	1	3	0	4	3	4	19	80	1		
Fires and flames (890-899)	146	7	17	12	4	10	15	8	28	45	0		
Drowning and submersion (except in transport accidents) (910)	122	0	14	12	25	36	13	4	8	10	0		
Inhalation and ingestion of food or other object causing obstruction or suffocation (911, 912)	37	10	3	2	0	0	3	3	9	7	0		
Mechanical suffocation (including in bed or cradle) (913)	17	8	0	0	1	4	0	1	2	1	0		
Struck by, striking against, and caught in or between objects (916-918)	55	0	1	3	4	8	8	9	16	6	0		
Caused by firearm missiles (922)	80	0	1	9	9	21	13	4	17	6	0		
Caused by electric current (925)	16	2	0	0	1	6	2	2	3	0	0		
Caused by machinery and not elsewhere classifiable (928)	24	0	0	1	0	5	1	4	8	5	0		

Table C10. Infant deaths, percentage distribution, and mortality rates, by age and race  
Mississippi, 1974

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total under 1 year</u>	<u>1,024</u>	<u>356</u>	<u>668</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>23.2</u>	<u>15.5</u>	<u>31.8</u>
<u>Neonatal (under 28 days)</u>	<u>710</u>	<u>276</u>	<u>434</u>	<u>69.3</u>	<u>77.5</u>	<u>65.0</u>	<u>16.1</u>	<u>12.0</u>	<u>20.6</u>
<u>Hebdomadal (under 7 days)</u>	<u>628</u>	<u>248</u>	<u>380</u>	<u>61.3</u>	<u>69.7</u>	<u>56.9</u>	<u>14.3</u>	<u>10.8</u>	<u>18.1</u>
Under 1 day	377	146	231	36.8	41.0	34.6	8.6	6.3	11.0
1-6 days	251	102	149	24.5	28.6	22.3	5.7	4.4	7.1
7-27 days	82	28	54	8.0	7.9	8.1	1.9	1.2	2.6
<u>Postneonatal (28 days to 1 year)</u>	<u>314</u>	<u>80</u>	<u>234</u>	<u>30.7</u>	<u>22.5</u>	<u>35.0</u>	<u>7.1</u>	<u>3.5</u>	<u>11.1</u>

\* Deaths per 1,000 live births.

Table C11. Deaths and mortality rates for six leading causes of infant deaths,  
by cause and race  
Mississippi, 1974

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
<u>All causes</u>	<u>1,024</u>	<u>356</u>	<u>668</u>	<u>23.2</u>	<u>15.5</u>	<u>31.8</u>
1. Immaturity, unqualified (777)	124	31	93	2.8	1.3	4.4
2. Congenital anomalies (740-759)	117	66	51	2.6	2.9	2.4
3. Hyaline membrane disease (776.1)	95	42	53	2.2	1.8	2.5
4. Asphyxia of newborn, unspecified (776.9)	85	34	51	1.9	1.5	2.4
5. Respiratory distress syndrome (776.2)	75	36	39	1.7	1.6	1.8
6. Influenza and pneumonia (470-486)	66	15	51	1.5	0.6	2.4

\* Deaths per 1,000 live births.

## MARRIAGES

Table D1.  
Marriages and average per day, by month  
Mississippi, 1974

Month	Marriages	Average per Day	Month	Marriages	Average per Day
<u>Total</u>	<u>27,613</u>	<u>76</u>			
January	1,696	55	July	2,532	82
February	1,828	65	August	3,170	102
March	2,123	68	September	1,915	64
April	1,960	65	October	1,830	59
May	2,435	78	November	2,182	73
June	3,386	113	December	2,556	82

Table D2.  
Brides and grooms and percentage distribution, by age and race  
Mississippi, 1974

Age	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>27,613</u>	<u>19,236</u>	<u>8,377</u>	<u>27,613</u>	<u>19,242</u>	<u>8,371</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under 20</u>	<u>11,250</u>	<u>7,946</u>	<u>3,304</u>	<u>5,494</u>	<u>4,061</u>	<u>1,433</u>	<u>40.7</u>	<u>41.3</u>	<u>39.4</u>	<u>19.9</u>	<u>21.1</u>	<u>17.1</u>
12	4	2	2	0	0	0	*	*	*	-	-	-
13	18	12	6	0	0	0	0.1	0.1	0.1	-	-	-
14	116	78	38	1	0	1	0.4	0.4	0.4	*	-	*
15	1,068	800	268	19	18	1	3.9	4.2	3.2	0.1	0.1	*
16	1,683	1,201	482	149	129	20	6.1	6.2	5.8	0.5	0.7	0.2
17	2,454	1,778	676	891	731	160	8.9	9.2	8.1	3.2	3.8	1.9
18	3,239	2,267	972	1,958	1,440	518	11.7	11.8	11.6	7.1	7.5	6.2
19	2,668	1,808	860	2,476	1,743	733	9.7	9.4	10.3	9.0	9.0	8.8
20-24	7,973	5,349	2,624	10,655	7,044	3,611	28.9	27.8	31.3	38.6	36.6	43.1
25-34	4,293	3,005	1,288	6,108	4,355	1,753	15.5	15.6	15.4	22.1	22.6	20.9
35-44	1,926	1,403	523	2,266	1,668	598	7.0	7.3	6.2	8.2	8.7	7.1
45-54	1,183	857	326	1,490	1,116	374	4.3	4.4	3.9	5.4	5.8	4.5
55-64	668	473	195	929	612	317	2.4	2.4	2.3	3.4	3.2	3.8
65-74	281	176	105	510	291	219	1.0	0.9	1.2	1.8	1.5	2.6
75 & over	36	26	10	151	91	60	0.1	0.1	0.1	0.5	0.5	0.7
Unknown	3	1	2	10	4	6	*	*	*	*	*	0.1

\* Less than 0.06 percent.

Table D3,  
Median age of bride and groom,  
for all marriages and first marriages, by race  
Mississippi, 1974

All and First Marriages	Bride			Groom		
	Total	White	Non- white	Total	White	Non- white
All marriages	21.2	21.2	21.2	23.5	23.6	23.4
First marriages	19.4	19.1	20.2	22.0	21.7	22.6

Table D4.  
Brides and grooms and percentage distribution,  
by marriage order and race, also by previous marital status and race  
Mississippi, 1974

Marriage Order and Previous Marital Status	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Total	27,613	19,236	8,377	27,613	19,242	8,371	100.0	100.0	100.0	100.0	100.0	100.0
First	18,836	12,143	6,693	18,595	12,176	6,419	68.2	63.1	79.9	67.3	63.3	76.7
Remarriage	8,756	7,087	1,669	9,007	7,063	1,944	31.7	36.8	19.9	32.6	36.7	23.2
Second	6,600	5,218	1,382	6,818	5,297	1,521	23.9	27.1	16.5	24.7	27.5	18.2
Over two	2,156	1,869	287	2,189	1,766	423	7.8	9.7	3.4	7.9	9.2	5.0
Third	1,723	1,484	239	1,740	1,400	340	6.2	7.7	2.8	6.3	7.3	4.1
Fourth	371	326	45	389	317	72	1.3	1.7	0.5	1.4	1.6	0.9
Fifth	39	38	1	49	41	8	0.1	0.2	##	0.2	0.2	0.1
Sixth	18	16	2	7	7	0	0.1	0.1	##	##	##	-
Seventh	1	1	0	2	1	1	##	##	-	##	##	##
Eighth	2	2	0	2	0	2	##	##	-	##	-	##
Ninth	1	1	0	0	0	0	##	##	-	-	-	-
Tenth	1	1	0	0	0	0	##	##	-	-	-	-
Widowed	1,608	1,194	414	1,287	836	451	5.8	6.2	4.9	4.7	4.3	5.4
Divorced*	7,102	5,874	1,228	7,680	6,215	1,465	25.7	30.5	14.6	27.8	32.3	17.5
Unknown**	46	19	27	40	12	28	0.2	0.1	0.3	0.1	0.1	0.3
Unknown#	21	6	15	11	3	8	0.1	##	0.2	##	##	0.1

\* Includes those whose last marriage was annulled.

\*\* Unknown whether widowed or divorced.

# Unknown whether any previous marriage.

## Less than 0.06 percent.

Table D5,  
Marriages and percentage distribution, by residence of  
bride and groom and race of bride  
Mississippi, 1974

Residence of Groom	Race and Residence of Bride								
	Total			White			Nonwhite		
	Total	Missis- sippi	Other	Total	Missis- sippi	Other	Total	Missis- sippi	Other
NUMBER									
<u>Total</u>	<u>27,613</u>	<u>24,646</u>	<u>2,967</u>	<u>19,236</u>	<u>16,779</u>	<u>2,457</u>	<u>8,377</u>	<u>7,867</u>	<u>510</u>
Mississippi	23,647	23,037	610	16,047	15,542	505	7,600	7,495	105
Other	3,966	1,609	2,357	3,189	1,237	1,952	777	372	405
PERCENT									
<u>Total</u>	<u>100.0</u>	<u>89.2</u>	<u>10.7</u>	<u>100.0</u>	<u>87.2</u>	<u>12.8</u>	<u>100.0</u>	<u>93.9</u>	<u>6.1</u>
Mississippi	85.6	83.4	2.2	83.4	80.8	2.6	90.7	89.5	1.2
Other	14.4	5.8	8.5	16.6	6.4	10.1	9.3	4.4	4.8

## DIVORCES

Table E1.  
Divorces and percentage distribution, by cause and race  
Mississippi, 1974

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>11,866</u>	<u>9,203</u>	<u>2,663</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Cruel and inhuman treatment	8,812	7,586	1,226	74.3	82.4	46.0
Desertion	2,209	981	1,228	18.6	10.6	46.1
Adultery	449	329	120	3.8	3.6	4.5
Drunkenness	247	199	48	2.1	2.2	1.8
Penitentiary	53	39	14	0.4	0.4	0.5
Insanity	6	4	2	*	*	0.1
Annulment	40	34	6	0.3	0.4	0.2
Bigamy	16	8	8	0.1	0.1	0.3
Miscellaneous and other	13	7	6	0.1	0.1	0.2
Not stated	21	16	5	0.2	0.2	0.2

\* Less than 0.06 percent.

Table E2.  
Divorces and percentage distribution, by number of minor children and race  
Mississippi, 1974

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total divorces</u>	<u>11,866</u>	<u>9,203</u>	<u>2,663</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	5,184	4,064	1,120	43.7	44.2	42.0
One	3,035	2,373	662	25.6	25.8	24.8
Two	1,941	1,575	366	16.4	17.1	13.7
Three or more	1,564	1,086	478	13.2	11.8	17.9
Not stated	142	105	37	1.2	1.1	1.4

Table E3.  
Divorces and percentage distribution, by number of years married and race  
Mississippi, 1974

Number of Years Married	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total divorces</u>	<u>11,866</u>	<u>9,203</u>	<u>2,663</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>5,623</u>	<u>4,690</u>	<u>933</u>	<u>47.4</u>	<u>51.0</u>	<u>35.0</u>
Under one	1,064	965	99	9.0	10.5	3.7
One	1,356	1,168	188	11.4	12.7	7.0
Two	1,251	1,032	219	10.5	11.2	8.2
Three	1,065	847	218	9.0	9.2	8.2
Four	887	678	209	7.5	7.4	7.8
Five - nine	2,620	2,019	601	22.1	21.9	22.6
Ten - nineteen	2,085	1,574	511	17.6	17.1	19.2
Twenty and over	1,444	846	598	12.2	9.2	22.4
Not stated	94	74	20	0.8	0.8	0.8

1974

1974

TABLE 1  
 LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,  
 ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE,  
 (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL),  
 MISSISSIPPI, 1974

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>43,582</u>	<u>22,934</u>	<u>20,648</u>	<u>44,032</u>	<u>23,023</u>	<u>21,009</u>
Adams	1,421	716	705	704	318	386
Alcorn	311	261	50	479	410	69
Amite	15	0	15	208	86	122
Attala	295	176	119	305	156	149
Benton	2	0	2	128	68	60
Bolivar	2,069	313	1,756	1,209	273	936
Calhoun	139	49	90	243	152	91
Carroll	18	0	18	146	60	86
Chickasaw	323	151	172	355	192	163
Choctaw	106	32	74	115	73	42
Claiborne	79	13	66	214	45	169
Clarke	41	18	23	222	104	118
Clay	315	119	196	388	142	246
Coahoma	620	305	315	864	205	659
Copiah	389	166	223	440	160	280
Covington	164	91	73	274	127	147
DeSoto	9	0	9	831	597	234
Forrest	1,808	1,390	418	1,067	710	357
Franklin	24	18	6	151	69	82
George	241	193	48	292	244	48
Greene	58	35	23	162	110	52
Grenada	370	159	211	376	173	203
Hancock	6	3	3	261	218	43
Harrison	3,432	2,657	775	2,853	2,143	710
Hinds	6,748	3,185	3,563	4,099	1,847	2,252
Holmes	472	62	410	495	84	411
Humphreys	282	24	258	327	77	250
Issaquena	0	0	0	43	16	27
Itawamba	29	25	4	299	281	18
Jackson	1,539	1,122	417	2,035	1,553	482
Jasper	214	126	88	346	124	222
Jefferson	31	0	31	163	14	149
Jeff Davis	34	7	27	261	85	176
Jones	1,672	708	964	909	600	309
Kemper	25	8	17	182	49	133
Lafayette	599	359	240	425	259	166
Lamar	79	60	19	365	295	70
Lauderdale	2,110	1,119	991	1,312	709	603
Lawrence	103	24	79	245	122	123
Leake	137	68	69	289	118	171
Lee	1,621	1,258	363	986	681	305
Leflore	977	368	609	871	269	602

Table 1 - Page 2  
 Live Births - Mississippi - 1974

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	248	173	75	508	301	207
Lowndes	1,131	749	382	1,137	660	477
Madison	230	91	139	770	223	547
Marion	222	139	83	448	287	161
Marshall	54	12	42	546	224	322
Monroe	1,015	690	325	641	367	274
Montgomery	246	86	160	195	79	116
Neshoba	371	202	169	409	242	167
Newton	203	115	88	340	178	162
Noxubee	330	61	269	265	76	189
Oktibbeha	494	252	242	511	282	229
Panola	629	173	456	533	176	357
Pearl River	511	416	95	497	385	112
Perry	113	76	37	202	129	73
Pike	975	575	400	642	285	357
Pontotoc	244	177	67	332	268	64
Prentiss	323	274	49	355	300	55
Quitman	436	102	334	348	106	242
Rankin	38	16	22	945	733	212
Scott	266	184	82	427	218	209
Sharkey	73	7	66	188	37	151
Simpson	186	132	54	420	239	181
Smith	15	6	9	254	164	90
Stone	39	27	12	146	89	57
Sunflower	394	101	293	709	183	526
Tallahatchie	375	87	288	434	131	303
Tate	16	2	14	385	177	208
Tippah	344	220	124	308	237	71
Tishomingo	163	152	11	202	187	15
Tunica	193	12	181	245	45	200
Union	370	270	100	321	234	87
Walthall	217	108	109	199	78	121
Warren	1,433	571	862	936	453	483
Washington	1,458	641	817	1,584	500	1,084
Wayne	316	189	127	312	176	136
Webster	180	122	58	158	103	55
Wilkinson	162	65	97	138	36	102
Winston	272	118	154	375	139	236
Yalobusha	134	63	71	226	98	128
Yazoo	236	90	146	502	180	322
Out of state	2,055	1,427	628	1,605	1,338	267

Table 1 - Page 3  
Live Births - Mississippi - 1974

Town*	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Biloxi	1,986	1,667	319	1,037	816	221
Brookhaven	247	173	74	218	101	117
Canton	198	91	107	313	73	240
Clarksdale	603	305	298	517	141	376
Cleveland	573	258	315	349	150	199
Columbus	1,088	746	342	491	236	255
Corinth	0	0	0	171	128	43
Greenville	1,010	529	481	958	315	643
Greenwood	885	367	518	430	169	261
Gulfport	1,439	987	452	873	535	338
Hattiesburg	1,807	1,389	418	605	313	292
Jackson	5,811	2,496	3,315	2,965	1,281	1,684
Laurel	1,668	704	964	407	172	235
McComb	880	550	330	258	119	139
Meridian	2,101	1,111	990	809	370	439
Moss Point	49	1	48	434	128	306
Natchez	1,420	715	705	361	144	217
Oxford	578	359	219	148	113	35
Pascagoula	1,481	1,115	366	593	502	91
Pearl	0	0	0	242	237	5
Picayune	509	414	95	176	105	71
Starkville	485	252	233	242	161	81
Tupelo	1,423	1,111	312	363	272	91
Vicksburg	1,433	571	862	544	184	360
Yazoo City	209	90	119	243	72	171
Total urban**	37,093	20,304	16,789	18,496	9,159	9,337
Total rural	6,489	2,630	3,859	25,536	13,864	11,672

\* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

\*\* All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 2  
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,  
ALSO BY COUNTY OF RESIDENCE AND SEX,  
MISSISSIPPI, 1974

County	Total	White			Nonwhite			Sex			
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
<u>STATE</u>	<u>44,032</u>	<u>23,023</u>	<u>22,961</u>	<u>8</u>	<u>54</u>	<u>21,009</u>	<u>19,925</u>	<u>52</u>	<u>1,032</u>	<u>22,377</u>	<u>21,655</u>
Adams	704	318	318	0	0	386	384	1	1	351	353
Alcorn	479	410	410	0	0	69	68	0	1	247	232
Amite	208	86	86	0	0	122	107	1	14	106	102
Attala	305	156	156	0	0	149	99	1	49	158	147
Benton	128	68	68	0	0	60	58	0	2	63	65
Bolivar	1,209	273	273	0	0	936	927	2	7	588	621
Calhoun	243	152	151	0	1	91	89	0	2	115	128
Carroll	146	60	60	0	0	86	70	0	16	67	79
Chickasaw	355	192	192	0	0	163	158	2	3	168	187
Choctaw	115	73	73	0	0	42	39	0	3	59	56
Claiborne	214	45	45	0	0	169	166	0	3	110	104
Clarke	222	104	104	0	0	118	118	0	0	109	113
Clay	388	142	142	0	0	246	240	2	4	200	188
Coahoma	864	205	204	0	1	659	636	1	22	436	428
Copiah	440	160	158	0	2	280	280	0	0	217	223
Covington	274	127	127	0	0	147	143	0	4	137	137
DeSoto	831	597	597	0	0	234	225	0	9	407	424
Forrest	1,067	710	709	0	1	357	348	1	8	533	534
Franklin	151	69	69	0	0	82	81	0	1	71	80
George	292	244	241	0	3	48	46	0	2	150	142
Greene	162	110	110	0	0	52	51	0	1	76	86
Grenada	376	173	173	0	0	203	181	0	22	201	175
Hancock	261	218	216	0	2	43	38	1	4	141	120
Harrison	2,853	2,143	2,135	1	7	710	631	1	78	1,453	1,400

Table 2 - Page 2  
Live Births - Mississippi - 1974

County	Total	White			Nonwhite			Sex			
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,099	1,847	1,846	0	1	2,252	2,238	5	9	2,041	2,058
Holmes	495	84	84	0	0	411	405	1	5	237	258
Humphreys	327	77	77	0	0	250	240	0	10	178	149
Issaquena	43	16	16	0	0	27	27	0	0	25	18
Itawamba	299	281	280	0	1	18	18	0	0	153	146
Jackson	2,035	1,553	1,547	1	5	482	416	13	53	1,077	958
Jasper	346	124	124	0	0	222	220	1	1	180	166
Jefferson	163	14	14	0	0	149	148	0	1	84	79
Jeff Davis	261	85	85	0	0	176	168	1	7	135	126
Jones	909	600	596	0	4	309	309	0	0	463	446
Kemper	182	49	49	0	0	133	131	0	2	86	96
Lafayette	425	259	259	0	0	166	139	0	27	207	218
Lamar	365	295	294	0	1	70	70	0	0	201	164
Lauderdale	1,312	709	709	0	0	603	603	0	0	648	664
Lawrence	245	122	121	0	1	123	113	0	10	117	128
Leake	289	118	118	0	0	171	162	2	7	142	147
Lee	986	681	680	1	0	305	300	1	4	520	466
Leflore	871	269	268	0	1	602	473	0	129	448	423
Lincoln	508	301	301	0	0	207	206	0	1	246	262
Lowndes	1,137	660	657	0	3	477	343	0	134	591	546
Madison	770	223	222	1	0	547	497	5	45	384	386
Marion	448	287	287	0	0	161	144	0	17	247	201
Marshall	546	224	224	0	0	322	308	0	14	283	263
Monroe	641	367	365	0	2	274	268	1	5	324	317
Montgomery	195	79	79	0	0	116	107	1	8	103	92
Neshoba	409	242	242	0	0	167	166	1	0	213	196
Newton	340	178	178	0	0	162	161	0	1	189	151
Noxubee	265	76	76	0	0	189	172	2	15	126	139
Oktibbeha	511	282	282	0	0	229	217	0	12	248	263
Panola	533	176	175	0	1	357	331	0	26	283	250

Table 2 - Page 3  
Live Births - Mississippi - 1974

County	Total	White			Nonwhite			Sex			
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	497	385	384	0	1	112	111	0	1	269	228
Perry	202	129	128	1	0	73	72	1	0	97	105
Pike	642	285	283	0	2	357	333	0	24	319	323
Pontotoc	332	268	268	0	0	64	64	0	0	169	163
Prentiss	355	300	300	0	0	55	52	0	3	188	167
Quitman	348	106	106	0	0	242	239	0	3	183	165
Rankin	945	733	732	1	0	212	211	0	1	499	446
Scott	427	218	218	0	0	209	204	0	5	213	214
Sharkey	188	37	37	0	0	151	149	0	2	109	79
Simpson	420	239	239	0	0	181	179	0	2	230	190
Smith	254	164	164	0	0	90	89	1	0	120	134
Stone	146	89	89	0	0	57	50	0	7	75	71
Sunflower	709	183	182	1	0	526	506	1	19	361	348
Tallahatchie	434	131	129	1	1	303	262	0	41	216	218
Tate	385	177	175	0	2	208	195	0	13	199	186
Tippah	308	237	236	0	1	71	71	0	0	158	150
Tishomingo	202	187	185	0	2	15	15	0	0	95	107
Tunica	245	45	45	0	0	200	178	0	22	124	121
Union	321	234	234	0	0	87	81	0	6	156	165
Walthall	199	78	73	0	5	121	99	1	21	100	99
Warren	936	453	451	0	2	483	482	0	1	466	470
Washington	1,584	500	500	0	0	1,084	1,073	0	11	822	762
Wayne	312	176	176	0	0	136	136	0	0	169	143
Webster	158	103	102	0	1	55	55	0	0	80	78
Wilkinson	138	36	36	0	0	102	98	0	4	79	59
Winston	375	139	139	0	0	236	230	1	5	190	185
Yalobusha	226	98	98	0	0	128	123	0	5	104	122
Yazoo	502	180	180	0	0	322	285	0	37	245	257

TABLE 3A  
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>44,032</u>	<u>453</u>	<u>12,357</u>	<u>15,384</u>	<u>9,626</u>	<u>4,041</u>	<u>1,634</u>	<u>498</u>	<u>29</u>	<u>10</u>
Adams	704	8	203	238	167	66	16	5	1	0
Alcorn	479	3	111	158	143	49	12	3	0	0
Amite	208	1	44	78	48	19	13	5	0	0
Attala	305	2	83	105	66	26	17	6	0	0
Benton	128	2	43	46	19	6	7	5	0	0
Bolivar	1,209	18	414	388	230	99	40	20	0	0
Calhoun	243	3	74	84	45	24	12	1	0	0
Carroll	146	3	46	43	29	16	6	3	0	0
Chickasaw	355	3	107	123	71	35	11	4	1	0
Choctaw	115	0	28	45	24	14	2	1	0	1
Claiborne	214	4	76	63	34	23	11	2	1	0
Clarke	222	4	64	70	44	25	13	2	0	0
Clay	388	7	108	143	78	26	18	7	1	0
Coahoma	864	24	317	262	163	57	32	9	0	0
Copiah	440	6	129	174	75	38	12	6	0	0
Covington	274	0	67	103	71	21	10	2	0	0
DeSoto	831	0	156	285	241	107	30	11	1	0
Forrest	1,067	8	299	377	247	99	27	10	0	0
Franklin	151	2	44	57	21	15	9	3	0	0
George	292	1	75	115	60	30	11	0	0	0
Greene	162	1	39	55	42	19	5	1	0	0
Grenada	376	4	104	145	74	26	19	4	0	0
Hancock	261	0	65	82	66	37	5	3	3	0
Harrison	2,853	19	834	1,073	591	233	80	22	1	0
Hinds	4,099	49	1,012	1,377	1,071	415	140	34	1	0
Holmes	495	10	160	163	86	51	20	5	0	0
Humphreys	327	2	117	109	60	28	10	1	0	0
Issaquena	43	1	12	14	9	4	3	0	0	0
Itawamba	299	3	78	103	72	28	11	3	0	1
Jackson	2,035	15	461	763	498	207	78	11	1	1
Jasper	346	5	88	121	77	34	16	5	0	0
Jefferson	163	2	52	47	32	17	11	1	0	1
Jeff Davis	261	3	76	85	55	27	12	3	0	0
Jones	909	8	262	324	200	73	32	9	0	1
Kemper	182	0	50	64	35	16	10	6	1	0
Lafayette	425	3	109	152	108	37	12	4	0	0
Lamar	365	1	98	132	87	32	11	4	0	0
Lauderdale	1,312	5	363	488	297	111	37	11	0	0
Lawrence	245	3	69	94	45	15	11	6	0	2
Leake	289	3	90	107	55	20	12	2	0	0
Lee	986	9	224	361	262	85	35	8	1	1
Leflore	871	16	294	255	177	76	38	13	2	0

Table 3A - Page 2

Total Live Births - Mississippi - 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	508	5	139	182	121	35	19	7	0	0
Lowndes	1,137	8	300	420	262	93	39	14	1	0
Madison	770	13	228	269	136	74	37	11	2	0
Marion	448	7	130	136	102	39	22	12	0	0
Marshall	546	4	170	175	110	60	14	13	0	0
Monroe	641	2	173	233	126	62	33	12	0	0
Montgomery	195	6	56	68	34	16	14	1	0	0
Neshoba	409	1	113	140	93	38	19	4	1	0
Newton	340	3	91	122	69	38	12	5	0	0
Noxubee	265	0	81	88	47	22	23	4	0	0
Oktibbeha	511	7	142	181	107	50	20	4	0	0
Panola	533	8	157	172	122	52	15	7	0	0
Pearl River	497	1	150	171	97	56	20	2	0	0
Perry	202	1	55	80	39	18	6	3	0	0
Pike	642	4	174	246	130	56	22	10	0	0
Pontotoc	332	2	77	129	77	35	10	2	0	0
Prentiss	355	0	88	135	82	33	14	3	0	0
Quitman	348	3	134	101	71	27	10	2	0	0
Rankin	945	6	189	346	259	105	31	9	0	0
Scott	427	3	122	142	98	42	13	6	1	0
Sharkey	188	2	62	62	34	13	7	8	0	0
Simpson	420	4	120	161	84	38	10	2	0	1
Smith	254	4	57	92	59	25	13	4	0	0
Stone	146	1	48	48	24	17	6	2	0	0
Sunflower	709	16	237	232	128	54	29	12	0	1
Tallahatchie	434	6	163	138	76	29	19	2	1	0
Tate	385	5	115	152	63	28	13	9	0	0
Tippah	308	2	72	118	75	27	10	3	1	0
Tishomingo	202	1	49	77	45	20	5	4	1	0
Tunica	245	4	80	88	42	13	13	5	0	0
Union	321	4	77	110	75	40	13	2	0	0
Walthall	199	6	55	61	48	15	11	2	1	0
Warren	936	5	275	304	207	96	38	11	0	0
Washington	1,584	32	530	540	277	118	67	17	3	0
Wayne	312	1	84	127	65	18	12	5	0	0
Webster	158	1	40	54	31	23	7	2	0	0
Wilkinson	138	0	43	48	25	13	7	2	0	0
Winston	375	3	95	136	83	40	15	3	0	0
Yalobusha	226	2	73	83	36	22	8	1	1	0
Yazoo	502	9	168	146	92	55	21	10	1	0

TABLE 3B  
 WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
 MISSISSIPPI, 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>23,023</u>	<u>68</u>	<u>4,764</u>	<u>8,569</u>	<u>6,378</u>	<u>2,391</u>	<u>680</u>	<u>157</u>	<u>10</u>	<u>6</u>
Adams	318	1	62	113	102	35	4	1	0	0
Alcorn	410	2	81	135	136	43	11	2	0	0
Amite	86	0	12	33	25	9	5	2	0	0
Attala	156	0	33	56	46	14	7	0	0	0
Benton	68	1	22	28	11	2	4	0	0	0
Bolivar	273	2	50	99	76	32	10	4	0	0
Calhoun	152	1	35	55	34	17	9	1	0	0
Carroll	60	0	12	20	17	9	2	0	0	0
Chickasaw	192	1	51	74	44	19	3	0	0	0
Choctaw	73	0	14	32	16	7	2	1	0	1
Claiborne	45	0	8	19	10	5	3	0	0	0
Clarke	104	1	24	35	26	16	1	1	0	0
Clay	142	0	29	55	44	12	1	1	0	0
Coahoma	205	0	41	77	63	20	3	1	0	0
Copiah	160	0	38	66	34	16	3	3	0	0
Covington	127	0	25	42	39	14	6	1	0	0
DeSoto	597	0	77	219	195	86	18	2	0	0
Forrest	710	3	150	266	195	76	14	6	0	0
Franklin	69	0	11	25	14	12	5	2	0	0
George	244	1	58	105	49	25	6	0	0	0
Greene	110	0	25	37	31	13	4	0	0	0
Grenada	173	1	33	70	42	18	8	1	0	0
Hancock	218	0	51	70	57	32	3	2	3	0
Harrison	2,143	3	591	831	480	168	55	14	1	0
Hinds	1,847	9	260	587	693	231	58	9	0	0
Holmes	84	1	6	34	26	13	2	2	0	0
Humphreys	77	0	18	31	21	6	1	0	0	0
Issaquena	16	0	4	5	6	0	1	0	0	0
Itawamba	281	3	70	99	66	28	11	3	0	1
Jackson	1,553	5	309	592	418	169	50	9	1	0
Jasper	124	1	18	44	39	14	6	2	0	0
Jefferson	14	0	2	5	4	2	1	0	0	0
Jeff Davis	85	1	11	32	26	11	2	2	0	0
Jones	600	2	129	224	163	60	19	3	0	0
Kemper	49	0	10	21	12	3	2	1	0	0
Lafayette	259	1	38	97	87	28	7	1	0	0
Lamar	295	0	66	111	75	30	10	3	0	0
Lauderdale	709	1	144	294	197	62	9	2	0	0
Lawrence	122	1	22	45	32	12	7	2	0	1
Leake	118	0	35	41	28	10	3	1	0	0
Lee	681	4	115	259	207	64	28	3	0	1
Leflore	269	3	58	89	76	32	10	1	0	0

Table 3B - Page 2  
 White Live Births - Mississippi - 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	301	1	66	117	80	22	13	2	0	0
Lowndes	660	0	128	265	195	53	13	6	0	0
Madison	223	2	36	92	63	24	3	2	1	0
Marion	287	0	75	91	80	26	11	4	0	0
Marshall	224	1	49	81	61	25	4	3	0	0
Monroe	367	0	79	143	81	42	17	5	0	0
Montgomery	79	1	14	31	19	9	5	0	0	0
Neshoba	242	0	63	84	60	24	9	2	0	0
Newton	178	0	41	69	45	20	2	1	0	0
Noxubee	76	0	18	27	22	5	4	0	0	0
Oktibbeha	282	0	43	112	84	36	6	1	0	0
Panola	176	1	38	66	57	13	1	0	0	0
Pearl River	385	0	108	132	86	44	14	1	0	0
Perry	129	0	37	46	26	14	3	3	0	0
Pike	285	0	46	122	79	27	10	1	0	0
Pontotoc	268	1	55	104	72	28	8	0	0	0
Prentiss	300	0	70	116	69	32	11	2	0	0
Quitman	106	0	31	35	29	7	3	1	0	0
Rankin	733	3	114	271	227	92	20	6	0	0
Scott	218	0	45	77	65	25	3	2	1	0
Sharkey	37	0	7	16	11	2	1	0	0	0
Simpson	239	0	60	89	59	23	6	1	0	1
Smith	164	0	38	56	43	16	10	1	0	0
Stone	89	1	26	25	22	13	2	0	0	0
Sunflower	183	2	39	65	55	14	4	3	0	1
Tallahatchie	131	0	31	53	30	13	4	0	0	0
Tate	177	1	36	81	41	13	5	0	0	0
Tippah	237	0	52	96	58	23	5	2	1	0
Tishomingo	187	0	47	71	42	18	4	4	1	0
Tunica	45	0	8	22	13	1	0	1	0	0
Union	234	0	52	80	56	32	12	2	0	0
Walthall	78	0	15	28	23	7	4	0	1	0
Warren	453	1	83	158	143	54	12	2	0	0
Washington	500	3	116	190	139	38	13	1	0	0
Wayne	176	0	42	71	39	13	8	3	0	0
Webster	103	0	22	38	17	19	6	1	0	0
Wilkinson	36	0	5	16	7	5	2	1	0	0
Winston	139	0	20	50	51	12	5	1	0	0
Yalobusha	98	0	27	38	20	11	1	1	0	0
Yazoo	180	1	34	73	47	21	2	2	0	0

TABLE 3C  
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>21,009</u>	<u>385</u>	<u>7,593</u>	<u>6,815</u>	<u>3,248</u>	<u>1,650</u>	<u>954</u>	<u>341</u>	<u>19</u>	<u>4</u>
Adams	386	7	141	125	65	31	12	4	1	0
Alcorn	69	1	30	23	7	6	1	1	0	0
Amite	122	1	32	45	23	10	8	3	0	0
Attala	149	2	50	49	20	12	10	6	0	0
Benton	60	1	21	18	8	4	3	5	0	0
Bolivar	936	16	364	289	154	67	30	16	0	0
Calhoun	91	2	39	29	11	7	3	0	0	0
Carroll	86	3	34	23	12	7	4	3	0	0
Chickasaw	163	2	56	49	27	16	8	4	1	0
Choctaw	42	0	14	13	8	7	0	0	0	0
Claiborne	169	4	68	44	24	18	8	2	1	0
Clarke	118	3	40	35	18	9	12	1	0	0
Clay	246	7	79	88	34	14	17	6	1	0
Coahoma	659	24	276	185	100	37	29	8	0	0
Copiah	280	6	91	108	41	22	9	3	0	0
Covington	147	0	42	61	32	7	4	1	0	0
DeSoto	234	0	79	66	46	21	12	9	1	0
Forrest	357	5	149	111	52	23	13	4	0	0
Franklin	82	2	33	32	7	3	4	1	0	0
George	48	0	17	10	11	5	5	0	0	0
Greene	52	1	14	18	11	6	1	1	0	0
Grenada	203	3	71	75	32	8	11	3	0	0
Hancock	43	0	14	12	9	5	2	1	0	0
Harrison	710	16	243	242	111	65	25	8	0	0
Hinds	2,252	40	752	790	378	184	82	25	1	0
Holmes	411	9	154	129	60	38	18	3	0	0
Humphreys	250	2	99	78	39	22	9	1	0	0
Issaquena	27	1	8	9	3	4	2	0	0	0
Itawamba	18	0	8	4	6	0	0	0	0	0
Jackson	482	10	152	171	80	38	28	2	0	1
Jasper	222	4	70	77	38	20	10	3	0	0
Jefferson	149	2	50	42	28	15	10	1	0	1
Jeff Davis	176	2	65	53	29	16	10	1	0	0
Jones	309	6	133	100	37	13	13	6	0	1
Kemper	133	0	40	43	23	13	8	5	1	0
Lafayette	166	2	71	55	21	9	5	3	0	0
Lamar	70	1	32	21	12	2	1	1	0	0
Lauderdale	603	4	219	194	100	49	28	9	0	0
Lawrence	123	2	47	49	13	3	4	4	0	1
Leake	171	3	55	66	27	10	9	1	0	0
Lee	305	5	109	102	55	21	7	5	1	0
Leflore	602	13	236	166	101	44	28	12	2	0

Table 3C - Page 2  
 Nonwhite Live Births - Mississippi - 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	207	4	73	65	41	13	6	5	0	0
Lowndes	477	8	172	155	67	40	26	8	1	0
Madison	547	11	192	177	73	50	34	9	1	0
Marion	161	7	55	45	22	13	11	8	0	0
Marshall	322	3	121	94	49	35	10	10	0	0
Monroe	274	2	94	90	45	20	16	7	0	0
Montgomery	116	5	42	37	15	7	9	1	0	0
Neshoba	167	1	50	56	33	14	10	2	1	0
Newton	162	3	50	53	24	18	10	4	0	0
Noxubee	189	0	63	61	25	17	19	4	0	0
Oktibbeha	229	7	99	69	23	14	14	3	0	0
Panola	357	7	119	106	65	39	14	7	0	0
Pearl River	112	1	42	39	11	12	6	1	0	0
Perry	73	1	18	34	13	4	3	0	0	0
Pike	357	4	128	124	51	29	12	9	0	0
Pontotoc	64	1	22	25	5	7	2	2	0	0
Prentiss	55	0	18	19	13	1	3	1	0	0
Quitman	242	3	103	66	42	20	7	1	0	0
Rankin	212	3	75	75	32	13	11	3	0	0
Scott	209	3	77	65	33	17	10	4	0	0
Sharkey	151	2	55	46	23	11	6	8	0	0
Simpson	181	4	60	72	25	15	4	1	0	0
Smith	90	4	19	36	16	9	3	3	0	0
Stone	57	0	22	23	2	4	4	2	0	0
Sunflower	526	14	198	167	73	40	25	9	0	0
Tallahatchie	303	6	132	85	46	16	15	2	1	0
Tate	208	4	79	71	22	15	8	9	0	0
Tippah	71	2	20	22	17	4	5	1	0	0
Tishomingo	15	1	2	6	3	2	1	0	0	0
Tunica	200	4	72	66	29	12	13	4	0	0
Union	87	4	25	30	19	8	1	0	0	0
Walthall	121	6	40	33	25	8	7	2	0	0
Warren	483	4	192	146	64	42	26	9	0	0
Washington	1,084	29	414	350	138	80	54	16	3	0
Wayne	136	1	42	56	26	5	4	2	0	0
Webster	55	1	18	16	14	4	1	1	0	0
Wilkinson	102	0	38	32	18	8	5	1	0	0
Winston	236	3	75	86	32	28	10	2	0	0
Yalobusha	128	2	46	45	16	11	7	0	1	0
Yazoo	322	8	134	73	45	34	19	8	1	0

TABLE 4  
 ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,  
 BY COUNTY OF RESIDENCE AND RACE,  
 MISSISSIPPI, 1974

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>10,183</u>	<u>846</u>	<u>9,337</u>	<u>23.1</u>	<u>3.0</u>	<u>44.4</u>
Adams	218	19	199	31.0	6.0	51.6
Alcorn	46	15	31	9.6	3.6	44.9
Amite	47	1	46	22.6	1.2	37.7
Attala	44	2	42	14.4	1.3	28.2
Benton	25	2	23	19.5	2.9	38.3
Bolivar	546	7	539	45.2	2.6	57.6
Calhoun	51	7	44	21.0	4.6	48.4
Carroll	43	2	41	29.4	3.3	47.7
Chickasaw	53	7	46	14.9	3.6	28.2
Choctaw	17	0	17	14.8	-	40.5
Claiborne	98	4	94	45.8	8.9	55.6
Clarke	45	2	43	20.3	1.9	36.4
Clay	102	3	99	26.3	2.1	40.2
Coahoma	363	5	358	42.0	2.4	54.3
Copiah	129	5	124	29.3	3.1	44.3
Covington	58	3	55	21.2	2.4	37.4
DeSoto	115	10	105	13.8	1.7	44.9
Forrest	209	44	165	19.6	6.2	46.2
Franklin	31	3	28	20.5	4.3	34.1
George	27	5	22	9.2	2.0	45.8
Greene	22	4	18	13.6	3.6	34.6
Grenada	102	9	93	27.1	5.2	45.8
Hancock	26	13	13	10.0	6.0	30.2
Harrison	338	90	248	11.8	4.2	34.9
Hinds	1,008	70	938	24.6	3.8	41.6
Holmes	195	1	194	39.4	1.2	47.2
Humphreys	135	2	133	41.3	2.6	53.2
Issaquena	13	1	12	30.2	6.2	44.4
Itawamba	18	11	7	6.0	3.9	38.9
Jackson	221	54	167	10.8	3.5	34.6
Jasper	58	5	53	16.8	4.0	23.9
Jefferson	77	1	76	47.2	7.1	51.0
Jeff Davis	73	5	68	28.0	5.9	38.6
Jones	171	20	151	18.8	3.3	48.9
Kemper	44	3	41	24.2	6.1	30.8
Lafayette	73	6	67	17.2	2.3	40.4
Lamar	37	8	29	10.1	2.7	41.4
Lauderdale	273	15	258	20.8	2.1	42.8
Lawrence	55	6	49	22.4	4.9	39.8
Leake	57	4	53	19.7	3.4	31.0
Lee	142	32	110	14.4	4.7	36.1
Leflore	296	10	286	34.0	3.7	47.5

Table 4 - Page 2  
 Illegitimate Live Births - Mississippi - 1974

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-White
Lincoln	98	8	90	19.3	2.6	43.5
Lowndes	255	23	232	22.4	3.5	48.6
Madison	275	11	264	35.7	4.9	48.3
Marion	64	11	53	14.3	3.8	32.9
Marshall	163	6	157	29.8	2.7	48.8
Monroe	114	9	105	17.8	2.4	38.3
Montgomery	48	1	47	24.6	1.3	40.5
Neshoba	53	9	44	13.0	3.7	26.3
Newton	56	7	49	16.5	3.9	30.2
Noxubee	75	3	72	28.3	3.9	38.1
Oktibbeha	116	9	107	22.7	3.2	46.7
Panola	159	5	154	29.8	2.8	43.1
Pearl River	73	17	56	14.7	4.4	50.0
Perry	43	8	35	21.3	6.2	47.9
Pike	159	10	149	24.8	3.5	41.7
Pontotoc	23	7	16	6.9	2.6	25.0
Prentiss	37	16	21	10.4	5.3	38.2
Quitman	128	13	115	36.8	12.3	47.5
Rankin	99	23	76	10.5	3.1	35.8
Scott	88	13	75	20.6	6.0	35.9
Sharkey	89	2	87	47.3	5.4	57.6
Simpson	64	5	59	15.2	2.1	32.6
Smith	30	3	27	11.8	1.8	30.0
Stone	33	4	29	22.6	4.5	50.9
Sunflower	254	5	249	35.8	2.7	47.3
Tallahatchie	165	6	159	38.0	4.6	52.5
Tate	111	6	105	28.8	3.4	50.5
Tippah	21	4	17	6.8	1.7	23.9
Tishomingo	13	9	4	6.4	4.8	26.7
Tunica	108	3	105	44.1	6.7	52.5
Union	32	4	28	10.1	1.7	32.2
Walthall	38	1	37	19.1	1.3	30.6
Warren	272	19	253	29.0	4.2	52.4
Washington	645	24	621	40.7	4.8	57.3
Wayne	69	8	61	22.1	4.5	44.8
Webster	29	4	25	18.4	3.9	45.4
Wilkinson	58	2	56	42.0	5.6	54.9
Winston	105	2	103	28.0	1.4	43.6
Yalobusha	54	3	51	23.9	3.1	39.8
Yazoo	166	7	159	33.1	3.9	49.4

TABLE 5A  
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>10,183</u>	<u>394</u>	<u>5,588</u>	<u>2,655</u>	<u>827</u>	<u>394</u>	<u>238</u>	<u>79</u>	<u>4</u>	<u>4</u>
Adams	218	8	122	55	20	10	2	1	0	0
Alcorn	46	2	26	15	2	0	1	0	0	0
Amite	47	1	22	16	5	2	1	0	0	0
Attala	44	2	22	14	1	2	3	0	0	0
Benton	25	1	15	6	1	1	0	1	0	0
Bolivar	546	16	303	133	54	19	16	5	0	0
Calhoun	51	2	35	9	3	2	0	0	0	0
Carroll	43	3	20	14	4	0	1	1	0	0
Chickasaw	53	3	29	8	7	5	1	0	0	0
Choctaw	17	0	8	6	2	1	0	0	0	0
Claiborne	98	4	52	23	8	10	1	0	0	0
Clarke	45	3	25	10	4	3	0	0	0	0
Clay	102	6	40	30	11	3	9	3	0	0
Coahoma	363	23	205	86	34	5	10	0	0	0
Copiah	129	6	62	35	11	7	5	3	0	0
Covington	58	0	28	23	6	1	0	0	0	0
DeSoto	115	0	61	31	10	6	2	4	1	0
Forrest	209	8	124	49	13	11	3	1	0	0
Franklin	31	2	19	6	1	1	2	0	0	0
George	27	0	14	7	5	0	1	0	0	0
Greene	22	1	10	9	2	0	0	0	0	0
Grenada	102	3	61	29	3	3	2	1	0	0
Hancock	26	0	10	13	1	1	1	0	0	0
Harrison	338	16	179	93	32	12	5	1	0	0
Hinds	1,008	44	544	275	81	38	22	4	0	0
Holmes	195	8	107	51	18	5	5	1	0	0
Humphreys	135	2	74	38	10	8	3	0	0	0
Issaquena	13	1	6	5	0	1	0	0	0	0
Itawamba	18	1	10	3	3	0	0	0	0	1
Jackson	221	12	124	62	16	4	2	0	0	1
Jasper	58	4	35	11	4	1	2	1	0	0
Jefferson	77	1	39	25	6	4	2	0	0	0
Jeff Davis	73	3	44	16	6	2	2	0	0	0
Jones	171	6	108	41	7	1	6	1	0	1
Kemper	44	0	22	13	5	3	0	1	0	0
Lafayette	73	2	50	15	3	2	0	1	0	0
Lamar	37	1	26	8	2	0	0	0	0	0
Lauderdale	273	4	158	65	28	14	3	1	0	0
Lawrence	55	3	29	16	3	1	1	1	0	1
Leake	57	3	33	16	4	0	1	0	0	0
Lee	142	6	82	27	15	6	5	1	0	0
Leflore	296	12	174	63	24	10	6	7	0	0

Table 5A - Page 2  
Total Illegitimate Live Births - Mississippi - 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	98	4	53	25	10	3	1	2	0	0
Lowndes	255	7	141	58	26	13	7	3	0	0
Madison	275	12	145	84	11	12	7	3	1	0
Marion	64	6	34	16	6	0	1	1	0	0
Marshall	163	2	88	49	13	7	1	3	0	0
Monroe	114	2	58	31	12	6	3	2	0	0
Montgomery	48	6	24	12	3	0	3	0	0	0
Neshoba	53	1	32	14	3	2	1	0	0	0
Newton	56	3	27	16	7	1	2	0	0	0
Noxubee	75	0	39	23	8	3	2	0	0	0
Oktibbeha	116	7	65	27	7	5	4	1	0	0
Panola	159	7	83	38	15	9	6	1	0	0
Pearl River	73	1	46	16	4	5	1	0	0	0
Perry	43	1	16	19	5	2	0	0	0	0
Pike	159	4	92	40	13	4	4	2	0	0
Pontotoc	23	1	11	7	3	1	0	0	0	0
Prentiss	37	0	18	14	4	1	0	0	0	0
Quitman	128	3	83	29	9	0	3	1	0	0
Rankin	99	3	52	34	5	4	1	0	0	0
Scott	88	3	46	24	3	7	4	1	0	0
Sharkey	89	2	48	21	10	3	3	2	0	0
Simpson	64	4	32	24	1	3	0	0	0	0
Smith	30	3	11	13	3	0	0	0	0	0
Stone	33	1	14	10	2	4	2	0	0	0
Sunflower	254	14	141	57	23	14	3	2	0	0
Tallahatchie	165	5	101	34	13	5	6	1	0	0
Tate	111	4	55	32	6	7	2	5	0	0
Tippah	21	2	12	4	2	1	0	0	0	0
Tishomingo	13	1	8	3	1	0	0	0	0	0
Tunica	108	4	59	25	13	3	3	1	0	0
Union	32	4	13	9	5	1	0	0	0	0
Walthall	38	5	18	10	2	1	2	0	0	0
Warren	272	5	149	72	20	17	9	0	0	0
Washington	645	29	350	166	48	27	17	6	2	0
Wayne	69	1	39	20	8	0	1	0	0	0
Webster	29	1	12	9	5	1	0	1	0	0
Wilkinson	58	0	35	15	3	3	2	0	0	0
Winston	105	3	57	36	4	3	2	0	0	0
Yalobusha	54	2	32	14	3	1	2	0	0	0
Yazoo	166	8	92	35	13	10	7	1	0	0

TABLE 5B  
 WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
 MISSISSIPPI, 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>846</u>	<u>29</u>	<u>495</u>	<u>225</u>	<u>60</u>	<u>25</u>	<u>7</u>	<u>3</u>	<u>0</u>	<u>2</u>
Adams	19	1	11	4	2	1	0	0	0	0
Alcorn	15	1	8	5	0	0	1	0	0	0
Amite	1	0	1	0	0	0	0	0	0	0
Attala	2	0	2	0	0	0	0	0	0	0
Benton	2	0	2	0	0	0	0	0	0	0
Bolivar	7	0	6	0	0	1	0	0	0	0
Calhoun	7	0	5	1	0	1	0	0	0	0
Carroll	2	0	1	1	0	0	0	0	0	0
Chickasaw	7	1	4	2	0	0	0	0	0	0
Choctaw	0	0	0	0	0	0	0	0	0	0
Claiborne	4	0	0	2	0	2	0	0	0	0
Clarke	2	0	2	0	0	0	0	0	0	0
Clay	3	0	3	0	0	0	0	0	0	0
Coahoma	5	0	3	2	0	0	0	0	0	0
Copiah	5	0	1	1	1	1	0	1	0	0
Covington	3	0	3	0	0	0	0	0	0	0
DeSoto	10	0	7	3	0	0	0	0	0	0
Forrest	44	3	30	8	3	0	0	0	0	0
Franklin	3	0	2	1	0	0	0	0	0	0
George	5	0	2	3	0	0	0	0	0	0
Greene	4	0	2	2	0	0	0	0	0	0
Grenada	9	0	7	2	0	0	0	0	0	0
Hancock	13	0	4	8	1	0	0	0	0	0
Harrison	90	1	50	29	6	4	0	0	0	0
Hinds	70	6	39	14	8	2	1	0	0	0
Holmes	1	0	1	0	0	0	0	0	0	0
Humphreys	2	0	1	1	0	0	0	0	0	0
Issaquena	1	0	1	0	0	0	0	0	0	0
Itawamba	11	1	5	2	2	0	0	0	0	1
Jackson	54	2	32	16	4	0	0	0	0	0
Jasper	5	1	2	1	0	0	1	0	0	0
Jefferson	1	0	0	1	0	0	0	0	0	0
Jeff Davis	5	1	3	0	1	0	0	0	0	0
Jones	20	1	12	6	1	0	0	0	0	0
Kemper	3	0	2	1	0	0	0	0	0	0
Lafayette	6	0	4	1	1	0	0	0	0	0
Lamar	8	0	3	4	1	0	0	0	0	0
Lauderdale	15	0	11	3	1	0	0	0	0	0
Lawrence	6	1	2	2	0	0	0	0	0	1
Leake	4	0	3	1	0	0	0	0	0	0
Lee	32	1	20	6	1	2	2	0	0	0
Leflore	10	0	6	2	2	0	0	0	0	0

Table 5B - Page 2  
 White Illegitimate Live Births - Mississippi - 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	8	0	5	2	0	0	0	1	0	0
Lowndes	23	0	16	5	2	0	0	0	0	0
Madison	11	1	3	5	1	1	0	0	0	0
Marion	11	0	6	3	1	0	0	1	0	0
Marshall	6	0	4	1	1	0	0	0	0	0
Monroe	9	0	8	1	0	0	0	0	0	0
Montgomery	1	1	0	0	0	0	0	0	0	0
Neshoba	9	0	3	3	2	1	0	0	0	0
Newton	7	0	3	2	2	0	0	0	0	0
Noxubee	3	0	1	2	0	0	0	0	0	0
Oktibbeha	9	0	6	3	0	0	0	0	0	0
Panola	5	0	4	0	1	0	0	0	0	0
Pearl River	17	0	13	1	1	2	0	0	0	0
Perry	8	0	4	1	2	1	0	0	0	0
Pike	10	0	7	2	1	0	0	0	0	0
Pontotoc	7	0	2	3	2	0	0	0	0	0
Prentiss	16	0	9	5	2	0	0	0	0	0
Quitman	13	0	13	0	0	0	0	0	0	0
Rankin	23	1	13	8	0	1	0	0	0	0
Scott	13	0	6	4	0	2	1	0	0	0
Sharkey	2	0	1	0	1	0	0	0	0	0
Simpson	5	0	2	3	0	0	0	0	0	0
Smith	3	0	2	1	0	0	0	0	0	0
Stone	4	1	0	1	1	1	0	0	0	0
Sunflower	5	1	2	1	1	0	0	0	0	0
Tallahatchie	6	0	4	2	0	0	0	0	0	0
Tate	6	0	0	5	1	0	0	0	0	0
Tippah	4	0	2	1	0	1	0	0	0	0
Tishomingo	9	0	7	2	0	0	0	0	0	0
Tunica	3	0	2	0	1	0	0	0	0	0
Union	4	0	2	1	1	0	0	0	0	0
Walthall	1	0	0	1	0	0	0	0	0	0
Warren	19	1	9	6	1	1	1	0	0	0
Washington	24	2	16	6	0	0	0	0	0	0
Wayne	8	0	7	1	0	0	0	0	0	0
Webster	4	0	2	2	0	0	0	0	0	0
Wilkinson	2	0	0	2	0	0	0	0	0	0
Winston	2	0	1	1	0	0	0	0	0	0
Yalobusha	3	0	3	0	0	0	0	0	0	0
Yazoo	7	0	4	3	0	0	0	0	0	0

TABLE 5C  
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,  
MISSISSIPPI, 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>9,337</u>	<u>365</u>	<u>5,093</u>	<u>2,430</u>	<u>767</u>	<u>369</u>	<u>231</u>	<u>76</u>	<u>4</u>	<u>2</u>
Adams	199	7	111	51	18	9	2	1	0	0
Alcorn	31	1	18	10	2	0	0	0	0	0
Amite	46	1	21	16	5	2	1	0	0	0
Attala	42	2	20	14	1	2	3	0	0	0
Benton	23	1	13	6	1	1	0	1	0	0
Bolivar	539	16	297	133	54	18	16	5	0	0
Calhoun	44	2	30	8	3	1	0	0	0	0
Carroll	41	3	19	13	4	0	1	1	0	0
Chickasaw	46	2	25	6	7	5	1	0	0	0
Choctaw	17	0	8	6	2	1	0	0	0	0
Claiborne	94	4	52	21	8	8	1	0	0	0
Clarke	43	3	23	10	4	3	0	0	0	0
Clay	99	6	37	30	11	3	9	3	0	0
Coahoma	358	23	202	84	34	5	10	0	0	0
Copiah	124	6	61	34	10	6	5	2	0	0
Covington	55	0	25	23	6	1	0	0	0	0
DeSoto	105	0	54	28	10	6	2	4	1	0
Forrest	165	5	94	41	10	11	3	1	0	0
Franklin	28	2	17	5	1	1	2	0	0	0
George	22	0	12	4	5	0	1	0	0	0
Greene	18	1	8	7	2	0	0	0	0	0
Grenada	93	3	54	27	3	3	2	1	0	0
Hancock	13	0	6	5	0	1	1	0	0	0
Harrison	248	15	129	64	26	8	5	1	0	0
Hinds	938	38	505	261	73	36	21	4	0	0
Holmes	194	8	106	51	18	5	5	1	0	0
Humphreys	133	2	73	37	10	8	3	0	0	0
Issaquena	12	1	5	5	0	1	0	0	0	0
Itawamba	7	0	5	1	1	0	0	0	0	0
Jackson	167	10	92	46	12	4	2	0	0	1
Jasper	53	3	33	10	4	1	1	1	0	0
Jefferson	76	1	39	24	6	4	2	0	0	0
Jeff Davis	68	2	41	16	5	2	2	0	0	0
Jones	151	5	96	35	6	1	6	1	0	1
Kemper	41	0	20	12	5	3	0	1	0	0
Lafayette	67	2	46	14	2	2	0	1	0	0
Lamar	29	1	23	4	1	0	0	0	0	0
Lauderdale	258	4	147	62	27	14	3	1	0	0
Lawrence	49	2	27	14	3	1	1	1	0	0
Leake	53	3	30	15	4	0	1	0	0	0
Lee	110	5	62	21	14	4	3	1	0	0
Leflore	286	12	168	61	22	10	6	7	0	0

## Nonwhite Illegitimate Live Births - Mississippi - 1974

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	90	4	48	23	10	3	1	1	0	0
Lowndes	232	7	125	53	24	13	7	3	0	0
Madison	264	11	142	79	10	11	7	3	1	0
Marion	53	6	28	13	5	0	1	0	0	0
Marshall	157	2	84	48	12	7	1	3	0	0
Monroe	105	2	50	30	12	6	3	2	0	0
Montgomery	47	5	24	12	3	0	3	0	0	0
Neshoba	44	1	29	11	1	1	1	0	0	0
Newton	49	3	24	14	5	1	2	0	0	0
Noxubee	72	0	38	21	8	3	2	0	0	0
Oktibbeha	107	7	59	24	7	5	4	1	0	0
Panola	154	7	79	38	14	9	6	1	0	0
Pearl River	56	1	33	15	3	3	1	0	0	0
Perry	35	1	12	18	3	1	0	0	0	0
Pike	149	4	85	38	12	4	4	2	0	0
Pontotoc	16	1	9	4	1	1	0	0	0	0
Prentiss	21	0	9	9	2	1	0	0	0	0
Quitman	115	3	70	29	9	0	3	1	0	0
Rankin	76	2	39	26	5	3	1	0	0	0
Scott	75	3	40	20	3	5	3	1	0	0
Sharkey	87	2	47	21	9	3	3	2	0	0
Simpson	59	4	30	21	1	3	0	0	0	0
Smith	27	3	9	12	3	0	0	0	0	0
Stone	29	0	14	9	1	3	2	0	0	0
Sunflower	249	13	139	56	22	14	3	2	0	0
Tallahatchie	159	5	97	32	13	5	6	1	0	0
Tate	105	4	55	27	5	7	2	5	0	0
Tippah	17	2	10	3	2	0	0	0	0	0
Tishomingo	4	1	1	1	1	0	0	0	0	0
Tunica	105	4	57	25	12	3	3	1	0	0
Union	28	4	11	8	4	1	0	0	0	0
Walthall	37	5	18	9	2	1	2	0	0	0
Warren	253	4	140	66	19	16	8	0	0	0
Washington	621	27	334	160	48	27	17	6	2	0
Wayne	61	1	32	19	8	0	1	0	0	0
Webster	25	1	10	7	5	1	0	1	0	0
Wilkinson	56	0	35	13	3	3	2	0	0	0
Winston	103	3	56	35	4	3	2	0	0	0
Yalobusha	51	2	29	14	3	1	2	0	0	0
Yazoo	159	8	88	32	13	10	7	1	0	0

TABLE 6  
 IMMATURE\* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,  
 BY COUNTY OF RESIDENCE AND RACE,  
 MISSISSIPPI, 1974

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>3,928</u>	<u>1,435</u>	<u>2,493</u>	<u>8.9</u>	<u>6.2</u>	<u>11.9</u>
Adams	56	22	34	8.0	6.9	8.8
Alcorn	26	19	7	5.4	4.6	10.1
Amite	18	6	12	8.6	7.0	9.8
Attala	19	5	14	6.2	3.2	9.4
Benton	14	7	7	10.9	10.3	11.7
Bolivar	141	14	127	11.7	5.1	13.6
Calhoun	20	7	13	8.2	4.6	14.3
Carroll	20	8	12	13.7	13.3	14.0
Chickasaw	30	10	20	8.4	5.2	12.3
Choctaw	9	5	4	7.8	6.8	9.5
Claiborne	22	3	19	10.3	6.7	11.2
Clarke	18	7	11	8.1	6.7	9.3
Clay	42	12	30	10.8	8.4	12.2
Coahoma	91	9	82	10.5	4.4	12.4
Copiah	46	10	36	10.4	6.2	12.8
Covington	31	7	24	11.3	5.5	16.3
DeSoto	64	38	26	7.7	6.4	11.1
Forrest	77	40	37	7.2	5.6	10.4
Franklin	12	3	9	7.9	4.3	11.0
George	22	14	8	7.5	5.7	16.7
Greene	11	4	7	6.8	3.6	13.5
Grenada	35	5	30	9.3	2.9	14.8
Hancock	24	18	6	9.2	8.2	14.0
Harrison	187	120	67	6.6	5.6	9.4
Hinds	412	119	293	10.0	6.4	13.0
Holmes	40	1	39	8.1	1.2	9.5
Humphreys	41	2	39	12.5	2.6	15.6
Issaquena	8	3	5	18.6	18.8	18.5
Itawamba	17	14	3	5.7	5.0	16.7
Jackson	161	90	71	7.9	5.8	14.7
Jasper	28	5	23	8.1	4.0	10.4
Jefferson	11	0	11	6.7	-	7.4
Jeff Davis	32	8	24	12.3	9.4	13.6
Jones	63	39	24	6.9	6.5	7.8
Kemper	23	4	19	12.6	8.2	14.3
Lafayette	29	14	15	6.8	5.4	9.0
Lamar	29	17	12	7.9	5.8	17.1
Lauderdale	138	53	85	10.5	7.5	14.1
Lawrence	27	7	20	11.0	5.7	16.3
Leake	31	13	18	10.7	11.0	10.5
Lee	93	58	35	9.4	8.5	11.5
Leflore	92	22	70	10.6	8.2	11.6

Table 6 - Page 2  
 Immature Live Births - Mississippi - 1974

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	51	23	28	10.0	7.6	13.5
Lowndes	84	34	50	7.4	5.2	10.5
Madison	73	13	60	9.5	5.8	11.0
Marion	29	9	20	6.5	3.1	12.4
Marshall	52	17	35	9.5	7.6	10.9
Monroe	56	28	28	8.7	7.6	10.2
Montgomery	26	6	20	13.3	7.6	17.2
Neshoba	25	12	13	6.1	5.0	7.8
Newton	26	10	16	7.6	5.6	9.9
Noxubee	28	9	19	10.6	11.8	10.0
Oktibbeha	34	10	24	6.6	3.5	10.5
Panola	50	9	41	9.4	5.1	11.5
Pearl River	47	30	17	9.4	7.8	15.2
Perry	13	7	6	6.4	5.4	8.2
Pike	74	22	52	11.5	7.7	14.6
Pontotoc	29	22	7	8.7	8.2	10.9
Prentiss	38	29	9	10.7	9.7	16.4
Quitman	30	7	23	8.6	6.6	9.5
Rankin	71	48	23	7.5	6.5	10.8
Scott	36	10	26	8.4	4.6	12.4
Sharkey	15	3	12	8.0	8.1	7.9
Simpson	36	17	19	8.6	7.1	10.5
Smith	23	10	13	9.0	6.1	14.4
Stone	7	3	4	4.8	3.4	7.0
Sunflower	69	8	61	9.7	4.4	11.6
Tallahatchie	42	5	37	9.7	3.8	12.2
Tate	39	13	26	10.1	7.3	12.5
Tippah	25	18	7	8.1	7.6	9.8
Tishomingo	11	9	2	5.4	4.8	13.3
Tunica	24	2	22	9.8	4.4	11.0
Union	28	19	9	8.7	8.1	10.3
Walthall	22	6	16	11.0	7.7	13.2
Warren	95	26	69	10.1	5.7	14.3
Washington	135	28	107	8.5	5.6	9.9
Wayne	32	12	20	10.2	6.8	14.7
Webster	18	11	7	11.4	10.7	12.7
Wilkinson	9	1	8	6.5	2.8	7.8
Winston	37	8	29	9.9	5.8	12.3
Yalobusha	25	5	20	11.1	5.1	15.6
Yazoo	54	14	40	10.8	7.8	12.4

\* Birthweight 5½ pounds or less.

TABLE 7  
 PREMATURE\* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,  
 BY COUNTY OF RESIDENCE AND RACE,  
 MISSISSIPPI, 1974

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>5,964</u>	<u>1,998</u>	<u>3,966</u>	<u>13.5</u>	<u>8.7</u>	<u>18.9</u>
Adams	89	31	58	12.6	9.7	15.0
Alcorn	51	41	10	10.6	10.0	14.5
Amite	27	9	18	13.0	10.5	14.8
Attala	58	11	47	19.0	7.0	31.5
Benton	11	1	10	8.6	1.5	16.7
Bolivar	238	32	206	19.7	11.7	22.0
Calhoun	39	15	24	16.0	9.9	26.4
Carroll	27	11	16	18.5	18.3	18.6
Chickasaw	65	24	41	18.3	12.5	25.2
Choctaw	8	3	5	7.0	4.1	11.9
Claiborne	40	5	35	18.7	11.1	20.7
Clarke	23	8	15	10.4	7.7	12.7
Clay	62	18	44	16.0	12.7	17.9
Coahoma	157	19	138	18.2	9.3	20.9
Copiah	61	12	49	13.9	7.5	17.5
Covington	37	12	25	13.5	9.4	17.0
DeSoto	95	59	36	11.4	9.9	15.4
Forrest	125	56	69	11.7	7.9	19.3
Franklin	21	7	14	13.9	10.1	17.1
George	28	15	13	9.6	6.1	27.1
Greene	16	8	8	9.9	7.3	15.4
Grenada	53	13	40	14.1	7.5	19.7
Hancock	22	19	3	8.4	8.7	7.0
Harrison	261	155	106	9.1	7.2	14.9
Hinds	561	162	399	13.7	8.8	17.7
Holmes	71	6	65	14.3	7.1	15.8
Humphreys	64	4	60	19.6	5.2	24.0
Issaquena	8	4	4	18.6	25.0	14.8
Itawamba	18	14	4	6.0	5.0	22.2
Jackson	204	124	80	10.0	8.0	16.6
Jasper	43	10	33	12.4	8.1	14.9
Jefferson	27	0	27	16.6	-	18.1
Jeff Davis	45	9	36	17.2	10.6	20.4
Jones	138	67	71	15.2	11.2	23.0
Kemper	28	3	25	15.4	6.1	18.8
Lafayette	49	20	29	11.5	7.7	17.5
Lamar	42	32	10	11.5	10.8	14.3
Lauderdale	149	47	102	11.4	6.6	16.9
Lawrence	23	6	17	9.4	4.9	13.8
Leake	45	11	34	15.6	9.3	19.9
Lee	138	69	69	14.0	10.1	22.6
Leflore	142	23	119	16.3	8.6	19.8

Table 7 - Page 2  
Premature Live Births - Mississippi - 1974

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	68	27	41	13.4	9.0	19.8
Lowndes	146	65	81	12.8	9.8	17.0
Madison	121	13	108	15.7	5.8	19.7
Marion	53	10	43	11.8	3.5	26.7
Marshall	66	16	50	12.1	7.1	15.5
Monroe	101	49	52	15.8	13.4	19.0
Montgomery	35	7	28	17.9	8.9	24.1
Neshoba	37	20	17	9.0	8.3	10.2
Newton	46	17	29	13.5	9.6	17.9
Noxubee	57	9	48	21.5	11.8	25.4
Oktibbeha	70	25	45	13.7	8.9	19.6
Panola	107	22	85	20.1	12.5	23.8
Pearl River	48	26	22	9.6	6.8	19.6
Perry	22	10	12	10.9	7.8	16.4
Pike	111	34	77	17.3	11.9	21.6
Pontotoc	39	21	18	11.7	7.8	28.1
Prentiss	54	39	15	15.2	13.0	27.3
Quitman	74	10	64	21.3	9.4	26.4
Rankin	108	64	44	11.4	8.7	20.8
Scott	66	24	42	15.4	11.0	20.1
Sharkey	30	4	26	16.0	10.8	17.2
Simpson	42	23	19	10.0	9.6	10.5
Smith	45	20	25	17.7	12.2	27.8
Stone	21	12	9	14.4	13.5	15.8
Sunflower	101	9	92	14.2	4.9	17.5
Tallahatchie	79	11	68	18.2	8.4	22.4
Tate	67	19	48	17.4	10.7	23.1
Tippah	29	20	9	9.4	8.4	12.7
Tishomingo	18	15	3	8.9	8.0	20.0
Tunica	42	6	36	17.1	13.3	18.0
Union	27	14	13	8.4	6.0	14.9
Walthall	35	8	27	17.6	10.2	22.3
Warren	126	27	99	13.5	6.0	20.5
Washington	228	42	186	14.4	8.4	17.2
Wayne	23	11	12	7.4	6.2	8.8
Webster	22	10	12	13.9	9.7	21.8
Wilkinson	13	2	11	9.4	5.6	10.8
Winston	52	10	42	13.9	7.2	17.8
Yalobusha	38	11	27	16.8	11.2	21.1
Yazoo	88	21	67	17.5	11.7	20.8

\* Gestation less than 37 weeks.

TABLE 8  
 FETAL DEATHS\*, BY COUNTY OF OCCURRENCE AND RACE,  
 ALSO FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE,  
 MISSISSIPPI, 1974

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>2,458</u>	<u>1,297</u>	<u>1,161</u>	<u>2,397</u>	<u>1,258</u>	<u>1,139</u>	<u>54.4</u>	<u>54.6</u>	<u>54.2</u>
Adams	33	12	21	19	6	13	27.0	18.9	33.7
Alcorn	6	3	3	15	11	4	31.3	26.8	58.0
Amite	0	0	0	14	7	7	67.3	81.4	57.4
Attala	11	8	3	12	6	6	39.3	38.5	40.3
Benton	0	0	0	2	1	1	15.6	14.7	16.7
Bolivar	63	15	48	41	14	27	33.9	51.3	28.8
Calhoun	5	0	5	5	0	5	20.6	-	54.9
Carroll	1	0	1	6	2	4	41.1	33.3	46.5
Chickasaw	16	4	12	14	2	12	39.4	10.4	73.6
Choctaw	2	1	1	7	5	2	60.9	68.5	47.6
Claiborne	1	0	1	9	1	8	42.0	22.2	47.3
Clarke	4	2	2	18	13	5	81.1	125.0	42.4
Clay	5	2	3	5	2	3	12.9	14.1	12.2
Coahoma	58	22	36	47	9	38	54.4	43.9	57.7
Copiah	7	2	5	25	11	14	56.8	68.8	50.0
Covington	5	1	4	10	3	7	36.5	23.6	47.6
DeSoto	0	0	0	8	7	1	9.6	11.7	4.3
Forrest	47	33	14	37	23	14	34.7	32.4	39.2
Franklin	1	0	1	5	3	2	33.1	43.5	24.4
George	6	6	0	7	7	0	24.0	28.7	-
Greene	0	0	0	1	1	0	6.2	9.1	-
Grenada	17	5	12	16	6	10	42.6	34.7	49.3
Hancock	0	0	0	4	3	1	15.3	13.8	23.2
Harrison	295	237	58	246	196	50	86.2	91.5	70.4
Hinds	846	459	387	506	255	251	123.4	138.1	111.4
Holmes	5	0	5	14	5	9	28.3	59.5	21.9
Humphreys	10	2	8	10	5	5	30.6	64.9	20.0
Issaquena	0	0	0	3	1	2	69.8	62.5	74.1
Itawamba	0	0	0	7	6	1	23.4	21.4	55.6
Jackson	47	30	17	84	64	20	41.3	41.2	41.5
Jasper	1	0	1	13	4	9	37.6	32.2	40.5
Jefferson	1	0	1	3	0	3	18.4	-	20.1
Jeff Davis	4	0	4	13	7	6	49.8	82.4	34.1
Jones	74	22	52	41	12	29	45.1	20.0	93.8
Kemper	1	0	1	13	4	9	71.4	81.6	67.7
Lafayette	6	2	4	4	2	2	9.4	7.7	12.0
Lamar	0	0	0	8	7	1	21.9	23.7	14.3
Lauderdale	154	113	41	95	67	28	72.4	94.5	46.4
Lawrence	3	2	1	14	6	8	57.1	49.2	65.0
Leake	1	0	1	12	6	6	41.5	50.8	35.1
Lee	27	15	12	18	9	9	18.2	13.2	29.5
Leflore	38	10	28	33	6	27	37.9	22.3	44.8

Table 8 - Page 2  
Fetal Deaths - Mississippi - 1974

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	0	0	0	22	15	7	43.3	49.8	33.8
Lowndes	54	30	24	53	27	26	46.6	40.9	54.5
Madison	16	2	14	62	12	50	80.5	53.8	91.4
Marion	21	15	6	27	18	9	60.3	62.7	55.9
Marshall	0	0	0	9	1	8	16.5	4.5	24.8
Monroe	16	7	9	16	8	8	25.0	21.8	29.2
Montgomery	7	0	7	10	2	8	51.3	25.3	69.0
Neshoba	6	1	5	20	17	3	48.9	70.2	18.0
Newton	11	3	8	20	8	12	58.8	44.9	74.1
Noxubee	8	1	7	6	2	4	22.6	26.3	21.2
Oktibbeha	9	0	9	9	1	8	17.6	3.5	34.9
Panola	20	5	15	18	6	12	33.8	34.1	33.6
Pearl River	9	4	5	11	6	5	22.1	15.6	44.6
Perry	1	1	0	5	2	3	24.8	15.5	41.1
Pike	83	48	35	55	26	29	85.7	91.2	81.2
Pontotoc	5	5	0	8	7	1	24.1	26.1	15.6
Prentiss	26	22	4	15	11	4	42.2	36.7	72.7
Quitman	12	0	12	25	8	17	71.8	75.5	70.2
Rankin	15	10	5	116	90	26	122.8	122.8	122.6
Scott	2	1	1	13	7	6	30.4	32.1	28.7
Sharkey	1	0	1	13	7	6	69.1	189.2	39.7
Simpson	15	6	9	39	23	16	92.8	96.2	88.4
Smith	2	2	0	14	9	5	55.1	54.9	55.6
Stone	1	0	1	3	2	1	20.5	22.5	17.5
Sunflower	20	4	16	33	9	24	46.5	49.2	45.6
Tallahatchie	6	1	5	9	4	5	20.7	30.5	16.5
Tate	0	0	0	7	0	7	18.2	-	33.6
Tippah	27	18	9	22	16	6	71.4	67.5	84.5
Tishomingo	1	1	0	3	3	0	14.8	16.0	-
Tunica	7	0	7	9	0	9	36.7	-	45.0
Union	16	8	8	14	6	8	43.6	25.6	92.0
Walthall	10	4	6	11	7	4	55.3	89.7	33.0
Warren	132	55	77	95	50	45	101.5	110.4	93.2
Washington	69	24	45	80	21	59	50.5	42.0	54.4
Wayne	7	3	4	10	6	4	32.0	34.1	29.4
Webster	7	2	5	7	2	5	44.3	19.4	90.9
Wilkinson	2	0	2	3	0	3	21.7	-	29.4
Winston	6	4	2	10	5	5	26.7	36.0	21.2
Yalobusha	2	1	1	4	2	2	17.7	20.4	15.6
Yazoo	5	1	4	27	7	20	53.8	38.9	62.1
Out of state	21	12	9	82	51	31			

\* All fetal deaths regardless of length of gestation.

\*\* Fetal deaths per 1,000 live births.

TABLE 9  
DEATHS, BY PLACE OF OCCURRENCE AND RACE,  
ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE,  
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE, URBAN, RURAL)  
MISSISSIPPI, 1974

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>22,730</u>	<u>14,017</u>	<u>8,713</u>	<u>23,153</u>	<u>14,268</u>	<u>8,885</u>
Adams	471	242	229	363	168	195
Alcorn	279	247	32	344	304	40
Amite	47	15	32	155	89	66
Attala	185	123	62	228	160	68
Benton	13	9	4	80	55	25
Bolivar	480	151	329	528	164	364
Calhoun	130	105	25	184	158	26
Carroll	26	14	12	95	62	33
Chickasaw	188	138	50	202	149	53
Choctaw	72	44	28	95	74	21
Claiborne	77	17	60	115	34	81
Clarke	110	70	40	205	132	73
Clay	160	88	72	197	101	96
Coahoma	483	184	299	452	154	298
Copiah	206	105	101	288	159	129
Covington	146	99	47	183	130	53
DeSoto	118	54	64	284	174	110
Forrest	862	633	229	586	387	199
Franklin	90	59	31	109	73	36
George	100	83	17	112	98	14
Greene	50	34	16	97	80	17
Grenada	310	199	111	245	134	111
Hancock	155	131	24	203	175	28
Harrison	1,286	1,041	245	1,104	882	222
Hinds	3,028	1,740	1,288	1,894	1,081	813
Holmes	225	61	164	282	86	196
Humphreys	149	40	109	159	58	101
Issaquena	8	0	8	28	4	24
Itawamba	112	104	8	170	157	13
Jackson	488	381	107	561	442	119
Jasper	142	84	58	192	118	74
Jefferson	58	11	47	97	23	74
Jeff Davis	117	55	62	161	86	75
Jones	692	494	198	635	473	162
Kemper	61	28	33	105	48	57
Lafayette	256	190	66	197	126	71
Lamar	57	48	9	158	130	28
Lauderdale	1,065	730	335	811	541	270
Lawrence	97	62	35	127	93	34
Leake	149	119	30	220	167	53
Lee	673	538	135	497	401	96
Leflore	523	233	290	456	175	281

Table 9 - Page 2  
Deaths - Mississippi - 1974

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	310	234	76	333	239	94
Lowndes	415	248	167	415	236	179
Madison	256	101	155	336	125	211
Marion	177	125	52	239	161	78
Marshall	174	79	95	265	124	141
Monroe	357	247	110	379	265	114
Montgomery	178	112	66	158	103	55
Neshoba	170	121	49	254	188	66
Newton	180	128	52	237	171	66
Noxubee	155	34	121	178	52	126
Oktibbeha	215	106	109	227	117	110
Panola	246	126	120	312	169	143
Pearl River	234	198	36	267	222	45
Perry	71	58	13	90	72	18
Pike	443	260	183	424	237	187
Pontotoc	149	135	14	214	192	22
Prentiss	184	164	20	239	216	23
Quitman	86	21	65	181	69	112
Rankin	415	271	144	346	253	93
Scott	224	145	79	244	150	94
Sharkey	56	10	46	82	25	57
Simpson	242	178	64	226	170	56
Smith	48	36	12	153	124	29
Stone	78	64	14	80	63	17
Sunflower	289	96	193	350	131	219
Tallahatchie	186	73	113	232	104	128
Tate	90	47	43	179	103	76
Tippah	168	141	27	191	161	30
Tishomingo	129	124	5	181	171	10
Tunica	100	25	75	134	36	98
Union	216	174	42	217	181	36
Walthall	145	88	57	162	99	63
Warren	654	338	316	539	268	271
Washington	792	330	462	755	306	449
Wayne	177	121	56	183	124	59
Webster	94	77	17	115	93	22
Wilkinson	146	64	82	131	51	80
Winston	203	131	72	224	137	87
Yalobusha	95	67	28	160	114	46
Yazoo	239	117	122	317	141	176
Out of state	1,312	948	364	889	697	192

Table 9 - Page 3  
Deaths - Mississippi - 1974

Town*	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Biloxi	646	538	108	340	270	70
Brookhaven	272	206	66	145	90	55
Canton	196	83	113	172	68	104
Clarksdale	420	171	249	280	107	173
Cleveland	247	122	125	139	60	79
Columbus	355	222	133	252	137	115
Corinth	36	29	7	161	134	27
Greenville	619	280	339	509	218	291
Greenwood	443	212	231	281	120	161
Gulfport	517	405	112	363	278	85
Hattiesburg	821	605	216	391	234	157
Jackson	2,475	1,411	1,064	1,454	861	593
Laurel	589	410	179	303	187	116
McComb	315	198	117	186	120	66
Meridian	1,004	686	318	573	366	207
Moss Point	17	9	8	113	51	62
Natchez	435	227	208	250	114	136
Oxford	226	180	46	77	64	13
Pascagoula	354	267	87	169	141	28
Pearl	13	12	1	54	54	0
Picayune	174	147	27	99	68	31
Starkville	158	83	75	88	61	27
Tupelo	525	408	117	208	166	42
Vicksburg	614	317	297	380	175	205
Yazoo City	189	97	92	155	61	94
Total urban**	16,272	10,352	5,920	10,014	6,031	3,983
Total rural	6,458	3,665	2,793	13,139	8,237	4,902

\* Towns of 10,000 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

\*\* All incorporated towns of 2,500 population or more, according to 1970 census except for Pearl which was not incorporated until 1973.

TABLE 10  
DEATHS, BY CAUSE AND RACE,  
MISSISSIPPI RESIDENTS, 1974

International Classification Number*	Cause*	Total	White	Non- white
000-999	<u>ALL CAUSES</u>	23,153	14,268	8,885
000-136	<u>INFECTIVE AND PARASITIC DISEASES</u>	241	108	133
000-009	<u>Intestinal infectious diseases</u>	66	21	45
002,003	<u>Paratyphoid fever and other Salmonella</u> <u>infections</u>	2	1	1
003	Other Salmonella infections	2	1	1
004,006	<u>Bacillary dysentery and amebiasis</u>	2	2	0
004	Bacillary dysentery	2	2	0
008,009	<u>Enteritis and other diarrheal diseases</u>	62	18	44
008	Enteritis due to other specified organisms	6	1	5
009	Diarrheal disease	56	17	39
010-019	<u>Tuberculosis, all forms</u>	52	25	27
010-012	<u>Respiratory</u>	38	15	23
011	Pulmonary	38	15	23
013-018	<u>Other forms</u>	8	4	4
013	Meninges and central nervous system	1	1	0
017	Other organs	2	1	1
018	Disseminated	5	2	3
019	Late effects of tuberculosis	6	6	0
020-027	<u>Zoonotic bacterial diseases</u>	0	0	0
030-039	<u>Other bacterial diseases</u>	78	42	36
031	Other diseases due to mycobacteria	1	1	0
036	Meningococcal infection	4	3	1
037	Tetanus	2	1	1
038	Septicemia	65	32	33
039	Other bacterial diseases	6	5	1
040-046	<u>Poliomyelitis and other enterovirus diseases of</u> <u>central nervous system</u>	3	1	2
044	Late effects of acute poliomyelitis	2	1	1
046	Other enterovirus diseases of central nervous system	1	0	1
050-057	<u>Viral diseases accompanied by exanthem</u>	5	5	0
052	Chickenpox	1	1	0
053	Herpes zoster	3	3	0
055	Measles	1	1	0
060-068	<u>Arthropod-borne viral diseases</u>	6	4	2
062-065	<u>Viral encephalitis</u>	6	4	2
065	Viral encephalitis, unspecified	6	4	2
070-079	<u>Other viral diseases</u>	9	3	6
070	Infectious hepatitis	5	2	3
079	Other viral diseases	4	1	3
080-089	<u>Rickettsioses and other arthropod-borne diseases</u>	1	0	1
080-083	<u>Typhus and other rickettsioses</u>	1	0	1
082	Tick-borne rickettsioses	1	0	1
090-099	<u>Syphilis and other venereal diseases</u>	6	1	5
090-097	<u>Syphilis and its sequelae</u>	6	1	5
090	Congenital	1	0	1
093	Cardiovascular	4	1	3
097	Other and not specified	1	0	1
100-104	<u>Other spirochetal diseases</u>	0	0	0

Table 10- Page 2  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
<u>110-117</u>	<u>Mycoses</u>	<u>9</u>	<u>4</u>	<u>5</u>
112	Moniliasis	2	0	2
116	Blastomycosis	6	3	3
117	Other systemic mycosis	1	1	0
<u>120-129</u>	<u>Helminthiases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130-136</u>	<u>Other infective and parasitic diseases</u>	<u>6</u>	<u>2</u>	<u>4</u>
135	Sarcoidosis	2	0	2
136	Other and unspecified infective and parasitic diseases	4	2	2
<u>140-239</u>	<u>NEOPLASMS</u>	<u>3,781</u>	<u>2,541</u>	<u>1,240</u>
<u>140-209</u>	<u>Malignant neoplasms</u>	<u>3,735</u>	<u>2,514</u>	<u>1,221</u>
<u>140-149</u>	<u>Buccal cavity and pharynx</u>	<u>68</u>	<u>51</u>	<u>17</u>
140	Lip	1	1	0
141	Tongue	8	4	4
142	Salivary gland	5	5	0
143	Gum	2	2	0
144	Floor of mouth	5	3	2
145	Other and unspecified parts of mouth	13	9	4
146	Oropharynx	4	3	1
147	Nasopharynx	12	8	4
148	Hypopharynx	2	2	0
149	Pharynx, unspecified	16	14	2
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>976</u>	<u>632</u>	<u>344</u>
150	Esophagus	73	33	40
151	Stomach	185	97	88
152	Small intestine, including duodenum	4	4	0
153	Large intestine, except rectum	344	256	88
154	Rectum and rectosigmoid junction	74	43	31
155	Liver and intrahepatic bile ducts, specified as primary	22	15	7
156	Gallbladder and bile ducts	25	19	6
157	Pancreas	230	153	77
158	Peritoneum and retroperitoneal tissue	9	7	2
159	Unspecified digestive organs	10	5	5
<u>160-163</u>	<u>Respiratory system</u>	<u>943</u>	<u>702</u>	<u>241</u>
160	Nose, nasal cavities, middle ear, and accessory sinuses	3	1	2
161	Larynx	29	20	9
162	Trachea, bronchus, and lung	904	674	230
163	Other and unspecified respiratory organs	7	7	0
<u>170-174</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>369</u>	<u>257</u>	<u>112</u>
170	Bone	26	14	12
171	Connective and other soft tissue	25	15	10
172	Melanoma of skin	34	33	1
173	Skin, other	29	21	8
174	Breast	255	174	81
<u>180-189</u>	<u>Genitourinary organs</u>	<u>674</u>	<u>388</u>	<u>286</u>
<u>(180-187)</u>	<u>(Genital organs)</u>	<u>545</u>	<u>305</u>	<u>240</u>
180	Cervix uteri	85	45	40

Table 10 - Page 3  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
182	Uterus, other	64	30	34
183	Ovary, fallopian tube, and broad ligament	96	71	25
184	Other and unspecified female genital organs	11	8	3
185	Prostate	282	146	136
186	Testis	7	5	2
(188,189)	(Urinary organs)	<u>129</u>	<u>83</u>	<u>46</u>
188	Bladder	68	38	30
189	Other and unspecified urinary organs	61	45	16
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>366</u>	<u>231</u>	<u>135</u>
190	Eye	4	3	1
191	Brain	83	68	15
192	Other parts of nervous system	14	12	2
193	Thyroid gland	9	6	3
194	Other endocrine glands	3	3	0
195	Ill-defined sites	30	17	13
196	Lymph nodes, secondary and unspecified	4	1	3
197	Respiratory and digestive systems, secondary	86	52	34
198	Other secondary	18	12	6
199	Site unspecified	115	57	58
<u>200-209</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>339</u>	<u>253</u>	<u>86</u>
200	Lymphosarcoma	59	49	10
201	Hodgkin's disease	27	21	6
202	Lymphoid tissue, other	30	23	7
203	Multiple myeloma	56	35	21
208	Polycythemia vera	2	2	0
209	Myelofibrosis	3	2	1
(204-207)	(Leukemia)	<u>162</u>	<u>121</u>	<u>41</u>
204	Lymphatic	47	35	12
205	Myeloid	76	60	16
206	Monocytic	5	5	0
207	Other and unspecified	34	21	13
<u>210-228</u>	<u>Benign neoplasms</u>	<u>15</u>	<u>6</u>	<u>9</u>
211	Benign neoplasm of other parts of digestive system	2	1	1
212	Benign neoplasm of respiratory system	1	1	0
215	Other benign neoplasm of muscular and connective tissue	1	0	1
218	Uterine fibroma	1	0	1
219	Other benign neoplasm of uterus	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	6	2	4
226	Benign neoplasm of endocrine glands	2	2	0
227	Hemangioma and lymphangioma	1	0	1
<u>230-239</u>	<u>Neoplasms of unspecified nature</u>	<u>31</u>	<u>21</u>	<u>10</u>
230	Digestive organs	2	0	2
231	Respiratory organs	1	1	0
237	Other genitourinary organs	1	0	1
238	Eye, brain, and other parts of nervous system	27	20	7
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>496</u>	<u>235</u>	<u>261</u>

Table 10 - Page 4  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non- white
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>5</u>	<u>1</u>	<u>4</u>
240,241	Nontoxic goiter	0	0	0
242	Thyrotoxicosis with or without goiter	4	0	4
244	Myxedema	1	1	0
<u>250-258</u>	<u>Diseases of other endocrine glands</u>	<u>440</u>	<u>205</u>	<u>235</u>
250	Diabetes mellitus	425	199	226
251	Disorders of pancreatic internal secretion other than diabetes mellitus	5	0	5
252	Diseases of parathyroid gland	1	0	1
253	Diseases of pituitary gland	2	1	1
254	Diseases of thymus gland	1	1	0
255	Diseases of adrenal gland	2	1	1
258	Polyglandular dysfunction and other diseases of endocrine glands	4	3	1
<u>260-269</u>	<u>Avitaminoses and other nutritional deficiency</u>	<u>18</u>	<u>9</u>	<u>9</u>
266	Other vitamin deficiency states	1	1	0
269	Other nutritional deficiency	17	8	9
<u>270-279</u>	<u>Other metabolic diseases</u>	<u>33</u>	<u>20</u>	<u>13</u>
273	Other and unspecified congenital disorders of metabolism	5	4	1
274	Gout	8	4	4
275	Plasma protein abnormalities	2	0	2
276	Amyloidosis	3	1	2
277	Obesity not specified as of endocrine origin	11	8	3
279	Other and unspecified metabolic diseases	4	3	1
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>65</u>	<u>30</u>	<u>35</u>
<u>280-285</u>	<u>Anemias</u>	<u>49</u>	<u>21</u>	<u>28</u>
281	Other deficiency	4	3	1
282	Hereditary hemolytic	12	1	11
283	Acquired hemolytic	4	3	1
284	Aplastic	10	9	1
285	Other and unspecified	19	5	14
286	Coagulation defects	6	2	4
287	Purpura and other hemorrhagic conditions	5	4	1
288	Agranulocytosis	3	2	1
289	Other diseases of blood and blood-forming organs	2	1	1
<u>290-315</u>	<u>MENTAL DISORDERS</u>	<u>82</u>	<u>53</u>	<u>29</u>
<u>290-299</u>	<u>Psychoses</u>	<u>22</u>	<u>17</u>	<u>5</u>
290	Senile and presenile dementia	7	6	1
291	Alcoholic psychosis	9	6	3
294	Psychosis associated with other physical conditions	1	1	0
295	Schizophrenia	3	2	1
298	Other psychoses	1	1	0
299	Unspecified psychosis	1	1	0
<u>300-309</u>	<u>Neuroses, personality disorders, and other non-psychotic mental disorders</u>	<u>60</u>	<u>36</u>	<u>24</u>
303	Alcoholism	31	16	15
304	Drug dependence	1	1	0
306	Special symptoms not elsewhere classified	1	0	1

Table 10 - Page 5  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
309	Mental disorders not specified as psychotic associated with physical conditions	27	19	8
310-315	<u>Mental retardation</u>	<u>0</u>	<u>0</u>	<u>0</u>
320-389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>165</u>	<u>94</u>	<u>71</u>
320-324	<u>Inflammatory diseases of central nervous system</u>	<u>33</u>	<u>12</u>	<u>21</u>
320	Meningitis	23	6	17
321	Phlebitis and thrombophlebitis of intracranial venous sinuses	1	1	0
322	Intracranial and intraspinal abscess	4	1	3
323	Encephalitis, myelitis, and encephalomyelitis	5	4	1
330-333	<u>Hereditary and familial diseases of nervous system</u>	<u>9</u>	<u>7</u>	<u>2</u>
330	Hereditary neuromuscular disorders	7	6	1
331	Hereditary diseases of the striatopallidal system	2	1	1
340-349	<u>Other diseases of central nervous system</u>	<u>116</u>	<u>73</u>	<u>43</u>
340	Multiple sclerosis	17	11	6
341	Other demyelinating diseases of central nervous system	1	1	0
342	Paralysis agitans	19	15	4
343	Cerebral spastic infantile paralysis	8	3	5
344	Other cerebral paralysis	3	2	1
345	Epilepsy	25	14	11
347	Other diseases of brain	27	15	12
348	Motor neurone disease	15	11	4
349	Other diseases of spinal cord	1	1	0
350-358	<u>Diseases of nerves and peripheral ganglia</u>	<u>3</u>	<u>1</u>	<u>2</u>
354	Polyneuritis and polyradiculitis	2	1	1
357	Other diseases of peripheral nerves except autonomic	1	0	1
360-369	<u>Inflammatory diseases of the eye</u>	<u>0</u>	<u>0</u>	<u>0</u>
370-379	<u>Other diseases and conditions of eye</u>	<u>2</u>	<u>1</u>	<u>1</u>
374	Cataract	1	0	1
377	Other diseases of retina and optic nerve	1	1	0
380-389	<u>Diseases of the ear and mastoid process</u>	<u>2</u>	<u>0</u>	<u>2</u>
381-383	<u>Otitis media and mastoiditis</u>	<u>2</u>	<u>0</u>	<u>2</u>
381	Otitis media without mention of mastoiditis	2	0	2
390-458	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,603</u>	<u>7,556</u>	<u>4,047</u>
390-392	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
(393-398)	<u>(Chronic rheumatic heart disease)</u>	<u>74</u>	<u>49</u>	<u>25</u>
393	Diseases of pericardium	1	0	1
394	Diseases of mitral valve	21	14	7
395	Diseases of aortic valve	32	23	9
396	Diseases of mitral and aortic valves	6	3	3
397	Diseases of other endocardial structures	2	2	0
398	Other heart disease, specified as rheumatic	12	7	5
400-404	<u>Hypertensive disease</u>	<u>268</u>	<u>108</u>	<u>160</u>
400,401,				
403	<u>Hypertension</u>	<u>120</u>	<u>49</u>	<u>71</u>
400	Malignant hypertension	22	5	17

Table 10 - Page 6  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
401	Essential benign hypertension	27	9	18
403	Hypertensive renal disease	71	35	36
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>148</u>	<u>59</u>	<u>89</u>
402	Hypertensive heart disease	102	36	66
404	Hypertensive heart and renal disease	46	23	23
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>6,696</u>	<u>4,648</u>	<u>2,048</u>
410	Acute myocardial infarction	3,902	2,903	999
411	Other acute and subacute forms of ischemic heart disease	41	28	13
412	Chronic ischemic heart disease	2,751	1,715	1,036
413	Angina pectoris	2	2	0
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>832</u>	<u>470</u>	<u>362</u>
420	Acute pericarditis, nonrheumatic	1	1	0
421	Acute and subacute endocarditis	5	4	1
422	Acute myocarditis	5	2	3
423	Chronic disease of pericardium, nonrheumatic	4	2	2
424	Chronic disease of endocardium	12	10	2
425	Cardiomyopathy	26	15	11
426	Pulmonary heart disease	9	8	1
427	Symptomatic heart disease	456	231	225
428	Other myocardial insufficiency	46	31	15
429	Ill-defined heart disease	268	166	102
<u>430-438</u>	<u>Cerebrovascular disease</u>	<u>2,936</u>	<u>1,749</u>	<u>1,187</u>
430	Subarachnoid hemorrhage	77	48	29
431	Cerebral hemorrhage	448	247	201
432	Occlusion of precerebral arteries	34	22	12
433	Cerebral thrombosis	599	381	218
434	Cerebral embolism	7	7	0
436	Acute but ill-defined cerebrovascular disease	1,315	708	607
437	Generalized ischemic cerebrovascular disease	425	319	106
438	Other and ill-defined cerebrovascular disease	31	17	14
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>543</u>	<u>377</u>	<u>166</u>
440	Arteriosclerosis	301	208	93
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>242</u>	<u>169</u>	<u>73</u>
441	Aortic aneurysm (nonsyphilitic)	120	90	30
442	Other aneurysm	11	11	0
443	Other peripheral vascular disease	5	5	0
444	Arterial embolism and thrombosis	58	40	18
445	Gangrene	34	11	23
446	Polyarteritis nodosa and allied conditions	8	6	2
447	Other diseases of arteries and arterioles	5	5	0
448	Diseases of capillaries	1	1	0
<u>450-458</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>254</u>	<u>155</u>	<u>99</u>
<u>450-453</u>	<u>Venous thrombosis and embolism</u>	<u>228</u>	<u>138</u>	<u>90</u>
450	Pulmonary embolism and infarction	176	107	69
451	Phlebitis and thrombophlebitis	31	18	13
453	Other venous embolism and thrombosis	21	13	8
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>26</u>	<u>17</u>	<u>9</u>
454	Varicose veins of lower extremities	5	4	1
455	Hemorrhoids	1	1	0

Table 10 - Page 7  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
456	Varicose veins of other sites	1	1	0
458	Other diseases of circulatory system	19	11	8
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,060</u>	<u>742</u>	<u>318</u>
<u>460-466</u>	<u>Acute respiratory infections, except influenza</u>	<u>14</u>	<u>4</u>	<u>10</u>
460	Acute nasopharyngitis (common cold)	3	1	2
464	Acute laryngitis and tracheitis	1	0	1
465	Acute upper respiratory infection of multiple or unspecified sites	5	1	4
466	Acute bronchitis and bronchiolitis	5	2	3
<u>470-474</u>	<u>Influenza</u>	<u>25</u>	<u>16</u>	<u>9</u>
470	Unqualified	12	7	5
471	With pneumonia	12	8	4
472	With other respiratory manifestations	1	1	0
<u>480-486</u>	<u>Pneumonia</u>	<u>536</u>	<u>331</u>	<u>205</u>
480	Viral	8	4	4
<u>481,482</u>	<u>Bacterial</u>	<u>52</u>	<u>28</u>	<u>24</u>
481	Pneumococcal	39	20	19
482	Other bacterial	13	8	5
484	Acute interstitial, organism unspecified	6	3	3
485	Broncho, unspecified	143	103	40
486	Unspecified	327	193	134
<u>490-493</u>	<u>Bronchitis, emphysema, and asthma</u>	<u>245</u>	<u>207</u>	<u>38</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>51</u>	<u>41</u>	<u>10</u>
490	Unqualified	12	7	5
491	Chronic	39	34	5
492	Emphysema	180	159	21
493	Asthma	14	7	7
<u>500-508</u>	<u>Other diseases of upper respiratory tract</u>	<u>4</u>	<u>0</u>	<u>4</u>
503	Chronic sinusitis	1	0	1
508	Other diseases of upper respiratory tract	3	0	3
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>236</u>	<u>184</u>	<u>52</u>
511	Pleurisy	3	2	1
512	Spontaneous pneumothorax	1	1	0
513	Abscess of lung	5	3	2
514	Pulmonary congestion and hypostasis	13	6	7
515	Pneumoconiosis due to silica and silicates	3	1	2
517	Other chronic interstitial pneumonia	31	26	5
518	Bronchiectasis	8	8	0
519	Other diseases of respiratory system	172	137	35
<u>520-577</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>649</u>	<u>438</u>	<u>211</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>1</u>	<u>1</u>	<u>0</u>
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	1	0
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>110</u>	<u>77</u>	<u>33</u>
530	Diseases of esophagus	8	5	3
<u>531-533</u>	<u>Peptic ulcer</u>	<u>79</u>	<u>54</u>	<u>25</u>
531	Ulcer of stomach	31	24	7

Table 10 - Page 8  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
532	Ulcer of duodenum	29	21	8
533	Peptic ulcer, site unspecified	19	9	10
534	Gastrojejunal ulcer	6	5	1
535	Gastritis and duodenitis	6	5	1
536	Disorders of function of stomach	3	2	1
537	Other diseases of stomach and duodenum	8	6	2
<u>540-543</u>	<u>Appendicitis</u>	<u>10</u>	<u>5</u>	<u>5</u>
540	Acute appendicitis	9	4	5
541	Appendicitis, unqualified	1	1	0
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>16</u>	<u>9</u>	<u>7</u>
550	Inguinal, without mention of obstruction	2	1	1
551	Other, of abdominal cavity without mention of obstruction	3	3	0
552	Inguinal, with obstruction	5	2	3
553	Other, of abdominal cavity with obstruction	6	3	3
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>178</u>	<u>112</u>	<u>66</u>
560	Intestinal obstruction without mention of hernia	54	30	24
562	Diverticula of intestine	30	21	9
563	Chronic enteritis and ulcerative colitis	5	5	0
564	Functional disorders of intestines	2	2	0
566	Abscess of anal and rectal regions	1	0	1
567	Peritonitis	17	8	9
568	Peritoneal adhesions	1	1	0
569	Other diseases of intestines and peritoneum	68	45	23
<u>570-577</u>	<u>Diseases of liver, gallbladder, and pancreas</u>	<u>334</u>	<u>234</u>	<u>100</u>
570	Acute and subacute necrosis of liver	5	3	2
571	Cirrhosis of liver	205	158	47
572	Suppurative hepatitis and liver abscess	1	0	1
573	Other diseases of liver	20	11	9
<u>574,575</u>	<u>Cholelithiasis, cholecystitis, and cholangitis</u>	<u>45</u>	<u>30</u>	<u>15</u>
574	Cholelithiasis	28	18	10
575	Cholecystitis and cholangitis, without mention of calculus	17	12	5
576	Other diseases of gallbladder and biliary ducts	17	9	8
577	Diseases of pancreas	41	23	18
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>424</u>	<u>222</u>	<u>202</u>
<u>580-584</u>	<u>Nephritis and nephrosis</u>	<u>136</u>	<u>59</u>	<u>77</u>
<u>580,581</u>	<u>Acute nephritis and nephrotic syndrome</u>	<u>24</u>	<u>16</u>	<u>8</u>
580	Acute nephritis	19	12	7
581	Nephrotic syndrome	5	4	1
<u>582-584</u>	<u>Chronic and unqualified nephritis and renal sclerosis</u>	<u>112</u>	<u>43</u>	<u>69</u>
582	Chronic nephritis	106	41	65
583	Nephritis, unqualified	5	2	3
584	Renal sclerosis, unqualified	1	0	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>245</u>	<u>138</u>	<u>107</u>
590	Infections of kidney	121	69	52
591	Hydronephrosis	2	1	1
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>7</u>	<u>5</u>	<u>2</u>
592	Of kidney and ureter	6	5	1
594	Of other parts of urinary system	1	0	1

Table 10 - Page 9  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
593	Other diseases of kidney and ureter	77	40	37
595	Cystitis	1	1	0
596	Other diseases of bladder	3	1	2
598	Stricture of urethra	6	2	4
599	Other diseases of urinary tract	28	19	9
<u>600-607</u>	<u>Diseases of male genital organs</u>	<u>34</u>	<u>19</u>	<u>15</u>
600	Hyperplasia of prostate	27	17	10
601	Prostatitis	2	0	2
602	Other diseases of prostate	3	1	2
607	Other diseases of male genital organs	2	1	1
<u>610-616</u>	<u>Diseases of breast, ovary, fallopian tube, and parametrium</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>620-629</u>	<u>Diseases of uterus and other female genital organs</u>	<u>9</u>	<u>6</u>	<u>3</u>
623	Uterovaginal prolapse	4	2	2
625	Other diseases of uterus	1	1	0
626	Disorders of menstruation	1	1	0
629	Other diseases of female genital organs	3	2	1
<u>630-678</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>12</u>	<u>4</u>	<u>8</u>
<u>630-634</u>	<u>Complications of pregnancy</u>	<u>2</u>	<u>1</u>	<u>1</u>
634	Other complications of pregnancy	2	1	1
<u>635-639</u>	<u>Urinary infection and toxemias of pregnancy and the puerperium</u>	<u>3</u>	<u>0</u>	<u>3</u>
<u>636-639</u>	<u>Toxemias of pregnancy and the puerperium, except abortion with toxemia</u>	<u>3</u>	<u>0</u>	<u>3</u>
637	Pre-eclampsia, eclampsia, and toxemia, unspecified	3	0	3
<u>640-645</u>	<u>Abortion</u>	<u>2</u>	<u>1</u>	<u>1</u>
642	Induced for other reasons	1	0	1
643	Spontaneous	1	1	0
<u>650-662</u>	<u>Delivery</u>	<u>1</u>	<u>0</u>	<u>1</u>
655	Delivery complicated by fetopelvic disproportion	1	0	1
<u>670-678</u>	<u>Complications of the puerperium</u>	<u>4</u>	<u>2</u>	<u>2</u>
<u>670,671, 673</u>	<u>Sepsis of childbirth and the puerperium</u>	<u>3</u>	<u>1</u>	<u>2</u>
670	Sepsis of childbirth and the puerperium	1	0	1
673	Puerperal pulmonary embolism	2	1	1
677	Other and unspecified complications of the puerperium	1	1	0
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>26</u>	<u>16</u>	<u>10</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>9</u>	<u>5</u>	<u>4</u>
682	Other cellulitis and abscess	4	3	1
684	Impetigo	1	0	1
686	Other local infections of skin and subcutaneous tissue	4	2	2
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>8</u>	<u>5</u>	<u>3</u>
692	Other eczema and dermatitis	1	0	1

Table 10 - Page 10  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
695	Erythematous conditions	7	5	2
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>9</u>	<u>6</u>	<u>3</u>
707	Chronic ulcer of skin	9	6	3
<u>710-738</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>64</u>	<u>44</u>	<u>20</u>
<u>710-718</u>	<u>Arthritis and rheumatism, except rheumatic fever</u>	<u>32</u>	<u>25</u>	<u>7</u>
<u>710-715</u>	<u>Arthritis and spondylitis</u>	<u>31</u>	<u>24</u>	<u>7</u>
710	Acute arthritis due to pyogenic organisms	1	1	0
712	Rheumatoid arthritis and allied conditions	18	13	5
713	Osteoarthritis and allied conditions	4	3	1
715	Arthritis, unspecified	8	7	1
<u>716-718</u>	<u>Nonarticular rheumatism and rheumatism, unspecified</u>	<u>1</u>	<u>1</u>	<u>0</u>
717	Other nonarticular rheumatism	1	1	0
<u>720-729</u>	<u>Osteomyelitis and other diseases of bone and joint</u>	<u>7</u>	<u>5</u>	<u>2</u>
720	Osteomyelitis and periostitis	1	1	0
723	Other diseases of bone	5	4	1
725	Displacement of intervertebral disc	1	0	1
<u>730-738</u>	<u>Other diseases of musculoskeletal system</u>	<u>25</u>	<u>14</u>	<u>11</u>
732	Infective myositis and other inflammatory diseases of tendon and fascia	2	1	1
734	Diffuse diseases of connective tissue	21	11	10
735	Curvature of spine	1	1	0
738	Other deformities	1	1	0
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>181</u>	<u>108</u>	<u>73</u>
<u>740-743</u>	<u>Nervous system</u>	<u>40</u>	<u>27</u>	<u>13</u>
740	Anencephalus	8	6	2
741	Spina bifida	11	8	3
742	Congenital hydrocephalus	11	5	6
743	Other congenital anomalies of nervous system	10	8	2
<u>746,747</u>	<u>Circulatory system</u>	<u>92</u>	<u>56</u>	<u>36</u>
746	Heart	80	49	31
747	Other of circulatory system	12	7	5
748	Respiratory system	4	2	2
<u>749-751</u>	<u>Digestive system</u>	<u>10</u>	<u>5</u>	<u>5</u>
750	Other congenital anomalies of upper alimentary tract	4	2	2
751	Other congenital anomalies of digestive system	6	3	3
<u>752,753</u>	<u>Genitourinary system</u>	<u>6</u>	<u>5</u>	<u>1</u>
753	Urinary system	6	5	1
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>5</u>	<u>2</u>	<u>3</u>
756	Other congenital anomalies of musculoskeletal system	5	2	3
757	Skin, hair, and nails	1	0	1
758	Other and unspecified	5	3	2
759	Congenital syndromes affecting multiple systems	18	8	10

Table 10 - Page 11  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
<u>760-778</u>	<u>CERTAIN CAUSES OF MORTALITY IN EARLY INFANCY</u>	<u>548</u>	<u>212</u>	<u>336</u>
761	Other maternal conditions unrelated to pregnancy	5	2	3
<u>764-768</u>	<u>Difficult labor</u>	<u>8</u>	<u>4</u>	<u>4</u>
764	With abnormality of bones, organs, or tissues of pelvis	1	1	0
766	With malposition of fetus	2	0	2
768	With other and unspecified complications	5	3	2
769	Other complications of pregnancy and childbirth	58	20	38
<u>770,771</u>	<u>Conditions of placenta and cord</u>	<u>19</u>	<u>8</u>	<u>11</u>
770	Of placenta	15	7	8
771	Of umbilical cord	4	1	3
772	Birth injury without mention of cause	24	11	13
<u>774,775</u>	<u>Hemolytic disease of newborn</u>	<u>4</u>	<u>3</u>	<u>1</u>
774	With kernicterus	1	0	1
775	Without mention of kernicterus	3	3	0
776	Anoxic and hypoxic conditions not elsewhere classifiable	267	119	148
777	Immaturity, unqualified	124	31	93
778	Other conditions of fetus or newborn	39	14	25
<u>780-796</u>	<u>SYMPTOMS AND ILL-DEFINED CONDITIONS</u>	<u>1,644</u>	<u>630</u>	<u>1,014</u>
<u>780-789</u>	<u>Symptoms referable to systems or organs</u>	<u>62</u>	<u>37</u>	<u>25</u>
780	Certain symptoms referable to nervous system and special senses	2	0	2
781	Other symptoms referable to nervous system and special senses	1	0	1
782	Symptoms referable to cardiovascular and lymphatic system	46	28	18
783	Symptoms referable to respiratory system	2	2	0
784	Symptoms referable to upper gastrointestinal tract	3	3	0
785	Symptoms referable to abdomen and lower gastrointestinal tract	3	2	1
788	Other general symptoms	5	2	3
<u>790-796</u>	<u>Senility and ill-defined diseases</u>	<u>1,582</u>	<u>593</u>	<u>989</u>
792	Uremia	10	6	4
794	Senility without mention of psychosis	49	10	39
795	Sudden death (cause unknown)	76	18	58
796	Other ill-defined and unknown causes	1,447	559	888
<u>800-999</u>	<u>ACCIDENTS, POISONINGS, AND VIOLENCE (EXTERNAL CAUSE)</u>	<u>2,112</u>	<u>1,235</u>	<u>877</u>
<u>800-949</u>	<u>Accidents</u>	<u>1,497</u>	<u>913</u>	<u>584</u>
<u>800-807</u>	<u>Railway</u>	<u>21</u>	<u>12</u>	<u>9</u>
805	Hit by rolling stock	18	9	9
807	Accident of unspecified nature	3	3	0
<u>810-823</u>	<u>Motor vehicle</u>	<u>717</u>	<u>478</u>	<u>239</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>700</u>	<u>467</u>	<u>233</u>
810	Involving collision with train	26	19	7
812	Involving collision with another motor vehicle	252	184	68
813	Involving collision with other vehicle	11	10	1

Table 10 - Page 12  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
814	Involving collision with pedestrian	75	33	42
815	Other involving collision	57	36	21
816	Noncollision due to loss of control	171	118	53
818	Other noncollision	15	11	4
819	Of unspecified nature	93	56	37
(820-823)	(Nontraffic)	17	11	6
820	Involving collision with moving object	11	6	5
823	Of other and unspecified nature	6	5	1
825-827	Other road vehicle	2	2	0
827	Other nonmotor road vehicle	2	2	0
830-838	Water transport	29	23	6
830	Accident to water craft causing submersion	16	13	3
832	Other submersion or drowning in water transport	10	7	3
838	Other and unspecified water transport accident	3	3	0
840-485	Air and space transport	4	4	0
841	Accident to powered aircraft, other and unspecified	4	4	0
850-877	Poisoning	29	17	12
(850-859)	(By drugs and medicaments)	15	11	4
852	Primarily systemic and hematologic agents	2	0	2
853	Analgesics and antipyretics	2	1	1
854	Other sedatives and hypnotics	2	2	0
855	Autonomic nervous system and psychotherapeutic drugs	1	1	0
856	Other central nervous system depressants and stimulants	1	0	1
857	Cardiovascular drugs	2	2	0
859	Other and unspecified drugs and medicaments	5	5	0
(860-869)	(By other solid and liquid substances)	9	4	5
860	Alcohol	1	1	0
862	Disinfectants	1	1	0
864	Petroleum products and other solvents	4	0	4
869	Other and unspecified solid and liquid substances	3	2	1
(870-877)	(By gases and vapors)	5	2	3
873	Motor vehicle exhaust gas	4	1	3
876	Other gases and vapors	1	1	0
880-887	Falls	120	92	28
880	On or from stairs and steps	2	2	0
882	From or out of building or other structure	4	4	0
884	Other from one level to another	15	12	3
885	On same level from slipping, stumbling, or tripping	2	1	1
887	Other and unspecified fall	97	73	24
890-899	Caused by fires and flames	148	58	90
890	Conflagration in private dwelling	98	33	65
891	Conflagration in other building or structure	7	6	1
892	Conflagration not in building or structure	2	2	0
893	Ignition of clothing	11	6	5
894	Ignition of highly inflammable material	11	5	6
895	Controlled fire in private dwelling	4	0	4
897	Controlled fire not in building or structure	1	1	0
898	Other specified fires or flames	4	3	1
899	Unspecified fire	10	2	8

Table 10 - Page 13  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total	White	Non-white
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>22</u>	<u>9</u>	<u>13</u>
900	Excessive heat	1	0	1
901	Excessive cold	6	2	4
904	Hunger, thirst, exposure, and neglect	10	4	6
906	Other accidents caused by animals	1	1	0
907	Lightning	2	2	0
908	Cataclysm	2	0	2
<u>910-929</u>	<u>Other accidents</u>	<u>387</u>	<u>206</u>	<u>181</u>
910	Drowning and submersion	118	53	65
911	Inhalation and ingestion of food causing obstruction or suffocation	19	10	9
912	Inhalation and ingestion of other object causing obstruction or suffocation	20	9	11
913	Mechanical suffocation	16	5	11
915	Foreign body accidentally entering other orifice	2	1	1
916	Struck by falling object	27	14	13
917	Striking against or struck by objects	22	18	4
918	Caught in or between objects	5	1	4
920	Caused by cutting or piercing instruments	1	1	0
921	Caused by explosion of pressure vessel	2	1	1
922	Caused by firearm missiles	80	43	37
923	Caused by explosive material	13	6	7
924	Caused by hot substance, corrosive liquid, and steam	3	1	2
925	Caused by electric current	15	13	2
927	Vehicle accidents not elsewhere classifiable	2	1	1
928	Machinery accidents not elsewhere classifiable	19	15	4
929	Other and unspecified accidents	23	14	9
<u>930-936</u>	<u>Surgical and medical complications and misadventures</u>	<u>14</u>	<u>9</u>	<u>5</u>
930	In operative therapeutic procedures	6	3	3
931	In other and unspecified therapeutic procedures	5	5	0
932	In diagnostic procedures	2	1	1
935	In other prophylactic procedures	1	0	1
<u>940-949</u>	<u>Late effects of accidental injury</u>	<u>4</u>	<u>3</u>	<u>1</u>
940	Of motor vehicle accident	1	1	0
943	Of accidental fall	1	1	0
946	Of other accidents	2	1	1
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>219</u>	<u>186</u>	<u>33</u>
<u>950-952</u>	<u>By poisoning</u>	<u>18</u>	<u>15</u>	<u>3</u>
950	By solid or liquid substances	11	9	2
951	By gases in domestic use	2	2	0
952	By other gases	5	4	1
953	By hanging, strangulation, and suffocation	18	13	5
954	By submersion (drowning)	5	4	1
955	By firearms and explosives	173	150	23
956	By cutting and piercing instruments	1	1	0
958	By other and unspecified means	4	3	1
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>342</u>	<u>102</u>	<u>240</u>

International Classification Number*	Cause*	Total	White	Non-white
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>335</u>	<u>101</u>	<u>234</u>
960	Fight, brawl, rape	1	1	0
962	Assault by poisoning	3	0	3
963	Assault by hanging and strangulation	1	1	0
965	Assault by firearms and explosives	260	76	184
966	Assault by cutting and piercing instruments	46	9	37
968	Assault by other and unspecified means	24	14	10
<u>970-978</u>	<u>Legal intervention</u>	<u>7</u>	<u>1</u>	<u>6</u>
970	Injury by firearms	7	1	6
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>54</u>	<u>34</u>	<u>20</u>
980	Poisoning by solid or liquid substances	5	5	0
985	Injury by firearms and explosives	39	24	15
986	Injury by cutting and piercing instruments	1	1	0
987	Falling from high place	1	0	1
988	Injury by other and unspecified means	8	4	4
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

\* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11  
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,  
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,  
MISSISSIPPI RESIDENTS, 1974

Intern- national Classi- fication Number*	Cause*	Total		Race	Sex	Total by Race	Total by Race and Sex	Age								65 and Over	Unknown	
		Number	Rate#					1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
009-999	ALL CAUSES	23,153	9.9	W	M	14,268	8,274	210	40	38	41	246	210	334	816	1,507	4,832	0
				NW	F	8,885	5,994	146	20	17	21	85	89	153	386	674	4,403	0
				W	M		4,835	359	51	41	46	229	187	220	406	728	2,565	3
				NW	F		4,050	309	41	23	20	83	91	167	280	521	2,514	1
000-136	Infective and parasitic diseases	241	10.3	W	M	108	75	10	1	4	0	3	1	3	7	9	37	0
				NW	F	133	33	3	0	0	1	1	0	1	3	4	20	0
				W	M		69	26	2	1	1	0	1	6	2	10	19	0
				NW	F		64	23	3	1	1	7	2	2	2	2	21	0
008, 009	Enteritis and other diarrheal diseases	62	2.6	W	M	18	7	1	1	0	0	0	0	2	1	0	2	0
				NW	F	44	11	2	0	0	0	1	0	0	1	0	7	0
				W	M		18	16	1	0	0	0	0	0	1	0	0	0
				NW	F		26	16	2	0	0	1	0	0	2	1	4	0
010-019	Tuberculosis	52	2.2	W	M	25	19	1	0	0	0	0	0	0	1	2	15	0
				NW	F	27	6	0	0	0	0	0	0	1	0	0	5	0
				W	M		21	0	0	0	0	0	1	3	2	7	8	0
				NW	F		6	0	0	0	0	2	0	1	0	0	3	0
070	Infectious hepatitis	5	0.2	W	M	2	1	0	0	0	0	1	0	0	0	0	0	0
				NW	F	3	1	0	0	0	0	0	0	0	0	0	1	0
				W	M		2	0	0	0	0	0	0	0	0	0	0	0
				NW	F		1	0	0	0	0	0	0	0	0	0	1	0
140-209	Malignant neoplasms	3,735	160.0	W	M	2,514	1,449	0	4	4	3	10	20	56	157	370	825	0
				NW	F	1,221	1,065	0	1	1	2	11	20	50	154	225	601	0
				W	M		698	0	0	4	2	11	4	16	72	163	426	0
				NW	F		523	0	0	3	3	6	10	32	53	109	307	0
210-239	Benign and unspeci- fied neoplasms	46	2.0	W	M	27	10	0	1	0	0	0	0	1	0	0	8	0
				NW	F	19	17	0	0	0	3	0	0	1	2	5	6	0
				W	M		7	0	0	0	0	0	3	1	0	1	2	0
				NW	F		12	0	0	0	0	4	0	1	0	0	6	0







Table 11 - Page 5  
Deaths - Mississippi - 1974

International Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age									Under 1	65 and Over	Unknown
		Number	Rate#					1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
520-577	Diseases of the digestive system	649	27.8	W	438	M	242	1	0	0	3	2	15	52	66	103	0		
				NW	211	F	196	2	0	0	2	4	11	32	32	113	0		
						M	128	4	0	0	4	13	19	22	22	59	0		
						F	83	2	0	0	2	11	7	10	10	48	0		
531-533	Peptic ulcer	79	3.4	W	54	M	30	0	0	0	0	0	2	3	7	18	0		
				NW	25	F	24	0	0	0	0	0	1	2	3	18	0		
						M	18	1	0	0	0	0	0	1	6	10	0		
						F	7	0	0	0	0	0	0	1	0	6	0		
550-553, 560	Hernia and intestinal obstruction	70	3.0	W	39	M	14	1	0	0	0	0	0	0	1	12	0		
				NW	31	F	25	1	0	0	0	0	1	1	3	19	0		
						M	19	0	0	0	1	0	3	2	2	11	0		
						F	12	2	0	0	0	1	1	0	1	7	0		
571	Cirrhosis of liver	205	8.8	W	158	M	107	0	0	0	1	3	8	33	40	24	0		
				NW	47	F	51	0	0	0	0	0	5	19	11	13	0		
						M	33	0	0	0	1	1	6	8	6	11	0		
						F	14	0	0	1	1	0	6	1	4	1	0		
580-629	Diseases of the genitourinary system	424	18.2	W	222	M	108	0	1	0	2	1	0	6	9	90	0		
				NW	202	F	114	1	1	0	2	1	4	11	7	87	0		
						M	128	0	0	0	1	5	4	10	19	89	0		
						F	74	1	0	0	1	2	3	2	15	50	0		
580-584	Nephritis and nephrosis	136	5.8	W	59	M	24	0	0	0	0	1	0	1	1	21	0		
				NW	77	F	35	0	0	0	1	0	2	7	3	22	0		
						M	42	0	0	0	0	2	2	6	10	22	0		
						F	35	0	0	0	0	0	1	1	9	24	0		
590	Infections of kidney	121	5.2	W	69	M	33	0	0	0	2	0	0	2	3	26	0		
				NW	52	F	36	0	0	0	1	0	1	2	2	30	0		
						M	33	0	0	0	1	0	1	2	1	28	0		
						F	19	0	0	0	1	0	1	0	3	15	0		



Table 11 - Page 7  
Deaths - Mississippi - 1974

Inter-national Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Under 1	Age								65 and Over	Unknown	
		Number	Rate#						1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
																			1
810-823	Motor vehicle accidents	717	30.7	W	478	M	368	1	7	10	11	104	73	41	47	29	45	0	0
				NW	239	F	110	1	5	4	7	27	9	13	9	13	22	0	0
						M	181	0	5	12	7	58	34	14	22	9	20	0	0
						F	58	5	3	7	3	10	11	5	0	3	11	0	0
800-807, 825-949	All other accidents	780	33.4	W	435	M	323	5	11	16	21	61	35	28	49	38	59	0	0
				NW	345	F	112	2	5	6	4	10	10	0	8	11	56	0	0
						M	242	14	17	14	22	51	30	17	24	18	34	1	1
						F	103	9	9	7	5	3	8	7	4	6	45	0	0
950-959	Suicide	219	9.4	W	186	M	138	0	0	0	0	19	20	27	28	20	24	0	0
				NW	33	F	48	0	0	0	1	4	10	9	10	10	4	0	0
						M	29	0	0	0	0	8	7	3	2	5	4	0	0
						F	4	0	0	0	0	1	3	0	0	0	0	0	0
960-978	Homicide	342	14.6	W	102	M	76	0	0	0	0	11	16	18	14	8	9	0	0
				NW	240	F	26	0	0	0	0	7	5	9	1	1	3	0	0
						M	187	1	1	1	2	62	48	34	17	14	7	0	0
						F	53	1	4	0	0	13	6	12	11	2	4	0	0

\* Numbers and causes are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-678) are per 100,000 live births and deaths from certain causes of mortality in early infancy (classification numbers 760-778) are per 1,000 live births.

TABLE 12A  
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS\*, BY COUNTY OF RESIDENCE AND RACE,  
 MISSISSIPPI, 1974

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>1,024</u>	<u>356</u>	<u>668</u>	<u>710</u>	<u>276</u>	<u>434</u>	<u>314</u>	<u>80</u>	<u>234</u>
Adams	13	5	8	12	4	8	1	1	0
Alcorn	6	6	0	5	5	0	1	1	0
Amite	8	1	7	4	1	3	4	0	4
Attala	6	1	5	6	1	5	0	0	0
Benton	2	1	1	2	1	1	0	0	0
Bolivar	32	2	30	22	1	21	10	1	9
Calhoun	4	1	3	3	1	2	1	0	1
Carroll	3	0	3	2	0	2	1	0	1
Chickasaw	8	5	3	7	4	3	1	1	0
Choctaw	0	0	0	0	0	0	0	0	0
Claiborne	7	2	5	7	2	5	0	0	0
Clarke	7	2	5	4	2	2	3	0	3
Clay	11	3	8	9	3	6	2	0	2
Coahoma	15	1	14	11	1	10	4	0	4
Copiah	13	2	11	6	2	4	7	0	7
Covington	3	1	2	1	1	0	2	0	2
DeSoto	14	9	5	8	6	2	6	3	3
Forrest	18	10	8	11	8	3	7	2	5
Franklin	2	0	2	2	0	2	0	0	0
George	7	3	4	3	1	2	4	2	2
Greene	5	4	1	2	2	0	3	2	1
Grenada	12	1	11	8	1	7	4	0	4
Hancock	11	10	1	9	9	0	2	1	1
Harrison	53	34	19	36	26	10	17	8	9
Hinds	84	26	58	57	22	35	27	4	23
Holmes	14	1	13	9	1	8	5	0	5
Humphreys	6	0	6	4	0	4	2	0	2
Issaquena	4	0	4	2	0	2	2	0	2
Itawamba	2	1	1	1	1	0	1	0	1
Jackson	36	17	19	23	11	12	13	6	7
Jasper	8	2	6	7	2	5	1	0	1
Jefferson	4	0	4	3	0	3	1	0	1
Jeff Davis	6	0	6	2	0	2	4	0	4
Jones	27	14	13	23	13	10	4	1	3
Kemper	4	0	4	3	0	3	1	0	1
Lafayette	12	5	7	9	4	5	3	1	2
Lamar	5	3	2	4	2	2	1	1	0
Lauderdale	44	18	26	34	15	19	10	3	7
Lawrence	4	3	1	2	2	0	2	1	1
Leake	8	2	6	5	1	4	3	1	2
Lee	30	20	10	24	19	5	6	1	5
Leflore	32	9	23	25	8	17	7	1	6

Table 12A - Page 2

## Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1974

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	16	9	7	13	7	6	3	2	1
Lowndes	17	5	12	11	3	8	6	2	4
Madison	13	1	12	9	1	8	4	0	4
Marion	11	5	6	7	2	5	4	3	1
Marshall	9	2	7	6	2	4	3	0	3
Monroe	16	4	12	12	4	8	4	0	4
Montgomery	8	2	6	7	2	5	1	0	1
Neshoba	6	4	2	4	3	1	2	1	1
Newton	13	8	5	8	5	3	5	3	2
Noxubee	16	3	13	11	2	9	5	1	4
Oktibbeha	11	1	10	7	1	6	4	0	4
Panola	17	2	15	13	1	12	4	1	3
Pearl River	8	5	3	6	3	3	2	2	0
Perry	0	0	0	0	0	0	0	0	0
Pike	15	3	12	10	1	9	5	2	3
Pontotoc	7	5	2	6	4	2	1	1	0
Prentiss	8	7	1	6	5	1	2	2	0
Quitman	10	1	9	4	1	3	6	0	6
Rankin	12	7	5	10	5	5	2	2	0
Scott	7	1	6	3	0	3	4	1	3
Sharkey	5	0	5	3	0	3	2	0	2
Simpson	7	3	4	6	3	3	1	0	1
Smith	7	1	6	5	1	4	2	0	2
Stone	1	0	1	0	0	0	1	0	1
Sunflower	23	2	21	13	1	12	10	1	9
Tallahatchie	6	0	6	3	0	3	3	0	3
Tate	9	1	8	5	0	5	4	1	3
Tippah	6	3	3	5	3	2	1	0	1
Tishomingo	4	2	2	2	1	1	2	1	1
Tunica	7	2	5	6	2	4	1	0	1
Union	11	6	5	8	4	4	3	2	1
Walthall	8	0	8	5	0	5	3	0	3
Warren	34	8	26	23	4	19	11	4	7
Washington	40	15	25	24	12	12	16	3	13
Wayne	9	2	7	7	1	6	2	1	1
Webster	5	3	2	3	3	0	2	0	2
Wilkinson	2	0	2	2	0	2	0	0	0
Winston	8	2	6	4	2	2	4	0	4
Yalobusha	7	2	5	6	1	5	1	1	0
Yazoo	15	4	11	10	3	7	5	1	4

\* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 12B  
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES\*, BY COUNTY OF RESIDENCE AND RACE,  
 MISSISSIPPI, 1974

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>23.2</u>	<u>15.5</u>	<u>31.8</u>	<u>16.1</u>	<u>12.0</u>	<u>20.6</u>	<u>7.1</u>	<u>3.5</u>	<u>11.1</u>
Adams	18.5	15.7	20.7	17.0	12.6	20.7	1.4	3.1	-
Alcorn	12.5	14.6	-	10.4	12.2	-	2.1	2.4	-
Amite	38.5	11.6	57.4	19.2	11.6	24.6	19.2	-	32.8
Attala	19.7	6.4	33.6	19.7	6.4	33.6	-	-	-
Benton	15.6	14.7	16.7	15.6	14.7	16.7	-	-	-
Bolivar	26.5	7.3	32.0	18.2	3.7	22.4	8.3	3.7	9.6
Calhoun	16.5	6.6	33.0	12.3	6.6	22.0	4.1	-	11.0
Carroll	20.5	-	34.9	13.7	-	23.2	6.8	-	11.6
Chickasaw	22.5	26.0	18.4	19.7	20.8	18.4	2.8	5.2	-
Choctaw	-	-	-	-	-	-	-	-	-
Claiborne	32.7	44.4	29.6	32.7	44.4	29.6	-	-	-
Clarke	31.5	19.2	42.4	18.0	19.2	16.9	13.5	-	25.4
Clay	28.4	21.1	32.5	23.2	21.1	24.4	5.2	-	8.1
Coahoma	17.4	4.9	21.2	12.7	4.9	15.2	4.6	-	6.1
Copiah	29.5	12.5	39.3	13.6	12.5	14.3	15.9	-	25.0
Covington	10.9	7.9	13.6	3.6	7.9	-	7.3	-	13.6
DeSoto	16.8	15.1	21.4	9.6	10.0	8.5	7.2	5.0	12.8
Forrest	16.9	14.1	22.4	10.3	11.3	8.4	6.6	2.8	14.0
Franklin	13.2	-	24.4	13.2	-	24.4	-	-	-
George	24.0	12.3	83.3	10.3	4.1	41.7	13.7	8.2	41.7
Greene	30.9	36.4	19.2	12.3	18.2	-	18.5	18.2	19.2
Grenada	31.9	5.8	54.2	21.3	5.8	34.5	10.6	-	19.7
Hancock	42.1	45.9	23.2	34.5	41.3	-	7.7	4.6	23.2
Harrison	18.6	15.9	26.8	12.6	12.1	14.1	6.0	3.7	12.7
Hinds	20.5	14.1	25.8	13.9	11.9	15.5	6.6	2.2	10.2
Holmes	28.3	11.9	31.6	18.2	11.9	19.5	10.1	-	12.2
Humphreys	18.3	-	24.0	12.2	-	16.0	6.1	-	8.0
Issaquena	93.0	-	148.1	46.5	-	74.1	46.5	-	74.1
Itawamba	6.7	3.6	55.6	3.3	3.6	-	3.3	-	55.6
Jackson	17.7	10.9	39.4	11.3	7.1	24.9	6.4	3.9	14.5
Jasper	23.1	16.1	27.0	20.2	16.1	22.5	2.9	-	4.5
Jefferson	24.5	-	26.8	18.4	-	20.1	6.1	-	6.7
Jeff Davis	23.0	-	34.1	7.7	-	11.4	15.3	-	22.7
Jones	29.7	23.3	42.1	25.3	21.7	32.4	4.4	1.7	9.7
Kemper	22.0	-	30.1	16.5	-	22.6	5.5	-	7.5
Lafayette	28.2	19.3	42.2	21.2	15.4	30.1	7.0	3.9	12.0
Lamar	13.7	10.2	28.6	11.0	6.8	28.6	2.7	3.4	-
Lauderdale	33.5	25.4	43.1	25.9	21.2	31.5	7.6	4.2	11.6
Lawrence	16.3	24.6	8.1	8.2	16.4	-	8.2	8.2	8.1
Leake	27.7	16.9	35.1	17.3	8.5	23.4	10.4	8.5	11.7
Lee	30.4	29.4	32.8	24.3	27.9	16.4	6.1	1.5	16.4
Leflore	36.7	33.4	38.2	28.7	29.7	28.2	8.0	3.7	10.0

Table 12B - Page 2

Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1974

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	31.5	29.9	33.8	25.6	23.2	29.0	5.9	6.6	4.8
Lowndes	15.0	7.6	25.2	9.7	4.5	16.8	5.3	3.0	8.4
Madison	16.9	4.5	21.9	11.7	4.5	14.6	5.2	-	7.3
Marion	24.6	17.4	37.3	15.6	7.0	31.0	8.9	10.4	6.2
Marshall	16.5	8.9	21.7	11.0	8.9	12.4	5.5	-	9.3
Monroe	25.0	10.9	43.8	18.7	10.9	29.2	6.2	-	14.6
Montgomery	41.0	25.3	51.7	35.9	25.3	43.1	5.1	-	8.6
Neshoba	14.7	16.5	12.0	9.8	12.4	6.0	4.9	4.1	6.0
Newton	38.2	44.9	30.9	23.5	28.1	18.5	14.7	16.8	12.3
Noxubee	60.4	39.5	68.8	41.5	26.3	47.6	18.9	13.2	21.2
Oktibbeha	21.5	3.5	43.7	13.7	3.5	26.2	7.8	-	17.5
Panola	31.9	11.4	42.0	24.4	5.7	33.6	7.5	5.7	8.4
Pearl River	16.1	13.0	26.8	12.1	7.8	26.8	4.0	5.2	-
Perry	-	-	-	-	-	-	-	-	-
Pike	23.4	10.5	33.6	15.6	3.5	25.2	7.8	7.0	8.4
Pontotoc	21.1	18.6	31.2	18.1	14.9	31.2	3.0	3.7	-
Prentiss	22.5	23.3	18.2	16.9	16.7	18.2	5.6	6.7	-
Quitman	28.7	9.4	37.2	11.5	9.4	12.4	17.2	-	24.8
Rankin	12.7	9.5	23.6	10.6	6.8	23.6	2.1	2.7	-
Scott	16.4	4.6	28.7	7.0	-	14.4	9.4	4.6	14.4
Sharkey	26.6	-	33.1	16.0	-	19.9	10.6	-	13.2
Simpson	16.7	12.6	22.1	14.3	12.6	16.6	2.4	-	5.5
Smith	27.6	6.1	66.7	19.7	6.1	44.4	7.9	-	22.2
Stone	6.8	-	17.5	-	-	-	6.8	-	17.5
Sunflower	32.4	10.9	39.9	18.3	5.5	22.8	14.1	5.5	17.1
Tallahatchie	13.8	-	19.8	6.9	-	9.9	6.9	-	9.9
Tate	23.4	5.6	38.5	13.0	-	24.0	10.4	5.6	14.4
Tippah	19.5	12.6	42.2	16.2	12.6	28.2	3.2	-	14.1
Tishomingo	19.8	10.7	133.3	9.9	5.3	66.7	9.9	5.3	66.7
Tunica	28.6	44.4	25.0	24.5	44.4	20.0	4.1	-	5.0
Union	34.3	25.6	57.5	24.9	17.1	46.0	9.3	8.5	11.5
Walthall	40.2	-	66.1	25.1	-	41.3	15.1	-	24.8
Warren	36.3	17.7	53.8	24.6	8.8	39.3	11.8	8.8	14.5
Washington	25.2	30.0	23.1	15.2	24.0	11.1	10.1	6.0	12.0
Wayne	28.8	11.4	51.5	22.4	5.7	44.1	6.4	5.7	7.4
Webster	31.6	29.1	36.4	19.0	29.1	-	12.6	-	36.4
Wilkinson	14.5	-	19.6	14.5	-	19.6	-	-	-
Winston	21.3	14.4	25.4	10.7	14.4	8.5	10.7	-	16.9
Yalobusha	31.0	20.4	39.1	26.5	10.2	39.1	4.4	10.2	-
Yazoo	29.9	22.2	34.2	19.9	16.7	21.7	10.0	5.6	12.4

\* Deaths per 1,000 live births.

\*\* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 13  
 INFANT DEATHS\* FROM SELECTED CAUSES, BY RACE AND AGE,  
 ALSO MORTALITY RATES FOR SELECTED CAUSES,  
 MISSISSIPPI RESIDENTS, 1974

Cause of Death and International Classification Number **	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
<u>ALL CAUSES</u>	<u>1,024</u>	<u>23.2</u>	W	<u>356</u>	<u>276</u>	<u>146</u>	<u>102</u>	<u>19</u>	<u>5</u>	<u>4</u>	<u>80</u>
			NW	<u>668</u>	<u>434</u>	<u>231</u>	<u>149</u>	<u>24</u>	<u>14</u>	<u>16</u>	<u>234</u>
Diarrheal disease (009)	31	0.7	W	3	1	0	0	1	0	0	2
			NW	28	6	0	3	0	2	1	22
Septicemia (038)	20	0.4	W	6	3	0	2	1	0	0	3
			NW	14	10	1	6	3	0	0	4
Other infective and parasitic diseases (000-008, 010-037, 039-136)	11	0.2	W	4	0	0	0	0	0	0	4
			NW	7	2	0	0	0	0	2	5
Meningitis (320)	11	0.2	W	3	0	0	0	0	0	0	3
			NW	8	2	0	1	1	0	0	6
Acute upper respiratory infections (460-465)	4	0.1	W	0	0	0	0	0	0	0	0
			NW	4	0	0	0	0	0	0	4
Bronchitis and bronchiolitis (446, 490, 491)	5	0.1	W	2	0	0	0	0	0	0	2
			NW	3	0	0	0	0	0	0	3
Influenza and pneumonia (470-486)	66	1.5	W	15	7	0	6	1	0	0	8
			NW	51	8	4	2	1	1	0	43
Hernia and intestinal obstruction (550-553, 560)	4	0.1	W	2	2	1	0	0	1	0	0
			NW	2	1	0	0	1	0	0	1
Congenital anomalies (740-759)	117	2.6	W	66	43	20	10	7	2	4	23
			NW	51	30	16	5	3	3	3	21
Maternal conditions unrelated to pregnancy (760, 761)	5	0.1	W	2	2	1	1	0	0	0	0
			NW	3	3	3	0	0	0	0	0
Toxemia of pregnancy (762)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Maternal antepartum and intrapartum infection (763)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Difficult labor (764-768)	8	0.2	W	4	4	3	1	0	0	0	0
			NW	4	4	2	1	1	0	0	0
Other complications of pregnancy and childbirth (769)	58	1.3	W	20	20	13	7	0	0	0	0
			NW	38	37	32	5	0	0	0	1

Table 13 - Page 2  
 Infant Deaths - Mississippi - 1974

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Conditions of placenta (770)	15	0.3	W	7	7	6	1	0	0	0	0
			NW	8	8	5	3	0	0	0	0
Conditions of umbilical cord (771)	4	0.1	W	1	1	0	1	0	0	0	0
			NW	3	3	1	2	0	0	0	0
Birth injury without mention of cause (772)	24	0.5	W	11	11	3	6	1	1	0	0
			NW	13	12	3	6	2	1	0	1
Hemolytic disease of newborn (774, 775)	4	0.1	W	3	3	0	1	2	0	0	0
			NW	1	1	0	1	0	0	0	0
Hyaline membrane disease (776.1)	95	2.2	W	42	41	18	22	1	0	0	1
			NW	53	51	19	31	0	1	0	2
Respiratory distress syndrome (776.2)	75	1.7	W	36	35	19	14	2	0	0	1
			NW	39	39	26	11	2	0	0	0
Asphyxia of newborn, unspecified (776.9)	85	1.9	W	34	34	23	11	0	0	0	0
			NW	51	51	29	18	3	0	1	0
Other anoxic and hypoxic conditions not elsewhere classifiable (776.0, 776.3, 776.4)	12	0.3	W	7	7	6	0	1	0	0	0
			NW	5	5	3	1	0	1	0	0
Immaturity, unqualified (777)	124	2.8	W	31	31	24	6	1	0	0	0
			NW	93	93	65	27	1	0	0	0
Hemorrhagic disease of newborn (778.2)	15	0.3	W	8	8	1	6	1	0	0	0
			NW	7	7	4	1	1	1	0	0
Other conditions of newborn (778.0, 778.1, 778.3, 778.9)	24	0.5	W	6	6	4	2	0	0	0	0
			NW	18	18	10	6	0	2	0	0
Symptoms and ill-defined conditions (780-796)	114	2.6	W	22	6	3	2	0	1	0	16
			NW	92	26	6	8	4	2	6	66
Accidents (800-949)	37	0.8	W	9	0	0	0	0	0	0	9
			NW	28	1	1	0	0	0	0	27
All other causes	56	1.3	W	12	4	1	3	0	0	0	8
			NW	44	16	1	11	1	0	3	28

\* Deaths of children under 1 year of age.

\*\* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Deaths per 1,000 live births.

TABLE 14  
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,  
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,  
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,  
MISSISSIPPI, 1974

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>27,613</u>	<u>19,236</u>	<u>8,377</u>	<u>27,613</u>	<u>19,236</u>	<u>8,377</u>	<u>24,646</u>	<u>16,779</u>	<u>7,867</u>
Adams	431	273	158	438	282	156	354	212	142
Alcorn	487	445	42	513	469	44	316	283	33
Amite	119	74	45	114	61	53	114	59	55
Attala	202	108	94	210	110	100	196	97	99
Benton	60	36	24	83	54	29	75	48	27
Bolivar	492	231	261	490	222	268	477	213	264
Calhoun	167	131	36	182	142	40	169	130	39
Carroll	77	52	25	90	58	32	76	48	28
Chickasaw	257	188	69	227	169	58	226	167	59
Choctaw	91	65	26	82	65	17	58	44	14
Claiborne	90	34	56	89	35	54	73	27	46
Clarke	156	92	64	172	106	66	156	87	69
Clay	170	93	77	175	89	86	162	87	75
Coahoma	452	206	246	455	205	250	408	172	236
Copiah	237	121	116	262	142	120	257	133	124
Covington	161	109	52	183	124	59	176	123	53
DeSoto	783	550	233	777	537	240	359	268	91
Forrest	870	704	166	786	623	163	737	589	148
Franklin	81	51	30	81	54	27	67	45	22
George	246	228	18	229	213	16	152	138	14
Greene	83	71	12	89	81	8	86	66	20
Grenada	237	163	74	225	151	74	224	152	72
Hancock	297	271	26	288	264	24	151	133	18
Harrison	2,300	1,963	337	2,293	1,962	331	1,891	1,599	292
Hinds	2,906	1,895	1,011	2,622	1,667	955	2,643	1,712	931
Holmes	194	64	130	199	69	130	225	73	152
Humphreys	140	41	99	140	45	95	125	31	94
Issaquena	18	9	9	17	4	13	14	6	8
Itawamba	189	184	5	208	201	7	135	130	5
Jackson	1,339	1,111	228	1,370	1,135	235	1,183	996	187
Jasper	151	72	79	152	72	80	155	73	82
Jefferson	73	18	55	67	12	55	70	15	55
Jeff Davis	148	81	67	153	81	72	119	64	55
Jones	687	543	144	714	570	144	681	556	125
Kemper	105	44	61	114	54	60	97	42	55
Lafayette	239	162	77	242	161	81	211	138	73
Lamar	149	130	19	177	155	22	198	175	23
Lauderdale	769	556	213	747	534	213	713	500	213
Lawrence	127	90	37	131	90	41	172	112	60
Leake	193	112	81	198	120	78	208	118	90
Lee	665	546	119	643	531	112	643	530	113
Leflore	436	219	217	429	211	218	432	225	207

Table 14 - Page 2  
Marriages - Mississippi - 1974

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	336	236	100	338	241	97	296	213	83
Lowndes	543	379	164	546	377	169	506	348	158
Madison	306	139	167	339	163	176	317	145	172
Marion	295	205	90	288	202	86	268	182	86
Marshall	401	219	182	374	199	175	275	140	135
Monroe	312	230	82	337	246	91	310	217	93
Montgomery	124	65	59	129	69	60	134	71	63
Neshoba	299	200	99	299	208	91	269	183	86
Newton	155	110	45	189	134	55	204	144	60
Noxubee	110	53	57	111	52	59	106	45	61
Oktibbeha	259	170	89	268	177	91	249	165	84
Panola	311	196	115	305	190	115	290	182	108
Pearl River	429	363	66	435	369	66	357	296	61
Perry	125	110	15	128	107	21	116	99	17
Pike	397	233	164	432	268	164	369	215	154
Pontotoc	209	179	30	213	184	29	194	170	24
Prentiss	262	240	22	239	218	21	258	235	23
Quitman	153	75	78	160	80	80	155	73	82
Rankin	402	304	98	488	389	99	495	383	112
Scott	321	215	106	298	189	109	309	214	95
Sharkey	97	37	60	95	40	55	92	36	56
Simpson	245	175	70	240	171	69	229	165	64
Smith	96	70	26	127	103	24	128	79	49
Stone	139	116	23	119	96	23	125	103	22
Sunflower	325	128	197	368	163	205	334	131	203
Tallahatchie	87	31	56	98	42	56	90	31	59
Tate	206	114	92	193	114	79	167	89	78
Tippah	218	182	36	210	174	36	221	180	41
Tishomingo	384	370	14	374	361	13	178	171	7
Tunica	135	60	75	130	55	75	109	39	70
Union	232	198	34	235	206	29	233	202	31
Walthall	132	76	56	135	79	56	109	61	48
Warren	516	363	153	521	368	153	485	340	145
Washington	853	503	350	845	502	343	798	464	334
Wayne	202	135	67	202	133	69	139	89	50
Webster	99	81	18	89	74	15	101	86	15
Wilkinson	224	173	51	226	174	52	65	25	40
Winston	178	116	62	172	111	61	167	102	65
Yalobusha	134	82	52	146	93	53	138	88	50
Yazoo	288	169	119	303	180	123	277	162	115
Not reported				13	5	8			
Out of state	*	*	*	*	*	*	2,967	2,457	510

\* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 15  
 DIVORCES, BY COUNTY OF OCCURRENCE AND RACE,  
 MISSISSIPPI, 1974

County	Total	White	Non- white	County	Total	White	Non- white
<u>STATE</u>	<u>11,866</u>	<u>9,203</u>	<u>2,663</u>				
Adams	212	145	67	Lincoln	109	73	36
Alcorn	181	162	19	Lowndes	264	214	50
Amite	34	23	11	Madison	176	101	75
Attala	82	58	24	Marion	122	95	27
Benton	40	31	9	Marshall	178	122	56
Bolivar	158	93	65	Monroe	159	131	28
Calhoun	53	42	11	Montgomery	55	35	20
Carroll	23	16	7	Neshoba	183	132	51
Chickasaw	75	57	18	Newton	57	44	13
Choctaw	24	23	1	Noxubee	27	14	13
Claiborne	28	4	24	Oktibbeha	95	72	23
Clarke	55	41	14	Panola	109	87	22
Clay	84	56	28	Pearl River	195	179	16
Coahoma	161	76	85	Perry	46	42	4
Copiah	84	57	27	Pike	139	91	48
Covington	64	55	9	Pontotoc	78	66	12
DeSoto	371	330	41	Prentiss	116	113	3
Forrest	454	369	85	Quitman	26	17	9
Franklin	23	18	5	Rankin	199	165	34
George	56	51	5	Scott	85	52	33
Greene	30	28	2	Sharkey	24	12	12
Grenada	104	80	24	Simpson	125	88	37
Hancock	105	95	10	Smith	59	53	6
Harrison	1,142	1,005	137	Stone	41	31	10
Hinds	1,398	984	414	Sunflower	113	60	53
Holmes	49	20	29	Tallahatchie	48	26	22
Humphreys	41	27	14	Tate	90	68	22
Issaquena	7	3	4	Tippah	82	75	7
Itawamba	80	74	6	Tishomingo	63	61	2
Jackson	745	644	101	Tunica	25	16	9
Jasper	39	22	17	Union	88	81	7
Jefferson	29	6	23	Walthall	41	29	12
Jeff Davis	34	22	12	Warren	256	193	63
Jones	361	310	51	Washington	318	220	98
Kemper	26	15	11	Wayne	95	78	17
Lafayette	122	98	24	Webster	35	31	4
Lamar	111	104	7	Wilkinson	30	15	15
Lauderdale	393	329	64	Winston	84	56	28
Lawrence	44	38	6	Yalobusha	47	35	12
Leake	64	50	14	Yazoo	104	73	31
Lee	320	272	48				
Leflore	174	124	50				

**NOTE:**

Table 16 extends from page 86 through page 106 with identical data for each county as well as for the state.









































TABLE 16  
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,  
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1974

Cause and International Classification Number*	Yalobusha County			Yazoo County		
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-019)	0	0	0	0	0	0
Malignant neoplasms (140-209)	18	16	2	50	24	26
Diabetes mellitus (250)	4	1	3	5	1	4
Heart diseases (390-398, 402, 404-429)	62	44	18	92	49	43
Hypertension (400, 401, 403)	0	0	0	0	0	0
Cerebrovascular disease (430-438)	30	21	9	37	20	17
Arteriosclerosis (440)	2	2	0	6	3	3
Influenza and pneumonia (470-486)	6	5	1	6	2	4
Bronchitis, emphysema, asthma (490-493)	3	3	0	6	4	2
Cirrhosis of liver (571)	1	1	0	4	3	1
Nephritis and nephrosis (580-584)	0	0	0	3	0	3
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-678)	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0
Certain causes of mortality in early infancy (760-778)	6	1	5	7	2	5
Accidents (800-949)	5	4	1	20	13	7
Motor vehicle accidents (810-823)	2	2	0	12	8	4
Suicide (950-959)	0	0	0	2	1	1
Homicide (960-978)	0	0	0	3	0	3
Ill-defined and unknown# (780-796)	5	4	1	41	4	37
	<u>State of Mississippi</u>					
	Total	White	Non- white			
Tuberculosis (010-019)	52	25	27			
Malignant neoplasms (140-209)	3,735	2,514	1,221			
Diabetes mellitus (250)	425	199	226			
Heart diseases (390-398, 402, 404-429)	7,750	5,226	2,524			
Hypertension (400, 401, 403)	120	49	71			
Cerebrovascular disease (430-438)	2,936	1,749	1,187			
Arteriosclerosis (440)	301	208	93			
Influenza and pneumonia (470-486)	561	347	214			
Bronchitis, emphysema, asthma (490-493)	245	207	38			
Cirrhosis of liver (571)	205	158	47			
Nephritis and nephrosis (580-584)	136	59	77			
Infections of kidney (590)	121	69	52			
Maternal causes (630-678)	12	4	8			
Congenital anomalies (740-759)	181	108	73			
Certain causes of mortality in early infancy (760-778)	548	212	336			
Accidents (800-949)	1,497	913	584			
Motor vehicle accidents (810-823)	717	478	239			
Suicide (950-959)	219	186	33			
Homicide (960-978)	342	102	240			
Ill-defined and unknown# (780-796)	1,644	630	1,014			

\* Causes and numbers are from the Eighth Revision International Classification of Diseases, Adapted for Use in the United States.

# Not to be used for ranking.