


VITAL STATISTICS

MISSISSIPPI

1982



Mississippi State Department of Health
Office of Public Health Statistics

VITAL STATISTICS

MISSISSIPPI

1982

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Occurrence and Residence Allocation	1
Population	2
Rates	2
Classification of Cause of Death	2

SUMMARY TABLES, 1982

LIVE BIRTHS

Table A1. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race	5
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1982	6
Table A3. Live Births and Average per Day, by Month	6
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race	7
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	7
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race	8
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race	8
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	9
Table A9. Live Births and Percentage Distribution, by Maturity and Race	9
Table A10. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race	10

FETAL DEATHS

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race	11
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	11
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race	12
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1980-1982	13

DEATHS

Table C1. Deaths and Average per Day, by Month	14
Table C2. Deaths and Percentage Distribution, by Age and Race	14
Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race	15
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	15
Table C5. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause	16
Table C6. Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race	17

SUMMARY TABLES, 1982

DEATHS (continued)

Table C7.	Deaths from Major Chronic Respiratory Diseases, 1957, 1962, 1967, 1972, 1977, 1982	17
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	18
Table C9.	Deaths from Selected Types of Accident, by Sex, also by Age ..	19
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1982	20
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race	21
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	21

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	22
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	23
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	24
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	25
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	26
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	27

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	28
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	28
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	29

MAJOR TABLES, 1982

LIVE BIRTHS

Table 1.	Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or more), Mississippi, 1982	33
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1982	36
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1982	39
Table 3B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1982	41
Table 3C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1982	43
Table 4.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1982	45
Table 5A.	Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1982	47

MAJOR TABLES, 1982

LIVE BIRTHS (continued)		
Table 5B.	White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1982	49
Table 5C.	Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1982	51
Table 6.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1982	53
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1982	55
 FETAL DEATHS		
Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race, Also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1982	57
 DEATHS		
Table 9.	Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1982	59
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1982	62
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1982	77
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1982	84
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1978-1982 (5-Year Average)	86
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1982	88
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1982	90
 MARRIAGES		
Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1982	92
 DIVORCES		
Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1982	94
 DEATHS (COUNTY AND STATE SUMMARIES)		
Table 17.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	97
	The State	117
 TIME SERIES TABLES		
Table 18.	Live Births and Rates, by Year and Race, Mississippi, 1913-1982, (Occurrence Data 1913-1943, Residence Data 1944-1982)	121
Table 19.	Deaths and Rates, by Year and Race, Mississippi, 1913-1982, (Occurrence Data 1913-1943, Residence Data 1944-1982)	123

TIME SERIES TABLES (continued)

Table 20.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1982, (Occurrence Data 1913-1943, Residence Data 1944-1982)	125
Table 21.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1982, (Occurrence Data 1917-1943, Residence Data 1944-1982)	127
Table 22.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1982, (Occurrence Data 1924-1944, Residence Data 1945-1982)	129
Table 23.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1982, (Occurrence Data 1924-1943, Residence Data 1944-1982)	131
Table 24.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1982	133

VITAL STATISTICS
MISSISSIPPI, 1982

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1982; the second part contains major statistical tables for 1982. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Introduction
Mississippi - 1982

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The only population figures used in this bulletin are the U.S. Census Bureau's provisional state estimate of 2,551,000 as of July 1, 1982. No breakdowns by race or sex were available, and estimates by age and estimates for counties were not used as they are considerably less reliable than the state figures.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1982

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by place of delivery, attendant, and race
Mississippi, 1982

Place of Delivery and Race	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Un-known	Total	Physician	Certified Nurse Midwife	Granny Midwife	Other Named Person	Percent		
												Certified Nurse Midwife	Granny Midwife	Other Named Person
Total	45,926	43,923	1,803	104	90	6	100.0	95.6	3.9	0.2	0.2	*	-	*
Hospital	45,665	43,853	1,795	0	16	1	99.4	95.5	3.9	-	*	0.1	*	*
Home, etc.	240	66	8	100	61	5	0.5	0.1	*	0.2	0.1	-	*	*
Enroute to hospital	13	0	0	0	13	0	*	-	-	-	*	-	*	-
Unknown place	8	4	0	4	0	0	*	*	-	-	*	-	*	-
White	24,028	23,743	213	36	33	3	100.0	98.8	0.9	0.2	0.1	*	-	*
Hospital	23,945	23,735	205	0	4	1	99.6	98.8	0.8	-	*	0.1	0.1	*
Home, etc.	80	7	8	34	29	2	0.3	*	*	0.1	0.1	-	*	*
Enroute to hospital	0	0	0	0	0	0	-	-	-	-	*	-	-	-
Unknown place	3	1	0	2	0	0	*	*	-	-	*	-	*	-
Nonwhite	21,898	20,180	1,590	68	57	3	100.0	92.2	7.3	0.3	0.3	*	-	*
Hospital	21,720	20,118	1,590	0	12	0	99.2	91.9	7.3	-	0.3	0.1	-	*
Home, etc.	160	59	0	66	32	3	0.7	0.3	-	0.3	0.1	-	*	*
Enroute to hospital	13	0	0	0	13	0	*	-	-	-	*	-	*	-
Unknown place	5	3	0	2	0	0	*	*	-	-	*	-	*	-

* Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics,
by year and race
Mississippi, 1940, 1950, 1960, 1970-1982

Year	Total	White	Non-white	Year	Total	White	Non-white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
				1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0
				1982*	99.4	99.6	99.2

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month
Mississippi, 1982

Month	Births	Average per Day	Month	Births	Average per Day
<u>Total</u>	<u>45,926</u>	<u>126</u>			
January	3,870	125	July	4,153	134
February	3,431	122	August	4,312	139
March	3,606	116	September	4,249	142
April	3,202	107	October	4,063	131
May	3,442	111	November	3,877	129
June	3,822	127	December	3,899	126

Table A4. Live births and percentage distribution,
by age of mother and race
Mississippi, 1982

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,926</u>	<u>24,028</u>	<u>21,898</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Under 15	346	38	308	0.8	0.2	1.4
15-19	9,701	3,717	5,984	21.1	15.5	27.3
20-24	16,296	8,780	7,516	35.5	36.5	34.3
25-29	12,184	7,347	4,837	26.5	30.6	22.1
30-34	5,481	3,205	2,276	11.9	13.3	10.4
35-39	1,567	819	748	3.4	3.4	3.4
40-44	322	117	205	0.7	0.5	0.9
45-49	24	3	21	*	*	0.1
Unknown	5	2	3	*	*	*

* Less than 0.06 percent.

Table A5. Live births and percentage distribution,
by years of school completed by father and mother and race
Mississippi, 1982

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
FATHER									
Median years completed*	12.6	12.8	12.4						
<u>Total legitimate births</u>	<u>32,335</u>	<u>22,562</u>	<u>9,773</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 years	623	298	325	1.9	1.3	3.4	1.9	1.3	3.4
7-9 years	3,109	2,015	1,094	9.7	9.0	11.4	11.6	10.3	14.8
10, 11 years	4,708	2,806	1,902	14.7	12.5	19.8	26.3	22.8	34.6
12 years	11,930	8,126	3,804	37.2	36.2	39.6	63.5	59.0	74.2
1-3 years college	6,097	4,589	1,508	19.0	20.4	15.7	82.5	79.4	89.9
4 or more years college	5,601	4,630	971	17.5	20.6	10.1	100.0	100.0	100.0
Unknown	267	98	169						
MOTHER									
Median years completed*	12.4	12.6	12.2						
<u>Total births</u>	<u>45,926</u>	<u>24,028</u>	<u>21,898</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 years	548	196	352	1.2	0.8	1.6	1.2	0.8	1.6
7-9 years	5,971	2,478	3,493	13.0	10.3	16.0	14.2	11.1	17.6
10, 11 years	9,032	3,375	5,657	19.7	14.1	25.9	33.9	25.2	43.5
12 years	16,968	9,276	7,692	37.0	38.6	35.2	70.9	63.9	78.7
1-3 years college	8,202	4,943	3,259	17.9	20.6	14.9	88.8	84.5	93.6
4 or more years college	5,129	3,728	1,401	11.2	15.5	6.4	100.0	100.0	100.0
Unknown	76	32	44						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births and percent of total live births in specified group, by age of mother and race
Mississippi, 1982

Age of Mother	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>13,591</u>	<u>1,466</u>	<u>12,125</u>	<u>29.6</u>	<u>6.1</u>	<u>55.4</u>
Under 15	330	25	305	95.4	65.8	99.0
15-19	5,815	697	5,118	59.9	18.8	85.5
20-24	4,637	466	4,171	28.4	5.3	55.5
25-29	1,785	176	1,609	14.6	2.4	33.3
30-34	691	59	632	12.6	1.8	27.8
35-39	240	29	211	15.3	3.5	28.2
40-44	84	12	72	26.1	10.2	35.1
45-49	6	0	6	26.1	-	28.6
Unknown	3	2	1			

Table A7. Live births, percentage distribution, and median age of mother, by total-birth order and race
Mississippi, 1982

Total-Birth Order*	Number			Percent			Median Age of Mother		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,926</u>	<u>24,028</u>	<u>21,898</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>23.9</u>	<u>24.7</u>	<u>22.9</u>
First	15,888	9,146	6,742	34.6	38.1	30.8	20.7	22.0	19.2
Second	13,903	8,034	5,869	30.3	33.4	26.8	23.9	25.0	22.3
Third	8,150	4,152	3,998	17.7	17.3	18.2	25.9	27.1	24.4
Fourth	4,002	1,579	2,423	8.7	6.6	11.1	27.2	28.5	26.3
Fifth	1,858	616	1,242	4.0	2.6	5.7	28.2	29.5	27.7
Sixth	939	233	706	2.0	1.0	3.2	29.6	31.5	28.9
Seventh	476	115	361	1.0	0.5	1.6	31.4	32.1	31.3
Eighth	253	45	208	0.6	0.2	1.0	33.3	34.5	33.1
Ninth	127	13	114	0.3	**	0.5	35.8	38.0	35.3
Tenth & over	232	30	202	0.5	0.1	0.9	37.9	36.5	38.1
Unknown	98	65	33	0.2	0.3	0.2			

* Includes all live births plus all fetal deaths regardless of length of gestation.

** Less than 0.06 percent.

Table A8. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race
Mississippi, 1982

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,926</u>	<u>24,028</u>	<u>21,898</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No prenatal care	408	123	285	0.9	0.5	1.3
Some prenatal care	<u>45,398</u>	<u>23,846</u>	<u>21,552</u>	<u>98.8</u>	<u>99.2</u>	<u>98.4</u>
First trimester	<u>33,915</u>	<u>20,356</u>	<u>13,559</u>	<u>73.8</u>	<u>84.7</u>	<u>61.9</u>
Second trimester	<u>9,763</u>	<u>3,019</u>	<u>6,744</u>	<u>21.2</u>	<u>12.6</u>	<u>30.8</u>
Third trimester	<u>1,645</u>	<u>452</u>	<u>1,193</u>	<u>3.6</u>	<u>1.9</u>	<u>5.4</u>
Unknown month	<u>75</u>	<u>19</u>	<u>56</u>	<u>0.2</u>	<u>0.1</u>	<u>0.2</u>
Unknown whether any prenatal care	120	59	61	0.3	0.2	0.3

Table A9. Live births and percentage distribution, by maturity and race
Mississippi, 1982

Maturity*	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>45,926</u>	<u>24,028</u>	<u>21,898</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Immature only**	1,843	688	1,155	4.0	2.9	5.3
Premature only**	3,821	1,317	2,504	8.3	5.5	11.4
Both immature and premature	2,251	764	1,487	4.9	3.2	6.8
Total immature	4,094	1,452	2,642	8.9	6.0	12.1
Total premature	6,072	2,081	3,991	13.2	8.7	18.2
Total immature and/or premature	7,915	2,769	5,146	17.2	11.5	23.5
Neither immature nor premature**	38,011	21,259	16,752	82.8	88.5	76.5

* Immature - birthweight $5\frac{1}{2}$ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A10. Congenital malformations reported on live birth certificates,
by malformation and race
Mississippi, 1982

International Classification Number*	Malformation	Total	White	Non-white
<u>740-759</u>	<u>Total</u>	<u>359</u>	<u>178</u>	<u>181</u>
740-742	Of nervous system	36	21	15
743	Of eye	3	1	2
744	Of ear, face, and neck	7	4	3
745-747	Of circulatory system	24	19	5
748	Of respiratory system	3	3	0
<u>749-751</u>	<u>Of digestive system</u>	<u>52</u>	<u>45</u>	<u>7</u>
<u>749</u>	<u>Cleft palate and cleft lip</u>	<u>45</u>	<u>40</u>	<u>5</u>
749.0	Cleft palate	22	19	3
749.1	Cleft lip	23	21	2
750, 751	Other of digestive system	7	5	2
752	Of genital organs	33	18	15
753	Of urinary organs	7	5	2
<u>754-756</u>	<u>Of musculoskeletal system</u>	<u>150</u>	<u>44</u>	<u>106</u>
754	Certain musculoskeletal anomalies	18	9	9
<u>755</u>	<u>Of limbs</u>	<u>111</u>	<u>23</u>	<u>88</u>
755.0	Polydactyly	84	11	73
755.9	Other	27	12	15
756	Other of musculoskeletal system	21	12	9
757	Of the integument	9	3	6
758	Chromosomal anomalies	19	9	10
<u>759</u>	<u>Other and unspecified</u>	<u>16</u>	<u>6</u>	<u>10</u>
759.0	Other unspecified	4	1	3
759.9	Unspecified	12	5	7

* From the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Table B3. Percentage distribution of live births and reportable* fetal deaths,
by whether mother received prenatal care and race
Mississippi, 1982

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No care	0.9	0.5	1.3	7.5	4.8	9.1
Some care	98.8	99.2	98.4	81.7	87.0	78.7
Unknown whether any care	0.3	0.2	0.3	10.8	8.2	12.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios,
by completed weeks of gestation and race
Mississippi, 1980-1982

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1980	1981	1982	1980	1981	1982	1980	1981	1982
REPORTABLE* FETAL DEATHS									
Total	<u>707</u>	<u>648</u>	<u>639</u>	<u>247</u>	<u>222</u>	<u>231</u>	<u>460</u>	<u>426</u>	<u>408</u>
Under 20	25	31	33	9	8	5	16	23	28
20 and over	624	553	557	221	200	208	403	353	349
20-22	77	69	88	21	18	33	56	51	55
23-27	140	123	104	50	39	32	90	84	72
28-36	192	188	199	57	56	63	135	132	136
37 and over	215	173	166	93	87	80	122	86	86
Unknown	58	64	49	17	14	18	41	50	31
FETAL DEATH RATIOS#									
Total	<u>14.8</u>	<u>14.0</u>	<u>13.9</u>	<u>10.0</u>	<u>9.3</u>	<u>9.6</u>	<u>19.9</u>	<u>19.0</u>	<u>18.6</u>
Under 20	0.5	0.7	0.7	0.4	0.3	0.2	0.7	1.0	1.3
20 and over	13.0	12.0	12.1	9.0	8.4	8.6	17.4	15.7	15.9
20-22	1.6	1.5	1.9	0.8	0.8	1.4	2.4	2.3	2.5
23-27	2.9	2.7	2.3	2.0	1.6	1.3	3.9	3.7	3.3
28-36	4.0	4.1	4.3	2.3	2.4	2.6	5.8	5.9	6.2
37 and over	4.5	3.7	3.6	3.8	3.6	3.3	5.3	3.8	3.9
Unknown	1.2	1.4	1.1	0.7	0.6	0.7	1.8	2.2	1.4

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month
Mississippi, 1982

Month	Deaths	Average per Day	Month	Deaths	Average per Day
<u>Total</u>	<u>23,173</u>	<u>63</u>			
January	2,114	68	July	1,959	63
February	1,835	66	August	1,839	59
March	2,170	70	September	1,847	62
April	1,886	63	October	1,927	62
May	1,914	62	November	1,926	64
June	1,774	59	December	1,982	64

Table C2. Deaths and percentage distribution, by age and race
Mississippi, 1982

Age	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>23,173</u>	<u>14,863</u>	<u>8,310</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Under 1	706	249	457	3.0	1.7	5.5
1-4	135	64	71	0.6	0.4	0.8
5-9	83	41	42	0.4	0.3	0.5
10-14	90	51	39	0.4	0.3	0.5
15-24	600	342	258	2.6	2.3	3.1
25-34	617	336	281	2.7	2.3	3.4
35-44	791	435	356	3.4	2.9	4.3
45-54	1,541	936	605	6.6	6.3	7.3
55-64	3,302	2,121	1,181	14.2	14.3	14.2
65-74	5,458	3,653	1,805	23.6	24.6	21.7
75-84	6,007	4,018	1,989	25.9	27.0	23.9
85 and over	3,815	2,611	1,204	16.5	17.6	14.5
Unknown	28	6	22	0.1	*	0.3

* Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios
by age and race
Mississippi, 1982

Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
Total	12,748	10,425	1.22	8,205	6,658	1.23	4,543	3,767	1.21
Under 1	401	305	1.31	158	91	1.74	243	214	1.14
1-4	68	67	1.01	32	32	1.00	36	35	1.03
5-9	46	37	1.24	19	22	0.86	27	15	1.80
10-14	59	31	1.90	31	20	1.55	28	11	2.54
15-24	455	145	3.14	261	81	3.22	194	64	3.03
25-34	433	184	2.35	239	97	2.46	194	87	2.23
35-44	525	266	1.97	290	145	2.00	235	121	1.94
45-54	988	553	1.79	617	319	1.93	371	234	1.58
55-64	2,112	1,190	1.77	1,422	699	2.03	690	491	1.40
65-74	3,326	2,132	1.56	2,294	1,359	1.69	1,032	773	1.34
75-84	3,022	2,985	1.01	2,008	2,010	1.00	1,014	975	1.04
85 and over	1,296	2,519	0.51	830	1,781	0.47	466	738	0.63
Unknown	17	11		4	2		13	9	
Median age	68.8	76.0		69.5	77.3		67.4	72.8	

Table C4. Deaths and percent of total deaths from ten leading causes, by cause and race
Mississippi, 1982

Cause and International Classification Number	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total of ten leading causes</u>	18,660	12,220	6,440	80.5	82.2	77.5
1. Heart diseases (390-398, 402, 404-429)	8,195	5,583	2,612	35.4	37.6	31.4
2. Malignant neoplasms (140-208)	4,436	3,006	1,430	19.1	20.2	17.2
3. Cerebrovascular diseases (430-438)	2,093	1,266	827	9.0	8.5	10.0
4. Accidents (800-949)	1,513	996	517	6.5	6.7	6.2
5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	554	463	91	2.4	3.1	1.1
6. Pneumonia and influenza (480-487)	498	335	163	2.1	2.2	2.0
7. Homicide and legal intervention (960-978)	412	152	260	1.8	1.0	3.1
8. Diabetes mellitus (250)	361	177	184	1.6	1.2	2.2
9. Certain conditions originating in the perinatal period (760-779)	357	116	241	1.5	0.8	2.9
10. Nephritis, nephrotic syndrome, and nephrosis (580-589)	241	126	115	1.0	0.8	1.4

Table C5. Deaths and percent of total deaths from five leading causes,
by age and cause
Mississippi, 1982

Age	Cause and International Classification Number	Number	Percent
1-4	<u>All causes</u>	<u>135</u>	<u>100.0</u>
	1. Accidents (800-949)	62	45.9
	2. Congenital anomalies (740-759)	15	11.1
	3. Malignant neoplasms (140-208)	7	5.2
	3. Heart diseases (390-398, 402, 404-429)	7	5.2
	5. Pneumonia and influenza (480-487)	4	3.0
5-14	<u>All causes</u>	<u>173</u>	<u>100.0</u>
	1. Accidents (800-949)	99	57.2
	2. Malignant neoplasms (140-208)	20	11.6
	3. Heart diseases (390-398, 402, 404-429)	8	4.6
	4. Congenital anomalies (740-759)	6	3.5
	5. Pneumonia and influenza (480-487)	5	2.9
15-24	<u>All causes</u>	<u>600</u>	<u>100.0</u>
	1. Accidents (800-949)	341	56.8
	2. Homicide and legal intervention (960-978)	101	16.8
	3. Suicide (950-959)	42	7.0
	4. Malignant neoplasms (140-208)	26	4.3
	5. Heart diseases (390-398, 402, 404-429)	15	2.5
25-44	<u>All causes</u>	<u>1,408</u>	<u>100.0</u>
	1. Accidents (800-949)	407	28.9
	2. Heart diseases (390-398, 402, 404-429)	223	15.8
	3. Homicide and legal intervention (960-978)	190	13.5
	4. Malignant neoplasms (140-208)	172	12.2
	5. Suicide (950-959)	80	5.7
45-64	<u>All causes</u>	<u>4,843</u>	<u>100.0</u>
	1. Heart diseases (390-398, 402, 404-429)	1,601	33.0
	2. Malignant neoplasms (140-208)	1,403	29.0
	3. Cerebrovascular diseases (430-438)	281	5.8
	4. Accidents (800-949)	251	5.2
	5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	100	2.1
65 and over	<u>All causes</u>	<u>15,280</u>	<u>100.0</u>
	1. Heart diseases (390-398, 402, 404-429)	6,312	41.3
	2. Malignant neoplasms (140-208)	2,803	18.3
	3. Cerebrovascular diseases (430-438)	1,766	11.6
	4. Emphysema and other chronic obstructive pulmonary diseases (490-496)	444	2.9
	5. Pneumonia and influenza (480-487)	388	2.5

Table C6. Deaths from malignant neoplasms and percentage distribution,
by primary site, sex, and race
Mississippi, 1982

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Percent			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
Total	1,730	828	1,276	602	100.0	100.0	100.0	100.0
1. Respiratory and intra-thoracic organs (160-165)	750	281	214	88	43.4	33.9	16.8	14.6
2. Digestive organs and peritoneum (150-159)	340	194	328	166	19.6	23.4	25.7	27.6
3. Genital organs (179-187)	151	151	143	85	8.7	18.2	11.2	14.1
4. Lymphatic and hematopoietic tissue (200-208)	152	63	144	59	8.8	7.6	11.3	9.8
5. Breast (174, 175)	2	0	205	82	0.1	-	16.1	13.6
6. Urinary organs (188, 189)	88	24	34	19	5.1	2.9	2.7	3.2
7. Lip, oral cavity, and pharynx (140-149)	45	17	27	7	2.6	2.0	2.1	1.2
8. Brain (191)	41	11	34	7	2.4	1.3	2.7	1.2
9. Skin (172, 173)	36	3	25	5	2.1	0.4	2.0	0.8
10. Bone and connective tissue (170, 171)	9	7	14	13	0.5	0.8	1.1	2.2
- Other and unspecified sites (190, 192-199)	116	77	108	71	6.7	9.3	8.5	11.8

Table C7. Deaths from major chronic respiratory diseases
Mississippi, 1957, 1962, 1967, 1972, 1977, 1982

Cause and International Classification Number	1957	1962	1967	1972	1977	1982
Tuberculosis of respiratory system (010-012)	150	119	76	41	41	19
Malignant neoplasms of respiratory system (160-165)	273	427	588	764	1,069	1,333
Malignant neoplasms of trachea, bronchus, and lung (162)	247	392	556	736	1,019	1,268
Chronic and unqualified bronchitis (490, 491)	25	40	43	54	39	18
Emphysema (492)	43	111	194	170	146	82
Asthma (493)	59	43	50	22	15	29
(Adjusted figures*)	(33)	(30)	(35)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C8. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race
Mississippi, 1982

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total of five leading causes</u>	<u>1,141</u>	<u>756</u>	<u>385</u>	<u>75.4</u>	<u>75.9</u>	<u>74.5</u>
1. Motor vehicle (810-825)	755	541	214	49.9	54.3	41.4
2. Fires and flames (890-899)	114	42	72	7.5	4.2	13.9
3. Falls (880-888)	111	93	18	7.3	9.3	3.5
4. Drowning and submersion (except in transport accidents) (910)	92	38	54	6.1	3.8	10.4
5. Firearm missile (922)	69	42	27	4.6	4.2	5.2

Table C9. Deaths from selected types of accidents, by sex, also by age
Mississippi residents, 1982

Type of Accident and International Classification Number	Total	Sex	Male	Female	Under 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & Over	Un-known
<u>ALL ACCIDENTS</u>	<u>1,513</u>	<u>1,068</u>	<u>445</u>	<u>30</u>	<u>62</u>	<u>99</u>	<u>341</u>	<u>250</u>	<u>157</u>	<u>251</u>	<u>321</u>	<u>2</u>	
Motor vehicle (810-825)	755	538	217	8	25	36	241	148	83	128	85	1	
Water transport (830-838)	31	27	4	0	0	1	5	11	5	8	1	0	
Submersion, drowning (830, 832)	28	25	3	0	0	1	3	10	5	8	1	0	
Other (831, 833-838)	3	2	1	0	0	0	0	2	1	0	0	0	
Air and space transport (840-845)	20	16	4	0	0	3	4	3	7	3	0	0	
Poisoning (850-869)	56	32	24	0	7	1	8	14	8	8	10	0	
By drugs, medicaments, and biologicals (850-858)	26	13	13	0	3	0	3	8	5	2	5	0	
By other solid and liquid substances, gases, and vapors (860-869)	30	19	11	0	4	1	5	6	3	6	5	0	
Falls (880-888)	111	69	42	0	0	2	5	4	4	14	82	0	
Fires and flames (890-899)	114	66	48	4	18	7	8	9	6	18	43	1	
Drowning and submersion (except in transport accidents) (910)	92	78	14	1	2	26	24	18	8	8	5	0	
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	63	32	31	10	3	1	3	5	4	9	28	0	
Mechanical suffocation (including in bed or cradle) (913)	7	5	2	5	0	1	0	0	0	1	0	0	
Struck by, striking against, and caught in or between objects (916-918)	24	20	4	0	3	1	2	2	5	8	3	0	
Caused by machinery (919)	22	21	1	0	0	1	1	1	4	4	10	2	
Caused by firearm missile (922)	69	57	12	0	2	9	17	14	9	9	9	0	
Caused by electric current (925)	18	18	0	0	1	6	4	3	3	3	1	0	

Table C10. Motor vehicle accident deaths occurring in Mississippi and rates,
also motor vehicle accident deaths of Mississippi residents and rates,
by year, 1950, 1955, 1960, 1965, 1970-1982

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6

* Deaths in Mississippi per 100,000,000
miles of vehicle travel; deaths of
residents per 100,000 population.

** Not available.

Table C11. Infant deaths, percentage distribution, and mortality rates by age and race
Mississippi, 1982

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total under 1 year</u>	<u>706</u>	<u>249</u>	<u>457</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>15.4</u>	<u>10.4</u>	<u>20.9</u>
<u>Neonatal (under 28 days)</u>	<u>467</u>	<u>166</u>	<u>301</u>	<u>66.1</u>	<u>66.7</u>	<u>65.9</u>	<u>10.2</u>	<u>6.9</u>	<u>13.7</u>
<u>Hebdomadal (under 7 days)</u>	<u>380</u>	<u>132</u>	<u>248</u>	<u>53.8</u>	<u>53.0</u>	<u>54.3</u>	<u>8.3</u>	<u>5.5</u>	<u>11.3</u>
Under 1 day	234	77	157	33.1	30.9	34.4	5.1	3.2	7.2
1-6 days	146	55	91	20.7	22.1	19.9	3.2	2.3	4.2
7-27 days	87	34	53	12.3	13.6	11.6	1.9	1.4	2.4
<u>Postneonatal (28 days to 1 year)</u>	<u>239</u>	<u>83</u>	<u>156</u>	<u>33.8</u>	<u>33.3</u>	<u>34.1</u>	<u>5.2</u>	<u>3.4</u>	<u>7.1</u>

* Deaths per 1,000 live births.

Table C12. Deaths and mortality rates for ten leading causes of infant deaths,
by cause and race
Mississippi, 1982

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
<u>All causes</u>	<u>706</u>	<u>249</u>	<u>457</u>	<u>15.4</u>	<u>10.4</u>	<u>20.9</u>
1. Congenital anomalies (740-759)	105	52	53	2.3	2.2	2.4
2. Respiratory distress syndrome (769)	86	44	42	1.9	1.8	1.9
3. Sudden infant death syndrome (798.0)	75	21	54	1.6	0.9	2.5
4. Disorders relating to short gestation and unspecified low birthweight (765)	58	7	51	1.3	0.3	2.3
5. Intrauterine hypoxia and birth asphyxia (768)	33	10	23	0.7	0.4	1.0
6. Maternal complications of pregnancy (761)	30	8	22	0.6	0.3	1.0
6. Accidents (800-949)	30	12	18	0.6	0.5	0.8
8. Infections specific to the perinatal period (771)	28	7	21	0.6	0.3	1.0
9. Symptoms, signs, and ill-defined conditions (excluding SIDS) (780-797, 798.1-799)	27	8	19	0.6	0.3	0.9
10. Neonatal hemorrhage (772)	21	7	14	0.4	0.3	0.6

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month
Mississippi, 1982

Month	Marriages	Average per Day	Month	Marriages	Average per Day
<u>Total</u>	<u>27,584</u>	<u>76</u>			
January	1,794	58	July	2,859	92
February	1,955	70	August	2,580	83
March	1,988	64	September	2,044	68
April	2,216	74	October	2,069	67
May	2,579	83	November	2,033	68
June	2,954	98	December	2,513	81

Table D2. Brides and grooms and percentage distribution, by age and race
Mississippi, 1982

Age	Number				Bride				Groom			
	Bride		Groom		Bride		Groom		Percent		Percent	
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total	27,584	20,547	7,037	27,584	20,541	7,043	100.0	100.0	100.0	100.0	100.0	100.0
Under 20	7,045	5,653	1,392	2,843	2,364	479	25.5	27.5	19.8	10.3	11.5	6.8
13	6	4	2	0	0	0	*	*	*	-	*	-
14	36	33	3	1	1	0	0.1	0.2	*	*	*	-
15	373	329	44	7	7	0	1.4	1.6	0.6	*	*	-
16	768	668	100	52	48	4	2.8	3.2	1.4	0.2	0.2	*
17	1,373	1,137	236	333	303	30	5.0	5.5	3.4	1.2	1.5	0.4
18	2,300	1,857	443	917	772	145	8.3	9.0	6.3	3.3	3.8	2.0
19	2,189	1,625	564	1,533	1,233	300	7.9	7.9	8.0	5.6	6.0	4.3
20-24	9,046	6,370	2,676	9,667	7,019	2,648	32.8	31.0	38.0	35.0	34.2	37.6
25-34	7,069	5,072	1,997	8,905	6,378	2,527	25.6	24.7	28.4	32.3	31.0	35.9
35-44	2,387	1,891	496	3,130	2,490	640	8.6	9.2	7.0	11.3	12.1	9.1
45-54	1,069	832	237	1,487	1,195	292	3.9	4.0	3.4	5.4	5.8	4.1
55-64	601	452	149	862	630	232	2.2	2.2	2.1	3.1	3.1	3.3
65-74	317	239	78	536	362	174	1.1	1.2	1.1	1.9	1.8	2.5
75 & over	45	34	11	149	101	48	0.2	0.2	0.5	0.5	0.7	*
Unknown	5	4	1	5	2	3	*	*	*	*	*	*

* Less than 0.06 percent.

Table D3. Median age of bride and groom,
for all marriages and first marriages, by race
Mississippi, 1982

All and First Marriages	Bride			Groom		
	Total	White	Non- white	Total	White	Non- white
All marriages	23.4	23.3	23.7	25.8	25.8	25.8
First marriages	21.1	20.3	22.5	23.1	22.7	24.0

Table D4. Brides and grooms and percentage distribution,
by marriage order and race
Mississippi, 1982

Marriage Order	Number						Percent			
	Bride		Groom		Bride		Groom			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	
Total	27,584	20,547	7,037	27,584	20,541	7,043	100.0	100.0	100.0	100.0
First	16,571	11,293	5,278	16,330	11,313	5,017	60.1	55.0	75.0	55.1
Remarriage	10,996	9,243	1,753	11,239	9,218	2,021	39.9	45.0	24.9	40.7
Second	7,919	6,443	1,476	7,989	6,363	1,626	28.7	31.4	21.0	29.0
Over two	3,071	2,796	275	3,248	2,853	395	11.1	13.6	3.9	11.8
Third	2,326	2,091	235	2,470	2,157	313	8.4	10.2	3.3	9.0
Fourth	616	579	37	604	540	64	2.2	2.8	0.5	2.2
Fifth	100	98	2	127	117	10	0.4	0.5	#	0.5
Sixth	22	21	1	33	28	5	0.1	0.1	#	0.1
Seventh	4	4	0	12	9	3	#	#	#	#
Eighth	2	2	0	1	1	0	#	#	-	-
Ninth	1	1	0	0	0	0	-	-	#	#
Tenth	0	0	0	1	1	0	-	-	#	#
Unknown*	6	4	2	2	2	0	#	#	-	-
Unknown**	17	11	6	15	10	5	0.1	#	0.1	#
										0.1

* Previously married but number of previous marriages unknown.

** Unknown whether previously married.

Less than 0.06 percent.

Table D5. Brides and grooms and percentage distribution,
by previous marital status and race
Mississippi, 1982

Previous Marital Status	Bride			Groom		
	Total	White	Non- white	Total	White	Non- white
NUMBER						
<u>Total</u>	<u>27,584</u>	<u>20,547</u>	<u>7,037</u>	<u>27,584</u>	<u>20,541</u>	<u>7,043</u>
Not previously married	16,571	11,293	5,278	16,330	11,313	5,017
<u>Remarriages</u>	<u>10,996</u>	<u>9,243</u>	<u>1,753</u>	<u>11,239</u>	<u>9,218</u>	<u>2,021</u>
Widowed	1,279	985	294	1,076	783	293
Divorced*	9,682	8,228	1,454	10,143	8,417	1,726
Unknown**	35	30	5	20	18	2
Unknown#	17	11	6	15	10	5
PERCENT						
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Not previously married	60.1	55.0	75.0	59.2	55.1	71.2
<u>Remarriages</u>	<u>39.9</u>	<u>45.0</u>	<u>24.9</u>	<u>40.7</u>	<u>44.9</u>	<u>28.7</u>
Widowed	4.6	4.8	4.2	3.9	3.8	4.2
Divorced*	35.1	40.0	20.7	36.8	41.0	24.5
Unknown**	0.1	0.1	0.1	0.1	0.1	#
Unknown#	0.1	#	0.1	#	#	0.1

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

Unknown whether any previous marriage.

Less than 0.06 percent.

Table D6. Marriages and percentage distribution,
by residence of bride and groom and race of bride
Mississippi, 1982

Residence of Groom	Race and Residence of Bride					Nonwhite Mississipi	Other	Un- known
	Total	Missis- sippi	Other	Un- known	Total			
NUMBER								
Total	27,584	25,261	2,317	6	20,547	18,622	1,919	6
Mississippi	24,400	23,797	598	5	17,999	17,497	497	5
Other	3,172	1,454	1,718	0	2,537	1,116	1,421	0
Unknown	12	10	1	1	11	9	1	1
PERCENT								
Total	100.0	91.6	8.4	*	100.0	90.6	9.3	*
Mississippi	88.4	86.3	2.2	*	87.6	85.2	2.4	*
Other	11.5	5.3	6.2	-	12.3	5.4	6.9	-
Unknown	*	*	*	*	*	*	*	*

* Less than 0.06 percent.

DIVORCES

Table E1. Divorces and percentage distribution, by cause and race*
Mississippi, 1982

Cause	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
<u>Total</u>	<u>12,861</u>	<u>10,239</u>	<u>2,570</u>	<u>52</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Irreconcilable differences	7,555	6,512	1,019	24	58.7	63.6	39.6	46.2
Cruel and inhuman treatment	4,226	3,205	1,000	21	32.8	31.3	38.9	40.4
Desertion	749	296	449	4	5.8	2.9	17.5	7.7
Adultery	179	125	52	2	1.4	1.2	2.0	3.8
Drunkenness	65	39	26	0	0.5	0.4	1.0	-
Penitentiary	40	26	14	0	0.3	0.2	0.5	-
Annulment	23	20	3	0	0.2	0.2	0.1	-
Bigamy	6	3	3	0	**	**	0.1	-
Miscellaneous and other	9	5	4	0	0.1	**	0.2	-
Unknown	9	8	0	1	0.1	0.1	-	1.9

* Divorces of mixed-race couples are included in figures for nonwhites.

** Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race*
Mississippi, 1982

Number of Minor Children	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
<u>Total divorces</u>	<u>12,861</u>	<u>10,239</u>	<u>2,570</u>	<u>52</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	5,906	4,953	930	23	45.9	48.4	36.2	44.2
One	3,387	2,687	687	13	26.3	26.2	26.7	25.0
Two	2,345	1,802	537	6	18.2	17.6	20.9	11.5
Three or more	1,185	770	408	7	9.2	7.5	15.9	13.5
Unknown	38	27	8	3	0.3	0.3	0.3	5.8

* Divorces of mixed-race couples are included in figures for nonwhites.

Table E3. Divorces and percentage distribution, by number of years married and race*
Mississippi, 1982

Number of Years Married	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
<u>Total divorces</u>	<u>12,861</u>	<u>10,239</u>	<u>2,570</u>	<u>52</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>5,825</u>	<u>4,958</u>	<u>844</u>	<u>23</u>	<u>45.3</u>	<u>48.4</u>	<u>32.8</u>	<u>44.2</u>
Under one	972	890	79	3	7.6	8.7	3.1	5.8
One	1,469	1,291	177	1	11.4	12.6	6.9	1.9
Two	1,328	1,121	199	8	10.3	10.9	7.7	15.4
Three	1,154	942	207	5	9.0	9.2	8.0	9.6
Four	902	714	182	6	7.0	7.0	7.1	11.5
Five-nine	3,137	2,347	777	13	24.4	22.9	30.2	25.0
Ten-nineteen	2,682	2,029	645	8	20.8	19.8	25.1	15.4
Twenty and over	1,151	855	293	3	8.9	8.4	11.4	5.8
Unknown	66	50	11	5	0.5	0.5	0.4	9.6

* Divorces of mixed-race couples are included in figures for nonwhites.

MAJOR TABLES

1982

TABLE 1
 LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
 ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE,
 (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
 MISSISSIPPI, 1982

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
STATE	<u>45,537</u>	<u>23,725</u>	<u>21,812</u>	<u>45,926</u>	<u>24,028</u>	<u>21,898</u>
Adams	1,186	610	576	686	308	378
Alcorn	126	104	22	432	371	61
Amite	6	0	6	197	78	119
Attala	128	103	25	275	133	142
Benton	0	0	0	129	59	70
Bolivar	1,508	260	1,248	1,034	233	801
Calhoun	1	1	0	240	143	97
Carroll	0	0	0	111	51	60
Chickasaw	53	7	46	350	172	178
Choctaw	95	16	79	139	78	61
Claiborne	117	6	111	221	34	187
Clarke	1	0	1	312	153	159
Clay	409	112	297	411	147	264
Coahoma	1,164	288	876	808	169	639
Copiah	193	86	107	473	176	297
Covington	145	64	81	304	165	139
DeSoto	3	3	0	780	623	157
Forrest	2,705	1,817	888	1,176	690	486
Franklin	1	0	1	152	82	70
George	156	121	35	308	261	47
Greene	16	14	2	154	114	40
Grenada	652	342	310	355	171	184
Hancock	137	117	20	423	359	64
Harrison	3,456	2,577	879	3,044	2,245	799
Hinds	7,229	2,468	4,761	4,638	1,887	2,751
Holmes	361	43	318	516	88	428
Humphreys	104	10	94	308	63	245
Issaquena	0	0	0	47	20	27
Itawamba	0	0	0	241	207	34
Jackson	2,105	1,571	534	2,182	1,628	554
Jasper	3	0	3	350	111	239
Jefferson	69	1	68	191	18	173
Jeff Davis	4	1	3	265	92	173
Jones	1,759	915	844	1,173	767	406
Kemper	0	0	0	177	52	125
Lafayette	529	318	211	393	211	182
Lamar	67	47	20	445	377	68
Lauderdale	2,576	1,373	1,203	1,370	710	660
Lawrence	81	23	58	233	138	95
Leake	78	40	38	308	135	173
Lee	2,386	1,757	629	1,056	711	345
Leflore	1,235	358	877	825	231	594

Table 1 - Page 2
 Live Births - Mississippi - 1982

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	352	250	102	506	321	185
Lowndes	991	713	278	1,141	695	446
Madison	15	4	11	827	317	510
Marion	9	6	3	477	292	185
Marshall	4	1	3	545	221	324
Monroe	1,292	955	337	654	395	259
Montgomery	209	54	155	247	111	136
Neshoba	110	56	54	389	223	166
Newton	113	59	54	323	167	156
Noxubee	215	23	192	265	61	204
Oktibbeha	720	299	421	617	279	338
Panola	397	78	319	585	206	379
Pearl River	478	389	89	565	470	95
Perry	70	54	16	220	158	62
Pike	1,192	671	521	656	281	375
Pontotoc	39	31	8	298	230	68
Prentiss	4	1	3	333	274	59
Quitman	137	40	97	279	71	208
Rankin	2,169	1,819	350	1,156	891	265
Scott	82	59	23	417	235	182
Sharkey	73	7	66	222	51	171
Simpson	86	53	33	441	254	187
Smith	38	26	12	232	159	73
Stone	1	0	1	158	101	57
Sunflower	458	161	297	758	188	570
Tallahatchie	182	32	150	349	90	259
Tate	206	57	149	323	159	164
Tippah	232	123	109	280	222	58
Tishomingo	134	127	7	266	256	10
Tunica	97	7	90	217	34	183
Union	471	352	119	323	264	59
Walthall	144	56	88	228	108	120
Warren	1,482	584	898	931	498	433
Washington	1,345	504	841	1,618	463	1,155
Wayne	359	160	199	414	228	186
Webster	166	98	68	175	121	54
Wilkinson	207	54	153	202	54	148
Winston	184	93	91	296	119	177
Yalobusha	129	45	84	223	108	115
Yazoo	101	51	50	538	192	346
Out of state	2,287	1,717	570	1,898	1,414	484

Table 1 - Page 3
 Live Births - Mississippi - 1982

Town*	Residence Data		
	Total	White	Non-white
Biloxi	1,042	771	271
Brookhaven	190	87	103
Canton	280	48	232
Clarksdale	470	105	365
Cleveland	273	97	176
Clinton	212	170	42
Columbus	514	235	279
Corinth	134	94	40
Greenville	933	210	723
Greenwood	448	134	314
Grenada	214	84	130
Gulfport	851	524	327
Hattiesburg	826	386	440
Jackson	3,794	1,462	2,332
Laurel	434	188	246
McComb	227	96	131
Meridian	776	315	461
Moss Point	396	79	317
Natchez	413	169	244
Ocean Springs	296	259	37
Pascagoula	644	540	104
Pearl	338	303	35
Picayune	180	119	61
Southaven	231	218	13
Starkville	299	159	140
Tupelo	436	283	153
Vicksburg	490	176	314
Yazoo City	255	65	190

* Towns of 10,000 population or more.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1982

County	Total	White			Nonwhite			Male	Female	Sex
		Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other		
STATE	45,926	24,028	23,945	8	75	21,898	21,720	62	116	23,518
Adams	686	308	307	1	0	378	376	0	2	357
Alcorn	432	371	371	0	0	61	60	1	0	226
Amitte	197	78	78	0	0	119	112	1	6	115
Attala	275	133	133	0	0	142	133	0	9	126
Benton	129	59	59	0	0	70	70	0	0	71
Bolivar	1,034	233	232	0	1	801	795	2	4	547
Calhoun	240	143	143	0	0	97	97	0	0	138
Carroll	111	51	51	0	0	60	60	0	0	58
Chickasaw	350	172	171	0	1	178	176	2	0	176
Choctaw	139	78	78	0	0	61	60	0	1	72
Claiborne	221	34	34	0	0	187	185	2	0	122
Clarke	312	153	153	0	0	159	159	0	0	164
Clay	411	147	147	0	0	264	263	0	1	222
Coahoma	808	169	169	0	0	639	636	2	1	415
Copiah	473	176	175	1	0	297	296	1	0	225
Covington	304	165	165	0	0	139	139	0	0	156
DeSoto	780	623	620	0	3	157	157	0	0	414
Forrest	1,176	690	686	1	3	486	485	0	1	604
Franklin	152	82	82	0	0	70	69	0	1	66
George	308	261	258	0	3	47	47	0	0	159
Greene	154	114	114	0	0	40	40	0	0	70
Grenada	355	171	171	0	0	184	183	0	0	167
Hancock	423	359	358	0	1	64	64	0	0	216
Harrison	3,044	2,245	2,240	5	5	799	795	0	0	1,605

Table 2 - Page 2
Live Births - Mississippi - 1982

County	Total	White			Nonwhite			Sex	
		Hosp. or Clinic	Hosp., Other Place	Other	Total	Hosp. or Clinic	Hosp., Other Place	Other	Male
Hinds	4,638	1,887	1,877	2	2,751	2,738	8	5	2,407
Holmes	516	88	88	0	428	424	0	4	255
Humphreys	308	63	63	0	245	244	1	0	155
Issaquena	47	20	20	0	27	26	0	1	27
Itawamba	241	207	207	0	34	34	0	0	122
Jackson	2,182	1,628	1,623	1	554	546	0	8	1,136
Jasper	350	111	111	0	239	236	1	2	185
Jefferson	191	18	18	0	173	173	0	0	97
Jeff Davis	265	92	91	0	173	173	0	0	134
Jones	1,173	767	757	1	406	406	0	0	592
Kemper	177	52	52	0	125	125	0	0	105
Lafayette	393	211	210	0	182	180	0	2	198
Lamar	445	377	376	0	68	68	0	0	234
Lauderdale	1,370	710	710	0	660	660	0	0	714
Lawrence	233	138	138	0	95	95	0	0	656
Leake	308	135	135	0	173	172	0	1	124
Lee	1,056	711	710	0	345	344	1	1	109
Leflore	825	231	230	1	594	590	2	2	159
Lincoln	506	321	320	0	185	184	1	0	149
Lowndes	1,141	695	694	0	446	441	2	3	513
Madison	827	317	317	0	510	507	3	0	429
Marion	477	292	287	0	185	183	1	1	240
Marshall	545	221	220	0	324	324	0	0	237
Monroe	654	395	393	0	259	255	0	4	272
Montgomery	247	111	111	0	136	136	0	0	347
Neshoba	389	223	223	0	166	163	3	0	129
Newton	323	167	167	0	156	154	2	0	188
Noxubee	265	61	61	0	204	201	2	1	170
Oktibbeha	617	279	279	0	338	338	0	0	153
Panola	585	206	206	0	379	372	2	5	320
									297
									264

Table 2 - Page 3
Live Births - Mississippi - 1982

County	Total	White			Nonwhite			Sex	
		Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male
Pearl River	565	470	469	0	1	95	95	0	293
Perry	220	158	158	0	0	62	62	0	116
Pike	656	281	277	0	4	375	369	5	337
Pontotoc	298	230	229	0	1	68	68	0	147
Prentiss	333	274	274	0	0	59	58	1	164
Quitman	279	71	71	0	0	208	208	0	126
Rankin	1,156	891	887	0	4	265	263	1	592
Scott	417	235	235	0	0	182	182	0	209
Sharkey	222	51	51	0	0	171	170	1	114
Simpson	441	254	252	0	2	187	186	1	0
Smith	232	159	158	0	1	73	72	1	0
Stone	158	101	101	0	0	57	56	0	74
Sunflower	758	188	188	0	0	570	566	4	0
Tallahatchie	349	90	90	0	0	259	258	1	0
Tate	323	159	159	0	0	164	163	1	0
Tippah	280	222	222	0	0	58	58	0	0
Tishomingo	266	256	255	0	1	10	10	0	0
Tunica	217	34	34	0	0	183	182	1	0
Union	323	264	264	0	0	59	59	0	159
Walthall	228	108	104	0	4	120	105	1	14
Warren	931	498	495	0	3	433	433	0	0
Washington	1,618	463	463	0	0	1,155	1,144	7	4
Wayne	414	228	228	0	0	186	185	1	0
Webster	175	121	121	0	0	54	54	0	0
Wilkinson	202	54	53	0	1	148	148	0	116
Winston	296	119	119	0	0	177	174	2	149
Yalobusha	223	108	108	0	0	115	115	0	106
Yazoo	538	192	191	0	1	346	333	0	13

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1982

County	Total	Age of Mother									
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known	
STATE	45,926	346	9,701	16,296	12,184	5,481	1,567	322	24	5	
Adams	686	3	131	271	179	83	14	5	0	0	
Alcorn	432	3	85	158	120	47	18	1	0	0	
Amite	197	2	44	75	43	25	7	1	0	0	
Attala	275	4	56	89	79	29	13	5	0	0	
Benton	129	2	26	59	24	11	6	1	0	0	
Bolivar	1,034	21	300	319	230	119	37	8	0	0	
Calhoun	240	3	63	76	62	26	7	3	0	0	
Carroll	111	1	23	35	32	16	4	0	0	0	
Chickasaw	350	1	78	137	81	37	13	3	0	0	
Choctaw	139	3	32	46	33	17	5	3	0	0	
Claiborne	221	3	53	78	53	28	4	2	0	0	
Clarke	312	4	67	108	81	38	9	5	0	0	
Clay	411	3	70	155	124	41	14	4	0	0	
Coahoma	808	11	232	308	165	64	20	8	0	0	
Copiah	473	3	113	155	128	56	11	6	1	0	
Covington	304	2	88	92	71	40	5	6	0	0	
DeSoto	780	1	122	262	233	114	36	11	1	0	
Forrest	1,176	7	215	423	345	143	37	6	0	0	
Franklin	152	0	28	54	43	22	5	0	0	0	
George	308	4	71	129	59	38	7	0	0	0	
Greene	154	1	34	64	37	11	5	2	0	0	
Grenada	355	6	87	108	97	41	14	2	0	0	
Hancock	423	2	98	141	114	46	19	3	0	0	
Harrison	3,044	13	630	1,176	773	338	93	17	2	2	
Hinds	4,638	42	753	1,499	1,437	703	171	27	5	1	
Holmes	516	3	146	164	135	41	23	4	0	0	
Humphreys	308	3	67	135	64	28	6	4	0	1	
Issaquena	47	1	11	14	13	3	3	2	0	0	
Itawamba	241	0	38	93	76	31	3	0	0	0	
Jackson	2,182	8	427	849	570	261	56	10	1	0	
Jasper	350	3	67	135	84	40	16	5	0	0	
Jefferson	191	2	42	68	52	19	6	1	1	0	
Jeff Davis	265	1	64	88	63	31	16	2	0	0	
Jones	1,173	8	211	437	317	150	42	7	0	1	
Kemper	177	2	41	64	48	16	5	1	0	0	
Lafayette	393	4	70	131	108	58	18	4	0	0	
Lamar	445	0	62	155	154	60	10	4	0	0	
Lauderdale	1,370	16	292	492	354	179	34	3	0	0	
Lawrence	233	3	65	79	54	24	8	0	0	0	
Leake	308	0	68	99	98	38	5	0	0	0	
Lee	1,056	3	202	378	315	121	30	7	0	0	
Leflore	825	3	227	275	210	88	16	6	0	0	

Table 3A - Page 2
 Total Live Births - Mississippi - 1982

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	506	2	100	171	145	67	19	2	0	0	0
Lowndes	1,141	9	206	408	347	126	33	10	2	0	0
Madison	827	6	175	251	233	123	27	11	1	0	0
Marion	477	8	122	165	113	53	13	3	0	0	0
Marshall	545	5	124	194	123	70	24	5	0	0	0
Monroe	654	0	151	245	168	65	21	3	1	0	0
Montgomery	247	3	60	86	52	31	13	2	0	0	0
Neshoba	389	2	87	144	90	49	12	4	1	0	0
Newton	323	3	55	130	74	50	9	2	0	0	0
Noxubee	265	1	56	102	60	29	13	3	1	0	0
Oktibbeha	617	2	101	191	202	91	25	5	0	0	0
Panola	585	4	158	184	126	83	21	9	0	0	0
Pearl River	565	3	136	209	139	52	23	3	0	0	0
Perry	220	0	51	73	60	22	13	1	0	0	0
Pike	656	5	135	237	169	81	24	5	0	0	0
Pontotoc	298	0	46	109	93	38	11	1	0	0	0
Prentiss	333	2	73	127	87	33	8	2	1	0	0
Quitman	279	3	91	91	64	12	13	5	0	0	0
Rankin	1,156	6	172	401	375	149	49	3	1	0	0
Scott	417	2	86	158	101	43	23	4	0	0	0
Sharkey	222	5	60	84	43	20	8	2	0	0	0
Simpson	441	0	97	168	110	45	20	1	0	0	0
Smith	232	1	40	84	69	33	3	2	0	0	0
Stone	158	1	29	61	41	20	5	1	0	0	0
Sunflower	758	13	197	256	177	83	26	6	0	0	0
Tallahatchie	349	1	106	127	76	32	6	1	0	0	0
Tate	323	1	65	119	83	39	14	2	0	0	0
Tippah	280	2	56	109	65	34	10	4	0	0	0
Tishomingo	266	1	65	84	77	28	10	1	0	0	0
Tunica	217	4	75	73	43	15	6	1	0	0	0
Union	323	1	56	133	87	32	11	3	0	0	0
Walton	228	3	48	84	43	32	13	5	0	0	0
Warren	931	7	182	315	267	117	35	8	0	0	0
Washington	1,618	17	414	578	377	159	63	7	3	0	0
Wayne	414	5	88	167	96	41	16	1	0	0	0
Webster	175	0	35	57	58	19	4	2	0	0	0
Wilkinson	202	3	46	72	40	25	14	1	1	0	0
Winston	296	3	66	98	77	44	8	0	0	0	0
Yalobusha	223	2	49	85	52	24	10	1	0	0	0
Yazoo	538	5	143	193	124	51	20	1	1	0	0

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
STATE	24,028	38	3,717	8,780	7,347	3,205	819	117	3	2
Adams	308	0	39	121	83	53	10	2	0	0
Alcorn	371	2	75	133	102	42	16	1	0	0
Amite	78	0	7	40	15	13	3	0	0	0
Attala	133	1	20	45	45	13	7	2	0	0
Benton	59	1	9	29	13	5	2	0	0	0
Bolivar	233	0	21	77	91	38	5	1	0	0
Calhoun	143	0	31	45	43	19	4	1	0	0
Carroll	51	0	6	14	19	9	3	0	0	0
Chickasaw	172	0	35	62	48	18	8	1	0	0
Choctaw	78	1	10	23	29	12	1	2	0	0
Claiborne	34	0	3	15	10	4	2	0	0	0
Clarke	153	1	26	66	38	17	5	0	0	0
Clay	147	0	16	60	56	12	3	0	0	0
Coahoma	169	0	19	57	61	21	9	2	0	0
Copiah	176	0	24	69	57	23	2	1	0	0
Covington	165	0	40	55	44	21	2	3	0	0
DeSoto	623	0	74	205	207	101	30	6	0	0
Forrest	690	1	88	238	244	89	26	4	0	0
Franklin	82	0	12	32	25	10	3	0	0	0
George	261	2	59	115	48	34	3	0	0	0
Greene	114	0	22	53	29	5	4	1	0	0
Grenada	171	0	34	55	52	21	8	1	0	0
Hancock	359	1	79	115	103	42	17	2	0	0
Harrison	2,245	2	442	899	593	241	59	9	0	0
Hinds	1,887	3	150	563	709	368	82	11	0	1
Holmes	88	0	12	25	33	14	4	0	0	0
Humphreys	63	0	8	27	21	6	1	0	0	0
Issaquena	20	0	2	7	8	2	1	0	0	0
Itawamba	207	0	35	77	65	27	3	0	0	0
Jackson	1,628	3	298	660	431	190	42	3	1	0
Jasper	111	0	13	46	33	15	3	1	0	0
Jefferson	18	0	2	12	3	1	0	0	0	0
Jeff Davis	92	0	13	46	18	12	2	1	0	0
Jones	767	2	114	280	225	116	25	4	0	1
Kemper	52	0	4	23	19	5	1	0	0	0
Lafayette	211	0	24	65	64	41	14	3	0	0
Lamar	377	0	52	126	136	52	8	3	0	0
Lauderdale	710	3	102	266	214	109	15	1	0	0
Lawrence	138	0	32	53	33	12	8	0	0	0
Leake	135	0	25	46	44	18	2	0	0	0
Lee	711	0	113	256	221	95	20	6	0	0
Leflore	231	0	29	68	94	35	2	3	0	0

Table 3B - Page 2
 White Live Births - Mississippi - 1982

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	321	0	50	110	98	50	11	2	0	0	0
Lowndes	695	0	80	267	245	81	18	4	0	0	0
Madison	317	0	24	99	119	71	4	0	0	0	0
Marion	292	1	63	116	75	28	7	2	0	0	0
Marshall	221	2	45	74	57	35	8	0	0	0	0
Monroe	395	0	83	140	120	36	14	1	1	0	0
Montgomery	111	0	24	42	28	13	4	0	0	0	0
Neshoba	223	0	36	90	53	32	9	3	0	0	0
Newton	167	0	15	70	46	31	4	1	0	0	0
Noxubee	61	0	7	26	12	13	2	0	1	0	0
Oktibbeha	279	0	25	80	110	49	13	2	0	0	0
Panola	206	0	38	77	50	31	8	2	0	0	0
Pearl River	470	1	103	172	123	47	22	2	0	0	0
Perry	158	0	37	51	43	15	11	1	0	0	0
Pike	281	0	41	101	92	36	10	1	0	0	0
Pontotoc	230	0	33	85	73	28	10	1	0	0	0
Prentiss	274	2	59	109	71	24	7	2	0	0	0
Quitman	71	1	15	23	26	3	3	0	0	0	0
Rankin	891	4	100	308	317	122	40	0	0	0	0
Scott	235	0	47	93	60	22	11	2	0	0	0
Sharkey	51	0	4	18	20	6	2	1	0	0	0
Simpson	254	0	49	103	72	22	8	0	0	0	0
Smith	159	1	17	57	56	25	2	1	0	0	0
Stone	101	0	14	41	29	13	3	1	0	0	0
Sunflower	188	0	18	67	69	30	4	0	0	0	0
Tallahatchie	90	0	11	32	33	12	2	0	0	0	0
Tate	159	0	18	67	45	22	7	0	0	0	0
Tippah	222	0	43	84	54	28	10	3	0	0	0
Tishomingo	256	0	64	81	74	26	10	1	0	0	0
Tunica	34	0	6	12	12	4	0	0	0	0	0
Union	264	1	37	112	75	28	8	3	0	0	0
Walthall	108	0	19	47	21	14	6	1	0	0	0
Warren	498	0	69	167	162	74	25	1	0	0	0
Washington	463	1	70	173	138	60	19	2	0	0	0
Wayne	228	1	43	98	58	20	8	0	0	0	0
Webster	121	0	20	39	45	12	3	2	0	0	0
Wilkinson	54	0	11	25	11	6	1	0	0	0	0
Winston	119	0	16	39	38	22	4	0	0	0	0
Yalobusha	108	0	19	44	29	10	6	0	0	0	0
Yazoo	192	0	25	72	62	23	10	0	0	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
STATE	21,898	308	5,984	7,516	4,837	2,276	748	205	21	3
Adams	378	3	92	150	96	30	4	3	0	0
Alcorn	61	1	10	25	18	5	2	0	0	0
Amite	119	2	37	35	28	12	4	1	0	0
Attala	142	3	36	44	34	16	6	3	0	0
Benton	70	1	17	30	11	6	4	1	0	0
Bolivar	801	21	279	242	139	81	32	7	0	0
Calhoun	97	3	32	31	19	7	3	2	0	0
Carroll	60	1	17	21	13	7	1	0	0	0
Chickasaw	178	1	43	75	33	19	5	2	0	0
Choctaw	61	2	22	23	4	5	4	1	0	0
Claiborne	187	3	50	63	43	24	2	2	0	0
Clarke	159	3	41	42	43	21	4	5	0	0
Clay	264	3	54	95	68	29	11	4	0	0
Coahoma	639	11	213	251	104	43	11	6	0	0
Copiah	297	3	89	86	71	33	9	5	1	0
Covington	139	2	48	37	27	19	3	3	0	0
DeSoto	157	1	48	57	26	13	6	5	1	0
Forrest	486	6	127	185	101	54	11	2	0	0
Franklin	70	0	16	22	18	12	2	0	0	0
George	47	2	12	14	11	4	4	0	0	0
Greene	40	1	12	11	8	6	1	1	0	0
Grenada	184	6	53	53	45	20	6	1	0	0
Hancock	64	1	19	26	11	4	2	1	0	0
Harrison	799	11	188	277	180	97	34	8	2	2
Hinds	2,751	39	603	936	728	335	89	16	5	0
Holmes	428	3	134	139	102	27	19	4	0	0
Humphreys	245	3	59	108	43	22	5	4	0	1
Issaquena	27	1	9	7	5	1	2	2	0	0
Itawamba	34	0	3	16	11	4	0	0	0	0
Jackson	554	5	129	189	139	71	14	7	0	0
Jasper	239	3	54	89	51	25	13	4	0	0
Jefferson	173	2	40	56	49	18	6	1	1	0
Jeff Davis	173	1	51	42	45	19	14	1	0	0
Jones	406	6	97	157	92	34	17	3	0	0
Kemper	125	2	37	41	29	11	4	1	0	0
Lafayette	182	4	46	66	44	17	4	1	0	0
Lamar	68	0	10	29	18	8	2	1	0	0
Lauderdale	660	13	190	226	140	70	19	2	0	0
Lawrence	95	3	33	26	21	12	0	0	0	0
Leake	173	0	43	53	54	20	3	0	0	0
Lee	345	3	89	122	94	26	10	1	0	0
Leflore	594	3	198	207	116	53	14	3	0	0

Table 3C - Page 2
 Nonwhite Live Births - Mississippi - 1982

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	185	2	50	61	47	17	8	0	0	0	0
Lowndes	446	9	126	141	102	45	15	6	2	0	0
Madison	510	6	151	152	114	52	23	11	1	0	0
Marion	185	7	59	49	38	25	6	1	0	0	0
Marshall	324	3	79	120	66	35	16	5	0	0	0
Monroe	259	0	68	105	48	29	7	2	0	0	0
Montgomery	136	3	36	44	24	18	9	2	0	0	0
Neshoba	166	2	51	54	37	17	3	1	1	0	0
Newton	156	3	40	60	28	19	5	1	0	0	0
Noxubee	204	1	49	76	48	16	11	3	0	0	0
Oktibbeha	338	2	76	111	92	42	12	3	0	0	0
Panola	379	4	120	107	76	52	13	7	0	0	0
Pearl River	95	2	33	37	16	5	1	1	0	0	0
Perry	62	0	14	22	17	7	2	0	0	0	0
Pike	375	5	94	136	77	45	14	4	0	0	0
Pontotoc	68	0	13	24	20	10	1	0	0	0	0
Prentiss	59	0	14	18	16	9	1	0	1	0	0
Quitman	208	2	76	68	38	9	10	5	0	0	0
Rankin	265	2	72	93	58	27	9	3	1	0	0
Scott	182	2	39	65	41	21	12	2	0	0	0
Sharkey	171	5	56	66	23	14	6	1	0	0	0
Simpson	187	0	48	65	38	23	12	1	0	0	0
Smith	73	0	23	27	13	8	1	1	0	0	0
Stone	57	1	15	20	12	7	2	0	0	0	0
Sunflower	570	13	179	189	108	53	22	6	0	0	0
Tallahatchie	259	1	95	95	43	20	4	1	0	0	0
Tate	164	1	47	52	38	17	7	2	0	0	0
Tippah	58	2	13	25	11	6	0	1	0	0	0
Tishomingo	10	1	1	3	3	2	0	0	0	0	0
Tunica	183	4	69	61	31	11	6	1	0	0	0
Union	59	0	19	21	12	4	3	0	0	0	0
Walhall1	120	3	29	37	22	18	7	4	0	0	0
Warren	433	7	113	148	105	43	10	7	0	0	0
Washington	1,155	16	344	405	239	99	44	5	3	0	0
Wayne	186	4	45	69	38	21	8	1	0	0	0
Webster	54	0	15	18	13	7	1	0	0	0	0
Wilkinson	148	3	35	47	29	19	13	1	1	0	0
Winston	177	3	50	59	39	22	4	0	0	0	0
Yalobusha	115	2	30	41	23	14	4	1	0	0	0
Yazoo	346	5	118	121	62	28	10	1	1	0	0

TABLE 4
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>13,591</u>	<u>1,466</u>	<u>12,125</u>	<u>29.6</u>	<u>6.1</u>	<u>55.4</u>
Adams	257	25	232	37.5	8.1	61.4
Alcorn	50	23	27	11.6	6.2	44.3
Amite	56	1	55	28.4	1.3	46.2
Attala	77	7	70	28.0	5.3	49.3
Benton	36	2	34	27.9	3.4	48.6
Bolivar	572	13	559	55.3	5.6	69.8
Calhoun	54	5	49	22.5	3.5	50.5
Carroll	29	2	27	26.1	3.9	45.0
Chickasaw	91	13	78	26.0	7.6	43.8
Choctaw	38	2	36	27.3	2.6	59.0
Claiborne	110	1	109	49.8	2.9	58.3
Clarke	89	7	82	28.5	4.6	51.6
Clay	119	6	113	29.0	4.1	42.8
Coahoma	447	15	432	55.3	8.9	67.6
Copiah	153	7	146	32.3	4.0	49.2
Covington	82	9	73	27.0	5.4	52.5
DeSoto	131	35	96	16.8	5.6	61.1
Forrest	318	39	279	27.0	5.6	57.4
Franklin	32	4	28	21.0	4.9	40.0
George	50	21	29	16.2	8.0	61.7
Greene	30	7	23	19.5	6.1	57.5
Grenada	113	7	106	31.8	4.1	57.6
Hancock	73	36	37	17.2	10.0	57.8
Harrison	605	227	378	19.9	10.1	47.3
Hinds	1,524	90	1,434	32.8	4.8	52.1
Holmes	277	1	276	53.7	1.1	64.5
Humphreys	162	2	160	52.6	3.2	65.3
Issaquena	18	1	17	38.3	5.0	63.0
Itawamba	27	13	14	11.2	6.3	41.2
Jackson	413	144	269	18.9	8.8	48.6
Jasper	101	3	98	28.8	2.7	41.0
Jefferson	108	1	107	56.5	5.6	61.8
Jeff Davis	69	1	68	26.0	1.1	39.3
Jones	214	28	186	18.2	3.6	45.8
Kemper	63	2	61	35.6	3.8	48.8
Lafayette	106	16	90	27.0	7.6	49.4
Lamar	40	16	24	9.0	4.2	35.3
Lauderdale	401	57	344	29.3	8.0	52.1
Lawrence	51	3	48	21.9	2.2	50.5
Leake	60	7	53	19.5	5.2	30.6
Lee	212	49	163	20.1	6.9	47.2
Leflore	399	11	388	48.4	4.8	65.3

Table 4 - Page 2
Illegitimate Live Births - Mississippi - 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	100	10	90	19.8	3.1	48.6
Lowndes	287	31	256	25.2	4.5	57.4
Madison	334	6	328	40.4	1.9	64.3
Marion	102	15	87	21.4	5.1	47.0
Marshall	204	19	185	37.4	8.6	57.1
Monroe	155	23	132	23.7	5.8	51.0
Montgomery	73	9	64	29.6	8.1	47.0
Neshoba	89	7	82	22.9	3.1	49.4
Newton	84	7	77	26.0	4.2	49.4
Noxubee	117	1	116	44.2	1.6	56.9
Oktibbeha	207	8	199	33.5	2.9	58.9
Panola	244	13	231	41.7	6.3	61.0
Pearl River	101	36	65	17.9	7.7	68.4
Perry	48	14	34	21.8	8.9	54.8
Pike	213	21	192	32.5	7.5	51.2
Pontotoc	44	7	37	14.8	3.0	54.4
Prentiss	43	18	25	12.9	6.6	42.4
Quitman	146	6	140	52.3	8.4	67.3
Rankin	154	42	112	13.3	4.7	42.3
Scott	88	13	75	21.1	5.5	41.2
Sharkey	137	1	136	61.7	2.0	79.5
Simpson	93	13	80	21.1	5.1	42.8
Smith	45	3	42	19.4	1.9	57.5
Stone	32	3	29	20.2	3.0	50.9
Sunflower	352	8	344	46.4	4.2	60.4
Tallahatchie	189	8	181	54.2	8.9	69.9
Tate	99	7	92	30.6	4.4	56.1
Tippah	40	20	20	14.3	9.0	34.5
Tishomingo	18	15	3	6.8	5.8	30.0
Tunica	143	4	139	65.9	11.8	76.0
Union	38	15	23	11.8	5.7	39.0
Walthall	48	2	46	21.0	1.8	38.3
Warren	295	25	270	31.7	5.0	62.4
Washington	776	35	741	48.0	7.6	64.2
Wayne	98	14	84	23.7	6.1	45.2
Webster	33	7	26	18.8	5.8	48.1
Wilkinson	98	7	91	48.5	13.0	61.5
Winston	97	2	95	32.8	1.7	53.7
Yalobusha	64	4	60	28.7	3.7	52.2
Yazoo	206	8	198	38.3	4.2	57.2

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
STATE	13,591	330	5,815	4,637	1,785	691	240	84	6	3
Adams	257	3	89	104	47	11	2	1	0	0
Alcorn	50	2	19	16	9	2	2	0	0	0
Amite	56	2	32	11	10	1	0	0	0	0
Attala	77	4	31	24	8	6	2	2	0	0
Benton	36	1	13	17	2	1	1	1	0	0
Bolivar	572	21	264	181	62	30	11	3	0	0
Calhoun	54	3	30	15	4	1	0	1	0	0
Carroll	29	1	11	12	3	2	0	0	0	0
Chickasaw	91	1	36	39	8	6	0	1	0	0
Choctaw	38	2	18	14	2	2	0	0	0	0
Claiborne	110	3	45	40	11	9	1	1	0	0
Clarke	89	4	35	26	14	6	1	3	0	0
Clay	119	3	41	45	19	8	2	1	0	0
Coahoma	447	11	205	164	43	16	3	5	0	0
Copiah	153	3	82	36	20	9	2	0	1	0
Covington	82	2	43	18	11	7	0	1	0	0
DeSoto	131	1	60	43	14	7	4	2	0	0
Forrest	318	7	130	127	31	21	1	1	0	0
Franklin	32	0	13	14	5	0	0	0	0	0
George	50	3	20	15	8	3	1	0	0	0
Greene	30	1	16	8	3	1	1	0	0	0
Grenada	113	6	50	32	16	6	3	0	0	0
Hancock	73	1	29	26	6	6	4	1	0	0
Harrison	605	13	276	207	73	23	8	3	1	1
Hinds	1,524	42	571	546	245	85	23	10	1	1
Holmes	277	2	114	86	52	13	9	1	0	0
Humphreys	162	3	55	72	17	9	3	3	0	0
Issaquena	18	1	9	6	1	0	1	0	0	0
Itawamba	27	0	6	16	3	2	0	0	0	0
Jackson	413	7	177	147	59	17	2	4	0	0
Jasper	101	3	46	38	7	5	1	1	0	0
Jefferson	108	2	34	41	20	7	2	1	1	0
Jeff Davis	69	1	38	17	8	3	2	0	0	0
Jones	214	7	85	73	34	8	5	1	0	1
Kemper	63	2	30	16	11	2	2	0	0	0
Lafayette	106	4	44	33	19	6	0	0	0	0
Lamar	40	0	14	18	6	1	1	0	0	0
Lauderdale	401	16	180	127	57	18	3	0	0	0
Lawrence	51	3	31	13	2	2	0	0	0	0
Leake	60	0	30	18	9	3	0	0	0	0
Lee	212	3	86	73	33	12	4	1	0	0
Leflore	399	3	186	139	50	17	1	3	0	0

Table 5A - Page 2
 Total Illegitimate Live Births - Mississippi - 1982

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	100	2	41	32	20	2	3	0	0	0	0
Lowndes	287	9	127	89	43	9	7	2	1	0	0
Madison	334	6	140	105	51	17	11	4	0	0	0
Marion	102	6	49	29	8	8	1	1	0	0	0
Marshall	204	4	73	77	28	12	6	4	0	0	0
Monroe	155	0	75	53	18	7	2	0	0	0	0
Montgomery	73	3	34	24	3	5	3	1	0	0	0
Neshoba	89	2	40	29	12	6	0	0	0	0	0
Newton	84	3	35	29	6	9	2	0	0	0	0
Noxubee	117	1	43	48	15	7	3	0	0	0	0
Oktibbeha	207	2	72	73	37	17	5	1	0	0	0
Panola	244	4	117	68	28	17	7	3	0	0	0
Pearl River	101	2	51	36	5	3	3	1	0	0	0
Perry	48	0	19	16	9	3	1	0	0	0	0
Pike	213	5	86	73	28	15	4	2	0	0	0
Pontotoc	44	0	10	19	10	4	1	0	0	0	0
Prentiss	43	1	27	11	1	1	1	1	0	0	0
Quitman	146	2	73	52	14	2	3	0	0	0	0
Rankin	154	5	71	46	26	5	1	0	0	0	0
Scott	88	2	36	31	10	5	3	1	0	0	0
Sharkey	137	5	55	54	12	5	5	1	0	0	0
Simpson	93	0	41	38	9	3	2	0	0	0	0
Smith	45	1	22	16	4	2	0	0	0	0	0
Stone	32	1	14	12	4	1	0	0	0	0	0
Sunflower	352	13	164	120	34	15	6	0	0	0	0
Tallahatchie	189	1	88	70	18	9	2	1	0	0	0
Tate	99	1	48	26	17	5	2	0	0	0	0
Tippah	40	2	16	14	5	1	1	1	0	0	0
Tishomingo	18	1	7	6	3	1	0	0	0	0	0
Tunica	143	4	67	48	14	6	4	0	0	0	0
Union	38	1	20	13	1	2	1	0	0	0	0
Walthall	48	3	23	5	8	4	2	3	0	0	0
Warren	295	7	117	103	41	19	6	2	0	0	0
Washington	776	16	327	271	107	35	17	2	1	0	0
Wayne	98	5	37	33	14	8	1	0	0	0	0
Webster	33	0	18	6	5	3	1	0	0	0	0
Wilkinson	98	3	35	28	15	8	9	0	0	0	0
Winston	97	3	42	29	15	8	0	0	0	0	0
Yalobusha	64	2	30	24	3	4	0	1	0	0	0
Yazoo	206	5	101	68	22	4	6	0	0	0	0

TABLE 5B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1982

County	Total	Age of Mother								
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	Un- known
<u>STATE</u>	<u>1,466</u>	<u>25</u>	<u>697</u>	<u>466</u>	<u>176</u>	<u>59</u>	<u>29</u>	<u>12</u>	<u>0</u>	<u>2</u>
Adams	25	0	6	11	3	4	1	0	0	0
Alcorn	23	1	10	6	5	0	1	0	0	0
Amite	1	0	0	1	0	0	0	0	0	0
Attala	7	1	3	3	0	0	0	0	0	0
Benton	2	0	1	1	0	0	0	0	0	0
Bolivar	13	0	4	5	4	0	0	0	0	0
Calhoun	5	0	3	0	2	0	0	0	0	0
Carroll	2	0	1	0	0	1	0	0	0	0
Chickasaw	13	0	7	4	2	0	0	0	0	0
Choctaw	2	0	0	2	0	0	0	0	0	0
Claiborne	1	0	0	0	1	0	0	0	0	0
Clarke	7	1	4	2	0	0	0	0	0	0
Clay	6	0	4	1	0	0	1	0	0	0
Coahoma	15	0	5	5	1	2	1	1	0	0
Copiah	7	0	4	0	1	2	0	0	0	0
Covington	9	0	5	0	2	1	0	1	0	0
DeSoto	35	0	18	8	3	3	2	1	0	0
Forrest	39	1	18	15	3	1	0	1	0	0
Franklin	4	0	2	2	0	0	0	0	0	0
George	21	1	9	7	3	1	0	0	0	0
Greene	7	0	6	1	0	0	0	0	0	0
Grenada	7	0	4	0	2	1	0	0	0	0
Hancock	36	0	14	11	3	5	3	0	0	0
Harrison	227	2	121	78	23	1	2	0	0	0
Hinds	90	3	34	29	15	5	2	1	0	1
Holmes	1	0	1	0	0	0	0	0	0	0
Humphreys	2	0	2	0	0	0	0	0	0	0
Issaquena	1	0	0	1	0	0	0	0	0	0
Itawamba	13	0	4	6	2	1	0	0	0	0
Jackson	144	2	67	51	18	4	1	1	0	0
Jasper	3	0	2	1	0	0	0	0	0	0
Jefferson	1	0	0	0	1	0	0	0	0	0
Jeff Davis	1	0	0	1	0	0	0	0	0	0
Jones	28	1	15	5	4	2	0	0	0	1
Kemper	2	0	1	1	0	0	0	0	0	0
Lafayette	16	0	7	2	5	2	0	0	0	0
Lamar	16	0	6	5	4	0	1	0	0	0
Lauderdale	57	3	19	25	8	1	1	0	0	0
Lawrence	3	0	3	0	0	0	0	0	0	0
Leake	7	0	1	4	1	1	0	0	0	0
Lee	49	0	21	15	8	4	0	1	0	0
Leflore	11	0	4	3	2	1	0	1	0	0

Table 5B - Page 2

White Illegitimate Live Births - Mississippi - 1982

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	10	0	4	5	1	0	0	0	0	0	0
Lowndes	31	0	12	11	4	2	1	1	0	0	0
Madison	6	0	5	1	0	0	0	0	0	0	0
Marion	15	1	6	5	2	0	0	1	0	0	0
Marshall	19	1	10	3	3	1	1	0	0	0	0
Monroe	23	0	17	4	1	0	1	0	0	0	0
Montgomery	9	0	5	4	0	0	0	0	0	0	0
Neshoba	7	0	4	3	0	0	0	0	0	0	0
Newton	7	0	5	1	0	1	0	0	0	0	0
Noxubee	1	0	0	1	0	0	0	0	0	0	0
Oktibbeha	8	0	4	2	1	1	0	0	0	0	0
Panola	13	0	8	5	0	0	0	0	0	0	0
Pearl River	36	0	22	10	0	1	3	0	0	0	0
Perry	14	0	5	5	4	0	0	0	0	0	0
Pike	21	0	9	7	2	2	0	1	0	0	0
Pontotoc	7	0	0	5	0	1	1	0	0	0	0
Prentiss	18	1	13	3	0	0	0	1	0	0	0
Quitman	6	0	4	2	0	0	0	0	0	0	0
Rankin	42	3	18	12	9	0	0	0	0	0	0
Scott	13	0	9	3	0	0	1	0	0	0	0
Sharkey	1	0	0	1	0	0	0	0	0	0	0
Simpson	13	0	8	5	0	0	0	0	0	0	0
Smith	3	1	1	1	0	0	0	0	0	0	0
Stone	3	0	1	1	1	0	0	0	0	0	0
Sunflower	8	0	4	3	0	1	0	0	0	0	0
Tallahatchie	8	0	3	3	2	0	0	0	0	0	0
Tate	7	0	4	2	1	0	0	0	0	0	0
Tippah	20	0	8	7	3	1	1	0	0	0	0
Tishomingo	15	0	7	5	2	1	0	0	0	0	0
Tunica	4	0	2	0	0	2	0	0	0	0	0
Union	15	1	8	4	0	1	1	0	0	0	0
Walthall	2	0	2	0	0	0	0	0	0	0	0
Warren	25	0	12	10	1	1	1	0	0	0	0
Washington	35	0	16	11	6	0	2	0	0	0	0
Wayne	14	1	6	4	3	0	0	0	0	0	0
Webster	7	0	5	0	2	0	0	0	0	0	0
Wilkinson	7	0	4	2	1	0	0	0	0	0	0
Winston	2	0	1	0	1	0	0	0	0	0	0
Yalobusha	4	0	3	1	0	0	0	0	0	0	0
Yazoo	8	0	6	2	0	0	0	0	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1982

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
STATE	12,125	305	5,118	4,171	1,609	632	211	72	6	1	
Adams	232	3	83	93	44	7	1	1	0	0	
Alcorn	27	1	9	10	4	2	1	0	0	0	
Amite	55	2	32	10	10	1	0	0	0	0	
Attala	70	3	28	21	8	6	2	2	0	0	
Benton	34	1	12	16	2	1	1	1	0	0	
Bolivar	559	21	260	176	58	30	11	3	0	0	
Calhoun	49	3	27	15	2	1	0	1	0	0	
Carroll	27	1	10	12	3	1	0	0	0	0	
Chickasaw	78	1	29	35	6	6	0	1	0	0	
Choctaw	36	2	18	12	2	2	0	0	0	0	
Claiborne	109	3	45	40	10	9	1	1	0	0	
Clarke	82	3	31	24	14	6	1	3	0	0	
Clay	113	3	37	44	19	8	1	1	0	0	
Coahoma	432	11	200	159	42	14	2	4	0	0	
Copiah	146	3	78	36	19	7	2	0	1	0	
Covington	73	2	38	18	9	6	0	0	0	0	
DeSoto	96	1	42	35	11	4	2	1	0	0	
Forrest	279	6	112	112	28	20	1	0	0	0	
Franklin	28	0	11	12	5	0	0	0	0	0	
George	29	2	11	8	5	2	1	0	0	0	
Greene	23	1	10	7	3	1	1	0	0	0	
Grenada	106	6	46	32	14	5	3	0	0	0	
Hancock	37	1	15	15	3	1	1	1	0	0	
Harrison	378	11	155	129	50	22	6	3	1	1	
Hinds	1,434	39	537	517	230	80	21	9	1	0	
Holmes	276	2	113	86	52	13	9	1	0	0	
Humphreys	160	3	53	72	17	9	3	3	0	0	
Issaquena	17	1	9	5	1	0	1	0	0	0	
Itawamba	14	0	2	10	1	1	0	0	0	0	
Jackson	269	5	110	96	41	13	1	3	0	0	
Jasper	98	3	44	37	7	5	1	1	0	0	
Jefferson	107	2	34	41	19	7	2	1	1	0	
Jeff Davis	68	1	38	16	8	3	2	0	0	0	
Jones	186	6	70	68	30	6	5	1	0	0	
Kemper	61	2	29	15	11	2	2	0	0	0	
Lafayette	90	4	37	31	14	4	0	0	0	0	
Lamar	24	0	8	13	2	1	0	0	0	0	
Lauderdale	344	13	161	102	49	17	2	0	0	0	
Lawrence	48	3	28	13	2	2	0	0	0	0	
Leake	53	0	29	14	8	2	0	0	0	0	
Lee	163	3	65	58	25	8	4	0	0	0	
Leflore	388	3	182	136	48	16	1	2	0	0	

Table 5C - Page 2

Nonwhite Illegitimate Live Births - Mississippi - 1982

County	Total	Age of Mother									Un-known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
Lincoln	90	2	37	27	19	2	3	0	0	0	0
Lowndes	256	9	115	78	39	7	6	1	1	0	0
Madison	328	6	135	104	51	17	11	4	0	0	0
Marion	87	5	43	24	6	8	1	0	0	0	0
Marshall	185	3	63	74	25	11	5	4	0	0	0
Monroe	132	0	58	49	17	7	1	0	0	0	0
Montgomery	64	3	29	20	3	5	3	1	0	0	0
Neshoba	82	2	36	26	12	6	0	0	0	0	0
Newton	77	3	30	28	6	8	2	0	0	0	0
Noxubee	116	1	43	47	15	7	3	0	0	0	0
Oktibbeha	199	2	68	71	36	16	5	1	0	0	0
Panola	231	4	109	63	28	17	7	3	0	0	0
Pearl River	65	2	29	26	5	2	0	1	0	0	0
Perry	34	0	14	11	5	3	1	0	0	0	0
Pike	192	5	77	66	26	13	4	1	0	0	0
Pontotoc	37	0	10	14	10	3	0	0	0	0	0
Prentiss	25	0	14	8	1	1	1	0	0	0	0
Quitman	140	2	69	50	14	2	3	0	0	0	0
Rankin	112	2	53	34	17	5	1	0	0	0	0
Scott	75	2	27	28	10	5	2	1	0	0	0
Sharkey	136	5	55	53	12	5	5	1	0	0	0
Simpson	80	0	33	33	9	3	2	0	0	0	0
Smith	42	0	21	15	4	2	0	0	0	0	0
Stone	29	1	13	11	3	1	0	0	0	0	0
Sunflower	344	13	160	117	34	14	6	0	0	0	0
Tallahatchie	181	1	85	67	16	9	2	1	0	0	0
Tate	92	1	44	24	16	5	2	0	0	0	0
Tippah	20	2	8	7	2	0	0	1	0	0	0
Tishomingo	3	1	0	1	1	0	0	0	0	0	0
Tunica	139	4	65	48	14	4	4	0	0	0	0
Union	23	0	12	9	1	1	0	0	0	0	0
Walthall	46	3	21	5	8	4	2	3	0	0	0
Warren	270	7	105	93	40	18	5	2	0	0	0
Washington	741	16	311	260	101	35	15	2	1	0	0
Wayne	84	4	31	29	11	8	1	0	0	0	0
Webster	26	0	13	6	3	3	1	0	0	0	0
Wilkinson	91	3	31	26	14	8	9	0	0	0	0
Winston	95	3	41	29	14	8	0	0	0	0	0
Yalobusha	60	2	27	23	3	4	0	1	0	0	0
Yazoo	198	5	95	66	22	4	6	0	0	0	0

TABLE 6
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>4,094</u>	<u>1,452</u>	<u>2,642</u>	<u>8.9</u>	<u>6.0</u>	<u>12.1</u>
Adams	70	17	53	10.2	5.5	14.0
Alcorn	23	14	9	5.3	3.8	14.8
Amite	17	6	11	8.6	7.7	9.2
Attala	25	5	20	9.1	3.8	14.1
Benton	7	4	3	5.4	6.8	4.3
Bolivar	119	9	110	11.5	3.9	13.7
Calhoun	15	2	13	6.2	1.4	13.4
Carroll	12	4	8	10.8	7.8	13.3
Chickasaw	30	11	19	8.6	6.4	10.7
Choctaw	16	3	13	11.5	3.8	21.3
Claiborne	22	3	19	10.0	8.8	10.2
Clarke	26	9	17	8.3	5.9	10.7
Clay	41	6	35	10.0	4.1	13.2
Coahoma	83	10	73	10.3	5.9	11.4
Copiah	50	17	33	10.6	9.6	11.1
Covington	29	16	13	9.5	9.7	9.4
DeSoto	69	55	14	8.8	8.8	8.9
Forrest	100	47	53	8.5	6.8	10.9
Franklin	10	5	5	6.6	6.1	7.1
George	17	16	1	5.5	6.1	2.1
Greene	9	4	5	5.8	3.5	12.5
Grenada	27	4	23	7.6	2.3	12.5
Hancock	35	25	10	8.3	7.0	15.6
Harrison	245	139	106	8.0	6.2	13.3
Hinds	436	108	328	9.4	5.7	11.9
Holmes	74	9	65	14.3	10.2	15.2
Humphreys	28	5	23	9.1	7.9	9.4
Issaquena	4	2	2	8.5	10.0	7.4
Itawamba	13	10	3	5.4	4.8	8.8
Jackson	143	83	60	6.6	5.1	10.8
Jasper	23	3	20	6.6	2.7	8.4
Jefferson	23	2	21	12.0	11.1	12.1
Jeff Davis	30	2	28	11.3	2.2	16.2
Jones	83	44	39	7.1	5.7	9.6
Kemper	20	5	15	11.3	9.6	12.0
Lafayette	27	11	16	6.9	5.2	8.8
Lamar	30	20	10	6.7	5.3	14.7
Lauderdale	94	31	63	6.9	4.4	9.5
Lawrence	22	14	8	9.4	10.1	8.4
Leake	35	12	23	11.4	8.9	13.3
Lee	99	53	46	9.4	7.4	13.3
Leflore	99	22	77	12.0	9.5	13.0

Table 6 - Page 2
Immature Live Births - Mississippi - 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	37	14	23	7.3	4.4	12.4
Lowndes	99	36	63	8.7	5.2	14.1
Madison	100	21	79	12.1	6.6	15.5
Marion	44	17	27	9.2	5.8	14.6
Marshall	55	22	33	10.1	10.0	10.2
Monroe	54	25	29	8.2	6.3	11.2
Montgomery	22	4	18	8.9	3.6	13.2
Neshoba	36	8	28	9.2	3.6	16.9
Newton	33	8	25	10.2	4.8	16.0
Noxubee	28	1	27	10.6	1.6	13.2
Oktibbeha	57	16	41	9.2	5.7	12.1
Panola	54	14	40	9.2	6.8	10.6
Pearl River	40	31	9	7.1	6.6	9.5
Perry	10	4	6	4.5	2.5	9.7
Pike	68	17	51	10.4	6.0	13.6
Pontotoc	25	15	10	8.4	6.5	14.7
Prentiss	32	22	10	9.6	8.0	16.9
Quitman	33	4	29	11.8	5.6	13.9
Rankin	83	56	27	7.2	6.3	10.2
Scott	38	11	27	9.1	4.7	14.8
Sharkey	30	4	26	13.5	7.8	15.2
Simpson	40	23	17	9.1	9.0	9.1
Smith	26	14	12	11.2	8.8	16.4
Stone	18	6	12	11.4	5.9	21.0
Sunflower	66	5	61	8.7	2.7	10.7
Tallahatchie	42	7	35	12.0	7.8	13.5
Tate	32	9	23	9.9	5.7	14.0
Tippah	22	16	6	7.8	7.2	10.3
Tishomingo	16	15	1	6.0	5.8	10.0
Tunica	30	2	28	13.8	5.9	15.3
Union	33	27	6	10.2	10.2	10.2
Walthall	14	5	9	6.1	4.6	7.5
Warren	84	36	48	9.0	7.2	11.1
Washington	161	28	133	10.0	6.0	11.5
Wayne	28	12	16	6.8	5.3	8.6
Webster	13	5	8	7.4	4.1	14.8
Wilkinson	18	3	15	8.9	5.6	10.1
Winston	22	7	15	7.4	5.9	8.5
Yalobusha	14	4	10	6.3	3.7	8.7
Yazoo	57	11	46	10.6	5.7	13.3

* Birthweight 2,500 grams or less.

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>6,072</u>	<u>2,081</u>	<u>3,991</u>	<u>13.2</u>	<u>8.7</u>	<u>18.2</u>
Adams	72	18	54	10.5	5.8	14.3
Alcorn	43	34	9	10.0	9.2	14.8
Amite	20	8	12	10.2	10.2	10.1
Attala	49	12	37	17.8	9.0	26.0
Benton	12	4	8	9.3	6.8	11.4
Bolivar	164	14	150	15.9	6.0	18.7
Calhoun	25	9	16	10.4	6.3	16.5
Carroll	17	7	10	15.3	13.7	16.7
Chickasaw	52	20	32	14.8	11.6	18.0
Choctaw	19	7	12	13.7	9.0	19.7
Claiborne	31	3	28	14.0	8.8	15.0
Clarke	30	15	15	9.6	9.8	9.4
Clay	50	11	39	12.2	7.5	14.8
Coahoma	146	12	134	18.1	7.1	21.0
Copiah	75	18	57	15.8	10.2	19.2
Covington	43	22	21	14.1	13.3	15.1
DeSoto	66	44	22	8.5	7.1	14.0
Forrest	149	55	94	12.7	8.0	19.3
Franklin	19	11	8	12.5	13.4	11.4
George	33	24	9	10.7	9.2	19.1
Greene	16	7	9	10.4	6.1	22.5
Grenada	34	5	29	9.6	2.9	15.8
Hancock	52	37	15	12.3	10.3	23.4
Harrison	366	203	163	12.0	9.0	20.4
Hinds	665	173	492	14.3	9.2	17.9
Holmes	101	11	90	19.6	12.5	21.0
Humphreys	42	5	37	13.6	7.9	15.1
Issaquena	8	3	5	17.0	15.0	18.5
Itawamba	30	21	9	12.4	10.1	26.5
Jackson	224	135	89	10.3	8.3	16.1
Jasper	43	3	40	12.3	2.7	16.7
Jefferson	30	2	28	15.7	11.1	16.2
Jeff Davis	43	4	39	16.2	4.3	22.5
Jones	137	67	70	11.7	8.7	17.2
Kemper	19	5	14	10.7	9.6	11.2
Lafayette	51	17	34	13.0	8.0	18.7
Lamar	34	24	10	7.6	6.4	14.7
Lauderdale	151	51	100	11.0	7.2	15.2
Lawrence	26	10	16	11.2	7.2	16.8
Leake	55	15	40	17.8	11.1	23.1
Lee	131	66	65	12.4	9.3	18.8
Leflore	139	30	109	16.8	13.0	18.4

Table 7 - Page 2
 Premature Live Births - Mississippi - 1982

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	63	30	33	12.4	9.3	17.8
Lowndes	132	60	72	11.6	8.6	16.1
Madison	133	30	103	16.1	9.5	20.2
Marion	62	29	33	13.0	9.9	17.8
Marshall	62	16	46	11.4	7.2	14.2
Monroe	97	41	56	14.8	10.4	21.6
Montgomery	42	12	30	17.0	10.8	22.0
Neshoba	65	25	40	16.7	11.2	24.1
Newton	48	18	30	14.9	10.8	19.2
Noxubee	41	5	36	15.5	8.2	17.6
Oktibbeha	81	19	62	13.1	6.8	18.3
Panola	85	14	71	14.5	6.8	18.7
Pearl River	46	34	12	8.1	7.2	12.6
Perry	23	11	12	10.4	7.0	19.4
Pike	113	30	83	17.2	10.7	22.1
Pontotoc	40	23	17	13.4	10.0	25.0
Prentiss	36	23	13	10.8	8.4	22.0
Quitman	48	2	46	17.2	2.8	22.1
Rankin	135	78	57	11.7	8.8	21.5
Scott	53	22	31	12.7	9.4	17.0
Sharkey	39	3	36	17.6	5.9	21.0
Simpson	65	31	34	14.7	12.2	18.2
Smith	35	11	24	15.1	6.9	32.9
Stone	18	6	12	11.4	5.9	21.0
Sunflower	116	15	101	15.3	8.0	17.7
Tallahatchie	62	12	50	17.8	13.3	19.3
Tate	38	15	23	11.8	9.4	14.0
Tippah	29	20	9	10.4	9.0	15.5
Tishomingo	19	18	1	7.1	7.0	10.0
Tunica	46	1	45	21.2	2.9	24.6
Union	36	26	10	11.1	9.8	16.9
Walthall	38	13	25	16.7	12.0	20.8
Warren	117	43	74	12.6	8.6	17.1
Washington	256	48	208	15.8	10.4	18.0
Wayne	32	16	16	7.7	7.0	8.6
Webster	16	8	8	9.1	6.6	14.8
Wilkinson	17	2	15	8.4	3.7	10.1
Winston	46	7	39	15.5	5.9	22.0
Yalobusha	35	9	26	15.7	8.3	22.6
Yazoo	95	13	82	17.6	6.8	23.7

* Gestation less than 37 weeks.

TABLE 8
 REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1982

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>659</u>	<u>246</u>	<u>413</u>	<u>639</u>	<u>231</u>	<u>408</u>	<u>13.9</u>	<u>9.6</u>	<u>18.6</u>
Adams	18	9	9	10	4	6	14.6	13.0	15.9
Alcorn	0	0	0	2	2	0	4.6	5.4	-
Amite	0	0	0	1	0	1	5.1	-	8.4
Attala	3	1	2	2	0	2	7.3	-	14.1
Benton	0	0	0	7	3	4	54.3	50.8	57.1
Bolivar	30	1	29	21	1	20	20.3	4.3	25.0
Calhoun	0	0	0	8	6	2	33.3	42.0	20.6
Carroll	0	0	0	1	1	0	9.0	19.6	-
Chickasaw	0	0	0	1	0	1	2.8	-	5.6
Choctaw	0	0	0	1	1	0	7.2	12.8	-
Claiborne	1	0	1	1	0	1	4.5	-	5.3
Clarke	1	0	1	11	5	6	35.2	32.7	37.7
Clay	4	1	3	5	1	4	12.2	6.8	15.2
Coahoma	22	2	20	17	1	16	21.0	5.9	25.0
Copiah	1	0	1	7	1	6	14.8	5.7	20.2
Covington	5	0	5	7	1	6	23.0	6.1	43.2
DeSoto	0	0	0	1	0	1	1.3	-	6.4
Forrest	38	21	17	22	13	9	18.7	18.8	18.5
Franklin	0	0	0	2	1	1	13.2	12.2	14.3
George	1	0	1	3	2	1	9.7	7.7	21.3
Greene	0	0	0	3	1	2	19.5	8.8	50.0
Grenada	12	6	6	5	2	3	14.1	11.7	16.3
Hancock	3	2	1	6	4	2	14.2	11.1	31.2
Harrison	37	29	8	36	30	6	11.8	13.4	7.5
Hinds	130	31	99	63	13	50	13.6	6.9	18.2
Holmes	1	0	1	4	1	3	7.8	11.4	7.0
Humphreys	1	0	1	1	0	1	3.2	-	4.1
Issaquena	0	0	0	1	0	1	21.3	-	37.0
Itawamba	0	0	0	1	1	0	4.1	4.8	-
Jackson	30	18	12	24	13	11	11.0	8.0	19.8
Jasper	0	0	0	5	0	5	14.3	-	20.9
Jefferson	1	0	1	1	0	1	5.2	-	5.8
Jeff Davis	0	0	0	4	2	2	15.1	21.7	11.6
Jones	12	5	7	4	2	2	3.4	2.6	4.9
Kemper	0	0	0	2	0	2	11.3	-	16.0
Lafayette	10	5	5	5	2	3	12.7	9.5	16.5
Lamar	2	1	1	3	1	2	6.7	2.6	29.4
Lauderdale	39	17	22	18	9	9	13.1	12.7	13.6
Lawrence	2	1	1	3	2	1	12.9	14.5	10.5
Leake	3	1	2	6	1	5	19.5	7.4	28.9
Lee	26	15	11	15	10	5	14.2	14.1	14.5
Leflore	20	4	16	12	2	10	14.5	8.6	16.8

Table 8 - Page 2
 Fetal Deaths - Mississippi - 1982

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	5	2	3	8	5	3	15.8	15.6	16.2
Lowndes	14	7	7	18	9	9	15.8	12.9	20.2
Madison	0	0	0	16	4	12	19.3	12.6	23.5
Marion	0	0	0	7	2	5	14.7	6.8	27.0
Marshall	0	0	0	11	3	8	20.2	13.6	24.7
Monroe	23	12	11	16	4	12	24.5	10.1	46.3
Montgomery	4	0	4	4	0	4	16.2	-	29.4
Neshoba	1	0	1	5	1	4	12.8	4.5	24.1
Newton	2	0	2	2	1	1	6.2	6.0	6.4
Noxubee	6	1	5	4	1	3	15.1	16.4	14.7
Oktibbeha	15	4	11	13	3	10	21.1	10.8	29.6
Panola	8	0	8	11	2	9	18.8	9.7	23.7
Pearl River	4	3	1	8	6	2	14.2	12.8	21.0
Perry	0	0	0	0	0	0	-	-	-
Pike	18	10	8	10	5	5	15.2	17.8	13.3
Pontotoc	1	1	0	5	3	2	16.8	13.0	29.4
Prentiss	0	0	0	2	2	0	6.0	7.3	-
Quitman	3	0	3	8	1	7	28.7	14.1	33.6
Rankin	16	9	7	5	5	0	4.3	5.6	-
Scott	3	2	1	13	6	7	31.2	25.5	38.5
Sharkey	0	0	0	4	3	1	18.0	58.8	5.8
Simpson	0	0	0	0	0	0	-	-	-
Smith	0	0	0	6	4	2	25.9	25.2	27.4
Stone	0	0	0	2	0	2	12.6	-	35.1
Sunflower	6	1	5	13	3	10	17.2	16.0	17.5
Tallahatchie	0	0	0	2	0	2	5.7	-	7.7
Tate	9	3	6	8	2	6	24.8	12.6	36.6
Tippah	4	1	3	2	0	2	7.1	-	34.5
Tishomingo	0	0	0	1	0	1	3.8	-	100.0
Tunica	0	0	0	1	1	0	4.6	29.4	-
Union	8	6	2	6	4	2	18.6	15.2	33.9
Walthall	2	0	2	4	0	4	17.5	-	33.3
Warren	16	6	10	11	3	8	11.8	6.0	18.5
Washington	19	3	16	31	1	30	19.2	2.2	26.0
Wayne	4	1	3	2	0	2	4.8	-	10.8
Webster	4	2	2	3	1	2	17.1	8.3	37.0
Wilkinson	3	0	3	3	1	2	14.8	18.5	13.5
Winston	7	2	5	9	2	7	30.4	16.8	39.5
Yalobusha	1	0	1	4	1	3	17.9	9.2	26.1
Yazoo	0	0	0	9	3	6	16.7	15.6	17.3
Out of state	20	10	10	40	25	15			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1982

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>22,776</u>	<u>14,616</u>	<u>8,160</u>	<u>23,173</u>	<u>14,863</u>	<u>8,310</u>
Adams	434	231	203	362	179	183
Alcorn	272	235	37	302	262	40
Amite	43	20	23	146	78	68
Attala	196	137	59	256	172	84
Benton	15	9	6	57	38	19
Bolivar	401	139	262	434	158	276
Calhoun	100	77	23	154	122	32
Carroll	22	13	9	79	47	32
Chickasaw	118	79	39	152	94	58
Choctaw	54	38	16	73	55	18
Claiborne	71	19	52	105	32	73
Clarke	128	88	40	186	119	67
Clay	143	65	78	186	92	94
Coahoma	448	183	265	445	164	281
Copiah	177	93	84	282	152	130
Covington	118	92	26	166	128	38
DeSoto	121	83	38	320	243	77
Forrest	765	580	185	626	453	173
Franklin	80	49	31	91	58	33
George	100	90	10	134	118	16
Greene	37	33	4	88	72	16
Grenada	247	144	103	234	130	104
Hancock	194	173	21	231	203	28
Harrison	1,558	1,277	281	1,302	1,060	242
Hinds	3,678	2,167	1,511	2,082	1,190	892
Holmes	185	61	124	242	71	171
Humphreys	83	31	52	129	51	78
Issaquena	2	1	1	10	1	9
Itawamba	107	99	8	176	163	13
Jackson	660	533	127	706	576	130
Jasper	111	59	52	159	84	75
Jefferson	51	8	43	84	17	67
Jeff Davis	89	44	45	145	73	72
Jones	621	449	172	659	498	161
Kemper	55	32	23	96	49	47
Lafayette	203	160	43	193	147	46
Lamar	259	224	35	167	147	20
Lauderdale	987	684	303	737	521	216
Lawrence	76	44	32	113	77	36
Leake	158	107	51	208	134	74
Lee	868	686	182	494	376	118
Leflore	535	239	296	480	201	279

Table 9 - Page 2
 Deaths - Mississippi - 1982

County	Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white
Lincoln	281	209	72	307	221	86
Lowndes	450	296	154	416	256	160
Madison	197	67	130	328	146	182
Marion	201	135	66	262	183	79
Marshall	150	67	83	248	123	125
Monroe	354	257	97	408	298	110
Montgomery	157	92	65	160	103	57
Neshoba	146	107	39	215	157	58
Newton	162	100	62	234	156	78
Noxubee	114	42	72	126	52	74
Oktibbeha	233	128	105	228	125	103
Panola	224	120	104	256	138	118
Pearl River	214	174	40	281	229	52
Perry	54	39	15	86	65	21
Pike	423	265	158	395	249	146
Pontotoc	148	137	11	205	189	16
Prentiss	137	120	17	227	204	23
Quitman	106	31	75	165	68	97
Rankin	359	257	102	504	378	126
Scott	196	116	80	267	160	107
Sharkey	75	28	47	95	38	57
Simpson	227	180	47	288	224	64
Smith	85	68	17	162	142	20
Stone	57	48	9	88	76	12
Sunflower	279	109	170	341	141	200
Tallahatchie	107	52	55	173	89	84
Tate	129	79	50	173	112	61
Tippah	194	170	24	233	205	28
Tishomingo	145	137	8	222	212	10
Tunica	75	16	59	106	26	80
Union	219	186	33	218	185	33
Walthall	129	86	43	160	103	57
Warren	539	273	266	503	257	246
Washington	717	285	432	680	261	419
Wayne	157	96	61	167	106	61
Webster	91	73	18	107	88	19
Wilkinson	155	69	86	124	44	80
Winston	173	126	47	226	154	72
Yalobusha	90	62	28	159	114	45
Yazoo	257	139	118	339	181	158
Out of state	1,330	970	360	933	723	210

Table 9 - Page 3
 Deaths - Mississippi - 1982

Town*	Residence Data		
	Total	White	Non-white
Biloxi	348	279	69
Brookhaven	159	107	52
Canton	134	51	83
Clarksdale	300	118	182
Cleveland	144	69	75
Clinton	97	77	20
Columbus	263	149	114
Corinth	130	100	30
Greenville	441	171	270
Greenwood	296	125	171
Grenada	166	89	77
Gulfport	486	369	117
Hattiesburg	463	317	146
Jackson	1,722	993	729
Laurel	323	215	108
McComb	179	133	46
Meridian	513	350	163
Moss Point	137	60	77
Natchez	263	129	134
Ocean Springs	123	119	4
Pascagoula	202	167	35
Pearl	93	89	4
Picayune	113	76	37
Southaven	67	64	3
Starkville	119	83	36
Tupelo	243	193	50
Vicksburg	331	154	177
Yazoo City	202	94	108

* Towns of 10,000 population or more.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1982

International Classification Number*	Cause*	Total	White	Non-white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>23,173</u>	<u>14,863</u>	<u>8,310</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>238</u>	<u>124</u>	<u>114</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>10</u>	<u>4</u>	<u>6</u>
<u> 002,003</u>	<u> Typhoid and paratyphoid fevers, and other salmonella infections</u>	<u>3</u>	<u>2</u>	<u>1</u>
003	Other salmonella infections	3	2	1
<u> 004,006</u>	<u> Shigellosis and amebiasis</u>	<u>1</u>	<u>0</u>	<u>1</u>
006	Amebiasis	1	0	1
<u> 008,009</u>	<u> Other and ill-defined intestinal infections</u>	<u>6</u>	<u>2</u>	<u>4</u>
008	Intestinal infections due to other organisms	2	1	1
009	Ill-defined intestinal infections	4	1	3
<u>010-018</u>	<u>Tuberculosis</u>	<u>27</u>	<u>4</u>	<u>23</u>
<u> 010-012</u>	<u> Respiratory</u>	<u>19</u>	<u>4</u>	<u>15</u>
011	Pulmonary	19	4	15
<u> 013-018</u>	<u> Other forms</u>	<u>8</u>	<u>0</u>	<u>8</u>
014	Intestines, peritoneum, and mesenteric glands	1	0	1
015	Bones and joints	1	0	1
016	Genitourinary system	1	0	1
017	Other organs	1	0	1
018	Miliary	4	0	4
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
027	Other zoonotic bacterial diseases	1	1	0
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>141</u>	<u>78</u>	<u>63</u>
031	Other diseases due to mycobacteria	1	1	0
034	Streptococcal sore throat and scarlatina	1	1	0
036	Meningococcal infection	8	4	4
038	Septicemia	123	66	57
039	Actinomycotic infections	3	2	1
040	Other bacterial disease	3	2	1
041	Bacterial infection of unspecified site	2	2	0
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>6</u>	<u>6</u>	<u>0</u>
045	Acute poliomyelitis	1	1	0
046	Slow virus infection	1	1	0
049	Other non-arthropod-borne diseases	4	4	0
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>6</u>	<u>3</u>	<u>3</u>
052	Chickenpox	2	1	1
054	Herpes simplex	3	1	2
056	Rubella	1	1	0
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>17</u>	<u>12</u>	<u>5</u>
070	Viral hepatitis	9	5	4
078	Other diseases due to viruses and Chlamydiae	3	3	0
079	Viral infection in conditions classified elsewhere and of unspecified site	5	4	1
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
082	Tick-borne rickettsioses	1	1	0

Table 10 - Page 2
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
090-099	<u>Syphilis and other venereal diseases</u>	4	1	3
090-097	<u>Syphilis and its sequelae</u>	4	1	3
093	Cardiovascular	2	0	2
094	Neurosyphilis	2	1	1
100-104	<u>Other spirochetal diseases</u>	0	0	0
110-118	<u>Mycoses</u>	12	6	6
112	Candidiasis	3	2	1
114	Coccidioidomycosis	1	1	0
115	Histoplasmosis	3	2	1
116	Blastomycotic infection	2	0	2
117	Other mycoses	3	1	2
120-129	<u>Helminthiases</u>	0	0	0
130-139	<u>Other infectious and parasitic diseases</u>	13	8	5
135	Sarcoidosis	5	1	4
136	Other and unspecified infectious and parasitic diseases	2	2	0
137	Late effects of tuberculosis	4	3	1
138	Late effects of acute poliomyelitis	2	2	0
140-239	<u>NEOPLASMS</u>	4,495	3,036	1,459
140-208	<u>Malignant neoplasms</u>	4,436	3,006	1,430
140-149	<u>Lip, oral cavity, and pharynx</u>	96	72	24
140	Lip	3	3	0
141	Tongue	19	16	3
142	Major salivary glands	9	7	2
143	Gum	4	2	2
144	Floor of mouth	2	2	0
145	Other and unspecified parts of mouth	19	15	4
146	Oropharynx	10	7	3
147	Nasopharynx	10	9	1
148	Hypopharynx	2	2	0
149	Other and ill-defined sites	18	9	9
150-159	<u>Digestive organs and peritoneum</u>	1,028	668	360
150	Esophagus	67	34	33
151	Stomach	148	79	69
152	Small intestine, including duodenum	10	9	1
153	Colon	375	253	122
154	Rectum, rectosigmoid junction, and anus	60	45	15
155	Liver and intrahepatic bile ducts	67	43	24
156	Gallbladder and extrahepatic bile ducts	28	23	5
157	Pancreas	255	173	82
158	Retroperitoneum and peritoneum	6	2	4
159	Other and ill-defined sites	12	7	5
160-165	<u>Respiratory and intrathoracic organs</u>	1,333	964	369
160	Nasal cavities, middle ear, and accessory sinuses	3	2	1
161	Larynx	53	34	19
162	Trachea, bronchus, and lung	1,268	924	344
163	Pleura	3	3	0
164	Thymus, heart, and mediastinum	6	1	5

Table 10 - Page 3
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>401</u>	<u>291</u>	<u>110</u>
170	Bone and articular cartilage	19	10	9
171	Connective and other soft tissue	24	13	11
172	Melanoma of skin	49	45	4
173	Skin, other	20	16	4
174	Female breast	287	205	82
175	Male breast	2	2	0
<u>179-189</u>	<u>Genitourinary organs</u>	<u>695</u>	<u>416</u>	<u>279</u>
(<u>179-187</u>)	(Genital organs)	<u>530</u>	<u>294</u>	<u>236</u>
179	Uterus, part unspecified	46	22	24
180	Cervix uteri	65	37	28
182	Body of uterus	23	19	4
183	Ovary and other uterine adnexa	86	61	25
184	Other and unspecified female genital organs	8	4	4
185	Prostate	292	143	149
186	Testis	3	3	0
187	Penis and other male genital organs	7	5	2
(<u>188,189</u>)	(Urinary organs)	<u>165</u>	<u>122</u>	<u>43</u>
188	Bladder	99	70	29
189	Kidney and other and unspecified urinary organs	66	52	14
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>465</u>	<u>299</u>	<u>166</u>
190	Eye	6	5	1
191	Brain	93	75	18
192	Other and unspecified parts of nervous system	1	1	0
193	Thyroid gland	10	6	4
194	Other endocrine glands and related structures	8	5	3
195	Other and ill-defined sites	32	21	11
199	Site unspecified	315	186	129
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>418</u>	<u>296</u>	<u>122</u>
200	Lymphosarcoma and reticulosarcoma	47	41	6
201	Hodgkin's disease	18	12	6
202	Other lymphoid and histiocytic tissue	74	60	14
203	Multiple myeloma and immunoproliferative neoplasms	97	58	39
(<u>204-208</u>)	(Leukemia)	<u>182</u>	<u>125</u>	<u>57</u>
204	Lymphatic	64	46	18
205	Myeloid	72	50	22
207	Other specified	2	2	0
208	Unspecified cell type	44	27	17
<u>210-229</u>	<u>Benign neoplasms</u>	<u>22</u>	<u>10</u>	<u>12</u>
211	Benign neoplasm of other parts of digestive system	1	0	1
212	Benign neoplasm of respiratory and intrathoracic organs	1	0	1
215	Other benign neoplasm of connective and other soft tissue	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	15	8	7
227	Benign neoplasm of other endocrine glands and related structures	3	1	2

Table 10 - Page 4
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
228	Hemangioma and lymphangioma, any site	1	1	0
230-234	<u>Carcinoma in situ</u>	0	0	0
235-239	<u>Neoplasms of uncertain behavior and unspecified nature</u>	37	20	17
235-238	<u>Uncertain behavior</u>	12	5	7
236	Genitourinary organs	1	0	1
237	Endocrine glands and nervous system	5	3	2
238	Other and unspecified sites and tissues	6	2	4
239	Unspecified nature	25	15	10
240-279	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	519	251	268
240-246	<u>Diseases of thyroid gland</u>	11	3	8
240	Simple and unspecified goiter	1	0	1
241	Nontoxic nodular goiter	1	1	0
242	Thyrotoxicosis with or without goiter	5	2	3
244	Acquired hypothyroidism	3	0	3
246	Other disorders of thyroid	1	0	1
250-259	<u>Diseases of other endocrine glands</u>	374	183	191
250	Diabetes mellitus	361	177	184
251	Other disorders of pancreatic internal secretion	5	0	5
252	Disorders of parathyroid gland	2	2	0
253	Disorders of the pituitary gland and its hypothalamic control	3	2	1
255	Disorders of adrenal glands	3	2	1
260-269	<u>Nutritional deficiencies</u>	27	13	14
260	Kwashiorkor	1	0	1
261	Nutritional marasmus	5	4	1
263	Other and unspecified protein-calorie malnutrition	18	8	10
269	Other nutritional deficiencies	3	1	2
270-279	<u>Other metabolic disorders and immunity disorders</u>	107	52	55
270	Disorders of amino-acid transport and metabolism	2	2	0
272	Disorders of lipid metabolism	1	1	0
273	Disorders of plasma protein metabolism	7	5	2
274	Gout	1	1	0
275	Disorders of mineral metabolism	4	1	3
276	Disorders of fluid, electrolyte, and acid-base balance	61	23	38
277	Other and unspecified disorders of metabolism	15	11	4
278	Obesity and other hyperalimentation	15	7	8
279	Disorders involving the immune mechanism	1	1	0
280-289	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	86	57	29
280-285	<u>Anemias</u>	48	26	22
281	Other deficiency	2	1	1
282	Hereditary hemolytic	11	2	9
283	Acquired hemolytic	2	1	1
284	Aplastic	17	15	2
285	Other and unspecified	16	7	9

Table 10 - Page 5
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
286	Coagulation defects	8	6	2
287	Purpura and other hemorrhagic conditions	7	7	0
288	Diseases of white blood cells	6	4	2
289	Other diseases of blood and blood-forming organs	17	14	3
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>122</u>	<u>72</u>	<u>50</u>
<u>290-299</u>	<u>Psychoses</u>	<u>37</u>	<u>21</u>	<u>16</u>
290	Senile and presenile organic psychotic conditions	19	9	10
291	Alcoholic psychoses	7	4	3
293	Transient organic psychotic conditions	1	1	0
295	Schizophrenic psychoses	5	3	2
296	Affective psychoses	2	2	0
298	Other nonorganic psychoses	3	2	1
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>74</u>	<u>44</u>	<u>30</u>
303	Alcohol dependence syndrome	18	5	13
305	Nondependent abuse of drugs	5	3	2
308	Acute reaction to stress	2	1	1
310	Specific nonpsychotic mental disorders following organic brain damage	49	35	14
<u>317-319</u>	<u>Mental retardation</u>	<u>11</u>	<u>7</u>	<u>4</u>
318	Other specified	5	3	2
319	Unspecified	6	4	2
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>222</u>	<u>142</u>	<u>80</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>29</u>	<u>11</u>	<u>18</u>
320	Bacterial meningitis	11	4	7
322	Meningitis of unspecified cause	10	3	7
323	Encephalitis, myelitis, and encephalomyelitis	5	3	2
324	Intracranial and intraspinal abscess	3	1	2
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>109</u>	<u>87</u>	<u>22</u>
330	Cerebral degenerations usually manifest in childhood	2	2	0
331	Other cerebral degenerations	37	28	9
332	Parkinson's disease	35	31	4
333	Other extrapyramidal disease and abnormal movement disorders	8	7	1
335	Anterior horn cell disease	23	19	4
336	Other diseases of spinal cord	3	0	3
337	Disorders of the autonomic nervous system	1	0	1
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>69</u>	<u>35</u>	<u>34</u>
340	Multiple sclerosis	7	5	2
341	Other demyelinating diseases of central nervous system	1	1	0
342	Hemiplegia	3	3	0
343	Infantile cerebral palsy	4	3	1
344	Other paralytic syndromes	8	3	5
345	Epilepsy	17	4	13

Table 10 - Page 6
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
348	Other conditions of brain	27	14	13
349	Other and unspecified disorders of the nervous system	2	2	0
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>12</u>	<u>7</u>	<u>5</u>
356	Hereditary and idiopathic peripheral neuropathy	1	1	0
357	Inflammatory and toxic neuropathy	1	1	0
358	Myoneural disorders	1	1	0
359	Muscular dystrophies and other myopathies	9	4	5
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>1</u>	<u>0</u>
376	Disorders of the orbit	1	1	0
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u>381-383</u>	<u>Otitis media and mastoiditis</u>	<u>2</u>	<u>1</u>	<u>1</u>
382	Suppurative and unspecified otitis media	1	0	1
383	Mastoiditis and related conditions	1	1	0
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,858</u>	<u>7,234</u>	<u>3,624</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>45</u>	<u>38</u>	<u>7</u>
394	Diseases of mitral valve	28	26	2
395	Diseases of aortic valve	2	1	1
396	Diseases of mitral and aortic valves	7	6	1
397	Diseases of other endocardial structures	1	0	1
398	Other rheumatic heart disease	7	5	2
<u>401-405</u>	<u>Hypertensive disease</u>	<u>465</u>	<u>205</u>	<u>260</u>
<u>401,403</u>	<u>Hypertension with or without renal disease</u>	<u>91</u>	<u>47</u>	<u>44</u>
401	Essential hypertension	31	15	16
403	Hypertensive renal disease	60	32	28
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>374</u>	<u>158</u>	<u>216</u>
402	Hypertensive heart disease	306	123	183
404	Hypertensive heart and renal disease	68	35	33
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>5,369</u>	<u>3,840</u>	<u>1,529</u>
410	Acute myocardial infarction	3,517	2,498	1,019
411	Other acute and subacute forms of ischemic heart disease	12	7	5
412	Old myocardial infarction	9	6	3
413	Angina pectoris	9	6	3
414	Other forms of chronic ischemic heart disease	1,822	1,323	499
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>199</u>	<u>107</u>	<u>92</u>
415	Acute pulmonary heart disease	183	96	87
416	Chronic pulmonary heart disease	16	11	5
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>2,208</u>	<u>1,440</u>	<u>768</u>
420	Acute pericarditis	1	1	0
421	Acute and subacute endocarditis	4	2	2
423	Other diseases of pericardium	1	0	1
424	Other diseases of endocardium	41	31	10
425	Cardiomyopathy	88	58	30
426	Conduction disorders	8	5	3
427	Cardiac dysrhythmias	632	389	243

Table 10 - Page 7
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
428	Heart failure	584	362	222
429	Ill-defined heart diseases	849	592	257
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>2,093</u>	<u>1,266</u>	<u>827</u>
430	Subarachnoid hemorrhage	49	30	19
431	Intracerebral hemorrhage	193	106	87
432	Other and unspecified intracranial hemorrhage	16	11	5
433	Occlusion and stenosis of precerebral arteries	28	23	5
434	Occlusion of cerebral arteries	315	220	95
435	Transient cerebral ischemia	7	4	3
436	Acute but ill-defined cerebrovascular disease	1,258	710	548
437	Other and ill-defined cerebrovascular disease	161	122	39
438	Late effects of cerebrovascular disease	66	40	26
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>420</u>	<u>305</u>	<u>115</u>
440	Atherosclerosis	237	165	72
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>183</u>	<u>140</u>	<u>43</u>
441	Aortic aneurysm	120	96	24
442	Other aneurysm	12	8	4
443	Other peripheral vascular disease	22	14	8
444	Arterial embolism and thrombosis	8	7	1
446	Polyarteritis nodosa and allied conditions	8	5	3
447	Other disorders of arteries and arterioles	13	10	3
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>59</u>	<u>33</u>	<u>26</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>22</u>	<u>13</u>	<u>9</u>
451	Phlebitis and thrombophlebitis	15	8	7
453	Other venous embolism and thrombosis	7	5	2
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>37</u>	<u>20</u>	<u>17</u>
454	Varicose veins of lower extremities	2	2	0
456	Varicose veins of other sites	4	1	3
457	Noninfective disorders of lymphatic channels	1	1	0
458	Hypotension	8	3	5
459	Other disorders of circulatory system	22	13	9
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,287</u>	<u>963</u>	<u>324</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>9</u>	<u>6</u>	<u>3</u>
462	Acute pharyngitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	4	3	1
466	Acute bronchitis and bronchiolitis	4	2	2
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>2</u>	<u>1</u>	<u>1</u>
473	Chronic sinusitis	1	0	1
478	Other diseases of upper respiratory tract	1	1	0
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>498</u>	<u>335</u>	<u>163</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>487</u>	<u>329</u>	<u>158</u>
480	Viral	4	3	1
481	Pneumococcal	12	5	7
482	Other bacterial	23	18	5

Table 10 - Page 8
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
483	Due to other specified organism	1	1	0
485	Broncho, organism unspecified	63	42	21
486	Organism unspecified	384	260	124
487	Influenza	11	6	5
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>554</u>	<u>463</u>	<u>91</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>18</u>	<u>16</u>	<u>2</u>
490	Unqualified	4	2	2
491	Chronic	14	14	0
492	Emphysema	82	66	16
493	Asthma	29	16	13
494	Bronchiectasis	12	9	3
496	Chronic airways obstruction, not elsewhere classified	413	356	57
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>60</u>	<u>39</u>	<u>21</u>
501	Asbestosis	2	2	0
502	Pneumoconiosis due to other silica or silicates	1	1	0
507	Pneumonitis due to solids and liquids	57	36	21
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>164</u>	<u>119</u>	<u>45</u>
510	Empyema	5	4	1
511	Pleurisy	7	4	3
512	Pneumothorax	6	4	2
513	Abscess of lung and mediastinum	6	3	3
514	Pulmonary congestion and hypostasis	14	12	2
515	Postinflammatory pulmonary fibrosis	36	29	7
516	Other alveolar and paritoalveolar pneumopathy	8	8	0
518	Other diseases of lung	69	46	23
519	Other diseases of respiratory system	13	9	4
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>662</u>	<u>484</u>	<u>178</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>1</u>	<u>1</u>	<u>0</u>
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	1	0
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>83</u>	<u>63</u>	<u>20</u>
530	Diseases of esophagus	12	11	1
<u>531-533</u>	<u>Peptic ulcer</u>	<u>58</u>	<u>43</u>	<u>15</u>
531	Gastric ulcer	24	18	6
532	Duodenal ulcer	16	14	2
533	Peptic ulcer, site unspecified	18	11	7
535	Gastritis and duodenitis	6	5	1
536	Disorders of function of stomach	2	0	2
537	Other disorders of stomach and duodenum	5	4	1
<u>540-543</u>	<u>Appendicitis</u>	<u>12</u>	<u>4</u>	<u>8</u>
540	Acute appendicitis	12	4	8
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>12</u>	<u>10</u>	<u>2</u>
551	Other, of abdominal cavity, with gangrene	2	1	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	5	5	0

Table 10 - Page 9
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
553	Other, of abdominal cavity without mention of obstruction or gangrene	5	4	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>79</u>	<u>52</u>	<u>27</u>
555	Regional enteritis	3	3	0
556	Idiopathic proctocolitis	4	4	0
557	Vascular insufficiency of intestine	53	34	19
558	Other noninfective gastroenteritis and colitis	19	11	8
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>100</u>	<u>61</u>	<u>39</u>
560	Intestinal obstruction without mention of hernia	47	25	22
562	Diverticula of intestine	19	14	5
564	Functional digestive disorders, not elsewhere classified	1	1	0
566	Abscess of anal and rectal regions	7	3	4
567	Peritonitis	13	8	5
568	Other disorders of peritoneum	1	1	0
569	Other disorders of intestine	12	9	3
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>375</u>	<u>293</u>	<u>82</u>
570	Acute and subacute necrosis of liver	4	4	0
571	Chronic liver disease and cirrhosis	181	144	37
572	Liver abscess and sequelae of chronic liver disease	40	29	11
573	Other disorders of liver	19	15	4
<u>574,575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>31</u>	<u>25</u>	<u>6</u>
574	Cholelithiasis	15	11	4
575	Other disorders of gallbladder	16	14	2
576	Other disorders of biliary tract	9	6	3
577	Diseases of pancreas	36	28	8
578	Gastrointestinal hemorrhage	52	39	13
579	Intestinal malabsorption	3	3	0
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>435</u>	<u>240</u>	<u>195</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>241</u>	<u>126</u>	<u>115</u>
580	Acute glomerulonephritis	2	1	1
581	Nephrotic syndrome	6	3	3
582	Chronic glomerulonephritis	24	10	14
583	Nephritis and nephropathy, unqualified	4	3	1
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>203</u>	<u>108</u>	<u>95</u>
584	Acute	34	19	15
585	Chronic	43	17	26
586	Unspecified	126	72	54
588	Disorders resulting from impaired renal function	2	1	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>169</u>	<u>105</u>	<u>64</u>
590	Infections of kidney	38	26	12
591	Hydronephrosis	1	1	0
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>7</u>	<u>7</u>	<u>0</u>
592	Of kidney and ureter	7	7	0
593	Other disorders of kidney and ureter	22	9	13
595	Cystitis	1	0	1
596	Other disorders of bladder	2	1	1
597	Urethritis, not sexually transmitted, and urethral syndrome	1	1	0

Table 10 - Page 10
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
598	Urethral stricture	1	1	0
599	Other disorders of urethra and urinary tract	96	59	37
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>17</u>	<u>6</u>	<u>11</u>
600	Hyperplasia of prostate	13	6	7
601	Inflammatory diseases of prostate	1	0	1
602	Other disorders of prostate	1	0	1
607	Disorders of penis	2	0	2
<u>610,611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>5</u>	<u>2</u>	<u>3</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	4	2	2
616	Inflammatory disease of cervix, vagina, and vulva	1	0	1
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>3</u>	<u>1</u>	<u>2</u>
619	Fistulae involving female genital tract	1	1	0
621	Disorders of uterus, not elsewhere classified	1	0	1
626	Disorders of menstruation and other abnormal bleeding from female genital tract	1	0	1
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>1</u>	<u>1</u>	<u>0</u>
630-639	Pregnancy with abortive outcome	0	0	0
640-648	Complications mainly related to pregnancy	0	0	0
650-659	Normal delivery, and other indications for care in pregnancy, labor, and delivery	0	0	0
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
670-676	Complications of the puerperium	1	1	0
673	Obstetrical pulmonary embolism	1	1	0
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>46</u>	<u>21</u>	<u>25</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>11</u>	<u>9</u>	<u>2</u>
681	Cellulitis and abscess of finger and toe	1	1	0
682	Other cellulitis and abscess	8	7	1
686	Other local infections of skin and subcutaneous tissue	2	1	1
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>3</u>	<u>0</u>	<u>3</u>
695	Erythematous conditions	3	0	3
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>32</u>	<u>12</u>	<u>20</u>
707	Chronic ulcer of skin	32	12	20
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>69</u>	<u>40</u>	<u>29</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>54</u>	<u>31</u>	<u>23</u>
710	Diffuse diseases of connective tissue	30	14	16
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>24</u>	<u>17</u>	<u>7</u>
711	Arthropathy associated with infections	1	0	1

Table 10 - Page 11
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
714	Rheumatoid arthritis and other inflammatory polyarthropathies	17	13	4
715	Osteoarthritis and allied disorders	5	4	1
716	Other and unspecified arthropathies	1	0	1
<u>720-724</u>	<u>Dorsopathies</u>	<u>2</u>	<u>1</u>	<u>1</u>
722	Intervertebral disc disorders	2	1	1
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>3</u>	<u>1</u>	<u>2</u>
728	Disorders of muscle, ligament, and fascia	1	1	0
729	Other disorders of soft tissues	2	0	2
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>10</u>	<u>7</u>	<u>3</u>
730	Osteomyelitis, periostitis, and other infections involving bone	2	2	0
731	Osteitis deformans and oestopathies associated with other disorders classified elsewhere	1	0	1
732	Osteochondropathies	1	1	0
733	Other disorders of bone and cartilage	5	3	2
737	Curvature of spine	1	1	0
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>158</u>	<u>90</u>	<u>68</u>
<u>740-742</u>	<u>Nervous system</u>	<u>22</u>	<u>15</u>	<u>7</u>
740	Anencephalus and similar anomalies	4	3	1
741	Spina bifida	7	6	1
742	Other congenital anomalies of nervous system	11	6	5
<u>743,744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>67</u>	<u>38</u>	<u>29</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	10	7	3
746	Heart	36	21	15
747	Other congenital anomalies of circulatory system	21	10	11
748	Respiratory system	9	5	4
<u>749-751</u>	<u>Digestive system</u>	<u>6</u>	<u>4</u>	<u>2</u>
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	5	3	2
<u>752,753</u>	<u>Genitourinary system</u>	<u>12</u>	<u>10</u>	<u>2</u>
753	Urinary system	12	10	2
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>11</u>	<u>5</u>	<u>6</u>
756	Other congenital musculoskeletal anomalies	11	5	6
757	Congenital anomalies of the integument	1	1	0
758	Chromosomal anomalies	15	7	8
759	Other and unspecified congenital anomalies	15	5	10
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>357</u>	<u>116</u>	<u>241</u>
760	Maternal conditions unrelated to present pregnancy	2	1	1
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>43</u>	<u>14</u>	<u>29</u>
761	Maternal complications of pregnancy	30	8	22

Table 10 - Page 12
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
762	Complications of placenta, cord, and membranes	11	5	6
763	Other complications of labor and delivery	2	1	1
<u>765,766</u>	<u>Disorders relating to gestation</u>	<u>58</u>	<u>7</u>	<u>51</u>
765	Short gestation and unspecified low birthweight	58	7	51
767	Birth trauma	10	5	5
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>165</u>	<u>70</u>	<u>95</u>
768	Intrauterine hypoxia and birth asphyxia	33	10	23
769	Respiratory distress syndrome	86	44	42
770	Other respiratory conditions of fetus and newborn	46	16	30
771	Infections specific to the perinatal period	28	7	21
772	Fetal and neonatal hemorrhage	21	7	14
775	Endocrine and metabolic disturbances specific to the fetus and newborn	2	2	0
776	Hematological disorders of fetus and newborn	1	0	1
777	Perinatal disorders of digestive system	10	1	9
778	Conditions involving the integument and temperature regulation of fetus and newborn	1	0	1
779	Other and ill-defined conditions originating in the perinatal period	16	2	14
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>1,447</u>	<u>640</u>	<u>807</u>
<u>780-789</u>	<u>Symptoms</u>	<u>19</u>	<u>13</u>	<u>6</u>
780	General	5	1	4
785	Involving cardiovascular system	10	8	2
786	Involving respiratory system and other chest symptoms	4	4	0
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>1</u>	<u>0</u>	<u>1</u>
790	Nonspecific findings on examination of blood	1	0	1
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>1,427</u>	<u>627</u>	<u>800</u>
797	Senility without mention of psychosis	63	18	45
798	Sudden death, cause unknown	81	22	59
799	Other ill-defined and unknown causes	1,283	587	696
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,171</u>	<u>1,352</u>	<u>819</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,513</u>	<u>996</u>	<u>517</u>
<u>800-807</u>	<u>Railway</u>	<u>5</u>	<u>2</u>	<u>3</u>
800	Involving collision with rolling stock	1	1	0
805	Hit by rolling stock	4	1	3
<u>810-825</u>	<u>Motor vehicle</u>	<u>755</u>	<u>541</u>	<u>214</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>728</u>	<u>522</u>	<u>206</u>
810	Involving collision with train	12	7	5
812	Involving collision with another motor vehicle	283	221	62
813	Involving collision with other vehicle	5	4	1
814	Involving collision with pedestrian	68	29	39
815	Other involving collision on the highway	40	30	10
816	Due to loss of control, without collision on the highway	209	152	57
818	Other noncollision	6	3	3

Table 10 - Page 13
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
819	Of unspecified nature	105	76	29
(820-825)	(Nontraffic)	27	19	8
821	Involving other off-road motor vehicle	1	1	0
822	Involving collision of another motor vehicle with moving object	11	6	5
823	Involving collision of other motor vehicle with stationary object	2	2	0
825	Of other and unspecified nature	13	10	3
826-829	<u>Other road vehicle</u>	2	2	0
828	Involving animal being ridden	2	2	0
830-838	<u>Water transport</u>	31	22	9
830	Accident to watercraft causing submersion	9	4	5
831	Accident to watercraft causing other injury	2	2	0
832	Other submersion or drowning in water transport	19	15	4
838	Other and unspecified	1	1	0
840-845	<u>Air and space transport</u>	20	18	2
841	Accident to powered aircraft, other and unspecified	18	16	2
844	Other specified air transport accidents	2	2	0
846-848	<u>Vehicle accidents not elsewhere classifiable</u>	0	0	0
850-869	<u>Poisoning</u>	56	36	20
(850-858)	(By drugs, medicaments, and biologicals)	26	19	7
850	Analgesics, antipyretics, antirheumatics	6	5	1
853	Tranquillizers	1	1	0
854	Other psychotropic agents	2	2	0
855	Other drugs acting on central and autonomic nervous systems	1	0	1
856	Antibiotics	1	1	0
858	Other drugs	15	10	5
(860-869)	(By other solid and liquid substances, gases, and vapors)	30	17	13
860	Alcohol, not elsewhere classified	5	4	1
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	3	1	2
864	Corrosives and caustics, not elsewhere classified	2	1	1
866	Other and unspecified solid and liquid substances	4	2	2
867	Gas distributed by pipeline	3	0	3
868	Other utility gas and other carbon monoxide	10	7	3
869	Other gases and vapors	3	2	1
870-876	<u>Misadventures to patients during surgical and medical care</u>	4	2	2
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	3	2	1
876	Other and unspecified misadventures during medical care	1	0	1
878,879	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	17	11	6

Table 10 - Page 14
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
878	Surgical operation or other surgical procedure	15	10	5
879	Other procedures	2	1	1
<u>880-888</u>	<u>Falls</u>	<u>111</u>	<u>93</u>	<u>18</u>
880	On or from stairs or steps	5	5	0
881	On or from ladders or scaffolding	6	6	0
882	From or out of building or other structure	3	3	0
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	3	2	1
887	Fracture, cause unspecified	54	43	11
888	Other and unspecified fall	39	33	6
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>114</u>	<u>42</u>	<u>72</u>
890	Conflagration in private dwelling	86	25	61
891	Conflagration in other and unspecified building or structure	1	0	1
892	Conflagration not in building or structure	2	2	0
893	Ignition of clothing	12	7	5
894	Ignition of highly inflammable material	2	2	0
895	Controlled fire in private dwelling	2	1	1
896	Controlled fire in other and unspecified building or structure	1	1	0
898	Other specified fire and flames	5	3	2
899	Unspecified fire	3	1	2
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>39</u>	<u>19</u>	<u>20</u>
900	Excessive heat	5	2	3
901	Excessive cold	12	3	9
904	Hunger, thirst, exposure, and neglect	8	3	5
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	1	0
906	Other injury caused by animals	1	1	0
907	Lightning	6	4	2
908	Cataclysmic storms and floods resulting from storms	4	3	1
909	Cataclysmic earth surface movements and eruptions	2	2	0
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and Foreign bodies</u>	<u>162</u>	<u>79</u>	<u>83</u>
910	Drowning and submersion	92	38	54
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	27	15	12
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	36	22	14
913	Mechanical suffocation	7	4	3
<u>916-929</u>	<u>Other accidents</u>	<u>195</u>	<u>128</u>	<u>67</u>
916	Struck by falling object	17	13	4
917	Striking against or struck by objects or persons	5	5	0
918	Caught accidentally in or between objects	2	0	2

Table 10 - Page 15
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total	White	Non-white
919	Caused by machinery	22	15	7
920	Caused by cutting and piercing instruments or objects	2	0	2
921	Caused by explosion of pressure vessel	1	1	0
922	Caused by firearm missile	69	42	27
923	Caused by explosive material	12	8	4
924	Caused by hot substance or object, caustic or corrosive material, and steam	3	0	3
925	Caused by electric current	18	15	3
927	Overexertion and strenuous movements	1	1	0
928	Other and unspecified environmental and accidental causes	34	23	11
929	Late effects of accidental injury	9	5	4
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>2</u>	<u>1</u>	<u>1</u>
947	Other and unspecified drugs and medicaments	2	1	1
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>221</u>	<u>190</u>	<u>31</u>
<u>950-952</u>	<u>By poisoning</u>	<u>17</u>	<u>13</u>	<u>4</u>
950	By solid or liquid substances	11	8	3
951	By gases in domestic use	1	0	1
952	By other gases and vapors	5	5	0
953	By hanging, strangulations, and suffocation	12	7	5
954	By submersion (drowning)	1	1	0
955	By firearms and explosives	179	158	21
956	By cutting and piercing instruments	5	5	0
957	By jumping from high place	2	2	0
958	By other and unspecified means	5	4	1
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>412</u>	<u>152</u>	<u>260</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>404</u>	<u>150</u>	<u>254</u>
962	Assault by poisoning	24	15	9
963	Assault by hanging and strangulation	8	6	2
965	Assault by firearms and explosives	269	100	169
966	Assault by cutting and piercing instrument	66	15	51
967	Child battering and other maltreatment	3	2	1
968	Assault by other and unspecified means	34	12	22
<u>970-978</u>	<u>Legal intervention</u>	<u>8</u>	<u>2</u>	<u>6</u>
970	Injury by firearms	8	2	6
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>25</u>	<u>14</u>	<u>11</u>
980	Poisoning by solid or liquid substances	3	1	2
982	Poisoning by other gases	1	1	0
984	Submersion (drowning)	2	2	0
985	Injury by firearms and explosives	19	10	9
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1982

Table 11 - Page 2
 Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total		Race#	Total by Race	Sex	Total by Race and Sex	Age	Over 65 and Unknown	
		Number	Rate#							
240-279	Endocrine, nutritional, and metabolic diseases and immunity disorders	519	20.3	W	251	M	102 149 165	F	17 23 28	55 108 113
250	Diabetes mellitus	361	14.2	W	177	M	71 106 127	F	7 1 12	14 18 24
260-269	Nutritional deficiencies	27	1.0	W	13	M	4 9 7	F	0 0 0	4 8 0
280-289	Diseases of blood and blood-forming organs	86	3.4	W	57	M	21 36 14 15	F	0 1 1 0	18 26 5 9
280-285	Anemias	48	1.9	W	26	M	11 15 10 12	F	0 0 1 0	0 0 2 1
290-319	Mental disorders	122	4.8	W	72	M	39 33 33 17	F	1 0 0 0	5 0 0 0
303	Alcoholism	18	0.7	W	5	M	5 0 11 2	F	2 0 0 0	2 0 1 0
										0 0 0 0

Table 11 - Page 3
Deaths - Mississippi - 1982

Inter-national Classification Number*	Cause*	Total Number	Rate#	Race#	Total by Race	Total by Sex	Race and Sex	Total by Race and Sex	Age	Unknown											
										Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and over		
320-389	Diseases of the nervous system and sense organs	222	8.7	W	142	M	73 69 57 23	80	NW	6 2 6 7	3 0 5 1	0 1 0 0	0 0 0 0	0 1 0 0	0 0 0 0	4 9 6 1	40 44 14 8	0 0 0 0			
320-322	Meningitis	21	0.8	W	7	M	4	2	NW	1 0 0 0	1 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 1 1 0	0 0 0 0	0 0 0 0			
345	Epilepsy	17	0.7	W	4	M	2	0	NW	1 0 0 0	1 0 0 0	0 0 0 0	0 0 0 0	0 1 4 1	2 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0			
390-459	Diseases of the circulatory system	10,858	425.6	W	7,234	M	3,696 3,538 1,783 1,841	3,624	NW	7 3 5 3	2 2 3 1	1 1 1 0	1 1 1 0	0 3 8 7	12 13 25 14	88 29 61 38	245 83 136 98	628 247 285 228	2,708 3,155 1,251 1,445	0 1 6 6	
390-398, 402, 404-429	Heart diseases	8,195	321.2	W	5,583	M	3,004 2,579 1,330 1,282	2,612	NW	7 3 4 3	1 1 1 0	0 1 1 0	0 3 1 0	0 10 8 4	1 3 1 0	10 10 21 12	76 227 47 31	546 227 106 62	2,133 2,279 222 175	0 1 6 5	
401,403	Hypertension	91	3.6	W	47	M	22	0	NW	4 14 30	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	1 1 0	1 1 0	1 0 0	17 0 25	0 0 0	0 0 0
430-438	Cerebrovascular diseases	2,093	82.0	W	1,266	M	516 750 380 447	827	NW	44 14 30 F	0 0 0 0	0 0 0 0	0 0 0 0	0 1 3 1	7 11 10 3	12 20 28 10	56 35 52 34	440 681 286 359	0 0 0 0	0 0 0 0	

Table 11 - Page 4
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total		Rate#	Race	Total by Race	Sex	Total by Race and Sex	Age	Over 65 and unknown
		Number	Rate#		Male		Female			
440	Atherosclerosis	237	9.3	W	165	M	F	57	0	55 0
				NW	72	M	F	108	0	106 0
					44	F		28	0	26 0
					0			44	1	41 1
<u>460-519</u>	<u>Diseases of the respiratory system</u>	<u>1,287</u>	<u>50.4</u>	W	<u>963</u>	M	F	<u>598</u>	4	<u>488</u> 0
				NW	<u>324</u>	M	F	<u>365</u>	<u>2</u>	<u>306</u> 0
						M	F	<u>203</u>	<u>9</u>	<u>134</u> 1
						F		<u>121</u>	<u>11</u>	<u>77</u> 1
480-486	Pneumonia	487	19.1	W	329	M	F	165	2	7 0
				NW	158	M	F	164	1	6 0
					92	F		8	0	148 0
					66			2	0	60 0
					8			1	1	40 1
487	Influenza	11	0.4	W	6	M	F	3	0	3 0
				NW	5	M	F	3	0	2 0
					4	F		1	0	0 0
					1			0	0	0 0
492	Emphysema	82	3.2	W	66	M	F	51	0	9 0
				NW	16	M	F	15	0	5 0
					10	F		6	0	3 0
					6			0	0	7 0
					0			0	0	2 4
490,491, 493-496	Other chronic ob- structive pulmonary diseases and allied conditions	472	18.5	W	397	M	F	284	0	33 0
				NW	75	M	F	113	0	22 0
					51	F		1	0	6 0
					24			0	0	1 0
					0			1	3	15 0
<u>520-579</u>	<u>Diseases of the digestive system</u>	<u>662</u>	<u>26.0</u>	W	<u>484</u>	M	F	<u>269</u>	<u>2</u>	<u>35</u> 0
				NW	<u>178</u>	M	F	<u>215</u>	<u>0</u>	<u>70</u> 0
						M	F	<u>94</u>	<u>5</u>	<u>27</u> 0
						F		<u>84</u>	<u>3</u>	<u>19</u> 0
									<u>7</u>	<u>11</u> 0

Table 11 - Page 5
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total		Race#	Total by Race	Sex	Total by Race	Race#	Number	Total by Race and Sex	Age	65 and over Unknown
		Total	Rate#									
531-533	Ulcer of stomach and duodenum	58	2.3	W	43	M	21	M	15	NW	15	0
571	Chronic liver disease and cirrhosis	181	7.1	W	144	M	96	0	0	F	22	0
580-629	Diseases of the genitourinary system	435	17.0	W	240	M	102	0	0	F	11	0
580-589	Nephritis, nephrotic syndrome, and nephrosis	241	9.4	W	126	M	59	2	0	F	94	0
590	Infections of kidney	38	1.5	W	26	M	23	0	0	F	101	0
630-676	Complications of pregnancy, childbirth, and the puerperium	1	2.2	W	1	M	0	0	0	M	12	0
680-709	Diseases of the skin and subcutaneous tissue	46	1.8	W	21	M	9	0	0	F	11	0
					NW	0	0	0	0	W	14	0
					NW	25	0	0	0	M	9	0
					NW	0	0	0	0	F	12	0

Table 11 - Page 6
Deaths - Mississippi - 1982

International Classification Number*	Cause*	Total		Race#	Total by Race	Sex	Total by Race and Sex	Lmder	65 and over	Unknown	Age
		Number	Rate#								
710-739	Diseases of the musculoskeletal system and connective tissue	69	2.7	W	40	M	14 26				
				NW	29	F	10 19				
740-759	Congenital anomalies	158	6.2	W	90	M	49 41	32 20	38 29	11 24	
				NW	68	M	38 30	20 24	3 2		
760-779	Certain conditions originating in the perinatal period	357	7.8	W	116	M	76 40	40 27	127 114	14 11	
				NW	241	F	127 114	0 0	13 5	35 21	
780-799	Symptoms, signs, and ill-defined conditions	1,447	56.7	W	640	M	398 242	19 10	35 38	77 43	
				NW	807	F	450 357	10 38	13 4	31 21	
800-999	All external causes	2,171	85.1	W	1,352	M	948 404	4 10	11 13	190 155	
				NW	819	F	623 196	13 6	16 25	61 41	
810-825	Motor vehicle accidents	755	29.6	W	541	M	363 178	2 5	6 4	73 35	
				NW	214	F	175 39	0 9	5 3	31 27	
800-807, 826-949	All other accidents and adverse effects	758	29.7	W	455	M	319 136	1 4	5 8	40 11	
				NW	303	F	211 92	11 6	13 2	34 19	

Table 11 - Page 7
Deaths - Mississippi - 1982

Inter-national Classification Number*	Cause*	Total		Race#	Total by Race	Total by Race and Sex	Age	Age										
		Number	Rate#					1-4	5-9	10-14	15-24	25-34	35-44					
950-959	Suicide	221	8.7	W	190	M	140	0	0	1	29	32	18	15	19	26	0	
				NW	31	F	50	0	0	0	3	10	9	12	10	6	0	
				M	26	F	26	0	0	0	1	9	5	4	1	3	0	
				F	5		5	0	0	0	0	1	1	0	0	2	0	
960-978	Homicide and legal intervention	412	16.2	W	152	M	114	1	0	0	1	22	30	20	19	11	9	1
				NW	260	F	38	1	1	0	0	6	7	8	9	3	0	
				M	203	F	57	0	0	0	1	1	54	52	46	19	14	13
				F	57						0	19	16	11	3	1	7	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-676) are per 100,000 live births and deaths from certain conditions originating in the perinatal period (classification numbers 760-779) are per 1,000 live births.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1982

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	706	249	457	467	166	301	239	83	156
Adams	8	3	5	4	1	3	4	2	2
Alcorn	3	2	1	3	2	1	0	0	0
Amite	1	0	1	1	0	1	0	0	0
Attala	6	1	5	4	1	3	2	0	2
Benton	0	0	0	0	0	0	0	0	0
Bolivar	21	2	19	11	1	10	10	1	9
Calhoun	4	0	4	4	0	4	0	0	0
Carroll	3	1	2	2	1	1	1	0	1
Chickasaw	3	1	2	3	1	2	0	0	0
Choctaw	2	2	0	1	1	0	1	1	0
Claiborne	3	2	1	3	2	1	0	0	0
Clarke	3	3	0	1	1	0	2	2	0
Clay	7	2	5	5	2	3	2	0	2
Coahoma	25	0	25	12	0	12	13	0	13
Copiah	8	4	4	7	4	3	1	0	1
Covington	5	3	2	2	2	0	3	1	2
DeSoto	11	9	2	6	5	1	5	4	1
Forrest	13	8	5	10	6	4	3	2	1
Franklin	1	1	0	1	1	0	0	0	0
George	4	3	1	2	2	0	2	1	1
Greene	3	1	2	1	0	1	2	1	1
Grenada	6	1	5	5	1	4	1	0	1
Hancock	3	3	0	1	1	0	2	2	0
Harrison	39	20	19	29	12	17	10	8	2
Hinds	74	18	56	51	13	38	23	5	18
Holmes	13	1	12	9	1	8	4	0	4
Humphreys	12	3	9	6	1	5	6	2	4
Issaquena	0	0	0	0	0	0	0	0	0
Itawamba	3	3	0	1	1	0	2	2	0
Jackson	30	17	13	22	12	10	8	5	3
Jasper	4	1	3	3	1	2	1	0	1
Jefferson	1	0	1	1	0	1	0	0	0
Jeff Davis	4	1	3	2	0	2	2	1	1
Jones	27	14	13	22	12	10	5	2	3
Kemper	3	0	3	3	0	3	0	0	0
Lafayette	5	1	4	3	0	3	2	1	1
Lamar	2	2	0	2	2	0	0	0	0
Lauderdale	20	10	10	17	8	9	3	2	1
Lawrence	2	1	1	2	1	1	0	0	0
Leake	12	2	10	9	1	8	3	1	2
Lee	8	4	4	6	3	3	2	1	1
Leflore	21	4	17	14	3	11	7	1	6

Table 12A - Page 2
 Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1982

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	10	3	7	7	3	4	3	0	3
Lowndes	16	8	8	14	8	6	2	0	2
Madison	15	7	8	10	5	5	5	2	3
Marion	6	1	5	1	0	1	5	1	4
Marshall	6	1	5	3	1	2	3	0	3
Monroe	14	10	4	10	7	3	4	3	1
Montgomery	1	0	1	0	0	0	1	0	1
Neshoba	5	0	5	3	0	3	2	0	2
Newton	5	0	5	4	0	4	1	0	1
Noxubee	4	1	3	3	1	2	1	0	1
Oktibbeha	7	2	5	5	1	4	2	1	1
Panola	10	1	9	7	1	6	3	0	3
Pearl River	5	3	2	2	1	1	3	2	1
Perry	1	1	0	0	0	0	1	1	0
Pike	9	2	7	5	1	4	4	1	3
Pontotoc	1	0	1	0	0	0	1	0	1
Prentiss	5	5	0	4	4	0	1	1	0
Quitman	8	0	8	5	0	5	3	0	3
Rankin	14	5	9	10	2	8	4	3	1
Scott	10	2	8	6	1	5	4	1	3
Sharkey	5	1	4	3	0	3	2	1	1
Simpson	9	6	3	6	3	3	3	3	0
Smith	2	1	1	1	0	1	1	1	0
Stone	2	1	1	1	1	0	1	0	1
Sunflower	15	1	14	5	0	5	10	1	9
Tallahatchie	1	0	1	0	0	0	1	0	1
Tate	4	3	1	2	1	1	2	2	0
Tippah	3	3	0	3	3	0	0	0	0
Tishomingo	3	3	0	3	3	0	0	0	0
Tunica	6	0	6	5	0	5	1	0	1
Union	2	1	1	0	0	0	2	1	1
Walthall	7	2	5	4	0	4	3	2	1
Warren	14	7	7	12	6	6	2	1	1
Washington	29	4	25	19	3	16	10	1	9
Wayne	4	4	0	1	1	0	3	3	0
Webster	5	2	3	3	1	2	2	1	1
Wilkinson	2	0	2	0	0	0	2	0	2
Winston	7	2	5	4	1	3	3	1	2
Yalobusha	2	1	1	0	0	0	2	1	1
Yazoo	9	1	8	5	1	4	4	0	4

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1978-1982 (5-YEAR AVERAGE)

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	16.9	11.1	23.0	11.1	7.6	14.7	5.8	3.5	8.3
Adams	16.2	9.4	21.1	11.0	6.0	14.7	5.1	3.4	6.4
Alcorn	12.6	10.0	26.5	9.3	7.5	18.6	3.4	2.5	8.0
Amite	13.8	2.2	22.5	9.2	-	16.0	4.6	2.2	6.4
Attala	20.4	7.2	32.2	13.6	4.3	21.9	6.8	2.9	10.3
Benton	7.5	6.1	8.9	6.0	6.1	6.0	1.5	-	3.0
Bolivar	24.3	13.8	27.3	16.3	9.8	18.2	8.0	4.1	9.1
Calhoun	21.2	14.2	31.7	13.6	9.9	19.0	7.6	4.2	12.7
Carroll	21.6	3.4	36.5	10.8	3.4	16.8	10.8	-	19.7
Chickasaw	16.8	6.0	26.7	12.7	3.6	21.2	4.0	2.4	5.6
Choctaw	9.0	9.6	8.4	2.6	2.4	2.8	6.4	7.2	5.6
Claiborne	21.8	9.2	24.6	17.6	9.2	19.5	4.2	-	5.1
Clarke	13.8	12.5	15.2	9.2	8.8	9.6	4.6	3.8	5.5
Clay	18.5	10.3	23.2	12.8	9.0	15.0	5.7	1.3	8.2
Coahoma	24.4	10.0	28.6	14.6	7.8	16.5	9.9	2.2	12.0
Copiah	16.0	7.8	20.8	9.0	5.6	11.0	7.0	2.2	9.8
Covington	23.9	13.3	34.0	16.8	9.3	24.0	7.1	4.0	10.1
DeSoto	13.5	12.4	17.1	9.0	8.8	9.6	4.5	3.6	7.5
Forrest	15.5	14.2	17.5	11.6	10.8	13.0	3.9	3.5	4.5
Franklin	14.9	19.0	10.8	8.1	13.6	2.7	6.8	5.4	8.1
George	14.3	12.9	21.6	8.2	8.1	8.6	6.1	4.8	12.9
Greene	14.9	11.2	24.4	6.9	1.6	20.3	8.0	9.6	4.1
Grenada	17.4	10.0	24.0	14.2	8.9	19.0	3.2	1.1	5.0
Hancock	8.9	9.1	7.5	5.2	5.5	3.7	3.6	3.6	3.7
Harrison	12.9	10.8	18.7	8.2	7.1	11.1	4.7	3.6	7.6
Hinds	14.4	6.8	19.4	9.8	5.0	13.1	4.6	1.8	6.4
Holmes	17.8	10.0	19.3	10.1	10.0	10.1	7.8	-	9.2
Humphreys	37.3	21.1	41.7	23.2	12.1	26.2	14.2	9.1	15.5
Issaquena	22.8	-	37.3	13.7	-	22.4	9.1	-	14.9
Itawamba	12.7	14.3	-	6.7	7.6	-	6.0	6.7	-
Jackson	13.9	10.4	23.3	10.6	7.8	18.2	3.2	2.5	5.1
Jasper	18.1	12.2	21.2	9.0	7.0	10.1	9.0	5.2	11.1
Jefferson	14.6	-	16.2	12.7	-	14.0	1.9	-	2.2
Jeff Davis	15.4	9.2	18.5	9.2	6.9	10.4	6.2	2.3	8.1
Jones	18.6	14.0	27.0	12.1	9.4	16.9	6.5	4.6	10.0
Kemper	20.0	7.0	26.6	10.6	-	16.0	9.4	7.0	10.6
Lafayette	11.1	8.2	14.6	5.5	4.6	6.7	5.5	3.6	7.9
Lamar	8.0	7.2	13.0	5.2	5.0	6.5	2.8	2.2	6.5
Lauderdale	15.5	13.6	17.8	11.1	8.8	13.8	4.4	4.8	4.1
Lawrence	8.7	4.5	14.4	7.0	3.0	12.4	1.7	1.5	2.1
Leake	20.2	10.4	28.9	14.1	6.5	20.8	6.1	3.9	8.1
Lee	16.2	12.4	24.1	9.6	6.6	15.7	6.6	5.8	8.4
Leflore	25.9	16.3	29.9	18.4	12.4	21.0	7.4	3.9	9.0

Table 12B - Page 2
 Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1978-1982

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	15.1	10.3	21.8	9.5	7.5	12.3	5.6	2.7	9.5
Lowndes	17.8	13.4	23.4	12.0	9.9	14.8	5.8	3.5	8.6
Madison	18.2	12.2	21.8	11.5	9.0	13.0	6.7	3.2	8.8
Marion	15.2	10.5	22.4	7.6	6.3	9.6	7.6	4.2	12.8
Marshall	14.7	10.6	17.2	9.0	6.7	10.3	5.7	3.8	6.9
Monroe	18.4	18.4	18.4	11.1	11.9	10.0	7.3	6.5	8.4
Montgomery	14.4	11.9	16.3	5.1	6.0	4.4	9.4	6.0	11.9
Neshoba	14.8	7.1	24.3	8.9	5.3	13.3	5.9	1.8	11.1
Newton	13.4	8.4	19.1	9.6	6.0	13.6	3.8	2.4	5.4
Noxubee	22.3	11.0	26.1	11.8	8.3	13.0	10.4	2.8	13.0
Oktibbeha	19.0	9.0	27.7	13.5	6.0	20.0	5.5	3.0	7.7
Panola	23.1	6.0	32.1	13.8	3.0	19.5	9.3	3.0	12.6
Pearl River	13.0	10.8	21.8	6.8	5.4	12.7	6.1	5.4	9.1
Perry	16.5	16.8	15.7	13.6	12.6	15.7	2.9	4.2	-
Pike	20.0	12.2	25.8	13.8	9.3	17.2	6.2	2.9	8.6
Pontotoc	14.4	13.1	19.3	9.6	10.5	6.4	4.8	2.6	12.9
Prentiss	13.2	10.1	27.8	9.0	8.7	10.4	4.2	1.4	17.4
Quitman	25.3	-	34.2	15.5	-	20.9	9.8	-	13.3
Rankin	10.7	7.9	20.1	7.4	5.0	15.5	3.3	2.9	4.6
Scott	17.3	11.0	25.2	11.7	7.6	16.8	5.6	3.4	8.4
Sharkey	22.2	16.5	23.8	13.9	12.3	14.3	8.3	4.1	9.5
Simpson	16.3	13.5	20.0	11.0	9.3	13.3	5.3	4.2	6.7
Smith	21.9	15.7	33.2	11.8	10.5	14.2	10.1	5.2	19.0
Stone	12.0	11.2	13.5	7.2	9.3	3.4	4.8	1.8	10.1
Sunflower	23.3	9.1	27.4	16.5	5.7	19.6	6.8	3.4	7.8
Tallahatchie	26.3	19.7	28.5	17.5	15.3	18.3	8.8	4.4	10.2
Tate	19.1	16.2	21.6	10.4	8.8	11.9	8.7	7.5	9.7
Tippah	19.4	17.6	25.2	14.1	12.3	19.6	5.4	5.3	5.6
Tishomingo	13.3	14.0	-	9.4	9.9	-	3.9	4.1	-
Tunica	31.3	15.6	34.3	16.9	10.4	18.2	14.4	5.2	16.2
Union	9.2	7.3	16.8	5.8	4.4	11.2	3.5	2.9	5.6
Walthall	19.6	7.2	29.2	13.4	1.8	22.3	6.3	5.4	7.0
Warren	19.6	13.0	26.6	14.6	10.1	19.3	5.0	2.8	7.3
Washington	17.3	12.2	19.5	11.1	10.2	11.4	6.2	2.0	8.1
Wayne	16.8	14.4	19.7	11.0	8.6	13.9	5.8	5.8	5.8
Webster	21.2	16.1	31.0	14.2	14.3	13.8	7.1	1.8	17.2
Wilkinson	17.6	8.5	20.8	11.0	8.5	11.9	6.6	-	8.9
Winston	14.8	14.8	14.8	9.3	11.9	7.4	5.6	3.0	7.4
Yalobusha	19.8	12.8	26.6	15.3	11.0	19.5	4.5	1.8	7.1
Yazoo	24.4	13.1	30.4	13.2	7.0	16.6	11.2	6.0	13.9

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1982

Cause of Death and International Classification Number**	Total		Race	Total by Race	Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
<u>ALL CAUSES</u>	<u>706</u>	<u>15.4</u>	W	<u>249</u>	<u>166</u>	<u>77</u>	<u>55</u>	<u>14</u>	<u>11</u>	<u>9</u>	<u>83</u>
Meningococcal infection (036)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
Septicemia (038)	9	0.2	W	2	0	0	0	0	0	0	2
			NW	7	0	0	0	0	0	0	7
Other infectious and parasitic diseases (001-035, 037, 039-139)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	0	0	0	0	0	0	3
Meningitis (320-322)	13	0.3	W	3	2	0	0	0	2	0	1
			NW	10	4	0	0	1	2	1	6
Acute upper respiratory infections (460-465)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
Bronchitis and bronchiolitis (466, 490, 491)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
Pneumonia and influenza (480-487)	20	0.4	W	3	0	0	0	0	0	0	3
			NW	17	1	0	0	0	0	1	16
Hernia and intestinal obstruction (550-553, 560)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	1	0	0	0
Congenital anomalies (740-759)	105	2.3	W	52	43	17	14	6	1	5	9
			NW	53	40	13	23	2	1	1	13
Maternal conditions unrelated to pregnancy (760)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0
Maternal complications of pregnancy (761)	30	0.6	W	8	8	8	0	0	0	0	0
			NW	22	22	20	1	0	1	0	0
Complications of placenta, cord, and membranes (762)	11	0.2	W	5	5	5	0	0	0	0	0
			NW	6	6	6	0	0	0	0	0
Other complications of labor and delivery (763)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Disorders relating to short gestation and unspecified low birth-weight (765)	58	1.3	W	7	7	6	0	1	0	0	0
			NW	51	51	50	1	0	0	0	0

Table 13 - Page 2
 Infant Deaths - Mississippi - 1982

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over	
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27		
Birth trauma (767)	10	0.2	W NW	5 5	5	0	2	1	1	1	0	0
Intrauterine hypoxia and birth asphyxia (768)	33	0.7	W NW	10 23	10	6	4	0	0	0	0	0
Respiratory distress syndrome (769)	86	1.9	W NW	44 42	41	17	19	3	2	0	0	3
Infections specific to the perinatal period (771)	28	0.6	W NW	7 21	7	2	3	2	0	0	0	0
Neonatal hemorrhage (772)	21	0.4	W NW	7 14	7	1	5	0	0	1	0	0
Hemorrhagic disease of newborn (776.0)	1	##	W NW	0 1	0	0	0	0	0	0	0	0
Sudden infant death syndrome (798.0)	75	1.6	W NW	21 54	0	0	0	0	0	0	1	21 50
All other symptoms, signs, and ill-defined conditions (780-797, 798.1-799)	27	0.6	W NW	8 19	0	0	0	0	0	0	0	8 15
Accidents (800-949)	30	0.6	W NW	12 18	1	0	0	0	1	0	0	11 16
All other causes	137	3.0	W NW	51 86	28	13	8	1	4	2	6	23 27

* Deaths of children under 1 year of age.

** Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Deaths per 1,000 live births.

Less than 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1982

County	Total	Motor Vehicle	Water Transport	Poison-ing	Falls	Fires and Flames	Drowning and Sub-mersion	Fire-arms	All Other
STATE	1,527	777	35	54	108	110	99	72	272
Adams	15	5	0	1	5	0	1	0	3
Alcorn	25	16	0	0	3	2	0	0	4
Amite	3	2	0	0	0	0	0	0	1
Attala	9	6	0	0	0	0	1	0	2
Benton	1	1	0	0	0	0	0	0	0
Bolivar	21	9	0	1	0	1	4	1	5
Calhoun	8	3	0	0	0	1	0	1	3
Carroll	2	0	0	0	0	1	0	0	1
Chickasaw	9	6	0	0	1	1	0	0	1
Choctaw	1	0	0	0	1	0	0	0	0
Claiborne	14	7	0	0	0	0	3	1	3
Clarke	10	8	0	0	0	1	0	0	1
Clay	8	2	0	1	0	1	1	0	3
Coahoma	22	12	2	0	1	0	4	2	1
Copiah	7	6	0	0	1	0	0	0	0
Covington	11	5	0	0	0	1	1	1	3
DeSoto	7	3	0	0	0	0	4	0	0
Forrest	62	45	0	2	6	3	1	3	2
Franklin	3	2	0	0	0	1	0	0	0
George	12	9	0	0	0	0	0	1	2
Greene	4	4	0	0	0	0	0	0	0
Grenada	17	7	1	0	3	2	1	1	2
Hancock	25	12	1	1	1	0	4	0	6
Harrison	100	40	4	13	6	2	3	1	31
Hinds	182	96	0	7	26	10	4	4	35
Holmes	11	6	1	1	1	0	1	0	1
Humphreys	8	2	0	0	0	0	3	2	1
Issaquena	1	0	0	0	0	1	0	0	0
Itawamba	10	2	0	0	0	1	1	1	5
Jackson	62	29	7	1	3	5	2	4	11
Jasper	4	3	0	0	0	1	0	0	0
Jefferson	12	8	0	0	0	0	1	1	2
Jeff Davis	13	5	0	1	1	5	0	1	0
Jones	28	13	0	1	2	0	3	3	6
Kemper	6	4	1	0	0	0	0	1	0
Lafayette	19	9	1	0	4	0	0	5	0
Lamar	7	5	0	1	0	0	1	0	0
Lauderdale	51	27	1	2	3	3	1	4	10
Lawrence	4	2	0	0	0	0	0	1	1
Leake	13	4	3	2	1	0	1	1	1
Lee	58	37	0	2	7	2	3	2	5
Leflore	30	9	2	0	1	1	4	0	13

Table 14 - Page 2
 Accidental Deaths - Mississippi - 1982

County	Total	Motor Vehicle	Water Transport	Poison-ing	Falls	Fires and Flames	Drowning and Sub-mersion	Fire-arms	All Other
Lincoln	17	12	0	0	0	1	1	0	3
Lowndes	34	17	0	1	1	1	3	2	9
Madison	16	9	0	0	0	5	0	1	1
Marion	14	6	0	0	0	0	1	5	2
Marshall	19	9	0	0	1	4	1	0	4
Monroe	13	9	0	2	0	0	0	0	2
Montgomery	7	2	0	0	3	0	0	0	2
Neshoba	16	6	2	0	0	0	3	1	4
Newton	9	7	0	0	0	0	1	0	1
Noxubee	9	5	0	0	0	3	1	0	0
Oktibbeha	18	10	0	0	1	1	0	2	4
Panola	19	10	0	0	0	3	3	1	2
Pearl River	20	13	1	1	1	0	2	0	2
Perry	6	3	0	0	0	0	2	0	1
Pike	19	7	0	1	3	1	5	0	2
Pontotoc	8	6	0	0	0	1	0	0	1
Prentiss	10	5	0	0	0	0	1	1	3
Quitman	9	0	0	2	0	6	1	0	0
Rankin	36	20	2	1	2	0	1	2	8
Scott	12	5	1	0	2	0	1	0	3
Sharkey	8	4	0	0	0	1	1	0	2
Simpson	17	10	0	1	1	1	1	1	2
Smith	11	7	0	0	0	0	0	2	2
Stone	3	2	0	0	0	1	0	0	0
Sunflower	16	4	0	0	0	8	1	0	3
Tallahatchie	10	8	0	0	0	0	2	0	0
Tate	9	6	0	0	0	0	1	1	1
Tippah	7	3	0	0	1	0	0	1	2
Tishomingo	19	14	0	1	0	0	1	0	3
Tunica	5	3	1	0	0	0	0	1	0
Union	9	2	0	0	4	1	0	0	2
Walthall	3	1	0	1	0	0	0	0	1
Warren	43	20	0	1	3	5	1	4	9
Washington	66	25	2	2	4	17	4	2	10
Wayne	22	12	0	2	1	2	1	1	3
Webster	5	3	0	0	0	0	1	0	1
Wilkinson	10	4	0	0	0	0	0	1	5
Winston	15	7	1	0	2	0	0	1	4
Yalobusha	5	1	1	0	0	1	1	0	1
Yazoo	18	9	0	1	1	1	4	0	2

TABLE 15
 MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
 ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
 ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
 MISSISSIPPI, 1982

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
STATE	27,584	20,547	7,037	27,584	20,547	7,037	25,261	18,622	6,639
Adams	465	315	150	463	313	150	398	257	141
Alcorn	437	395	42	440	399	41	344	317	27
Amite	114	76	38	128	86	42	109	68	41
Attala	178	115	63	166	105	61	151	96	55
Benton	55	36	19	66	47	19	56	34	22
Bolivar	372	190	182	364	178	186	357	177	180
Calhoun	131	91	40	130	91	39	136	95	41
Carroll	72	43	29	85	51	34	66	38	28
Chickasaw	200	136	64	182	120	62	176	121	55
Choctaw	89	67	22	87	67	20	92	69	23
Claiborne	105	38	67	106	41	65	79	24	55
Clarke	168	105	63	188	126	62	173	109	64
Clay	193	121	72	190	122	68	187	115	72
Coahoma	281	149	132	273	136	137	263	134	129
Copiah	226	157	69	251	176	75	218	148	70
Covington	150	110	40	162	119	43	164	118	46
DeSoto	763	611	152	743	596	147	429	369	60
Forrest	951	753	198	861	677	184	841	667	174
Franklin	70	59	11	77	65	12	71	56	15
George	326	297	29	314	286	28	205	189	16
Greene	75	69	6	100	88	12	80	71	9
Grenada	186	135	51	179	126	53	191	137	54
Hancock	354	334	20	341	321	20	261	250	11
Harrison	2,682	2,324	358	2,670	2,323	347	2,193	1,896	297
Hinds	3,055	1,997	1,058	2,777	1,799	978	2,867	1,848	1,019
Holmes	154	52	102	167	62	105	160	58	102
Humphreys	108	46	62	104	46	58	101	41	60
Issaquena	13	9	4	15	8	7	12	6	6
Itawamba	192	187	5	202	195	7	198	192	6
Jackson	1,537	1,339	198	1,618	1,412	206	1,493	1,303	190
Jasper	122	66	56	152	89	63	126	60	66
Jefferson	59	11	48	67	13	54	53	7	46
Jeff Davis	127	64	63	142	75	67	134	70	64
Jones	805	655	150	781	641	140	797	657	140
Kemper	59	28	31	64	35	29	76	37	39
Lafayette	230	184	46	239	189	50	210	158	52
Lamar	177	161	16	209	186	23	220	199	21
Lauderdale	870	661	209	842	635	207	805	605	200
Lawrence	146	106	40	150	111	39	146	110	36
Leake	197	133	64	190	131	59	185	126	59
Lee	758	626	132	754	622	132	725	596	129
Leflore	365	210	155	368	211	157	372	216	156

Table 15 - Page 2
Marriages - Mississippi - 1982

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	317	238	79	315	237	78	284	209	75
Lowndes	541	406	135	535	395	140	486	353	133
Madison	281	136	145	355	183	172	321	173	148
Marion	314	239	75	314	242	72	269	204	65
Marshall	266	158	108	263	149	114	228	133	95
Monroe	293	228	65	324	245	79	292	225	67
Montgomery	143	98	45	158	111	47	146	99	47
Neshoba	233	180	53	227	171	56	233	175	58
Newton	143	97	46	167	118	49	152	105	47
Noxubee	90	40	50	95	43	52	85	41	44
Oktibbeha	330	233	97	292	200	92	300	205	95
Panola	251	169	82	269	180	89	241	157	84
Pearl River	453	415	38	446	409	37	397	366	31
Perry	139	122	17	112	96	16	107	95	12
Pike	359	233	126	379	246	133	334	214	120
Pontotoc	206	185	21	222	200	22	203	184	19
Prentiss	279	254	25	256	233	23	271	249	22
Quitman	109	64	45	117	73	44	120	72	48
Rankin	718	614	104	728	628	100	783	676	107
Scott	249	165	84	249	174	75	244	166	78
Sharkey	74	34	40	66	32	34	64	27	37
Simpson	273	208	65	290	218	72	262	199	63
Smith	103	90	13	142	118	24	114	93	21
Stone	131	112	19	114	96	18	99	85	14
Sunflower	246	116	130	261	132	129	230	109	121
Tallahatchie	138	77	61	149	88	61	131	73	58
Tate	188	131	57	177	123	54	163	113	50
Tippah	197	179	18	206	186	20	175	160	15
Tishomingo	288	281	7	287	280	7	188	185	3
Tunica	95	43	52	96	42	54	73	25	48
Union	234	200	34	243	211	32	250	217	33
Walthall	111	78	33	123	85	38	105	66	39
Warren	521	382	139	504	367	137	512	373	139
Washington	692	397	295	694	401	293	643	368	275
Wayne	198	157	41	197	159	38	157	126	31
Webster	105	92	13	110	96	14	91	81	10
Wilkinson	143	92	51	138	86	52	71	32	39
Winston	185	136	49	200	148	52	179	129	50
Yalobusha	132	90	42	141	101	40	138	98	40
Yazoo	199	117	82	211	123	88	200	118	82
Unknown county				5	3	2			
Out of state	*	*	*	*	*	*	2,317	1,919	398
Unknown state							6	6	0

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1982

County	Total	White	Non-white	Un-known	County	Total	White	Non-white	Un-known
STATE	12,861	10,239	2,570	52					
Adams	138	96	41	1	Lincoln	103	90	12	1
Alcorn	159	153	5	1	Lowndes	332	274	53	5
Amite	45	28	17	0	Madison	153	110	43	0
Attala	71	55	14	2	Marion	146	119	27	0
Benton	37	27	10	0	Marshall	127	91	36	0
Bolivar	131	72	59	0	Monroe	186	166	20	0
Calhoun	61	49	9	3	Montgomery	65	48	17	0
Carroll	9	7	2	0	Neshoba	97	77	20	0
Chickasaw	61	41	20	0	Newton	81	57	24	0
Choctaw	23	16	7	0	Noxubee	35	9	26	0
Claiborne	62	18	44	0	Oktibbeha	135	98	37	0
Clarke	83	63	20	0	Panola	130	95	35	0
Clay	67	47	20	0	Pearl River	211	195	16	0
Coahoma	120	69	51	0	Perry	53	44	9	0
Copiah	121	73	48	0	Pike	127	88	39	0
Covington	88	66	22	0	Pontotoc	123	111	12	0
DeSoto	358	343	15	0	Prentiss	113	109	4	0
Forrest	356	282	74	0	Quitman	34	22	12	0
Franklin	30	23	7	0	Rankin	489	456	33	0
George	101	97	4	0	Scott	162	125	37	0
Greene	56	51	5	0	Sharkey	21	8	13	0
Grenada	109	79	30	0	Simpson	76	57	17	2
Hancock	111	101	7	3	Smith	65	52	11	2
Harrison	1,265	1,114	151	0	Stone	57	51	6	0
Hinds	1,389	983	397	9	Sunflower	128	76	52	0
Holmes	62	20	42	0	Tallahatchie	56	40	16	0
Humphreys	26	16	10	0	Tate	83	70	13	0
Issaquena	3	3	0	0	Tippah	109	101	8	0
Itawamba	89	87	2	0	Tishomingo	89	87	2	0
Jackson	864	757	107	0	Tunica	23	12	11	0
Jasper	63	35	28	0	Union	111	105	6	0
Jefferson	18	1	14	3	Walthall	40	31	9	0
Jeff Davis	40	23	17	0	Warren	313	249	64	0
Jones	483	392	80	11	Washington	339	227	112	0
Kemper	26	22	4	0	Wayne	98	75	23	0
Lafayette	129	98	31	0	Webster	58	54	4	0
Lamar	136	120	8	8	Wilkinson	18	4	14	0
Lauderdale	437	367	70	0	Winston	82	53	29	0
Lawrence	61	47	14	0	Yalobusha	58	41	17	0
Leake	87	65	21	1	Yazoo	86	75	11	0
Lee	332	279	53	0					
Leflore	142	102	40	0					

* Divorces of mixed-race couples are included in figures for nonwhites.

NOTE:

Table 17 extends from page 97 through page 117 with identical data for each county as well as for the state.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Adams County		Alcorn County		Amite County		Attala County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	1
Malignant neoplasms (140-208)	75	49	26	55	48	7	28	19	9
Diabetes mellitus (250)	5	1	4	2	1	1	2	1	1
Diseases of heart (390-398, 402, 404, 410-429)	142	64	78	138	125	13	41	27	14
Hypertension (401, 403)	1	0	1	0	1	3	1	2	2
Cerebrovascular diseases (430-438)	33	11	22	23	16	7	12	7	5
Atherosclerosis (440)	3	3	0	3	1	2	0	0	0
Pneumonia and influenza (480-487)	3	1	2	13	12	1	2	0	2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	7	7	0	4	2	2
Chronic liver disease and cirrhosis (571)	5	3	2	2	2	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	2	2	0	1	1	0
Infections of kidney (590)	0	0	0	1	1	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	1	1	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	3	1	2	2	1	1	1	0	1
Accidents (800-949)	16	11	5	22	21	1	8	3	5
Motor vehicle accidents# (810-825)	7	6	1	14	13	1	4	1	4
Suicide (950-959)	6	5	1	0	0	0	0	0	4
Homicide and legal intervention (960-978)	9	4	5	4	4	0	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	7	1	6	2	0	2	31	10	21

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Benton County			Bolivar County			Calhoun County			Carroll County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	1	0	1	0	0	0
Malignant neoplasms (140-208)	12	9	3	62	23	39	23	3	18	13	5	0
Diabetes mellitus (250)	0	0	0	8	1	7	0	0	0	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	18	13	5	171	72	99	51	43	8	25	14	11
Hypertension (401, 403)	1	1	0	1	0	1	3	1	2	0	0	0
Cerebrovascular diseases (430-438)	6	4	2	40	13	27	19	16	3	3	3	0
Atherosclerosis (440)	0	0	0	5	2	3	0	0	0	1	1	0
Pneumonia and influenza (480-487)	1	1	0	11	3	8	5	5	0	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	7	5	2	4	3	1	1	1	0
Chronic liver disease and cirrhosis (571)	0	0	0	5	2	3	3	3	0	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	5	1	4	3	3	0	0	0	0
Infections of kidney (590)	0	0	0	1	0	1	0	0	1	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	0	2	0	0	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	8	0	8	4	0	4	3	1	2
Accidents (800-949)	1	1	0	25	7	18	16	9	7	8	4	4
Motor vehicle accidents# (810-825)	0	0	0	11	2	9	7	5	2	1	1	0
Suicide (950-959)	0	0	0	4	3	1	0	0	0	1	1	0
Homicide and legal intervention (960-978)	0	0	0	5	1	4	0	0	0	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	12	5	7	36	10	26	7	6	1	9	3	6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Chickasaw County			Choctaw County			Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	24	18	6	15	11	4	21	10	11	29	21	8
Diabetes mellitus (250)	5	1	4	0	0	0	6	0	6	4	2	2
Diseases of heart (390-398, 402, 404, 410-429)	67	38	29	34	26	8	45	14	31	63	43	20
Hypertension (401, 403)	1	0	1	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	16	12	4	4	2	2	0	0	0	3	16	9
Atherosclerosis (440)	1	0	1	0	0	0	0	0	0	0	5	4
Pneumonia and influenza (480-487)	4	2	2	2	0	2	1	1	0	4	4	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	0	0	0	0	0	0	0	1	0
Chronic liver disease and cirrhosis (571)	1	1	0	0	0	0	0	0	0	0	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	0	0	0	1	0	0	1	2	0
Infections of kidney (590)	0	0	0	1	0	0	0	0	0	0	0	2
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	2	2	0	0	0	0	0	1	0
Certain conditions originating in the perinatal period (760-779)	2	1	1	0	0	0	3	2	1	1	1	0
Accidents (800-949)	9	7	2	4	4	0	10	2	8	18	11	7
Motor vehicle accidents# (810-825)	7	6	1	1	1	0	5	1	0	4	16	10
Suicide (950-959)	0	0	0	1	1	0	1	0	1	3	1	2
Homicide and legal intervention (960-978)	1	0	1	0	0	0	4	0	4	5	1	4
Symptoms, signs, and ill-defined conditions# (780-799)	2	1	1	1	1	0	2	0	2	22	14	8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Clay County			Coahoma County			Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	2	0	2	0	0	0	0	0	0
Malignant neoplasms (140-208)	32	16	16	88	37	51	59	27	32	37	29	8
Diabetes mellitus (250)	4	2	2	11	2	9	4	2	2	1	1	0
Diseases of heart (390-398, 402, 404, 410-429)	88	41	47	125	52	73	80	56	24	52	40	12
Hypertension (401, 403)	0	0	0	1	1	0	1	0	1	1	0	1
Cerebrovascular diseases (430- 438)	15	7	8	54	23	31	33	14	19	14	11	3
Atherosclerosis (440)	0	0	0	3	2	1	1	0	1	6	6	0
Pneumonia and influenza (480- 487)	5	3	2	3	1	2	9	6	3	3	3	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	6	4	2	8	7	1	0	0	0
Chronic liver disease and cirrhosis (571)	1	1	0	4	3	1	2	2	2	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	4	1	3	5	3	2	1	1	0
Infections of kidney (590)	0	0	0	5	3	2	1	1	0	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	4	0	4	3	1	2	0	0	0
Certain conditions originating in the perinatal period (760-779)	4	1	3	10	0	10	4	2	2	2	2	0
Accidents (800-949)	11	3	8	17	11	6	9	5	4	17	13	4
Motor vehicle accidents# (810-825)	4	3	1	6	5	1	6	3	0	10	9	1
Suicide (950-959)	1	1	0	4	4	0	1	0	1	1	1	0
Homicide and legal inter- vention (960-978)	4	1	3	12	2	10	5	1	4	1	1	0
Symptoms, signs, and ill- defined conditions# (780-799)	4	2	2	54	6	48	31	11	20	11	6	5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
 DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
 RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	DeSoto County		Forrest County		Franklin County		George County	
	Total	White	Non-white	Total	White	Non-white	Total	White
Tuberculosis (010-018)	0	0	1	0	0	1	0	0
Malignant neoplasms (140-208)	65	52	13	124	89	35	11	2
Diabetes mellitus (250)	0	0	0	21	12	9	1	2
Diseases of heart (390-398, 402, 404, 410-429)	83	63	20	193	156	37	29	14
Hypertension (401, 403)	3	3	0	5	1	4	2	1
Cerebrovascular diseases (430-438)	28	22	6	62	52	10	6	3
Atherosclerosis (440)	1	1	0	12	12	0	2	1
Pneumonia and influenza (480-487)	4	4	0	13	9	4	1	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	8	0	11	10	1	3	0
Chronic liver disease and cirrhosis (571)	0	0	0	6	6	0	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	8	5	3	0	0
Infections of kidney (590)	0	0	0	1	0	1	0	2
Maternal causes (630-676)	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	6	4	2	0	0
Certain conditions originating in the perinatal period (760-779)	6	5	1	5	3	2	1	0
Accidents (800-949)	14	12	2	31	19	12	5	3
Motor vehicle accidents# (810-825)	4	4	0	20	14	6	2	1
Suicide (950-959)	1	1	0	1	1	0	3	1
Homicide and legal intervention (960-978)	4	2	2	11	4	7	4	3
Symptoms, signs, and ill-defined conditions# (780-799)	75	49	26	57	26	31	1	5
								4
								1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Greene County			Grenada County			Hancock County			Harrison County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	1	0	1
Malignant neoplasms (140-208)	14	11	3	47	27	20	52	44	8	267	222	45
Diabetes mellitus (250)	0	0	0	1	1	0	4	3	1	18	14	4
Diseases of heart (390-398, 402, 404, 410-429)	31	28	3	92	53	39	89	81	8	488	412	76
Hypertension (401, 403)	1	0	1	0	0	0	1	0	1	8	8	0
Cerebrovascular diseases (430-438)	9	7	2	32	18	14	16	14	2	83	66	17
Atherosclerosis (440)	1	1	0	1	0	1	4	3	1	7	6	1
Pneumonia and influenza (480-487)	2	1	1	1	0	1	7	6	1	41	34	7
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	3	3	0	2	1	1	39	32	7
Chronic liver disease and cirrhosis (571)	0	0	0	1	0	1	6	6	0	24	24	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	1	1	0	2	2	0	13	8	5
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	2	1	1
Maternal causes (630-676)	0	0	0	1	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0	0	0	0	10	8	2
Certain conditions originating in the perinatal period (760-779)	1	0	1	4	1	3	1	1	0	22	7	15
Accidents (800-949)	7	4	3	16	7	9	16	14	2	91	74	17
Motor vehicle accidents# (810-825)	5	3	2	9	4	5	8	6	2	34	32	2
Suicide (950-959)	1	1	0	3	3	0	4	4	0	15	14	1
Homicide and legal intervention (960-978)	2	2	0	10	5	5	2	1	1	49	28	21
Symptoms, signs, and ill-defined conditions# (780-799)	11	10	1	3	1	2	2	2	0	4	4	0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUNA COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Hinds County		Holmes County		Humphreys County		Issaquena County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	2	1	1	1	0	1	1	0	0
Malignant neoplasms (140-208)	490	289	201	42	20	22	24	13	11
Diabetes mellitus (250)	31	10	21	8	2	6	1	1	0
Diseases of heart (390-398, 402, 404, 410-429)	713	436	277	92	31	61	42	19	23
Hypertension (401, 403)	7	4	3	4	1	3	0	0	0
Cerebrovascular diseases (430-438)	153	90	63	17	2	15	12	2	10
Atherosclerosis (440)	19	11	8	4	2	2	0	0	0
Pneumonia and influenza (480-487)	42	21	21	4	1	3	5	1	4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	59	45	14	3	2	1	2	1	1
Chronic liver disease and cirrhosis (571)	26	19	7	2	0	2	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	10	5	5	3	0	3	1	0	1
Infections of kidney (590)	4	4	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	16	8	8	3	0	3	0	0	0
Certain conditions originating in the perinatal period (760-779)	39	10	29	7	0	7	4	1	3
Accidents (800-949)	111	70	41	15	4	11	9	5	4
Motor vehicle accidents# (810-825)	52	35	17	10	3	7	2	0	2
Suicide (950-959)	23	19	4	0	0	0	0	0	0
Homicide and legal intervention (960-978)	63	16	47	5	1	4	1	3	0
Symptoms, signs, and ill-defined conditions# (780-799)	43	10	33	12	2	10	12	3	9
								0	0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Itawamba County		Jackson County		Jasper County		Jefferson County	
	Total	White	Total	White	Total	White	Total	White
Tuberculosis (010-018)	0	0	1	0	0	0	0	0
Malignant neoplasms (140-208)	22	20	141	119	31	15	19	2
Diabetes mellitus (250)	3	3	10	7	2	1	1	0
Diseases of heart (390-398, 402, 404, 410-429)	79	75	4	237	52	35	28	7
Hypertension (401, 403)	0	0	3	2	0	0	0	0
Cerebrovascular diseases (430-438)	33	30	3	51	6	15	8	3
Atherosclerosis (440)	3	3	0	12	1	1	0	1
Pneumonia and influenza (480-487)	3	3	0	9	5	4	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	3	0	18	17	1	1	1
Chronic liver disease and cirrhosis (571)	1	1	0	6	5	1	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	5	4	1	0	0
Infections of kidney (590)	0	0	0	1	1	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	8	5	3	1	0
Certain conditions originating in the perinatal period (760-779)	1	1	0	16	10	6	1	1
Accidents (800-949)	11	10	1	55	45	10	7	3
Motor vehicle accidents# (810-825)	5	4	1	29	27	9	7	2
Suicide (950-959)	0	0	0	4	0	1	0	0
Homicide and legal intervention (960-978)	0	0	0	11	8	3	1	1
Symptoms, signs, and ill-defined conditions# (780-799)	3	2	1	40	34	6	27	10
							17	4
							0	4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Jeff Davis County		Jones County		Kemper County		Lafayette County	
	Total	White	Non-white	Total	White	Non-white	Total	White
Tuberculosis (010-018)	0	0	0	2	0	2	0	0
Malignant neoplasms (140-208)	28	18	10	127	103	24	12	5
Diabetes mellitus (250)	2	1	1	11	5	6	2	1
Diseases of heart (390-398, 402, 404, 410-429)	41	24	17	248	194	54	30	14
Hypertension (401, 403)	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	13	4	9	76	52	24	8	4
Atherosclerosis (440)	0	0	0	6	4	2	2	0
Pneumonia and influenza (480-487)	3	1	2	19	15	4	7	5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	0	1	15	14	1	3	2
Chronic liver disease and cirrhosis (571)	1	1	0	6	2	4	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	6	3	3	1	0
Infections of kidney (590)	1	0	1	1	0	1	0	4
Maternal causes (630-676)	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	9	7	2	1	0
Certain conditions originating in the perinatal period (760-779)	2	0	2	16	8	8	1	1
Accidents (800-949)	19	8	11	36	31	5	7	5
Motor vehicle accidents# (810-825)	10	2	8	21	18	3	4	1
Suicide (950-959)	2	1	1	5	4	1	1	0
Homicide and legal intervention (960-978)	6	2	4	5	1	4	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	15	9	6	24	14	10	10	5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Lamar County			Lauderdale County			Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	2	1	1	1	0	1	1	0	1	0	0	0
Malignant neoplasms (140-208)	41	39	2	137	103	34	22	16	6	34	22	12
Diabetes mellitus (250)	3	2	1	7	2	5	0	0	0	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	54	48	6	282	215	67	51	35	16	94	71	23
Hypertension (401, 403)	0	0	0	1	1	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	8	8	0	100	57	43	9	5	4	17	11	6
Atherosclerosis (440)	1	0	1	5	2	3	1	1	0	1	1	0
Pneumonia and influenza (480-487)	7	5	2	13	11	2	3	3	0	6	5	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	18	17	1	3	0	3	6	5	1
Chronic liver disease and cirrhosis (571)	0	0	0	11	9	2	1	1	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	10	6	4	1	1	0	5	2	3
Infections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	6	4	2	0	0	0	3	0	3
Certain conditions originating in the perinatal period (760-779)	2	2	0	11	5	6	2	1	1	5	1	4
Accidents (800-949)	15	12	3	49	34	15	5	3	2	12	4	8
Motor vehicle accidents# (810-825)	13	11	2	21	15	6	3	3	0	5	3	2
Suicide (950-959)	1	1	0	13	11	2	0	0	0	1	0	1
Homicide and legal intervention (960-978)	2	1	1	19	6	13	0	0	0	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	7	7	0	7	5	2	0	0	0	3	2	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Lee County			Leflore County			Lincoln County			Lowndes County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	1	0	1	0	0	0	1	0	1
Malignant neoplasms (140-208)	96	68	28	72	4	33	41	28	13	75	52	23
Diabetes mellitus (250)	6	2	4	0	0	4	3	1	2	5	3	2
Diseases of heart (390-398, 402, 404, 410-429)	208	166	42	235	102	133	121	97	24	153	98	55
Hypertension (401, 403)	1	1	0	5	4	1	0	0	0	1	0	1
Cerebrovascular diseases (430-438)	39	27	12	55	22	33	18	10	8	34	19	15
Atherosclerosis (440)	10	8	2	1	0	1	2	2	0	5	3	2
Pneumonia and influenza (480-487)	10	5	5	7	3	4	15	8	7	9	4	5
Emphysema and other chronic obstructive pulmonary diseases (490-496)												
Chronic liver disease and cirrhosis (571)	23	22	1	7	5	2	10	8	2	10	8	2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	2	1	1	5	4	1	4	4	0
Infections of kidney (590)	5	5	0	0	0	0	2	1	1	6	2	4
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	2
Congenital anomalies (740-759)	4	4	0	1	0	1	0	0	0	1	1	0
Certain conditions originating in the perinatal period (760-779)	3	0	3	12	3	9	8	3	5	12	6	6
Accidents (800-949)	34	27	7	20	8	12	20	14	6	29	20	9
Motor vehicle accidents# (810-825)												
Suicide (950-959)	21	17	4	6	4	2	11	7	4	15	9	6
Homicide and legal intervention (960-978)	4	4	0	6	2	4	2	0	0	7	6	1
Symptoms, signs, and ill-defined conditions# (780-799)	3	1	2	12	3	9	4	2	2	5	3	2
	8	4	4	5	1	4	29	21	8	11	3	8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Madison County		Marion County		Marshall County		Monroe County	
	Total	White	Non-white	Total	White	Non-white	Total	White
Tuberculosis (010-018)	0	0	0	1	0	1	0	0
Malignant neoplasms (140-208)	54	28	26	40	27	13	40	23
Diabetes mellitus (250)	3	2	1	6	4	2	1	1
Diseases of heart (390-398, 402, 404, 410-429)	76	47	29	71	49	22	72	45
Hypertension (401, 403)	0	0	0	2	2	0	0	0
Cerebrovascular diseases (430-438)	21	4	17	32	24	8	23	8
Atherosclerosis (440)	1	1	0	8	6	2	4	2
Pneumonia and influenza (480-487)	1	1	0	9	5	4	4	3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	9	7	2	11	10	1	5	4
Chronic liver disease and cirrhosis (571)	2	2	0	0	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	0	0	0	1	0
Infections of kidney (590)	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	5	2	3	0	0	0	4	2
Certain conditions originating in the perinatal period (760-779)	7	4	3	1	0	1	1	0
Accidents (800-949)	29	17	12	26	19	7	26	12
Motor vehicle accidents# (810-825)	13	9	4	9	7	2	11	5
Suicide (950-959)	5	4	1	2	2	0	4	0
Homicide and legal intervention (960-978)	8	0	8	6	3	3	5	3
Symptoms, signs, and ill-defined conditions# (780-799)	61	8	53	29	19	10	26	4
							22	20
								8
								12

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOBIA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Montgomery County			Neshoba County			Newton County			Noxubee County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	2	0	2	0	0	0
Malignant neoplasms (140-208)	34	23	11	26	16	10	37	28	9	19	11	8
Diabetes mellitus (250)	5	2	3	3	2	1	13	7	6	3	1	2
Diseases of heart (390-398, 402, 404, 410-429)	60	40	20	50	41	9	96	73	23	40	19	21
Hypertension (401, 403)	2	1	1	2	0	2	2	1	1	0	0	0
Cerebrovascular diseases (430-438)	20	11	9	22	19	3	13	7	6	13	2	11
Atherosclerosis (440)	1	0	1	0	0	0	2	1	1	0	0	0
Pneumonia and influenza (480-487)	3	2	1	4	4	0	3	2	1	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	8	7	1	7	5	2	2	2	0
Chronic liver disease and cirrhosis (571)	0	0	0	2	2	0	1	0	1	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	7	6	1	2	1	1	2	0	2
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0	1	1	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	3	0	3	4	0	4	3	1	2
Accidents (800-949)	6	5	1	20	13	7	12	8	4	5	1	4
Motor vehicle accidents# (810-825)	4	3	1	9	6	3	7	5	2	1	1	0
Suicide (950-959)	2	2	0	2	2	0	2	0	2	2	2	0
Homicide and legal intervention (960-978)	1	0	1	7	3	4	3	1	2	2	1	1
Symptoms, signs, and ill-defined conditions# (780-799)	14	9	5	40	31	9	14	5	9	25	6	19

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Oktibbeha County			Panola County			Pearl River County			Perry County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	42	21	21	52	34	18	66	57	9	21	14	7
Diabetes mellitus (250)	3	0	3	2	1	1	7	7	0	3	2	1
Diseases of heart (390-398, 402, 404, 410-429)	89	51	38	83	45	38	93	74	19	28	22	6
Hypertension (401, 403)	1	0	1	1	0	1	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	27	13	14	28	18	10	12	11	1	4	4	0
Atherosclerosis (440)	5	5	0	5	3	2	2	0	2	1	1	0
Pneumonia and influenza (480-487)	8	7	1	4	0	4	7	7	0	2	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	7	5	2	4	3	1	2	2	0
Chronic liver disease and cirrhosis (571)	0	0	0	3	2	1	2	2	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	0	6	3	1	2	4	2	2	0	0	0
Infections of kidney (590)	0	0	0	1	1	0	1	1	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	2	0	2	1	0	1	0	0	0
Certain conditions originating in the perinatal period (760-779)	5	1	4	5	1	4	2	1	1	0	0	0
Accidents (800-949)	11	6	5	18	10	8	27	21	6	6	2	4
Motor vehicle accidents# (810-825)	5	3	2	11	6	5	18	17	1	2	2	0
Suicide (950-959)	3	3	0	2	1	1	3	3	0	1	1	0
Homicide and legal intervention (960-978)	1	0	1	3	1	2	8	2	6	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	2	1	1	17	3	14	15	14	1	7	4	3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.
Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Pike County			Pontotoc County			Prentiss County			Quitman County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	78	46	32	41	39	2	40	36	4	34	15	19
Diabetes mellitus (250)	6	5	1	2	1	1	2	1	1	2	2	0
Diseases of heart (390-398, 402, 404, 410-429)	151	111	40	101	94	7	73	69	4	56	20	36
Hypertension (401, 403)	2	2	0	0	0	0	1	1	0	1	1	0
Cerebrovascular diseases (430-438)	28	18	10	8	8	0	20	20	0	18	8	10
Atherosclerosis (440)	4	2	2	2	2	0	1	1	0	1	0	1
Pneumonia and influenza (480-487)	4	4	0	4	4	0	3	3	0	4	3	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	12	11	1	9	8	1	5	4	1	5	2	3
Chronic liver disease and cirrhosis (571)	2	2	0	2	2	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	0	0	0	6	5	1	1	0	1
Infections of kidney (590)	1	1	0	0	0	0	0	0	0	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	4	1	3	1	1	0	2	2	0	1	0	1
Certain conditions originating in the perinatal period (760-779)	4	1	3	0	0	0	3	3	0	3	0	3
Accidents (800-949)	18	10	8	10	10	0	15	10	5	14	4	10
Motor vehicle accidents# (810-825)	10	6	4	6	6	0	10	7	3	3	2	1
Suicide (950-959)	5	4	1	2	2	0	3	3	0	2	2	0
Homicide and legal intervention (960-978)	3	2	1	2	1	1	2	1	1	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	38	10	28	2	1	1	31	25	6	1	1	0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Rankin County		Scott County		Sharkey County		Simpson County	
	Total	White	Non-white	Total	White	Non-white	Total	White
Tuberculosis (010-018)	2	0	2	0	0	0	0	0
Malignant neoplasms (140-208)	98	75	23	44	26	18	25	12
Diabetes mellitus (250)	12	9	3	3	1	2	0	2
Diseases of heart (390-398, 402, 404, 410-429)	150	123	27	105	64	41	17	4
Hypertension (401, 403)	3	2	1	0	0	0	0	0
Cerebrovascular diseases (430-438)	23	16	7	37	22	15	11	2
Atherosclerosis (440)	3	3	0	1	1	0	1	3
Pneumonia and influenza (480-487)	22	16	6	4	3	1	9	36
Emphysema and other chronic obstructive pulmonary diseases (490-496)	11	11	0	7	5	2	3	1
Chronic liver disease and cirrhosis (571)	4	3	1	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	3	2	3	0	3	1	2
Infections of kidney (590)	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	5	5	0	5	2	3	1	0
Certain conditions originating in the perinatal period (760-779)	8	1	7	2	0	2	3	3
Accidents (800-949)	42	37	5	14	10	4	6	5
Motor vehicle accidents# (810-825)	23	19	4	2	0	2	3	0
Suicide (950-959)	8	8	0	0	0	0	0	5
Homicide and legal intervention (960-978)	3	1	2	3	1	2	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	35	19	16	15	8	7	12	2
							10	6
							6	5
							5	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Smith County			Stone County			Sunflower County			Tallahatchie County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	32	31	1	22	20	2	56	28	28	14	14	0
Diabetes mellitus (250)	2	1	1	2	2	0	10	4	6	1	1	3
Diseases of heart (390-398, 402, 404, 410-429)	45	40	5	36	30	6	142	64	78	55	36	19
Hypertension (401, 403)	0	0	0	0	0	0	2	1	1	2	0	2
Cerebrovascular diseases (430-438)	10	9	1	2	0	0	42	16	26	21	6	15
Atherosclerosis (440)	1	1	0	0	0	0	3	1	2	1	0	1
Pneumonia and influenza (480-487)	2	1	1	2	1	1	1	1	0	5	4	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	2	2	0	5	2	3	3	2	1
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	2	1	1	2	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	3	2	1	3	1	2	1	0	1
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	1	0	1	0	1	0	0	0
Certain conditions originating in the perinatal period (760-779)	1	0	1	0	0	0	4	0	4	14	0	0
Accidents (800-949)	9	7	2	4	4	0	21	5	16	7	7	0
Motor vehicle accidents# (810-825)	6	4	2	1	1	0	2	1	1	10	5	5
Suicide (950-959)	2	2	0	0	0	0	4	3	1	2	2	0
Homicide and legal intervention (960-978)	3	3	0	2	1	1	8	1	7	2	0	2
Symptoms, signs, and ill-defined conditions# (780-799)	20	16	4	8	8	0	14	2	12	21	7	14

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Tate County		Tippah County		Tishomingo County		Tunica County		Non-white
	Total	White	Total	White	Total	White	Total	White	
Tuberculosis (010-018)	1	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	28	19	51	46	51	49	2	8	3
Diabetes mellitus (250)	5	3	3	1	2	1	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	59	34	89	78	81	76	5	37	14
Hypertension (401, 403)	1	1	0	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	19	12	32	29	3	6	0	14	2
Atherosclerosis (440)	4	4	6	5	1	0	0	0	0
Pneumonia and influenza (480-487)	6	5	1	4	0	7	6	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	4	1	4	4	0	11	0	0
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	3	2	1	2	0	3
Infections of kidney (590)	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	2	2	0	1	1	0	0
Certain conditions originating in the perinatal period (760-779)	2	1	1	2	2	0	2	0	5
Accidents (800-949)	7	4	3	10	9	1	29	0	6
Motor vehicle accidents# (810-825)	1	1	0	3	3	0	19	0	4
Suicide (950-959)	0	0	0	6	5	1	1	0	0
Homicide and legal intervention (960-978)	2	1	1	1	0	1	1	0	2
Symptoms, signs, and ill-defined conditions# (780-799)	6	5	1	3	2	1	13	0	23
								4	19

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Union County		Walthall County		Warren County		Washington County	
	Total	White	Non-white	Total	White	Non-white	Total	White
Tuberculosis (010-018)	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	48	39	9	25	16	9	110	48
Diabetes mellitus (250)	2	2	0	6	3	3	62	55
Diseases of heart (390-398, 402, 404, 410-429)	78	71	7	48	37	11	188	102
Hypertension (401, 403)	0	0	0	0	0	0	86	1
Cerebrovascular diseases (430-438)	20	14	6	14	13	1	37	11
Atherosclerosis (440)	3	3	0	1	1	0	6	3
Pneumonia and influenza (480-487)	3	3	0	0	0	0	13	4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	6	1	6	6	0	9	6
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	6	4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	2	0	2	9	2
Infections of kidney (590)	0	0	0	0	0	0	5	5
Maternal causes (630-676)	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	0	2	4	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	2	0	2	10	4
Accidents (800-949)	10	9	1	9	4	5	33	20
Motor vehicle accidents# (810-825)	3	3	0	2	1	1	12	9
Suicide (950-959)	2	2	0	4	4	0	3	1
Homicide and legal intervention (960-978)	3	2	1	3	0	3	5	5
Symptoms, signs, and ill-defined conditions# (780-799)	22	18	4	21	11	10	9	1
							8	8
							99	99
							16	16
							83	83

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1982

Cause and International Classification Number*	Wayne County		Webster County		Wilkinson County		Winston County	
	Total	White	Non-white	Total	White	Non-white	Total	White
Tuberculosis (010-018)	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	29	19	10	25	22	3	28	7
Diabetes mellitus (250)	7	2	5	0	0	3	21	6
Diseases of heart (390-398, 402, 404, 410-429)	58	35	23	44	37	7	40	19
Hypertension (401, 403)	0	0	0	0	0	0	1	0
Cerebrovascular diseases (430-438)	14	10	4	9	7	2	16	3
Atherosclerosis (440)	2	1	1	0	0	1	0	1
Pneumonia and influenza (480-487)	3	2	1	4	3	1	2	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	3	3	0	2	2
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	0	0	0	2	2
Infections of kidney (590)	0	0	0	0	0	0	0	1
Maternal causes (630-676)	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	2	0	1	1	0	0	3
Certain conditions originating in the perinatal period (760-779)	0	0	0	2	0	2	0	0
Accidents (800-949)	14	12	2	5	3	2	8	5
Motor vehicle accidents# (810-825)	6	5	1	3	2	1	3	2
Suicide (950-959)	5	3	2	0	0	1	0	5
Homicide and legal intervention (960-978)	0	0	0	0	0	1	0	5
Symptoms, signs, and ill-defined conditions# (780-799)	11	2	9	3	2	1	9	1
							8	11
							7	4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1982

Cause and International Classification Number*	Yalobusha County			Yazoo County			State of Mississippi		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	27	4	23
Malignant neoplasms (140-208)	35	27	8	59	33	26	4,436	3,006	1,430
Diabetes mellitus (250)	3	3	0	3	3	0	361	177	184
Diseases of heart (390-398, 402, 404, 410-429)	39	27	12	91	57	34	8,195	5,583	2,612
Cerebrovascular diseases (430-438)	3	1	2	1	0	1	91	47	44
Atherosclerosis (440)	21	15	6	27	17	10	2,093	1,266	827
Pneumonia and influenza (480-487)	2	1	1	11	7	4	237	165	72
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	2	3	8	5	3	498	335	163
Chronic liver disease and cirrhosis (571)	6	5	1	9	7	2	554	463	91
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	1	1	0	181	144	37
Infections of kidney (590)	0	0	0	4	3	1	241	126	115
Maternal causes (630-676)	0	0	0	0	0	0	38	26	12
Congenital anomalies (740-759)	0	0	0	2	1	1	1	1	0
Certain conditions originating in the perinatal period (760-779)	0	0	0	4	0	4	158	90	68
Accidents (800-949)	9	7	2	23	16	7	1,513	996	517
Motor vehicle accidents# (810-825)	2	1	1	10	9	1	755	541	214
Suicide (950-959)	1	1	0	1	1	0	221	190	31
Homicide and legal intervention (960-978)	2	2	0	3	1	2	412	152	260
Symptoms, signs, and ill-defined conditions# (780-799)	15	12	3	66	15	51	1,447	640	807

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TIME SERIES TABLES

TABLE 18
 LIVE BIRTHS AND RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1982,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1982)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 18 - Page 2
 Live Births - Mississippi - 1913-1982

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	
1978	44,373	22,632	21,741	18.5	Not Available	
1979	45,919	23,487	22,432	19.1	Not Available	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	Not Available	

* Births per 1,000 population.

TABLE 19
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1982,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1982)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 19 - Page 2
Deaths - Mississippi - 1913-1982

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	
1978	23,363	14,631	8,732	9.7	Not Available	
1979	22,932	14,348	8,584	9.5	Not Available	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	Not Available	

* Deaths per 1,000 population.

TABLE 20
 MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1982,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1982)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

Table 20 - Page 2
 Maternal Deaths - Mississippi - 1913-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 21
 INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1917-1982,
 (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1982)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 21 - Page 2
Infant Deaths - Mississippi - 1917-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9

* Deaths of children under one year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 22
 NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1982,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1982)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 22 - Page 2
Neonatal Deaths - Mississippi - 1924-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 23
 POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1982,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1982)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

Table 23 - Page 2
Postneonatal Deaths - Mississippi - 1924-1982

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 24
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1982

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

Table 24 - Page 2
 Marriages and Divorces - Mississippi - 1926-1982

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.