



VITAL STATISTICS
MISSISSIPPI
1984



Mississippi State Department of Health
Office of Public Health Statistics



VITAL STATISTICS

MISSISSIPPI

1984

MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF INFORMATION RESOURCES
DAVID LOHRISCH, PH.D., BUREAU CHIEF

P. O. BOX 1700
JACKSON, MISSISSIPPI 39215-1700

TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Occurrence and Residence Allocation	2
Population	2
Rates	2
Classification of Cause of Death	2

SUMMARY TABLES, 1984

LIVE BIRTHS

Table A1.	Live Births and Average per Day, by Month	7
Table A2.	Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1984	7
Table A3.	Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race	8
Table A4.	Live Births and Percentage Distribution, by Age of Mother and Race	9
Table A5.	Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	9
Table A6.	Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race	10
Table A7.	Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race	11
Table A8.	Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	12
Table A9.	Live Births and Percentage Distribution, by Maturity and Race	12
Table A10.	Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race .	13

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race	14
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	14
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race	15
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1982-1984	16

DEATHS

Table C1.	Deaths and Average per Day, by Month	17
Table C2.	Deaths and Percentage Distribution, by Age and Race ...	17
Table C3.	Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race	18
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	18
Table C5.	Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause	19
Table C6.	Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race	20

MAJOR TABLES, 1984

LIVE BIRTHS (continued)

Table 4. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1984 49

Table 5A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1984 51

Table 5B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1984 53

Table 5C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1984 55

Table 6. Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1984 .. 57

Table 7. Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1984 .. 59

FETAL DEATHS

Table 8. Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1984 61

DEATHS

Table 9. Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1984 63

Table 10. Deaths, by Cause and Race, Mississippi Residents, 1984 66

Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1984 81

Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1984 88

Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1980-1984 (5-Year Average) 90

Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1984 92

Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1984 94

MARRIAGES

Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1984 96

DIVORCES

Table 16. Divorces, by County of Occurrence and Race, Mississippi, 1984 98

VITAL STATISTICS
MISSISSIPPI, 1984

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1984; the second part contains major statistical tables for 1984. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Introduction
Mississippi - 1984

Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1984

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1984

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>43,742</u>	<u>120</u>			
JANUARY	3,698	119	JULY	3,898	126
FEBRUARY	3,425	122	AUGUST	4,070	131
MARCH	3,444	111	SEPTEMBER	3,990	133
APRIL	3,195	106	OCTOBER	3,909	126
MAY	3,309	107	NOVEMBER	3,584	119
JUNE	3,384	113	DECEMBER	3,836	124

TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE
MISSISSIPPI, 1940, 1950, 1960, 1970-1984

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9	1976*	98.5	99.7	97.3
1950	46.1	83.3	18.9	1977*	98.9	99.7	98.1
1960	73.2	99.0	51.3	1978*	99.1	99.7	98.4
1970*	90.0	99.7	79.7	1979*	99.3	99.7	98.9
1971*	92.2	99.6	84.2	1980*	99.4	99.7	99.1
1972*	95.2	99.8	90.4	1981*	99.3	99.6	99.0
1973*	96.4	99.7	92.8	1982*	99.4	99.6	99.2
1974*	97.4	99.7	94.8	1983*	99.5	99.6	99.4
1975*	97.9	99.6	96.0	1984*	99.5	99.6	99.4

* INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.

TABLE A4. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1984

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>43,742</u>	<u>22,672</u>	<u>21,070</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
UNDER 15	408	34	374	0.9	0.2	1.8
15-19	8,890	3,259	5,631	20.3	14.4	26.7
20-24	15,305	8,149	7,156	35.0	35.9	34.0
25-29	11,622	6,961	4,661	26.6	30.7	22.1
30-34	5,579	3,305	2,274	12.8	14.6	10.8
35-39	1,652	860	792	3.8	3.8	3.8
40-44	268	100	168	0.6	0.4	0.8
45-49	12	3	9	*	*	*
UNKNOWN	6	1	5	*	*	*

* LESS THAN 0.06 PERCENT.

TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER AND RACE
MISSISSIPPI, 1984

YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
FATHER									
MEDIAN YEARS COMPLETED*	12.7	12.8	12.4						
<u>TOTAL LEGITIMATE BIRTHS</u>	<u>29,590</u>	<u>20,970</u>	<u>8,620</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	467	232	235	1.6	1.1	2.8	1.6	1.1	2.8
7-9 YEARS	2,614	1,823	791	8.9	8.7	9.4	10.5	9.8	12.2
10, 11 YEARS	4,006	2,421	1,585	13.7	11.6	18.8	24.2	21.4	31.0
12 YEARS	11,347	7,825	3,522	38.8	37.5	41.9	63.0	59.0	73.0
1-3 YEARS COLLEGE	5,685	4,210	1,475	19.4	20.2	17.5	82.4	79.1	90.5
4 OR MORE YEARS COLLEGE	5,150	4,351	799	17.6	20.8	9.5	100.0	100.0	100.0
UNKNOWN	321	108	213						
MOTHER									
MEDIAN YEARS COMPLETED*	12.5	12.7	12.2						
<u>TOTAL BIRTHS</u>	<u>43,742</u>	<u>22,672</u>	<u>21,070</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 YEARS	470	173	297	1.1	0.8	1.4	1.1	0.8	1.4
7-9 YEARS	5,425	2,179	3,246	12.4	9.6	15.4	13.5	10.4	16.8
10, 11 YEARS	8,168	3,039	5,129	18.7	13.4	24.4	32.2	23.8	41.2
12 YEARS	16,556	8,845	7,711	37.9	39.1	36.7	70.1	62.9	77.9
1-3 YEARS COLLEGE	8,118	4,773	3,345	18.6	21.1	15.9	88.7	84.0	93.8
4 OR MORE YEARS COLLEGE	4,931	3,631	1,300	11.3	16.0	6.2	100.0	100.0	100.0
UNKNOWN	74	32	42						

* CALCULATIONS EXCLUDE BIRTHS TO PARENTS WITH EDUCATION UNKNOWN; CALCULATIONS FOR FATHERS ALSO EXCLUDE ILLEGITIMATE BIRTHS.

TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND MEDIAN AGE OF MOTHER,
 BY TOTAL-BIRTH ORDER AND RACE
 MISSISSIPPI, 1984

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	43,742	22,672	21,070	100.0	100.0	100.0	24.0	24.9	23.0
FIRST	15,376	8,626	6,750	35.2	38.0	32.0	20.8	22.2	19.3
SECOND	12,963	7,527	5,436	29.6	33.2	25.8	24.2	25.4	22.4
THIRD	7,808	3,868	3,940	17.8	17.1	18.7	26.1	27.3	24.8
FOURTH	3,805	1,510	2,295	8.7	6.7	10.9	27.3	28.9	26.2
FIFTH	1,795	577	1,218	4.1	2.5	5.8	28.6	29.8	28.0
SIXTH	837	204	633	1.9	0.9	3.0	29.9	31.8	29.5
SEVENTH	422	99	323	1.0	0.4	1.5	31.1	32.0	30.8
EIGHTH	194	35	159	0.4	0.2	0.8	32.7	33.0	32.7
NINTH	118	17	101	0.3	0.1	0.5	34.6	34.0	34.8
TENTH & OVER	183	24	159	0.4	0.1	0.8	36.8	36.6	36.8
UNKNOWN	241	185	56	0.6	0.8	0.3			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

TABLE A10. CONGENITAL MALFORMATIONS REPORTED ON LIVE BIRTH CERTIFICATES,
BY MALFORMATION AND RACE
MISSISSIPPI, 1984

INTERNATIONAL CLASSIFICATION NUMBER*	MALFORMATION	TOTAL	WHITE	NON- WHITE
<u>740-759</u>	<u>TOTAL</u>	<u>362</u>	<u>178</u>	<u>184</u>
740-742	OF NERVOUS SYSTEM	28	19	9
743	OF EYE	5	2	3
744	OF EAR, FACE, AND NECK	9	6	3
745-747	OF CIRCULATORY SYSTEM	19	14	5
748	OF RESPIRATORY SYSTEM	6	4	2
<u>749-751</u>	<u>OF DIGESTIVE SYSTEM</u>	<u>50</u>	<u>34</u>	<u>16</u>
<u>749</u>	<u>CLEFT PALATE AND CLEFT LIP</u>	<u>34</u>	<u>24</u>	<u>10</u>
749.0	CLEFT PALATE	12	8	4
749.1	CLEFT LIP	9	6	3
749.2	CLEFT PALATE WITH CLEFT LIP	13	10	3
750,751	OTHER OF DIGESTIVE SYSTEM	16	10	6
752	OF GENITAL ORGANS	40	22	18
753	OF URINARY ORGANS	10	7	3
<u>754-756</u>	<u>OF MUSCULOSKELETAL SYSTEM</u>	<u>152</u>	<u>45</u>	<u>107</u>
754	CERTAIN MUSCULOSKELETAL ANOMALIES	21	10	11
<u>755</u>	<u>OF LIMBS</u>	<u>110</u>	<u>23</u>	<u>87</u>
755.0	POLYDACTYLY	69	6	63
755.1-755.9	OTHER	41	17	24
756	OTHER OF MUSCULOSKELETAL SYSTEM	21	12	9
757	OF THE INTEGUMENT	15	7	8
758	CHROMOSOMAL ANOMALIES	19	14	5
<u>759</u>	<u>OTHER AND UNSPECIFIED</u>	<u>9</u>	<u>4</u>	<u>5</u>
759.0-759.8	OTHER UNSPECIFIED	9	4	5
759.9	UNSPECIFIED	0	0	0

* FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE
MISSISSIPPI, 1984

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.0	0.5	1.4	7.6	4.4	9.4
SOME CARE	98.9	99.4	98.3	81.5	86.8	78.4
UNKNOWN WHETHER ANY CARE	0.2	0.1	0.3	10.6	7.8	12.2

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

DEATHS

TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1984

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
TOTAL	23,781	65			
JANUARY	2,276	73	JULY	1,847	60
FEBRUARY	2,009	72	AUGUST	1,895	61
MARCH	2,153	69	SEPTEMBER	1,862	62
APRIL	2,068	69	OCTOBER	1,945	63
MAY	1,933	62	NOVEMBER	1,943	65
JUNE	1,858	62	DECEMBER	1,992	64

TABLE C2. DEATHS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1984

AGE	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	23,781	15,225	8,556	100.0	100.0	100.0
UNDER 1	629	224	405	2.6	1.5	4.7
1-4	111	44	67	0.5	0.3	0.8
5-9	73	30	43	0.3	0.2	0.5
10-14	87	41	46	0.4	0.3	0.5
15-24	517	303	214	2.2	2.0	2.5
25-34	632	315	317	2.6	2.1	3.7
35-44	817	444	373	3.4	2.9	4.4
45-54	1,476	910	566	6.2	6.0	6.6
55-64	3,318	2,143	1,175	14.0	14.1	13.7
65-74	5,591	3,676	1,915	23.5	24.1	22.4
75-84	6,474	4,351	2,123	27.2	28.6	24.8
85 AND OVER	4,041	2,741	1,300	17.0	18.0	15.2
UNKNOWN	15	3	12	0.1	*	0.1

* LESS THAN 0.06 PERCENT.

Table C5. Deaths and percent of total deaths from five leading causes,
by age and cause
Mississippi, 1984

Age	Cause and International Classification Number	Number	Percent
1-4	<u>All causes</u>	111	100.0
	1. Accidents (800-949)	54	48.6
	2. Congenital anomalies (740-759)	9	8.1
	3. Heart diseases (390-398, 402, 404-429)	7	6.3
	4. Pneumonia and influenza (480-487)	4	3.6
	5. Malignant neoplasms (140-208)	3	2.7
5-14	<u>All causes</u>	160	100.0
	1. Accidents (800-949)	101	63.1
	2. Malignant neoplasms (140-208)	16	10.0
	3. Congenital anomalies (740-759)	4	2.5
	4T. Heart diseases (390-398, 402, 404-429)	3	1.9
	4T. Cerebrovascular diseases (430-438)	3	1.9
	4T. Suicide (950-959)	3	1.9
	4T. Homicide and legal intervention (960-978)	3	1.9
15-24	<u>All causes</u>	517	100.0
	1. Accidents (800-949)	289	55.9
	2. Homicide and legal intervention (960-978)	57	11.0
	3. Suicide (950-959)	46	8.9
	4. Malignant neoplasms (140-208)	26	5.0
	5. Heart diseases (390-398, 402, 404-429)	21	4.1
25-44	<u>All causes</u>	1,449	100.0
	1. Accidents (800-949)	406	28.0
	2. Heart diseases (390-398, 402, 404-429)	230	15.9
	3. Malignant neoplasms (140-208)	211	14.6
	4. Homicide and legal intervention (960-978)	148	10.2
	5. Suicide (950-959)	90	6.2
45-64	<u>All causes</u>	4,794	100.0
	1. Heart diseases (390-398, 402, 404-429)	1,622	33.8
	2. Malignant neoplasms (140-208)	1,387	28.9
	3. Cerebrovascular diseases (430-438)	236	4.9
	4. Accidents (800-949)	224	4.7
	5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	147	3.1
65 and over	<u>All causes</u>	16,106	100.0
	1. Heart diseases (390-398, 402, 404-429)	6,535	40.6
	2. Malignant neoplasms (140-208)	2,950	18.3
	3. Cerebrovascular diseases (430-438)	1,698	10.5
	4. Emphysema and other chronic obstructive pulmonary diseases (490-496)	551	3.4
	5. Pneumonia and influenza (480-487)	469	2.9

Table C8. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1984

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total of five leading causes</u>	<u>1,081</u>	<u>692</u>	<u>389</u>	<u>75.6</u>	<u>77.3</u>	<u>72.8</u>
1. Motor vehicle (810-825)	697	482	215	48.8	53.8	40.3
2. Fires and flames (890-899)	136	51	85	9.5	5.7	15.9
3. Falls (880-888)	96	81	15	6.7	9.0	2.8
4. Drowning and submersion (except in transport accidents) (910)	83	40	43	5.8	4.5	8.0
5. Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	69	38	31	4.8	4.2	5.8

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1984

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

Table C12. Deaths and mortality rates for ten leading causes of infant deaths,
by cause and race
Mississippi, 1984

Cause and International Classification Number	Number			Rate*		
	Total	White	Non- white	Total	White	Non- white
<u>All causes</u>	<u>629</u>	<u>224</u>	<u>405</u>	<u>14.4</u>	<u>9.9</u>	<u>19.2</u>
1. Congenital anomalies (740-759)	121	67	54	2.8	3.0	2.6
2. Respiratory distress syndrome (769)	61	32	29	1.4	1.4	1.4
3. Sudden infant death syndrome (798.0)	58	17	41	1.3	0.7	1.9
4. Disorders relating to short gestation and unspecified low birthweight (765)	48	9	39	1.1	0.4	1.8
5. Infections specific to the perinatal period (771)	31	11	20	0.7	0.5	0.9
6. Maternal complications of pregnancy (761)	28	11	17	0.6	0.5	0.8
7. Symptoms, signs, and ill-defined conditions (excluding SIDS) (780-797, 798.1-799)	21	5	16	0.5	0.2	0.8
8. Accidents (800-949)	19	2	17	0.4	0.1	0.8
9. Intrauterine hypoxia and birth asphyxia (768)	18	5	13	0.4	0.2	0.6
10. Pneumonia and influenza (480-487)	15	7	8	0.3	0.3	0.4

* Deaths per 1,000 live births.

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1984

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	26,025	19,255	6,770	26,025	19,256	6,769	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	5,868	4,720	1,148	2,327	1,967	360	22.5	24.5	17.0	8.9	10.2	5.3
UNDER 13	0	0	0	0	0	0	-	-	-	-	-	-
13	2	2	0	0	0	0	0.1	0.2	0.5	0.2	0.2	0.4
14	34	31	3	0	0	0	1.0	1.2	1.4	1.2	1.2	1.3
15	275	239	36	7	7	0	2.5	2.9	2.6	1.0	0.2	0.4
16	646	554	92	40	40	0	4.3	4.8	2.6	1.0	1.2	1.3
17	1,112	932	180	266	241	25	7.3	7.9	5.6	2.8	3.3	3.6
18	1,907	1,530	377	731	640	91	7.3	7.4	6.8	4.9	5.4	6.1
19	1,892	1,432	460	1,283	1,039	244	7.3	7.4	6.8	4.9	5.4	6.1
20-24	8,726	6,221	2,505	9,042	6,601	2,441	33.5	32.3	37.0	34.7	34.3	36.1
25-34	6,892	4,812	2,080	8,578	6,066	2,512	26.5	25.0	30.7	33.0	31.5	37.1
35-44	2,616	2,070	546	3,243	2,534	709	10.0	10.8	8.1	12.5	13.2	10.5
45-54	1,062	786	276	1,368	1,045	323	4.1	4.1	4.1	5.2	5.4	4.8
55-64	567	423	144	856	628	228	2.2	2.2	2.1	3.3	3.3	3.4
65-74	236	180	56	454	316	138	0.9	0.9	0.8	1.7	1.6	2.0
75 & OVER	52	38	14	151	93	58	0.2	0.2	0.2	0.6	0.5	0.8
UNKNOWN	6	5	1	6	6	0	0.02	0.02	0.02	0.02	0.02	0.02

* LESS THAN 0.06 PERCENT.

TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1984

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	26,025	19,255	6,770	26,025	19,256	6,769	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	15,691	10,628	5,063	15,532	10,741	4,791	60.3	55.2	74.8	59.7	55.8	70.8
REMARRIAGE	10,311	8,611	1,700	10,469	8,497	1,972	39.6	44.7	25.1	40.2	44.1	29.1
SECOND	7,184	5,767	1,417	7,345	5,756	1,589	27.6	30.0	20.9	28.2	29.9	23.5
OVER TWO	3,124	2,842	282	3,119	2,738	381	12.0	14.8	4.2	12.0	14.2	5.6
THIRD	2,368	2,134	234	2,343	2,035	308	9.1	11.1	3.4	9.0	10.6	4.6
FOURTH	590	547	43	584	532	52	2.3	2.8	0.6	2.2	2.8	0.8
FIFTH	119	114	5	147	134	13	0.4	0.6	0.1	0.6	0.7	0.2
SIXTH	36	36	0	27	22	5	0.1	0.2	-	0.1	0.1	0.1
SEVENTH	8	8	0	13	11	2	#	#	-	#	#	#
EIGHTH	2	2	0	3	2	1	#	#	-	#	#	-
NINTH	0	0	0	1	1	0	-	-	-	-	-	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	1	1	0	1	1	0	#	#	-	#	#	-
UNKNOWN*	3	2	1	5	3	2	#	#	#	#	#	#
UNKNOWN**	23	16	7	24	18	6	0.1	0.1	0.1	0.1	0.1	0.1

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1984

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE																	
	TOTAL						WHITE						NONWHITE					
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN		
NUMBER																		
TOTAL	26,025	24,180	1,836	9	19,255	17,715	1,533	7	6,770	6,465	303	2	6,770	6,465	303	2		
MISSISSIPPI	23,240	22,783	451	6	16,972	16,592	375	5	6,268	6,191	76	1	6,268	6,191	76	1		
OTHER	2,774	1,387	1,385	2	2,273	1,114	1,158	1	501	273	227	1	501	273	227	1		
UNKNOWN	11	10	0	1	10	9	0	1	1	1	0	0	1	1	0	0		
PERCENT																		
TOTAL	100.0	92.9	7.0	0.0	100.0	92.0	8.0	0.0	100.0	95.5	4.5	0.0	100.0	95.5	4.5	0.0		
MISSISSIPPI	89.3	87.5	1.7	0.0	88.1	86.2	1.9	0.0	92.6	91.4	1.1	0.0	92.6	91.4	1.1	0.0		
OTHER	10.6	5.3	5.3	0.0	11.8	5.8	6.0	0.0	7.4	4.0	3.4	0.0	7.4	4.0	3.4	0.0		
UNKNOWN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		

* LESS THAN 0.06 PERCENT.

TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1984

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	12,911	10,205	2,664	42	100.0	100.0	100.0	100.0
UNDER FIVE	5,809	4,958	833	18	45.0	48.6	31.3	42.8
UNDER ONE	896	826	68	2	6.9	8.1	2.6	4.8
ONE	1,390	1,214	169	7	10.8	11.9	6.3	16.7
TWO	1,339	1,142	192	5	10.4	11.2	7.2	11.9
THREE	1,189	976	212	1	9.2	9.6	8.0	2.4
FOUR	995	800	192	3	7.7	7.8	7.2	7.1
FIVE-NINE	3,107	2,350	748	9	24.1	23.0	28.1	21.4
TEN-NINETEEN	2,740	1,985	744	11	21.2	19.4	27.9	26.2
TWENTY AND OVER	1,197	871	325	1	9.3	8.5	12.2	2.4
UNKNOWN	58	41	14	3	0.4	0.4	0.5	7.1

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

MAJOR TABLES

1984

TABLE 1
 LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
 ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE,
 (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
 MISSISSIPPI, 1984

COUNTY	OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>43,358</u>	<u>22,367</u>	<u>20,991</u>	<u>43,742</u>	<u>22,672</u>	<u>21,070</u>
ADAMS	1,063	532	531	678	296	382
ALCORN	357	304	53	450	389	61
AMITE	1	0	1	193	84	109
ATTALA	135	107	28	285	135	150
BENTON	0	0	0	129	51	78
BOLIVAR	921	153	768	984	220	764
CALHOUN	0	0	0	232	135	97
CARROLL	0	0	0	108	43	65
CHICKASAW	151	64	87	315	148	167
CHOCTAW	96	25	71	141	60	81
CLAIBORNE	120	6	114	191	28	163
CLARKE	1	0	1	279	155	124
CLAY	375	119	256	390	150	240
COAHOMA	1,163	292	871	717	136	581
COPIAH	196	78	118	456	169	287
COVINGTON	140	53	87	283	144	139
DESOTO	1	1	0	782	600	182
FORREST	2,423	1,664	759	1,013	607	406
FRANKLIN	1	0	1	142	67	75
GEORGE	154	107	47	283	235	48
GREENE	17	14	3	158	116	42
GRENADA	677	335	342	380	173	207
HANCOCK	141	113	28	402	347	55
HARRISON	3,552	2,632	920	3,004	2,174	830
HINDS	7,353	2,505	4,848	4,512	1,741	2,771
HOLMES	320	27	293	513	81	432
HUMPHREYS	70	6	64	352	79	273
ISSAQUENA	0	0	0	34	5	29
ITAWAMBA	1	1	0	258	227	31
JACKSON	1,630	1,214	416	1,878	1,403	475
JASPER	1	1	0	313	130	183
JEFFERSON	48	1	47	177	16	161
JEFF DAVIS	1	0	1	226	79	147
JONES	1,575	880	695	1,052	691	361
KEMPER	0	0	0	140	41	99
LAFAYETTE	518	268	250	402	215	187
LAMAR	60	46	14	463	393	70
LAUDERDALE	2,436	1,355	1,081	1,323	691	632
LAWRENCE	105	31	74	222	127	95
LEAKE	38	17	21	305	132	173
LEE	2,299	1,736	563	1,072	732	340
LEFLORE	1,080	328	752	779	245	534

TABLE 1 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1984

TOWN*	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	1,064	740	324
BROOKHAVEN	160	69	91
CANTON	255	33	222
CLARKSDALE	476	96	380
CLEVELAND	270	98	172
CLINTON	238	186	52
COLUMBUS	488	195	293
CORINTH	187	146	41
GREENVILLE	871	218	653
GREENWOOD	433	143	290
GRENADA	203	68	135
GULFPORT	806	494	312
HATTIESBURG	687	330	357
JACKSON	3,697	1,312	2,385
LAUREL	380	169	211
MCCOMB	193	67	126
MERIDIAN	758	293	465
MOSS POINT	292	67	225
NATCHEZ	410	156	254
OCEAN SPRINGS	265	237	28
PASCAGOULA	551	411	140
PEARL	310	277	33
PICAYUNE	169	96	73
SOUTHAVEN	216	201	15
STARKVILLE	286	154	132
TUPELO	462	308	154
VICKSBURG	489	165	324
YAZOO CITY	274	66	208

* TOWNS OF 10,000 POPULATION OR MORE.

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1984

COUNTY	TOTAL	WHITE			NONWHITE			SEX			
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,512	1,741	1,727	0	14	2,771	2,762	6	3	2,289	2,223
HOLMES	513	81	81	0	0	432	427	1	4	242	271
HUMPHREYS	352	79	79	0	0	273	271	1	1	172	180
ISSAQUENA	34	5	5	0	0	29	29	0	0	24	10
ITAWAMBA	258	227	226	0	1	31	31	0	0	140	118
JACKSON	1,878	1,403	1,396	0	7	475	469	0	6	955	923
JASPER	313	130	130	0	0	183	182	0	1	144	169
JEFFERSON	177	16	16	0	0	161	160	1	0	82	95
JEFF DAVIS	226	79	79	0	0	147	147	0	0	110	116
JONES	1,052	691	689	0	2	361	361	0	0	530	522
KEMPER	140	41	41	0	0	99	99	0	0	73	67
LAFAYETTE	402	215	214	0	1	187	184	1	2	213	189
LAMAR	463	393	390	0	3	70	70	0	0	222	241
LAUDERDALE	1,323	691	691	0	0	632	630	2	0	694	629
LAWRENCE	222	127	127	0	0	95	94	1	0	113	109
LEAKE	305	132	132	0	0	173	172	1	0	144	161
LEE	1,072	732	731	0	1	340	339	0	1	534	538
LEFLORE	779	245	245	0	0	534	531	2	1	395	384
LINCOLN	467	295	293	0	2	172	171	1	0	237	230
LOWNDES	1,116	618	617	0	1	498	497	0	1	579	537
MADISON	869	350	350	0	0	519	515	3	1	446	423
MARION	462	287	286	0	1	175	174	0	1	244	218
MARSHALL	511	195	195	0	0	316	314	0	2	233	278
MONROE	640	383	382	0	1	257	254	1	2	329	311
MONTGOMERY	189	61	60	1	0	128	127	1	0	99	90
NESHOBA	393	205	205	0	0	188	188	0	0	191	202
NEWTON	305	172	172	0	0	133	133	0	0	144	161
NOXUBEE	272	61	61	0	0	211	210	1	0	146	126
OKTIBBEHA	577	266	266	0	0	311	311	0	0	268	309
PANOLA	527	186	186	0	0	341	340	0	1	268	259

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1984

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>43,742</u>	<u>408</u>	<u>8,890</u>	<u>15,305</u>	<u>11,622</u>	<u>5,579</u>	<u>1,652</u>	<u>268</u>	<u>12</u>	<u>6</u>
ADAMS	678	5	117	225	212	95	23	1	0	0
ALCORN	450	1	93	154	127	60	12	3	0	0
AMITE	193	2	43	58	49	27	13	1	0	0
ATTALA	285	5	63	102	61	42	11	1	0	0
BENTON	129	0	30	46	35	14	4	0	0	0
BOLIVAR	984	20	300	334	185	99	37	8	1	0
CALHOUN	232	2	52	81	66	17	11	3	0	0
CARROLL	108	3	21	40	26	15	1	2	0	0
CHICKASAW	315	0	57	139	75	29	14	1	0	0
CHOCTAW	141	0	34	54	24	24	4	0	1	0
CLAIBORNE	191	2	29	68	48	24	16	4	0	0
CLARKE	279	5	74	95	63	31	10	1	0	0
CLAY	390	3	79	140	102	48	15	3	0	0
COAHOMA	717	14	215	249	149	71	15	4	0	0
COPIAH	456	4	98	161	112	59	17	5	0	0
COVINGTON	283	3	71	102	67	29	8	3	0	0
DESOTO	782	7	132	287	216	98	38	4	0	0
FORREST	1,013	9	200	360	276	118	41	9	0	0
FRANKLIN	142	2	26	52	35	20	6	1	0	0
GEORGE	283	1	55	117	72	29	9	0	0	0
GREENE	158	1	34	57	43	18	3	2	0	0
GRENADA	380	9	75	146	90	43	14	3	0	0
HANCOCK	402	0	87	143	102	46	23	1	0	0
HARRISON	3,004	17	512	1,192	801	358	102	15	3	4
HINDS	4,512	54	757	1,350	1,400	738	188	24	1	0
HOLMES	513	7	141	174	116	50	18	7	0	0
HUMPHREYS	352	8	100	129	76	35	3	1	0	0
ISSAQUENA	34	0	16	10	7	0	1	0	0	0
ITAWAMBA	258	2	51	96	63	33	13	0	0	0
JACKSON	1,878	8	332	667	544	255	66	6	0	0
JASPER	313	0	59	116	79	44	14	1	0	0
JEFFERSON	177	2	34	65	39	29	6	2	0	0
JEFF DAVIS	226	0	48	83	60	19	10	6	0	0
JONES	1,052	10	185	377	312	121	41	6	0	0
KEMPER	140	3	33	48	27	22	6	1	0	0
LAFAYETTE	402	1	66	134	129	58	13	1	0	0
LAMAR	463	0	71	161	141	69	20	1	0	0
LAUDERDALE	1,323	15	259	485	363	151	41	9	0	0
LAWRENCE	222	2	42	97	50	22	8	1	0	0
LEAKE	305	3	61	109	73	43	13	2	1	0
LEE	1,072	6	179	367	315	156	44	5	0	0
LEFLORE	779	10	192	287	181	78	29	2	0	0

TABLE 3B
 WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1984

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	22,672	34	3,259	8,149	6,961	3,305	860	100	3	1
ADAMS	296	0	24	95	112	51	13	1	0	0
ALCORN	389	0	72	137	112	54	11	3	0	0
AMITE	84	0	10	28	29	15	2	0	0	0
ATTALA	135	1	18	47	41	23	5	0	0	0
BENTON	51	0	11	20	12	6	2	0	0	0
BOLIVAR	220	0	35	73	74	32	4	1	1	0
CALHOUN	135	0	27	53	39	11	5	0	0	0
CARROLL	43	0	6	18	12	7	0	0	0	0
CHICKASAW	148	0	25	67	33	14	9	0	0	0
CHOCTAW	60	0	7	30	11	10	2	0	0	0
CLAIBORNE	28	0	1	10	10	3	3	1	0	0
CLARKE	155	1	28	63	39	18	6	0	0	0
CLAY	150	1	24	55	43	20	7	0	0	0
COAHOMA	136	0	18	44	44	26	4	0	0	0
COPIAH	169	0	21	70	52	21	4	1	0	0
COVINGTON	144	0	29	60	37	14	3	1	0	0
DESOTO	600	1	80	221	185	82	30	1	0	0
FORREST	607	1	75	205	201	88	31	6	0	0
FRANKLIN	67	1	8	29	18	8	3	0	0	0
GEORGE	235	0	46	97	64	22	6	0	0	0
GREENE	116	0	22	47	31	12	2	2	0	0
GRENADA	173	0	23	68	49	30	2	1	0	0
HANCOCK	347	0	71	126	92	40	17	1	0	0
HARRISON	2,174	5	314	910	606	262	67	9	1	0
HINDS	1,741	1	146	464	624	403	95	8	0	0
HOLMES	81	0	10	22	29	17	3	0	0	0
HUMPHREYS	79	0	17	27	23	11	1	0	0	0
ISSAQUENA	5	0	3	0	2	0	0	0	0	0
ITAWAMBA	227	2	45	82	55	31	12	0	0	0
JACKSON	1,403	2	226	510	412	197	50	6	0	0
JASPER	130	0	18	53	37	18	4	0	0	0
JEFFERSON	16	0	2	3	6	5	0	0	0	0
JEFF DAVIS	79	0	10	33	24	5	5	2	0	0
JONES	691	1	105	240	228	86	27	4	0	0
KEMPER	41	0	1	17	15	5	3	0	0	0
LAFAYETTE	215	0	27	70	69	36	12	1	0	0
LAMAR	393	0	55	132	125	63	17	1	0	0
LAUDERDALE	691	1	81	277	224	85	20	3	0	0
LAWRENCE	127	0	24	55	28	15	5	0	0	0
LEAKE	132	0	26	47	33	22	3	1	0	0
LEE	732	0	107	241	240	110	31	3	0	0
LEFLORE	245	1	35	94	76	31	8	0	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1984

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>21,070</u>	<u>374</u>	<u>5,631</u>	<u>7,156</u>	<u>4,661</u>	<u>2,274</u>	<u>792</u>	<u>168</u>	<u>9</u>	<u>5</u>
ADAMS	382	5	93	130	100	44	10	0	0	0
ALCORN	61	1	21	17	15	6	1	0	0	0
AMITE	109	2	33	30	20	12	11	1	0	0
ATTALA	150	4	45	55	20	19	6	1	0	0
BENTON	78	0	19	26	23	8	2	0	0	0
BOLIVAR	764	20	265	261	111	67	33	7	0	0
CALHOUN	97	2	25	28	27	6	6	3	0	0
CARROLL	65	3	15	22	14	8	1	2	0	0
CHICKASAW	167	0	32	72	42	15	5	1	0	0
CHOCTAW	81	0	27	24	13	14	2	0	1	0
CLAIBORNE	163	2	28	58	38	21	13	3	0	0
CLARKE	124	4	46	32	24	13	4	1	0	0
CLAY	240	2	55	85	59	28	8	3	0	0
COAHOMA	581	14	197	205	105	45	11	4	0	0
COPIAH	287	4	77	91	60	38	13	4	0	0
COVINGTON	139	3	42	42	30	15	5	2	0	0
DESOTO	182	6	52	66	31	16	8	3	0	0
FORREST	406	8	125	155	75	30	10	3	0	0
FRANKLIN	75	1	18	23	17	12	3	1	0	0
GEORGE	48	1	9	20	8	7	3	0	0	0
GREENE	42	1	12	10	12	6	1	0	0	0
GRENADA	207	9	52	78	41	13	12	2	0	0
HANCOCK	55	0	16	17	10	6	6	0	0	0
HARRISON	830	12	198	282	195	96	35	6	2	4
HINDS	2,771	53	611	886	776	335	93	16	1	0
HOLMES	432	7	131	152	87	33	15	7	0	0
HUMPHREYS	273	8	83	102	53	24	2	1	0	0
ISSAQUENA	29	0	13	10	5	0	1	0	0	0
ITAWAMBA	31	0	6	14	8	2	1	0	0	0
JACKSON	475	6	106	157	132	58	16	0	0	0
JASPER	183	0	41	63	42	26	10	1	0	0
JEFFERSON	161	2	32	62	33	24	6	2	0	0
JEFF DAVIS	147	0	38	50	36	14	5	4	0	0
JONES	361	9	80	137	84	35	14	2	0	0
KEMPER	99	3	32	31	12	17	3	1	0	0
LAFAYETTE	187	1	39	64	60	22	1	0	0	0
LAMAR	70	0	16	29	16	6	3	0	0	0
LAUDERDALE	632	14	178	208	139	66	21	6	0	0
LAWRENCE	95	2	18	42	22	7	3	1	0	0
LEAKE	173	3	35	62	40	21	10	1	1	0
LEE	340	6	72	126	75	46	13	2	0	0
LEFLORE	534	9	157	193	105	47	21	2	0	0

TABLE 4
 ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1984

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>14,152</u>	<u>1,702</u>	<u>12,450</u>	<u>32.4</u>	<u>7.5</u>	<u>59.1</u>
ADAMS	247	17	230	36.4	5.7	60.2
ALCORN	61	25	36	13.6	6.4	59.0
AMITE	57	3	54	29.5	3.6	49.5
ATTALA	75	4	71	26.3	3.0	47.3
BENTON	31	3	28	24.0	5.9	35.9
BOLIVAR	592	15	577	60.2	6.8	75.5
CALHOUN	55	8	47	23.7	5.9	48.4
CARROLL	49	4	45	45.4	9.3	69.2
CHICKASAW	107	19	88	34.0	12.8	52.7
CHOCTAW	56	3	53	39.7	5.0	65.4
CLAIBORNE	109	2	107	57.1	7.1	65.6
CLARKE	73	7	66	26.2	4.5	53.2
CLAY	126	13	113	32.3	8.7	47.1
COAHOMA	428	10	418	59.7	7.4	71.9
COPIAH	173	9	164	37.9	5.3	57.1
COVINGTON	97	13	84	34.3	9.0	60.4
DESOTO	165	43	122	21.1	7.2	67.0
FORREST	311	55	256	30.7	9.1	63.0
FRANKLIN	38	3	35	26.8	4.5	46.7
GEORGE	45	23	22	15.9	9.8	45.8
GREENE	35	10	25	22.2	8.6	59.5
GRENADA	135	14	121	35.5	8.1	58.4
HANCOCK	69	45	24	17.2	13.0	43.6
HARRISON	636	232	404	21.2	10.7	48.7
HINDS	1,684	123	1,561	37.3	7.1	56.3
HOLMES	289	4	285	56.3	4.9	66.0
HUMPHREYS	191	5	186	54.3	6.3	68.1
ISSAQUENA	23	0	23	67.6	-	79.3
ITAWAMBA	32	20	12	12.4	8.8	38.7
JACKSON	393	151	242	20.9	10.8	50.9
JASPER	82	7	75	26.2	5.4	41.0
JEFFERSON	87	0	87	49.2	-	54.0
JEFF DAVIS	81	2	79	35.8	2.5	53.7
JONES	232	43	189	22.0	6.2	52.4
KEMPER	50	0	50	35.7	-	50.5
LAFAYETTE	107	12	95	26.6	5.6	50.8
LAMAR	60	21	39	13.0	5.3	55.7
LAUDERDALE	390	35	355	29.5	5.1	56.2
LAWRENCE	41	1	40	18.5	0.8	42.1
LEAKE	95	12	83	31.1	9.1	48.0
LEE	237	64	173	22.1	8.7	50.9
LEFLORE	389	17	372	49.9	6.9	69.7

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1984

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	14,152	400	5,747	4,874	2,038	754	270	64	1	4
ADAMS	247	5	88	88	44	20	2	0	0	0
ALCORN	61	1	24	23	9	3	1	0	0	0
AMITE	57	2	28	14	6	3	3	1	0	0
ATTALA	75	5	33	29	4	2	2	0	0	0
BENTON	31	0	12	12	6	1	0	0	0	0
BOLIVAR	592	20	255	218	52	30	14	3	0	0
CALHOUN	55	1	27	16	8	1	1	1	0	0
CARROLL	49	3	17	18	7	4	0	0	0	0
CHICKASAW	107	0	32	47	15	8	5	0	0	0
CHOCTAW	56	0	26	19	2	9	0	0	0	0
CLAIBORNE	109	2	27	39	27	9	2	3	0	0
CLARKE	73	4	42	14	7	3	3	0	0	0
CLAY	126	3	45	39	26	9	3	1	0	0
COAHOMA	428	14	195	153	46	12	5	3	0	0
COPIAH	173	4	74	52	24	14	3	2	0	0
COVINGTON	97	3	43	32	14	4	1	0	0	0
DESOTO	165	7	67	56	21	7	5	2	0	0
FORREST	311	8	132	122	34	9	3	3	0	0
FRANKLIN	38	2	16	11	4	5	0	0	0	0
GEORGE	45	1	13	17	7	4	3	0	0	0
GREENE	35	1	15	11	4	4	0	0	0	0
GRENADA	135	9	50	51	17	2	6	0	0	0
HANCOCK	69	0	39	19	6	3	2	0	0	0
HARRISON	636	17	248	230	102	27	9	1	0	2
HINDS	1,684	54	597	575	322	94	35	7	0	0
HOLMES	289	7	116	98	45	13	6	4	0	0
HUMPHREYS	191	8	74	70	27	11	1	0	0	0
ISSAQUENA	23	0	13	7	3	0	0	0	0	0
ITAWAMBA	32	1	13	11	5	1	1	0	0	0
JACKSON	393	8	160	128	70	21	6	0	0	0
JASPER	82	0	34	26	13	8	1	0	0	0
JEFFERSON	87	2	29	34	12	9	1	0	0	0
JEFF DAVIS	81	0	34	27	17	0	1	2	0	0
JONES	232	10	88	79	36	10	8	1	0	0
KEMPER	50	3	25	15	2	5	0	0	0	0
LAFAYETTE	107	1	43	34	22	5	2	0	0	0
LAMAR	60	0	24	20	13	3	0	0	0	0
LAUDERDALE	390	15	164	127	53	23	6	2	0	0
LAWRENCE	41	2	18	17	4	0	0	0	0	0
LEAKE	95	3	35	31	18	4	4	0	0	0
LEE	237	6	92	85	38	9	6	1	0	0
LEFLORE	389	10	155	142	52	22	8	0	0	0

TABLE 5B
 WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1984

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>1,702</u>	<u>30</u>	<u>738</u>	<u>598</u>	<u>225</u>	<u>78</u>	<u>28</u>	<u>4</u>	<u>0</u>	<u>1</u>
ADAMS	17	0	3	5	9	0	0	0	0	0
ALCORN	25	0	7	13	2	3	0	0	0	0
AMITE	3	0	3	0	0	0	0	0	0	0
ATTALA	4	1	1	2	0	0	0	0	0	0
BENTON	3	0	0	1	1	1	0	0	0	0
BOLIVAR	15	0	4	10	0	0	1	0	0	0
CALHOUN	8	0	5	1	1	0	1	0	0	0
CARROLL	4	0	2	1	1	0	0	0	0	0
CHICKASAW	19	0	6	11	0	2	0	0	0	0
CHOCTAW	3	0	0	3	0	0	0	0	0	0
CLAIBORNE	2	0	0	1	1	0	0	0	0	0
CLARKE	7	1	4	1	1	0	0	0	0	0
CLAY	13	1	4	6	1	1	0	0	0	0
COAHOMA	10	0	7	1	1	1	0	0	0	0
COPIAH	9	0	2	4	2	0	1	0	0	0
COVINGTON	13	0	5	6	1	1	0	0	0	0
DESOTO	43	1	19	12	6	3	1	1	0	0
FORREST	55	1	21	26	4	2	1	0	0	0
FRANKLIN	3	1	1	1	0	0	0	0	0	0
GEORGE	23	0	6	7	6	2	2	0	0	0
GREENE	10	0	4	4	1	1	0	0	0	0
GRENADA	14	0	4	7	2	1	0	0	0	0
HANCOCK	45	0	24	13	6	1	1	0	0	0
HARRISON	232	5	85	95	33	8	5	1	0	0
HINDS	123	1	54	43	19	4	2	0	0	0
HOLMES	4	0	0	3	1	0	0	0	0	0
HUMPHREYS	5	0	2	3	0	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	20	1	10	5	2	1	1	0	0	0
JACKSON	151	2	62	53	24	8	2	0	0	0
JASPER	7	0	6	1	0	0	0	0	0	0
JEFFERSON	0	0	0	0	0	0	0	0	0	0
JEFF DAVIS	2	0	1	1	0	0	0	0	0	0
JONES	43	1	20	14	6	2	0	0	0	0
KEMPER	0	0	0	0	0	0	0	0	0	0
LAFAYETTE	12	0	7	2	1	1	1	0	0	0
LAMAR	21	0	9	4	6	2	0	0	0	0
LAUDERDALE	35	1	12	10	8	3	1	0	0	0
LAWRENCE	1	0	1	0	0	0	0	0	0	0
LEAKE	12	0	7	1	3	1	0	0	0	0
LEE	64	0	28	20	12	3	1	0	0	0
LEFLORE	17	1	9	7	0	0	0	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1984

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>12,450</u>	<u>370</u>	<u>5,009</u>	<u>4,276</u>	<u>1,813</u>	<u>676</u>	<u>242</u>	<u>60</u>	<u>1</u>	<u>3</u>
ADAMS	230	5	85	83	35	20	2	0	0	0
ALCORN	36	1	17	10	7	0	1	0	0	0
AMITE	54	2	25	14	6	3	3	1	0	0
ATTALA	71	4	32	27	4	2	2	0	0	0
BENTON	28	0	12	11	5	0	0	0	0	0
BOLIVAR	577	20	251	208	52	30	13	3	0	0
CALHOUN	47	1	22	15	7	1	0	1	0	0
CARROLL	45	3	15	17	6	4	0	0	0	0
CHICKASAW	88	0	26	36	15	6	5	0	0	0
CHOCTAW	53	0	26	16	2	9	0	0	0	0
CLAIBORNE	107	2	27	38	26	9	2	3	0	0
CLARKE	66	3	38	13	6	3	3	0	0	0
CLAY	113	2	41	33	25	8	3	1	0	0
COAHOMA	418	14	188	152	45	11	5	3	0	0
COPIAH	164	4	72	48	22	14	2	2	0	0
COVINGTON	84	3	38	26	13	3	1	0	0	0
DESOTO	122	6	48	44	15	4	4	1	0	0
FORREST	256	7	111	96	30	7	2	3	0	0
FRANKLIN	35	1	15	10	4	5	0	0	0	0
GEORGE	22	1	7	10	1	2	1	0	0	0
GREENE	25	1	11	7	3	3	0	0	0	0
GRENADA	121	9	46	44	15	1	6	0	0	0
HANCOCK	24	0	15	6	0	2	1	0	0	0
HARRISON	404	12	163	135	69	19	4	0	0	2
HINDS	1,561	53	543	532	303	90	33	7	0	0
HOLMES	285	7	116	95	44	13	6	4	0	0
HUMPHREYS	186	8	72	67	27	11	1	0	0	0
ISSAQUENA	23	0	13	7	3	0	0	0	0	0
ITAWAMBA	12	0	3	6	3	0	0	0	0	0
JACKSON	242	6	98	75	46	13	4	0	0	0
JASPER	75	0	28	25	13	8	1	0	0	0
JEFFERSON	87	2	29	34	12	9	1	0	0	0
JEFF DAVIS	79	0	33	26	17	0	1	2	0	0
JONES	189	9	68	65	30	8	8	1	0	0
KEMPER	50	3	25	15	2	5	0	0	0	0
LAFAYETTE	95	1	36	32	21	4	1	0	0	0
LAMAR	39	0	15	16	7	1	0	0	0	0
LAUDERDALE	355	14	152	117	45	20	5	2	0	0
LAWRENCE	40	2	17	17	4	0	0	0	0	0
LEAKE	83	3	28	30	15	3	4	0	0	0
LEE	173	6	64	65	26	6	5	1	0	0
LEFLORE	372	9	146	135	52	22	8	0	0	0

TABLE 6
 IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1984

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>3,843</u>	<u>1,374</u>	<u>2,469</u>	<u>8.8</u>	<u>6.1</u>	<u>11.7</u>
ADAMS	53	15	38	7.8	5.1	9.9
ALCORN	38	32	6	8.4	8.2	9.8
AMITE	18	2	16	9.3	2.4	14.7
ATTALA	20	5	15	7.0	3.7	10.0
BENTON	26	9	17	20.2	17.6	21.8
BOLIVAR	101	10	91	10.3	4.5	11.9
CALHOUN	16	6	10	6.9	4.4	10.3
CARROLL	8	2	6	7.4	4.6	9.2
CHICKASAW	34	13	21	10.8	8.8	12.6
CHOCTAW	13	2	11	9.2	3.3	13.6
CLAIBORNE	24	2	22	12.6	7.1	13.5
CLARKE	27	11	16	9.7	7.1	12.9
CLAY	43	14	29	11.0	9.3	12.1
COAHOMA	65	4	61	9.1	2.9	10.5
COPIAH	43	13	30	9.4	7.7	10.4
COVINGTON	22	5	17	7.8	3.5	12.2
DESOTO	58	37	21	7.4	6.2	11.5
FORREST	89	45	44	8.8	7.4	10.8
FRANKLIN	18	9	9	12.7	13.4	12.0
GEORGE	22	13	9	7.8	5.5	18.8
GREENE	8	4	4	5.1	3.4	9.5
GRENADA	31	9	22	8.2	5.2	10.6
HANCOCK	28	24	4	7.0	6.9	7.3
HARRISON	217	130	87	7.2	6.0	10.5
HINDS	437	90	347	9.7	5.2	12.5
HOLMES	58	3	55	11.3	3.7	12.7
HUMPHREYS	46	9	37	13.1	11.4	13.6
ISSAQUENA	2	0	2	5.9	-	6.9
ITAWAMBA	18	14	4	7.0	6.2	12.9
JACKSON	147	86	61	7.8	6.1	12.8
JASPER	31	10	21	9.9	7.7	11.5
JEFFERSON	14	0	14	7.9	-	8.7
JEFF DAVIS	20	5	15	8.8	6.3	10.2
JONES	85	42	43	8.1	6.1	11.9
KEMPER	5	2	3	3.6	4.9	3.0
LAFAYETTE	27	8	19	6.7	3.7	10.2
LAMAR	27	22	5	5.8	5.6	7.1
LAUDERDALE	91	31	60	6.9	4.5	9.5
LAWRENCE	24	9	15	10.8	7.1	15.8
LEAKE	25	6	19	8.2	4.5	11.0
LEE	96	50	46	9.0	6.8	13.5
LEFLORE	86	16	70	11.0	6.5	13.1

TABLE 7
 PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1984

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>5,911</u>	<u>1,956</u>	<u>3,955</u>	<u>13.5</u>	<u>8.6</u>	<u>18.8</u>
ADAMS	79	23	56	11.6	7.8	14.7
ALCORN	62	47	15	13.8	12.1	24.6
AMITE	22	7	15	11.4	8.3	13.8
ATTALA	36	11	25	12.6	8.1	16.7
BENTON	24	8	16	18.6	15.7	20.5
BOLIVAR	177	14	163	18.0	6.4	21.3
CALHOUN	26	9	17	11.2	6.7	17.5
CARROLL	13	5	8	12.0	11.6	12.3
CHICKASAW	56	17	39	17.8	11.5	23.4
CHOCTAW	18	4	14	12.8	6.7	17.3
CLAIBORNE	27	4	23	14.1	14.3	14.1
CLARKE	35	16	19	12.5	10.3	15.3
CLAY	50	14	36	12.8	9.3	15.0
COAHOMA	129	8	121	18.0	5.9	20.8
COPIAH	72	21	51	15.8	12.4	17.8
COVINGTON	41	11	30	14.5	7.6	21.6
DESOTO	69	42	27	8.8	7.0	14.8
FORREST	125	48	77	12.3	7.9	19.0
FRANKLIN	24	15	9	16.9	22.4	12.0
GEORGE	23	15	8	8.1	6.4	16.7
GREENE	13	7	6	8.2	6.0	14.3
GRENADA	58	19	39	15.3	11.0	18.8
HANCOCK	39	29	10	9.7	8.4	18.2
HARRISON	361	212	149	12.0	9.8	18.0
HINDS	659	144	515	14.6	8.3	18.6
HOLMES	110	6	104	21.4	7.4	24.1
HUMPHREYS	72	9	63	20.4	11.4	23.1
ISSAQUENA	5	1	4	14.7	20.0	13.8
ITAWAMBA	20	16	4	7.8	7.0	12.9
JACKSON	214	113	101	11.4	8.0	21.3
JASPER	35	8	27	11.2	6.2	14.8
JEFFERSON	22	0	22	12.4	-	13.7
JEFF DAVIS	32	11	21	14.2	13.9	14.3
JONES	123	56	67	11.7	8.1	18.6
KEMPER	9	2	7	6.4	4.9	7.1
LAFAYETTE	40	13	27	10.0	6.0	14.4
LAMAR	36	25	11	7.8	6.4	15.7
LAUDERDALE	144	42	102	10.9	6.1	16.1
LAWRENCE	36	16	20	16.2	12.6	21.0
LEAKE	42	13	29	13.8	9.8	16.8
LEE	131	66	65	12.2	9.0	19.1
LEFLORE	117	20	97	15.0	8.2	18.2

TABLE 8
 REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1984

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>568</u>	<u>207</u>	<u>361</u>	<u>567</u>	<u>205</u>	<u>362</u>	<u>13.0</u>	<u>9.0</u>	<u>17.2</u>
ADAMS	14	2	12	5	0	5	7.4	-	13.1
ALCORN	5	5	0	2	2	0	4.4	5.1	-
AMITE	0	0	0	2	0	2	10.4	-	18.3
ATTALA	0	0	0	4	3	1	14.0	22.2	6.7
BENTON	0	0	0	3	3	0	23.2	58.8	-
BOLIVAR	10	1	9	13	1	12	13.2	4.5	15.7
CALHOUN	1	0	1	2	1	1	8.6	7.4	10.3
CARROLL	0	0	0	3	0	3	24.8	-	46.2
CHICKASAW	5	2	3	5	2	3	15.9	13.5	12.0
CHOCTAW	1	0	1	1	0	1	7.1	-	12.3
CLAIBORNE	2	0	2	4	0	4	20.9	-	24.5
CLARKE	0	0	0	4	1	3	14.3	6.4	24.2
CLAY	2	1	1	5	1	4	12.8	6.7	16.7
COAHOMA	23	5	18	12	4	8	16.7	29.4	13.8
COPIAH	2	0	2	12	4	8	26.3	23.7	27.9
COVINGTON	1	0	1	2	0	2	7.1	-	14.4
DESOTO	0	0	0	10	8	2	12.8	13.3	11.0
FORREST	25	13	12	9	3	6	8.9	4.9	14.8
FRANKLIN	0	0	0	1	1	0	7.0	14.9	-
GEORGE	0	0	0	1	1	0	3.5	4.2	-
GREENE	0	0	0	0	0	0	-	-	-
GRENADA	9	4	5	6	2	4	15.8	11.6	19.3
HANCOCK	2	1	1	2	1	1	5.0	2.9	18.2
HARRISON	36	21	15	33	20	13	11.0	9.2	15.7
HINDS	160	43	117	64	11	53	14.2	6.3	19.1
HOLMES	1	0	1	13	2	11	25.3	24.7	25.5
HUMPHREYS	0	0	0	4	0	4	11.4	-	14.6
ISSAQUENA	0	0	0	1	0	1	29.4	-	34.5
ITAWAMBA	0	0	0	4	3	1	15.5	13.2	32.2
JACKSON	18	12	6	21	13	8	11.2	9.3	16.8
JASPER	0	0	0	3	0	3	9.6	-	16.4
JEFFERSON	0	0	0	9	1	8	50.8	62.5	49.7
JEFF DAVIS	0	0	0	4	0	4	17.7	-	27.2
JONES	16	5	11	13	6	7	12.4	8.7	19.4
KEMPER	0	0	0	1	1	0	7.1	24.4	-
LAFAYETTE	7	2	5	4	2	2	10.0	9.3	10.7
LAMAR	0	0	0	5	4	1	10.8	10.2	14.3
LAUDERDALE	26	11	15	27	13	14	10.4	18.8	22.2
LAWRENCE	1	0	1	1	0	1	4.5	-	10.5
LEAKE	1	0	1	4	0	4	13.1	-	23.1
LEE	21	13	8	8	2	6	7.5	2.7	17.6
LEFLORE	14	1	13	10	2	8	12.8	8.2	15.0

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1984

COUNTY	OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>23,243</u>	<u>14,830</u>	<u>8,413</u>	<u>23,781</u>	<u>15,225</u>	<u>8,556</u>
ADAMS	461	224	237	437	195	242
ALCORN	289	244	45	338	286	52
AMITE	46	20	26	134	66	68
ATTALA	191	133	58	238	159	79
BENTON	16	12	4	64	46	18
BOLIVAR	474	165	309	519	179	340
CALHOUN	107	81	26	155	124	31
CARROLL	27	15	12	74	47	27
CHICKASAW	144	100	44	202	132	70
CHOCTAW	65	47	18	98	75	23
CLAIBORNE	66	19	47	96	26	70
CLARKE	126	84	42	192	129	63
CLAY	165	94	71	220	118	102
COAHOMA	358	148	210	368	147	221
COPIAH	195	112	83	313	182	131
COVINGTON	98	75	23	134	92	42
DESOTO	128	84	44	352	269	83
FORREST	761	549	212	635	458	177
FRANKLIN	79	49	30	98	61	37
GEORGE	93	86	7	143	129	14
GREENE	36	31	5	78	69	9
GRENADA	225	122	103	250	134	116
HANCOCK	193	171	22	234	207	27
HARRISON	1,571	1,282	289	1,284	1,044	240
HINDS	3,628	2,090	1,538	1,971	1,138	833
HOLMES	169	44	125	229	64	165
HUMPHREYS	119	37	82	167	57	110
ISSAQUENA	5	0	5	10	1	9
ITAWAMBA	112	102	10	186	172	14
JACKSON	671	550	121	747	622	125
JASPER	118	68	50	188	102	86
JEFFERSON	47	8	39	87	16	71
JEFF DAVIS	95	52	43	159	79	80
JONES	646	452	194	650	469	181
KEMPER	77	43	34	121	72	49
LAFAYETTE	218	158	60	214	152	62
LAMAR	304	248	56	203	173	30
LAUDERDALE	1,096	754	342	824	549	275
LAWRENCE	99	65	34	123	86	37
LEAKE	161	114	47	218	148	70
LEE	968	747	221	534	411	123
LEFLORE	491	224	267	466	220	246

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1984

TOWN*	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	360	293	67
BROOKHAVEN	191	139	52
CANTON	136	44	92
CLARKSDALE	264	107	157
CLEVELAND	149	75	74
CLINTON	107	90	17
COLUMBUS	279	156	123
CORINTH	159	124	35
GREENVILLE	487	187	300
GREENWOOD	293	155	138
GRENADA	169	86	83
GULFPORT	444	345	99
HATTIESBURG	441	283	158
JACKSON	1,616	940	676
LAUREL	323	201	122
MCCOMB	189	134	55
MERIDIAN	567	359	208
MOSS POINT	120	58	62
NATCHEZ	312	132	180
OCEAN SPRINGS	127	111	16
PASCAGOULA	227	198	29
PEARL	105	94	11
PICAYUNE	111	72	39
SOUTHAVEN	68	64	4
STARKVILLE	116	71	45
TUPELO	247	199	48
VICKSBURG	314	141	173
YAZOO CITY	180	83	97

* TOWNS OF 10,000 POPULATION OR MORE.

Table 10 - Page 2
Deaths - Mississippi - 1984

International Classification Number*	Cause*	Total	White	Non-white
<u>120-129</u>	<u>Helminthiases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>12</u>	<u>5</u>	<u>7</u>
135	Sarcoidosis	5	1	4
136	Other and unspecified infectious and parasitic diseases	3	2	1
137	Late effects of tuberculosis	3	1	2
138	Late effects of acute poliomyelitis	1	1	0
<u>140-239</u>	<u>NEOPLASMS</u>	<u>4,676</u>	<u>3,131</u>	<u>1,545</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>4,595</u>	<u>3,089</u>	<u>1,506</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>82</u>	<u>63</u>	<u>19</u>
140	Lip	5	5	0
141	Tongue	16	14	2
142	Major salivary glands	5	4	1
143	Gum	2	1	1
144	Floor of mouth	2	2	0
145	Other and unspecified parts of mouth	14	12	2
146	Oropharynx	7	4	3
147	Nasopharynx	6	3	3
148	Hypopharynx	8	5	3
149	Other and ill-defined sites	17	13	4
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,087</u>	<u>682</u>	<u>405</u>
150	Esophagus	86	47	39
151	Stomach	154	70	84
152	Small intestine, including duodenum	6	2	4
153	Colon	394	268	126
154	Rectum, rectosigmoid junction, and anus	64	43	21
155	Liver and intrahepatic bile ducts	82	57	25
156	Gallbladder and extrahepatic bile ducts	26	22	4
157	Pancreas	259	160	99
158	Retroperitoneum and peritoneum	5	2	3
159	Other and ill-defined sites	11	11	0
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,374</u>	<u>1,026</u>	<u>348</u>
160	Nasal cavities, middle ear, and accessory sinuses	7	5	2
161	Larynx	42	32	10
162	Trachea, bronchus, and lung	1,312	979	333
163	Pleura	7	6	1
164	Thymus, heart, and mediastinum	6	4	2
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>403</u>	<u>287</u>	<u>116</u>
170	Bone and articular cartilage	18	12	6
171	Connective and other soft tissue	22	12	10
172	Melanoma of skin	48	45	3
173	Skin, other	15	10	5
174	Female breast	297	206	91
175	Male breast	3	2	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>691</u>	<u>388</u>	<u>303</u>
(179-187)	(<u>Genital organs</u>)	<u>517</u>	<u>264</u>	<u>253</u>
179	Uterus, part unspecified	44	23	21
180	Cervix uteri	63	17	46

Table 10 - Page 4
Deaths - Mississippi - 1984

International Classification Number*	Cause*	Total	White	Non-white
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>564</u>	<u>289</u>	<u>275</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>6</u>	<u>4</u>	<u>2</u>
242	Thyrotoxicosis with or without goiter	3	2	1
244	Acquired hypothyroidism	3	2	1
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>424</u>	<u>220</u>	<u>204</u>
250	Diabetes mellitus	411	212	199
251	Other disorders of pancreatic internal secretion	4	2	2
252	Disorders of parathyroid gland	1	1	0
255	Disorders of adrenal glands	4	3	1
258	Polyglandular dysfunction and related disorders	1	0	1
259	Other endocrine disorders	3	2	1
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>30</u>	<u>14</u>	<u>16</u>
261	Nutritional marasmus	5	1	4
263	Other and unspecified protein-calorie malnutrition	25	13	12
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>104</u>	<u>51</u>	<u>53</u>
271	Disorders of carbohydrate transport and metabolism	2	1	1
272	Disorders of lipid metabolism	1	0	1
273	Disorders of plasma protein metabolism	8	2	6
274	Gout	5	3	2
275	Disorders of mineral metabolism	1	1	0
276	Disorders of fluid, electrolyte, and acid-base balance	65	34	31
277	Other and unspecified disorders of metabolism	5	3	2
278	Obesity and other hyperalimentation	14	5	9
279	Disorders involving the immune mechanism	3	2	1
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>95</u>	<u>56</u>	<u>39</u>
<u>280-285</u>	<u>Anemias</u>	<u>65</u>	<u>32</u>	<u>33</u>
280	Iron deficiency	1	1	0
281	Other deficiency	2	1	1
282	Hereditary hemolytic	14	1	13
283	Acquired hemolytic	3	3	0
284	Aplastic	21	17	4
285	Other and unspecified	24	9	15
286	Coagulation defects	9	7	2
287	Purpura and other hemorrhagic conditions	10	10	0
288	Diseases of white blood cells	4	3	1
289	Other diseases of blood and blood-forming organs	7	4	3
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>182</u>	<u>108</u>	<u>74</u>
<u>290-299</u>	<u>Psychoses</u>	<u>41</u>	<u>17</u>	<u>24</u>
290	Senile and presenile organic psychotic conditions	14	8	6
291	Alcoholic psychoses	7	2	5
293	Transient organic psychotic conditions	1	1	0
294	Other organic psychotic conditions (chronic)	1	0	1

Table 10 - Page 6
Deaths - Mississippi - 1984

International Classification Number*	Cause*	Total	White	Non- white
360-379	<u>Disorders of the eye and adnexa</u>	0	0	0
380-389	<u>Diseases of the ear and mastoid process</u>	1	1	0
381-383	<u>Otitis media and mastoiditis</u>	1	1	0
383	Mastoiditis and related conditions	1	1	0
390-459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>10,981</u>	<u>7,302</u>	<u>3,679</u>
390-392	<u>Active rheumatic fever</u>	0	0	0
393-398	<u>Chronic rheumatic heart disease</u>	28	20	8
394	Diseases of mitral valve	13	12	1
395	Diseases of aortic valve	1	1	0
396	Diseases of mitral and aortic valves	4	2	2
397	Diseases of other endocardial structures	2	0	2
398	Other rheumatic heart disease	8	5	3
401-405	<u>Hypertensive disease</u>	410	185	225
401,403	<u>Hypertension with or without renal disease</u>	100	40	60
401	Essential hypertension	40	11	29
403	Hypertensive renal disease	60	29	31
402,404	<u>Hypertensive heart disease with or without renal disease</u>	310	145	165
402	Hypertensive heart disease	251	119	132
404	Hypertensive heart and renal disease	59	26	33
410-414	<u>Ischemic heart disease</u>	5,395	3,856	1,539
410	Acute myocardial infarction	3,674	2,610	1,064
411	Other acute and subacute forms of ischemic heart disease	20	9	11
412	Old myocardial infarction	7	3	4
413	Angina pectoris	6	6	0
414	Other forms of chronic ischemic heart disease	1,688	1,228	460
415-417	<u>Diseases of pulmonary circulation</u>	187	108	79
415	Acute pulmonary heart disease	165	96	69
416	Chronic pulmonary heart disease	20	10	10
417	Other diseases of pulmonary circulation	2	2	0
420-429	<u>Other forms of heart disease</u>	2,527	1,594	933
420	Acute pericarditis	1	1	0
421	Acute and subacute endocarditis	3	3	0
422	Acute myocarditis	2	0	2
423	Other diseases of pericardium	6	3	3
424	Other diseases of endocardium	55	45	10
425	Cardiomyopathy	127	84	43
426	Conduction disorders	5	4	1
427	Cardiac dysrhythmias	869	508	361
428	Heart failure	585	371	214
429	Ill-defined heart diseases	874	575	299
430-438	<u>Cerebrovascular diseases</u>	2,006	1,239	767
430	Subarachnoid hemorrhage	60	41	19
431	Intracerebral hemorrhage	186	113	73
432	Other and unspecified intracranial hemorrhage	26	14	12
433	Occlusion and stenosis of precerebral arteries	19	18	1
434	Occlusion of cerebral arteries	291	189	102

Table 10 - Page 8
Deaths - Mississippi - 1984

International Classification Number*	Cause*	Total	White	Non-white
493	Asthma	44	24	20
494	Bronchiectasis	8	7	1
496	Chronic airways obstruction, not elsewhere classified	523	429	94
<u>500-508</u>	<u>Pneumonconioses and other lung diseases due to external agents</u>	<u>87</u>	<u>60</u>	<u>27</u>
500	Coalworkers' pneumoconiosis	1	0	1
501	Asbestosis	1	1	0
502	Pneumonconiosis due to other silica or silicates	1	0	1
507	Pneumonitis due to solids and liquids	84	59	25
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>151</u>	<u>109</u>	<u>42</u>
510	Empyema	3	2	1
511	Pleurisy	8	5	3
512	Pneumothorax	2	1	1
513	Abscess of lung and mediastinum	7	4	3
514	Pulmonary congestion and hypostasis	9	7	2
515	Postinflammatory pulmonary fibrosis	34	27	7
516	Other alveolar and parietoalveolar pneumopathy	3	3	0
518	Other diseases of lung	70	51	19
519	Other diseases of respiratory system	15	9	6
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>682</u>	<u>472</u>	<u>210</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>1</u>	<u>0</u>	<u>1</u>
528	Diseases of the oral soft tissues, excluding gingiva and tongue	1	0	1
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>74</u>	<u>53</u>	<u>21</u>
530	Diseases of esophagus	14	12	2
<u>531-533</u>	<u>Peptic ulcer</u>	<u>56</u>	<u>40</u>	<u>16</u>
531	Gastric ulcer	16	11	5
532	Duodenal ulcer	18	13	5
533	Peptic ulcer, site unspecified	22	16	6
534	Gastrojejunal ulcer	1	1	0
535	Gastritis and duodenitis	2	0	2
537	Other disorders of stomach and duodenum	1	0	1
<u>540-543</u>	<u>Appendicitis</u>	<u>12</u>	<u>3</u>	<u>9</u>
540	Acute appendicitis	11	3	8
541	Appendicitis, unqualified	1	0	1
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>17</u>	<u>10</u>	<u>7</u>
550	Inguinal	3	3	0
551	Other, of abdominal cavity, with gangrene	4	2	2
552	Other, of abdominal cavity with obstruction, without mention of gangrene	5	3	2
553	Other, of abdominal cavity without mention of obstruction or gangrene	5	2	3
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>73</u>	<u>55</u>	<u>18</u>
555	Regional enteritis	5	3	2
556	Idiopathic proctocolitis	2	2	0
557	Vascular insufficiency of intestine	51	43	8
558	Other noninfective gastroenteritis and colitis	15	7	8

Table 10 - Page 10
Deaths - Mississippi - 1984

International Classification Number*	Cause*	Total	White	Non-white
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	1	1	0
615	Inflammatory diseases of uterus, except cervix	1	1	0
616	Inflammatory disease of cervix, vagina, and vulva	1	0	1
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>4</u>	<u>2</u>	<u>2</u>
618	Genital prolapse	1	0	1
619	Fistulae involving female genital tract	1	1	0
629	Other disorders of female genital organs	2	1	1
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>3</u>	<u>1</u>	<u>2</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>0</u>	<u>1</u>
634	Spontaneous abortion	1	0	1
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>2</u>	<u>1</u>	<u>1</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	0	1
648	Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	1	0
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>76</u>	<u>29</u>	<u>47</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>13</u>	<u>7</u>	<u>6</u>
682	Other cellulitis and abscess	10	6	4
686	Other local infections of skin and subcutaneous tissue	3	1	2
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>6</u>	<u>0</u>	<u>6</u>
694	Bullous dermatoses	1	0	1
695	Erythematous conditions	5	0	5
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>57</u>	<u>22</u>	<u>35</u>
707	Chronic ulcer of skin	57	22	35
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>62</u>	<u>39</u>	<u>23</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>47</u>	<u>31</u>	<u>16</u>
710	Diffuse diseases of connective tissue	21	13	8
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>26</u>	<u>18</u>	<u>8</u>
711	Arthropathy associated with infections	1	1	0
714	Rheumatoid arthritis and other inflammatory polyarthropathies	17	13	4
715	Osteoarthritis and allied disorders	5	4	1
716	Other and unspecified arthropathies	3	0	3

Table 10 - Page 12
Deaths - Mississippi - 1984

International Classification Number*	Cause*	Total	White	Non-white
<u>765-766</u>	<u>Disorders relating to gestation</u>	<u>48</u>	<u>9</u>	<u>39</u>
765	Short gestation and unspecified low birthweight	48	9	39
767	Birth trauma	6	0	6
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>114</u>	<u>46</u>	<u>68</u>
768	Intrauterine hypoxia and birth asphyxia	20	6	14
769	Respiratory distress syndrome	61	32	29
770	Other respiratory conditions of fetus and newborn	33	8	25
771	Infections specific to the perinatal period	31	11	20
772	Fetal and neonatal hemorrhage	12	5	7
773	Hemolytic disease of fetus or newborn, due to isoimmunization	4	2	2
774	Other perinatal jaundice	1	0	1
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
776	Hematological disorders of fetus and newborn	2	2	0
777	Perinatal disorders of digestive system	7	0	7
778	Conditions involving the integument and temperature regulation of fetus and newborn	2	2	0
779	Other and ill-defined conditions originating in the perinatal period	30	9	21
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>1,434</u>	<u>625</u>	<u>809</u>
<u>780-789</u>	<u>Symptoms</u>	<u>13</u>	<u>6</u>	<u>7</u>
780	General	5	1	4
785	Involving cardiovascular system	8	5	3
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>1,421</u>	<u>619</u>	<u>802</u>
797	Senility without mention of psychosis	28	13	15
798	Sudden death, cause unknown	67	21	46
799	Other ill-defined and unknown causes	1,326	585	741
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,029</u>	<u>1,233</u>	<u>796</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,429</u>	<u>895</u>	<u>534</u>
<u>800-807</u>	<u>Railway</u>	<u>10</u>	<u>6</u>	<u>4</u>
802	Involving derailment without antecedent collision	1	1	0
804	Fall in, on or from railway train	1	1	0
805	Hit by rolling stock	8	4	4
<u>810-825</u>	<u>Motor vehicle</u>	<u>697</u>	<u>482</u>	<u>215</u>
(<u>810-819</u>)	(<u>Traffic</u>)	<u>669</u>	<u>469</u>	<u>200</u>
810	Involving collision with train	16	10	6
812	Involving collision with another motor vehicle	251	189	62
813	Involving collision with other vehicle	14	8	6
814	Involving collision with pedestrian	63	33	30
815	Other involving collision on the highway	56	39	17

Table 10 - Page 14
Deaths - Mississippi - 1984

International Classification Number*	Cause*	Total	White	Non- white
882	From or out of building or other structure	9	6	3
883	Into hole or other opening in surface	1	1	0
884	Other from one level to another	5	5	0
885	On same level from slipping, tripping, or stumbling	5	5	0
887	Fracture, cause unspecified	46	39	7
888	Other and unspecified fall	27	23	4
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>136</u>	<u>51</u>	<u>85</u>
890	Conflagration in private dwelling	110	38	72
891	Conflagration in other and unspecified building or structure	3	3	0
892	Conflagration not in building or structure	1	1	0
893	Ignition of clothing	8	3	5
894	Ignition of highly inflammable material	1	0	1
895	Controlled fire in private dwelling	1	0	1
896	Controlled fire in other and unspecified building or structure	1	0	1
898	Other specified fire and flames	1	0	1
899	Unspecified fire	10	6	4
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>40</u>	<u>15</u>	<u>25</u>
900	Excessive heat	6	2	4
901	Excessive cold	10	2	8
904	Hunger, thirst, exposure, and neglect	2	1	1
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	1	0
906	Other injury caused by animals	3	2	1
907	Lightning	3	2	1
908	Cataclysmic storms and floods resulting from storms	15	5	10
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>163</u>	<u>82</u>	<u>81</u>
910	Drowning and submersion	83	40	43
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	37	24	13
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	32	14	18
913	Mechanical suffocation	11	4	7
<u>916-929</u>	<u>Other accidents</u>	<u>194</u>	<u>116</u>	<u>78</u>
916	Struck by falling object	28	13	15
917	Striking against or struck by objects or persons	3	1	2
918	Caught accidentally in or between objects	1	0	1
919	Caused by machinery	24	19	5
920	Caused by cutting and piercing instruments or objects	2	1	1
921	Caused by explosion of pressure vessel	1	0	1
922	Caused by firearm missile	68	45	23
923	Caused by explosive material	9	6	3

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1984

INTER-NATIONAL CLASSIFICATION NUMBER#	CAUSE#	TOTAL NUMBER	RATE#	SEX	TOTAL BY RACE	RACE	TOTAL BY RACE AND SEX		AGE										65 AND OVER	UNK
							M	F	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
001-999	ALL CAUSES	23,781	9.2	W	15,225		8,355	118	23	18	25	219	231	308	625	1,419	5,368	1		
				NW	8,556		6,870	106	21	12	16	84	84	136	285	724	5,400	2		
							4,646	207	42	27	29	162	218	248	341	686	2,678	8		
							3,910	198	25	16	17	52	99	125	225	489	2,660	4		
001-139	INFECTIOUS AND PARASITIC DISEASES	260	10.0	W	156		77	1	0	0	1	0	0	3	6	18	48	0		
				NW	104		79	4	0	0	1	0	0	4	4	11	23	0		
							54	8	0	0	3	0	0	5	7	7	26	1		
							50	2	0	0	0	0	0	2	7	7	33	0		
010-018	TUBERCULOSIS	28	1.1	W	14		9	0	0	0	0	0	0	1	0	4	4	0		
				NW	14		5	0	0	0	0	0	0	0	0	1	4	0		
							9	0	0	0	0	0	0	0	0	0	0	0		
							5	0	0	0	0	0	0	0	0	0	5	0		
070	VIRAL HEPATITIS	8	0.3	W	5		5	0	0	0	0	0	0	0	2	0	3	0		
				NW	3		0	0	0	0	0	0	0	0	0	0	0	0		
							2	0	0	0	0	0	0	0	0	0	0	0		
							1	0	0	0	0	0	0	0	0	0	1	0		
140-208	MALIGNANT NEOPLASMS	4,595	177.6	W	3,089		1,788	0	1	1	7	19	49	147	400	1,162	0			
				NW	1,506		1,301	0	1	1	6	18	41	102	258	871	0			
							873	0	0	0	7	30	88	88	198	540	0			
							633	1	1	3	19	32	69	69	125	377	0			
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	81	3.1	W	42		21	1	0	0	0	0	0	4	2	11	11	0		
				NW	39		21	0	0	0	0	0	0	1	4	15	15	0		
							18	0	0	0	0	0	0	1	3	12	12	0		
							21	0	0	0	0	0	0	2	5	10	10	0		

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1984

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	RATE#	AGE	TOTAL BY RACE	M	F	AGE										TOTAL BY RACE AND SEX
								1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER		
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	256	9.9	W	172	M	F	1	1	2	4	4	1	1	1	8	94	
				NW	84	M	F	1	1	1	1	1	1	1	1	78		
								2	0	0	0	0	0	0	0	50		
								1	0	0	0	0	0	0	0	34		
320-322	MENINGITIS	16	0.6	W	6	M	F	2	0	0	0	1	0	0	1	4		
				NW	10	M	F	0	0	0	0	0	0	0	2	2		
345	EPILEPSY	27	1.0	W	5	M	F	0	0	0	0	0	0	0	1	1		
				NW	22	M	F	0	0	0	0	0	0	0	0	4		
390-459	DISEASES OF THE CIRCULATORY SYSTEM	10,981	424.5	W	7,302	M	F	1	1	1	4	24	11	26	259	3,762		
				NW	3,679	M	F	1	1	1	5	38	75	130	79	3,540		
								1	1	1	13	17	40	87	1,837			
								2	2	2	2	2	2	2	1,842			
390-398, 402, 404-429	HEART DISEASES	8,447	326.5	W	5,723	M	F	1	1	1	3	17	60	233	582	2,199		
				NW	2,724	M	F	1	1	1	4	8	17	66	195	2,328		
								2	2	2	11	32	55	98	221			
								1	1	1	3	13	28	62	165			
401,403	HYPERTENSION	100	3.9	W	40	M	F	0	0	0	0	0	0	0	2	17		
				NW	60	M	F	0	0	0	0	0	0	0	0	23		
								0	0	0	0	0	0	0	1	29		
								0	0	0	0	0	0	0	3	31		
430-438	CEREBROVASCULAR DISEASES	2,006	77.5	W	1,239	M	F	0	0	0	1	6	8	17	49	488		
				NW	767	M	F	0	0	0	0	2	5	15	37	751		
								0	0	0	0	0	0	0	1	356		
								1	1	1	3	3	10	20	41	411		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1984

INTER-NATIONAL CLASSIFICATION NUMBER* CAUSE*	TOTAL NUMBER RATE#	RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER
					1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
950-959 SUICIDE	273 10.6	W	M	177	0	0	1	27	27	26	26	26	23	47	0
			F	50	0	0	1	6	12	7	8	14	2	0	
960-978 HOMICIDE AND LEGAL INTERVENTION	300 11.6	NW	M	37	0	0	0	13	12	2	1	1	4	5	0
			F	9	0	0	1	0	3	1	2	1	1	0	
		W	72	0	0	0	9	20	15	17	6	5	0		
		NW	22	0	1	0	3	4	5	1	4	3	1		
			M	167	0	1	2	34	49	39	14	11	16	0	
			F	39	0	0	0	11	12	4	3	1	8	0	

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

Table 12B - Page 2
 Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1980-1984 Average

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	14.4	9.3	22.1	9.2	7.3	12.0	5.2	2.0	10.0
Lowndes	13.7	9.0	19.7	9.2	6.4	12.7	4.5	2.6	7.0
Madison	17.1	10.8	21.3	9.8	6.6	11.8	7.4	4.2	9.5
Marion	10.9	8.8	14.3	5.0	5.4	4.4	5.9	3.4	9.9
Marshall	13.6	5.9	18.3	8.8	3.9	11.8	4.8	2.0	6.5
Monroe	17.1	16.1	18.6	11.7	11.3	12.4	5.4	4.8	6.2
Montgomery	16.3	13.4	18.3	8.2	6.7	9.1	8.2	6.7	9.1
Neshoba	12.3	6.3	19.6	6.4	3.6	9.8	5.9	2.7	9.8
Newton	10.3	3.6	18.2	8.3	2.4	15.4	1.9	1.2	2.8
Noxubee	16.3	8.8	18.7	8.5	8.8	8.4	7.8	-	10.3
Oktibbeha	16.4	11.2	20.5	11.7	8.2	14.5	4.7	3.0	6.0
Panola	19.8	6.9	26.6	12.5	3.0	17.6	7.3	4.0	9.0
Pearl River	16.9	13.3	32.2	11.7	10.7	16.1	5.2	2.6	16.1
Perry	11.4	10.4	13.6	7.2	7.4	6.8	4.1	3.0	6.8
Pike	18.7	12.6	23.3	14.3	9.6	17.7	4.4	3.0	5.5
Pontotoc	11.6	10.2	17.7	8.2	8.5	7.1	3.4	1.7	10.6
Prentiss	11.1	8.7	24.5	6.2	5.8	8.2	4.9	2.9	16.3
Quitman	24.4	3.0	32.4	13.8	3.0	17.9	10.6	-	14.5
Rankin	10.2	7.9	17.9	6.0	3.8	14.0	4.1	4.2	3.9
Scott	19.7	15.0	25.5	11.9	10.0	14.3	7.8	5.0	11.2
Sharkey	20.1	15.0	21.4	13.1	10.0	13.8	7.0	5.0	7.5
Simpson	19.4	16.7	23.0	12.8	10.0	16.5	6.6	6.7	6.6
Smith	10.9	10.0	12.6	8.2	7.1	10.1	2.7	2.8	2.5
Stone	6.1	5.5	7.3	2.4	3.6	-	3.6	1.8	7.3
Sunflower	18.5	8.5	21.2	11.6	4.8	13.5	6.8	3.6	7.8
Tallahatchie	21.3	11.2	24.7	14.6	9.0	16.4	6.7	2.2	8.2
Tate	17.3	18.4	16.3	10.7	12.2	9.3	6.6	6.1	7.0
Tippah	16.6	15.3	21.1	12.5	10.8	18.1	4.2	4.5	3.0
Tishomingo	19.6	20.5	-	12.6	13.1	-	7.1	7.4	-
Tunica	28.0	11.0	31.4	13.1	5.5	14.6	14.9	5.5	16.8
Union	10.4	7.2	23.8	5.8	4.0	13.6	4.5	3.2	10.2
Walthall	14.4	5.3	21.8	8.8	1.8	14.5	5.6	3.5	7.2
Warren	19.3	16.5	22.3	14.4	13.2	15.8	4.9	3.3	6.6
Washington	17.7	9.7	21.1	10.6	7.2	12.1	7.1	2.5	9.0
Wayne	14.6	11.9	17.9	9.6	9.2	10.1	5.0	2.8	7.8
Webster	20.9	13.3	34.6	9.8	7.6	13.8	11.0	5.7	20.8
Wilkinson	15.8	15.8	15.8	10.5	15.8	8.6	5.3	-	7.2
Winston	16.5	11.8	19.8	9.8	7.4	11.4	6.7	4.4	8.3
Yalobusha	11.2	5.6	16.8	6.5	3.7	9.3	4.6	1.8	7.4
Yazoo	23.4	11.5	29.6	11.4	4.2	15.0	12.1	7.3	14.5

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days;
 postneonatal - age 28 days to one year.

TABLE 13
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1984

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20		21- 27
<u>ALL CAUSES</u>	<u>629</u>	<u>14.4</u>	W	<u>224</u>	<u>158</u>	<u>82</u>	<u>60</u>	<u>8</u>	<u>6</u>	<u>2</u>	<u>66</u>
			NW	<u>405</u>	<u>237</u>	<u>128</u>	<u>64</u>	<u>23</u>	<u>14</u>	<u>8</u>	<u>168</u>
MENINGOCOCCAL INFECTION (036)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
SEPTICEMIA (038)	9	0.2	W	3	0	0	0	0	0	0	3
			NW	6	0	0	0	0	0	0	6
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	7	0.2	W	1	0	0	0	0	0	0	1
			NW	6	1	0	0	0	1	0	5
MENINGITIS (320-322)	5	0.1	W	0	0	0	0	0	0	0	0
			NW	5	0	0	0	0	0	0	5
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	2	##	W	1	0	0	0	0	0	0	1
			NW	1	0	0	0	0	0	0	1
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
PNEUMONIA AND INFLUENZA (480-487)	15	0.3	W	7	1	1	0	0	0	0	6
			NW	8	1	1	0	0	0	0	7
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	2	##	W	2	1	1	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	121	2.8	W	67	50	24	17	4	4	1	17
			NW	54	34	10	16	3	3	2	20
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	6	0.1	W	1	1	1	0	0	0	0	0
			NW	5	3	1	1	1	0	0	2
MATERNAL COMPLICATIONS OF PREGNANCY (761)	28	0.6	W	11	11	11	0	0	0	0	0
			NW	17	15	15	0	0	0	0	2
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	12	0.3	W	4	4	1	3	0	0	0	0
			NW	8	7	7	0	0	0	0	1
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	48	1.1	W	9	9	9	0	0	0	0	0
			NW	39	39	38	1	0	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1984

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE #			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
BIRTH TRAUMA (767)	6	0.1	W	0	0	0	0	0	0	0	0
			NW	6	4	2	2	0	0	0	2
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	18	0.4	W	5	5	5	0	0	0	0	0
			NW	13	13	5	3	3	2	0	0
RESPIRATORY DISTRESS SYNDROME (769)	61	1.4	W	32	32	14	16	2	0	0	0
			NW	29	29	14	13	1	0	1	0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	31	0.7	W	11	11	2	8	0	0	1	0
			NW	20	19	0	10	7	1	1	1
NEONATAL HEMORRHAGE (772)	12	0.3	W	5	5	0	5	0	0	0	0
			NW	7	7	1	4	1	0	1	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	1	##	W	1	1	0	0	1	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	58	1.3	W	17	1	0	1	0	0	0	16
			NW	41	2	0	1	0	1	0	39
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	21	0.5	W	5	1	0	1	0	0	0	4
			NW	16	1	1	0	0	0	0	15
ACCIDENTS (800-949)	19	0.4	W	2	0	0	0	0	0	0	2
			NW	17	2	0	0	1	1	0	15
ALL OTHER CAUSES	142	3.2	W	38	24	12	9	1	2	0	14
			NW	104	60	33	13	6	5	3	44

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1984

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,410</u>	<u>707</u>	<u>31</u>	<u>36</u>	<u>87</u>	<u>132</u>	<u>80</u>	<u>69</u>	<u>268</u>
ADAMS	19	5	0	0	2	3	1	3	5
ALCORN	20	12	0	0	1	0	1	3	3
AMITE	10	7	0	0	0	0	1	1	1
ATTALA	11	5	0	0	1	0	1	0	4
BENTON	2	1	0	0	0	1	0	0	0
BOLIVAR	23	9	3	1	2	3	0	0	5
CALHOUN	8	6	0	0	0	0	1	0	1
CARROLL	1	1	0	0	0	0	0	0	0
CHICKASAW	13	7	0	0	1	4	0	0	1
CHOCTAW	4	1	0	0	1	0	0	0	2
CLAIBORNE	10	5	0	0	0	0	3	0	2
CLARKE	10	5	0	0	0	3	0	0	2
CLAY	17	6	3	1	0	2	1	0	4
COAHOMA	8	0	1	1	0	2	0	1	3
COPIAH	14	9	0	0	2	1	1	0	1
COVINGTON	5	4	1	0	0	0	0	0	0
DESOTO	28	18	0	0	0	1	4	2	3
FORREST	65	38	0	2	7	0	4	5	9
FRANKLIN	6	2	0	0	0	1	0	0	3
GEORGE	8	6	0	0	0	1	0	0	1
GREENE	5	5	0	0	0	0	0	0	0
GRENADA	20	9	3	0	2	0	3	3	0
HANCOCK	15	13	0	0	0	0	2	0	0
HARRISON	77	35	8	3	4	1	6	3	17
HINDS	183	86	0	5	23	10	8	8	43
HOLMES	13	4	0	0	0	6	1	0	2
HUMPHREYS	5	4	0	0	0	0	0	1	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	8	7	0	0	0	0	0	0	1
JACKSON	45	19	1	5	3	5	6	1	5
JASPER	6	4	0	0	0	0	0	0	2
JEFFERSON	3	1	0	0	0	1	0	0	1
JEFF DAVIS	9	7	0	0	0	0	0	0	2
JONES	26	14	0	1	2	2	1	2	4
KEMPER	7	5	0	0	0	1	0	0	1
LAFAYETTE	13	3	3	1	1	1	1	1	2
LAMAR	14	6	0	0	2	1	2	0	3
LAUDERDALE	57	33	0	0	3	6	1	1	13
LAWRENCE	4	1	1	0	0	0	0	1	1
LEAKE	10	6	1	0	0	0	1	1	1
LEE	54	25	0	0	5	5	1	7	11
LEFLORE	29	9	0	1	2	7	1	1	8

TABLE 14 - PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 1984

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	9	6	0	1	0	0	0	0	2
LOWNDES	33	17	0	0	2	8	2	0	4
MADISON	14	8	0	0	0	1	1	1	3
MARION	12	6	0	0	0	2	0	0	4
MARSHALL	27	22	1	0	2	0	0	0	2
MON ROE	14	6	0	0	2	1	0	1	4
MONTGOMERY	2	2	0	0	0	0	0	0	0
NESHOBA	9	5	0	0	0	1	0	0	3
NEWTON	11	7	0	0	0	0	2	0	2
NOXUBEE	6	2	0	0	0	0	0	3	1
OKTIBBEHA	10	6	0	1	0	0	0	0	3
PANOLA	16	6	1	1	0	2	2	2	2
PEARL RIVER	20	10	0	1	0	0	0	1	8
PERRY	3	3	0	0	0	0	0	0	0
PIKE	24	11	0	2	2	2	1	3	3
PONTOTOC	10	9	0	0	0	1	0	0	0
PRENTISS	6	0	0	1	1	0	0	1	3
QUITMAN	9	5	0	0	0	0	1	0	3
RANKIN	24	11	1	2	2	2	3	0	3
SCOTT	11	7	0	0	0	0	0	2	2
SHARKEY	1	1	0	0	0	0	0	0	0
SIMPSON	10	8	0	0	0	2	0	0	0
SMITH	1	0	0	0	0	0	1	0	0
STONE	9	6	0	1	0	0	0	0	2
SUNFLOWER	6	2	0	0	1	1	0	1	1
TALLAHATCHIE	11	4	0	0	1	1	0	0	5
TATE	9	3	0	0	1	0	4	0	1
TIPPAH	12	6	0	0	0	0	4	1	1
TISHOMINGO	6	3	0	2	0	0	1	0	0
TUNICA	8	1	0	0	0	3	0	2	2
UNION	11	5	0	0	0	0	2	1	3
WALTHALL	8	3	0	1	0	2	0	1	1
WARREN	25	15	0	0	1	3	1	1	4
WASHINGTON	76	26	2	1	3	26	2	1	15
WAYNE	12	9	0	1	0	0	0	1	1
WEBSTER	4	2	0	0	1	1	0	0	0
WILKINSON	7	2	0	0	2	0	0	1	2
WINSTON	12	7	0	0	1	1	1	0	2
YALOBUSHA	11	4	0	0	0	1	0	0	6
YAZOO	16	8	1	0	1	3	0	0	3

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1984

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	26,025	19,255	6,770	26,025	19,255	6,770	24,180	17,715	6,465
ADAMS	445	286	159	452	293	159	389	228	161
ALCORN	390	362	28	396	368	28	301	280	21
AMITE	129	69	60	149	77	72	125	64	61
ATTALA	171	119	52	180	129	51	156	108	48
BENTON	64	35	29	81	51	30	80	49	31
BOLIVAR	344	165	179	348	166	182	335	159	176
CALHOUN	121	93	28	136	106	30	129	101	28
CARROLL	58	43	15	75	59	16	65	46	19
CHICKASAW	205	153	52	188	144	44	183	141	42
CHOCTAW	63	50	13	69	54	15	63	48	15
CLAIBORNE	64	16	48	63	16	47	71	21	50
CLARKE	138	99	39	155	114	41	134	93	41
CLAY	163	101	62	182	112	70	163	99	64
COAHOMA	270	140	130	264	130	134	242	117	125
COPIAH	208	128	80	219	140	79	207	124	83
COVINGTON	156	128	28	168	137	31	150	122	28
DESOTO	659	542	117	635	528	107	408	363	45
FORREST	844	687	157	791	640	151	761	611	150
FRANKLIN	72	44	28	72	44	28	68	36	32
GEORGE	277	248	29	259	233	26	171	155	16
GREENE	81	72	9	109	95	14	81	70	11
GRENADA	223	147	76	209	137	72	197	128	69
HANCOCK	355	335	20	350	332	18	290	274	16
HARRISON	2,413	2,043	370	2,409	2,047	362	2,047	1,722	325
HINDS	2,963	1,868	1,095	2,616	1,611	1,005	2,723	1,676	1,047
HOLMES	155	57	98	161	58	103	162	57	105
HUMPHREYS	77	28	49	89	39	50	84	34	50
ISSAQUENA	15	8	7	10	1	9	13	6	7
ITAWAMBA	176	165	11	185	174	11	167	156	11
JACKSON	1,257	1,058	199	1,291	1,080	211	1,261	1,071	190
JASPER	124	73	51	133	80	53	119	71	48
JEFFERSON	73	14	59	80	19	61	47	4	43
JEFF DAVIS	106	63	43	122	71	51	106	63	43
JONES	681	562	119	679	563	116	676	567	109
KEMPER	63	27	36	71	33	38	58	24	34
LAFAYETTE	233	166	67	242	170	72	220	157	63
LAMAR	217	201	16	262	243	19	293	272	21
LAUDERDALE	808	583	225	775	556	219	769	553	216
LAWRENCE	131	94	37	127	92	35	136	97	39
LEAKE	146	103	43	150	105	45	147	99	48
LEE	757	628	129	707	590	117	746	619	127
LEFLORE	369	215	154	361	202	159	353	207	146

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1984

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	311	234	77	319	249	70	283	215	68
LOWNDES	541	380	161	546	386	160	461	315	146
MADISON	301	150	151	360	180	180	376	219	157
MARION	319	260	59	307	250	57	286	237	49
MARSHALL	267	172	95	255	156	99	237	143	94
MONROE	304	250	54	341	282	59	300	248	52
MONTGOMERY	107	67	40	122	83	39	103	67	36
NESHOMA	242	172	70	243	174	69	239	169	70
NEWTON	181	125	56	187	132	55	175	122	53
NOXUBEE	68	25	43	66	24	42	73	25	48
OKTIBBEHA	317	226	91	285	192	93	302	208	94
PANOLA	288	199	89	286	198	88	270	182	88
PEARL RIVER	459	424	35	466	430	36	407	373	34
PERRY	124	106	18	113	95	18	105	91	14
PIKE	402	277	125	410	276	134	379	253	126
PONTOTOC	223	199	24	242	218	24	204	181	23
PRENTISS	201	186	15	199	179	20	200	186	14
QUITMAN	122	67	55	131	76	55	132	75	57
RANKIN	760	670	90	799	713	86	832	739	93
SCOTT	252	184	68	257	195	62	240	178	62
SHARKEY	63	25	38	63	30	33	53	20	33
SIMPSON	219	168	51	251	191	60	219	163	56
SMITH	116	93	23	141	111	30	135	105	30
STONE	135	112	23	122	101	21	105	85	20
SUNFLOWER	217	112	105	228	115	113	221	107	114
TALLAHATCHIE	111	64	47	117	65	52	115	69	46
TATE	188	145	43	190	142	48	172	136	36
TIPPAH	239	207	32	238	210	28	208	184	24
TISHOMINGO	272	267	5	266	261	5	161	157	4
TUNICA	51	25	26	51	25	26	47	21	26
UNION	244	221	23	249	223	26	241	218	23
WALTHALL	113	70	43	120	70	50	102	58	44
WARREN	505	358	147	496	348	148	494	351	143
WASHINGTON	591	365	226	595	371	224	574	352	222
WAYNE	165	129	36	170	135	35	159	126	33
WEBSTER	95	80	15	93	81	12	95	84	11
WILKINSON	144	93	51	140	89	51	84	41	43
WINSTON	145	101	44	158	116	42	140	96	44
YALOBUSHA	121	89	32	133	100	33	130	95	35
YAZOO	238	140	98	242	141	101	225	129	96
UNKNOWN COUNTY				8	3	5			
OUT OF STATE	*	*	*	*	*	*	1,836	1,533	303
UNKNOWN STATE							9	7	2

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
 DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
 MISSISSIPPI, 1984

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>12,911</u>	<u>10,205</u>	<u>2,664</u>	<u>42</u>
ADAMS	75	34	41	0
ALCORN	0	0	0	0
AMITE	61	46	15	0
ATTALA	80	64	16	0
BENTON	32	22	10	0
BOLIVAR	135	76	58	1
CALHOUN	69	57	12	0
CARROLL	9	7	2	0
CHICKASAW	92	72	19	1
CHOCTAW	32	28	4	0
CLAIBORNE	73	27	46	0
CLARKE	100	80	20	0
CLAY	85	58	27	0
COAHOMA	127	72	55	0
COPIAH	134	82	52	0
COVINGTON	71	62	9	0
DESOTO	414	390	24	0
FORREST	473	358	105	10
FRANKLIN	34	19	14	1
GEORGE	81	80	1	0
GREENE	0	0	0	0
GRENADA	92	67	25	0
HANCOCK	180	166	14	0
HARRISON	1,318	1,155	161	2
HINDS	1,385	931	451	3
HOLMES	64	23	41	0
HUMPHREYS	51	23	28	0
ISSAQUENA	0	0	0	0
ITAWAMBA	118	112	5	1
JACKSON	873	768	105	0
JASPER	78	48	30	0
JEFFERSON	0	0	0	0
JEFF DAVIS	52	30	20	2
JONES	417	348	63	6
KEMPER	22	14	8	0
LAFAYETTE	140	111	29	0
LAMAR	149	137	10	2
LAUDERDALE	468	378	90	0
LAWRENCE	69	56	13	0
LEAKE	89	73	16	0
LEE	327	281	46	0
LEFLORE	154	98	56	0

TABLE 16 - PAGE 2
 DIVORCES - MISSISSIPPI - 1984

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
LINCOLN	108	82	26	0
LOWNDES	329	260	68	1
MADISON	168	106	62	0
MARION	186	157	29	0
MARSHALL	166	110	56	0
MON ROE	213	163	50	0
MONTGOMERY	61	44	17	0
NESHOPA	128	110	17	1
NEWTON	76	61	14	1
NOXUBEE	29	13	14	2
OKTIBBEHA	140	91	49	0
PANOLA	129	89	38	2
PEARL RIVER	232	220	12	0
PERRY	53	46	7	0
PIKE	0	0	0	0
PONTOTOC	130	120	10	0
PRENTISS	144	139	5	0
QUITMAN	13	7	6	0
RANKIN	473	440	33	0
SCOTT	160	124	35	1
SHARKEY	16	9	7	0
SIMPSON	115	95	19	1
SMITH	71	67	4	0
STONE	51	45	6	0
SUNFLOWER	71	48	23	0
TALLAHATCHIE	72	49	23	0
TATE	111	89	22	0
TIPPAH	142	133	9	0
TISHOMINGO	44	42	2	0
TUNICA	0	0	0	0
UNION	133	118	15	0
WALTHALL	41	28	13	0
WARREN	262	196	66	0
WASHINGTON	251	162	89	0
WAYNE	96	79	17	0
WEBSTER	56	49	7	0
WILKINSON	0	0	0	0
WINSTON	80	55	21	4
YALOBUSHA	55	46	9	0
YAZOO	83	60	23	0

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE:

Table 17 extends from page 101 through page 121 with identical data for each county as well as for the state.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Adams County			Alcorn County			Amite County			Attala County		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	1	0	1	2	1	1	0	0	0	0	0	0
Malignant neoplasms (140-208)	79	37	42	74	66	8	21	15	6	50	26	24
Diabetes mellitus (250)	8	2	6	1	1	0	1	0	1	10	6	4
Diseases of heart (390-398, 402, 404, 410-429)	147	70	77	136	117	19	34	15	19	87	56	31
Hypertension (401, 403)	5	2	3	2	1	1	1	0	1	0	0	0
Cerebrovascular diseases (430- 438)	35	14	21	30	22	8	8	4	4	21	17	4
Atherosclerosis (440)	16	13	3	1	1	0	2	0	2	6	5	1
Pneumonia and influenza (480- 487)	7	3	4	10	9	1	1	1	0	11	11	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	9	5	4	12	12	0	6	5	1	6	6	0
Chronic liver disease and cirrhosis (571)	3	1	2	2	2	0	1	0	1	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	1	6	1	1	0	2	0	2	1	0	1
Infections of kidney (590)	1	0	1	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0	2	1	1	2	0	2
Certain conditions originating in the perinatal period (760-779)	3	0	3	3	3	0	3	2	1	2	1	1
Accidents (800-949)	20	11	9	19	16	3	15	9	6	14	11	3
Motor vehicle accidents# (810-825)	7	3	4	9	9	0	7	5	2	5	4	1
Suicide (950-959)	7	7	0	2	2	0	1	1	0	4	3	1
Homicide and legal inter- vention (960-978)	15	2	13	7	6	1	2	0	2	2	0	2
Symptoms, signs, and ill- defined conditions# (780-799)	32	4	28	9	6	3	27	9	18	4	3	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Benton County			Bolivar County			Calhoun County			Carroll County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	11	6	5	87	30	57	34	31	3	12	10	2
Diabetes mellitus (250)	1	0	1	9	4	5	1	1	0	0	0	0
Diseases of heart (390-398, 402, 404, 410-429)	15	12	3	201	83	118	57	46	11	40	22	18
Hypertension (401, 403)	0	0	0	2	1	1	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	8	6	2	40	11	29	13	8	5	6	3	3
Atherosclerosis (440)	0	0	0	13	8	5	0	0	0	0	0	0
Pneumonia and influenza (480-487)	2	1	1	12	4	8	2	2	0	2	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	14	8	6	8	7	1	1	1	0
Chronic liver disease and cirrhosis (571)	0	0	0	3	1	2	1	1	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	6	2	4	2	2	0	2	0	2
Infections of kidney (590)	0	0	0	0	0	0	2	2	0	0	0	0
Maternal causes (630-676)	0	0	0	1	0	1	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	5	1	4	1	0	1	2	1	1
Certain conditions originating in the perinatal period (760-779)	0	0	0	5	1	4	2	1	1	0	0	0
Accidents (800-949)	6	4	2	23	9	14	10	5	5	3	3	0
Motor vehicle accidents# (810-825)	6	4	2	7	3	4	4	3	1	2	2	0
Suicide (950-959)	0	0	0	3	3	0	4	3	1	2	2	0
Homicide and legal intervention (960-978)	0	0	0	11	2	9	1	1	0	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	13	10	3	42	7	35	10	8	2	0	0	0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
 DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
 RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Chickasaw County			Choctaw County			Claiborne County			Clarke County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	35	23	12	20	12	8	14	5	9	27	22	5
Diabetes mellitus (250)	2	1	1	1	1	0	4	0	4	1	1	0
Diseases of heart (390-398, 402, 404, 410-429)	83	56	27	45	39	6	35	8	27	61	40	21
Hypertension (401, 403)	0	0	0	0	0	0	0	0	0	3	1	2
Cerebrovascular diseases (430-438)	13	8	5	1	1	0	5	0	5	19	16	3
Atherosclerosis (440)	1	1	0	2	2	0	1	0	1	3	3	0
Pneumonia and influenza (480-487)	13	10	3	1	1	0	2	2	0	2	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	5	1	2	2	0	4	1	3	4	3	1
Chronic liver disease and cirrhosis (571)	3	2	1	0	0	0	0	0	0	2	1	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	0	0	0	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	0	0	0	0	0	0	2	2	0
Certain conditions originating in the perinatal period (760-779)	2	1	1	2	0	2	2	0	2	1	1	0
Accidents (800-949)	15	10	5	8	7	1	8	4	4	15	9	6
Motor vehicle accidents# (810-825)	6	6	0	2	2	0	5	3	2	10	6	4
Suicide (950-959)	1	1	0	2	1	1	1	1	0	2	2	0
Homicide and legal intervention (960-978)	1	0	1	0	0	0	1	0	1	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	4	1	3	5	2	3	7	0	7	28	16	12

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
 DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
 RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Clay County			Coahoma County			Copiah County			Covington County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	Tuberculosis (010-018)	1	0	1	2	1	1	0	0	0	0	0
Malignant neoplasms (140-208)	41	18	23	65	32	33	48	31	17	23	18	5
Diabetes mellitus (250)	3	2	1	2	1	1	3	1	2	2	0	2
Diseases of heart (390-398, 402, 404, 410-429)	101	67	34	138	57	81	100	65	35	48	34	14
Hypertension (401, 403)	0	0	0	3	1	2	3	0	3	0	0	0
Cerebrovascular diseases (430-438)	15	8	7	38	15	23	32	19	13	10	7	3
Pneumonia and influenza (480-487)	2	1	1	4	2	2	3	3	0	1	0	1
Atherosclerosis (440)	4	3	1	9	5	4	6	5	1	2	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	4	1	4	1	3	8	7	1	2	1	1
Chronic liver disease and cirrhosis (571)	0	0	0	3	2	1	1	0	1	1	0	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	1	2	2	0	2	4	1	3	0	0	0
Infections of kidney (590)	0	0	0	2	1	1	5	3	2	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	2	1	1	4	3	1	2	1	1
Certain conditions originating in the perinatal period (760-779)	6	1	5	5	1	4	7	0	7	0	0	0
Accidents (800-949)	18	4	14	14	6	8	20	7	13	10	6	4
Motor vehicle accidents# (810-825)	6	2	4	5	3	2	12	4	8	7	5	2
Suicide (950-959)	0	0	0	2	1	1	4	3	1	1	1	0
Homicide and legal intervention (960-978)	2	0	2	11	0	11	6	2	4	3	0	3
Symptoms, signs, and ill-defined conditions# (780-799)	2	0	2	31	3	28	25	10	15	13	9	4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	DeSoto County			Forrest County			Franklin County			George County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	1	0	1	0	0	0
Malignant neoplasms (140-208)	69	54	15	118	82	36	23	14	9	35	33	2
Diabetes mellitus (250)	3	2	1	21	15	6	2	0	2	2	2	0
Diseases of heart (390-398, 402, 404, 410-429)	91	76	15	192	151	41	35	24	11	51	46	5
Hypertension (401, 403)	0	0	0	3	2	1	1	1	0	0	0	0
Cerebrovascular diseases (430-438)	30	22	8	63	48	15	7	3	4	10	9	1
Atherosclerosis (440)	1	1	0	8	6	2	0	0	0	1	1	0
Pneumonia and influenza (480-487)	11	11	0	18	14	4	0	0	0	4	4	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	13	12	1	18	15	3	3	3	0	6	5	1
Chronic liver disease and cirrhosis (571)	3	3	0	9	5	4	0	0	0	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	13	9	4	3	1	2	0	0	0
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	4	4	0	7	4	3	0	0	0	1	1	0
Certain conditions originating in the perinatal period (760-779)	3	2	1	6	4	2	4	2	2	2	1	1
Accidents (800-949)	32	22	10	35	26	9	7	4	3	12	11	1
Motor vehicle accidents# (810-825)	15	12	3	17	15	2	2	1	1	7	7	0
Suicide (950-959)	9	8	1	9	9	0	3	2	1	2	1	1
Homicide and legal intervention (960-978)	5	1	4	1	0	1	0	0	0	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	55	33	22	53	27	26	0	0	0	1	1	0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Greene County			Grenada County			Hancock County			Harrison County		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Tuberculosis (010-018)	0	0	0	1	0	1	0	0	0	2	2	0
Malignant neoplasms (140-208)	10	10	0	44	27	17	50	45	5	273	227	46
Diabetes mellitus (250)	0	0	0	0	0	0	7	7	0	26	22	4
Diseases of heart (390-398, 402, 404, 410-429)	31	26	5	96	54	42	95	84	11	494	411	83
Hypertension (401, 403)	1	1	0	1	0	1	0	0	0	3	2	1
Cerebrovascular diseases (430-438)	5	5	0	38	21	17	14	12	2	76	55	21
Atherosclerosis (440)	0	0	0	0	0	0	1	1	0	9	8	1
Pneumonia and influenza (480-487)	2	1	1	7	2	5	2	0	2	24	21	3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	6	0	11	8	3	8	8	0	44	38	6
Chronic liver disease and cirrhosis (571)	1	1	0	1	1	0	3	3	0	22	21	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	0	0	0	1	1	0	11	11	0
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	1	0	1
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	1	0	1	1	1	0	11	10	1
Certain conditions originating in the perinatal period (760-779)	0	0	0	3	0	3	1	0	1	14	6	8
Accidents (800-949)	6	6	0	17	9	8	16	14	2	80	59	21
Motor vehicle accidents# (810-825)	6	6	0	8	3	5	14	12	2	44	33	11
Suicide (950-959)	1	1	0	3	2	1	2	2	0	25	22	3
Homicide and legal intervention (960-978)	0	0	0	7	0	7	5	4	1	17	9	8
Symptoms, signs, and ill-defined conditions# (780-799)	7	5	2	2	1	1	4	4	0	8	5	3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Hinds County			Holmes County			Humphreys County			Issaquena County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	5	1	4	1	0	1	0	0	0	0	0	0
Malignant neoplasms (140-208)	474	278	196	39	15	24	38	15	23	1	0	1
Diabetes mellitus (250)	29	13	16	3	1	2	2	1	1	0	0	0
Diseases of heart (390-398, 402, 404, 410-429)	686	420	266	50	21	29	53	18	35	6	1	5
Hypertension (401, 403)	6	1	5	1	0	1	1	0	1	0	0	0
Cerebrovascular diseases (430-438)	158	93	65	20	4	16	18	4	14	0	0	0
Atherosclerosis (440)	15	12	3	0	0	0	1	0	1	0	0	0
Pneumonia and influenza (480-487)	46	31	15	5	0	5	6	2	4	0	0	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	58	45	13	3	2	1	6	6	0	0	0	0
Chronic liver disease and cirrhosis (571)	28	21	7	1	0	1	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	23	14	9	1	1	0	3	0	3	0	0	0
Infections of kidney (590)	2	1	1	0	0	0	1	1	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	13	7	6	2	0	2	3	1	2	0	0	0
Certain conditions originating in the perinatal period (760-779)	23	4	19	6	1	5	8	0	8	0	0	0
Accidents (800-949)	87	45	42	22	5	17	9	3	6	0	0	0
Motor vehicle accidents# (810-825)	42	25	17	6	2	4	5	2	3	0	0	0
Suicide (950-959)	30	25	5	3	3	0	1	1	0	0	0	0
Homicide and legal intervention (960-978)	42	6	36	2	0	2	3	1	2	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	35	14	21	52	6	46	5	0	5	1	0	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Itawamba County			Jackson County			Jasper County			Jefferson County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	1	1	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	41	38	3	183	156	27	32	20	12	16	2	14
Diabetes mellitus (250)	2	2	0	9	5	4	1	1	0	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	75	69	6	253	218	35	65	40	25	37	9	28
Hypertension (401, 403)	0	0	0	1	1	0	2	1	1	0	0	0
Cerebrovascular diseases (430-438)	24	21	3	40	31	9	24	12	12	9	0	9
Atherosclerosis (440)	2	2	0	5	5	0	0	0	0	0	0	0
Pneumonia and influenza (480-487)	5	5	0	12	9	3	2	2	0	1	1	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	29	27	2	7	4	3	2	1	1
Chronic liver disease and cirrhosis (571)	2	2	0	14	14	0	1	0	1	1	0	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	4	0	7	4	3	0	0	0	0	0	0
Infections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	8	7	1	0	0	0	1	0	1
Certain conditions originating in the perinatal period (760-779)	1	1	0	7	4	3	3	1	2	2	0	2
Accidents (800-949)	7	7	0	51	41	10	9	5	4	4	0	4
Motor vehicle accidents# (810-825)	5	5	0	25	18	7	4	3	1	0	0	0
Suicide (950-959)	3	3	0	11	9	2	3	1	2	1	0	1
Homicide and legal intervention (960-978)	2	2	0	7	2	5	2	0	2	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	4	2	2	38	28	10	23	8	15	4	0	4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
 DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
 RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Jeff Davis County			Jones County			Kemper County			Lafayette County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	37	19	18	110	87	23	28	19	9	44	35	9
Diabetes mellitus (250)	6	4	2	14	8	6	2	1	1	1	0	1
Diseases of heart (390-398, 402, 404, 410-429)	47	28	19	233	180	53	45	29	16	90	64	26
Hypertension (401, 403)	0	0	0	2	2	0	1	1	0	0	0	0
Cerebrovascular diseases (430-438)	13	6	7	60	48	12	9	2	7	22	10	12
Atherosclerosis (440)	3	2	1	3	3	0	0	0	0	0	0	0
Pneumonia and influenza (480-487)	4	3	1	20	14	6	2	1	1	0	0	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	3	4	16	13	3	3	2	1	9	7	2
Chronic liver disease and cirrhosis (571)	0	0	0	5	4	1	0	0	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	16	7	9	5	3	2	4	1	3
Infections of kidney (590)	0	0	0	3	1	2	1	0	1	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	3	0	3	6	6	0	0	0	0	1	1	0
Certain conditions originating in the perinatal period (760-779)	3	0	3	8	3	5	0	0	0	0	0	0
Accidents (800-949)	11	2	9	27	19	8	8	5	3	9	7	2
Motor vehicle accidents# (810-825)	6	0	6	12	10	2	5	3	2	3	3	0
Suicide (950-959)	2	1	1	8	6	2	0	0	0	3	2	1
Homicide and legal intervention (960-978)	0	0	0	9	6	3	3	1	2	1	1	0
Symptoms, signs, and ill-defined conditions# (780-799)	8	4	4	41	19	22	1	1	0	3	2	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Lamar County			Lauderdale County			Lawrence County			Leake County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	2	1	1	2	1	1	0	0	0	0	0	0
Malignant neoplasms (140-208)	42	38	4	148	103	45	18	13	5	37	28	9
Diabetes mellitus (250)	3	3	0	10	3	7	1	1	0	3	1	2
Diseases of heart (390-398, 402, 404, 410-429)	60	54	6	354	242	112	52	38	14	91	67	24
Hypertension (401, 403)	0	0	0	3	2	1	0	0	0	0	0	0
Cerebrovascular diseases (430-438)	24	21	3	86	60	26	15	9	6	14	9	5
Atherosclerosis (440)	1	1	0	5	2	3	0	0	0	1	1	0
Pneumonia and influenza (480-487)	4	3	1	12	9	3	1	0	1	11	5	6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	15	14	1	5	5	0	3	3	0
Chronic liver disease and cirrhosis (571)	0	0	0	9	6	3	1	1	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	8	6	2	3	1	2	0	0	0
Infections of kidney (590)	1	1	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	6	5	1	1	0	1	1	0	1
Certain conditions originating in the perinatal period (760-779)	2	1	1	9	5	4	0	0	0	1	1	0
Accidents (800-949)	21	16	5	57	38	19	10	8	2	11	6	5
Motor vehicle accidents# (810-825)	10	6	4	28	20	8	4	2	2	5	5	0
Suicide (950-959)	2	2	0	12	7	5	0	0	0	4	4	0
Homicide and legal intervention (960-978)	0	0	0	15	5	10	1	1	0	0	0	0
Symptoms, signs, and ill-defined conditions# (780-799)	14	9	5	4	3	1	1	0	1	14	4	10

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Lee County			Leflore County			Lincoln County			Lowndes County		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
	Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	99	76	23	88	47	41	65	47	18	98	59	39
Diabetes mellitus (250)	6	5	1	10	1	9	5	2	3	12	5	7
Diseases of heart (390-398, 402, 404, 410-429)	223	174	49	191	85	106	119	96	23	153	99	54
Hypertension (401, 403)	1	0	1	1	1	0	0	0	0	2	0	2
Cerebrovascular diseases (430- 438)	43	36	7	29	12	17	25	23	2	31	20	11
Atherosclerosis (440)	12	10	2	0	0	0	3	3	0	2	2	0
Pneumonia and influenza (480- 487)	14	10	4	13	8	5	11	11	0	6	3	3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	19	18	1	16	11	5	9	9	0	19	10	9
Chronic liver disease and cirrhosis (571)	3	3	0	1	1	0	3	2	1	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	1	3	4	1	3	1	0	1	5	3	2
Infections of kidney (590)	0	0	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	1	1	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	4	2	2	4	1	3	4	3	1	3	0	3
Certain conditions originating in the perinatal period (760-779)	8	4	4	11	1	10	2	1	1	3	0	3
Accidents (800-949)	36	26	10	28	16	12	14	12	2	38	21	17
Motor vehicle accidents# (810-825)	19	17	2	5	3	2	5	3	2	15	11	4
Suicide (950-959)	5	5	0	1	1	0	4	4	0	6	5	1
Homicide and legal inter- vention (960-978)	8	4	4	5	0	5	3	2	1	2	0	2
Symptoms, signs, and ill- defined conditions# (780-799)	10	6	4	8	2	6	27	16	11	24	7	17

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
 DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
 RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Madison County			Marion County			Marshall County			Monroe County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	1	1	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	50	23	27	43	33	10	51	28	23	71	57	14
Diabetes mellitus (250)	3	1	2	6	1	5	2	0	2	10	7	3
Diseases of heart (390-398, 402, 404, 410-429)	79	36	43	67	52	15	99	56	43	113	84	29
Hypertension (401, 403)	5	3	2	0	0	0	2	0	2	1	0	1
Cerebrovascular diseases (430-438)	25	10	15	29	19	10	15	5	10	33	23	10
Atherosclerosis (440)	4	2	2	7	5	2	1	1	0	6	6	0
Pneumonia and influenza (480-487)	9	2	7	7	4	3	6	4	2	5	5	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	10	4	6	4	3	1	9	6	3	13	12	1
Chronic liver disease and cirrhosis (571)	3	2	1	1	1	0	1	1	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	0	0	0	5	2	3	3	3	0
Infections of kidney (590)	1	1	0	0	0	0	0	0	0	1	1	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	0	1	3	2	1	1	0	1	1	1	0
Certain conditions originating in the perinatal period (760-779)	6	0	6	1	1	0	5	1	4	4	2	2
Accidents (800-949)	16	6	10	22	16	6	25	14	11	22	17	5
Motor vehicle accidents# (810-825)	5	2	3	12	9	3	17	9	8	9	6	3
Suicide (950-959)	2	2	0	0	0	0	4	2	2	2	2	0
Homicide and legal intervention (960-978)	8	1	7	3	2	1	6	4	2	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	59	13	46	30	14	16	17	4	13	27	17	10

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Oktibbeha County			Panola County			Pearl River County			Perry County		
	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White	Total	White	Non-White
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	50	31	19	43	28	15	59	47	12	22	17	5
Diabetes mellitus (250)	8	1	7	6	0	6	5	2	3	3	2	1
Diseases of heart (390-398, 402, 404, 410-429)	92	51	41	112	74	38	112	96	16	31	27	4
Hypertension (401, 403)	1	0	1	6	2	4	3	2	1	0	0	0
Cerebrovascular diseases (430-438)	20	10	10	33	15	18	24	19	5	10	10	0
Atherosclerosis (440)	1	1	0	1	0	1	0	0	0	0	0	0
Pneumonia and influenza (480-487)	7	3	4	3	1	2	12	11	1	3	3	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	6	1	9	5	4	13	12	1	3	3	0
Chronic liver disease and cirrhosis (571)	2	1	1	0	0	0	2	1	1	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	3	1	2	6	6	0	1	0	1
Infections of kidney (590)	0	0	0	0	0	0	1	1	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759), Certain conditions originating in the perinatal period (760-779)	1	1	0	0	0	0	4	3	1	0	0	0
Accidents (800-949)	7	2	5	5	0	5	6	5	1	0	0	0
Motor vehicle accidents# (810-825)	10	6	4	18	10	8	21	17	4	8	8	0
Suicide (950-959)	5	4	1	9	5	4	9	8	1	6	6	0
Homicide and legal intervention (960-978)	1	1	0	6	4	2	4	4	0	2	1	1
Symptoms, signs, and ill-defined conditions# (780-799)	3	0	3	1	1	0	4	4	0	1	1	0
	1	0	1	16	7	9	13	7	6	5	3	2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Pike County			Pontotoc County			Prentiss County			Quitman County		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	0	0	0	0	0	0	2	2	0	0	0	0
Malignant neoplasms (140-208)	73	46	27	39	34	5	41	38	3	23	9	14
Diabetes mellitus (250)	9	6	3	5	5	0	6	5	1	0	0	0
Diseases of heart (390-398, 402, 404, 410-429)	150	106	44	86	81	5	57	51	6	63	28	35
Hypertension (401, 403)	2	1	1	0	0	0	0	0	0	0	0	0
Cerebrovascular diseases (430- 438)	55	40	15	12	11	1	15	14	1	13	3	10
Atherosclerosis (440)	2	1	1	3	2	1	2	2	0	0	0	0
Pneumonia and influenza (480- 487)	9	6	3	9	8	1	3	3	0	1	0	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	5	3	9	8	1	6	6	0	3	2	1
Chronic liver disease and cirrhosis (571)	6	3	3	0	0	0	2	2	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	2	2	0	4	4	0	3	0	3
Infections of kidney (590)	1	1	0	1	1	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	4	1	3	0	0	0	1	1	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	7	1	6	3	2	1	0	0	0	4	1	3
Accidents (800-949)	26	16	10	15	12	3	12	11	1	5	3	2
Motor vehicle accidents# (810-825)	12	7	5	13	12	1	5	4	1	2	2	0
Suicide (950-959)	2	1	1	5	5	0	0	0	0	0	0	0
Homicide and legal inter- vention (960-978)	6	1	5	2	2	0	0	0	0	0	0	0
Symptoms, signs, and ill- defined conditions# (780-799)	21	3	18	5	5	0	44	41	3	2	1	1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Rankin County			Scott County			Sharkey County			Simpson County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	106	83	23	46	30	16	12	5	7	58	46	12
Diabetes mellitus (250)	12	5	7	4	2	2	0	0	0	4	3	1
Diseases of heart (390-398, 402, 404, 410-429)	164	127	37	83	62	21	22	11	11	83	60	23
Hypertension (401, 403)	1	0	1	0	0	0	1	0	1	1	1	0
Cerebrovascular diseases (430-438)	31	18	13	33	19	14	3	0	3	18	13	5
Atherosclerosis (440)	4	1	3	2	2	0	1	0	1	2	1	1
Pneumonia and influenza (480-487)	24	17	7	10	9	1	3	3	0	6	6	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	23	21	2	12	12	0	2	0	2	9	7	2
Chronic liver disease and cirrhosis (571)	5	4	1	1	1	0	1	1	0	2	2	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	3	1	2	1	0	1	2	1	1
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	1	1	0	0	0	0	1	1	0
Certain conditions originating in the perinatal period (760-779)	9	6	3	3	2	1	0	0	0	4	2	2
Accidents (800-949)	30	28	2	19	12	7	2	2	0	16	8	8
Motor vehicle accidents# (810-825)	14	14	0	12	8	4	1	1	0	12	6	6
Suicide (950-959)	6	6	0	1	1	0	0	0	0	2	2	0
Homicide and legal intervention (960-978)	3	1	2	1	0	1	1	0	1	2	2	0
Symptoms, signs, and ill-defined conditions# (780-799)	22	15	7	28	17	11	1	0	1	11	5	6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
 DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
 RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Smith County			Stone County			Sunflower County			Tallahatchie County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	18	15	3	13	12	1	65	26	39	47	32	15
Diabetes mellitus (250)	1	1	0	3	1	2	7	1	6	5	3	2
Diseases of heart (390-398, 402, 404, 410-429)	45	39	6	32	26	6	143	69	74	51	23	28
Hypertension (401, 403)	0	0	0	0	0	0	1	1	0	4	0	4
Cerebrovascular diseases (430-438)	17	16	1	5	5	0	31	11	20	15	8	7
Atherosclerosis (440)	3	3	0	0	0	0	2	1	1	2	1	1
Pneumonia and influenza (480-487)	9	7	2	4	4	0	8	8	0	2	1	1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	6	6	0	9	7	2	6	4	2
Chronic liver disease and cirrhosis (571)	1	0	1	1	1	0	2	1	1	3	2	1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	5	3	2	3	0	3	0	0	0
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	2	1	1	1	1	0	2	0	2	1	0	1
Certain conditions originating in the perinatal period (760-779)	0	0	0	0	0	0	4	1	3	5	0	5
Accidents (800-949)	2	1	1	6	5	1	12	6	6	10	3	7
Motor vehicle accidents# (810-825)	0	0	0	3	2	1	6	5	1	3	1	2
Suicide (950-959)	1	1	0	1	1	0	3	0	3	0	0	0
Homicide and legal intervention (960-978)	3	1	2	0	0	0	5	2	3	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	6	6	0	6	4	2	24	4	20	16	4	12

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Tate County			Tippah County			Tishomingo County			Tunica County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
	Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	37	19	18	37	37	0	31	31	0	15	5	10
Diabetes mellitus (250)	5	1	4	2	2	0	2	2	0	5	1	4
Diseases of heart (390-398, 402, 404, 410-429)	55	35	20	97	86	11	75	74	1	29	17	12
Hypertension (401, 403)	1	1	0	1	1	0	1	1	0	0	0	0
Cerebrovascular diseases (430-438)	12	7	5	17	15	2	18	16	2	7	1	6
Atherosclerosis (440)	1	1	0	1	1	0	1	1	0	1	0	1
Pneumonia and influenza (480-487)	6	3	3	13	11	2	4	4	0	3	1	2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	9	9	0	6	6	0	1	0	1
Chronic liver disease and cirrhosis (571)	0	0	0	0	0	0	0	0	0	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	3	3	0	4	3	1	3	0	3
Infections of kidney (590)	0	0	0	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	1	1	0	0	0	0	2	2	0	0	0	0
Certain conditions originating in the perinatal period (760-779)	2	1	1	6	3	3	0	0	0	0	0	0
Accidents (800-949)	8	2	6	14	12	2	11	11	0	17	5	12
Motor vehicle accidents# (810-825)	4	1	3	8	6	2	9	9	0	6	0	6
Suicide (950-959)	3	3	0	3	3	0	4	4	0	0	0	0
Homicide and legal intervention (960-978)	1	0	1	0	0	0	6	5	1	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	25	9	16	30	23	7	14	14	0	13	1	12

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Union County			Walthall County			Warren County			Washington County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	43	36	7	24	16	8	100	51	49	131	53	78
Diabetes mellitus (250)	3	3	0	3	2	1	9	6	3	15	7	8
Diseases of heart (390-398, 402, 404, 410-429)	84	72	12	59	46	13	165	86	79	223	91	132
Hypertension (401, 403)	1	0	1	0	0	0	3	1	2	7	1	6
Cerebrovascular diseases (430-438)	28	22	6	7	4	3	42	18	24	66	26	40
Atherosclerosis (440)	0	0	0	0	0	0	5	3	2	5	1	4
Pneumonia and influenza (480-487)	13	11	2	2	2	0	7	5	2	12	4	8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	6	0	5	3	2	13	9	4	22	13	9
Chronic liver disease and cirrhosis (571)	1	1	0	1	1	0	5	5	0	9	3	6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	3	0	2	1	1	3	1	2	9	1	8
Infections of kidney (590)	2	2	0	0	0	0	0	0	0	1	0	1
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
Congenital anomalies (740-759)	0	0	0	0	0	0	4	4	0	8	3	5
Certain conditions originating in the perinatal period (760-779)	3	1	2	2	1	1	17	12	5	10	1	9
Accidents (800-949)	14	12	2	12	6	6	36	16	20	34	12	22
Motor vehicle accidents# (810-825)	8	7	1	5	2	3	19	11	8	17	8	9
Suicide (950-959)	7	7	0	0	0	0	6	4	2	5	4	1
Homicide and legal intervention (960-978)	1	1	0	0	0	0	6	1	5	10	1	9
Symptoms, signs, and ill-defined conditions# (780-799)	15	12	3	18	10	8	18	6	12	90	16	74

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1984

Cause and International Classification Number*	Wayne County			Webster County			Wilkinson County			Winston County		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
Malignant neoplasms (140-208)	35	25	10	14	12	2	20	10	10	45	33	12
Diabetes mellitus (250)	3	0	3	3	2	1	3	1	2	4	3	1
Diseases of heart (390-398, 402, 404, 410-429)	65	42	23	53	48	5	57	22	35	80	52	28
Hypertension (401, 403)	1	1	0	0	0	0	0	0	0	2	1	1
Cerebrovascular diseases (430-438)	6	3	3	17	13	4	16	4	12	24	16	8
Atherosclerosis (440)	2	1	1	0	0	0	3	1	2	1	1	0
Pneumonia and influenza (480-487)	2	2	0	5	5	0	4	2	2	2	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	0	0	0	2	1	1	4	3	1
Chronic liver disease and cirrhosis (571)	3	2	1	1	1	0	1	0	1	0	0	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	2	1	1	1	0	1	7	4	3
Infections of kidney (590)	2	0	2	0	0	0	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0	0	0	0	1	0	1
Congenital anomalies (740-759)	1	0	1	2	1	1	1	0	1	0	0	0
Certain conditions originating in the perinatal period (760-779)	2	1	1	0	0	0	3	1	2	3	0	3
Accidents (800-949)	11	10	1	5	2	3	7	3	4	18	12	6
Motor vehicle accidents# (810-825)	7	7	0	3	1	2	1	0	1	11	9	2
Suicide (950-959)	0	0	0	1	1	0	2	2	0	4	4	0
Homicide and legal intervention (960-978)	2	1	1	1	1	0	1	1	0	1	0	1
Symptoms, signs, and ill-defined conditions# (780-799)	9	6	3	2	2	0	6	1	5	17	6	11

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.

TABLE 17
DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND STATE OF MISSISSIPPI, 1984

Cause and International Classification Number*	Yalobusha County			Yazoo County			State of Mississippi		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0	28	14	14
Malignant neoplasms (140-208)	37	25	12	61	30	31	4,595	3,089	1,506
Diabetes mellitus (250)	2	1	1	8	3	5	411	212	199
Diseases of heart (390-398, 402, 404, 410-429)	49	41	8	112	59	53	8,447	5,723	2,724
Hypertension (401, 403)	0	0	0	3	1	2	100	40	60
Cerebrovascular diseases (430-438)	19	12	7	21	12	9	2,006	1,239	767
Atherosclerosis (440)	0	0	0	6	3	3	204	146	58
Pneumonia and influenza (480-487)	2	1	1	6	3	3	568	403	165
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	6	1	14	12	2	714	573	141
Chronic liver disease and cirrhosis (571)	4	3	1	3	1	2	201	147	54
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	2	0	2	264	141	123
Infections of kidney (590)	0	0	0	1	0	1	34	21	13
Maternal causes (630-676)	0	0	0	0	0	0	3	1	2
Congenital anomalies (740-759)	0	0	0	4	2	2	164	94	70
Certain conditions originating in the perinatal period (760-779)	1	1	0	4	0	4	305	103	202
Accidents (800-949)	12	7	5	15	7	8	1,429	895	534
Motor vehicle accidents# (810-825)	5	4	1	6	2	4	697	482	215
Suicide (950-959)	2	1	1	0	0	0	273	227	46
Homicide and legal intervention (960-978)	1	1	0	2	0	2	300	94	206
Symptoms, signs, and ill-defined conditions# (780-799)	14	5	9	7	1	6	1,434	625	809

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Not to be used for ranking.



TIME SERIES TABLES




TABLE 18
 LIVE BIRTHS AND RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1984,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1984)

Year	Number			Rate*		
	Total	White	Non- white	Total	White	Non- white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

TABLE 18 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1984

Year	Number			Rate#		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	

* Births per 1,000 population.

TABLE 19
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1984,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1984)

Year	Number			Rate*		
	Total	White	Non- white	Total	White	Non- white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

TABLE 19 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1984

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	NOT AVAILABLE
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	NOT AVAILABLE
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	NOT AVAILABLE
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	NOT AVAILABLE
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	NOT AVAILABLE
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	NOT AVAILABLE
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	NOT AVAILABLE
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	NOT AVAILABLE
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	NOT AVAILABLE
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	NOT AVAILABLE
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	NOT AVAILABLE

* Deaths per 1,000 population.

TABLE 20
 MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1984,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1984)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

TABLE 20 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1984

Year	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 21
 INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1917-1984,
 (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1984)

Year	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

TABLE 21 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1984

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2

* Deaths of children under 1 year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 22
 NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1984,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1984)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

TABLE 22 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-1984

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 23
 POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1984,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1984)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

TABLE 23 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1984

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 24
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1984

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

TABLE 24 - PAGE 2
 MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1984

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.