

VITAL STATISTICS
MISSISSIPPI
1985



Mississippi State Department of Health
Office of Public Health Statistics



VITAL STATISTICS

MISSISSIPPI

1985

MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF INFORMATION RESOURCES
DAVID LOHRISCH, PH.D., BUREAU CHIEF

P. O. BOX 1700
JACKSON, MISSISSIPPI 39215-1700

TELEPHONE NUMBER 601-354-6607



TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Definition of "Immature" Live Birth	2
Occurrence and Residence Allocation	2
Population	2
Rates	3
Classification of Cause of Death	3
SUMMARY TABLES, 1985	
POPULATION	
Table Pl. Population Projections and Percentage Distribution, by Age, Race, and Sex	7
LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1985	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	10
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race	12
Table A10. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race ..	13
FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race	14
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	14
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race	15
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1982-1984	15
DEATHS	
Table C1. Deaths and Average per Day, by Month	16
Table C2. Deaths, Percentage Distribution, and Rates, by Age and Race	16

SUMMARY TABLES, 1985

DEATHS (continued)

Table C3A.	Deaths, by Age, Race, and Sex, and Male/Female Ratios, by Age and Race	17
Table C3B.	Death Rates, by Age, Race, and Sex	17
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	18
Table C5.	Deaths, Percent of Total Deaths, and Rates from Five Leading Causes, by Age and Cause	19
Table C6.	Deaths and Rates from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race	20
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1960, 1965, 1970, 1975, 1980, 1985	20
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	21
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	22
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1985	23
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race	24
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	24

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	25
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	26
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	27
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	28
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	29
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	30

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	31
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	31
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	32

MAJOR TABLES, 1985

POPULATION

Table i.	Population Projections and Percent Change Since 1980 Census, by County and Race, Mississippi, 1985	35
----------	-------------------------------------------------------------------------------------------------------------	----

MAJOR TABLES, 1985

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi 1985	37
Table 1B.	Fertility Rates, by County of Residence and Race, Mississippi, 1985	40
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1985	41
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1985	44
Table 3B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1985	46
Table 3C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1985	48
Table 4.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1985	50
Table 5A.	Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1985	52
Table 5B.	White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1985	54
Table 5C.	Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1985	56
Table 6.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1985 ..	58
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1985 ..	60

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1985	62
----------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1985	64
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1985	67
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1985	82
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1985	89
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1981-1985 (5-Year Average)	91

MAJOR TABLES, 1985

DEATHS (continued)

Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1985	93
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1985	95

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1985	97
-----------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1985	99
-----------	------------------------------------------------------------------------	----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 17.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	103
	The State	144

TIME SERIES TABLES

Table 18.	Live Births and Rates, by Year and Race, Mississippi, 1913-1985, (Occurrence Data 1913-1943, Residence Data 1944-1985)	147
Table 19.	Deaths and Rates, by Year and Race, Mississippi, 1913-1985, (Occurrence Data 1913-1943, Residence Data 1944-1985)	149
Table 20.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1985, (Occurrence Data 1913-1943, Residence Data 1944-1985)	151
Table 21.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1985, (Occurrence Data 1917-1943, Residence Data 1944-1985)	153
Table 22.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1985, (Occurrence Data 1924-1944, Residence Data 1945-1985)	155
Table 23.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1985, (Occurrence Data 1924-1943, Residence Data 1944-1985).....	157
Table 24.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1985	159

VITAL STATISTICS
MISSISSIPPI, 1985

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1985; the second part contains major statistical tables for 1985. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Introduction
Mississippi - 1985

Definition of "Immature" Live Birth

Prior to 1985, Mississippi defined an immature live birth as one with birthweight less than or equal to 5 pounds 8 ounces (2,500 grams). All figures prior to 1985 concerning immature live births, whether published or unpublished, used this definition. Beginning with 1985 statistics, however, in order to conform to the definition used by the National Center for Health Statistics and most of the other states in the nation, Mississippi has adopted the definition of an immature live birth as being one with birthweight less than 5 pounds 8 ounces (2,500 grams). In comparing figures calculated using both definitions for 1985, it was found that using the new definition of immaturity identified a total of 44 fewer immature live births for the state than were identified using the old definition--a decrease of only 0.1 percent.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Population figures used in this publication are projections of population for 1985 that were developed by the Mississippi Research and Development Center. A data tape containing population projections for the years 1985, 1990, 1995, 2000, 2005, and 2010 by county of residence, age group, race, and sex was obtained by the Department of

Introduction
Mississippi - 1985

Health, which then extracted 1985 data and rounded all figures to whole numbers. Because of the method of calculation, and also because of this rounding, figures by race and by sex do not add up to the total figures.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1985

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.



POPULATION

Table P1. Population projections and percentage distribution, by age, race, and sex
Mississippi, 1985

Age	Total	Number			Percent		
		Male	Female	Nonwhite	Male	Female	White
Total	2,656,612	834,392	868,192	449,384	504,881	100.0	100.0
0-4	266,531	69,193	66,686	66,443	64,223	10.0	8.3
5-9	213,926	59,493	55,979	49,431	49,035	8.0	7.1
10-14	217,968	64,142	60,682	46,616	46,544	8.2	7.7
15-19	225,618	66,877	62,776	48,376	47,604	8.5	8.0
20-24	257,505	78,174	74,220	51,756	53,375	9.7	9.4
25-29	231,762	75,594	72,757	38,416	45,010	8.7	9.0
30-34	195,580	66,007	66,263	29,080	34,250	7.4	7.9
35-39	171,736	62,345	62,372	21,403	25,625	6.5	7.5
40-44	137,212	50,651	52,006	15,297	19,271	5.2	6.1
45-49	121,271	44,640	45,423	13,168	18,053	4.6	5.4
50-54	111,035	40,461	42,581	11,392	16,624	4.2	4.8
55-59	113,764	40,238	44,042	11,850	17,640	4.3	4.8
60-64	106,143	36,403	42,748	10,924	16,088	4.0	4.4
65-69	94,974	30,319	38,199	11,102	15,366	3.6	4.4
70-74	87,309	24,976	35,423	11,074	15,855	3.3	3.0
75 & over	104,278	24,879	46,035	13,056	20,318	3.9	3.0
Under 15	698,425	192,828	183,347	162,490	159,802	26.3	23.1
15-64	1,671,626	561,390	565,188	251,662	293,540	62.9	67.3
65 & over	286,561	80,174	119,657	35,232	51,539	10.8	9.6

NOTE: Figures by sex and by race do not add to total because of the method of calculation.
Also, all figures were rounded to whole numbers.

LIVE BIRTHS

TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1985

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>43,432</u>	<u>119</u>			
JANUARY	3,710	120	JULY	3,899	126
FEBRUARY	3,303	118	AUGUST	3,914	126
MARCH	3,562	115	SEPTEMBER	3,896	130
APRIL	3,262	109	OCTOBER	3,546	114
MAY	3,541	114	NOVEMBER	3,525	118
JUNE	3,457	115	DECEMBER	3,817	123

TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE
MISSISSIPPI, 1940, 1950, 1960, 1970-1985

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9	1976*	98.5	99.7	97.3
1950	46.1	83.3	18.9	1977*	98.9	99.7	98.1
1960	73.2	99.0	51.3	1978*	99.1	99.7	98.4
1970*	90.0	99.7	79.7	1979*	99.3	99.7	98.9
1971*	92.2	99.6	84.2	1980*	99.4	99.7	99.1
1972*	95.2	99.8	90.4	1981*	99.3	99.6	99.0
1973*	96.4	99.7	92.8	1982*	99.4	99.6	99.2
1974*	97.4	99.7	94.8	1983*	99.5	99.6	99.4
1975*	97.9	99.6	96.0	1984*	99.5	99.6	99.4
				1985*	99.6	99.7	99.4

* INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY TYPE OF FACILITY, ATTENDANT, AND RACE
MISSISSIPPI, 1985

TYPE OF FACILITY AND RACE	TOTAL	NUMBER				PERCENT				UN- KNOWN
		PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWNS	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	
<u>TOTAL</u>	<u>43,432</u>	<u>42,574</u>	<u>691</u>	<u>38</u>	<u>120</u>	<u>9</u>	<u>100.0</u>	<u>28.0</u>	<u>1.6</u>	<u>0.1</u>
HOSPITAL	43,239	42,517	684	0	36	2	99.6	97.9	1.6	-
HOME, ETC.	180	57	7	38	73	5	0.4	0.1	*	0.1
ENROUTE TO HOS- PITAL	12	0	0	0	11	1	*	-	-	0.2
UNKNOWN PLACE	1	0	0	0	0	1	*	-	-	*
<u>WHITE</u>	<u>22,943</u>	<u>22,774</u>	<u>98</u>	<u>24</u>	<u>45</u>	<u>2</u>	<u>100.0</u>	<u>29.3</u>	<u>0.4</u>	<u>0.1</u>
HOSPITAL	22,866	22,761	94	0	11	0	99.7	99.2	0.4	*
HOME, ETC.	74	13	4	24	32	1	0.3	*	0.1	0.1
ENROUTE TO HOS- PITAL	2	0	0	0	2	0	*	-	-	*
UNKNOWN PLACE	1	0	0	0	0	1	*	-	-	*
<u>NONWHITE</u>	<u>20,489</u>	<u>19,800</u>	<u>593</u>	<u>14</u>	<u>75</u>	<u>7</u>	<u>100.0</u>	<u>96.6</u>	<u>2.9</u>	<u>0.1</u>
HOSPITAL	20,373	19,756	590	0	25	2	99.4	96.4	2.9	*
HOME, ETC.	106	44	3	14	41	4	0.5	0.2	*	0.1
ENROUTE TO HOS- PITAL	10	0	0	0	9	1	*	-	-	*
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-

* LESS THAN 0.06 PERCENT.

TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1985

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,432	22,943	20,489	100.0	100.0	100.0	70.6	58.8	91.0
UNDER 15	351	48	303	0.8	0.2	1.5	3.3	0.8	6.5
15-19	8,682	3,265	5,417	20.0	14.2	26.4	78.6	52.0	113.8
20-24	14,957	8,054	6,903	34.4	35.1	33.7	117.2	108.5	129.3
25-29	11,719	7,194	4,525	27.0	31.4	22.1	99.5	98.9	100.5
30-34	5,670	3,301	2,369	13.0	14.4	11.6	56.4	49.8	69.2
35-39	1,771	952	819	4.1	4.1	4.0	20.1	15.3	32.0
40-44	269	125	144	0.6	0.5	0.7	3.8	2.4	7.5
45-49	9	1	8	**	**	**	0.1	**	0.4
UNKNOWN	4	3	1	**	**	**			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06.

TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER AND RACE
MISSISSIPPI, 1985

YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
FATHER									
MEDIAN YEARS COMPLETED*	12.7	12.8	12.5						
TOTAL LEGITIMATE BIRTHS	29,162	20,993	8,169	100.0	100.0	100.0			
0-6 YEARS	427	231	196	1.5	1.1	2.4	1.5	1.1	2.4
7-9 YEARS	2,380	1,709	671	8.2	8.2	8.4	9.7	9.3	10.8
10, 11 YEARS	3,847	2,452	1,395	13.3	11.7	17.4	23.0	21.0	28.2
12 YEARS	11,194	7,751	3,443	38.7	37.1	42.8	61.7	58.1	71.0
1-3 YEARS COLLEGE	5,813	4,338	1,475	20.1	20.8	18.4	81.8	78.9	89.4
4 OR MORE YEARS COLLEGE	5,268	4,413	855	18.2	21.1	10.6	100.0	100.0	100.0
UNKNOWN	233	99	134						
MOTHER									
MEDIAN YEARS COMPLETED*	12.5	12.7	12.3						
TOTAL BIRTHS	43,432	22,943	20,489	100.0	100.0	100.0			
0-6 YEARS	423	143	280	1.0	0.6	1.4	1.0	0.6	1.4
7-9 YEARS	5,148	2,161	2,987	11.9	9.4	14.6	12.8	10.0	16.0
10, 11 YEARS	7,697	2,888	4,809	17.8	12.6	23.5	30.6	22.7	39.5
12 YEARS	16,651	9,004	7,647	38.4	39.3	37.4	69.0	62.0	76.9
1-3 YEARS COLLEGE	8,273	4,938	3,335	19.1	21.6	16.3	88.1	83.5	93.2
4 OR MORE YEARS COLLEGE	5,160	3,771	1,389	11.9	16.5	6.8	100.0	100.0	100.0
UNKNOWN	80	38	42						

* CALCULATIONS EXCLUDE BIRTHS TO PARENTS WITH EDUCATION UNKNOWN; CALCULATIONS FOR FATHERS ALSO EXCLUDE ILLEGITIMATE BIRTHS.

TABLE A6. ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP, BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1985

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	14,270	1,950	12,320	32.8	8.5	60.1
UNDER 15	344	41	303	98.0	85.4	100.0
15-19	5,693	827	4,866	65.6	25.3	89.8
20-24	4,976	667	4,309	33.3	8.3	62.4
25-29	2,039	277	1,762	17.4	3.8	38.9
30-34	872	97	775	15.4	2.9	32.7
35-39	281	33	248	15.9	3.5	30.3
40-44	60	7	53	22.3	5.6	36.8
45-49	4	0	4	44.4	-	50.0
UNKNOWN	1	1	0			

TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE
MISSISSIPPI, 1985

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,432	22,943	20,489	100.0	100.0	100.0	70.6	58.8	91.0	24.2	25.1	23.1
FIRST	15,262	8,720	6,542	35.1	38.0	31.9	24.8	22.3	29.0	21.0	22.3	19.4
SECOND	12,970	7,592	5,378	29.9	33.1	26.2	21.1	19.4	23.9	24.5	25.6	22.6
THIRD	7,877	4,019	3,858	18.1	17.5	18.8	12.8	10.3	17.1	26.1	27.4	24.8
FOURTH	3,831	1,622	2,209	8.8	7.1	10.8	6.2	4.2	9.8	27.6	28.7	26.6
FIFTH	1,766	589	1,177	4.1	2.6	5.7	2.9	1.5	5.2	28.6	29.4	28.2
SIXTH	789	201	588	1.8	0.9	2.9	1.3	0.5	2.6	29.9	30.6	29.6
SEVENTH	419	98	321	1.0	0.4	1.6	0.7	0.2	1.4	31.5	32.4	31.3
EIGHTH	200	35	165	0.5	0.2	0.8	0.3	0.1	0.7	33.0	35.2	32.6
NINTH	119	22	97	0.3	0.1	0.5	0.2	#	0.4	34.0	33.2	34.1
TENTH & OVER	159	22	137	0.4	0.1	0.7	0.2	#	0.6	37.0	36.5	37.1
UNKNOWN	40	23	17	0.1	0.1	0.1	0.1	#	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY WHETHER MOTHER RECEIVED PRENATAL CARE, TIME DURING PREGNANCY CARE BEGAN, AND RACE MISSISSIPPI, 1985

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,432	22,943	20,489	100.0	100.0	100.0
NO PRENATAL CARE	377	112	265	0.9	0.5	1.3
SOME PRENATAL CARE	42,970	22,794	20,176	98.9	99.4	98.5
FIRST TRIMESTER	32,489	19,538	12,951	74.8	85.2	63.2
SECOND TRIMESTER	8,942	2,789	6,153	20.6	12.2	30.0
THIRD TRIMESTER	1,459	437	1,022	3.4	1.9	5.0
UNKNOWN MONTH	80	30	50	0.2	0.1	0.2
UNKNOWN WHETHER ANY PRENATAL CARE	85	37	48	0.2	0.2	0.2

TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY MATURITY AND RACE MISSISSIPPI, 1985

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,432	22,943	20,489	100.0	100.0	100.0
IMMATURE ONLY**	1,562	583	979	3.6	2.5	4.8
PREMATURE ONLY**	3,686	1,298	2,388	8.5	5.6	11.6
BOTH IMMATURE AND PREMATURE	2,267	776	1,491	5.2	3.4	7.3
TOTAL IMMATURE	3,829	1,359	2,470	8.8	5.9	12.0
TOTAL PREMATURE	5,953	2,074	3,879	13.7	9.0	18.9
TOTAL IMMATURE AND/OR PREMATURE	7,515	2,657	4,858	17.3	11.6	23.7
NEITHER IMMATURE NOR PREMATURE**	35,917	20,286	15,631	82.7	88.4	76.3

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

TABLE A10. CONGENITAL MALFORMATIONS REPORTED ON LIVE BIRTH CERTIFICATES,
BY MALFORMATION AND RACE
MISSISSIPPI, 1985

INTERNATIONAL CLASSIFICATION NUMBER*	MALFORMATION	TOTAL	WHITE	NON- WHITE
<u>740-759</u>	<u>TOTAL</u>	<u>416</u>	<u>194</u>	<u>222</u>
740-742	OF NERVOUS SYSTEM	23	16	7
743	OF EYE	8	5	3
744	OF EAR, FACE, AND NECK	7	3	4
745-747	OF CIRCULATORY SYSTEM	17	9	8
748	OF RESPIRATORY SYSTEM	9	6	3
<u>749-751</u>	<u>OF DIGESTIVE SYSTEM</u>	<u>65</u>	<u>33</u>	<u>32</u>
<u>749</u>	<u>CLEFT PALATE AND CLEFT LIP</u>	<u>43</u>	<u>24</u>	<u>19</u>
749.0	CLEFT PALATE	16	9	7
749.1	CLEFT LIP	10	6	4
749.2	CLEFT PALATE WITH CLEFT LIP	17	9	8
750,751	OTHER OF DIGESTIVE SYSTEM	22	9	13
752	OF GENITAL ORGANS	36	18	18
753	OF URINARY ORGANS	4	4	0
<u>754-756</u>	<u>OF MUSCULOSKELETAL SYSTEM</u>	<u>181</u>	<u>65</u>	<u>116</u>
754	CERTAIN MUSCULOSKELETAL ANOMALIES	33	26	7
<u>755</u>	<u>OF LIMBS</u>	<u>135</u>	<u>30</u>	<u>105</u>
755.0	POLYDACTYLY	95	9	86
755.1-755.9	OTHER	40	21	19
756	OTHER OF MUSCULOSKELETAL SYSTEM	13	9	4
757	OF THE INTEGUMENT	33	13	20
758	CHROMOSOMAL ANOMALIES	15	10	5
<u>759</u>	<u>OTHER AND UNSPECIFIED</u>	<u>18</u>	<u>12</u>	<u>6</u>
759.0-759.8	OTHER UNSPECIFIED	16	10	6
759.9	UNSPECIFIED	2	2	0

* FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE
MISSISSIPPI, 1985

PLACE OF DELIVERY AND ATTENDANT	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	555	186	369	100.0	100.0	100.0
HOSPITAL	539	180	359	97.1	96.8	97.3
PHYSICIAN	527	177	350	95.0	95.2	94.8
CERTIFIED NURSE MIDWIFE	2	0	2	0.4	-	0.5
OTHER	7	2	5	1.3	1.1	1.4
UNKNOWN	3	1	2	0.5	0.5	0.5
OTHER NAMED PLACE	15	6	9	2.7	3.2	2.4
PHYSICIAN	8	3	5	1.4	1.6	1.4
OTHER	6	3	3	1.1	1.6	0.8
UNKNOWN	1	0	1	0.2	-	0.3
EN ROUTE TO HOSPITAL OR BOA	1	0	1	0.2	-	0.3
UNKNOWN	1	0	1	0.2	-	0.3

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1985

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	555	186	369	12.8	8.1	18.0
UNDER 15	8	0	8	22.8	-	26.4
15-19	115	31	84	13.2	9.5	15.5
20-24	190	69	121	12.7	8.6	17.5
25-29	126	44	82	10.8	6.1	18.1
30-34	78	29	49	13.8	8.8	20.7
35-39	27	9	18	15.2	9.4	22.0
40-44	9	3	6	33.4	24.0	41.7
45-49	0	0	0	-	-	-
UNKNOWN	2	1	1	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE
MISSISSIPPI, 1985

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	0.9	0.5	1.3	5.4	2.2	7.0
SOME CARE	98.9	99.4	98.5	85.0	90.3	82.4
UNKNOWN WHETHER ANY CARE	0.2	0.2	0.2	9.6	7.5	10.6

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE
MISSISSIPPI, 1983-1985

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1983	1984	1985	1983	1984	1985	1983	1984	1985
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>639</u>	<u>567</u>	<u>555</u>	<u>241</u>	<u>205</u>	<u>186</u>	<u>398</u>	<u>362</u>	<u>369</u>
UNDER 20	27	21	38	5	6	7	22	15	31
<u>20 AND OVER</u>	<u>554</u>	<u>494</u>	<u>469</u>	<u>216</u>	<u>181</u>	<u>157</u>	<u>338</u>	<u>313</u>	<u>312</u>
20-22	82	83	72	16	20	24	66	63	48
23-27	118	117	109	47	47	34	71	70	75
28-36	170	176	168	72	58	54	98	118	114
37 AND OVER	184	118	120	81	56	45	103	62	75
UNKNOWN	58	52	48	20	18	22	38	34	26
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>14.5</u>	<u>13.0</u>	<u>12.8</u>	<u>10.6</u>	<u>9.0</u>	<u>8.1</u>	<u>18.6</u>	<u>17.2</u>	<u>18.0</u>
UNDER 20	0.6	0.5	0.9	0.2	0.3	0.3	1.0	0.7	1.5
<u>20 AND OVER</u>	<u>12.6</u>	<u>11.3</u>	<u>10.8</u>	<u>9.5</u>	<u>8.0</u>	<u>6.8</u>	<u>15.8</u>	<u>14.8</u>	<u>15.2</u>
20-22	1.9	1.9	1.6	0.7	0.9	1.0	3.1	3.0	2.3
23-27	2.7	2.7	2.5	2.1	2.1	1.5	3.3	3.3	3.7
28-36	3.9	4.0	3.9	3.2	2.6	2.4	4.6	5.6	5.6
37 AND OVER	4.2	2.7	2.8	3.6	2.5	2.0	4.8	2.9	3.7
UNKNOWN	1.3	1.2	1.1	0.9	0.8	1.0	1.8	1.6	1.3

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1985

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>24,568</u>	<u>67</u>			
JANUARY	2,428	78	JULY	1,908	62
FEBRUARY	2,376	85	AUGUST	1,951	63
MARCH	2,090	67	SEPTEMBER	1,838	61
APRIL	1,833	61	OCTOBER	2,045	66
MAY	1,961	63	NOVEMBER	1,963	65
JUNE	1,911	64	DECEMBER	2,264	73

TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1985

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>24,568</u>	<u>15,803</u>	<u>8,765</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.2</u>	<u>9.3</u>	<u>9.2</u>
0-4	723	266	457	2.9	1.7	5.2	2.7	2.0	3.5
5-9	80	39	41	0.3	0.2	0.5	0.4	0.3	0.4
10-14	86	43	43	0.4	0.3	0.5	0.4	0.3	0.5
15-24	549	325	224	2.2	2.0	2.6	1.1	1.2	1.1
25-34	610	292	318	2.5	1.8	3.6	1.4	1.0	2.2
35-44	838	467	371	3.4	3.0	4.2	2.7	2.0	4.5
45-54	1,489	899	590	6.1	5.7	6.7	6.4	5.2	10.0
55-64	3,320	2,173	1,147	13.5	13.8	13.1	15.1	13.3	20.3
65-74	5,750	3,744	2,006	23.4	23.7	22.9	31.5	29.0	37.6
75 AND OVER	11,106	7,553	3,553	45.2	47.8	40.5	106.5	106.5	106.5
UNKNOWN	17	2	15	0.1	**	0.2			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1985

AGE	TOTAL		MALES PER FEMALE	WHITE		NONWHITE		MALES PER FEMALE	
	MALE	FEMALE		MALE	FEMALE	MALE	FEMALE		
TOTAL	13,340	11,228	1.19	8,613	7,190	1.20	4,727	4,038	1.17
UNDER 1	346	250	1.38	124	89	1.39	222	161	1.38
1-4	81	46	1.76	34	19	1.79	47	27	1.74
5-9	43	37	1.16	22	17	1.29	21	20	1.05
10-14	59	27	2.18	30	13	2.31	29	14	2.07
15-24	398	151	2.64	236	89	2.65	162	62	2.61
25-34	426	184	2.32	206	86	2.40	220	98	2.24
35-44	569	269	2.12	325	142	2.29	244	127	1.92
45-54	988	501	1.97	632	267	2.37	356	234	1.52
55-64	2,081	1,239	1.68	1,419	754	1.88	662	485	1.36
65-74	3,396	2,354	1.44	2,316	1,428	1.62	1,080	926	1.17
75-84	3,396	3,373	1.01	2,270	2,309	0.98	1,126	1,064	1.06
85 AND OVER	1,546	2,791	0.55	998	1,976	0.50	548	815	0.67
UNKNOWN	11	6		1	1		10	5	
MEDIAN AGE	69.9	76.6		70.5	78.0		68.7	73.5	

TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1985

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	10.4	8.2	10.3	8.3	10.5	8.0
0-4	3.1	2.3	2.3	1.6	4.0	2.9
5-9	0.4	0.4	0.4	0.3	0.4	0.4
10-14	0.5	0.2	0.5	0.2	0.6	0.3
15-24	1.6	0.6	1.6	0.6	1.6	0.6
25-34	2.0	0.8	1.4	0.6	3.2	1.2
35-44	3.8	1.7	2.9	1.2	6.6	2.8
45-54	9.0	4.1	7.4	3.0	14.5	6.7
55-64	20.9	10.3	18.5	8.7	29.1	14.4
65-74	43.8	22.4	41.9	19.4	48.7	29.7
75 AND OVER	130.3	92.9	131.4	93.1	128.2	92.5

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

TABLE 4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES, BY CAUSE AND RACE
MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF TEN LEADING CAUSES	19,523	12,805	6,718	79.5	81.0	76.6
1. HEART DISEASES (390-398, 402, 404-429)	8,728	5,898	2,830	35.5	37.3	32.3
2. MALIGNANT NEOPLASMS (140-208)	4,701	3,159	1,542	19.1	20.0	17.6
3. CEREBROVASCULAR DISEASES (430-438)	1,972	1,229	743	8.0	7.8	8.5
4. ACCIDENTS (800-949)	1,443	903	540	5.9	5.7	6.2
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	689	560	129	2.8	3.5	1.5
6. PNEUMONIA AND INFLUENZA (480-487)	663	472	191	2.7	3.0	2.2
7. DIABETES MELLITUS (250)	425	214	211	1.7	1.4	2.4
8. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	314	172	142	1.3	1.1	1.6
9. HOMICIDE AND LEGAL INTERVENTION (960-978)	308	110	198	1.2	0.7	2.2
10. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	280	88	192	1.1	0.6	2.2

TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES FOR FIVE LEADING CAUSES,
BY AGE AND CAUSE
MISSISSIPPI, 1985

AGE	CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER	PERCENT	RATE*
1-4	<u>ALL CAUSES</u>	<u>127</u>	<u>100.0</u>	<u>0.6</u>
	1. ACCIDENTS (800-949)	53	41.7	25.3
	2. CONGENITAL ANOMALIES (740-759)	11	8.7	5.2
	3. MALIGNANT NEOPLASMS (140-208)	7	5.5	3.3
	4. HEART DISEASES (390-398, 402, 404-429)	6	4.7	2.9
	5T. ANEMIAS (280-285)	5	3.9	2.4
	5T. HOMICIDE AND LEGAL INTERVENTION (960-978)	5	3.9	2.4
5-14	<u>ALL CAUSES</u>	<u>166</u>	<u>100.0</u>	<u>0.4</u>
	1. ACCIDENTS (800-949)	100	60.2	23.2
	2. MALIGNANT NEOPLASMS (140-208)	20	12.0	4.6
	3. HOMICIDE AND LEGAL INTERVENTION (960-978)	4	2.4	0.9
	4T. PNEUMONIA AND INFLUENZA (480-487)	3	1.8	0.7
	4T. CONGENITAL ANOMALIES (740-759)	3	1.8	0.7
15-24	<u>ALL CAUSES</u>	<u>549</u>	<u>100.0</u>	<u>1.1</u>
	1. ACCIDENTS (800-949)	299	54.5	61.9
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	66	12.0	13.7
	3. SUICIDE (950-959)	52	9.5	10.8
	4. MALIGNANT NEOPLASMS (140-208)	25	4.6	5.2
	5. HEART DISEASES (390-398, 402, 404-429)	19	3.5	3.9
25-44	<u>ALL CAUSES</u>	<u>1,448</u>	<u>100.0</u>	<u>2.0</u>
	1. ACCIDENTS (800-949)	389	26.9	52.8
	2. MALIGNANT NEOPLASMS (140-208)	221	15.3	30.0
	3. HEART DISEASES (390-398, 402, 404-429)	218	15.0	29.6
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	149	10.3	20.2
	5. SUICIDE (950-959)	85	5.9	11.5
45-64	<u>ALL CAUSES</u>	<u>4,809</u>	<u>100.0</u>	<u>10.6</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,634	34.0	361.3
	2. MALIGNANT NEOPLASMS (140-208)	1,357	28.2	300.1
	3. CEREBROVASCULAR DISEASES (430-438)	251	5.2	55.5
	4. ACCIDENTS (800-949)	233	4.8	51.5
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	133	2.8	29.4
65 AND OVER	<u>ALL CAUSES</u>	<u>16,856</u>	<u>100.0</u>	<u>58.8</u>
	1. HEART DISEASES (390-398, 402, 404-429)	6,820	40.5	2,379.9
	2. MALIGNANT NEOPLASMS (140-208)	3,068	18.2	1,070.6
	3. CEREBROVASCULAR DISEASES (430-438)	1,670	9.9	582.8
	4. PNEUMONIA AND INFLUENZA (480-487)	550	3.3	191.9
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	541	3.2	188.8

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS, BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1985

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	1,828	885	1,331	657	219.1	196.9	153.3	130.1
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	777	291	279	69	93.1	64.8	32.1	13.7
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	358	203	350	168	42.9	45.2	40.3	33.3
3. GENITAL ORGANS (179-187)	176	164	111	100	21.1	36.5	12.8	19.8
4. LYMPHATIC AND HEMATOPOIETIC Tissue (200-208)	153	72	158	68	18.3	16.0	18.2	13.5
5. BREAST (174, 175)	1	1	227	124	0.1	0.2	26.1	24.6
6. URINARY ORGANS (188, 189)	81	30	38	27	9.7	6.7	4.4	5.3
7. BRAIN (191)	44	19	27	7	5.3	4.2	3.1	1.4
8. LIP, ORAL CAVITY, AND PHARYNX (140-149)	47	18	11	7	5.6	4.0	1.3	1.4
9. SKIN (172, 173)	39	6	13	4	4.7	1.3	1.5	0.8
10. BONE AND CONNECTIVE TISSUE (170, 171)	16	8	7	6	1.9	1.8	0.8	1.2
- OTHER AND UNSPECIFIED SITES (190, 192-199)	136	73	110	77	16.3	16.2	12.7	15.2

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1960, 1965, 1970, 1975, 1980, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1960	1965	1970	1975	1980	1985
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	135	71	35	26	26	20
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	347	502	691	950	1,202	1,416
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	317	456	658	898	1,151	1,355
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	30	51	45	38	15	17
EMPHYSEMA (492)	89	170	200	181	130	90
ASTHMA (493)	74	55	22	15	45	51
(ADJUSTED FIGURES*)	(52)	(38)				

* ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1958 AND 1968.

TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
 FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
 MISSISSIPPI, 1985

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,075</u>	<u>671</u>	<u>404</u>	<u>74.5</u>	<u>74.3</u>	<u>74.8</u>
1. MOTOR VEHICLE (810-825)	683	459	224	47.3	50.8	41.5
2. FIRES AND FLAMES (890-899)	137	52	85	9.5	5.8	15.7
3. FALLS (880-888)	107	86	21	7.4	9.5	3.9
4. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	84	33	51	5.8	3.6	9.4
5. CAUSED BY FIREARM MISSILE (922)	64	41	23	4.4	4.5	4.2

TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1985

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE						UN- KNOWN	
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64	
ALL ACCIDENTS	1,443	1,040	403	26	53	100	299	232	157	233	341
MOTOR VEHICLE (810-825)	683	507	176	7	20	44	213	142	89	85	82
WATER TRANSPORT (830-838)	41	38	3	0	1	5	11	7	6	8	3
SUBMERSION, DROWNING (830, 832)	38	35	3	0	0	4	10	7	6	8	2
OTHER (831, 833-838)	3	3	0	0	0	1	1	0	0	0	0
AIR AND SPACE TRANSPORT (840-845)	9	9	0	0	0	0	0	0	4	1	1
Poisoning (850-869)	48	30	18	0	4	2	5	2	4	14	10
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (850-858)	26	15	11	0	0	0	3	7	2	6	8
BY OTHER SOLID AND LIQUID SUBSTANCES, GASES, AND VAPORS (860-869)	22	15	7	0	4	2	2	2	2	2	0
FALLS (880-888)	107	55	52	0	0	0	3	3	4	16	80
FIRES AND FLAMES (890-899)	137	76	61	4	10	16	5	15	7	26	53
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	84	72	12	1	8	18	23	12	7	7	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFOCA-TION (911, 912)	63	39	24	6	4	1	1	2	2	12	35
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	12	11	1	2	1	3	1	0	0	2	3
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	22	19	3	0	2	1	4	5	7	3	0
CAUSED BY MACHINERY (919)	24	24	0	0	1	1	1	1	7	5	0
CAUSED BY FIREARM MISSILE (922)	64	57	7	0	0	5	20	10	10	14	5
CAUSED BY ELECTRIC CURRENT (925)	17	17	0	0	0	1	2	5	2	6	1

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN
MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT
DEATHS OF MISSISSIPPI RESIDENTS AND RATES,
BY YEAR, 1950, 1955, 1960, 1965, 1970-1985

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7

* DEATHS IN MISSISSIPPI PER
100,000,000 MILES OF VEHICLE TRAVEL;
DEATHS OF RESIDENTS PER 100,000
POPULATION.

** NOT AVAILABLE.

TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE
MISSISSIPPI, 1985

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL UNDER 1 YEAR	596	213	383	100.0	100.0	100.0	13.7	9.3	18.7
NEONATAL (UNDER 28 DAYS)	368	127	241	61.7	59.6	62.9	8.5	5.5	11.8
HEBDOMADAL (UNDER 7 DAYS)	300	100	200	50.3	46.9	52.2	6.9	4.4	9.8
UNDER 1 DAY	186	63	123	31.2	29.6	32.1	4.3	2.7	6.0
1-6 DAYS	114	37	77	19.1	17.4	20.1	2.6	1.6	3.8
7-27 DAYS	68	27	41	11.4	12.7	10.7	1.6	1.2	2.0
POSTNEONATAL (28 DAYS TO 1 YEAR)	228	86	142	38.2	40.4	37.1	5.2	3.7	6.9

* DEATHS PER 1,000 LIVE BIRTHS.

TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATHS, BY CAUSE AND RACE
MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	596	213	383	13.7	9.3	18.7
1. CONGENITAL ANOMALIES (740-759)	108	52	56	2.5	2.3	2.7
2. RESPIRATORY DISTRESS SYNDROME (769)	70	27	43	1.6	1.2	2.1
3. SUDDEN INFANT DEATH SYNDROME (798.0)	62	22	40	1.4	1.0	2.0
4. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	48	7	41	1.1	0.3	2.0
5. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	33	8	25	0.8	0.3	1.2
6. ACCIDENTS (800-949)	26	12	14	0.6	0.5	0.7
7. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	25	5	20	0.6	0.2	1.0
8. MATERNAL COMPLICATIONS OF PREGNANCY (761)	18	8	10	0.4	0.3	0.5
9. PNEUMONIA AND INFLUENZA (480-487)	17	7	10	0.4	0.3	0.5
10. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (EXCLUDING SIDS) (780-797, 798.1-799)	12	0	12	0.3	-	0.6

* DEATHS PER 1,000 LIVE BIRTHS.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1985

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>24,750</u>	<u>68</u>			
JANUARY	1,402	45	JULY	2,218	72
FEBRUARY	1,524	54	AUGUST	2,732	88
MARCH	1,950	63	SEPTEMBER	1,699	57
APRIL	1,921	64	OCTOBER	1,649	53
MAY	2,260	73	NOVEMBER	1,928	64
JUNE	3,155	105	DECEMBER	2,312	74

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1985

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	24,750	18,241	6,509	24,750	18,252	6,498	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	5,252	4,248	1,004	2,045	1,721	324	21.2	23.3	15.4	8.3	9.4	5.0
13	5	5	0	0	0	0	*	*	-	*	*	-
14	28	25	3	1	1	0	0.1	0.1	0.4	*	0.2	*
15	271	242	29	6	5	1	1.1	1.3	1.2	0.2	0.2	*
16	547	467	80	38	37	1	2.2	2.6	2.5	0.9	1.2	0.3
17	991	829	152	235	214	21	4.0	4.5	2.5	0.9	1.2	0.3
18	1,696	1,353	343	657	561	96	6.8	7.4	5.3	2.6	3.1	1.5
19	1,714	1,327	387	1,108	903	205	6.9	7.3	5.9	4.5	4.9	3.2
20-24	8,117	5,743	2,374	8,443	6,153	2,290	32.8	31.5	36.5	34.1	33.7	35.2
25-34	6,980	4,828	2,152	8,321	5,776	2,545	28.2	26.5	33.1	33.6	31.6	39.2
35-44	2,543	1,991	552	3,161	2,465	696	10.3	10.9	8.5	12.8	13.5	10.7
45-54	1,010	798	212	1,391	1,110	281	4.1	4.4	3.2	5.6	6.1	4.3
55-64	536	391	145	792	625	167	2.2	2.1	2.2	3.2	3.4	2.6
65-74	251	202	49	422	295	127	1.0	1.1	0.8	1.7	1.6	2.0
75 & OVER	56	38	18	174	106	68	0.2	0.2	0.3	0.7	0.6	1.0
UNKNOWN	5	2	3	1	1	0	*	*	*	*	*	-

* LESS THAN 0.06 PERCENT.

TABLE D3. MEDIAN AGE OF BRIDE AND GROOM,
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1985

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	24.2	24.0	24.7	26.4	26.4	26.5
FIRST MARRIAGES	21.7	21.0	23.2	23.5	23.1	24.5

TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1985

MARRIAGE ORDER	BRIDE			GROOM			BRIDE			GROOM			PERCENT
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TOTAL	24,750	18,241	6,509	24,750	18,252	6,498	100.0						
FIRST	14,687	9,808	4,879	14,811	10,126	4,685	59.3	53.8	75.0	59.8	55.5	72.1	
REMARRIAGE	<u>10,054</u>	<u>8,429</u>	<u>1,625</u>	<u>9,933</u>	<u>8,125</u>	<u>1,808</u>	<u>40.6</u>	<u>46.2</u>	<u>25.0</u>	<u>40.1</u>	<u>44.5</u>	<u>27.8</u>	
SECOND	7,062	5,687	1,375	6,908	5,442	1,466	28.5	31.2	21.1	27.9	29.8	22.6	
OVER TWO	<u>2,989</u>	<u>2,740</u>	<u>249</u>	<u>3,025</u>	<u>2,683</u>	<u>342</u>	<u>12.1</u>	<u>15.0</u>	<u>3.8</u>	<u>12.2</u>	<u>14.7</u>	<u>5.3</u>	
THIRD	2,226	2,007	219	2,274	1,988	286	9.0	11.0	3.4	9.2	10.9	4.4	
FOURTH	592	569	23	565	525	40	2.4	3.1	0.4	2.3	2.9	0.6	
FIFTH	119	115	4	136	123	13	0.5	0.6	0.1	0.5	0.7	0.2	
SIXTH	38	35	3	39	37	2	0.2	0.2	#	0.2	0.2	#	
SEVENTH	9	9	0	6	6	0	#	#	-	#	#	-	
EIGHTH	3	3	0	2	2	0	#	#	-	#	#	-	
NINTH	1	1	0	1	0	1	#	#	-	#	#	-	
TENTH	0	0	0	1	1	0	#	#	-	#	#	-	
OVER TEN	1	1	1	0	0	0	#	#	-	#	#	-	
UNKNOWN**	3	2	1	5	6	1	#	#	0.1	#	#	0.1	
UNKNOWN**	9	4	5										

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.05 PERCENT.

TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1985

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
TOTAL	24,750	18,241	6,509	24,750	18,252	6,498
NOT PREVIOUSLY MARRIED	14,685	9,807	4,878	14,810	10,126	4,684
REMARRIAGES	10,056	8,430	1,626	9,934	8,125	1,809
WIDOWED	1,104	867	237	911	677	234
DIVORCED*	8,940	7,555	1,385	9,017	7,445	1,572
UNKNOWN**	12	8	4	6	3	3
UNKNOWN#	9	4	5	6	1	5
PERCENT						
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NOT PREVIOUSLY MARRIED	59.3	53.8	74.9	59.8	55.5	72.1
REMARRIAGES	40.6	46.2	25.0	40.1	44.5	27.8
WIDOWED	4.5	4.8	3.6	3.7	3.7	3.6
DIVORCED*	36.1	41.4	21.3	36.4	40.8	24.2
UNKNOWN**	#	#	0.1	#	#	#
UNKNOWN#	#	#	0.1	#	#	0.1

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1985

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE						NONWHITE	
	TOTAL	MISSIS- SIPPI	TOTAL	UN- KNOWN	WHITE	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER								
TOTAL	24,750	23,091	1,651	8	18,241	16,898	1,335	6,509
MISSISSIPPI	22,307	21,822	479	6	16,308	15,924	378	5,999
OTHER	2,432	1,259	1,172	1	1,926	968	957	506
UNKNOWN	11	10	0	1	7	6	0	4
PERCENT								
TOTAL	100.0	93.3	6.7	*	100.0	92.6	7.3	100.0
MISSISSIPPI	90.1	88.2	1.9	*	89.4	87.3	2.1	92.2
OTHER	9.8	5.1	4.7	*	10.6	5.3	5.2	4.5
UNKNOWN	*	*	-	*	*	*	*	0.1

* LESS THAN 0.06 PERCENT.

DIVORCES

TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1985

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL	12,535	9,766	2,662	107	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	8,303	6,912	1,318	73	66.2	70.8	49.5	68.2
CRUEL AND INHUMAN TREATMENT	3,211	2,356	834	21	25.6	24.1	31.3	19.6
DESERTION	673	274	394	5	5.4	2.8	14.8	4.7
ADULTERY	160	104	54	2	1.3	1.1	2.0	1.9
DRUNKENNESS	69	39	29	1	0.6	0.4	1.1	0.9
PENITENTIARY	43	26	17	0	0.3	0.3	0.6	-
ANNULMENT	29	24	4	1	0.2	0.2	0.2	0.9
BIGAMY	7	5	2	0	**	**	0.1	-
MISCELLANEOUS AND OTHER	17	12	5	0	0.1	0.1	0.2	-
UNKNOWN	23	14	5	4	0.2	0.1	0.2	3.7

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1985

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL DIVORCES	12,535	9,766	2,662	107	100.0	100.0	100.0	100.0
NONE	5,808	4,733	1,021	54	46.3	48.5	38.4	50.5
ONE	3,281	2,553	700	28	26.2	26.1	26.3	26.2
TWO	2,298	1,741	540	17	18.3	17.8	20.3	15.9
THREE OR MORE	1,078	687	385	6	8.6	7.0	14.5	5.6
UNKNOWN	70	52	16	2	0.6	0.5	0.6	1.9

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1985

NUMBER OF YEARS MARRIED	NUMBER			TOTAL	PERCENT			
	TOTAL	WHITE	NON- WHITE			WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	12,535	9,766	2,662	107	100.0	100.0	100.0	100.0
UNDER FIVE								
UNDER ONE	5,618	4,764	823	31	44.8	48.8	30.9	29.0
ONE	848	768	74	6	6.8	7.9	2.8	5.6
TWO	1,300	1,139	152	9	10.4	11.7	5.7	8.4
THREE	1,254	1,051	196	7	10.0	10.8	7.4	6.5
FOUR	1,169	965	196	8	9.3	9.9	7.4	7.5
FIVE-NINE	1,047	841	205	1	8.4	8.6	7.7	0.9
TEN-NINETEEN	2,988	2,223	737	28	23.8	22.8	27.7	26.2
TWENTY AND OVER	2,615	1,874	729	12	20.9	19.2	27.4	11.2
UNKNOWN	1,208	857	348	3	9.6	8.8	13.1	2.8
	106	48	25	33	0.8	0.5	0.9	30.8

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

MAJOR TABLES

1985




TABLE i
POPULATION PROJECTIONS AND PERCENT CHANGE SINCE 1980 CENSUS,
BY COUNTY AND RACE,
MISSISSIPPI, 1985

County	Population			Percent Change since 1980		
	Total	White	Non-white	Total	White	Non-white
STATE	2,656,612	1,702,584	954,265	5.4	5.4	5.4
Adams	38,711	19,463	19,252	1.8	-0.3	4.0
Alcorn	35,694	31,851	3,852	8.0	8.1	7.7
Amite	13,200	7,059	6,146	-1.3	0.9	-3.6
Attala	19,934	12,103	7,841	0.3	0.4	0.4
Benton	8,595	5,412	3,189	5.4	7.1	2.9
Bolivar	44,357	16,160	28,203	-3.5	-4.9	-2.7
Calhoun	16,285	12,149	4,143	4.0	4.3	3.2
Carroll	9,973	5,564	4,408	2.0	4.4	-0.8
Chickasaw	18,251	11,579	6,677	2.2	1.7	3.2
Choctaw	9,350	6,661	2,692	3.9	3.3	5.6
Claiborne	13,041	3,196	9,850	6.2	4.0	7.0
Clarke	17,836	11,617	6,228	5.2	5.6	4.8
Clay	22,464	10,944	11,524	6.6	4.5	8.6
Coahoma	35,227	12,586	22,638	-4.6	-3.7	-5.0
Copiah	27,620	14,409	13,210	4.2	5.6	2.7
Covington	16,542	11,026	5,521	3.9	5.9	0.1
DeSoto	60,849	50,983	9,865	12.8	15.3	1.4
Forrest	70,712	49,935	20,779	7.1	4.6	13.6
Franklin	8,389	5,294	3,099	2.2	2.9	1.1
George	15,922	14,471	1,453	4.1	4.8	-2.4
Greene	10,429	8,428	2,004	6.1	7.6	0.6
Grenada	21,912	12,813	9,100	4.1	5.0	2.9
Hancock	27,336	24,531	2,801	11.4	12.0	5.9
Harrison	167,380	128,919	38,462	6.2	3.9	14.4
Hinds	268,868	139,477	129,393	7.1	2.4	12.8
Holmes	22,879	6,171	16,706	-0.4	-6.2	1.9
Humphreys	13,569	4,499	9,075	-2.6	-4.6	-1.5
Issaquena	2,474	1,154	1,329	-1.6	4.2	-5.5
Itawamba	22,290	20,865	1,427	8.6	8.7	7.9
Jackson	130,145	103,001	27,150	10.3	8.8	16.5
Jasper	17,797	8,785	9,018	3.1	0.3	6.0
Jefferson	8,915	1,544	7,376	-2.9	-6.1	-2.1
Jeff Davis	14,328	6,303	8,030	3.5	-1.5	7.8
Jones	65,418	50,210	15,209	5.7	6.1	4.2
Kemper	10,073	4,609	5,466	-0.7	1.1	-2.2
Lafayette	33,705	24,217	9,487	8.6	7.4	11.8
Lamar	26,997	24,021	2,980	13.3	13.7	10.5
Lauderdale	80,659	53,428	27,232	4.4	2.0	9.3
Lawrence	13,260	9,266	3,994	5.9	7.3	2.8
Leake	19,534	11,865	7,674	4.0	3.6	4.6
Lee	61,521	48,715	12,811	7.8	7.7	8.2
Leflore	41,325	16,019	25,307	-0.5	-4.2	2.0

Table i - Page 2
 Population Projections - Mississippi - 1985

County	Population			Percent Change since 1980		
	Total	White	Non-white	Total	White	Non-white
Lincoln	32,390	22,641	9,751	7.3	7.4	7.2
Lowndes	62,189	39,049	23,142	8.5	5.1	14.9
Madison	47,337	22,222	25,119	13.8	21.8	7.5
Marion	27,275	19,157	8,122	6.1	6.6	4.9
Marshall	31,950	15,577	16,377	9.0	14.1	4.6
Monroe	37,627	26,430	11,197	3.4	3.5	3.1
Montgomery	13,578	8,322	5,256	1.6	5.6	-4.1
Neshoba	25,164	17,866	7,298	5.8	4.6	8.7
Newton	20,366	14,250	6,122	2.1	1.8	3.0
Noxubee	12,576	4,441	8,135	-4.8	-4.6	-5.0
Oktibbeha	40,568	25,704	14,867	12.6	11.1	15.4
Panola	28,673	14,947	13,725	1.8	4.4	-0.9
Pearl River	37,721	32,410	5,310	11.6	13.2	2.6
Perry	10,220	8,244	1,975	3.6	6.9	-8.2
Pike	37,785	20,925	16,863	4.4	2.5	7.0
Pontotoc	22,919	19,389	3,532	9.6	10.0	7.0
Prentiss	26,337	23,432	2,905	9.6	9.6	10.0
Quitman	11,486	5,223	6,264	-9.1	-5.6	-11.8
Rankin	76,188	62,627	13,563	9.7	11.3	3.2
Scott	25,584	16,125	9,460	4.2	1.7	8.7
Sharkey	7,699	2,653	5,052	-3.3	-1.7	-4.0
Simpson	25,475	17,687	7,787	8.7	9.2	7.5
Smith	15,789	12,527	3,263	4.7	5.6	1.6
Stone	10,681	8,161	2,518	9.9	9.4	11.8
Sunflower	34,411	12,961	21,453	-1.2	-0.7	-1.6
Tallahatchie	15,934	7,036	8,903	-7.1	-3.0	-10.1
Tate	21,188	12,763	8,433	5.3	3.4	8.4
Tippah	19,956	16,753	3,207	6.5	6.4	7.0
Tishomingo	19,576	18,782	802	6.2	6.2	5.8
Tunica	8,958	2,453	6,507	-7.2	-4.4	-8.2
Union	23,036	19,993	3,052	6.0	6.9	0.4
Walhall	14,438	8,451	5,986	4.9	4.4	5.6
Warren	54,427	33,103	21,330	5.4	3.8	8.0
Washington	72,509	31,035	41,475	0.2	-1.8	1.8
Wayne	20,152	13,053	7,101	5.3	2.8	10.3
Webster	10,273	8,404	1,870	-0.3	1.7	-8.1
Wilkinson	9,598	3,084	6,518	-4.2	-6.3	-3.1
Winston	19,946	11,886	8,065	2.4	1.9	3.2
Yalobusha	13,501	8,170	5,336	2.8	0.9	5.8
Yazoo	27,366	13,346	14,023	0.1	1.1	-0.9

NOTE: Figures for white and nonwhite do not add to the total because of the method of calculation. Also, all figures were rounded to whole numbers.

TABLE 1A
 LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
 ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
 (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
 MISSISSIPPI, 1985

COUNTY	OCCURRENCE DATA			RESIDENCE DATA			RATE*		
	NUMBER		NON-WHITE	NUMBER		NON-WHITE	TOTAL	WHITE	NON-WHITE
	TOTAL	WHITE		TOTAL	WHITE				
STATE	42,719	22,407	20,312	43,432	22,943	20,489	16.3	13.5	21.5
ADAMS	1,082	533	549	699	294	405	18.0	15.1	21.0
ALCORN	384	329	55	437	368	69	12.2	11.6	17.9
AMITE	1	0	1	203	87	116	15.4	12.3	18.9
ATTALA	128	95	33	267	136	131	13.4	11.2	16.7
BENTON	1	0	1	121	58	63	14.1	10.7	19.8
BOLIVAR	914	174	740	892	201	691	20.1	12.4	24.5
CALHOUN	1	0	1	214	136	78	13.1	11.2	18.8
CARROLL	0	0	0	126	41	85	12.6	7.4	19.3
CHICKASAW	155	60	95	299	163	136	16.4	14.1	20.4
CHOCTAW	102	31	71	144	74	70	15.4	11.1	26.0
CLAIBORNE	78	3	75	198	24	174	15.2	7.5	17.7
CLARKE	2	0	2	258	138	120	14.5	11.9	19.3
CLAY	268	94	174	384	136	248	17.1	12.4	21.5
COAHOMA	1,217	345	872	733	179	554	20.8	14.2	24.5
COPIAH	190	85	105	455	172	283	16.5	11.9	21.4
COVINGTON	175	66	109	294	156	138	17.8	14.1	25.0
DESOTO	0	0	0	878	706	172	14.4	13.8	17.4
FORREST	2,432	1,673	759	1,025	617	408	14.5	12.4	19.6
FRANKLIN	3	0	3	147	68	79	17.5	12.8	25.5
GEORGE	124	90	34	271	238	33	17.0	16.4	22.7
GREENE	24	19	5	152	109	43	14.6	12.9	21.4
GRENADA	571	283	288	330	141	189	15.1	11.0	20.8
HANCOCK	120	95	25	435	385	50	15.9	15.7	17.8
HARRISON	3,723	2,784	939	3,120	2,266	854	18.6	17.6	22.2
HINDS	7,462	2,664	4,798	4,457	1,755	2,702	16.6	12.6	20.9
HOLMES	275	29	246	486	75	411	21.2	12.2	24.6
HUMPHREYS	40	0	40	286	57	229	21.1	12.7	25.2
ISSAQUENA	0	0	0	36	7	29	14.6	6.1	21.8
ITAWAMBA	0	0	0	234	215	19	10.5	10.3	13.3
JACKSON	1,696	1,234	462	1,930	1,412	518	14.8	13.7	19.1
JASPER	1	1	0	234	83	151	13.1	9.4	16.7
JEFFERSON	51	1	50	177	16	161	19.8	10.4	21.8
JEFF DAVIS	3	2	1	227	74	153	15.8	11.7	19.0
JONES	1,322	758	564	906	615	291	13.8	12.2	19.1
KEMPER	1	0	1	151	55	96	15.0	11.9	17.6
LAFAYETTE	373	224	149	377	199	178	11.2	8.2	18.8
LAMAR	31	19	12	454	388	66	16.8	16.2	22.1
LAUDERDALE	2,284	1,319	965	1,261	714	547	15.6	13.4	20.1
LAWRENCE	93	30	63	202	105	97	15.2	11.3	24.3
LEAKE	27	9	18	276	135	141	14.1	11.4	18.4
LEE	2,386	1,846	540	1,062	739	323	17.3	15.2	25.2
LEFLORE	1,123	304	819	823	235	588	19.9	14.7	23.2

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	OCCURRENCE DATA			RESIDENCE DATA			RATE*		
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	106	65	41	479	304	175	14.8	13.4	17.9
LOWNDES	1,032	584	448	1,080	630	450	17.4	16.1	19.4
MADISON	48	0	48	892	390	502	18.8	17.6	20.0
MARION	128	89	39	424	273	151	15.5	14.2	18.6
MARSHALL	9	0	9	547	226	321	17.1	14.5	19.6
MONROE	1,046	787	259	559	325	234	14.8	12.3	20.9
MONTGOMERY	182	31	151	184	65	119	13.6	7.8	22.6
NESHoba	155	71	84	426	235	191	16.9	13.2	26.2
NEWTON	81	48	33	307	166	141	15.1	11.6	23.0
NOXUBEE	160	12	148	289	63	226	23.0	14.2	27.8
OKTIBBEHA	835	357	478	579	270	309	14.3	10.5	20.8
PANOLA	422	80	342	531	181	350	18.5	12.1	25.5
PEARL RIVER	526	418	108	655	534	121	17.4	16.5	22.8
PERRY	34	26	8	148	100	48	14.5	12.1	24.3
PIKE	1,331	727	604	585	260	325	15.5	12.4	19.3
PONTOTOC	46	37	9	308	262	46	13.4	13.5	13.0
PRENTISS	0	0	0	291	256	35	11.0	10.9	12.0
QUITMAN	91	20	71	241	73	168	21.0	14.0	26.8
RANKIN	1,986	1,705	281	1,269	998	271	16.6	15.9	20.0
SCOTT	89	64	25	440	231	209	17.2	14.3	22.1
SHARKEY	67	3	64	193	40	153	25.1	15.1	30.3
SIMPSON	60	33	27	366	204	162	14.4	11.5	20.8
SMITH	21	9	12	243	164	79	15.4	13.1	24.2
STONE	3	1	2	164	123	41	15.4	15.1	16.3
SUNFLOWER	582	160	422	709	141	568	20.6	10.9	26.5
TALLAHATCHIE	156	27	129	310	81	229	19.4	11.5	25.7
TATE	186	67	119	361	195	166	17.0	15.3	19.7
TIPPAH	54	25	29	259	208	51	13.0	12.4	15.9
TISHOMINGO	48	41	7	193	181	12	9.8	9.6	15.0
TUNICA	39	5	34	178	27	151	19.9	11.0	23.2
UNION	605	367	238	323	260	63	14.0	13.0	20.6
WALTHALL	13	7	6	207	89	118	14.3	10.5	19.7
WARREN	1,323	485	838	845	418	427	15.5	12.6	20.0
WASHINGTON	1,442	463	979	1,480	485	995	20.4	15.6	24.0
WAYNE	308	132	176	330	173	157	16.4	13.2	22.1
WEBSTER	109	69	40	144	92	52	14.0	10.9	27.8
WILKINSON	199	54	145	193	64	129	20.1	20.8	19.8
WINSTON	178	77	101	302	109	193	15.1	9.2	23.9
YALOBUSHA	0	0	0	178	80	98	13.2	9.8	18.4
YAZOO	156	62	94	559	195	364	20.4	14.6	26.0
OUT OF STATE	2,310	1,746	564	1,597	1,210	387			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1985

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE
BILOXI	968	679	289
BROOKHAVEN	187	83	104
CANTON	320	63	257
CLARKSDALE	487	133	354
CLEVELAND	247	76	171
CLINTON	257	206	51
COLUMBUS	452	191	261
CORINTH	174	121	53
GREENVILLE	866	249	617
GREENWOOD	434	107	327
GRENADA	205	70	135
GULFPORT	878	524	354
HATTIESBURG	677	326	351
JACKSON	3,620	1,306	2,314
LAUREL	331	147	184
MCCOMB	196	88	108
MERIDIAN	690	303	387
MOSS POINT	297	67	230
NATCHEZ	410	165	245
OCEAN SPRINGS	233	204	29
PASCAGOULA	561	398	163
PEARL	331	304	27
PICAYUNE	211	126	85
SOUTHAVEN	253	243	10
STARKVILLE	317	163	154
TUPELO	429	278	151
VICKSBURG	436	138	298
YAZOO CITY	298	77	221

* LIVE BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1985

COUNTY	TOTAL	WHITE	NON-WHITE	COUNTY	TOTAL	WHITE	NON-WHITE
STATE	70.6	58.8	91.0				
ADAMS	78.8	67.8	89.2	LINCOLN	67.4	62.0	79.2
ALCORN	53.0	50.1	75.9	LOWNDES	68.7	63.8	76.9
AMITE	73.1	62.1	84.2	MADISON	77.7	70.8	84.0
ATTALA	65.9	57.4	77.7	MARION	71.3	65.5	84.8
BENTON	66.0	53.5	84.1	MARSHALL	72.4	63.6	80.2
BOLIVAR	85.3	53.7	102.8	MONROE	67.3	56.5	91.6
CALHOUN	61.3	53.2	83.4	MONTGOMERY	64.4	38.4	102.0
CARROLL	57.8	35.0	84.4	NESHOBIA	77.9	62.1	113.4
CHICKASAW	73.8	65.0	88.3	NEWTON	71.8	57.9	100.2
CHOCTAW	70.0	51.9	111.1	NOXUBEE	109.3	74.5	125.7
CLAIBORNE	62.1	40.1	67.1	OKTIBBEHA	53.7	38.8	81.0
CLARKE	65.6	53.8	87.9	PANOLA	84.9	56.8	114.3
CLAY	74.8	56.4	91.2	PEARL RIVER	73.9	70.0	98.0
COAHOMA	94.9	66.2	110.4	PERRY	63.4	52.6	110.6
COPIAH	75.4	56.3	95.0	PIKE	70.7	58.9	84.3
COVINGTON	79.1	64.3	107.0	PONTOTOC	61.0	61.7	57.4
DESOTO	56.9	53.6	76.0	PRENTISS	48.7	48.4	50.9
FORREST	56.9	48.3	77.7	QUITMAN	101.9	67.3	131.1
FRANKLIN	85.8	64.9	118.4	RANKIN	67.6	63.7	87.3
GEORGE	75.1	72.4	103.1	SCOTT	78.2	66.0	98.4
GREENE	65.4	58.5	93.1	SHARKEY	113.6	74.3	131.4
GRENADA	66.6	50.0	88.5	SIMPSON	64.3	52.0	91.6
HANCOCK	71.9	70.8	80.9	SMITH	70.7	61.4	103.5
HARRISON	78.9	75.2	91.0	STONE	66.3	65.4	69.0
HINDS	66.5	52.3	80.8	SUNFLOWER	98.3	54.9	122.3
HOLMES	97.5	61.0	109.5	TALLAHATCHIE	91.9	57.9	115.8
HUMPHREYS	97.1	63.5	111.6	TATE	71.4	64.8	81.2
ISSAQUENA	63.7	25.8	98.3	TIPPAH	58.6	56.2	71.1
ITAWAMBA	46.5	45.6	60.1	TISHOMINGO	44.7	43.7	70.6
JACKSON	61.4	56.9	78.3	TUNICA	91.5	55.2	103.7
JASPER	62.0	47.0	75.0	UNION	63.7	59.1	93.8
JEFFERSON	91.6	65.6	95.3	WALTHALL	68.8	53.0	88.6
JEFF DAVIS	72.5	57.0	83.5	WARREN	66.5	53.9	86.0
JONES	61.4	54.4	84.5	WASHINGTON	90.8	71.1	105.0
KEMPER	71.3	59.0	81.0	WAYNE	71.1	58.5	93.3
LAFAYETTE	44.5	32.2	77.5	WEBSTER	67.0	52.4	132.3
LAMAR	68.9	66.1	91.7	WILKINSON	92.2	105.1	87.0
LAUDERDALE	69.2	60.0	86.6	WINSTON	71.5	45.2	106.6
LAWRENCE	68.6	51.2	108.5	YALOBUSHA	62.9	48.9	81.8
LEAKE	67.4	55.7	84.4	YAZOO	94.9	70.4	116.6
LEE	73.4	64.7	106.2				
LEFLORE	86.7	69.7	96.0				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1985

COUNTY	TOTAL	WHITE			NONWHITE			SEX		
		HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
STATE	43,432	22,943	22,866	13	64	20,489	20,373	44	72	22,131
ADAMS	699	294	294	0	0	405	405	0	0	343
ALCORN	437	368	368	0	0	69	69	0	0	240
AMITE	203	87	86	0	1	116	115	0	1	110
ATTALA	267	136	136	0	0	131	130	0	1	134
BENTON	121	58	58	0	0	63	62	1	0	65
BOLIVAR	892	201	201	0	0	691	685	0	6	444
CALHOUN	214	136	136	0	0	78	78	0	0	113
CARROLL	126	41	41	0	0	85	85	0	0	54
CHICKASAW	299	163	162	1	0	136	133	1	2	157
CHOCTAW	144	74	74	0	0	70	70	0	0	76
CLAIBORNE	198	24	24	0	0	174	174	0	0	96
CLARKE	258	138	138	0	0	120	119	1	0	129
CLAY	384	136	135	0	1	248	248	0	0	182
COAHOMA	733	179	179	0	0	554	552	1	1	359
COPIAH	455	172	171	0	1	283	280	2	1	231
COVINGTON	294	156	155	0	1	138	138	0	0	146
DESOTO	878	706	706	0	0	172	172	0	0	439
FORREST	1,025	617	611	0	6	408	407	0	1	543
FRANKLIN	147	68	68	0	0	79	76	1	2	76
GEORGE	271	238	235	0	3	33	33	0	0	146
GREENE	152	109	108	1	0	43	43	0	0	82
GRENADE	330	141	141	0	0	189	189	0	0	168
HANCOCK	435	385	383	0	2	50	50	0	0	230
HARRISON	3,120	2,266	2,256	0	0	854	848	0	0	1,532

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	WHITE			NONWHITE			SEX		
		HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,457	1,755	1,751	1	3	2,702	2,694	4	4	2,199
HOLMES	486	75	75	0	0	411	410	0	1	252
HUMPHREYS	286	57	57	0	0	229	227	1	1	155
ISSAQUENA	36	7	7	0	0	29	29	0	0	21
ITAWAMBA	234	215	215	0	0	19	18	0	1	120
JACKSON	1,930	1,412	1,406	1	5	518	517	0	1	1,008
JASPER	234	83	82	0	1	151	151	0	0	112
JEFFERSON	177	16	16	0	0	161	160	0	1	90
JEFF DAVIS	227	74	73	1	0	153	153	0	0	112
JONES	906	615	613	0	2	291	291	0	0	466
KEMPER	151	55	55	0	0	96	96	0	0	70
LAFAYETTE	377	199	199	0	0	178	177	0	1	171
LAMAR	454	388	386	0	2	66	66	0	0	238
LAUDERDALE	1,261	714	714	0	0	547	547	0	0	684
LAWRENCE	202	105	105	0	0	97	96	1	0	109
LEAKE	276	135	135	0	0	141	140	1	0	137
LEE	1,062	739	739	0	0	323	323	0	0	557
LEFLORE	823	235	235	0	0	588	584	4	0	429
LINCOLN	479	304	304	0	0	175	172	2	1	244
LOWNDES	1,080	630	630	0	0	450	447	0	3	560
MADISON	892	390	390	0	0	502	498	2	2	459
MARION	424	273	273	0	0	151	150	0	1	201
MARSHALL	547	226	225	0	1	321	318	2	1	284
MONROE	559	325	320	0	5	234	231	0	3	290
MONTGOMERY	184	65	65	0	0	119	119	0	0	102
NESHoba	426	235	234	1	0	191	189	1	1	208
NEWTON	307	166	166	0	0	141	141	0	0	159
NOXUBEE	289	63	62	0	1	226	226	0	0	140
ORTOBEEHA	579	270	270	0	0	309	309	0	0	304
PANOLA	531	181	180	0	1	350	343	5	2	257

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	WHITE			NONWHITE			SEX	
		HOSP. OR CLINIC	PHYS. OTHER PLACE	OTHER	HOSP. OR CLINIC	PHYS. OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	655	534	531	1	121	120	1	0	317
PERRY	148	100	100	0	48	48	0	0	70
PIKE	585	260	254	0	325	322	0	3	291
PONTOTOC	308	262	262	0	46	46	0	0	145
PRENTISS	291	256	256	0	35	35	0	0	154
QUITMAN	241	73	73	0	168	168	0	0	124
RANKIN	1,269	998	996	0	271	270	0	1	630
SCOTT	440	231	231	0	209	209	0	0	239
SHARKEY	193	40	40	0	153	150	0	3	94
SIMPSON	366	204	203	1	162	161	1	0	163
SMITH	243	164	164	0	79	79	0	0	127
STONE	164	123	122	0	41	41	0	0	84
SUNFLOWER	709	141	141	0	568	564	1	3	363
TALLAHATCHIE	310	81	81	0	229	227	2	0	156
TATE	361	195	193	2	166	165	1	0	174
TIPPAH	259	208	207	0	51	51	0	0	127
TISHOMINGO	193	181	181	0	12	12	0	0	99
TUNICA	178	27	27	0	151	150	1	0	93
UNION	323	260	260	0	63	63	0	0	169
WALTHALL	207	89	83	0	118	113	0	5	118
WARREN	845	418	417	1	427	422	0	5	422
WASHINGTON	1,480	485	484	0	995	988	1	6	739
WAYNE	330	173	173	0	157	156	1	0	154
WEBSTER	144	92	92	0	52	51	1	0	73
WILKINSON	193	64	63	0	129	128	1	0	102
WINSTON	302	109	109	0	193	189	1	3	174
YALOBUSA	178	80	80	0	98	98	0	0	108
YAZOO	559	195	195	0	364	364	0	0	274

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1985

COUNTY	TOTAL	AGE OF MOTHER									UN-KNOWN
		<UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
STATE	43,432	351	8,682	14,957	11,719	5,670	1,771	269	9	4	
ADAMS	699	6	118	247	195	103	22	7	1	0	
ALCORN	437	2	78	170	133	38	16	0	0	0	
AMITE	203	2	47	60	48	35	9	2	0	0	
ATTALA	267	4	58	90	65	33	14	3	0	0	
BENTON	121	0	24	53	27	12	3	1	1	0	
BOLIVAR	892	20	269	290	179	102	24	8	0	0	
CALHOUN	214	4	43	90	56	16	3	2	0	0	
CARROLL	126	2	26	57	24	15	2	0	0	0	
CHICKASAW	299	1	66	98	93	25	13	3	0	0	
CHOCTAW	144	0	29	53	32	21	5	4	0	0	
CLAIBORNE	198	0	31	79	40	29	17	2	0	0	
CLARKE	258	1	62	92	64	33	4	2	0	0	
CLAY	384	4	80	139	94	40	24	3	0	0	
COAHOMA	733	15	208	257	164	60	25	4	0	0	
COPIAH	455	6	86	170	109	59	19	6	0	0	
COVINGTON	294	1	73	100	84	26	9	1	0	0	
DESOTO	878	1	134	315	277	112	34	5	0	0	
FORREST	1,025	11	192	374	268	140	37	3	0	0	
FRANKLIN	147	0	30	52	41	21	2	1	0	0	
GEORGE	271	3	53	120	66	19	7	3	0	0	
GREENE	152	2	39	47	42	13	8	1	0	0	
GRENADE	330	6	92	104	72	47	9	0	0	0	
HANCOCK	435	2	87	148	114	58	23	3	0	0	
HARRISON	3,120	12	550	1,128	914	393	105	17	0	1	
HINDS	4,457	41	695	1,317	1,385	775	222	21	1	0	
HOLMES	486	6	113	177	115	51	17	7	0	0	
HUMPHREYS	286	7	79	99	69	22	9	1	0	0	
ISSAQENA	36	0	9	10	9	3	5	0	0	0	
ITAWAMBA	234	0	48	77	65	35	7	2	0	0	
JACKSON	1,930	5	338	698	523	275	80	11	0	0	
JASPER	234	1	41	83	65	23	18	3	0	0	
JEFFERSON	177	1	31	52	59	22	9	3	0	0	
JEFF DAVIS	227	3	50	74	62	25	10	3	0	0	
JONES	906	3	157	312	269	128	31	6	0	0	
KEMPER	151	2	21	47	54	19	8	0	0	0	
LAFAYETTE	377	3	63	115	109	60	25	2	0	0	
LAMAR	454	0	56	155	160	65	14	4	0	0	
LAUDERDALE	1,261	10	249	422	355	175	47	2	1	0	
LAWRENCE	202	1	23	83	61	29	5	0	0	0	
LEAKE	276	1	54	114	66	29	12	0	0	0	
LEE	1,062	3	187	383	292	148	44	4	0	1	
LEFLORE	823	13	221	285	180	89	33	2	0	0	

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN- KNOWN
LINCOLN	479	2	94	167	133	55	26	2	0	0
LOWNDES	1,080	6	203	381	306	141	35	8	0	0
MADISON	892	6	164	268	259	143	45	7	0	0
MARION	424	2	87	160	108	48	18	1	0	0
MARSHALL	547	4	108	204	132	62	29	8	0	0
MONROE	559	1	111	198	149	64	34	2	0	0
MONTGOMERY	184	2	51	66	40	17	6	2	0	0
NESHoba	426	1	88	153	111	52	19	1	0	1
NEWTON	307	2	69	88	95	42	10	1	0	0
NOXUBEE	289	3	79	96	72	26	12	1	0	0
OKTIBBEHA	579	3	65	207	177	96	25	6	0	0
PANOLA	531	5	140	178	119	62	20	6	1	0
PEARL RIVER	655	2	140	235	186	64	27	1	0	0
PERRY	148	2	25	49	40	23	8	0	1	0
PIKE	585	8	130	181	155	82	25	4	0	0
PONTOTOC	308	2	54	115	86	34	15	2	0	0
PRENTISS	291	0	50	122	84	21	9	5	0	0
QUITMAN	241	4	71	85	48	19	12	2	0	0
RANKIN	1,269	6	201	393	383	220	52	13	1	0
SCOTT	440	3	91	138	126	56	24	2	0	0
SHARKEY	193	3	59	53	44	26	6	2	0	0
SIMPSON	366	1	53	146	101	42	21	2	0	0
SMITH	243	1	30	105	67	29	10	1	0	0
STONE	164	0	29	62	42	23	6	2	0	0
SUNFLOWER	709	10	227	218	141	79	31	3	0	0
TALLAHATCHIE	310	6	89	112	58	36	8	1	0	0
TATE	361	4	87	124	92	35	17	2	0	0
TIPPAH	259	0	54	99	69	31	5	0	1	0
TISHOMINGO	193	1	36	74	48	28	5	1	0	0
TUNICA	178	3	60	60	21	24	10	0	0	0
UNION	323	3	57	129	87	37	9	1	0	0
WALTHALL	207	2	46	69	52	28	9	1	0	0
WARREN	845	6	141	271	252	128	40	7	0	0
WASHINGTON	1,480	22	374	504	333	191	46	9	1	0
WAYNE	330	4	83	118	81	30	12	2	0	0
WEBSTER	144	0	27	60	42	10	4	1	0	0
WILKINSON	193	3	44	69	46	23	6	2	0	0
WINSTON	302	5	66	115	61	39	14	2	0	0
YALOBUSA	178	0	38	62	46	20	9	2	1	0
YAZOO	559	8	151	187	128	61	22	2	0	0

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1985

COUNTY	TOTAL	AGE OF MOTHER									UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
STATE	22,943	48	3,265	8,054	7,194	3,301	952	125	1	3	
ADAMS	294	0	28	99	93	57	14	3	0	0	
ALCORN	368	0	66	140	117	34	11	0	0	0	
AMITE	87	0	12	29	27	14	5	0	0	0	
ATTALA	136	0	18	48	44	19	7	0	0	0	
BENTON	58	0	10	27	11	8	2	0	0	0	
BOLIVAR	201	0	32	71	65	27	5	1	0	0	
CALHOUN	136	1	22	55	41	13	2	2	0	0	
CARROLL	41	1	5	21	8	5	1	0	0	0	
CHICKASAW	163	0	29	57	52	16	9	0	0	0	
CHOCTAW	74	0	7	28	20	16	1	2	0	0	
CLAIBORNE	24	0	1	6	10	5	2	0	0	0	
CLARKE	138	0	25	49	38	23	2	1	0	0	
CLAY	136	0	20	52	36	21	7	0	0	0	
COAHOMA	179	4	17	65	60	24	7	2	0	0	
COPIAH	172	0	18	66	51	29	7	1	0	0	
COVINGTON	156	0	25	54	54	20	3	0	0	0	
DESOTO	706	0	96	252	231	96	28	3	0	0	
FORREST	617	1	66	234	197	91	27	1	0	0	
FRANKLIN	68	0	12	24	21	10	1	0	0	0	
GEORGE	238	1	42	106	62	18	7	2	0	0	
GREENE	109	0	31	32	32	8	5	1	0	0	
GRENADA	141	1	27	47	39	23	4	0	0	0	
HANCOCK	385	2	79	131	102	51	18	2	0	0	
HARRISON	2,266	5	348	838	713	272	75	14	0	1	
HINDS	1,755	4	121	463	678	377	108	4	0	0	
HOLMES	75	0	9	28	22	10	4	2	0	0	
HUMPHREYS	57	1	8	22	20	3	3	0	0	0	
ISSAQENA	7	0	1	2	2	2	0	0	0	0	
ITAWAMBA	215	0	44	68	63	32	6	2	0	0	
JACKSON	1,412	0	233	506	397	204	64	8	0	0	
JASPER	83	0	5	34	27	11	4	2	0	0	
JEFFERSON	16	0	2	7	6	1	0	0	0	0	
JEFF DAVIS	74	0	11	30	23	6	3	1	0	0	
JONES	615	0	83	213	200	95	20	4	0	0	
KEMPER	55	0	3	17	23	8	4	0	0	0	
LAFAYETTE	199	0	24	57	63	38	16	1	0	0	
LAMAR	388	0	45	125	144	59	11	4	0	0	
LAUDERDALE	714	4	90	265	220	105	27	2	1	0	
LAWRENCE	105	0	12	45	29	17	2	0	0	0	
LEAKE	135	0	24	52	36	16	7	0	0	0	
LEE	739	2	103	266	214	120	31	3	0	0	
LEFLORE	235	0	39	73	82	28	11	2	0	0	

TABLE 3B - PAGE 2
WHITE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	AGE OF MOTHER									UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
LINCOLN	304	0	42	111	96	35	19	1	0	0	0
LOWNDES	630	0	72	236	210	90	17	5	0	0	0
MADISON	390	0	20	105	155	83	23	4	0	0	0
MARION	273	1	49	112	71	31	9	0	0	0	0
MARSHALL	226	3	48	84	59	20	9	3	0	0	0
MONROE	325	0	63	116	92	34	20	0	0	0	0
MONTGOMERY	65	0	12	23	20	7	3	0	0	0	0
NESHOBIA	235	0	41	82	65	34	11	1	0	0	1
NEWTON	166	0	24	48	64	27	3	0	0	0	0
NOXUBEE	63	0	4	26	19	11	3	0	0	0	0
OKTIBBEHA	270	0	17	79	105	54	12	3	0	0	0
PANOLA	181	0	36	62	49	26	7	1	0	0	0
PEARL RIVER	534	1	101	195	160	56	20	1	0	0	0
PERRY	100	1	16	35	28	17	3	0	0	0	0
PIKE	260	0	44	91	73	36	14	2	0	0	0
PONTOTOC	262	1	45	99	73	29	13	2	0	0	0
PRENTISS	256	0	44	106	76	18	9	3	0	0	0
QUITMAN	73	0	19	32	13	7	2	0	0	0	0
RANKIN	998	3	131	305	316	188	44	11	0	0	0
SCOTT	231	3	36	76	72	30	12	2	0	0	0
SHARKEY	40	0	5	10	17	6	2	0	0	0	0
STIMPSON	204	1	22	85	63	20	12	1	0	0	0
SMITH	164	0	16	74	47	21	6	0	0	0	0
STONE	123	0	18	44	36	17	6	2	0	0	0
SUNFLOWER	141	0	20	48	44	21	8	0	0	0	0
TALLAHATCHIE	81	0	8	31	26	12	3	1	0	0	0
TATE	195	0	42	69	57	16	11	0	0	0	0
TIPPAH	208	0	41	83	58	21	4	0	0	0	1
TISHOMINGO	181	1	34	69	46	27	4	0	0	0	0
TUNICA	27	0	7	11	3	4	2	0	0	0	0
UNION	260	1	45	103	77	26	7	1	0	0	0
WALTHALL	89	1	10	39	22	12	5	0	0	0	0
WARREN	418	0	41	131	147	75	20	4	0	0	0
WASHINGTON	485	2	70	166	154	79	12	2	0	0	0
WAYNE	173	1	42	68	45	12	5	0	0	0	0
WEBSTER	92	0	16	34	32	8	1	1	0	0	0
WILKINSON	64	0	9	24	17	11	2	1	0	0	0
WINSTON	109	1	13	44	32	13	4	2	0	0	0
YALOBUSHA	80	0	15	31	25	6	2	1	0	0	0
YAZOO	195	0	34	63	57	29	12	0	0	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1985

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN- KNOWN
STATE	<u>20,489</u>	<u>303</u>	<u>5,417</u>	<u>6,903</u>	<u>4,525</u>	<u>2,369</u>	<u>819</u>	<u>144</u>	<u>8</u>	<u>1</u>
ADAMS	405	6	90	148	102	46	8	4	1	0
ALCORN	69	2	12	30	16	4	5	0	0	0
AMITE	116	2	35	31	21	21	4	2	0	0
ATTALA	131	4	40	42	21	14	7	3	0	0
BENTON	63	0	14	26	16	4	1	1	1	0
BOLIVAR	691	20	237	219	114	75	19	7	0	0
CALHOUN	78	3	21	35	15	3	1	0	0	0
CARROLL	85	1	21	36	16	10	1	0	0	0
CHICKASAW	136	1	37	41	41	9	4	3	0	0
CHOCTAW	70	0	22	25	12	5	4	2	0	0
CLAIBORNE	174	0	30	73	30	24	15	2	0	0
CLARKE	120	1	37	43	26	10	2	1	0	0
CLAY	248	4	60	87	58	19	17	3	0	0
COAHOMA	554	11	191	192	104	36	18	2	0	0
COPIAH	283	6	68	104	58	30	12	5	0	0
COVINGTON	138	1	48	46	30	6	6	1	0	0
DESOTO	172	1	38	63	46	16	6	2	0	0
FORREST	408	10	126	140	71	49	10	2	0	0
FRANKLIN	79	0	18	28	20	11	1	1	0	0
GEORGE	33	2	11	14	4	1	0	1	0	0
GREENE	43	2	8	15	10	5	3	0	0	0
GRENADA	189	5	65	57	33	24	5	0	0	0
HANCOCK	50	0	8	17	12	7	5	1	0	0
HARRISON	854	7	202	290	201	121	30	3	0	0
HINDS	2,702	37	574	854	707	398	114	17	1	0
HOLMES	411	6	104	149	93	41	13	5	0	0
HUMPHREYS	229	6	71	77	49	19	6	1	0	0
ISSAQUNA	29	0	8	8	7	1	5	0	0	0
ITAWAMBA	19	0	4	9	2	3	1	0	0	0
JACKSON	518	5	105	192	126	71	16	3	0	0
JASPER	151	1	36	49	38	12	14	1	0	0
JEFFERSON	161	1	29	45	53	21	9	3	0	0
JEFF DAVIS	153	3	39	44	39	19	7	2	0	0
JONES	291	3	74	99	69	33	11	2	0	0
KEMPER	96	2	18	30	31	11	4	0	0	0
LAFAYETTE	178	3	39	58	46	22	9	1	0	0
LAMAR	66	0	11	30	16	6	3	0	0	0
LAUDERDALE	547	6	159	157	135	70	20	0	0	0
LAWRENCE	97	1	11	38	32	12	3	0	0	0
LEAKE	141	1	30	62	30	13	5	0	0	0
LEE	323	1	84	117	78	28	13	1	0	1
LEFLORE	588	13	182	212	98	61	22	0	0	0

TABLE 3C - PAGE 2
NONWHITE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	AGE OF MOTHER									UN-KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
LINCOLN	175	2	52	56	37	20	7	1	0	0	0
LOWNDES	450	6	131	145	96	51	18	3	0	0	0
MADISON	502	6	144	163	104	60	22	3	0	0	0
MARION	151	1	38	48	37	17	9	1	0	0	0
MARSHALL	321	1	60	120	73	42	20	5	0	0	0
MONROE	234	1	48	82	57	30	14	2	0	0	0
MONTGOMERY	119	2	39	43	20	10	3	2	0	0	0
NESHOBIA	191	1	47	71	46	18	8	0	0	0	0
NEWTON	141	2	45	40	31	15	7	1	0	0	0
NOXUBEE	226	3	75	70	53	15	9	1	0	0	0
OKTIBBEHA	309	3	48	128	72	42	13	3	0	0	0
PANOLA	350	5	104	116	70	36	13	5	1	0	0
PEARL RIVER	121	1	39	40	26	8	7	0	0	0	0
PERRY	48	1	9	14	12	6	5	0	1	0	0
PIKE	325	8	86	90	82	46	11	2	0	0	0
PONTOTOC	46	1	9	16	13	5	2	0	0	0	0
PRENTISS	35	0	6	16	8	3	0	2	0	0	0
QUITMAN	168	4	52	53	35	12	10	2	0	0	0
RANKIN	271	3	70	88	67	32	8	2	1	0	0
SCOTT	209	0	55	62	54	26	12	0	0	0	0
SHARKEY	153	3	54	43	27	20	4	2	0	0	0
SIMPSON	162	0	31	61	38	22	9	1	0	0	0
SMITH	79	1	14	31	20	8	4	1	0	0	0
STONE	41	0	11	18	6	6	0	0	0	0	0
SUNFLOWER	568	10	207	170	97	58	23	3	0	0	0
TALLAHATCHIE	229	6	81	81	32	24	5	0	0	0	0
TATE	166	4	45	55	35	19	6	2	0	0	0
TIPPAH	51	0	13	16	11	10	1	0	0	0	0
TISHOMINGO	12	0	2	5	2	1	1	0	0	0	0
TUNICA	151	3	53	49	18	20	8	0	0	0	0
UNION	63	2	12	26	10	11	2	0	0	0	0
WALTHALL	118	1	36	30	30	16	4	1	0	0	0
WARREN	427	6	100	140	105	53	20	3	0	0	0
WASHINGTON	995	20	304	338	179	112	34	7	1	0	0
WAYNE	157	3	41	50	36	18	7	2	0	0	0
WEBSTER	52	0	11	26	10	2	3	0	0	0	0
WILKINSON	129	3	35	45	29	12	4	1	0	0	0
WINSTON	193	4	53	71	29	26	10	0	0	0	0
YALOBUSHA	98	0	23	31	21	14	7	1	1	0	0
YAZOO	364	8	117	124	71	32	10	2	0	0	0

TABLE 4
ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1985

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>14,270</u>	<u>1,950</u>	<u>12,320</u>	<u>32.8</u>	<u>8.5</u>	<u>60.1</u>
ADAMS	273	20	253	39.0	6.8	62.5
ALCORN	68	28	40	15.6	7.6	58.0
AMITE	64	5	59	31.5	5.7	50.9
ATTALA	84	10	74	31.5	7.4	56.5
BENTON	34	5	29	28.1	8.6	46.0
BOLIVAR	532	16	516	59.6	8.0	74.7
CALHOUN	60	10	50	28.0	7.4	64.1
CARROLL	63	4	59	50.0	9.8	69.4
CHICKASAW	94	20	74	31.4	12.3	54.4
CHOCTAW	54	3	51	37.5	4.0	72.8
CLAIBORNE	119	0	119	60.1	-	68.4
CLARKE	78	13	65	30.2	9.4	54.2
CLAY	159	16	143	41.4	11.8	57.7
COAHOMA	443	17	426	60.4	9.5	76.9
COPIAH	178	11	167	39.1	6.4	59.0
COVINGTON	102	14	88	34.7	9.0	63.8
DESOTO	174	64	110	19.8	9.1	64.0
FORREST	299	47	252	29.2	7.6	61.8
FRANKLIN	49	3	46	33.3	4.4	58.2
GEORGE	39	17	22	14.4	7.1	66.7
GREENE	43	15	28	28.3	13.8	65.1
GRENADA	135	13	122	40.9	9.2	64.6
HANCOCK	93	65	28	21.4	16.9	56.0
HARRISON	683	254	429	21.9	11.2	50.2
HINDS	1,600	129	1,471	35.9	7.4	54.4
HOLMES	284	4	280	58.4	5.3	68.1
HUMPHREYS	163	5	158	57.0	8.8	69.0
ISSAQENA	15	0	15	41.7	-	51.7
ITAWAMBA	30	18	12	12.8	8.4	63.2
JACKSON	433	158	275	22.4	11.2	53.1
JASPER	61	4	57	26.1	4.8	37.7
JEFFERSON	91	2	89	51.4	12.5	55.3
JEFF DAVIS	80	5	75	35.2	6.8	49.0
JONES	197	41	156	21.7	6.7	53.6
KEMPER	49	0	49	32.4	-	51.0
LAFAYETTE	98	9	89	26.0	4.5	50.0
LAMAR	72	30	42	15.8	7.7	63.6
LAUDERDALE	367	54	313	29.1	7.6	57.2
LAWRENCE	51	6	45	25.2	5.7	46.4
LEAKE	73	5	68	26.4	3.7	48.2
LEE	238	73	165	22.4	9.9	51.1
LEFLORE	442	29	413	53.7	12.3	70.2

TABLE 4 - PAGE 2
ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	122	24	98	25.5	7.9	56.0
LOWNDES	295	44	251	27.3	7.0	55.8
MADISON	334	16	318	37.4	4.1	63.3
MARION	88	19	69	20.8	7.0	45.7
MARSHALL	227	32	195	41.5	14.2	60.7
MONROE	158	29	129	28.3	8.9	55.1
MONTGOMERY	80	4	76	43.5	6.2	63.9
NESHoba	118	11	107	27.7	4.7	56.0
NEWTON	72	3	69	23.4	1.8	48.9
NOXUBEE	148	0	148	51.2	-	65.5
OKTIBBEHA	193	13	180	33.3	4.8	58.2
PANOLA	248	20	228	46.7	11.0	65.1
PEARL RIVER	134	60	74	20.4	11.2	61.2
PERRY	32	8	24	21.6	8.0	50.0
PIKE	199	24	175	34.0	9.2	53.8
PONTOTOC	43	23	20	14.0	8.8	43.5
PRENTISS	35	18	17	12.0	7.0	48.6
QUITMAN	124	7	117	51.4	9.6	69.6
RANKIN	205	84	121	16.2	8.4	44.6
SCOTT	146	26	120	33.2	11.2	57.4
SHARKEY	116	1	115	60.1	2.5	75.2
SIMPSON	85	12	73	23.2	5.9	45.1
SMITH	52	12	40	21.4	7.3	50.6
STONE	34	9	25	20.7	7.3	61.0
SUNFLOWER	419	15	404	59.1	10.6	71.1
TALLAHATCHIE	177	6	171	57.1	7.4	74.7
TATE	116	13	103	32.1	6.7	62.0
TIPPAH	46	24	22	17.8	11.5	43.1
TISHOMINGO	21	15	6	10.9	8.3	50.0
TUNICA	114	4	110	64.0	14.8	72.8
UNION	43	14	29	13.3	5.4	46.0
WALTHALL	54	4	50	26.1	4.5	42.4
WARREN	298	26	272	35.3	6.2	63.7
WASHINGTON	762	40	722	51.5	8.2	72.6
WAYNE	97	13	84	29.4	7.5	53.5
WEBSTER	35	6	29	24.3	6.5	55.8
WILKINSON	91	5	86	47.2	7.8	66.7
WINSTON	116	3	113	38.4	2.8	58.5
YALOBUSA	62	5	57	34.8	6.2	58.2
YAZOO	267	16	251	47.8	8.2	69.0

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1985

COUNTY	TOTAL	AGE OF MOTHER									UN-KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
STATE	14,270	344	5,693	4,976	2,039	872	281	60	4	1	
ADAMS	273	6	95	102	46	22	1	0	1	0	0
ALCORN	68	2	20	31	8	4	3	0	0	0	0
AMITE	64	2	29	19	5	6	2	1	0	0	0
ATTALA	84	4	40	26	9	2	2	1	0	0	0
BENTON	34	0	15	15	4	0	0	0	0	0	0
BOLIVAR	532	20	239	174	57	30	7	5	0	0	0
CALHOUN	60	3	23	27	5	2	0	0	0	0	0
CARROLL	63	2	21	28	8	4	0	0	0	0	0
CHICKASAW	94	1	35	28	25	2	2	1	0	0	0
CHOCTAW	54	0	22	19	9	2	1	1	0	0	0
CLAIBORNE	119	0	29	54	20	9	5	2	0	0	0
CLARKE	78	1	37	25	10	3	1	1	0	0	0
CLAY	159	4	59	55	27	6	8	0	0	0	0
COAHOMA	443	14	193	156	55	14	11	0	0	0	0
COPIAH	178	6	64	67	23	12	3	3	0	0	0
COVINGTON	102	1	50	33	14	2	2	0	0	0	0
DESOTO	174	1	62	61	36	11	3	0	0	0	0
FORREST	299	11	125	110	31	20	2	0	0	0	0
FRANKLIN	49	0	16	20	6	6	0	1	0	0	0
GEORGE	39	2	14	16	4	3	0	0	0	0	0
GREENE	43	2	16	12	10	0	3	0	0	0	0
GRENADA	135	6	69	42	7	8	3	0	0	0	0
HANCOCK	93	2	37	33	15	4	2	0	0	0	0
HARRISON	683	12	286	241	92	41	9	2	0	0	0
HINDS	1,600	40	562	569	267	120	37	5	0	0	0
HOLMES	284	6	95	95	55	26	6	1	0	0	0
HUMPHREYS	163	7	67	49	28	8	4	0	0	0	0
ISSAQENA	15	0	6	5	3	0	1	0	0	0	0
ITAWAMBA	30	0	13	13	1	2	1	0	0	0	0
JACKSON	433	5	169	170	60	20	7	2	0	0	0
JASPER	61	1	26	14	13	3	4	0	0	0	0
JEFFERSON	91	1	29	27	23	9	2	0	0	0	0
JEFF DAVIS	80	3	33	22	16	4	2	0	0	0	0
JONES	197	3	84	71	28	6	4	1	0	0	0
KEMPER	49	2	16	16	10	3	2	0	0	0	0
LAFAYETTE	98	3	35	39	15	6	0	0	0	0	0
LAMAR	72	0	26	30	9	5	2	0	0	0	0
LAUDERDALE	367	10	157	113	54	27	6	0	0	0	0
LAWRENCE	51	1	9	27	7	5	2	0	0	0	0
LEAKE	73	1	30	27	9	2	4	0	0	0	0
LEE	238	2	93	97	34	7	3	2	0	0	0
LEFLORE	442	13	186	162	52	22	7	0	0	0	0

TABLE 5A - PAGE 2
TOTAL ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	AGE OF MOTHER									UN-KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
LINCOLN	122	2	52	40	17	5	5	1	0	0	0
LOWNDES	295	6	138	91	43	12	5	0	0	0	0
MADISON	334	6	140	109	50	21	6	2	0	0	0
MARION	88	2	37	31	13	4	1	0	0	0	0
MARSHALL	227	4	65	89	40	17	9	3	0	0	0
MONROE	158	1	61	55	24	15	1	1	0	0	0
MONTGOMERY	80	2	39	27	8	2	1	1	0	0	0
NESHOBIA	118	1	43	40	23	9	2	0	0	0	0
NEWTON	72	2	36	18	10	3	2	1	0	0	0
NOXUBEE	148	3	72	41	27	3	2	0	0	0	0
OKTIBBEHA	193	3	45	84	36	19	4	2	0	0	0
PANOLA	248	5	99	90	25	22	2	4	1	0	0
PEARL RIVER	134	2	61	46	16	5	4	0	0	0	0
PERRY	32	2	13	11	5	1	0	0	0	0	0
PIKE	199	8	83	66	25	13	3	1	0	0	0
PONTOTOC	43	2	17	12	9	3	0	0	0	0	0
PRENTISS	35	0	11	18	3	1	0	2	0	0	0
QUITMAN	124	4	55	39	18	5	3	0	0	0	0
RANKIN	205	6	100	60	23	10	5	1	0	0	0
SCOTT	146	2	55	44	27	7	11	0	0	0	0
SHARKEY	116	3	53	32	16	9	3	0	0	0	0
SIMPSON	85	1	27	36	12	7	2	0	0	0	0
SMITH	52	1	16	18	10	4	2	1	0	0	0
STONE	34	0	16	11	4	3	0	0	0	0	0
SUNFLOWER	419	10	204	126	46	28	4	1	0	0	0
TALLAHATCHIE	177	6	73	66	19	11	2	0	0	0	0
TATE	116	4	50	34	13	11	2	2	0	0	0
TIPPAH	46	0	27	9	6	3	0	0	0	0	1
TISHOMINGO	21	1	5	9	3	1	1	1	0	0	0
TUNICA	114	3	52	44	7	6	2	0	0	0	0
UNION	43	3	16	17	5	2	0	0	0	0	0
WALTHALL	54	1	25	13	10	5	0	0	0	0	0
WARREN	298	6	101	108	48	25	8	2	0	0	0
WASHINGTON	762	22	308	261	101	55	12	2	1	0	0
WAYNE	97	4	45	30	15	2	1	0	0	0	0
WEBSTER	35	0	14	19	2	0	0	0	0	0	0
WILKINSON	91	3	30	34	15	8	0	1	0	0	0
WINSTON	116	5	44	44	13	6	4	0	0	0	0
YALOBUSHIA	62	0	23	24	7	4	2	1	1	0	0
YAZOO	267	8	110	90	35	17	6	1	0	0	0

TABLE 5B
WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1985

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN- KNOWN
STATE	<u>1,950</u>	<u>41</u>	<u>827</u>	<u>667</u>	<u>277</u>	<u>97</u>	<u>33</u>	<u>7</u>	<u>0</u>	<u>1</u>
ADAMS	20	0	9	6	2	3	0	0	0	0
ALCORN	28	0	9	12	3	2	2	0	0	0
AMITE	5	0	3	2	0	0	0	0	0	0
ATTALA	10	0	4	6	0	0	0	0	0	0
BENTON	5	0	3	2	0	0	0	0	0	0
BOLIVAR	16	0	12	2	2	0	0	0	0	0
CALHOUN	10	0	5	3	1	1	0	0	0	0
CARROLL	4	1	1	2	0	0	0	0	0	0
CHICKASAW	20	0	8	7	5	0	0	0	0	0
CHOCTAW	3	0	0	2	1	0	0	0	0	0
CLAIBORNE	0	0	0	0	0	0	0	0	0	0
CLARKE	13	0	6	5	1	1	0	0	0	0
CLAY	16	0	4	7	4	1	0	0	0	0
COAHOMA	17	3	7	4	2	1	0	0	0	0
COPIAH	11	0	4	4	3	0	0	0	0	0
COVINGTON	14	0	8	3	3	0	0	0	0	0
DESOTO	64	0	29	20	11	4	0	0	0	0
FORREST	47	1	14	18	12	2	0	0	0	0
FRANKLIN	3	0	0	3	0	0	0	0	0	0
GEORGE	17	0	6	7	2	2	0	0	0	0
GREENE	15	0	8	1	5	0	1	0	0	0
GRENADA	13	1	9	3	0	0	0	0	0	0
HANCOCK	65	2	32	21	8	1	1	0	0	0
HARRISON	254	5	111	86	39	10	1	2	0	0
HINDS	129	3	37	55	25	5	4	0	0	0
HOLMES	4	0	1	1	2	0	0	0	0	0
HUMPHREYS	5	1	3	1	0	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	18	0	10	7	0	1	0	0	0	0
JACKSON	158	0	73	54	16	10	3	2	0	0
JASPER	4	0	1	0	2	0	1	0	0	0
JEFFERSON	2	0	1	0	0	1	0	0	0	0
JEFF DAVIS	5	0	1	2	2	0	0	0	0	0
JONES	41	0	15	13	10	3	0	0	0	0
KEMPER	0	0	0	0	0	0	0	0	0	0
LAFAYETTE	9	0	2	5	1	1	0	0	0	0
LAMAR	30	0	15	10	3	2	0	0	0	0
LAUDERDALE	54	4	21	19	5	4	1	0	0	0
LAWRENCE	6	0	2	1	0	2	1	0	0	0
LEAKE	5	0	5	0	0	0	0	0	0	0
LEE	73	1	20	36	9	5	1	1	0	0
LEFLORE	29	0	14	11	4	0	0	0	0	0

TABLE 5B - PAGE 2
WHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	AGE OF MOTHER									UN-KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
LINCOLN	24	0	7	10	6	0	1	0	0	0	0
LOWNDES	44	0	17	16	8	1	2	0	0	0	0
MADISON	16	0	9	2	5	0	0	0	0	0	0
MARION	19	1	9	6	2	1	0	0	0	0	0
MARSHALL	32	3	13	9	4	1	1	1	0	0	0
MONROE	29	0	18	7	3	1	0	0	0	0	0
MONTGOMERY	4	0	2	2	0	0	0	0	0	0	0
NESHOBIA	11	0	6	3	1	1	0	0	0	0	0
NEWTON	3	0	2	1	0	0	0	0	0	0	0
NOXUBEE	0	0	0	0	0	0	0	0	0	0	0
OKTIBBEHA	13	0	2	7	2	2	0	0	0	0	0
PANOLA	20	0	7	10	1	2	0	0	0	0	0
PEARL RIVER	60	1	26	21	7	4	1	0	0	0	0
PERRY	8	1	5	2	0	0	0	0	0	0	0
PIKE	24	0	10	9	2	2	1	0	0	0	0
PONTOTOC	23	1	11	4	6	1	0	0	0	0	0
PRENTISS	18	0	6	10	2	0	0	0	0	0	0
QUITMAN	7	0	6	1	0	0	0	0	0	0	0
RANKIN	84	3	42	23	10	3	2	1	0	0	0
SCOTT	26	2	9	9	1	2	3	0	0	0	0
SHARKEY	1	0	1	0	0	0	0	0	0	0	0
SIMPSON	12	1	1	4	3	2	1	0	0	0	0
SMITH	12	0	5	4	3	0	0	0	0	0	0
STONE	9	0	5	3	0	1	0	0	0	0	0
SUNFLOWER	15	0	7	5	2	1	0	0	0	0	0
TALLAHATCHIE	6	0	2	4	0	0	0	0	0	0	0
TATE	13	0	7	3	1	2	0	0	0	0	0
TIPPAH	24	0	15	4	4	0	0	0	0	0	1
TISHOMINGO	15	1	4	6	3	0	1	0	0	0	0
TUNICA	4	0	1	2	0	1	0	0	0	0	0
UNION	14	1	7	4	2	0	0	0	0	0	0
WALTHALL	4	0	3	0	0	1	0	0	0	0	0
WARREN	26	0	8	10	5	3	0	0	0	0	0
WASHINGTON	40	2	19	11	4	3	1	0	0	0	0
WAYNE	13	1	8	3	1	0	0	0	0	0	0
WEBSTER	6	0	4	1	1	0	0	0	0	0	0
WILKINSON	5	0	1	3	1	0	0	0	0	0	0
WINSTON	3	1	1	1	0	0	0	0	0	0	0
YALOBUSHIA	5	0	3	1	0	0	1	0	0	0	0
YAZOO	16	0	5	5	4	0	2	0	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1985

COUNTY	TOTAL	AGE OF MOTHER									UN-KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
STATE	12,320	303	4,866	4,309	1,762	775	248	53	4	0	
ADAMS	253	6	86	96	44	19	1	0	1	0	
ALCORN	40	2	11	19	5	2	1	0	0	0	
AMITE	59	2	26	17	5	6	2	1	0	0	
ATTALA	74	4	36	20	9	2	2	1	0	0	
BENTON	29	0	12	13	4	0	0	0	0	0	
BOLIVAR	516	20	227	172	55	30	7	5	0	0	
CALHOUN	50	3	18	24	4	1	0	0	0	0	
CARROLL	59	1	20	26	8	4	0	0	0	0	
CHICKASAW	74	1	27	21	20	2	2	1	0	0	
CHOCTAW	51	0	22	17	8	2	1	1	0	0	
CLAIBORNE	119	0	29	54	20	9	5	2	0	0	
CLARKE	65	1	31	20	9	2	1	1	0	0	
CLAY	143	4	55	48	23	5	8	0	0	0	
COAHOMA	426	11	186	152	53	13	11	0	0	0	
COPIAH	167	6	60	63	20	12	3	3	0	0	
COVINGTON	88	1	42	30	11	2	2	0	0	0	
DESOTO	110	1	33	41	25	7	3	0	0	0	
FORREST	252	10	111	92	19	18	2	0	0	0	
FRANKLIN	46	0	16	17	6	6	0	1	0	0	
GEORGE	22	2	8	9	2	1	0	0	0	0	
GREENE	28	2	8	11	5	0	2	0	0	0	
GRENADA	122	5	60	39	7	8	3	0	0	0	
HANCOCK	28	0	5	12	7	3	1	0	0	0	
HARRISON	429	7	175	155	53	31	8	0	0	0	
HINDS	1,471	37	525	514	242	115	33	5	0	0	
HOLMES		6	94	94	53	26	6	1	0	0	
HUMPHREYS		6	64	48	28	8	4	0	0	0	
ISSAQENA		0	6	5	3	0	1	0	0	0	
ITAWAMBA		0	3	6	1	1	1	0	0	0	
JACKSON		5	96	116	44	10	4	0	0	0	
JASPER	57	1	25	14	11	3	3	0	0	0	
JEFFERSON	89	1	28	27	23	8	2	0	0	0	
JEFF DAVIS	75	3	32	20	14	4	2	0	0	0	
JONES	156	3	69	58	18	3	4	1	0	0	
KEMPER	49	2	16	16	10	3	2	0	0	0	
LAFAYETTE	89	3	33	34	14	5	0	0	0	0	
LAMAR	42	0	11	20	6	3	2	0	0	0	
LAUDERDALE	313	6	136	94	49	23	5	0	0	0	
LAWRENCE	45	1	7	26	7	3	1	0	0	0	
LEAKE	68	1	25	27	9	2	4	0	0	0	
LEE	165	1	73	61	25	2	2	1	0	0	
LEFLORE	413	13	172	151	48	22	7	0	0	0	

TABLE 5C - PAGE 2
NONWHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	TOTAL	AGE OF MOTHER									UN-KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49		
LINCOLN	98	2	45	30	11	5	4	1	0	0	0
LOWNDES	251	6	121	75	35	11	3	0	0	0	0
MADISON	318	6	131	107	45	21	6	2	0	0	0
MARION	69	1	28	25	11	3	1	0	0	0	0
MARSHALL	195	1	52	80	36	16	8	2	0	0	0
MONROE	129	1	43	48	21	14	1	1	0	0	0
MONTGOMERY	76	2	37	25	8	2	1	1	0	0	0
NESHoba	107	1	37	37	22	8	2	0	0	0	0
NEWTON	69	2	34	17	10	3	2	1	0	0	0
NOXUBEE	148	3	72	41	27	3	2	0	0	0	0
OKTIBBEHA	180	3	43	77	34	17	4	2	0	0	0
PANOLA	228	5	92	80	24	20	2	4	1	0	0
PEARL RIVER	74	1	35	25	9	1	3	0	0	0	0
PERRY	24	1	8	9	5	1	0	0	0	0	0
PIKE	175	8	73	57	23	11	2	1	0	0	0
PONTOTOC	20	1	6	8	3	2	0	0	0	0	0
PRENTISS	17	0	5	8	1	1	0	2	0	0	0
QUITMAN	117	4	49	38	18	5	3	0	0	0	0
RANKIN	121	3	58	37	13	7	3	0	0	0	0
SCOTT	120	0	46	35	26	5	8	0	0	0	0
SHARKEY	115	3	52	32	16	9	3	0	0	0	0
SIMPSON	73	0	26	32	9	5	1	0	0	0	0
SMITH	40	1	11	14	7	4	2	1	0	0	0
STONE	25	0	11	8	4	2	0	0	0	0	0
SUNFLOWER	404	10	197	121	44	27	4	1	0	0	0
TALLAHATCHIE	171	6	71	62	19	11	2	0	0	0	0
TATE	103	4	43	31	12	9	2	2	0	0	0
TIPPAH	22	0	12	5	2	3	0	0	0	0	0
TISHOMINGO	6	0	1	3	0	1	0	1	0	0	0
TUNICA	110	3	51	42	7	5	2	0	0	0	0
UNION	29	2	9	13	3	2	0	0	0	0	0
WALTHALL	50	1	22	13	10	4	0	0	0	0	0
WARREN	272	6	93	98	43	22	8	2	0	0	0
WASHINGTON	722	20	289	250	97	52	11	2	1	0	0
WAYNE	84	3	37	27	14	2	1	0	0	0	0
WEBSTER	29	0	10	18	1	0	0	0	0	0	0
WILKINSON	86	3	29	31	14	8	0	1	0	0	0
WINSTON	113	4	43	43	13	6	4	0	0	0	0
YALOBUSHA	57	0	20	23	7	4	1	1	1	0	0
YAZOO	251	8	105	85	31	17	4	1	0	0	0

TABLE 6
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1985

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	<u>3,829</u>	<u>1,359</u>	<u>2,470</u>	<u>8.8</u>	<u>5.9</u>	<u>12.0</u>
ADAMS	81	8	73	11.6	2.7	18.0
ALCORN	28	21	7	6.4	5.7	10.1
AMITE	21	7	14	10.3	8.0	12.1
ATTALA	22	8	14	8.2	5.9	10.7
BENTON	15	7	8	12.4	12.1	12.7
BOLIVAR	99	17	82	11.1	8.4	11.9
CALHOUN	26	14	12	12.2	10.3	15.4
CARROLL	10	3	7	7.9	7.3	8.2
CHICKASAW	20	7	13	6.7	4.3	9.6
CHOCTAW	18	7	11	12.5	9.4	15.7
CLAIBORNE	15	0	15	7.6	-	8.6
CLARKE	13	5	8	5.0	3.6	6.7
CLAY	27	5	22	7.0	3.7	8.9
COAHOMA	76	8	68	10.4	4.5	12.3
COPIAH	44	11	33	9.7	6.4	11.7
COVINGTON	27	9	18	9.2	5.8	13.0
DESOTO	77	56	21	8.8	7.9	12.2
FORREST	100	35	65	9.8	5.7	15.9
FRANKLIN	12	5	7	8.2	7.4	8.9
GEORGE	18	14	4	6.6	5.9	12.1
GREENE	12	5	7	7.9	4.6	16.3
GRENADA	34	9	25	10.3	6.4	13.2
HANCOCK	36	29	7	8.3	7.5	14.0
HARRISON	215	130	85	6.9	5.7	10.0
HINDS	422	87	335	9.5	5.0	12.4
HOLMES	55	5	50	11.3	6.7	12.2
HUMPHREYS	35	4	31	12.2	7.0	13.5
ISSAQUNEA	3	0	3	8.3	-	10.3
ITAWAMBA	10	9	1	4.3	4.2	5.3
JACKSON	137	78	59	7.1	5.5	11.4
JASPER	21	7	14	9.0	8.4	9.3
JEFFERSON	17	0	17	9.6	-	10.6
JEFF DAVIS	24	5	19	10.6	6.8	12.4
JONES	66	35	31	7.3	5.7	10.6
KEMPER	11	1	10	7.3	1.8	10.4
LAFAYETTE	26	6	20	6.9	3.0	11.2
LAMAR	28	21	7	6.2	5.4	10.6
LAUDERDALE	101	33	68	8.0	4.6	12.4
LAWRENCE	20	8	12	9.9	7.6	12.4
LEAKE	26	9	17	9.4	6.7	12.0
LEE	87	46	41	8.2	6.2	12.7
LEFLORE	99	22	77	12.0	9.4	13.1

TABLE 6 - PAGE 2
IMMATURE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	49	21	28	10.2	6.9	16.0
LOWNDES	90	34	56	8.3	5.4	12.4
MADISON	82	17	65	9.2	4.4	12.9
MARION	44	22	22	10.4	8.0	14.6
MARSHALL	58	18	40	10.6	8.0	12.5
MONROE	41	17	24	7.3	5.2	10.2
MONTGOMERY	11	1	10	6.0	1.5	8.4
NESHoba	32	17	15	7.5	7.2	7.8
NEWTON	24	13	11	7.8	7.8	7.8
NOXUBEE	44	2	42	15.2	3.2	18.6
OKTIBBEHA	48	16	32	8.3	5.9	10.4
PANOLA	42	12	30	7.9	6.6	8.6
PEARL RIVER	51	33	18	7.8	6.2	14.9
PERRY	4	1	3	2.7	1.0	6.2
PIKE	60	17	43	10.2	6.5	13.2
PONTOTOC	23	16	7	7.5	6.1	15.2
PRENTISS	22	14	8	7.6	5.5	22.8
QUITMAN	29	7	22	12.0	9.6	13.1
RANKIN	89	67	22	7.0	6.7	8.1
SCOTT	47	15	32	10.7	6.5	15.3
SHARKEY	17	3	14	8.8	7.5	9.2
SIMPSON	41	18	23	11.2	8.8	14.2
SMITH	14	4	10	5.8	2.4	12.6
STONE	11	6	5	6.7	4.9	12.2
SUNFLOWER	84	9	75	11.8	6.4	13.2
TALLAHATCHIE	33	5	28	10.6	6.2	12.2
TATE	32	14	18	8.9	7.2	10.8
TIPPAH	18	16	2	7.0	7.7	3.9
TISHOMINGO	16	15	1	8.3	8.3	8.3
TUNICA	14	2	12	7.9	7.4	7.9
UNION	28	19	9	8.7	7.3	14.3
WALTHALL	14	3	11	6.8	3.4	9.3
WARREN	80	26	54	9.5	6.2	12.6
WASHINGTON	141	23	118	9.5	4.7	11.8
WAYNE	24	9	15	7.3	5.2	9.6
WEBSTER	10	4	6	6.9	4.3	11.5
WILKINSON	17	2	15	8.8	3.1	11.6
WINSTON	25	7	18	8.3	6.4	9.3
YALOBUSA	19	4	15	10.7	5.0	15.3
YAZOO	67	14	53	12.0	7.2	14.6

* BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1985

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	5,953	2,074	3,879	13.7	9.0	18.9
ADAMS	93	20	73	13.3	6.8	18.0
ALCORN	62	44	18	14.2	12.0	26.1
AMITE	27	13	14	13.3	14.9	12.1
ATTALA	39	12	27	14.6	8.8	20.6
BENTON	20	9	11	16.5	15.5	17.5
BOLIVAR	167	19	148	18.7	9.4	21.4
CALHOUN	27	9	18	12.6	6.6	23.1
CARROLL	21	5	16	16.7	12.2	18.8
CHICKASAW	46	20	26	15.4	12.3	19.1
CHOCTAW	29	11	18	20.1	14.9	25.7
CLAIBORNE	30	4	26	15.2	16.7	14.9
CLARKE	23	9	14	8.9	6.5	11.7
CLAY	49	7	42	12.8	5.1	16.9
COAHOMA	116	13	103	15.8	7.3	18.6
COPIAH	73	15	58	16.0	8.7	20.5
COVINGTON	44	12	32	15.0	7.7	23.2
DESOTO	104	64	40	11.8	9.1	23.2
FORREST	132	59	73	12.9	9.6	17.9
FRANKLIN	17	5	12	11.6	7.4	15.2
GEORGE	30	26	4	11.1	10.9	12.1
GREENE	22	12	10	14.5	11.0	23.2
GRENADA	71	15	56	21.5	10.6	29.6
HANCOCK	47	37	10	10.8	9.6	20.0
HARRISON	335	190	145	10.7	8.4	17.0
HINDS	685	163	522	15.4	9.3	19.3
HOLMES	99	7	92	20.4	9.3	22.4
HUMPHREYS	48	3	45	16.8	5.3	19.6
ISSAQENA	4	0	4	11.1	-	13.8
ITAWAMBA	21	16	5	9.0	7.4	26.3
JACKSON	195	101	94	10.1	7.2	18.1
JASPER	39	9	30	16.7	10.8	19.9
JEFFERSON	23	1	22	13.0	6.2	13.7
JEFF DAVIS	40	8	32	17.6	10.8	20.9
JONES	99	43	56	10.9	7.0	19.2
KEMPER	17	3	14	11.2	5.4	14.6
LAFAYETTE	39	7	32	10.3	3.5	18.0
LAMAR	44	34	10	9.7	8.8	15.2
LAUDERDALE	122	43	79	9.7	6.0	14.4
LAWRENCE	28	12	16	13.9	11.4	16.5
LEAKE	29	9	20	10.5	6.7	14.2
LEE	147	74	73	13.8	10.0	22.6
LEFLORE	144	23	121	17.5	9.8	20.6

TABLE 7 - PAGE 2
PREMATURE LIVE BIRTHS - MISSISSIPPI - 1985

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	74	31	43	15.4	10.2	24.6
LOWNDES	142	54	88	13.1	8.6	19.6
MADISON	138	44	94	15.5	11.3	18.7
MARION	71	43	28	16.7	15.8	18.5
MARSHALL	88	28	60	16.1	12.4	18.7
MONROE	62	22	40	11.1	6.8	17.1
MONTGOMERY	42	7	35	22.8	10.8	29.4
NESHoba	48	17	31	11.3	7.2	16.2
NEWTON	34	16	18	11.1	9.6	12.8
NOXUBEE	44	3	41	15.2	4.8	18.1
OKTIBBEHA	79	25	54	13.6	9.2	17.5
PANOLA	76	17	59	14.3	9.4	16.8
PEARL RIVER	62	42	20	9.5	7.9	16.5
PERRY	12	5	7	8.1	5.0	14.6
PIKE	93	26	67	15.9	10.0	20.6
PONTOTOC	39	27	12	12.7	10.3	26.1
PRENTISS	34	22	12	11.7	8.6	34.3
QUITMAN	53	7	46	22.0	9.6	27.4
RANKIN	148	113	35	11.7	11.3	12.9
SCOTT	63	24	39	14.3	10.4	18.7
SHARKEY	24	3	21	12.4	7.5	13.7
SIMPSON	56	24	32	15.3	11.8	19.8
SMITH	23	9	14	9.5	5.5	17.7
STONE	14	7	7	8.5	5.7	17.1
SUNFLOWER	130	15	115	18.3	10.6	20.2
TALLAHATCHIE	57	9	48	18.4	11.1	21.0
TATE	34	14	20	9.4	7.2	12.0
TIPPAH	28	19	9	10.8	9.1	17.6
TISHOMINGO	22	21	1	11.4	11.6	8.3
TUNICA	38	3	35	21.3	11.1	23.2
UNION	46	34	12	14.2	13.1	19.0
WALTHALL	31	6	25	15.0	6.7	21.2
WARREN	113	43	70	13.4	10.3	16.4
WASHINGTON	263	46	217	17.8	9.5	21.8
WAYNE	33	16	17	10.0	9.2	10.8
WEBSTER	13	3	10	9.0	3.3	19.2
WILKINSON	15	4	11	7.8	6.2	8.5
WINSTON	40	12	28	13.2	11.0	14.5
YALOBUSHA	24	6	18	13.5	7.5	18.4
YAZOO	100	21	79	17.9	10.8	21.7

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
 REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1985

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER		NON-WHTE	NUMBER		NON-WHTE	RATIO**		NON-WHTE
	TOTAL	WHITE		TOTAL	WHITE		TOTAL	WHITE	
STATE	542	177	365	555	186	369	12.8	8.1	18.0
ADAMS	23	7	16	21	4	17	30.0	13.6	42.0
ALCORN	2	1	1	2	1	1	4.6	2.7	14.5
AMITE	0	0	0	4	1	3	19.7	11.5	25.9
ATTALA	2	1	1	3	0	3	11.2	-	22.9
BENTON	0	0	0	1	0	1	8.3	-	15.9
BOLIVAR	20	2	18	23	4	19	25.8	19.9	27.5
CALHOUN	0	0	0	3	1	2	14.0	7.4	25.6
CARROLL	0	0	0	2	1	1	15.9	24.4	11.8
CHICKASAW	3	0	3	7	3	4	23.4	18.4	29.4
CHOCTAW	2	0	2	1	0	1	6.9	-	14.3
CLAIBORNE	0	0	0	2	0	2	10.1	-	11.5
CLARKE	0	0	0	3	2	1	11.6	14.5	8.3
CLAY	2	2	0	4	3	1	10.4	22.0	4.0
COAHOMA	17	4	13	9	0	9	12.3	-	16.2
COPIAH	4	3	1	5	2	3	11.0	11.6	10.6
COVINGTON	2	0	2	3	1	2	10.2	6.4	14.5
DESOTO	0	0	0	7	4	3	8.0	5.7	17.4
FORREST	28	10	18	15	3	12	14.6	4.9	29.4
FRANKLIN	1	1	0	4	3	1	27.2	44.1	12.6
GEORGE	3	2	1	5	5	0	18.4	21.0	-
GREENE	2	2	0	0	0	0	-	-	-
GRENADA	3	2	1	2	2	0	6.1	14.2	-
HANCOCK	3	3	0	6	4	2	13.8	10.4	40.0
HARRISON	36	20	16	35	21	14	11.2	9.3	16.4
HINDS	141	28	113	61	11	50	13.7	6.3	18.5
HOLMES	2	0	2	12	0	12	24.7	-	29.2
HUMPHREYS	2	0	2	9	1	8	31.5	17.5	34.9
ISSAQUNEA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	5	4	1	21.4	18.6	52.6
JACKSON	14	7	7	15	7	8	7.8	5.0	15.4
JASPER	0	0	0	5	0	5	21.4	-	33.1
JEFFERSON	1	0	1	1	0	1	5.6	-	6.2
JEFF DAVIS	1	0	1	4	0	4	17.6	-	26.1
JONES	11	6	5	9	7	2	9.9	11.4	6.9
KEMPER	0	0	0	2	1	1	13.2	18.2	10.4
LAFAYETTE	4	3	1	4	2	2	10.6	10.0	11.2
LAMAR	1	1	0	6	6	0	13.2	15.5	-
LAUDERDALE	20	8	12	18	6	12	14.3	8.4	21.9
LAWRENCE	1	0	1	2	1	1	9.9	9.5	10.3
LEAKE	1	1	0	7	6	1	25.4	44.4	7.1
LEE	19	9	10	7	2	5	6.6	2.7	15.5
LEFLORE	23	3	20	14	2	12	17.0	8.5	20.4

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 1985

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER		NON-WHITE	NUMBER		NON-WHITE	RATIO**		NON-WHITE
	TOTAL	WHITE		TOTAL	WHITE		TOTAL	WHITE	
LINCOLN	2	2	0	4	2	2	8.4	6.6	11.4
LOWNDES	13	4	9	12	4	8	11.1	6.3	17.8
MADISON	0	0	0	13	0	13	14.6	-	25.9
MARION	2	0	2	5	1	4	11.8	3.7	26.5
MARSHALL	0	0	0	7	2	5	12.8	8.8	15.6
MONROE	8	2	6	6	0	6	10.7	-	25.6
MONTGOMERY	1	0	1	2	1	1	10.9	15.4	8.4
NESHOBIA	0	0	0	6	2	4	14.1	8.5	20.9
NEWTON	0	0	0	1	1	0	3.2	6.0	-
NOXUBEE	2	0	2	4	1	3	13.8	15.9	13.3
OKTIBBEHA	15	9	6	6	3	3	10.4	11.1	9.7
PANOLA	3	0	3	7	1	6	13.2	5.5	17.1
PEARL RIVER	9	5	4	10	6	4	15.3	11.2	33.0
PERRY	0	0	0	1	0	1	6.8	-	20.8
PIKE	16	5	11	9	3	6	15.4	11.5	18.5
PONTOTOC	0	0	0	1	0	1	3.2	-	21.7
PRENTISS	0	0	0	2	2	0	6.9	7.8	-
QUITMAN	1	0	1	2	1	1	8.3	13.7	6.0
RANKIN	15	8	7	7	5	2	5.5	5.0	7.4
SCOTT	2	1	1	8	3	5	18.2	13.0	23.9
SHARKEY	0	0	0	3	0	3	15.5	-	19.6
SIMPSON	3	0	3	6	1	5	16.4	4.9	30.9
SMITH	0	0	0	0	0	0	-	-	-
STONE	0	0	0	1	0	1	6.1	-	24.4
SUNFLOWER	5	1	4	9	0	9	12.7	-	15.8
TALLAHATCHIE	4	0	4	4	0	4	12.9	-	17.5
TATE	1	1	0	4	3	1	11.1	15.4	6.0
TIPPAH	1	0	1	0	0	0	-	-	-
TISHOMINGO	0	0	0	0	0	0	-	-	-
TUNICA	0	0	0	1	0	1	5.6	-	6.6
UNION	1	1	0	2	2	0	6.2	7.7	-
WALTHALL	0	0	0	1	0	1	4.8	-	8.5
WARREN	6	1	5	6	4	2	7.1	9.6	4.7
WASHINGTON	27	8	19	28	8	20	18.9	16.5	20.1
WAYNE	3	0	3	3	0	3	9.1	-	19.1
WEBSTER	1	0	1	1	0	1	6.9	-	19.2
WILKINSON	1	0	1	3	1	2	15.5	15.6	15.5
WINSTON	2	1	1	11	5	6	36.4	45.9	31.1
YALOBUASHA	0	0	0	1	1	0	5.6	12.5	-
YAZOO	4	2	2	10	2	8	17.9	10.2	22.0
OUT OF STATE	33	19	14	20	10	10			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1985

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER		NON-WHITE	NUMBER		NON-WHITE	RATE*		NON-WHITE
	TOTAL	WHITE		TOTAL	WHITE		TOTAL	WHITE	
STATE	23,899	15,350	8,549	24,568	15,803	8,765	9.2	9.3	9.2
ADAMS	440	219	221	427	198	229	11.0	10.2	11.9
ALCORN	284	247	37	317	275	42	8.9	8.6	10.9
AMITE	50	22	28	141	78	63	10.7	11.0	10.2
ATTALA	185	117	68	239	142	97	12.0	11.7	12.4
BENTON	31	20	11	73	51	22	8.5	9.4	6.9
BOLIVAR	455	181	274	488	200	288	11.0	12.4	10.2
CALHOUN	111	94	17	170	144	26	10.4	11.8	6.3
CARROLL	36	17	19	98	55	43	9.8	9.9	9.8
CHICKASAW	157	108	49	196	131	65	10.7	11.3	9.7
CHOCTAW	73	49	24	106	76	30	11.3	11.4	11.1
CLAIBORNE	68	15	53	105	26	79	8.0	8.1	8.0
CLARKE	131	82	49	188	123	65	10.5	10.6	10.4
CLAY	150	81	69	180	92	88	8.0	8.4	7.6
COAHOMA	331	128	203	335	123	212	9.5	9.8	9.4
COPIAH	200	110	90	274	152	122	9.9	10.5	9.2
COVINGTON	117	87	30	170	123	47	10.3	11.2	8.5
DESOTO	110	70	40	360	276	84	5.9	5.4	8.5
FORREST	810	582	228	676	491	185	9.6	9.8	8.9
FRANKLIN	79	52	27	96	60	36	11.4	11.3	11.6
GEORGE	100	91	9	151	140	11	9.5	9.7	7.6
GREENE	61	48	13	118	94	24	11.3	11.2	12.0
GRENADA	229	148	81	245	148	97	11.2	11.6	10.6
HANCOCK	194	175	19	248	221	27	9.1	9.0	9.6
HARRISON	1,669	1,405	264	1,355	1,128	227	8.1	8.8	5.9
HINDS	3,775	2,102	1,673	2,098	1,179	919	7.8	8.4	7.1
HOLMES	204	65	139	282	81	201	12.3	13.1	12.0
HUMPHREYS	111	36	75	143	51	92	10.5	11.3	10.1
ISSAQUENA	4	3	1	17	9	8	6.9	7.8	6.0
ITAWAMBA	111	100	11	179	161	18	8.0	7.7	12.6
JACKSON	697	585	112	787	668	119	6.0	6.5	4.4
JASPER	110	58	52	176	98	78	9.9	11.2	8.6
JEFFERSON	67	10	57	103	19	84	11.6	12.3	11.4
JEFF DAVIS	101	60	41	140	80	60	9.8	12.7	7.5
JONES	656	466	190	681	490	191	10.4	9.8	12.6
KEMPER	72	43	29	125	62	63	12.4	13.4	11.5
LAFAYETTE	229	169	60	210	151	59	6.2	6.2	6.2
LAMAR	285	237	48	183	161	22	6.8	6.7	7.4
LAUDERDALE	1,131	764	367	832	560	272	10.3	10.5	10.0
LAWRENCE	93	60	33	120	80	40	9.0	8.6	10.0
LEAKE	176	120	56	238	160	78	12.2	13.5	10.2
LEE	966	773	193	543	422	121	8.8	8.7	9.4
LEFLORE	528	249	279	478	225	253	11.6	14.0	10.0

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1985

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER		NON-WHITE	NUMBER		NON-WHITE	RATE*		NON-WHITE
	TOTAL	WHITE		TOTAL	WHITE		TOTAL	WHITE	
LINCOLN	282	187	95	321	212	109	9.9	9.4	11.2
LOWNDES	440	266	174	425	250	175	6.8	6.4	7.6
MADISON	220	91	129	365	158	207	7.7	7.1	8.2
MARION	238	169	69	316	219	97	11.6	11.4	11.9
MARSHALL	153	78	75	276	139	137	8.6	8.9	8.4
MONROE	317	232	85	404	290	114	10.7	11.0	10.2
MONTGOMERY	168	105	63	164	103	61	12.1	12.4	11.6
NESHoba	151	107	44	251	186	65	10.0	10.4	8.9
NEWTON	170	120	50	234	171	63	11.5	12.0	10.3
NOXUBEE	92	27	65	123	39	84	9.8	8.8	10.3
OKTIBBEHA	231	128	103	249	136	113	6.1	5.3	7.6
PANOLA	230	139	91	339	211	128	11.8	14.1	9.3
PEARL RIVER	275	225	50	342	293	49	9.1	9.0	9.2
PERRY	49	38	11	85	62	23	8.3	7.5	11.6
PIKE	457	279	178	443	263	180	11.7	12.6	10.7
PONTOTOC	121	107	14	218	189	29	9.5	9.7	8.2
PRENTISS	170	156	14	261	243	18	9.9	10.4	6.2
QUITMAN	89	25	64	127	55	72	11.0	10.5	11.5
RANKIN	411	293	118	564	419	145	7.4	6.7	10.7
SCOTT	196	150	46	264	184	80	10.3	11.4	8.4
SHARKEY	79	23	56	103	33	70	13.4	12.4	13.8
SIMPSON	199	148	51	257	186	71	10.1	10.5	9.1
SMITH	78	57	21	156	124	32	9.9	9.9	9.8
STONE	90	71	19	117	96	21	11.0	11.8	8.3
SUNFLOWER	290	120	170	371	156	215	10.8	12.0	10.0
TALLAHATCHIE	125	57	68	190	89	101	11.9	12.6	11.3
TATE	156	99	57	202	122	80	9.5	9.6	9.5
TIPPAH	147	128	19	195	171	24	9.8	10.2	7.5
TISHOMINGO	173	162	11	221	207	14	11.3	11.0	17.4
TUNICA	55	20	35	95	32	63	10.6	13.0	9.7
UNION	220	182	38	207	180	27	9.0	9.0	8.8
WALTHALL	137	87	50	168	102	66	11.6	12.1	11.0
WARREN	537	280	257	490	259	231	9.0	7.8	10.8
WASHINGTON	829	357	472	793	328	465	10.9	10.6	11.2
WAYNE	163	112	51	197	134	63	9.8	10.3	8.9
WEBSTER	111	94	17	123	103	20	12.0	12.2	10.7
WILKINSON	145	63	82	124	48	76	12.9	15.6	11.7
WINSTON	169	117	52	208	140	68	10.4	11.8	8.4
YALOBUSHA	116	89	27	169	124	45	12.5	15.2	8.4
YAZOO	233	114	119	320	143	177	11.7	10.7	12.6
OUT OF STATE	1,559	1,124	435	890	671	219			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1985

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE
BILOXI	368	305	63
BROOKHAVEN	186	122	64
CANTON	170	69	101
CLARKSDALE	206	82	124
CLEVELAND	152	85	67
CLINTON	144	104	40
COLUMBUS	257	145	112
CORINTH	153	120	33
GREENVILLE	544	213	331
GREENWOOD	293	139	154
GRENADA	161	91	70
GULFPORT	453	369	84
HATTIESBURG	490	332	158
JACKSON	1,681	962	719
LAUREL	327	195	132
MCCOMB	198	133	65
MERIDIAN	575	359	216
MOSS POINT	133	72	61
NATCHEZ	305	133	172
OCEAN SPRINGS	133	127	6
PASCAGOULA	245	214	31
PEARL	89	78	11
PICAYUNE	116	88	28
SOUTHAVEN	67	64	3
STARKVILLE	140	88	52
TUPELO	242	189	53
VICKSBURG	332	155	177
YAZOO CITY	193	80	113

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>24,568</u>	<u>15,803</u>	<u>8,765</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>290</u>	<u>169</u>	<u>121</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>12</u>	<u>5</u>	<u>7</u>
<u> 002-003</u>	<u>Typhoid and paratyphoid fevers, and other salmonella infections</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u> 003</u>	<u>Other salmonella infections</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u> 004,006</u>	<u>Shigellosis and amebiasis</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u> 006</u>	<u>Amebiasis</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u> 008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>10</u>	<u>4</u>	<u>6</u>
<u> 008</u>	<u>Intestinal infections due to other organisms</u>	<u>3</u>	<u>1</u>	<u>2</u>
<u> 009</u>	<u>Ill-defined intestinal infections</u>	<u>7</u>	<u>3</u>	<u>4</u>
<u>010-018</u>	<u>Tuberculosis</u>	<u>23</u>	<u>11</u>	<u>12</u>
<u> 010-012</u>	<u>Respiratory</u>	<u>20</u>	<u>10</u>	<u>10</u>
<u> 011</u>	<u>Pulmonary</u>	<u>20</u>	<u>10</u>	<u>10</u>
<u> 013-018</u>	<u>Other forms</u>	<u>3</u>	<u>1</u>	<u>2</u>
<u> 015</u>	<u>Bones and joints</u>	<u>2</u>	<u>0</u>	<u>2</u>
<u> 017</u>	<u>Other organs</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>2</u>	<u>2</u>	<u>0</u>
<u> 027</u>	<u>Other zoonotic bacterial diseases</u>	<u>2</u>	<u>2</u>	<u>0</u>
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>190</u>	<u>113</u>	<u>77</u>
<u> 031</u>	<u>Other diseases due to mycobacteria</u>	<u>2</u>	<u>2</u>	<u>0</u>
<u> 036</u>	<u>Meningococcal infection</u>	<u>3</u>	<u>3</u>	<u>0</u>
<u> 038</u>	<u>Septicemia</u>	<u>183</u>	<u>106</u>	<u>77</u>
<u> 041</u>	<u>Bacterial infection of unspecified site</u>	<u>2</u>	<u>2</u>	<u>0</u>
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>2</u>	<u>1</u>	<u>1</u>
<u> 046</u>	<u>Slow virus infection</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u> 049</u>	<u>Other non-arthropod-borne diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>4</u>	<u>4</u>	<u>0</u>
<u> 053</u>	<u>Herpes zoster</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u> 054</u>	<u>Herpes simplex</u>	<u>3</u>	<u>3</u>	<u>0</u>
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>15</u>	<u>11</u>	<u>4</u>
<u> 070</u>	<u>Viral hepatitis</u>	<u>11</u>	<u>7</u>	<u>4</u>
<u> 078</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>2</u>	<u>2</u>	<u>0</u>
<u> 079</u>	<u>Viral infection in conditions classified elsewhere and of unspecified site</u>	<u>2</u>	<u>2</u>	<u>0</u>
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u> 082</u>	<u>Tick-borne rickettsioses</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u> 090-097</u>	<u>Syphilis and its sequelae</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u> 094</u>	<u>Neurosyphilis</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-118</u>	<u>Mycoses</u>	<u>18</u>	<u>10</u>	<u>8</u>
<u> 112</u>	<u>Candidiasis</u>	<u>10</u>	<u>7</u>	<u>3</u>
<u> 115</u>	<u>Histoplasmosis</u>	<u>1</u>	<u>1</u>	<u>0</u>
<u> 116</u>	<u>Blastomycotic infection</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u> 117</u>	<u>Other mycoses</u>	<u>6</u>	<u>2</u>	<u>4</u>

Table 10 - Page 2
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>120-129</u>	<u>Helminthiases</u>	0	0	0
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	22	11	11
130	Toxoplasmosis	1	1	0
135	Sarcoidosis	9	0	9
136	Other and unspecified infectious and parasitic diseases	10	9	1
137	Late effects of tuberculosis	2	1	1
<u>140-239</u>	<u>NEOPLASMS</u>	<u>4,754</u>	<u>3,186</u>	<u>1,568</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>4,701</u>	<u>3,159</u>	<u>1,542</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>83</u>	<u>58</u>	<u>25</u>
140	Lip	1	1	0
141	Tongue	24	16	8
142	Major salivary glands	4	2	2
143	Gum	3	2	1
144	Floor of mouth	5	4	1
145	Other and unspecified parts of mouth	12	9	3
146	Oropharynx	10	5	5
147	Nasopharynx	8	8	0
148	Hypopharynx	6	4	2
149	Other and ill-defined sites	10	7	3
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,079</u>	<u>708</u>	<u>371</u>
150	Esophagus	72	44	28
151	Stomach	131	76	55
152	Small intestine, including duodenum	11	5	6
153	Colon	421	286	135
154	Rectum, rectosigmoid junction, and anus	57	32	25
155	Liver and intrahepatic bile ducts	71	51	20
156	Gallbladder and extrahepatic bile ducts	33	25	8
157	Pancreas	263	177	86
158	Retroperitoneum and peritoneum	4	3	1
159	Other and ill-defined sites	16	9	7
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,416</u>	<u>1,056</u>	<u>360</u>
160	Nasal cavities, middle ear, and accessory sinuses	9	5	4
161	Larynx	46	30	16
162	Trachea, bronchus, and lung	1,355	1,016	339
163	Pleura	4	4	0
164	Thymus, heart, and mediastinum	2	1	1
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>452</u>	<u>303</u>	<u>149</u>
170	Bone and articular cartilage	11	7	4
171	Connective and other soft tissue	26	16	10
172	Melanoma of skin	39	33	6
173	Skin, other	23	19	4
174	Female breast	351	227	124
175	Male breast	2	1	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>727</u>	<u>406</u>	<u>321</u>
(179-187)	(Genital organs)	551	287	264
179	Uterus, part unspecified	36	12	24
180	Cervix uteri	63	29	34

Table 10 - Page 3
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
182	Body of uterus	20	9	11
183	Ovary and other uterine adnexa	78	52	26
184	Other and unspecified female genital organs	14	9	5
185	Prostate	336	173	163
186	Testis	2	1	1
187	Penis and other male genital organs	2	2	0
(188, 189)	(Urinary organs)	176	119	57
188	Bladder	86	53	33
189	Kidney and other and unspecified urinary organs	90	66	24
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>493</u>	<u>317</u>	<u>176</u>
190	Eye	5	4	1
191	Brain	97	71	26
192	Other and unspecified parts of nervous system	4	1	3
193	Thyroid gland	5	2	3
194	Other endocrine glands and related structures	7	4	3
195	Other and ill-defined sites	32	19	13
199	Site unspecified	343	216	127
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>451</u>	<u>311</u>	<u>140</u>
200	Lymphosarcoma and reticulosarcoma	35	27	8
201	Hodgkin's disease	24	16	8
202	Other lymphoid and histiocytic tissue	95	74	21
203	Multiple myeloma and immunoproliferative neoplasms	110	60	50
(204-208)	(Leukemia)	187	134	53
204	Lymphatic	58	41	17
205	Myeloid	81	60	21
206	Monocytic	3	2	1
207	Other specified	3	2	1
208	Unspecified cell type	42	29	13
<u>210-229</u>	<u>Benign neoplasms</u>	<u>22</u>	<u>9</u>	<u>13</u>
211	Benign neoplasm of other parts of digestive system	3	3	0
212	Benign neoplasm of respiratory and intrathoracic organs	3	0	3
213	Benign neoplasm of bone and articular cartilage	1	0	1
214	Lipoma	1	0	1
215	Other benign neoplasm of connective and other soft tissue	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	9	4	5
227	Benign neoplasm of other endocrine glands and related structures	3	2	1
228	Hemangioma and lymphangioma, any site	1	0	1
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>31</u>	<u>18</u>	<u>13</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>10</u>	<u>7</u>	<u>3</u>
237	Endocrine glands and nervous system	3	2	1
238	Other and unspecified sites and tissues	7	5	2
239	Unspecified nature	21	11	10

Table 10 - Page 4
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>581</u>	<u>299</u>	<u>282</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>9</u>	<u>3</u>	<u>6</u>
240	Simple and unspecified goiter	1	0	1
242	Thyrotoxicosis with or without goiter	1	0	1
244	Acquired hypothyroidism	7	3	4
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>434</u>	<u>220</u>	<u>214</u>
250	Diabetes mellitus	425	214	211
251	Other disorders of pancreatic internal secretion	3	1	2
252	Disorders of parathyroid gland	1	1	0
253	Disorders of pituitary gland and its hypothalamic control	3	2	1
259	Other endocrine disorders	2	2	0
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>38</u>	<u>19</u>	<u>19</u>
260	Kwashiorkor	1	1	0
261	Nutritional marasmus	2	2	0
262	Other severe protein-calorie malnutrition	1	1	0
263	Other and unspecified protein-calorie malnutrition	31	14	17
265	Thiamine and niacin deficiency states	1	1	0
267	Ascorbic acid deficiency	1	0	1
269	Other nutritional deficiencies	1	0	1
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>100</u>	<u>57</u>	<u>43</u>
270	Disorders of amino-acid transport and metabolism	1	0	1
272	Disorders of lipid metabolism	3	2	1
273	Disorders of plasma protein metabolism	4	3	1
274	Gout	2	1	1
275	Disorders of mineral metabolism	3	1	2
276	Disorders of fluid, electrolyte, and acid-base balance	53	29	24
277	Other and unspecified disorders of metabolism	15	9	6
278	Obesity and other hyperalimentation	15	8	7
279	Disorders involving the immune mechanism	4	4	0
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>91</u>	<u>49</u>	<u>42</u>
<u>280-285</u>	<u>Anemias</u>	<u>46</u>	<u>21</u>	<u>25</u>
281	Other deficiency	3	2	1
282	Hereditary hemolytic	12	1	11
283	Acquired hemolytic	2	1	1
284	Aplastic	12	8	4
285	Other and unspecified	17	9	8
286	Coagulation defects	10	5	5
287	Purpura and other hemorrhagic conditions	10	7	3
288	Diseases of white blood cells	9	5	4
289	Other diseases of blood and blood-forming organs	16	11	5
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>175</u>	<u>105</u>	<u>70</u>
<u>290-299</u>	<u>Psychoses</u>	<u>44</u>	<u>25</u>	<u>19</u>
290	Senile and presenile organic psychotic conditions	24	14	10
291	Alcoholic psychoses	2	0	2

Table 10 - Page 5
Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
295	Schizophrenic psychoses	9	5	4
298	Other nonorganic psychoses	9	6	3
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>125</u>	<u>78</u>	<u>47</u>
303	Alcohol dependence syndrome	51	23	28
304	Drug dependence	1	1	0
305	Nondependent abuse of drugs	5	4	1
306	Physiological malfunction arising from mental factors	1	0	1
307	Special symptoms or syndromes not elsewhere classified	1	1	0
310	Specific nonpsychotic mental disorders following organic brain damage	66	49	17
<u>317-319</u>	<u>Mental retardation</u>	<u>6</u>	<u>2</u>	<u>4</u>
318	Other specified	2	0	2
319	Unspecified	4	2	2
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>299</u>	<u>215</u>	<u>84</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>23</u>	<u>12</u>	<u>11</u>
320	Bacterial meningitis	7	3	4
322	Meningitis of unspecified cause	9	6	3
323	Encephalitis, myelitis, and encephalomylitis	4	2	2
324	Intracranial and intraspinal abscess	2	1	1
326	Late effects of intracranial abscess or pyogenic infection	1	0	1
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>164</u>	<u>136</u>	<u>28</u>
331	Other cerebral degenerations	86	71	15
332	Parkinson's disease	35	30	5
333	Other extrapyramidal disease and abnormal movement disorders	10	7	3
334	Spinocerebellar disease	2	2	0
335	Anterior horn cell disease	31	26	5
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>90</u>	<u>53</u>	<u>37</u>
340	Multiple sclerosis	8	7	1
342	Hemiplegia	2	1	1
343	Infantile cerebral palsy	4	2	2
344	Other paralytic syndromes	7	4	3
345	Epilepsy	30	13	17
348	Other conditions of brain	38	26	12
349	Other and unspecified disorders of the nervous system	1	0	1
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>20</u>	<u>13</u>	<u>7</u>
352	Disorders of other cranial nerves	1	1	0
356	Hereditary and idiopathic peripheral neuropathy	3	1	2
357	Inflammatory and toxic neuropathy	3	3	0
358	Myoneural disorders	5	2	3
359	Muscular dystrophies and other myopathies	8	6	2
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>0</u>	<u>1</u>
360	Disorders of the globe	1	0	1

Table 10 - Page 6
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	1	1	0
<u> 381-383</u>	<u>Otitis media and mastoiditis</u>	1	1	0
382	Suppurative and unspecified otitis media	1	1	0
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,293</u>	<u>7,499</u>	<u>3,794</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	1	0	1
390	Rheumatic fever without mention of heart involvement	1	0	1
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>34</u>	<u>23</u>	<u>11</u>
394	Diseases of mitral valve	19	14	5
395	Diseases of aortic valve	1	1	0
396	Diseases of mitral and aortic valves	6	5	1
397	Diseases of other endocardial structures	1	0	1
398	Other rheumatic heart disease	7	3	4
<u>401-405</u>	<u>Hypertensive disease</u>	<u>502</u>	<u>193</u>	<u>309</u>
<u> 401,403</u>	<u>Hypertension with or without renal disease</u>	<u>107</u>	<u>42</u>	<u>65</u>
401	Essential hypertension	54	17	37
403	Hypertensive renal disease	53	25	28
<u> 402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>395</u>	<u>151</u>	<u>244</u>
402	Hypertensive heart disease	339	127	212
404	Hypertensive heart and renal disease	56	24	32
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>5,343</u>	<u>3,875</u>	<u>1,468</u>
410	Acute myocardial infarction	3,507	2,481	1,026
411	Other acute and subacute forms of ischemic heart disease	17	12	5
412	Old myocardial infarction	12	10	2
413	Angina pectoris	14	10	4
414	Other forms of chronic ischemic heart disease	1,793	1,362	431
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>209</u>	<u>116</u>	<u>93</u>
415	Acute pulmonary heart disease	192	104	88
416	Chronic pulmonary heart disease	17	12	5
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>2,746</u>	<u>1,733</u>	<u>1,013</u>
420	Acute pericarditis	1	1	0
421	Acute and subacute endocarditis	9	3	6
422	Acute myocarditis	2	0	2
423	Other diseases of pericardium	6	1	5
424	Other diseases of endocardium	73	51	22
425	Cardiomyopathy	157	92	65
426	Conduction disorders	10	5	5
427	Cardiac dysrhythmias	835	479	356
428	Heart failure	543	348	195
429	Ill-defined heart diseases	1,110	753	357
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,972</u>	<u>1,229</u>	<u>743</u>
430	Subarachnoid hemorrhage	64	49	15
431	Intracerebral hemorrhage	191	98	93
432	Other and unspecified intracranial hemorrhage	16	7	9
433	Occlusion and stenosis of precerebral arteries	22	16	6
434	Occlusion of cerebral arteries	316	208	108

Table 10 - Page 7
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
435	Transient cerebral ischemia	7	4	3
436	Acute but ill-defined cerebrovascular disease	1,136	693	443
437	Other and ill-defined cerebrovascular disease	134	105	29
438	Late effects of cerebrovascular disease	86	49	37
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>423</u>	<u>293</u>	<u>130</u>
440	Atherosclerosis	223	149	74
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>200</u>	<u>144</u>	<u>56</u>
441	Aortic aneurysm	125	96	29
442	Other aneurysm	8	3	5
443	Other peripheral vascular disease	29	15	14
444	Arterial embolism and thrombosis	15	13	2
446	Polyarteritis nodosa and allied conditions	10	5	5
447	Other disorders of arteries and arterioles	12	11	1
448	Diseases of capillaries	1	1	0
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>63</u>	<u>37</u>	<u>26</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>26</u>	<u>18</u>	<u>8</u>
451	Phlebitis and thrombophlebitis	24	17	7
453	Other venous embolism and thrombosis	2	1	1
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>37</u>	<u>19</u>	<u>18</u>
456	Varicose veins of other sites	2	2	0
457	Noninfective disorders of lymphatic channels	1	1	0
458	Hypotension	9	5	4
459	Other disorders of circulatory system	25	11	14
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,633</u>	<u>1,230</u>	<u>403</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>19</u>	<u>7</u>	<u>12</u>
460	Acute nasopharyngitis (common cold)	3	0	3
464	Acute laryngitis and tracheitis	2	2	0
465	Acute upper respiratory infection of multiple or unspecified sites	8	2	6
466	Acute bronchitis and bronchiolitis	6	3	3
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
473	Chronic sinusitis	1	1	0
478	Other diseases of upper respiratory tract	2	1	1
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>663</u>	<u>472</u>	<u>191</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>617</u>	<u>437</u>	<u>180</u>
480	Viral	11	8	3
481	Pneumococcal	22	17	5
482	Other bacterial	34	23	11
483	Due to other specified organism	2	2	0
485	Broncho, organism unspecified	62	44	18
486	Organism unspecified	486	343	143
487	Influenza	46	35	11
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>689</u>	<u>560</u>	<u>129</u>
<u>490-491</u>	<u>Chronic and unqualified bronchitis</u>	<u>17</u>	<u>16</u>	<u>1</u>
490	Unqualified	3	3	0
491	Chronic	14	13	1
492	Emphysema	90	74	16

Table 10 - Page 8
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
493	Asthma	51	26	25
494	Bronchiectasis	12	12	0
496	Chronic airways obstruction, not elsewhere classified	519	432	87
<u>500-508</u>	<u>Pneumonconioses and other lung diseases due to external agents</u>	<u>81</u>	<u>65</u>	<u>16</u>
500	Coalworkers' pneumoconiosis	1	1	0
501	Asbestosis	3	3	0
506	Respiratory conditions due to chemical fumes and vapors	3	3	0
507	Pneumonitis due to solids and liquids	74	58	16
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>178</u>	<u>124</u>	<u>54</u>
510	Empyema	6	5	1
511	Pleurisy	12	9	3
512	Pneumothorax	5	3	2
513	Abscess of lung and mediastinum	6	1	5
514	Pulmonary congestion and hypostasis	10	7	3
515	Postinflammatory pulmonary fibrosis	39	31	8
516	Other alveolar and parietoalveolar pneumopathy	8	6	2
518	Other diseases of lung	74	49	25
519	Other diseases of respiratory system	18	13	5
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>757</u>	<u>545</u>	<u>212</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>2</u>	<u>0</u>	<u>2</u>
528	Diseases of the oral soft tissues, excluding gingiva and tongue	2	0	2
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>70</u>	<u>53</u>	<u>17</u>
530	Diseases of esophagus	9	7	2
<u>531-533</u>	<u>Peptic ulcer</u>	<u>47</u>	<u>35</u>	<u>12</u>
531	Gastric ulcer	19	16	3
532	Duodenal ulcer	12	8	4
533	Peptic ulcer, site unspecified	16	11	5
534	Gastrojejunal ulcer	1	1	0
535	Gastritis and duodenitis	4	3	1
536	Disorders of function of stomach	4	4	0
537	Other disorders of stomach and duodenum	5	3	2
<u>540-543</u>	<u>Appendicitis</u>	<u>8</u>	<u>6</u>	<u>2</u>
540	Acute appendicitis	6	5	1
541	Appendicitis, unqualified	2	1	1
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>20</u>	<u>13</u>	<u>7</u>
550	Inguinal	3	2	1
551	Other, of abdominal cavity, with gangrene	5	2	3
552	Other, of abdominal cavity with obstruction, without mention of gangrene	6	4	2
553	Other, of abdominal cavity without mention of obstruction or gangrene	6	5	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>114</u>	<u>92</u>	<u>22</u>
555	Regional enteritis	4	4	0
556	Idiopathic proctocolitis	1	1	0
557	Vascular insufficiency of intestine	88	70	18
558	Other noninfective gastroenteritis and colitis	21	17	4

Table 10 - Page 9
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>124</u>	<u>83</u>	<u>41</u>
560	Intestinal obstruction without mention of hernia	59	38	21
562	Diverticula of intestine	33	25	8
564	Functional digestive disorders, not elsewhere classified	5	2	3
565	Anal fissure and fistula	1	1	0
566	Abscess of anal and rectal regions	2	1	1
567	Peritonitis	8	4	4
568	Other disorders of peritoneum	5	3	2
569	Other disorders of intestine	11	9	2
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>419</u>	<u>298</u>	<u>121</u>
570	Acute and subacute necrosis of liver	9	4	5
571	Chronic liver disease and cirrhosis	214	160	54
572	Liver abscess and sequelae of chronic liver disease	40	25	15
573	Other disorders of liver	27	18	9
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>31</u>	<u>23</u>	<u>8</u>
574	Cholelithiasis	9	8	1
575	Other disorders of gallbladder	22	15	7
576	Other disorders of biliary tract	7	5	2
577	Diseases of pancreas	31	22	9
578	Gastrointestinal hemorrhage	60	41	19
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>532</u>	<u>300</u>	<u>232</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>314</u>	<u>172</u>	<u>142</u>
580	Acute glomerulonephritis	3	2	1
581	Nephrotic syndrome	4	2	2
582	Chronic glomerulonephritis	25	12	13
583	Nephritis and nephropathy, unqualified	1	1	0
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>281</u>	<u>155</u>	<u>126</u>
584	Acute	53	33	20
585	Chronic	64	27	37
586	Unspecified	164	95	69
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>209</u>	<u>125</u>	<u>84</u>
590	Infections of kidney	31	24	7
<u>592, 594</u>	<u>Calculus of urinary system</u>	<u>3</u>	<u>2</u>	<u>1</u>
592	Of kidney and ureter	3	2	1
593	Other disorders of kidney and ureter	36	10	26
596	Other disorders of bladder	2	1	1
597	Urethritis, not sexually transmitted, and urethral syndrome	1	0	1
598	Urethral stricture	1	0	1
599	Other disorders of urethra and urinary tract	135	88	47
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>8</u>	<u>3</u>	<u>5</u>
600	Hyperplasia of prostate	4	0	4
602	Other disorders of prostate	1	0	1
607	Disorders of penis	2	2	0
608	Other disorders of male genital organs	1	1	0
<u>610, 611</u>	<u>Disorders of breast</u>	<u>1</u>	<u>0</u>	<u>1</u>
611	Other disorders of breast	1	0	1

Table 10 - Page 10
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	0	0	0
<u>617-629</u>	<u>Other disorders of female genital tract</u>	0	0	0
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	3	2	1
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	0	0	0
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	3	2	1
641	Antepartum hemorrhage, abruptio placenta, and placenta previa	1	1	0
647	Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	1	0
648	Other current conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	1	0
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	1	0	1
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	0	0	0
<u>670-676</u>	<u>Complications of the puerperium</u>	0	0	0
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	80	44	36
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	13	9	4
680	Carbuncle and furuncle	1	0	1
682	Other cellulitis and abscess	9	7	2
686	Other local infections of skin and subcutaneous tissue	3	2	1
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	2	1	1
694	Bullous dermatoses	1	1	0
695	Erythematous conditions	1	0	1
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	65	34	31
707	Chronic ulcer of skin	63	32	31
709	Other disorders of skin and subcutaneous tissue	2	2	0
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	78	51	27
<u>710-719</u>	<u>Arthropathies and related disorders</u>	52	33	19
710	Diffuse diseases of connective tissue	25	13	12
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	27	20	7
714	Rheumatoid arthritis and other inflammatory polyarthropathies	21	15	6
715	Osteoarthritis and allied disorders	5	5	0
716	Other and unspecified arthropathies	1	0	1
<u>720-724</u>	<u>Dorsopathies</u>	5	5	0
720	Ankylosing spondylitis and other inflammatory spondylopathies	2	2	0
721	Spondylosis and allied disorders	3	3	0

Table 10 - Page 11
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>10</u>	<u>4</u>	<u>6</u>
728	Disorders of muscle, ligament, and fascia	6	3	3
729	Other disorders of soft tissues	4	1	3
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>11</u>	<u>9</u>	<u>2</u>
730	Osteomyelitis, periostitis, and other infections involving bone	2	1	1
733	Other disorders of bone and cartilage	8	8	0
737	Curvature of spine	1	0	1
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>159</u>	<u>86</u>	<u>73</u>
<u>740-742</u>	<u>Nervous system</u>	<u>13</u>	<u>8</u>	<u>5</u>
740	Anencephalus and similar anomalies	5	3	2
741	Spina bifida	4	1	3
742	Other congenital anomalies of nervous system	4	4	0
<u>743,744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>78</u>	<u>47</u>	<u>31</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	15	9	6
746	Heart	43	26	17
747	Other congenital anomalies of circulatory system	20	12	8
748	Respiratory system	16	7	9
<u>749-751</u>	<u>Digestive system</u>	<u>5</u>	<u>1</u>	<u>4</u>
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	4	0	4
<u>752,753</u>	<u>Genitourinary system</u>	<u>11</u>	<u>7</u>	<u>4</u>
752	Genital organs	1	0	1
753	Urinary system	10	7	3
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>12</u>	<u>8</u>	<u>4</u>
756	Other congenital musculoskeletal anomalies	12	8	4
758	Chromosomal anomalies	12	4	8
759	Other and unspecified congenital anomalies	12	4	8
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>280</u>	<u>88</u>	<u>192</u>
760	Maternal conditions unrelated to present pregnancy	2	2	0
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>26</u>	<u>10</u>	<u>16</u>
761	Maternal complications of pregnancy	18	8	10
762	Complications of placenta, cord, and membranes	6	1	5
763	Other complications of labor and delivery	2	1	1
764	Slow fetal growth and fetal malnutrition	1	0	1
<u>765,766</u>	<u>Disorders relating to gestation</u>	<u>48</u>	<u>7</u>	<u>41</u>
765	Short gestation and unspecified low birthweight	48	7	41
767	Birth trauma	2	2	0

Table 10 - Page 12
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>133</u>	<u>50</u>	<u>83</u>
768	Intrauterine hypoxia and birth asphyxia	33	8	25
769	Respiratory distress syndrome	70	27	43
770	Other respiratory conditions of fetus and newborn	30	15	15
771	Infections specific to the perinatal period	25	5	20
772	Fetal and neonatal hemorrhage	5	1	4
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
776	Hematological disorders of fetus and newborn	1	0	1
777	Perinatal disorders of digestive system	9	3	6
778	Conditions involving the integument and temperature regulation of fetus and newborn	2	1	1
779	Other and ill-defined conditions originating in the perinatal period	25	7	18
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>1,497</u>	<u>671</u>	<u>826</u>
<u>780-789</u>	<u>Symptoms</u>	<u>12</u>	<u>5</u>	<u>7</u>
780	General	6	1	5
785	Involving cardiovascular system	5	4	1
786	Involving respiratory system and other chest symptoms	1	0	1
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>1,485</u>	<u>666</u>	<u>819</u>
797	Senility without mention of psychosis	25	13	12
798	Sudden death, cause unknown	86	31	55
799	Other ill-defined and unknown causes	1,374	622	752
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,066</u>	<u>1,264</u>	<u>802</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,443</u>	<u>903</u>	<u>540</u>
<u>800-807</u>	<u>Railway</u>	<u>4</u>	<u>3</u>	<u>1</u>
805	Hit by rolling stock	4	3	1
<u>810-825</u>	<u>Motor vehicle</u>	<u>683</u>	<u>459</u>	<u>224</u>
(810-819)	(Traffic)	664	446	218
810	Involving collision with train	9	6	3
812	Involving collision with another motor vehicle	221	158	63
813	Involving collision with other vehicle	8	4	4
814	Involving collision with pedestrian	73	37	36
815	Other involving collision on the highway	57	41	16
816	Due to loss of control, without collision on the highway	225	148	77
818	Other noncollision	5	3	2
819	Of unspecified nature	66	49	17
(820-825)	(Nontraffic)	19	13	6
821	Involving other off-road motor vehicle	3	3	0
822	Involving collision of other motor vehicle with moving object	3	2	1
825	Of other and unspecified nature	13	8	5

Table 10 - Page 13
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>826-829</u>	<u>Other road vehicle</u>	2	0	2
826	Pedal cycle accident	2	0	2
<u>830-838</u>	<u>Water transport</u>	41	28	13
830	Accident to watercraft causing submersion	15	11	4
832	Other submersion or drowning in water transport	23	14	9
838	Other and unspecified	3	3	0
<u>840-845</u>	<u>Air and space transport</u>	9	9	0
841	Accident to powered aircraft, other and unspecified	9	9	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	0	0	0
<u>850-869</u>	<u>Poisoning</u>	48	27	21
(850-858)	(By drugs, medicaments, and biologicals)	26	15	11
850	Analgesics, antipyretics, antirheumatics	3	3	0
851	Barbiturates	1	1	0
852	Other sedatives and hypnotics	1	1	0
853	Tranquillizers	2	0	2
855	Other drugs acting on central and autonomic nervous systems	2	0	2
856	Antibiotics	3	2	1
858	Other drugs	14	8	6
(860-869)	(By other solid and liquid substances, gases, and vapors)	22	12	10
860	Alcohol, not elsewhere classified	1	0	1
861	Cleansing and polishing agents, disinfectants, paints, and varnishes	1	0	1
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	1	1	0
866	Other and unspecified solid and liquid substances	2	1	1
868	Other utility gas and other carbon monoxide	12	6	6
869	Other gases and vapors	5	4	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	0	0	0
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	29	21	8
878	Surgical operation or other surgical procedure	18	14	4
879	Other procedures	11	7	4
<u>880-888</u>	<u>Falls</u>	107	86	21
880	On or from stairs or steps	3	3	0
881	On or from ladders or scaffolding	1	1	0
882	From or out of building or other structure	6	3	3
883	Into hole or other opening in surface	2	0	2
884	Other from one level to another	4	2	2
885	On same level from slipping, tripping, or stumbling	1	0	1
887	Fracture, cause unspecified	58	50	8
888	Other and unspecified fall	32	27	5

Table 10 - Page 14
 Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>137</u>	<u>52</u>	<u>85</u>
890	Conflagration in private dwelling	116	40	76
891	Conflagration in other and unspecified building or structure	4	4	0
893	Ignition of clothing	5	2	3
894	Ignition of highly inflammable material	1	0	1
895	Controlled fire in private dwelling	3	2	1
898	Other specified fire and flames	3	2	1
899	Unspecified fire	5	2	3
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>38</u>	<u>14</u>	<u>24</u>
900	Excessive heat	9	4	5
901	Excessive cold	18	3	15
904	Hunger, thirst, exposure, and neglect	6	2	4
905	Venomous animals and plants as the cause of poisoning and toxic reactions	2	2	0
906	Other injury caused by animals	1	1	0
908	Cataclysmic storms and floods resulting from storms	2	2	0
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>161</u>	<u>84</u>	<u>77</u>
910	Drowning and submersion	84	33	51
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	22	15	7
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	41	27	14
913	Mechanical suffocation	12	7	5
915	Foreign body accidentally entering other orifice	2	2	0
<u>916-929</u>	<u>Other accidents</u>	<u>181</u>	<u>118</u>	<u>63</u>
916	Struck by falling object	17	12	5
917	Striking against or struck by objects or persons	4	1	3
918	Caught accidentally in or between objects	1	1	0
919	Caused by machinery	24	19	5
920	Caused by cutting and piercing instruments or objects	4	2	2
921	Caused by explosion of pressure vessel	1	1	0
922	Caused by firearm missile	64	41	23
923	Caused by explosive material	6	3	3
924	Caused by hot substance or object, caustic or corrosive material, and steam	4	0	4
925	Caused by electric current	17	14	3
927	Overexertion and strenuous movements	1	1	0
928	Other and unspecified environmental and accidental causes	28	17	11
929	Late effects of accidental injury	10	6	4
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>3</u>	<u>2</u>	<u>1</u>
933	Primarily systemic agents	1	1	0
934	Agents primarily affecting blood constituents	1	1	0
938	Other central nervous system depressants	1	0	1

Table 10 - Page 15
Deaths - Mississippi - 1985

International Classification Number*	Cause*	Total	White	Non-white
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	271	221	50
<u>950-952</u>	<u>By poisoning</u>	32	27	5
950	By solid or liquid substances	25	20	5
952	By other gases and vapors	7	7	0
953	By hanging, strangulation, and suffocation	14	9	5
954	By submersion (drowning)	1	1	0
955	By firearms and explosives	214	181	33
956	By cutting and piercing instruments	5	1	4
957	By jumping from high place	2	2	0
958	By other and unspecified means	3	0	3
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons: legal intervention</u>	308	110	198
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	305	109	196
962	Assault by poisoning	1	0	1
963	Assault by hanging and strangulation	7	3	4
964	Assault by submersion (drowning)	1	1	0
965	Assault by firearms and explosives	199	78	121
966	Assault by cutting and piercing instrument	55	9	46
967	Child battering and other maltreatment	2	0	2
968	Assault by other and unspecified means	39	18	21
969	Late effects of injury purposely inflicted by other person	1	0	1
<u>970-978</u>	<u>Legal intervention</u>	3	1	2
970	Injury by firearms	3	1	2
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	43	29	14
980	Poisoning by solid or liquid substances	6	5	1
984	Submersion (drowning)	2	0	2
985	Injury by firearms and explosives	24	19	5
988	Injury by other and unspecified means	11	5	6
<u>990-999</u>	<u>Injury resulting from operations of war</u>	1	1	0
999	Late effects of injury due to war operations	1	1	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 1
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1985

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	AGE										65 AND OVER	M N	
		TOTAL BY RACE AND SEX	5- 9	10- 14	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49			
<u>001-999</u>	<u>ALL CAUSES</u>	<u>24,568</u>	<u>9.2</u>	<u>W</u>	<u>15,803</u>	<u>M</u>	<u>8,613</u>	<u>124</u>	<u>34</u>	<u>22</u>	<u>30</u>	<u>236</u>	<u>632</u>	<u>1,419</u>
				<u>NW</u>	<u>8,765</u>	<u>F</u>	<u>7,190</u>	<u>89</u>	<u>19</u>	<u>17</u>	<u>13</u>	<u>89</u>	<u>86</u>	<u>5,584</u>
						<u>M</u>	<u>4,727</u>	<u>222</u>	<u>47</u>	<u>21</u>	<u>29</u>	<u>162</u>	<u>220</u>	<u>267</u>
						<u>F</u>	<u>4,038</u>	<u>161</u>	<u>27</u>	<u>20</u>	<u>14</u>	<u>62</u>	<u>98</u>	<u>754</u>
														<u>5,713</u>
														<u>662</u>
														<u>2,754</u>
														<u>2,805</u>
														<u>10</u>
														<u>5</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>290</u>	<u>10.9</u>	<u>W</u>	<u>169</u>	<u>M</u>	<u>89</u>	<u>4</u>	<u>2</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>57</u>
				<u>NW</u>	<u>121</u>	<u>F</u>	<u>80</u>	<u>6</u>	<u>6</u>	<u>6</u>	<u>1</u>	<u>1</u>	<u>53</u>	<u>1,187</u>
						<u>M</u>	<u>52</u>	<u>69</u>						<u>875</u>
														<u>590</u>
														<u>416</u>
														<u>10</u>
<u>010-018</u>	<u>TUBERCULOSIS</u>	<u>23</u>	<u>0.9</u>	<u>W</u>	<u>11</u>	<u>M</u>	<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>
				<u>NW</u>	<u>12</u>	<u>F</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>
						<u>M</u>	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>
														<u>0</u>
<u>070</u>	<u>VIRAL HEPATITIS</u>	<u>11</u>	<u>0.4</u>	<u>W</u>	<u>7</u>	<u>M</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>
				<u>NW</u>	<u>4</u>	<u>F</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
						<u>M</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
														<u>0</u>
<u>140-208</u>	<u>MALIGNANT NEOPLASMS</u>	<u>4,701</u>	<u>177.0</u>	<u>W</u>	<u>3,159</u>	<u>M</u>	<u>1,828</u>	<u>0</u>	<u>1</u>	<u>8</u>	<u>20</u>	<u>55</u>	<u>156</u>	<u>3,93</u>
				<u>NW</u>	<u>1,542</u>	<u>F</u>	<u>1,331</u>	<u>885</u>	<u>1</u>	<u>0</u>	<u>10</u>	<u>51</u>	<u>103</u>	<u>275</u>
						<u>M</u>	<u>657</u>	<u>657</u>			<u>3</u>	<u>35</u>	<u>68</u>	<u>66</u>
														<u>119</u>
														<u>416</u>
														<u>10</u>
<u>210-239</u>	<u>BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE</u>	<u>53</u>	<u>2.0</u>	<u>W</u>	<u>27</u>	<u>M</u>	<u>13</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>9</u>
				<u>NW</u>	<u>26</u>	<u>F</u>	<u>14</u>	<u>14</u>	<u>12</u>	<u>12</u>	<u>12</u>	<u>12</u>	<u>7</u>	<u>7</u>

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1985

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		TOTAL BY SEX	TOTAL BY RACE	TOTAL BY RACE AND SEX	AGE						
		NUMBER	RATE#				1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	5.81	21.9	W	299	M F	113 186	100 110	102 112	1 1	3 4	8 5	12 5
250	DIABETES MELLITUS	425	16.0	W	214	M F	77 137	0 82	0 0	0 1	2 1	5 7	8 5
260-269	NUTRITIONAL DEFICIENCIES	3.8	1.4	W	19	M F	6 13	0 0	0 0	0 1	0 0	0 0	0 0
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	9.1	3.4	W	49	M F	26 23	0 0	1 0	0 0	1 0	1 0	6 1
280-285	ANEMIAS	4.6	1.7	W	21	M F	7 14	0 0	1 0	0 0	0 1	0 0	0 0
290-319	MENTAL DISORDERS	175	6.6	W	105	M F	52 43	0 27	0 0	0 0	3 0	9 1	27 18
303	ALCOHOLISM	51	1.9	W	23	M F	20 23	0 5	0 0	0 0	3 0	8 5	2 0

TABLE 111 - PAGE 3
DEATHS - MISSISSIPPI - 1985

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		COA #	TOTAL BY RACE	SEX	AGE						
		NUMBER	RATE#				1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	299	11.2	W	215	M	135	2	1	3	7	14	19
				NW	84	F	80	1	1	1	2	8	8
					37	P	47	3	1	1	2	5	5
320-322	MENINGITIS	16	0.6	W	9	M	5	2	0	1	0	0	0
				NW	7	F	4	0	0	0	0	0	0
					3	P	3	2	1	0	0	0	0
345	EPILEPSY	30	1.1	W	13	M	10	0	0	1	1	2	1
				NW	17	F	3	0	0	0	0	0	0
					6	P	11	0	0	0	3	2	2
390-459	DISEASES OF THE CIRCULATORY SYSTEM	11,293	425.1	W	7,499	M	3,792	6	1	0	4	9	77
				NW	3,794	F	3,707	4	1	0	5	14	29
					9	P	1,829	11	2	1	0	25	77
					965		1,965	2	2	0	1	22	43
									1	1	1	22	43
390-398,	HEART DISEASES	8,728	328.5	W	5,898	M	3,139	5	1	0	4	9	67
402, 404-429				NW	2,830	F	2,759	4	1	0	4	13	59
					9	P	1,380	9	2	1	0	20	49
					9		1,450	9	2	0	1	8	14
401, 403	HYPERTENSION	107	4.0	W	42	M	26	0	0	0	0	0	1
				NW	65	F	16	0	0	0	0	0	0
					23	P	23	0	0	0	0	0	0
					42		42	0	0	0	0	0	0
430-438	CEREBROVASCULAR DISEASES	1,972	74.2	W	1,229	M	468	1	0	0	0	6	26
				NW	743	F	761	0	0	1	0	14	16
					347	P	347	1	0	0	2	4	40
					396		396	0	0	0	1	3	18
									1	0	0	6	46
										1	0	1	1

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1985

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		TOTAL BY RACE	TOTAL BY SEX	TOTAL BY RACE AND SEX		AGE										
		TOTAL NUMBER	RATE#			1-	5-	10-	15-	25-	35-	45-	55-	65 AND OVER				
440	ATHEROSCLEROSIS	223	8.4	W	149	M	57	0	0	0	0	0	1	55	0			
				NW	74	F	92	0	0	0	0	0	0	92	0			
					30	M	30	0	0	0	0	0	1	27	0			
					44	F	44	0	0	0	0	0	0	3	41	0		
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,633	61.5	W	1,230	M	712	5	3	0	4	1	8	87	585	0		
				NW	403	M	518	5	1	1	2	1	13	59	431	0		
					247	F	247	12	3	0	1	6	8	35	173	0		
					156		8	2	3	1	1	5	18	109	1			
480-486	PNEUMONIA	617	23.2	W	437	M	219	2	1	0	0	2	0	5	23	183	0	
				NW	180	M	218	4	0	0	1	0	0	2	16	195	0	
					98	F	98	4	2	0	1	4	1	5	7	72	0	
					82		5	1	2	0	0	1	2	1	6	63	1	
487	INFLUENZA	46	1.7	W	35	M	12	0	0	0	0	0	0	1	2	9	0	
				NW	11	M	23	1	0	0	0	0	0	1	2	19	0	
					6	F	6	0	0	0	0	0	0	0	0	5	0	
					5		1	0	0	0	0	0	0	0	0	4	0	
492	EMPHYSEMA	90	3.4	W	74	M	55	0	0	0	0	0	0	4	8	43	0	
				NW	16	M	16	0	0	0	0	0	0	0	3	16	0	
					0	F	0	0	0	0	0	0	0	0	3	13	0	
													0	0	0	0		
490,491, 493-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS	599	22.5	W	486	M	322	0	0	0	0	0	3	5	43	271	0	
				NW	113	M	164	0	0	0	1	0	2	7	31	123	0	
					79	F	79	0	0	0	1	1	3	1	0	20	54	0
					34		0	0	1	1	1	0	1	3	6	21	0	
520-579	DISEASES OF THE DIGESTIVE SYSTEM	757	28.5	W	545	M	284	2	1	0	1	0	17	32	49	181	0	
				NW	212	M	261	3	2	1	0	0	10	19	17	187	0	
					114	F	98	2	1	0	0	0	5	5	11	67	0	

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1985

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL NUMBER RATE#		TOTAL BY RACE#	TOTAL BY RACE, SEX	TOTAL BY RACE AND SEX	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65 AND OVER	AGE AND SEX
		TOTAL	PER 100,000													
531-533	ULCER OF STOMACH AND DUODENUM	47	1.8	W	35	M	19	1	0	0	0	0	0	1	2	15 0
571	CHRONIC LIVER DISEASE AND CIRRHOsis	214	8.0	W	160	M	102	0	0	0	0	1	11	23	32	35 0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	532	20.0	W	300	M	135	0	1	0	3	4	9	118	0	148 0
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	314	11.8	W	172	M	82	0	0	1	0	1	4	8	68	0
590	INFECTIONS OF KIDNEY	31	1.2	W	24	M	8	0	0	0	0	0	0	0	8	0
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE Puerperium	3	6.9	W	2	M	0	0	0	0	0	0	0	0	0	0
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	80	3.0	W	44	M	24	0	0	0	0	0	0	0	3	20 15 19 20 15 19

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1985

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		RACE#	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX		1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64	65 AND OVER	NK	
		NUMBER	RATE#																
950-959	SUICIDE	271	10.2	W	221	M	176	0	0	0	0	2	30	25	23	24	23	49	0
				NW	50	M	45	0	0	0	0	0	0	8	8	5	8	8	0
						M	41	0	0	0	0	0	11	13	7	5	2	3	0
						F	9	0	0	0	0	0	3	0	1	3	0	2	0
960-978	HOMICIDE AND LEGAL INTERVENTION	308	11.6	W	110	M	70	0	1	0	0	0	11	16	15	14	5	8	0
				NW	198	M	40	1	1	0	1	0	4	8	7	10	5	2	1
						M	157	0	1	0	1	0	42	55	30	10	11	6	1
						F	41	0	2	2	0	9	11	7	4	2	4	0	

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1985

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>596</u>	<u>213</u>	<u>383</u>	<u>368</u>	<u>127</u>	<u>241</u>	<u>228</u>	<u>86</u>	<u>142</u>
ADAMS	13	2	11	10	2	8	3	0	3
ALCORN	2	2	0	0	0	0	2	2	0
AMITE	3	1	2	1	0	1	2	1	1
ATTALA	3	0	3	1	0	1	2	0	2
BENTON	1	0	1	0	0	0	1	0	1
BOLIVAR	6	1	5	3	1	2	3	0	3
CALHOUN	1	1	0	1	1	0	0	0	0
CARROLL	4	0	4	3	0	3	1	0	1
CHICKASAW	6	3	3	4	2	2	2	1	1
CHOCTAW	3	0	3	3	0	3	0	0	0
CLAIBORNE	4	0	4	1	0	1	3	0	3
CLARKE	1	0	1	1	0	1	0	0	0
CLAY	4	1	3	2	0	2	2	1	1
COAHOMA	14	2	12	9	1	8	5	1	4
COPIAH	2	0	2	1	0	1	1	0	1
COVINGTON	5	1	4	3	1	2	2	0	2
DESOTO	12	10	2	9	8	1	3	2	1
FORREST	16	5	11	9	2	7	7	3	4
FRANKLIN	2	1	1	2	1	1	0	0	0
GEORGE	5	4	1	4	4	0	1	0	1
GREENE	2	1	1	2	1	1	0	0	0
GRENADE	6	2	4	3	0	3	3	2	1
HANCOCK	6	4	2	3	2	1	3	2	1
HARRISON	33	23	10	16	10	6	17	13	4
HINDS	52	9	43	40	8	32	12	1	11
HOLMES	17	1	16	7	1	6	10	0	10
HUMPHREYS	12	2	10	8	2	6	4	0	4
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	0	0	0	0	0	0	0	0	0
JACKSON	31	18	13	20	14	6	11	4	7
JASPER	5	4	1	5	4	1	0	0	0
JEFFERSON	5	0	5	2	0	2	3	0	3
JEFF DAVIS	0	0	0	0	0	0	0	0	0
JONES	17	7	10	11	4	7	6	3	3
KEMPER	5	1	4	4	0	4	1	0	0
LAFAYETTE	0	0	0	0	0	0	0	0	0
LAMAR	3	3	0	1	1	0	2	2	0
LAUDERDALE	21	3	18	11	2	9	10	1	9
LAWRENCE	2	1	1	0	0	0	2	1	1
LEAKE	6	2	4	4	2	2	2	0	2
LEE	10	5	5	7	4	3	3	1	2
LEFLORE	13	5	8	11	4	7	2	1	1

TABLE 12A - PAGE 2
INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1985

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	8	3	5	6	2	4	2	1	1
LOWNDES	6	3	3	5	2	3	1	1	0
MADISON	12	3	9	9	2	7	3	1	2
MARION	7	5	2	4	3	1	3	2	1
MARSHALL	12	3	9	9	2	7	3	1	2
MONROE	7	1	6	3	0	3	4	1	3
MONTGOMERY	2	0	2	2	0	2	0	0	0
NESHoba	7	4	3	4	2	2	3	2	1
NEWTON	4	3	1	1	1	0	3	2	1
NOXBEE	4	0	4	2	0	2	2	0	2
OKTIBBEHA	4	2	2	2	1	1	2	1	1
PANOLA	6	1	5	5	1	4	1	0	1
PEARL RIVER	11	8	3	5	5	0	6	3	3
PERRY	0	0	0	0	0	0	0	0	0
PIKE	6	2	4	4	1	3	2	1	1
PONTOTOC	3	2	1	2	1	1	1	1	0
PRENTISS	2	2	0	0	0	0	2	2	0
QUITMAN	3	1	2	2	1	1	1	0	1
RANKIN	11	8	3	6	4	2	5	4	1
SCOTT	10	4	6	5	3	2	5	1	4
SHARKEY	2	1	1	2	1	1	0	0	0
SIMPSON	8	4	4	1	0	1	7	4	3
SMITH	5	3	2	3	1	2	2	2	0
STONE	0	0	0	0	0	0	0	0	0
SUNFLOWER	14	0	14	12	0	12	2	0	2
TALLAHATCHIE	7	2	5	1	0	1	6	2	4
TATE	7	2	5	5	1	4	2	1	1
TIPPAH	2	2	0	2	2	0	0	0	0
TISHOMINGO	3	2	1	2	1	1	1	1	0
TUNICA	4	0	4	1	0	1	3	0	3
UNION	2	2	0	0	0	0	2	2	0
WALTHALL	3	1	2	2	1	1	1	0	1
WARREN	13	3	10	6	1	5	7	2	5
WASHINGTON	21	1	20	16	1	15	5	0	5
WAYNE	7	3	4	4	1	3	3	2	1
WEBSTER	0	0	0	0	0	0	0	0	0
WILKINSON	2	1	1	2	1	1	0	0	0
WINSTON	4	2	2	2	1	1	2	1	1
YALOBUSA	2	0	2	2	0	2	0	0	0
YAZOO	12	4	8	7	2	5	5	2	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1981-1985 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	<u>14.8</u>	<u>10.1</u>	<u>19.9</u>	<u>9.5</u>	<u>6.7</u>	<u>12.6</u>	<u>5.3</u>	<u>3.4</u>	<u>7.3</u>
ADAMS	16.0	9.5	20.9	9.9	6.8	12.2	6.1	2.7	8.7
ALCORN	9.0	8.5	11.9	5.4	4.3	11.9	3.6	4.3	-
AMITE	13.7	13.8	13.6	7.8	6.9	8.5	5.9	6.9	5.1
ATTALA	17.7	10.7	23.7	11.3	7.7	14.5	6.4	3.1	9.2
BENTON	9.5	3.4	14.7	6.3	3.4	8.8	3.2	-	5.9
BOLIVAR	17.7	8.2	20.4	10.4	6.3	11.5	7.4	1.8	8.9
CALHOUN	14.0	8.7	21.8	9.6	7.3	13.1	4.4	1.4	8.7
CARROLL	15.4	4.1	23.4	12.0	4.1	17.5	3.4	-	5.8
CHICKASAW	19.8	15.0	24.5	15.5	11.3	19.6	4.3	3.8	4.9
CHOCTAW	15.5	8.4	22.8	11.3	2.8	19.9	4.2	5.6	2.8
CLAIBORNE	16.7	11.3	17.7	13.0	11.3	13.3	3.7	-	4.4
CLARKE	11.1	10.7	11.5	5.5	6.7	4.3	5.5	4.0	7.2
CLAY	15.4	12.0	17.4	10.1	8.0	11.3	5.3	4.0	6.0
COAHOMA	26.3	12.2	30.1	15.5	8.6	17.4	10.8	3.7	12.7
COPIAH	10.9	9.5	11.7	8.3	8.3	8.3	2.6	1.2	3.4
COVINGTON	17.7	10.4	25.2	9.8	7.8	11.9	7.9	2.6	13.3
DESOTO	11.6	11.9	10.6	7.1	7.7	4.7	4.5	4.2	5.9
FORREST	12.8	12.3	13.6	9.6	9.3	10.0	3.2	3.0	3.6
FRANKLIN	16.2	13.0	19.7	13.5	13.0	14.1	2.7	-	5.6
GEORGE	14.4	12.9	22.7	9.6	9.7	9.1	4.8	3.2	13.6
GREENE	15.5	10.9	26.8	9.1	3.6	22.3	6.5	7.3	4.5
GRENADA	13.9	7.7	18.9	10.4	5.1	14.7	3.5	2.6	4.2
HANCOCK	11.3	10.7	15.2	5.4	4.5	11.4	5.9	6.2	3.8
HARRISON	11.3	9.9	15.0	6.7	5.6	9.7	4.6	4.3	5.3
HINDS	13.4	7.5	17.2	9.5	5.6	12.0	3.9	1.9	5.2
HOLMES	24.6	9.8	27.3	12.9	9.8	13.4	11.7	-	13.9
HUMPHREYS	32.7	24.9	35.0	22.2	16.6	23.8	10.5	8.3	11.1
ISSAQUENA	14.6	-	20.7	4.9	-	5.9	9.8	-	13.8
ITAWAMBA	9.6	9.8	7.4	4.0	4.5	-	5.6	5.4	7.4
JACKSON	12.0	9.6	19.0	9.0	7.2	14.4	3.0	2.4	4.6
JASPER	16.6	17.2	16.3	10.0	15.3	7.1	6.6	1.9	9.2
JEFFERSON	16.2	-	17.9	8.6	-	9.5	7.6	-	8.3
JEFF DAVIS	11.4	2.3	16.5	5.7	-	8.9	5.7	2.3	7.6
JONES	17.9	12.6	27.8	12.4	9.1	18.5	5.5	3.5	9.3
KEMPER	16.2	4.0	21.6	13.7	-	19.8	2.5	4.0	1.8
LAFAYETTE	8.9	7.0	11.1	5.8	3.0	8.9	3.2	4.0	2.2
LAMAR	7.9	6.7	14.7	4.4	3.6	8.8	3.5	3.1	5.9
LAUDERDALE	14.6	11.2	18.7	9.4	7.8	11.3	5.2	3.3	7.4
LAWRENCE	7.2	3.0	13.0	4.5	1.5	8.7	2.7	1.5	4.3
LEAKE	20.6	8.5	30.7	14.2	7.1	20.1	6.4	1.4	10.6
LEE	12.3	7.7	22.4	8.2	5.4	14.3	4.1	2.3	8.1
LEFLORE	25.2	18.6	27.8	16.7	14.4	17.7	8.5	4.2	10.2

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1981-1985

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	15.2	10.0	23.5	10.3	7.4	14.9	4.9	2.7	8.5
LOWNDES	10.6	8.0	14.1	7.5	5.8	9.8	3.1	2.2	4.3
MADISON	16.0	11.1	19.3	10.6	7.6	12.6	5.4	3.5	6.7
MARION	10.7	8.2	14.9	5.1	5.5	4.6	5.6	2.7	10.3
MARSHALL	14.7	7.7	19.2	9.4	4.8	12.4	5.3	2.9	6.8
MONROE	15.5	13.3	18.7	10.0	8.3	12.5	5.5	5.0	6.2
MONTGOMERY	15.3	9.8	18.8	7.6	4.9	9.4	7.6	4.9	9.4
NESHOBIA	14.3	9.1	20.6	7.4	5.4	9.8	6.9	3.6	10.8
NEWTON	11.0	5.9	17.3	7.8	3.5	13.0	3.2	2.4	4.3
NOXUBEE	15.6	8.7	17.9	8.5	8.7	8.5	7.1	-	9.4
OKTIBBEHA	12.8	9.7	15.4	8.8	6.7	10.5	4.0	3.0	4.9
PANOLA	17.0	5.2	23.2	11.0	2.1	15.6	6.0	3.1	7.5
PEARL RIVER	16.4	13.9	26.7	10.2	11.0	7.1	6.1	3.0	19.6
PERRY	6.6	4.8	10.6	3.3	3.2	3.5	3.3	1.6	7.1
PIKE	16.7	9.9	21.8	12.7	6.8	17.2	3.9	3.0	4.6
PONTOTOC	9.4	8.3	14.2	6.7	5.8	10.6	2.7	2.5	3.5
PRENTISS	10.2	10.4	8.7	5.1	6.0	-	5.1	4.5	8.7
QUITMAN	21.7	5.9	27.8	12.5	5.9	15.1	9.2	-	12.8
RANKIN	10.4	8.5	17.0	6.1	4.1	13.2	4.2	4.4	3.9
SCOTT	19.7	14.4	26.2	11.5	9.3	14.1	8.3	5.1	12.1
SHARKEY	17.1	14.9	17.7	12.1	10.0	12.6	5.0	5.0	5.0
SIMPSON	21.2	18.2	25.1	11.3	7.8	16.0	9.8	10.4	9.1
SMITH	12.7	11.1	15.8	9.1	6.9	13.2	3.6	4.2	2.6
STONE	5.0	3.5	8.3	2.5	3.5	-	2.5	-	8.3
SUNFLOWER	16.6	7.5	19.2	10.1	3.8	11.8	6.5	3.8	7.3
TALLAHATCHIE	21.1	16.3	22.7	12.9	9.3	14.1	8.2	7.0	8.6
TATE	16.1	14.2	18.0	12.5	10.7	14.4	3.6	3.6	3.6
TIPPAH	15.2	14.9	16.2	10.8	10.2	13.0	4.3	4.6	3.2
TISHOMINGO	21.0	21.1	18.2	14.3	14.1	18.2	6.7	7.0	-
TUNICA	25.1	6.2	28.6	10.6	-	12.6	14.5	6.2	16.0
UNION	8.6	5.6	21.7	3.3	1.6	10.8	5.3	4.0	10.8
WALTHALL	14.4	7.5	20.1	9.3	3.8	13.9	5.1	3.8	6.2
WARREN	18.1	15.3	21.1	13.3	11.5	15.2	4.8	3.8	5.8
WASHINGTON	16.1	5.1	20.9	10.2	3.8	13.1	5.8	1.3	7.8
WAYNE	14.8	13.2	16.6	9.7	8.5	11.1	5.1	4.7	5.5
WEBSTER	17.4	13.5	24.4	8.7	7.7	10.4	8.7	5.8	13.9
WILKINSON	12.8	15.2	11.8	8.5	15.2	5.9	4.3	-	5.9
WINSTON	16.5	12.4	19.4	8.9	6.2	10.8	7.6	6.2	8.6
YALOBUSHA	9.8	4.0	15.3	5.9	2.0	9.6	3.9	2.0	5.7
YAZOO	21.2	11.8	25.8	10.8	5.4	13.5	10.4	6.4	12.4

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS;
 POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1985

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE NUMBER	TOTAL BY RACE RATE #	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	TOTAL NUMBER	RATE #			UNDER 1 DAY TOTAL	UNDER 1 DAY 77	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>596</u>	<u>13.7</u>	W NW	213 383	127 241	63 123	37 77	18 13	6 17	3 11	86 142
MENINGOCOCCAL INFECTION (036)	1	##	W NW	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0
SEPTICEMIA (038)	10	0.2	W NW	1 9	0 0	0 0	0 0	0 0	0 0	0 0	1 9
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	8	0.2	W NW	5 3	0 0	0 0	0 0	0 0	0 0	0 0	5 3
MENINGITIS (320-322)	5	0.1	W NW	2 3	1 2	0 0	0 1	1 0	0 1	0 0	1 1
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	4	0.1	W NW	0 4	0 0	0 0	0 0	0 0	0 0	0 0	0 4
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	0	-	W NW	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
PNEUMONIA AND INFLUENZA (480-487)	17	0.4	W NW	7 10	0 1	0 0	0 1	0 0	0 0	0 0	7 9
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	1	##	W NW	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 1
CONGENITAL ANOMALIES (740-759)	108	2.5	W NW	52 56	39 45	16 15	13 20	7 4	2 3	1 3	13 11
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	2	##	W NW	2 0	2 0	2 0	0 0	0 0	0 0	0 0	0 0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	18	0.4	W NW	8 10	7 10	6 10	1 0	0 0	0 0	0 0	1 0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	6	0.1	W NW	1 5	1 5	0 5	1 0	0 0	0 0	0 0	0 0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	2	##	W NW	1 1	1 1	1 1	0 0	0 0	0 0	0 0	0 0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	48	1.1	W NW	7 41	7 39	7 38	0 1	0 0	0 0	0 0	0 2

TABLE 13 - PAGE 2
INFANT DEATHS - MISSISSIPPI - 1985

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE #			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
BIRTH TRAUMA (767)	2	##	W NW	2 0	2	2	0	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	33	0.8	W NW	8 25	8	5	2	1	0	0	0
RESPIRATORY DISTRESS SYNDROME (769)	70	1.6	W NW	27 43	26	9	15	1	1	0	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	25	0.6	W NW	5 20	5	0	2	2	1	0	0
NEONATAL HEMORRHAGE (772)	5	0.1	W NW	1 4	1	0	0	1	0	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W NW	0 0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	62	1.4	W NW	22 40	3	0	0	1	1	1	19
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-7991)	12	0.3	W NW	0 12	0	0	0	0	0	0	0
ACCIDENTS (800-949)	26	0.6	W NW	12 14	1	0	0	1	0	0	11
ALL OTHER CAUSES	131	3.0	W NW	49 82	23	15	3	3	1	1	26
					47	24	14	2	6	1	35

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1985

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS-PORT	POISON-ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
<u>STATE</u>	<u>1,407</u>	<u>691</u>	<u>41</u>	<u>47</u>	<u>108</u>	<u>130</u>	<u>82</u>	<u>57</u>	<u>251</u>
ADAMS	19	7	0	0	2	6	0	0	4
ALCORN	20	7	0	3	2	2	1	2	3
AMITE	7	5	0	0	0	2	0	0	0
ATTALA	7	4	0	0	0	0	1	0	2
BENTON	5	4	0	0	0	1	0	0	0
BOLIVAR	32	14	0	1	2	6	3	0	6
CALHOUN	5	4	0	0	0	0	0	0	1
CARROLL	8	3	0	0	1	1	1	0	2
CHICKASAW	16	9	0	1	0	0	2	1	3
CHOCTAW	6	3	0	1	1	1	0	0	0
CLAIBORNE	6	4	0	0	0	0	2	0	0
CLARKE	16	11	0	0	0	1	0	0	4
CLAY	4	0	0	1	0	1	0	1	1
COAHOMA	20	8	0	3	1	0	0	0	8
COPIAH	14	5	0	0	0	3	3	2	1
COVINGTON	8	3	1	0	0	2	1	1	0
DESOTO	14	7	1	0	1	1	2	0	2
FORREST	51	39	0	2	4	0	0	1	5
FRANKLIN	5	1	0	0	0	0	2	0	2
GEORGE	14	7	2	0	1	1	0	0	3
GREENE	5	4	0	0	0	0	1	0	0
GRENADA	19	5	0	2	1	5	0	1	5
HANCOCK	9	7	0	0	0	0	2	0	0
HARRISON	74	32	6	5	3	2	7	2	17
HINDS	155	71	0	7	31	6	6	4	30
HOLMES	12	5	1	0	0	2	1	2	1
HUMPHREYS	10	8	1	0	0	0	0	0	1
ISSAQUNEA	0	0	0	0	0	0	0	0	0
ITAWAMBA	7	5	1	0	0	0	0	0	1
JACKSON	48	18	6	2	8	1	3	2	8
JASPER	9	5	0	0	0	2	0	0	2
JEFFERSON	7	5	0	0	0	0	0	0	2
JEFF DAVIS	5	4	0	0	0	1	0	0	0
JONES	38	21	0	0	6	2	0	2	7
KEMPER	4	3	0	0	0	0	0	0	1
LAFAYETTE	9	5	0	1	2	1	0	0	0
LAMAR	19	9	0	0	2	0	2	1	5
LAUDERDALE	71	33	4	3	6	1	1	3	20
LAWRENCE	6	3	1	0	1	0	1	0	0
LEAKE	14	8	1	0	0	1	0	2	2
LEE	53	25	0	1	5	3	4	4	11
LEFLORE	24	10	0	2	1	5	0	1	5

TABLE 14 - PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 1985

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS-PORT	POISON-ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
LINCOLN	23	14	1	0	2	0	1	1	4
LOWNDES	30	16	1	0	4	4	1	1	3
MADISON	13	4	0	0	1	2	2	1	3
MARION	11	6	0	1	1	0	1	1	1
MARSHALL	21	14	0	0	0	5	1	1	1
MONROE	17	8	1	0	1	1	2	1	3
MONTGOMERY	6	4	0	0	0	1	0	0	1
NESHOBIA	5	2	0	0	0	3	0	0	0
NEWTON	13	6	0	0	1	0	1	2	3
NOXUBEE	4	0	0	0	1	0	1	0	2
OKTIBBEHA	19	9	0	2	1	2	1	1	3
PANOLA	11	4	0	0	1	0	4	0	2
PEARL RIVER	18	5	0	1	0	5	1	1	5
PERRY	8	6	0	0	0	0	0	1	1
PIKE	25	11	1	0	0	4	3	3	3
PONTOTOC	3	1	0	0	0	0	0	1	1
PRENTISS	18	11	0	0	1	3	0	1	2
QUITMAN	8	4	0	0	1	1	0	1	1
RANKIN	23	18	0	0	0	0	1	1	3
SCOTT	14	9	2	0	0	2	0	0	1
SHARKEY	6	3	0	0	0	0	0	0	3
SIMPSON	10	2	0	0	1	1	0	0	6
SMITH	9	6	0	0	0	0	1	0	2
STONE	2	1	0	0	0	0	0	0	1
SUNFLOWER	9	6	0	0	0	1	0	0	2
TALLAHATCHIE	12	5	0	0	0	2	1	0	4
TATE	11	9	0	0	0	1	0	1	0
TIPPAH	4	2	0	0	0	0	0	0	2
TISHOMINGO	16	12	0	0	1	0	1	0	2
TUNICA	7	4	1	0	0	1	0	0	1
UNION	9	3	0	0	2	0	0	2	2
WALTHALL	5	4	0	0	0	0	0	0	1
WARREN	17	6	3	0	2	3	1	0	2
WASHINGTON	65	21	0	6	4	19	5	1	9
WAYNE	9	4	0	1	1	0	2	1	0
WEBSTER	8	2	0	1	0	2	0	2	1
WILKINSON	13	5	3	0	1	2	0	0	2
WINSTON	7	3	1	0	0	2	1	0	0
YALOBUSHA	9	3	1	0	0	1	3	0	1
YAZOO	14	7	1	0	0	2	1	1	2

TABLE 15
 MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
 ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
 ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
 MISSISSIPPI, 1985

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	24,750	18,241	6,509	24,750	18,241	6,509	23,091	16,898	6,193
ADAMS	403	268	135	419	278	141	349	216	133
ALCORN	349	320	29	356	327	29	301	277	24
AMITE	100	60	40	117	77	40	95	61	34
ATTALA	184	114	70	191	125	66	169	107	62
BENTON	48	29	19	76	53	23	60	36	24
BOLIVAR	311	154	157	333	166	167	310	147	163
CALHOUN	106	83	23	121	98	23	108	84	24
CARROLL	64	40	24	94	64	30	66	38	28
CHICKASAW	214	150	64	193	137	56	196	135	61
CHOCTAW	76	52	24	71	45	26	72	50	22
CLAIBORNE	69	29	40	78	32	46	63	24	39
CLARKE	129	79	50	162	111	51	132	80	52
CLAY	168	106	62	180	110	70	161	99	62
COAHOMA	321	151	170	312	147	165	296	138	158
COPIAH	189	90	99	219	115	104	181	83	98
COVINGTON	136	110	26	164	128	36	140	108	32
DESOTO	607	506	101	577	481	96	394	339	55
FORREST	874	712	162	726	574	152	728	580	148
FRANKLIN	56	37	19	62	42	20	58	38	20
GEORGE	256	237	19	243	227	16	161	149	12
GREENE	73	66	7	89	77	12	80	73	7
GRENADA	203	139	64	196	133	63	191	133	58
HANCOCK	338	309	29	360	336	24	281	259	22
HARRISON	2,157	1,839	318	2,140	1,829	311	1,824	1,547	277
HINDS	2,821	1,775	1,046	2,511	1,545	966	2,600	1,607	993
HOLMES	151	51	100	163	55	108	158	52	106
HUMPHREYS	105	52	53	116	56	60	99	43	56
ISSAQUNEA	14	7	7	14	5	9	16	6	10
ITAWAMBA	170	159	11	194	181	13	162	148	14
JACKSON	1,295	1,088	207	1,326	1,113	213	1,283	1,086	197
JASPER	114	62	52	125	75	50	110	64	46
JEFFERSON	46	8	38	43	9	34	31	3	28
JEFF DAVIS	110	67	43	121	74	47	105	63	42
JONES	633	528	105	630	519	111	620	514	106
KEMPER	51	22	29	62	32	30	55	24	31
LAFAYETTE	246	187	59	247	185	62	233	174	59
LAMAR	193	172	21	251	227	24	280	256	24
LAUDERDALE	793	613	180	750	570	180	742	577	165
LAWRENCE	102	70	32	122	90	32	100	72	28
LEAKE	169	115	54	171	123	48	167	114	53
LEE	722	619	103	665	563	102	691	592	99
LEFLORE	338	173	165	302	148	154	335	174	161

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1985

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	322	238	84	306	229	77	301	228	73
LOWNDES	479	342	137	482	346	136	443	316	127
MADISON	282	151	131	323	176	147	349	217	132
MARION	318	253	65	313	252	61	300	238	62
MARSHALL	228	141	87	217	127	90	209	130	79
MONROE	300	234	66	321	247	74	285	226	59
MONTGOMERY	118	81	37	134	98	36	118	82	36
NESHoba	225	169	56	230	181	49	213	160	53
NEWTON	154	99	55	167	104	63	156	98	58
NOXUBEE	61	25	36	61	22	39	60	23	37
OKTIBBEHA	271	196	75	260	186	74	277	200	77
PANOLA	262	170	92	279	176	103	257	163	94
PEARL RIVER	421	379	42	412	369	43	387	347	40
PERRY	129	106	23	123	105	18	107	93	14
PIKE	347	238	109	346	232	114	320	212	108
PONTOTOC	189	168	21	176	158	18	179	162	17
PRENTISS	234	215	19	231	210	21	230	210	20
QUITMAN	92	56	36	96	58	38	89	55	34
RANKIN	736	653	83	776	692	84	777	692	85
SCOTT	273	203	70	285	207	78	276	203	73
SHARKEY	46	21	25	53	26	27	42	19	23
SIMPSON	197	152	45	219	166	53	201	153	48
SMITH	109	82	27	128	106	22	130	99	31
STONE	128	107	21	128	105	23	103	84	19
SUNFLOWER	203	105	98	204	103	101	179	89	90
TALLAHATCHIE	102	54	48	108	61	47	98	52	46
TATE	215	150	65	201	143	58	191	139	52
TIPPAH	209	195	14	206	191	15	195	181	14
TISHOMINGO	218	213	5	235	231	4	150	149	1
TUNICA	63	23	40	65	25	40	52	17	35
UNION	255	231	24	264	243	21	249	225	24
WALTHALL	116	80	36	113	72	41	108	71	37
WARREN	494	349	145	488	349	139	457	323	134
WASHINGTON	574	326	248	595	341	254	570	323	247
WAYNE	178	133	45	180	139	41	168	127	41
WEBSTER	106	92	14	104	93	11	89	77	12
WILKINSON	104	62	42	105	59	46	72	33	39
WINSTON	154	98	56	159	101	58	158	100	58
YALOBUSHIA	94	66	28	112	81	31	108	73	35
YAZOO	240	137	103	247	144	103	235	139	96
UNKNOWN COUNTY				6	5	1			
OUT OF STATE	*	*	*	*	*	*	1,651	1,335	316
UNKNOWN STATE							8	8	0

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1985

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>STATE</u>	<u>12,535</u>	<u>9,766</u>	<u>2,662</u>	<u>107</u>
ADAMS	0	0	0	0
ALCORN	0	0	0	0
AMITE	31	22	8	1
ATTALA	89	61	27	1
BENTON	31	24	7	0
BOLIVAR	143	75	68	0
CALHOUN	58	50	7	1
CARROLL	9	2	7	0
CHICKASAW	113	93	20	0
CHOCTAW	25	21	4	0
CLAIBORNE	48	8	40	0
CLARKE	71	58	13	0
CLAY	70	48	22	0
COAHOMA	164	98	66	0
COPIAH	127	76	51	0
COVINGTON	65	49	16	0
DESOTO	379	360	18	1
FORREST	418	309	91	18
FRANKLIN	46	33	13	0
GEORGE	95	95	0	0
GREENE	0	0	0	0
GRENADE	112	80	32	0
HANCOCK	180	175	5	0
HARRISON	1,318	1,173	145	0
HINDS	1,472	933	482	57
HOLMES	69	29	40	0
HUMPHREYS	32	21	11	0
ISSAQUENA	0	0	0	0
ITAWAMBA	118	117	0	1
JACKSON	849	735	114	0
JASPER	76	50	26	0
JEFFERSON	36	6	30	0
JEFF DAVIS	42	25	17	0
JONES	428	352	73	3
KEMPER	20	12	8	0
LAFAYETTE	151	116	35	0
LAMAR	162	145	9	8
LAUDERDALE	386	311	75	0
LAWRENCE	82	66	16	0
LEAKE	82	65	17	0
LEE	205	169	36	0
LEFLORE	176	110	66	0

TABLE 16 - PAGE 2
DIVORCES - MISSISSIPPI - 1985

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
LINCOLN	146	108	38	0
LOWNDES	321	250	71	0
MADISON	154	114	39	1
MARION	151	123	28	0
MARSHALL	160	106	54	0
MONROE	189	159	29	1
MONTGOMERY	47	36	11	0
NESHoba	127	112	15	0
NEWTON	65	53	11	1
NOXUBEE	40	17	22	1
OKTIBBEHA	125	77	42	6
PANOLA	106	70	36	0
PEARL RIVER	241	220	19	2
PERRY	32	30	2	0
PIKE	0	0	0	0
PONTOTOC	128	126	2	0
PRENTISS	137	130	5	2
QUITMAN	0	0	0	0
RANKIN	505	463	42	0
SCOTT	122	90	32	0
SHARKEY	18	13	5	0
SIMPSON	81	61	18	2
SMITH	74	63	11	0
STONE	55	47	8	0
SUNFLOWER	105	72	33	0
TALLAHATCHIE	46	31	15	0
TATE	110	89	21	0
TIPPAH	110	100	10	0
TISHOMINGO	0	0	0	0
TUNICA	0	0	0	0
UNION	107	100	7	0
WALTHALL	48	37	11	0
WARREN	234	180	54	0
WASHINGTON	361	232	129	0
WAYNE	108	79	29	0
WEBSTER	63	56	7	0
WILKINSON	0	0	0	0
WINSTON	94	57	37	0
YALOBUSA	64	48	16	0
YAZOO	83	45	38	0

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE:

Table 17 extends from page 103 through page 144 with identical data for each county as well as for the state.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS AND ALCORN COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER *	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TUBERCULOSIS (010-018)	1	0	1	2.6	—	5.2	1	0	2.8	3.1	—	—
MALIGNANT NEOPLASMS (140-208)	94	43	51	242.8	220.9	264.9	64	59	5	179.3	185.2	129.8
DISEASES OF HEART (390-398,	6	3	3	15.5	15.4	15.6	0	0	0	—	—	—
402, 404, 410-429)	143	70	73	369.4	359.6	379.2	120	102	18	336.2	320.2	467.3
HYPERTENSION (401, 403)	2	1	1	5.2	5.1	5.2	0	0	0	—	—	—
CEREBROVASCULAR DISEASES (430- 438)	40	14	26	103.3	71.9	135.0	21	20	1	58.8	62.8	26.0
ATHEROSCLEROSIS (440)	5	2	3	12.9	10.3	15.6	0	0	0	—	—	—
PNEUMONIA AND INFLUENZA (480- 487)	10	3	7	25.8	15.4	36.4	10	8	2	28.0	25.1	51.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	11	4	38.7	56.5	20.8	8	7	1	22.4	22.0	26.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	7.8	15.4	—	0	0	0	—	—	—
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	15.5	25.7	5.2	3	3	0	8.4	9.4	—
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	0	0	0	—	—	—
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	0	0	0	—	—	—
CONGENITAL ANOMALIES (740-759)	4	1	3	10.3	5.1	15.6	0	0	0	—	—	—
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	1	5	8.6	3.4	12.3	0	0	0	53.2	53.4	51.9
ACCIDENTS (800-949)	25	15	10	64.6	77.1	51.9	19	17	2	—	—	—
MOTOR VEHICLE ACCIDENTS # (810-825)	9	8	1	23.2	41.1	5.2	6	5	1	16.8	15.7	26.0
SUICIDE (950-959)	4	4	0	10.3	20.6	—	6	6	0	16.8	18.8	—
HOMICIDE AND LEGAL INTER- VENTION (960-978)	5	1	4	12.9	5.1	20.8	7	4	3	19.6	12.6	77.9
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	17	1	16	43.9	5.1	83.1	3	3	0	8.4	9.4	—

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESPONDENTS OF AMITE AND ATTALA COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY			ATTALA COUNTY			RATE**
	NUMBER	TOTAL	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	—	—	—	—
MALIGNANT NEOPLASMS (140-208)	22	12	10	166.7	170.0	162.7	54
DIABETES MELLITUS (250)	3	3	0	22.7	42.5	—	32
DISEASES OF HEART (390-398,						7	3
402, 404, 410-429)	39	28	11	295.4	396.6	179.0	93
HYPERTENSION (401, 403)	1	1	0	7.6	14.2	—	1
CEREBROVASCULAR DISEASES (430-							
438)	7	4	3	53.0	56.7	48.8	20
ATHEROSCLEROSIS (440)	1	0	1	7.6	—	16.3	3
PNEUMONIA AND INFLUENZA (480-							
487)	1	1	0	7.6	14.2	—	11
EMPHYSEMA AND OTHER CHRONIC							
OBSTRUCTIVE PULMONARY							
DISEASES (490-496)	3	2	1	22.7	28.3	16.3	6
CHRONIC LIVER DISEASE AND							
CIRRHOSIS (571)	1	0	1	7.6	—	16.3	2
NEPHRITIS, NEPHROTIC SYNDROME,							
AND NEPHROSIS (580-589)	1	0	1	7.5	—	16.3	5
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	0	0
MATERNAL CAUSES (630-676)	0	0	0	—	—	0	0
CONGENITAL ANOMALIES (740-759)	1	0	1	7.6	—	16.3	0
CERTAIN CONDITIONS ORIGINATING							
IN THE PERINATAL PERIOD							
(760-779)	0	0	0	—	—	—	2
ACCIDENTS (800-949)	9	4	5	68.2	56.7	81.4	11
MOTOR VEHICLE ACCIDENTS#							
(810-825)	5	2	3	37.9	28.3	48.8	8
SUICIDE (950-959)	0	0	0	—	—	—	2
HOMICIDE AND LEGAL INTER-							
VENTION (960-978)	3	1	2	22.7	14.2	32.5	2
SYMPOTMS, SIGNS, AND ILL-							
DEFINED CONDITIONS# (780-799)	37	14	23	280.3	198.3	374.2	1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON AND BOLIVAR COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY				BOLIVAR COUNTY				RATE**
	TOTAL	WHITE	NON-WHITE	RATE***	TOTAL	WHITE	NON-WHITE	RATE***	
TUBERCULOSIS (010-018)	0	0	0	-	0	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	14	9	5	162.9	166.3	156.8	82.5	36	184.9
DIABETES MELLITUS (250)	0	0	0	-	-	-	2	3	284.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	21	15	6	244.3	277.2	188.1	188.2	110	423.8
HYPERTENSION (401, 403)	0	0	0	-	-	2	2	0	4.5
CEREBROVASCULAR DISEASES (430-438)	5	5	0	58.2	92.4	-	40	25	482.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	8	5	3	12.4
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	46.5	73.9	-	12	4	390.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	46.5	73.9	-	15	9	88.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	0	0	0	10.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	11.6	-	31.4	6	1	12.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	2	1	1	12.4
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	0	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	2	1	1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	1	0	1	1.4
ACCIDENTS (800-949)	5	4	1	58.2	73.9	31.4	32	24	49.5
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	46.5	55.4	31.4	15	4	85.1
SUICIDE (950-959)	0	0	0	-	-	5	5	0	39.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	7	0	7	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	14	6	8	162.9	110.9	250.9	40	32	24.8
									113.5
									49.5
									113.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CALHOUN AND CARROLL COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY				CARROLL COUNTY				RATE**
	NUMBER	TOTAL	WHITE	NON-WHITE	NUMBER	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	159.6	144.6	0	0	0	-
MALIGNANT NEOPLASMS (140-208)	26	20	6	18.4	24.7	17	13	4	233.6
DIABETES MELLITUS (250)	3	3	0	-	-	1	1	0	18.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	71	63	8	436.0	518.6	193.1	42	16	421.1
HYPERTENSION (401, 403)	2	1	12.3	8.2	24.1	1	0	10.0	18.0
CEREBROVASCULAR DISEASES (430-438)	16	13	3	98.2	107.0	72.4	8	2	80.2
ATHEROSCLEROSIS (440)	1	1	0	6.1	8.2	-	0	0	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	30.7	41.2	-	3	1	30.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	18.4	16.5	24.1	3	3	30.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	12.3	16.5	-	0	0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	4	1	30.7	32.9	24.1	1	0	10.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	0	0	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	1	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	1	0	1	10.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.7	7.4	2	0	2	15.9
ACCIDENTS (800-949)	9	5	4	55.3	41.2	96.5	7	4	3
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	36.8	24.7	72.4	1	1	0
SUICIDE (950-959)	2	2	0	12.3	16.5	-	0	0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	12.3	8.2	24.1	0	0	-
SYMPTOMS, SIGNS, AND TELL-DEFINED CONDITIONS# (780-799)	6	6	0	36.8	49.4	-	3	1	2
									30.1
									18.0
									45.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW AND CHOCTAW COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY			CHOCTAW COUNTY			RATE**	
	NUMBER	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	—	0	0	—	—
MALIGNANT NEOPLASMS (140-208)	31	24	7	169.8	207.3	104.8	149.7	165.1
DIABETES MELLITUS (250)	1	1	0	5.5	8.6	—	21.4	15.0
DISEASES OF HEART (390-398,							3	111.4
402, 404, 410-429)	83	52	31	454.8	449.1	464.3	33	37.1
HYPERTENSION (401, 403)	1	0	1	5.5	—	15.0	0	—
CEREBROVASCULAR DISEASES (430-							10	459.9
438)	12	8	4	65.8	69.1	59.9	7	495.4
ATHEROSCLEROSIS (440)	1	1	0	5.5	8.6	—	2	371.5
PNEUMONIA AND INFLUENZA (480-	13	12	1	71.2	103.6	15.0	3	10.7
487)							1	—
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	21.9	34.5	—	3	85.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	—	—	0	0	21.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	4	3	38.4	34.5	44.9	1	10.7
INFECTIONS OF KIDNEY (590)	2	2	0	11.0	17.3	—	0	—
MATERNAL CAUSES (630-676)	0	0	0	—	—	0	0	—
CONGENITAL ANOMALIES (740-759)	1	1	0	5.5	8.6	—	0	—
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	10.0	6.1	14.7	3	42.8
ACCIDENTS (800-949)	13	8	5	71.2	69.1	74.9	10	120.1
MOTOR VEHICLE ACCIDENTS# (810-825)	6	1	5	32.9	8.6	74.9	5	74.3
SUICIDE (950-959)	2	2	0	11.0	17.3	—	1	—
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	16.4	8.6	30.0	1	37.1
SYMBOLS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.5	—	15.0	3	30.0
							2	37.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAIBORNE AND CLARKE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY						RATE**	
	NUMBER		NON-WHITE		WHITE		NUMBER		NON-WHITE		WHITE			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	130.4	125.2	132.0	0	0	0	173.8	189.4	-	144.5	-
MALIGNANT NEOPLASMS (140-208)	17	4	13	-	-	-	31	22	9	22.4	22.4	8.6	48.2	-
DISEASES MELLITUS (250)	0	0	0	-	-	-	4	1	3	-	-	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	48	11	37	368.1	344.2	375.6	60	45	15	336.4	387.4	-	240.8	-
HYPERTENSION (401, 403)	2	1	1	15.3	31.3	10.2	0	0	0	-	-	-	-	-
CEREBROVASCULAR DISEASES (430- 438)	10	3	7	76.7	93.9	71.1	14	10	4	78.5	86.1	64.2	-	-
ATHEROSCLEROSIS (440)	1	0	1	7.7	-	10.2	7	4	3	39.2	34.4	48.2	-	-
PNEUMONIA AND INFLUENZA (480- 487)	1	1	0	7.7	31.3	-	9	7	2	50.5	60.2	32.1	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	23.0	62.6	10.2	3	2	1	16.8	17.2	16.0	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	0	2	11.2	-	32.1	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	15.3	-	20.3	1	0	1	5.6	-	16.0	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.6	-	8.6	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	7.7	-	10.2	1	0	1	5.6	-	16.0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD (760-779)	1	0	1	5.0	-	5.7	0	0	0	89.7	68.9	128.4	-	-
ACCIDENTS (800-949)	4	0	4	30.7	-	40.6	15	8	8	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS# (810-825)	1	0	1	7.7	-	10.2	9	5	4	50.5	43.0	64.2	-	-
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-	-	-
HOMICIDE AND LEGAL INTER- VENTION (960-978)	1	0	1	7.7	-	10.2	0	0	0	-	-	-	-	-
SYMPTOMS, SIGNS, AND TLL- DEFINED CONDITIONS# (780-799)	5	0	5	38.3	-	50.8	21	10	11	117.7	86.1	176.6	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY AND COAHOMA COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY				COAHOMA COUNTY				RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	1	5.7	7.9
MALIGNANT NEOPLASMS (140-208)	27	21	6	120.2	191.9	52.1	60	35	170.3	198.6
DIABETES MELLITUS (250)	3	2	1	13.4	18.3	8.7	3	2	8.5	7.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	94	47	47	418.4	429.4	407.8	114	39	75	323.6
HYPERTENSION (401, 403)	1	0	1	4.4	-	8.7	2	0	2	5.7
CEREBROVASCULAR DISEASES (430-438)	11	4	7	49.0	36.6	60.7	38	19	19	107.9
ATHEROSCLEROSIS (440)	2	2	0	8.9	18.3	-	1	0	1	2.8
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	13.4	27.4	-	7	3	4	19.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	8.9	9.1	8.7	11	5	6	31.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	4.4	-	8.7	3	3	0	8.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	17.8	18.3	17.4	3	1	0	3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	2.8
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	5.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	5.2	-	8.1	6	0	6	8.2
ACCIDENTS (800-949)	8	0	8	35.6	-	69.4	17	11	6	48.2
MOTOR VEHICLE ACCIDENTS# (810-825)	3	0	3	13.4	-	26.0	7	5	2	19.9
SUICIDE (950-959)	2	2	0	8.9	18.3	-	1	0	1	2.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	9	2	7	25.5
SYMBOLS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	13.4	-	26.0	26	3	23	73.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF COPIAH AND COVINGTON COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY				COVINGTON COUNTY				RATE **	
	NUMBER		RATE **		NUMBER		RATE **			
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL
TUBERCULOSIS (010-018)	0	0	0	184.6	181.7	0	0	0	217.7	-
MALIGNANT NEOPLASMS (140-208)	51	27	24	21.7	27.8	15.1	28	24	36.3	72.4
DISEASES MELLITUS (250)	6	4	2	-	-	-	6	5	12.1	45.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	91	57	34	329.5	395.6	257.4	59	44	15	356.7
HYPERTENSION (401, 403)	2	1	1	7.2	6.9	7.6	2	1	1	12.1
CEREBROVASCULAR DISEASES (430- 438)	27	14	13	97.8	97.2	98.4	12	11	1	72.5
ATHEROSCLEROSIS (440)	3	2	1	10.9	13.9	7.6	0	0	0	-
PNEUMONIA AND INFLUENZA (480- 487)	10	8	2	36.2	55.5	15.1	3	1	2	18.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	3.6	6.9	-	4	3	1	24.2
CHRONIC LIVER DISEASE AND CIRRHOSES (571)	2	2	0	7.2	13.9	-	1	1	0	6.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	14.5	6.9	22.7	1	0	1	6.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	2	0	12.1
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.2	-	3.5	2	1	1	6.8
ACCIDENTS (800-949)	18	10	8	65.2	69.4	60.6	11	7	4	66.5
MOTOR VEHICLE ACCIDENTS # (810-825)	-	-	-	-	-	-	-	-	-	-
SUICIDE (950-959)	7	5	2	25.3	34.7	15.1	6	3	3	36.3
HOMICIDE AND LEGAL INTER- VENTION (960-978)	4	3	1	14.5	20.8	7.6	1	1	0	6.0
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	1	0	1	3.6	-	7.5	0	0	0	-
	31	9	22	112.2	62.5	166.5	17	7	10	102.8
										63.5
										181.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND
CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS
ORIGINATING IN THE PRIMENATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO AND FOREST COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY				FOREST COUNTY				RATE**
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	
CHIBERCILOSTS (010-018)	0	0	0	—	—	—	0	0	—
MATERNAL NEOPLASMS (140-208)	65	53	12	106.8	104.0	121.6	120	90	169.7
DISEASES MELLITUS (250)	1	0	1	1.6	—	10.1	16	9	30
DISEASES OF HEART (390-398, 402, 404, 410-429)	101	78	23	166.0	153.0	233.1	218	173	22.6
HYPERTENSION (401, 403)	2	2	0	3.3	3.9	—	2	0	—
COPPERMAGNETIC DISEASES (430- 438)	16	11	5	26.3	21.6	50.7	71	58	13
ATHEROSCLEROSIS (440)	1	1	0	1.6	2.0	—	15	9	6
PNEUMONIA AND INFILTRATION (480- 487)	11	9	2	18.1	17.6	20.3	20	14	6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	12	2	23.0	23.5	20.3	15	15	28.3
CHRONIC LIVER DISEASE AND CIRRHOSES (571)	1	1	0	1.6	2.0	—	8	8	28.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	6.6	5.9	10.1	7	1	9.9
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	1	0	1.4
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	0	0	—
CONGENITAL ANOMALIES (740-759)	7	6	1	11.5	11.8	10.1	2	1	2.8
CHROMATIC CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	5	1	6.8	7.1	5.8	11	2	10.7
ACCIDENTS (800-949)	27	19	8	44.4	37.3	81.1	40	31	56.6
MOTOR VEHICLE ACCIDENTS# (810-825)	15	12	3	24.6	23.5	30.4	20	15	4
SUICIDE (950-959)	5	4	1	8.2	7.8	10.1	8	4	11.3
HOMICIDE AND LEGAL INTER- VENTION (960-978)	3	3	0	4.9	5.9	—	5	1	4
SIGNS, AND TELL- DEFTED CONDITIONS# (780-799)	59	38	21	97.0	74.5	212.9	48	28	20
									56.1
									96.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND
CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS
ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF FRANKLIN AND GEORGE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY				GEORGE COUNTY				RATE**
	NUMBER	NON-WHITE	TOTAL	WHITE	NUMBER	NON-WHITE	TOTAL	WHITE	
MICROCYTOSIS (010-018)	0	0	0	—	0	0	0	—	—
MAITIGNANT NEOPLASMS (140-208)	14	9	5	166.9	170.0	161.3	18	1	124.4
DIABETES MELLITUS (250)	4	0	4	47.7	—	129.1	5	0	34.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	39	29	10	464.9	547.8	322.7	56	5	352.4
HYPERTENSION (401, 403) CEREBROVASCULAR DISEASES (430- 438)	1	0	1	11.9	—	32.3	0	0	—
ATHEROSCLEROSIS (440)	10	4	6	119.2	75.6	193.6	6	0	37.7
PHTHOMONTA AND INFILTRA (480- 487)	2	2	0	23.8	37.8	—	1	0	6.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-495)	3	2	1	35.8	37.8	32.3	4	4	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	11.9	18.9	—	5	5	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	—	—	0	0	0	—
INFECTIONS OF KIDNEY (590)	2	2	0	23.8	37.8	—	2	2	0
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	1	1	0
CONGENITAL ANOMALIES (740-759)	0	0	0	—	—	—	1	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD (760-779)	2	1	1	13.6	14.7	12.6	4	4	0
ACCIDENTS (800-949)	8	5	3	95.4	94.4	96.8	21	19	0
MOTOR VEHICLE ACCIDENTS# (810-825)	4	4	0	47.7	75.6	—	8	7	1
SUICIDE (950-959)	1	1	0	11.9	18.9	—	4	4	0
HOMICIDE AND LEGAL INTER- VENTION (960-978)	2	1	1	23.8	18.9	32.3	2	2	0
SYMPOTMS, SIGNS, AND TELL- DEFINED CONDITIONS# (780-799)	2	0	2	23.8	—	64.5	3	2	1
									18.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE AND GRENADA COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY				GRENADA COUNTY				RATE**
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	0	143.8	154.2	99.8	0	0	—
MALIGNANT NEOPLASMS (140-208)	15	13	2	38.4	11.9	149.7	41	27	14
DIABETES MELLITUS (250)	4	1	3	—	—	—	2	0	9.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	43	34	9	412.3	403.4	449.1	84	54	30
HYPERTENSION (401, 403)	0	0	0	—	—	—	1	0	4.6
CEREBROVASCULAR DISEASES (430-438)	4	4	0	38.4	47.5	49.9	32	23	9
ATHEROSCLEROSIS (440)	5	4	1	47.9	47.5	49.9	1	1	0
PNEUMONIA AND INFILUENZA (480-487)	1	1	0	9.6	11.9	—	3	3	0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	9.6	11.9	—	3	2	1
CHRONIC LIVER DISEASE AND CIRRHOSES (571)	1	1	0	9.6	11.9	—	4	2	2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	28.8	23.7	49.9	3	3	0
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	0	0	—
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	0	0	—
CONGENITAL ANOMALIES (740-759)	2	2	0	19.2	23.7	—	0	0	—
CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD (760-779)	1	0	1	6.6	—	23.2	3	0	3
ACCIDENTS (800-949)	9	7	2	86.3	83.0	99.8	21	11	10
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	67.1	71.2	49.9	5	2	3
SUICIDE (950-959)	3	2	1	28.8	23.7	49.9	4	4	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	—	—	—	5	3	2
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	8	4	115.1	94.9	199.6	22	9	13

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HANCOCK AND HARRISON COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER		RATE**				NUMBER		RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	219.5	216.0	249.9	2	2	1.2	1.6	1.6	-
MALIGNANT NEOPLASMS (140-208)	60	53	7	7.3	4.1	35.7	296	253	43	176.8	196.2	111.8
DIABETES MELLITUS (250)	2	1	1	-	-	-	13	6	7	7.8	4.6	18.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	105	97	8	384.1	395.4	285.6	547	469	78	326.8	363.8	202.8
HYPERTENSION (401, 403) CEREBROVASCULAR DISEASES (430- 438)	2	2	0	7.3	8.2	-	2	2	0	1.2	1.6	-
ATHEROSCLEROSIS (440)	11	9	2	40.2	36.7	71.4	75	52	23	44.8	40.3	59.8
PNEUMONIA AND INFLUENZA (480- 487)	2	2	0	7.3	8.2	-	8	7	1	4.8	5.4	2.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	29.3	28.5	35.7	32	28	4	19.1	21.7	10.4
CHRONIC LIVER DISEASE AND CTRRHOSIS (571)	3	3	0	11.0	12.2	-	20	18	2	29.3	36.4	5.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	11.0	12.2	-	15	13	2	9.0	10.1	5.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	7.3	4.1	35.7	10	7	3	6.0	5.4	7.8
ACCIDENTS (800-949)	4	3	1	9.2	7.8	20.0	11	6	5	3.5	2.6	5.8
MOTOR VEHICLE ACCIDENTS# (810-825)	5	3	2	18.3	12.2	71.4	60	45	15	35.8	34.9	39.0
SUICIDE (950-959)	4	2	2	14.6	8.2	71.4	31	24	7	18.5	18.6	18.2
HOMICIDE AND LEGAL INTER- VENTION (960-978)	2	2	0	7.3	8.2	-	27	25	2	16.1	19.4	5.2
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	1	1	0	3.6	4.1	-	13	8	5	7.8	6.2	13.0
	3	2	1	11.0	8.2	35.7	17	13	4	10.2	10.1	10.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS AND HOLMES COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY				HOLMES COUNTY				RATE **	
	NUMBER	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE	WHITE
TUBERCULOSIS (010-018)	2	0	2	0	0.7	—	1.5	0	0	—
MALIGNANT NEOPLASMS (140-208)	451	261	190	167.7	187.1	146.8	55	39	240.4	259.3
DIABETES MELLITUS (250)	44	17	27	16.4	12.2	20.9	1	1	4.4	—
DISEASES OF HEART (390-398, 402, 404, 410-429)	789	458	331	293.4	328.4	255.8	62	30	271.0	486.1
HYPERTENSION (401, 403)	6	1	5	2.2	0.7	3.9	3	1	13.1	16.2
CEREBROVASCULAR DISEASES (430-438)	142	85	57	52.8	60.9	44.0	19	9	10	83.0
ATHEROSCLEROSIS (440)	12	7	5	4.5	5.0	3.9	1	0	4.4	—
PNEUMONIA AND INFLUENZA (480-487)	60	37	23	22.3	26.5	17.8	3	1	2	13.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	58	40	18	21.6	28.7	13.9	6	3	3	26.2
CHRONIC LIVER DISEASE AND CIRRHOsis (571)	35	26	9	13.0	18.6	7.0	2	2	0	8.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	16	7	9	6.0	5.0	7.0	5	0	5	21.8
INFECTIONS OF KIDNEY (590)	2	2	0	0.7	1.4	—	1	0	0	4.4
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	0	0	0	—
CONGENITAL ANOMALIES (740-759)	21	8	13	7.8	5.7	10.0	4	0	4	17.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	23	4	19	5.2	2.3	7.0	4	1	3	8.2
ACCIDENTS (800-949)	95	51	44	35.3	36.6	34.0	21	7	14	91.8
MOTOR VEHICLE ACCIDENTS# (810-825)	43	24	19	16.0	17.2	14.7	12	3	9	52.4
SUICIDE (950-959)	28	20	8	10.4	14.3	6.2	1	0	4.4	—
HOMICIDE AND LEGAL INTERVENTION (960-978)	43	6	37	16.0	4.3	28.6	3	1	2	13.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	45	19	26	16.7	13.6	20.1	65	7	58	284.1
										113.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HUMPHREYS AND ISSAQENA COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQENA COUNTY					
	NUMBER		RATE**				NUMBER		RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE		
TUBERCULOSIS (010-018)	1	1	0	7.4	22.2	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	31	13	18	228.5	289.0	198.3	2	0	2	80.8	-	-
DIABETES MELLITIS (250)	2	1	1	14.7	22.2	11.0	0	0	0	-	-	150.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	54	19	35	398.0	422.3	385.7	6	3	3	242.5	260.0	225.7
HYPERTENSION (401, 403-438)	1	0	1	7.4	-	11.0	1	1	0	40.4	86.6	-
CEREBROVASCULAR DISEASES (430-487)	11	2	9	81.1	44.4	99.2	2	1	1	80.8	86.6	75.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	14.7	22.2	11.0	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	1	0	7.4	22.2	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	14.7	22.2	11.0	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	14.7	-	22.0	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	2	4	21.0	35.1	17.5	0	0	1	80.8	86.6	75.2
ACCIDENTS (800-949)	13	6	7	95.8	133.4	77.1	2	1	1	-	-	-
MOTOR VEHICLE ACCIDENTS# (810-825)	10	5	5	73.7	111.1	55.1	0	0	0	40.4	86.6	-
SUICIDE (950-959)	1	1	0	7.4	22.2	-	1	1	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	7.4	-	11.0	0	0	0	-	-	-
SYMPOTMS, SIGNS, AND ILL DEFINED CONDITIONS# (780-799)	2	0	2	14.7	-	22.0	2	1	1	80.8	86.6	75.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA AND JACKSON COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY			JACKSON COUNTY			RATE**						
	NUMBER	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		NUMBER	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	4.5	148.0	148.6	70.1	0	0	—	—	—	—
MALIGNANT NEOPLASMS (140-208)	33	31	2	148.0	4.5	4.8	140.2	215	184	31	165.2	178.6	114.2
DIABETES MELLITUS (250)	1	1	0	—	—	—	—	5	3	2	3.8	2.9	7.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	54	4	260.2	—	—	280.3	249	213	36	191.3	206.8	132.6
HYPERTENSION (401, 403)	0	0	0	—	—	—	—	4	2	2	3.1	1.9	7.4
CEREBROVASCULAR DISEASES (430-438)	39	33	6	175.0	158.2	9.6	420.5	43	36	7	33.0	35.0	25.8
ATHEROSCLEROSIS (440)	2	2	0	9.0	9.6	—	—	6	5	1	4.6	4.8	3.7
PNEUMONIA AND INFILTRATION (480-487)	7	6	1	31.4	28.8	28.8	70.1	21	21	0	16.1	20.4	—
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	26.9	28.8	—	—	21	21	0	16.1	20.4	—
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	9.0	9.6	—	—	5	4	1	3.8	3.9	3.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	—	—	—	—	3	2	1	2.3	1.9	3.7
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	—	1	1	0	0.8	1.0	—
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	—	0	0	0	—	—	—
CONGENITAL ANOMALIES (740-759)	0	0	0	—	—	—	—	12	8	4	9.2	7.8	14.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	—	—	—	—	15	10	5	7.8	7.1	9.6
ACCIDENTS (800-949)	9	9	0	40.4	43.1	—	—	48	38	10	36.9	36.9	36.8
MOTOR VEHICLE ACCIDENTS# (810-825)	8	8	0	35.9	38.3	—	—	21	17	4	16.1	16.5	14.7
SUICIDE (950-959)	3	2	1	13.4	9.6	70.1	—	16	13	3	12.3	12.6	11.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.5	—	70.1	—	5	3	2	3.8	2.9	7.4
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.5	4.8	—	—	51	44	7	39.2	42.7	25.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JASPER AND JEFFERSON COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY						
	NUMBER		TOTAL		WHITE		NUMBER		TOTAL		WHITE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	1	0	1	5.6	5.6	—	11.1	0	0	0	0	—	—
MALIGNANT NEOPLASMS (140-208)	29	14	15	162.9	159.4	166.3	14	3	11	157.0	194.3	149.1	149.1
DIABETES MELLITUS (250)	6	1	5	33.7	11.4	55.4	2	0	2	22.4	—	—	27.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	57	34	23	320.3	387.0	255.0	37	7	30	415.0	453.4	406.7	406.7
HYPERTENSION (401, 403)	0	0	0	—	—	—	1	0	1	11.2	—	—	13.6
CEREBROVASCULAR DISEASES (430- 438)	16	13	3	89.9	148.0	33.3	0	0	0	0	—	—	—
ATHEROSCLEROSIS (440)	1	0	1	5.6	—	11.1	1	0	1	11.2	—	—	13.6
PNEUMONIA AND INFLUENZA (480- 487)	4	4	0	22.5	45.5	—	3	0	3	33.6	—	—	40.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-495)	5	3	2	28.1	34.1	22.2	3	0	3	33.6	—	—	40.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	11.2	11.4	11.1	0	0	0	0	—	—	—
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5.6	11.4	—	0	0	0	0	—	—	—
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	0	0	0	0	—	—	—
MATERNAL CAUSES (630-676)	0	0	0	5.6	11.4	—	0	0	0	0	—	—	—
CONGENITAL ANOMALIES (740-759)	1	1	0	—	—	—	0	0	0	0	—	—	—
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	4	1	21.4	48.2	6.6	2	0	2	11.3	—	—	12.4
ACCIDENTS (800-949)	14	7	7	78.7	79.7	77.6	8	1	7	89.7	64.8	94.9	94.9
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	33.7	56.9	11.1	6	1	5	67.3	64.8	67.8	67.8
SUICIDE (950-959)	1	1	0	5.6	11.4	—	0	0	0	—	—	—	—
HOMICIDE AND LEGAL INTER- VENTION (960-978)	1	1	0	5.6	11.4	—	3	1	2	33.6	64.8	27.1	27.1
SYMPOTMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	10	4	5	56.2	45.5	66.5	16	4	12	179.5	259.1	162.7	162.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS AND JONES COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY				JONES COUNTY				RATE**
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	0	-	-	1	1	0	2.0
MALIGNANT NEOPLASMS (140-208)	35	26	9	244.3	412.5	112.1	145	113	221.6
DIABETES MELLITUS (250)	0	0	0	-	-	-	20	13	30.6
DISEASES OF HEART (390-398,	51	30	21	355.9	476.0	261.5	236	171	65
402, 404, 410-429)	0	0	0	-	-	4	4	3	19.7
HYPERTENSION (401, 403)	10	6	4	69.8	95.2	49.8	54	43	360.8
CEREBROVASCULAR DISEASES (430-438)	3	3	0	20.9	47.6	-	3	2	340.6
ATHEROSCLEROSIS (440)	3	2	1	20.9	31.7	12.4	22	18	32.0
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	20.9	31.7	12.4	22	18	4.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	14.0	15.9	12.4	16	13	85.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	10	7	4.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	3	3	41.9	47.6	37.4	6	3	4.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	4.0
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	4.0
CONGENITAL ANOMALIES (740-759)	1	0	1	7.0	-	12.4	4	3	4.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	7	2	5
ACCIDENTS (800-949)	8	2	6	55.8	31.7	74.7	37	26	11
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	27.9	15.9	37.4	17	13	4
SUICIDE (950-959)	0	0	0	-	-	-	6	6	9.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	20.9	-	37.4	9	4	12.0
SYMPOTMS, SIGNS, AND TELL-DEFINED CONDITIONS# (780-799)	1	0	1	7.0	-	12.4	28	20	8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF KEMPER AND LAFAYETTE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY			LAFAYETTE COUNTY			RATE**
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	-	0	0	-
MALIGNANT NEOPLASMS (140-208)	22	11	11	218.4	238.7	201.2	124.6
DIABETES MELLITUS (250)	2	0	2	19.8	-	36.6	11.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	48	31	17	476.5	672.6	311.0	52
HYPERTENSION (401, 403)	0	0	0	-	0	0	0
CEREBROVASCULAR DISEASES (430-438)	11	4	7	109.2	86.8	128.1	24
ATHEROSCLEROSIS (440)	1	0	1	9.9	-	18.3	0
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	39.7	86.8	-	5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	19.8	21.7	18.3	8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	3	3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	29.8	65.1	-	1
INFECTIONS OF KIDNEY (590)	1	1	0	9.9	21.7	-	0
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	26.5	-	41.7	0
ACCIDENTS (800-949)	5	0	5	49.6	-	91.5	11
MOTOR VEHICLE ACCIDENTS# (810-825)	3	0	3	29.8	-	54.9	6
SUICIDE (950-959)	0	0	0	-	-	4	3
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	19.8	21.7	18.3	3
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	11	1	10	109.2	21.7	182.9	7
							3
							4
							20.8
							12.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
**DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
 RESIDENTS OF LAMAR AND LAUDERDALE COUNTIES, MISSISSIPPI, 1985**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAUDERDALE COUNTY												
	LAMAR COUNTY					NUMBER							
	NUMBER		RATE**			NUMBER		RATE**					
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	148.2	137.4	234.9	121	1	1.2	1.9	150.6	149.7	150.6
MALIGNANT NEOPLASMS (140-208)	40	33	7	3.7	-	33.6	8	80	41	150.0	9.9	13.1	3.7
DIABETES MELLITUS (250)	1	0	1	-	-	-	-	7	1	-	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	55	54	1	203.7	224.8	33.6	379	262	117	469.9	490.4	429.6	-
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	1.2	1.9	-	-
CEREBROVASCULAR DISEASES (430-438)	17	13	4	63.0	54.1	134.2	73	51	22	90.5	95.4	80.8	3.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	6	5	1	7.4	9.4	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	11.1	12.5	-	12	6	6	14.9	11.2	22.0	
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	22.2	25.0	-	22	17	5	27.3	31.8	18.4	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.7	4.2	-	12	5	7	14.9	9.4	25.7	
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	7.4	4.2	-	33.6	10	1	9	12.4	1.9	33.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0	1.2	1.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.7	4.2	-	7	4	3	8.7	7.5	11.0	
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	7	1	6	5.6	1.4	11.0	
ACCIDENTS (800-949)	17	15	2	63.0	62.4	67.1	51	36	15	63.2	67.4	55.1	
MOTOR VEHICLE ACCIDENTS# (810-825)	11	10	1	40.7	41.6	33.6	23	12	11	28.5	22.5	40.4	
SUICIDE (950-959)	1	1	0	3.7	4.2	-	10	5	5	12.4	9.4	18.4	
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	11.1	12.5	-	9	4	5	11.2	7.5	18.4	
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	10	2	44.4	41.6	67.1	12	5	7	14.9	9.4	25.7	

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAWRENCE AND LEAKE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY			LEAKE COUNTY			NUMBER	TOTAL	WHITE	NON-WHITE	NUMBER	TOTAL	WHITE	NON-WHITE	NUMBER	TOTAL	WHITE	NON-WHITE	RATE**	RATE**	
	NUMBER	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE														
TUBERCULOSIS (010-018)	0	0	0	0	158.4	194.2	75.1	0	0	0	0	209.9	244.4	-	-	-	-	-	-	156.4	156.4
MALIGNANT NEOPLASMS (140-208)	21	18	3	15.1	15.1	-	50.1	41	29	12	4	25.6	24.4	8.4	8.4	5	1	4	5	52.1	52.1
DIABETES MELLITUS (250)	2	0	2	-	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	51	34	17	17	384.6	366.9	425.6	-	65	47	18	332.8	396.1	10.2	8.4	1	1	1	1	234.6	13.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
CEREBROVASCULAR DISEASES (430- 438)	13	9	4	98.0	97.1	100.2	-	19	15	4	97.3	126.4	-	-	0	0	0	0	-	-	52.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	-	-
PNEUMONIA AND INFUENZA (480- 487)	1	1	0	7.5	10.8	-	-	9	9	9	0	46.1	75.8	-	-	-	-	-	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	22.6	32.4	-	-	9	8	1	1	46.1	67.4	-	-	-	-	-	-	-	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	-	1	0	1	1	5.1	-	-	-	-	-	-	-	-	13.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	15.1	10.8	25.0	-	5	2	3	2	3	25.6	16.8	39.1	39.1	3	3	2	2	26.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	-	1	1	1	1	0	0	0	0	0	0	0	0	0	-
CONGENITAL ANOMALIES (740-759)	9	0	0	-	-	-	-	3	1	2	1	2	10.9	14.2	14.2	14.2	4	4	4	4	52.1
CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD (760-779)	0	0	0	-	-	-	-	20	16	4	4	102.4	134.8	-	-	-	-	-	-	-	-
ACCIDENTS (800-949)	11	7	4	83.0	75.5	100.2	-	20	16	4	4	102.4	134.8	-	-	-	-	-	-	-	-
MOTOR VEHICLE ACCIDENTS# (810-825)	8	6	2	60.3	64.8	50.1	-	8	5	3	3	41.0	42.1	-	-	0	0	0	0	42.1	39.1
SUICIDE (950-959)	1	1	0	7.5	10.8	-	-	0	0	0	0	0	-	-	-	-	-	-	-	-	-
HOMICIDE AND LEGAL INTER- VENTION (960-978)	0	0	0	-	-	-	-	2	1	1	1	10.2	8.4	-	-	1	1	1	1	13.0	13.0
SYMPOTMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	2	0	2	15.1	-	50.1	-	34	18	16	16	174.0	151.7	151.7	151.7	34	34	34	34	208.5	208.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND
CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS
ORIGINATING IN THE PERTINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE AND LEFLORE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER		RATE**		NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	1.6	2.0	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	99	78	21	160.9	160.1	163.9	93	40	53	225.0	249.7	209.4
DIABETES MELLITUS (250)	5	3	2	8.1	6.2	15.6	9	2	7	21.8	12.5	27.7
DISEASES OF HEART (390-398,												
402, 404, 410-429)	236	179	57	383.6	367.4	444.9	202	102	100	488.8	636.7	395.1
HYPERTENSION (401, 403)	1	1	0	1.6	2.0	-	1	0	1	2.4	-	4.0
CEREBROVASCULAR DISEASES (430-												
438)	44	39	5	71.5	80.0	39.0	46	19	27	111.3	118.6	106.7
ATHEROSCLEROSIS (440)	11	10	1	17.9	20.5	7.8	2	1	1	4.8	6.2	4.0
PNEUMONIA AND INFLUENZA (480-												
487)	13	10	3	21.1	20.5	23.4	13	6	7	31.4	37.4	27.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	13	1	22.8	26.7	7.8	13	9	4	31.4	56.2	15.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	3	3	9.8	6.2	23.4	4	2	2	9.7	12.5	7.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	6	1	11.4	12.3	7.8	2	2	0	4.8	12.5	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	2.4	-	4.0
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	3	1	6.5	6.2	7.8	3	2	1	7.3	12.5	4.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	3	4.7	2.7	9.3	7	3	4	8.5	12.8	6.8
ACCIDENTS (800-949)	30	23	7	48.8	47.2	54.6	20	11	9	48.4	68.7	35.6
MOTOR VEHICLE ACCIDENTS# (810-825)	9	7	2	14.6	14.4	15.6	8	7	1	19.4	43.7	4.0
SUICIDE (950-959)	7	6	1	11.4	12.3	7.8	5	4	1	12.1	25.0	4.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	5	2	11.4	10.3	15.6	8	2	6	19.4	12.5	23.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	4	1	8.1	8.2	7.8	4	0	4	9.7	-	15.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LINCOLN AND LOWNDES COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER		RATE**		NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	3.1	—	10.2	0	0	—	139.9	128.0	—
MALIGNANT NEOPLASMS (140-208)	48	29	19	148.2	128.1	194.8	87	50	37	12.9	7.7	159.9
DIABETES MELLITUS (250)	7	3	4	21.6	13.2	41.0	8	3	5	—	—	21.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	108	80	28	333.4	353.3	287.2	143	86	57	229.9	220.2	246.3
HYPERTENSION (401, 403- 438)	0	0	0	—	—	—	6	2	4	9.6	5.1	17.3
CEREBROVASCULAR DISEASES (430- 438)	15	11	4	46.3	48.6	41.0	31	15	16	49.8	38.4	69.1
ATHEROSCLEROSIS (440)	1	1	0	3.1	4.4	—	9	7	2	14.5	17.9	8.6
PNEUMONIA AND INFLUENZA (480- 487)	7	3	4	21.6	13.2	41.0	7	6	1	11.2	15.4	4.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	21.6	26.5	10.2	15	13	2	24.1	33.3	8.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	12.3	17.7	—	6	5	1	9.6	12.8	4.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	6.2	4.4	10.2	2	2	0	0	5.1	—
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	0	0	0	0	—	—
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	3	3	0	4.8	7.7	—
CONGENITAL ANOMALIES (740-759)	2	2	0	6.2	8.8	—	—	—	—	—	—	—
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	1	4	10.4	3.3	22.8	3	0	3	2.8	—	6.7
ACCIDENTS (800-949)	25	21	4	77.2	92.8	41.0	25	17	8	40.2	43.5	34.6
MOTOR VEHICLE ACCIDENTS# (810-825)	13	11	2	40.1	48.6	20.5	13	11	2	20.9	28.2	8.6
SUICIDE (950-959)	5	5	0	15.4	22.1	—	8	6	2	12.9	15.4	8.6
HOMICIDE AND LEGAL INTER- VENTION (960-978)	2	1	1	6.2	4.4	10.2	8	1	7	12.9	2.6	30.2
SYMBOLS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	51	22	29	157.4	97.2	297.4	20	8	12	32.2	20.5	51.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON AND MARION COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY				MARION COUNTY				RATE**
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	5.2
MALIGNANT NEOPLASMS (140-208)	68	31	37	143.6	139.5	147.3	50	35	184.7
DIABETES MELLITUS (250)	3	1	2	5.3	4.5	8.0	1	1	12.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	72	37	35	152.1	166.5	139.3	103	79	24
HYPERTENSION (401, 403)	2	1	1	4.2	4.5	4.0	0	0	-
CEREBROVASCULAR DISEASES (430- 438)	33	15	18	69.7	67.5	71.6	28	17	11
ATHEROSCLEROSIS (440)	2	1	1	4.2	4.5	4.0	8	4	412.4
PNEUMONIA AND INFUENZA (480- 487)	3	2	1	6.3	9.0	4.0	15	10	29.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	6	2	16.9	27.0	8.0	9	7	102.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	10.6	22.5	-	2	2	88.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSSES (580-589)	6	3	3	12.7	13.5	11.9	5	5	20.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	-
CONGENITAL ANOMALIES (740-759)	2	0	2	4.2	-	-	8.0	4	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8	2	6	9.0	5.1	12.0	2	1	12.4
ACCIDENTS (800-949)	20	7	13	42.2	31.5	51.8	16	11	58.7
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	12.7	13.5	11.9	9	7	33.0
SUICIDE (950-959)	5	3	2	10.6	13.5	8.0	2	1	7.3
HOMICIDE AND LEGAL INTER- VENTION (960-978)	9	2	7	19.0	9.0	27.9	7	4	25.7
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	77	24	53	162.7	108.0	211.0	41	23	150.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MARSHALL AND MONROE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER		RATE**		NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	—	—	—	2	0	2	5.3	—	17.9
MALIGNANT NEOPLASMS (140-208)	56	30	26	175.3	192.6	158.8	65	48	17	172.7	181.6	151.8
DIABETES MELLITUS (250)	5	3	2	15.6	19.2	12.2	2	2	0	5.3	7.6	—
DISEASES OF HEART (390-398, 402, 404, 410-429)	105	53	52	328.6	340.2	317.5	160	125	35	425.2	472.9	312.6
HYPERTENSION (401, 403)	1	0	1	3.1	—	6.1	0	0	0	—	—	—
CEREBROVASCULAR DISEASES (430- 438)	20	12	8	62.6	77.0	48.8	35	22	13	93.0	83.2	116.1
ATHEROSCLEROSIS (440)	0	0	0	—	—	—	3	2	1	8.0	7.6	8.9
PNEUMONIA AND INFLUENZA (480- 487)	10	5	5	31.3	32.1	30.5	18	12	6	47.8	45.4	53.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	15.6	25.7	6.1	10	8	2	26.6	30.3	17.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	—	—	—	1	0	1	2.6	—	8.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	12.5	12.8	12.2	5	4	1	13.3	15.1	8.9
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	0	0	0	—	—	—
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	0	0	0	—	—	—
CONGENITAL ANOMALIES (740-759)	0	0	0	—	—	—	2	1	1	5.3	3.8	8.9
CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD (760-779)	9	2	7	16.4	8.8	21.8	3	0	3	5.4	—	12.8
ACCIDENTS (800-949)	20	9	11	62.6	57.8	67.2	30	19	11	79.7	71.9	98.2
MOTOR VEHICLE ACCIDENTS# (810-825)	10	5	5	31.3	32.1	30.5	13	7	6	34.6	26.5	53.6
SUICIDE (950-959)	2	2	0	6.3	12.8	—	4	4	0	10.6	15.1	—
HOMICIDE AND LEGAL INTER- VENTION (960-978)	4	0	4	12.5	—	24.4	2	1	1	5.3	3.8	8.9
SYMPOTMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	9	4	5	28.2	25.7	30.5	18	11	7	47.8	41.6	62.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERTINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY AND NESHOBIA COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY			NESHOBIA COUNTY			NUMBER	RATE**	NON-WHITE
	NUMBER	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		
TUBERCULOSIS (010-018)	0	0	0	—	0	0	0	—	—
MALIGNANT NEOPLASMS (140-208)	37	22	15	272.5	264.4	285.4	49	194.7	195.9
DIABETES MELLITUS (250)	1	1	0	7.4	12.0	—	6	35	191.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	54	41	13	397.7	492.7	247.3	65	23.8	11.2
HYPERTENSION (401, 403)	0	0	—	—	—	—	1	4.0	5.6
CEREBROVASCULAR DISEASES (430- 438)	19	11	8	139.9	132.2	152.2	19	258.3	263.1
ATHEROSCLEROSIS (440)	1	0	1	7.4	—	19.0	0	0	—
PNEUMONIA AND INFLUENZA (480- 487)	4	3	1	29.4	36.0	19.0	4	—	—
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	22.1	24.0	19.0	9	13.7	13.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	7.4	—	19.0	3	11.9	—
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	22.1	24.0	19.0	2	—	—
INFECTIONS OF KIDNEY (590)	0	0	—	—	—	—	0	—	—
MATERNAL CAUSES (630-676)	0	0	—	—	—	—	0	—	—
CONGENITAL ANOMALIES (740-759)	1	0	1	7.4	—	19.0	2	—	—
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.4	—	8.4	4	—	—
ACCIDENTS (800-949)	5	2	3	36.8	24.0	57.1	17	12	5
MOTOR VEHICLE ACCIDENTS# (810-825)	2	2	0	14.7	24.0	—	7	1	27.8
SUICIDE (950-959)	0	0	0	—	—	4	4	15.9	22.4
HOMICIDE AND LEGAL INTER- VENTION (960-978)	6	0	6	44.2	—	114.2	3	2	11.9
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	18	12	6	132.6	144.2	114.2	39	30	9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF NEWTON AND NOXUBEE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER		NON-WHITE		WHITE		NUMBER		NON-WHITE		WHITE	
TOTAL	WHITE	TOTAL	NON-WHITE	TOTAL	WHITE	TOTAL	WHITE	TOTAL	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	191.5	203.5	163.3	0	0	14	159.0	135.1	159.0	-
MALIGNANT NEOPLASMS (140-208)	39	29	83.5	63.2	130.7	20	6	1	15.9	22.5	172.1	12.3
DIABETES MELLITUS (250)	17	9	83.5	63.2	130.7	2	1	1	15.9	22.5	22.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	81	67	14	3.97.7	470.2	228.7	39	14	25	310.1	315.2	307.3
HYPERTENSION (401, 403)	1	1	0	4.9	7.0	-	1	1	0	8.0	22.5	-
CEREBROVASCULAR DISEASES (430-438)	15	10	5	73.6	70.2	81.7	10	2	8	79.5	45.0	98.3
ATHEROSCLEROSIS (440)	4	3	1	19.6	21.0	16.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	6	4	2	29.5	28.1	32.7	5	1	4	39.8	22.5	49.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	29.5	35.1	16.3	4	3	1	31.8	67.6	12.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	0	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	4.9	7.0	-	1	1	0	8.0	22.5	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	0	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	68.7	63.2	81.7	2	0	2	6.9	45.0	8.8
ACCIDENTS (800-949)	14	9	5	68.7	63.2	81.7	7	2	5	55.7	45.0	61.5
MOTOR VEHICLE ACCIDENTS# (810-825)	9	7	2	44.2	49.1	32.7	1	1	0	8.0	22.5	-
SUICIDE (950-959)	3	3	0	14.7	21.0	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	4	3	34.4	28.1	49.0	2	0	2	15.9	-	24.6
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	13	8	5	63.8	56.1	81.7	13	3	10	103.4	67.6	122.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL, DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA AND PANOLA COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY			PANOLA COUNTY			RATE**
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	-	-	0	-
MALIGNANT NEOPLASMS (140-208)	43	25	18	106.0	97.3	121.1	219.7
DISEASES MELLITUS (250)	9	4	5	22.2	15.6	33.6	31.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	83	47	36	204.6	182.8	242.1	404.6
HYPERTENSION (401, 403- 438)	3	0	3	7.4	-	20.2	7.0
CEREBROVASCULAR DISEASES (430- 487)	15	9	6	37.0	35.0	40.4	101.1
ATHEROSCLEROSIS (440)	2	1	1	4.9	3.9	6.7	20.9
PNEUMONIA AND INFLUENZA (480- 487)	3	2	1	7.4	7.8	6.7	15
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	8	2	24.6	31.1	13.4	38.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	6	1	17.2	23.3	6.7	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	1	5	14.8	3.9	33.6	1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	0	0
MATERNAL CAUSES (630-676)	0	0	0	-	-	1	1
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	2	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	5.2	7.4	3.2	4
ACCIDENTS (800-949)	18	6	12	44.4	23.3	80.7	17
MOTOR VEHICLE ACCIDENTS# (810-825)	7	3	4	17.2	11.7	26.9	6
SUICIDE (950-959)	5	3	2	12.3	11.7	13.4	0
HOMICIDE AND LEGAL INTER- VENTION (960-978)	3	1	2	7.4	3.9	13.4	2
SYMPOTMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	2	0	2	4.9	-	13.4	4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND
CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS
ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PEARL RIVER AND PERRY COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER		RATE**				NUMBER		RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE		
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	85	79	6	225.3	243.8	113.0	15	9	6	146.8	109.2	303.8
DIABETES MELLITUS (250)	7	4	3	18.6	12.3	56.5	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	127	115	12	336.7	354.8	226.0	31	26	5	303.3	315.4	253.2
HYPERTENSION (401, 403- 438)	3	2	1	8.0	6.2	18.8	0	0	0	-	-	-
ATHEROSCLEROSIS (440)	23	14	9	61.0	43.2	169.5	10	8	2	97.8	97.0	101.3
PNEUMONIA AND INFLUENZA (480- 487)	1	1	0	2.6	3.1	-	4	4	0	39.1	48.5	-
PLEURYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	15.9	18.5	-	3	3	2	1	29.4	24.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.6	3.1	-	0	0	0	0	29.4	36.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	7	1	21.2	21.6	18.8	1	0	1	0	9.8	-
INFECTIONS OF KIDNEY (590)	1	1	0	2.6	3.1	-	0	0	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	0	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	5	0	7.6	9.4	-	0	0	0	0	-	-
ACCIDENTS (800-949)	19	16	3	50.4	49.4	56.5	5	1	4	48.9	12.1	202.5
MOTOR VEHICLE ACCIDENTS# (810-825)	5	5	0	13.2	15.4	-	5	1	4	48.9	12.1	202.5
SUICIDE (950-959)	8	7	1	21.2	21.6	18.8	1	1	0	9.8	12.1	-
HOMICIDE AND LEGAL INTER- VENTION (960-978)	2	0	2	5.3	-	37.7	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	5	3	2	13.2	9.2	37.7	7	4	3	68.5	48.5	151.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE AND PONTOTOC COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY			PONTOTOC COUNTY			NON-WHITE RATE**	
	NUMBER	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	0	-
MALIGNANT NEOPLASMS (140-208)	82	51	31	217.0	243.7	183.8	39	175.4
DIABETES MELLITUS (250)	11	5	6	29.1	23.9	35.6	5	141.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	171	104	67	452.6	497.0	397.3	103	25.8
HYPERTENSION (401, 403)	2	1	1	5.3	4.8	5.9	0	28.3
CEREBROVASCULAR DISEASES (430-438)	49	28	21	129.7	133.8	124.5	17	368.1
ATHEROSCLEROSIS (440)	1	0	1	2.6	-	5.9	5	464.2
PNEUMONIA AND INFLUENZA (480-487)	8	6	2	21.2	28.7	11.9	8	56.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	12	5	45.0	57.3	29.6	6	34.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	5	1	15.9	23.9	5.9	0	28.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	10.6	9.6	11.9	3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.6	-	5.9	1	25.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	6.8	3.8	9.2	1	10.3
ACCIDENTS (800-949)	22	12	10	58.2	57.3	59.3	10	56.6
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	21.2	33.4	5.9	2	41.3
SUICIDE (950-959)	4	3	1	10.6	14.3	5.9	2	28.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	10.6	4.8	17.8	0	-
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	14	3	11	37.0	14.3	65.2	3	-
							1	13.1
							1	10.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PRENTISS AND QUITMAN COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER		RATE**				NUMBER		RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE		
TUBERCULOSIS (010-018)	0	0	0	144.3	—	34.4	1	1	0	8.7	19.1	—
MALIGNANT NEOPLASMS (140-208)	38	37	1	15.2	17.1	—	20	10	10	174.1	191.5	159.6
DIABETES MELLITUS (250)	4	4	0	—	—	—	1	0	1	8.7	—	16.0
DISEASES OF HEART (390-398,	75	72	3	284.8	307.3	103.3	42	15	27	365.7	287.2	431.0
402, 404, 410-429)	0	0	0	—	—	—	0	0	0	—	—	—
HYPERTENSION (401, 403)	0	0	0	—	—	—	—	—	—	—	—	—
CEREBROVASCULAR DISEASES (430-438)	24	22	2	91.1	93.9	68.8	15	4	11	130.6	76.6	175.6
ATHEROSCLEROSIS (440)	2	2	0	7.6	8.5	—	0	0	0	—	—	—
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	15.2	17.1	—	6	4	2	52.2	76.6	31.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	9	3	45.6	38.4	103.3	6	4	2	52.2	76.6	31.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	3.8	—	34.4	2	1	1	17.4	19.1	16.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	4	1	19.0	17.1	34.4	3	2	1	26.1	38.3	16.0
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	0	0	0	—	—	—
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	0	0	0	—	—	—
CONGENITAL ANOMALIES (740-759)	0	0	0	—	—	—	1	1	0	8.7	19.1	—
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	—	—	—	1	0	1	4.1	—	6.0
ACCIDENTS (800-949)	21	20	1	79.7	85.4	34.4	11	6	5	95.8	114.9	79.8
MOTOR VEHICLE ACCIDENTS# (810-825)	14	13	1	53.2	55.5	34.4	4	3	1	34.8	57.4	16.0
SUICIDE (950-959)	5	4	1	19.0	17.1	34.4	1	1	0	8.7	19.1	—
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3.8	4.3	—	2	0	2	17.4	—	31.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	35	31	4	132.9	132.3	137.7	3	0	3	26.1	—	47.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN AND SCOTT COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY				SCOTT COUNTY			
	NUMBER	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	116	94	22	152.2	150.1	162.2	41	30
DIABETES MELLITUS (250)	113	7	6	17.1	11.2	44.2	3	1
DISEASES OF HEART (390-398,								
402, 404, 410-429)	169	132	37	221.8	210.8	272.8	93	67
HYPERTENSION (401, 403)	3	1	2	3.9	1.6	14.7	2	0
CEREBROVASCULAR DISEASES (430-438)	30	20	10	39.4	31.9	73.7	27	19
ATHEROSCLEROSIS (440)	4	0	4	5.2	-	29.5	9	8
PNEUMONIA AND INFLUENZA (480-487)	21	12	9	27.6	19.2	66.4	8	4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	19	18	1	24.9	28.7	7.4	12	10
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	7	0	9.2	11.2	-	2	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	3.9	1.6	14.7	2	1
INFECTIONS OF KIDNEY (590)	3	2	1	3.9	3.2	7.4	1	1
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	0
CONGENITAL ANOMALIES (740-759)	6	4	2	7.9	6.4	14.7	2	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	1.6	2.0	-	4	3
ACCIDENTS (800-949)	34	30	4	44.6	47.9	29.5	21	13
MOTOR VEHICLE ACCIDENTS# (810-825)	26	24	2	34.1	38.3	14.7	11	6
SUICIDE (950-959)	4	4	0	5.2	6.4	-	2	2
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	5	3	10.5	8.0	22.1	5	1
SYMBOLS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	25	16	9	32.8	25.5	66.4	10	7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SHARKEY AND SIMPSON COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY				SIMPSON COUNTY				NON-WHITE RATE**
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	0	207	8	188.5	217.7	0	243.1
MALIGNANT NEOPLASMS (140-208)	16	5	11	13.0	-	19.8	55	12	154.1
DIABETES MELLITUS (250)	1	0	1	-	-	-	5	2	25.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	38	12	26	493.6	452.3	514.6	86	63	337.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	356.2
CEREBROVASCULAR DISEASES (430-438)	5	0	5	64.9	-	99.0	21	14	5.6
ATHEROSCLEROSIS (440)	1	0	1	13.0	-	19.8	2	1	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	26.0	75.4	-	8	7	7.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	39.0	75.4	19.8	12	12	82.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	13.0	37.7	-	2	2	79.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	13.0	-	19.8	3	2	5.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	-
CONGENITAL ANOMALIES (740-759)	2	1	1	26.0	37.7	19.8	1	0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	1	3.9
ACCIDENTS (800-949)	4	1	3	52.0	37.7	59.4	17	11	66.7
MOTOR VEHICLE ACCIDENTS# (810-825)	1	1	0	13.0	37.7	-	7	5	27.5
SUICIDE (950-959)	1	1	0	13.0	37.7	-	2	1	7.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	13.0	-	19.8	1	0	3.9
SYMBOLS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	0	5	64.9	-	99.0	8	3	17.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH AND STONE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY			STONE COUNTY			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	196.3	191.6	214.5	0	0	-
MALIGNANT NEOPLASMS (140-208)	31	24	7	38.0	47.9	-	17	12	5
DIABETES MELLITUS (250)	6	6	0	-	-	-	2	1	18.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	47	11	367.3	375.2	337.1	49	44	5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1
CEREBROVASCULAR DISEASES (430- 438)	8	6	2	50.7	47.9	61.3	5	5	458.8
ATHEROSCLEROSIS (440)	2	1	1	12.7	8.0	30.6	0	0	539.2
PNEUMONIA AND INFLUENZA (480- 487)	4	4	0	25.3	31.9	-	4	4	9.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	12.7	16.0	-	5	4	46.8
CHRONIC LIVER DISEASE AND CTRRHOSIS (571)	2	2	0	12.7	16.0	-	1	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	25.3	31.9	-	4	2	37.4
INFECTIONS OF KIDNEY (590)	2	2	0	12.7	16.0	-	0	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	-
CONGENITAL ANOMALIES (740-759)	1	1	0	6.3	8.0	-	1	1	9.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	12.3	6.1	25.3	0	0	-
ACCIDENTS (800-949)	9	9	0	57.0	71.8	-	5	5	46.8
MOTOR VEHICLE ACCIDENTS# (810-825)	6	6	0	38.0	47.9	-	4	4	37.4
SUICIDE (950-959)	1	1	0	6.3	8.0	-	1	1	9.4
HOMICIDE AND LEGAL INTER- VENTION (960-978)	0	0	0	-	-	-	1	1	0
SYMPOTMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	12	5	7	76.0	39.9	214.5	7	4	65.5
									49.0
									119.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING, LEADING CAUSES, BY RACE,
RESIDENTS OF SUNFLOWER AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY				TALLAHATCHIE COUNTY				RATE **
	TOTAL	WHITE	NON-WHITE	RATE**	TOTAL	WHITE	NON-WHITE	RATE**	
TUBERCULOSIS (010-018)	1	0	1	2.9	4.7	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	69	32	37	200.5	172.5	30	15	188.3	213.2
DIABETES MELLITUS (250)	6	3	3	246.9	23.1	4	0	25.1	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	151	66	85	438.8	509.2	69	41	28	582.7
HYPERTENSION (401, 403- 438)	0	0	0	-	-	1	0	6.3	14.2
CEREBROVASCULAR DISEASES (430- 487)	39	13	26	113.3	100.3	121.2	21	8	131.8
ATHEROSCLEROSIS (440)	1	1	0	2.9	7.7	-	0	0	-
PNEUMONIA AND INFLUENZA (480- 487)	4	4	0	11.6	30.9	-	2	0	113.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	7	3	29.1	54.0	14.0	4	1	146.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	0	0	2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	14.5	23.1	9.3	4	1	22.5
INFECTIONS OF KIDNEY (590)	1	0	1	2.9	-	4.7	0	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	0	-
CONGENITAL ANOMALIES (740-759)	2	1	1	5.8	7.7	4.7	1	1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	11	0	11	15.5	-	19.4	1	0	-
ACCIDENTS (800-949)	16	8	8	46.5	61.7	37.3	18	7	-
MOTOR VEHICLE ACCIDENTS# (810-825)	10	5	5	29.1	38.6	23.3	7	5	2
SUICIDE (950-959)	2	2	0	5.8	15.4	-	0	0	43.9
HOMICIDE AND LEGAL INTER- VENTION (960-978)	6	1	5	17.4	7.7	23.3	2	1	12.6
SYMBOLS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	25	4	21	72.6	30.9	97.9	16	6	100.4
									85.3
									112.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE AND TIPPAH COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY			TIPPAH COUNTY			COUNTRY			RATE**		
	NUMBER	TOTAL	WHITE	NUMBER	TOTAL	WHITE	NUMBER	TOTAL	WHITE	NUMBER	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	33	19	14	155.7	148.9	166.0	29	27	2	145.3	161.2	62.4
DIABETES MELLITUS (250)	5	3	2	23.6	23.5	23.7	1	1	0	5.0	6.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	60	44	16	283.2	344.7	189.7	60	49	11	300.7	292.5	343.0
HYPERTENSION (401, 403)	2	1	1	9.4	7.8	11.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	15	4	11	70.8	31.3	130.4	24	22	2	120.3	131.3	62.4
ATHEROSCLEROSIS (440)	2	2	0	9.4	15.7	-	2	1	1	10.0	6.0	31.2
PNEUMONIA AND INFLUENZA (480-487)	11	9	2	51.9	70.5	23.7	12	10	2	60.1	59.7	62.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	9.4	15.7	-	3	3	0	15.0	17.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.7	7.8	-	2	2	0	10.0	11.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	3	4	33.0	23.5	47.4	5	5	0	25.0	29.8	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	4.7	-	11.8	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	11.1	5.1	18.1	1	1	0	3.9	4.8	-
ACCIDENTS (800-949)	12	4	8	56.6	31.3	94.9	10	9	1	50.1	53.7	31.2
MOTOR VEHICLE ACCIDENTS# (810-825)	8	3	5	37.8	23.5	59.3	6	6	0	30.1	35.8	-
SUICIDE (950-959)	1	1	0	4.7	7.8	-	1	0	1	5.0	-	31.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	14.2	7.8	23.7	1	1	0	5.0	6.0	-
SYMBOLS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	28	17	11	132.2	133.2	130.4	22	19	3	110.2	113.4	93.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TISHOMINGO AND TUNICA COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY						RATE**	
	NUMBER		RATE***		NUMBER		WHITE		NON-WHITE		TOTAL			
	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE		WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	189.0	-	170.4	623.4	-	0	0	0	145.1	244.6	-
MALIGNANT NEOPLASMS (140-208)	37	32	5	15.3	16.0	-	13	0	6	0	7	-	107.6	-
DIABETES MELLITUS (250)	3	3	0	-	-	-	0	0	0	0	0	-	-	-
DISEASES OF HEART (390-398,	77	75	2	393.3	399.3	249.4	29	11	18	0	0	323.7	448.4	276.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	15	1	81.7	79.9	124.7	5	0	5	0	5	55.8	-	76.8
ATHEROSCLEROSIS (440)	1	1	0	5.1	5.3	-	0	0	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	13	11	2	66.4	58.6	249.4	1	0	1	0	1	11.2	-	15.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	13	0	66.4	69.2	-	0	0	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	30.6	26.6	124.7	6	1	5	0	0	67.0	40.8	76.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	0	2	22.3	-	30.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	10.4	5.5	83.3	1	0	1	0	1	5.6	-	6.6
ACCIDENTS (800-949)	23	22	1	117.5	117.1	124.7	8	2	6	0	6	89.3	81.5	92.2
MOTOR VEHICLE ACCIDENTS# (810-825)	14	13	1	71.5	69.2	124.7	3	2	1	0	1	33.5	81.5	15.4
SUICIDE (950-959)	0	0	0	-	-	-	1	1	0	0	1	11.2	40.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	15.3	16.0	-	4	0	4	0	4	44.6	-	61.5
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	6	1	35.8	31.9	124.7	17	6	11	11	189.8	244.6	169.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION AND WALTHALL COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY			WALTHALL COUNTY			RATE**		
	NUMBER	TOTAL	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TUBERCULOSIS (010-018)	0	0	0	195.3	195.1	196.6	1	1	6.9
MALIGNANT NEOPLASMS (140-208)	45	39	6	13.0	10.0	32.8	21	11	145.4
DIABETES MELLITUS (250)	3	2	1	—	—	—	7	0	48.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	62	56	6	269.1	280.1	196.6	49	34	339.4
HYPERTENSION (401, 403)	0	0	0	—	—	—	1	0	6.9
CEREBROVASCULAR DISEASES (430- 438)	24	19	5	104.2	95.0	163.8	17	13	117.7
ATHEROSCLEROSIS (440)	2	1	1	8.7	5.0	32.8	2	1	13.8
PNEUMONIA AND INFLUENZA (480- 487)	7	7	0	30.4	35.0	—	4	1	11.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	12	0	52.1	60.0	—	3	1	27.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	—	—	—	1	1	2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	13.0	10.0	32.8	3	1	20.8
INFECTIONS OF KIDNEY (590)	0	0	0	—	—	—	0	0	6.9
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	1	0	11.8
CONGENITAL ANOMALIES (740-759)	1	1	0	4.3	5.0	—	3	2	483.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	—	—	—	0	0	1,123.6
ACCIDENTS (800-949)	8	7	1	34.7	35.0	32.8	13	7	20.8
MOTOR VEHICLE ACCIDENTS# (810-825)	1	1	0	4.3	5.0	—	5	2	34.6
SUICIDE (950-959)	0	0	0	—	—	—	2	0	13.8
HOMICIDE AND LEGAL INTER- VENTION (960-978)	3	3	0	13.0	15.0	—	1	0	6.9
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	13	8	5	56.4	40.0	163.8	20	7	138.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND
CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS
ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WARREN AND WASHINGTON COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY RATE**				WASHINGTON COUNTY RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	192.9	181.2	211.0	0	0
MALIGNANT NEOPLASMS (140-208)	105	60	45	14.7	9.1	23.4	77	73
DIABETES MELLITUS (250)	8	3	5	—	—	—	150	16
DISEASES OF HEART (390-398, 402, 404, 410-429)	186	102	84	341.7	308.1	393.8	222	111
HYPERTENSION (401, 403)	3	1	2	5.5	3.0	9.4	3	0
CEREBROVASCULAR DISEASES (430- 438)	43	16	27	79.0	48.3	126.6	70	27
ATHEROSCLEROSIS (440)	6	4	2	11.0	12.1	9.4	3	2
PNEUMONIA AND INFLUENZA (480- 487)	13	6	7	23.9	18.1	32.8	16	10
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	12	4	29.4	36.2	18.8	21	14
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	3.7	6.0	—	10	6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	2	4	11.0	6.0	18.8	9	3
INFECTIONS OF KIDNEY (590)	1	0	1	1.8	—	4.7	0	0
MATERNAL CAUSES (630-676)	0	0	0	—	—	—	0	0
CONGENITAL ANOMALIES (740-759)	2	0	2	3.7	—	9.4	6	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	1	5	7.1	2.4	11.7	14	0
ACCIDENTS (800-949)	17	11	6	31.2	33.2	28.1	37	16
MOTOR VEHICLE ACCIDENTS # (810-825)	9	5	4	16.5	15.1	18.8	14	5
SUICIDE (950-959)	4	3	1	7.3	9.1	4.7	7	7
HOMICIDE AND LEGAL INTER- VENTION (960-978)	9	3	6	16.5	9.1	28.1	7	0
SYMPTOMS, SIGNS, AND ILLEGAL DEFINED CONDITIONS# (780-799)	12	5	7	22.0	15.1	32.8	135	28

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE AND WEBSTER COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY				WEBSTER COUNTY				RATE**
	NUMBER	TOTAL	WHITE	NON-WHITE	NUMBER	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	1	0	1	5.0	14.1	1	0	9.7	11.9
MALIGNANT NEOPLASMS (140-208)	43	28	15	213.4	211.2	21	2	204.4	226.1
DIABETES MELLITUS (250)	3	1	2	14.9	28.2	2	0	19.5	23.8
DISEASES OF HEART (390-398,				7.7					-
402, 404, 410-429)	68	48	20	337.4	367.7	281.6	46	38	447.8
HYPERTENSION (401, 403)	1	0	1	5.0	14.1	1	0	9.7	452.2
CEREBROVASCULAR DISEASES (430-									427.8
438)	10	6	4	49.6	46.0	56.3	8	0	77.9
ATHEROSCLEROSIS (440)	4	4	0	19.8	30.6	-	0	0	95.2
PNEUMONIA AND INFLUENZA (480-									-
487)	6	5	1	29.8	38.3	14.1	4	3	38.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	19.8	30.6	-	2	1	35.7
CHRONIC LIVER DISEASE AND CTRRHOSIS (571)	3	2	1	14.9	15.3	14.1	0	0	53.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	24.8	15.3	42.2	2	0	19.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	0	0	0	23.8
MATERNAL CAUSES (630-676)	0	0	2	-	-	0	0	0	-
CONGENITAL ANOMALIES (740-759)	4	2	2	19.8	15.3	28.2	0	0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	3.0	-	6.4	0	0	-
ACCIDENTS (800-949)	10	8	2	49.6	61.3	28.2	8	4	77.9
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	19.8	23.0	14.1	3	2	29.2
SUICIDE (950-959)	4	1	3	19.8	7.7	42.2	4	0	38.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	5.0	7.7	-	0	0	47.6
SYMPOTMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	7	1	39.7	53.6	14.1	1	1	11.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WILKINSON AND WINSTON COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER		RATE**				NUMBER		RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE		
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	-	-	-	-
MALIGNANT NEOPLASMS (140-208)	20	11	9	208.4	356.7	138.1	57	20	285.8	311.3	248.0	-
DIABETES MELLITUS (250)	3	0	3	31.2	-	46.0	5	0	25.1	42.1	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	13	27	416.8	421.5	414.2	58	13	290.8	378.6	161.2	24.8
HYPERTENSION (401, 403- 438)	1	1	0	10.4	32.4	-	3	2	15.0	8.4	24.8	-
CEREBROVASCULAR DISEASES (430- 487)	16	3	13	166.7	97.3	199.4	17	14	3	85.2	117.8	37.2
ATHEROSCLEROSIS (440)	2	0	2	20.8	-	30.7	4	3	1	20.0	25.2	12.4
PNEUMONIA AND INFLUENZA (480- 487)	3	1	2	31.2	32.4	30.7	5	3	2	25.1	25.2	24.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	31.2	64.8	15.3	5	3	2	25.1	25.2	24.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	10.4	-	15.3	4	3	1	20.0	25.2	12.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.0	8.4	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	5.0	-	12.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	10.4	15.6	7.8	2	1	1	6.6	9.2	5.2
ACCIDENTS (800-949)	9	5	4	93.8	162.1	61.4	9	5	4	45.1	42.1	49.6
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	41.7	64.8	30.7	3	2	1	15.0	16.8	12.4
SUICIDE (950-959)	0	0	0	-	-	-	1	0	1	5.0	-	12.4
HOMICIDE AND LEGAL INTER- VENTION (960-978)	2	1	1	20.8	32.4	15.3	4	1	3	20.0	8.4	37.2
SYMPOTMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	6	0	6	62.5	-	92.0	15	6	9	75.2	50.5	111.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF VALOBUSHA AND YAZOO COUNTIES, MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	VALOBUSHA COUNTY			YAZOO COUNTY			RATE**				
	NUMBER	TOTAL	NON-WHITE	RATE**	TOTAL	NON-WHITE		TOTAL	NON-WHITE	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	0	0	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	36	27	9	266.6	330.5	168.7	61	29	32	222.9	217.3
DIABETES MELLITUS (250)	3	3	0	22.2	36.7	-	13	4	9	47.5	30.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	55	44	11	407.4	538.6	206.1	115	47	68	420.2	352.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	7	1	6	25.6	7.5
CEREBROVASCULAR DISEASES (430- 438)	14	9	5	103.7	110.2	93.7	33	13	20	120.6	97.4
ATHEROSCLEROSIS (440)	1	1	0	7.4	12.2	-	7	4	3	25.6	30.0
PNEUMONIA AND INFLUENZA (480- 487)	5	5	0	37.0	61.2	-	5	3	2	18.3	22.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	44.4	73.4	-	8	7	1	29.2	52.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	2	2	14.6	15.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	7.4	12.2	-	2	0	2	7.3	-
INFECTIONS OF KIDNEY (590)	1	1	0	7.4	12.2	-	0	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	7.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	11.2	20.4	6	3	3	10.7	15.4	8.2
ACCIDENTS (800-949)	9	3	6	66.7	36.7	112.4	19	7	12	69.4	52.4
MOTOR VEHICLE ACCIDENTS # (810-825)	0	0	0	-	-	-	6	2	4	21.9	15.0
SUICIDE (950-959)	1	1	0	7.4	12.2	-	4	4	0	14.6	30.0
HOMICIDE AND LEGAL INTER- VENTION (960-978)	4	3	1	29.6	36.7	18.7	2	1	1	7.3	7.5
SYMPOTMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	16	10	6	118.5	122.4	112.4	5	3	2	18.3	22.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND
CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS
ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF STATE OF MISSISSIPPI, 1985

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI NUMBER						RATE**
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	
TUBERCULOSIS (010-018)	23	11	12	0.9	0.6	1.2	
MALIGNANT NEOPLASMS (140-208)	4,701	3,159	1,542	177.0	185.5	161.6	
DIABETES MELLITUS (250)	425	214	211	16.0	12.6	22.1	
DISEASES OF HEART (390-398, 402, 404, 410-429)	8,728	5,898	2,830	328.5	346.4	296.6	
HYPERTENSION (401, 403) CEREBROVASCULAR DISEASES (430- 438)	107	42	65	4.0	2.5	6.8	
ATHEROSCLEROSIS (440) PNEUMONIA AND INFLUENZA (480- 487)	1,972	1,229	743	74.2	72.2	77.9	
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	223	149	74	8.4	8.8	7.8	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	663	472	191	25.0	27.7	20.0	
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	689	560	129	25.9	32.9	13.5	
INFECTIONS OF KIDNEY (590)	214	160	54	8.0	9.4	5.6	
MATERNAL CAUSES (630-676)	314	172	142	11.8	10.1	14.9	
CONGENITAL ANOMALIES (740-759)	31	24	7	1.2	1.4	0.7	
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	6.9	8.7	4.9	
ACCIDENTS (800-949)	159	86	73	6.0	5.0	7.6	
MOTOR VEHICLE ACCIDENTS# (810-825)	280	88	192	6.4	3.8	9.4	
SUICIDE (950-959)	1,443	903	540	54.3	53.0	56.6	
HOMICIDE AND LEGAL INTER- VENTION (960-978)	683	459	224	25.7	27.0	23.5	
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	271	221	50	10.2	13.0	5.2	
	308	110	198	11.6	6.5	20.7	
	1,497	671	826	56.3	39.4	86.6	

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES



TABLE 18
 LIVE BIRTHS AND RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1985,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1985)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

TABLE 18 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1985

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5

* Births per 1,000 population.

TABLE 19
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1985,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1985)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

TABLE 19 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1985

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2

* Deaths per 1,000 population.

TABLE 20
 MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1985,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1985)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

TABLE 20 - PAGE 2
MATERNAL DEATHS - MISSISSIPPI - 1913-1985

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 21 - PAGE 2
INFANT DEATHS - MISSISSIPPI - 1917-1985

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7

* Deaths of children under 1 year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 21
 INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1917-1985,
 (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1985)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

TABLE 22
 NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1985,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1985)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

TABLE 22 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-1985

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 23
 POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1985,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1985)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

TABLE 23 - PAGE 2
POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1985

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 24
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1985

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

TABLE 24 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1985

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.