



Vital Statistics Mississippi 1986

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Public Health Statistics





Vital Statistics Mississippi 1986

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Bureau of Information Resources
Division of Public Health Statistics
P.O. Box 1700
Jackson, Mississippi 39215-1700

Telephone: 601/960-7960




TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Occurrence and Residence Allocation	2
Population	2
Rates	2
Classification of Cause of Death	3
 SUMMARY TABLES, 1986	
POPULATION	
Table P1. Population Projections and Percentage Distribution, by Age, Race, and Sex	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1986	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	10
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race	12
Table A10. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race .	13
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race	14
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	14
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race	15
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1984-1986	15
 DEATHS	
Table C1. Deaths and Average per Day, by Month	16
Table C2. Deaths, Percentage Distribution, and Rates, by Age and Race	16

SUMMARY TABLES, 1986

DEATHS (continued)

Table C3A.	Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race	17
Table C3B.	Death Rates, by Age, Race, and Sex	17
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	18
Table C5.	Deaths, Percent of Total Deaths, and Rates from Five Leading Causes, by Age and Cause	19
Table C6.	Deaths and Rates from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race	20
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1961, 1966, 1971, 1976, 1981, 1986	20
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	21
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	22
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1986	23
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race	24
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	24

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	25
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	26
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	27
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	28
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	29
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	30

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	31
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	31
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	32

MAJOR TABLES, 1986

POPULATION

Table i.	Population Projections and Percent Change Since 1980 Census, by County and Race, Mississippi, 1985	35
----------	--	----

MAJOR TABLES, 1986

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1986	37
Table 1B.	Fertility Rates, by County of Residence and Race, Mississippi, 1986	40
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1986	41
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1986	44
Table 3B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1986	46
Table 3C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1986	48
Table 4.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1986	50
Table 5A.	Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1986	52
Table 5B.	White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1986	54
Table 5C.	Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1986	56
Table 6.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1986 ..	58
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1986 ..	60

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1986	62
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1986	64
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1986	67
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1986	82
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1986	89
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1982-1986 (5-Year Average)	91

	Page
MAJOR TABLES, 1986	
DEATHS (continued)	
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1986 93
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1986 95
MARRIAGES	
Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1986 97
DIVORCES	
Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1986 99
DEATHS (COUNTY AND STATE SUMMARIES)	
Table 17.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order) 103 The State 144
TIME SERIES TABLES	
Table 18.	Live Births and Rates, by Year and Race, Mississippi, 1913-1986, (Occurrence Data 1913-1943, Residence Data 1944-1986) 147
Table 19.	Deaths and Rates, by Year and Race, Mississippi, 1913-1986, (Occurrence Data 1913-1943, Residence Data 1944-1986) 149
Table 20.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1986, (Occurrence Data 1913-1943, Residence Data 1944-1986) 151
Table 21.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1986, (Occurrence Data 1917-1943, Residence Data 1944-1986) 153
Table 22.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1986, (Occurrence Data 1924-1944, Residence Data 1945-1986) 155
Table 23.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1986, (Occurrence Data 1924-1943, Residence Data 1944-1986) 157
Table 24.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1986 159

VITAL STATISTICS
MISSISSIPPI, 1986

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1986; the second part contains major statistical tables for 1986. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Introduction
Mississippi - 1986

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population


Population figures used in this publication are projections of population for 1985 that were developed by the Mississippi Research and Development Center. A data tape containing population projections for the years 1985, 1990, 1995, 2000, 2005, and 2010 by county of residence, age group, race, and sex was obtained by the Department of Health, which then extracted 1985 data and rounded all figures to whole numbers. Because of the method of calculation, and also because of this rounding, figures by race and by sex do not add up to the total figures.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.


Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.



SUMMARY TABLES, 1986

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.



POPULATION

Table P1. Population projections and percentage distribution, by age, race, and sex
Mississippi, 1985

Age	Number						Percent								
	Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite	
		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female
Total	2,656,612	834,392	868,192	449,384	504,881	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
0-4	266,531	69,193	66,686	66,443	64,223	10.0	8.3	7.7	7.7	14.8	7.7	14.8	12.7	12.7	12.7
5-9	213,926	59,493	55,979	49,431	49,035	8.0	7.1	6.4	7.0	11.0	6.4	11.0	9.7	9.7	9.7
10-14	217,968	64,142	60,682	46,616	46,544	8.2	7.7	7.0	7.0	10.4	7.0	10.4	9.2	9.2	9.2
15-19	225,618	66,877	62,776	48,376	47,604	8.5	8.0	7.2	7.2	10.8	7.2	10.8	9.4	9.4	9.4
20-24	257,505	78,174	74,220	51,756	53,375	9.7	9.4	8.5	8.5	11.5	8.5	11.5	10.6	10.6	10.6
25-29	231,762	75,594	72,757	38,416	45,010	8.7	9.0	8.4	8.4	8.5	8.4	8.5	8.9	8.9	8.9
30-34	195,580	66,007	66,263	29,080	34,250	7.4	7.9	7.6	7.6	6.5	7.6	6.5	6.8	6.8	6.8
35-39	171,736	62,345	62,372	21,403	25,625	6.5	7.5	7.2	7.2	4.8	7.2	4.8	5.1	5.1	5.1
40-44	137,212	50,651	52,006	15,297	19,271	5.2	6.1	6.0	6.0	3.4	6.0	3.4	3.8	3.8	3.8
45-49	121,271	44,640	45,423	13,168	18,053	4.6	5.4	5.2	5.2	2.9	5.2	2.9	3.6	3.6	3.6
50-54	111,035	40,461	42,581	11,392	16,624	4.2	4.8	4.9	4.9	2.5	4.9	2.5	3.3	3.3	3.3
55-59	113,764	40,238	44,042	11,850	17,640	4.3	4.8	5.1	5.1	2.6	5.1	2.6	3.5	3.5	3.5
60-64	106,143	36,403	42,748	10,924	16,088	4.0	4.4	4.9	4.9	2.4	4.9	2.4	3.2	3.2	3.2
65-69	94,974	30,319	38,199	11,102	15,366	3.6	3.6	4.4	4.4	2.5	4.4	2.5	3.0	3.0	3.0
70-74	87,309	24,976	35,423	11,074	15,855	3.3	3.0	4.1	4.1	2.5	4.1	2.5	3.1	3.1	3.1
75 & over	104,278	24,879	46,035	13,056	20,318	3.9	3.0	5.3	5.3	2.9	5.3	2.9	4.0	4.0	4.0
Under 15	698,425	192,828	183,347	162,490	159,802	26.3	23.1	21.1	21.1	36.2	21.1	36.2	31.6	31.6	31.6
15-64	1,671,626	561,390	565,188	251,662	293,540	62.9	67.3	65.1	65.1	56.0	65.1	56.0	58.1	58.1	58.1
65 & over	286,561	80,174	119,657	35,232	51,539	10.8	9.6	13.8	13.8	7.8	13.8	7.8	10.2	10.2	10.2

NOTE: Figures by sex and by race do not add to total because of the method of calculation.
Also, all figures were rounded to whole numbers.

LIVE BIRTHS

TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1986

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	41,868	115			
JANUARY	3,567	115	JULY	3,694	119
FEBRUARY	3,134	112	AUGUST	3,784	122
MARCH	3,385	109	SEPTEMBER	3,852	128
APRIL	3,124	104	OCTOBER	3,675	118
MAY	3,237	104	NOVEMBER	3,391	113
JUNE	3,343	111	DECEMBER	3,682	119

TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE
MISSISSIPPI, 1940, 1950, 1960, 1970-1986

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9	1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
1950	46.1	83.3	18.9	1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
1960	73.2	99.0	51.3	1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0
1970*	90.0	99.7	79.7	1982*	99.4	99.6	99.2
1971*	92.2	99.6	84.2	1983*	99.5	99.6	99.4
1972*	95.2	99.8	90.4	1984*	99.5	99.6	99.4
1973*	96.4	99.7	92.8	1985*	99.6	99.7	99.4
1974*	97.4	99.7	94.8	1986*	99.6	99.7	99.5
1975*	97.9	99.6	96.0				

* INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY TYPE OF FACILITY, ATTENDANT, AND RACE
MISSISSIPPI, 1986

TYPE OF FACILITY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN
TOTAL	41,868	41,295	431	23	104	15	100.0	98.6	1.0	*	0.2	*
HOSPITAL HOME, ETC.	41,710	41,248	430	0	31	1	99.6	98.5	1.0	0.1	0.1	*
ENROUTE TO HOS- PITAL	138	46	1	23	59	9	0.3	0.1	*	*	*	*
UNKNOWN PLACE	17	0	0	0	13	4	*	-	-	*	*	*
	3	1	0	0	1	1	*	*	-	*	*	*
WHITE	22,060	21,947	47	19	46	1	100.0	99.5	0.2	0.1	0.2	*
HOSPITAL HOME, ETC.	21,994	21,936	47	0	11	0	99.7	99.4	0.2	*	*	-
ENROUTE TO HOS- PITAL	63	10	0	19	33	1	0.3	*	-	0.1	0.2	*
UNKNOWN PLACE	2	0	0	0	2	0	*	-	-	*	-	-
	1	1	0	0	0	0	*	*	-	-	-	-
NONWHITE	19,808	19,348	384	4	58	14	100.0	97.7	1.9	0.3	0.1	0.1
HOSPITAL HOME, ETC.	19,716	19,312	383	0	20	1	99.5	97.5	1.9	0.1	0.1	*
ENROUTE TO HOS- PITAL	75	36	1	4	26	8	0.4	0.2	*	*	*	*
UNKNOWN PLACE	15	0	0	0	11	4	0.1	-	-	*	*	*
	2	0	0	0	1	1	*	-	-	*	*	*

* LESS THAN 0.06 PERCENT.

TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1986

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,868	22,060	19,808	100.0	100.0	100.0	68.0	56.5	88.0
UNDER 15	343	42	301	0.8	0.2	1.5	3.2	0.7	6.5
15-19	8,255	3,076	5,179	19.7	13.9	26.1	74.8	49.0	108.8
20-24	14,255	7,566	6,689	34.0	34.3	33.8	111.7	101.9	125.3
25-29	11,350	6,952	4,398	27.1	31.5	22.2	96.4	95.6	97.7
30-34	5,668	3,398	2,270	13.5	15.4	11.5	56.4	51.3	66.3
35-39	1,727	915	812	4.1	4.1	4.1	19.6	14.7	31.7
40-44	254	106	148	0.6	0.5	0.7	3.6	2.0	7.7
45-49	14	5	9	*	*	*	0.2	0.1	0.5
UNKNOWN	2	0	2	*	-	*			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER AND RACE
MISSISSIPPI, 1986

YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
FATHER									
MEDIAN YEARS COMPLETED*	12.7	12.8	12.5						
TOTAL LEGITIMATE BIRTHS	27,646	20,036	7,610	100.0	100.0	100.0			
0-6 YEARS	344	193	151	1.2	1.0	2.0	1.2	1.0	2.0
7-9 YEARS	2,221	1,635	586	8.1	8.2	7.8	9.4	9.2	9.8
10, 11 YEARS	3,599	2,368	1,231	13.1	11.9	16.5	22.5	21.0	26.3
12 YEARS	10,884	7,580	3,304	39.7	38.0	44.2	62.2	59.1	70.5
1-3 YEARS COLLEGE	5,482	4,100	1,382	20.0	20.6	18.5	82.2	79.6	89.0
4 OR MORE YEARS COLLEGE	4,879	4,056	823	17.8	20.3	11.0	100.0	100.0	100.0
UNKNOWN	237	104	133						
MOTHER									
MEDIAN YEARS COMPLETED*	12.5	12.7	12.3						
TOTAL BIRTHS	41,868	22,060	19,808	100.0	100.0	100.0			
0-6 YEARS	406	134	272	1.0	0.6	1.4	1.0	0.6	1.4
7-9 YEARS	4,723	2,076	2,647	11.3	9.4	13.4	12.3	10.0	14.8
10, 11 YEARS	7,447	2,741	4,706	17.8	12.4	23.8	30.1	22.5	38.6
12 YEARS	16,193	8,618	7,575	38.7	39.1	38.3	68.8	61.6	76.9
1-3 YEARS COLLEGE	8,157	4,853	3,304	19.5	22.0	16.7	88.3	83.6	93.6
4 OR MORE YEARS COLLEGE	4,870	3,611	1,259	11.6	16.4	6.4	100.0	100.0	100.0
UNKNOWN	72	27	45						

* CALCULATIONS EXCLUDE BIRTHS TO PARENTS WITH EDUCATION UNKNOWN; CALCULATIONS FOR FATHERS ALSO EXCLUDE ILLEGITIMATE BIRTHS.

TABLE A6. ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP, BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1986

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	14,222	2,024	12,198	34.0	9.2	61.6
UNDER 15	329	29	300	95.9	69.0	99.7
15-19	5,500	826	4,674	66.6	26.8	90.2
20-24	5,079	723	4,356	35.6	9.6	65.1
25-29	2,102	285	1,817	18.5	4.1	41.3
30-34	859	115	744	15.2	3.4	32.8
35-39	303	40	263	17.5	4.4	32.4
40-44	44	4	40	17.3	3.8	27.0
45-49	5	2	3	35.7	40.0	33.3
UNKNOWN	1	0	1			

TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE
MISSISSIPPI, 1986

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,868	22,060	19,808	100.0	100.0	100.0	68.0	56.5	88.0	24.3	25.2	23.1
FIRST	14,799	8,429	6,370	35.3	38.2	32.2	24.0	21.6	28.3	21.0	22.5	19.4
SECOND	12,549	7,221	5,328	30.0	32.7	26.9	20.4	18.5	23.7	24.4	25.6	22.8
THIRD	7,613	3,890	3,723	18.2	17.6	18.8	12.4	10.0	16.5	26.4	27.4	25.1
FOURTH	3,717	1,537	2,180	8.9	7.0	11.0	6.0	3.9	9.7	27.7	28.9	26.7
FIFTH	1,626	613	1,013	3.9	2.8	5.1	2.6	1.6	4.5	29.1	30.2	28.5
SIXTH	735	202	533	1.8	0.9	2.7	1.2	0.5	2.4	29.7	30.5	29.5
SEVENTH	354	73	281	0.8	0.3	1.4	0.6	0.2	1.2	31.6	33.3	31.3
EIGHTH	173	29	144	0.4	0.1	0.7	0.3	0.1	0.6	33.2	34.0	33.0
NINTH	121	22	99	0.3	0.1	0.5	0.2	#	0.4	33.1	31.2	33.4
TENTH & OVER	144	22	122	0.3	0.1	0.6	0.2	#	0.5	37.1	38.5	36.9
UNKNOWN	37	22	15	0.1	0.1	0.1	0.1	#	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY WHETHER MOTHER RECEIVED PRENATAL CARE, TIME DURING PREGNANCY CARE BEGAN, AND RACE MISSISSIPPI, 1986

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>41,868</u>	<u>22,060</u>	<u>19,808</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	342	126	216	0.8	0.6	1.1
<u>SOME PRENATAL CARE</u>	<u>41,453</u>	<u>21,908</u>	<u>19,545</u>	<u>99.0</u>	<u>99.3</u>	<u>98.7</u>
FIRST TRIMESTER	31,737	18,702	13,035	75.8	84.8	65.8
SECOND TRIMESTER	8,331	2,777	5,554	19.9	12.6	28.0
THIRD TRIMESTER	1,308	403	905	3.1	1.8	4.6
UNKNOWN MONTH	77	26	51	0.2	0.1	0.2
UNKNOWN WHETHER ANY PRENATAL CARE	73	26	47	0.2	0.1	0.2

TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY MATURITY AND RACE MISSISSIPPI, 1986

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>41,868</u>	<u>22,060</u>	<u>19,808</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,484	552	932	3.5	2.5	4.7
PREMATURE ONLY**	3,561	1,272	2,289	8.5	5.8	11.6
BOTH IMMATURE AND PREMATURE	2,141	775	1,366	5.1	3.5	6.9
TOTAL IMMATURE	3,625	1,327	2,298	8.6	6.0	11.6
TOTAL PREMATURE	5,702	2,047	3,655	13.6	9.3	18.4
TOTAL IMMATURE AND/OR PREMATURE	7,186	2,599	4,587	17.2	11.8	23.2
NEITHER IMMATURE NOR PREMATURE**	34,682	19,461	15,221	82.8	88.2	76.8

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

TABLE A10. CONGENITAL MALFORMATIONS REPORTED ON LIVE BIRTH CERTIFICATES,
BY MALFORMATION AND RACE
MISSISSIPPI, 1986

INTERNATIONAL CLASSIFICATION NUMBER*	MALFORMATION	TOTAL	WHITE	NON- WHITE
<u>740-759</u>	<u>TOTAL</u>	<u>294</u>	<u>150</u>	<u>144</u>
740-742	OF NERVOUS SYSTEM	18	14	4
743	OF EYE	2	1	1
744	OF EAR, FACE, AND NECK	7	5	2
745-747	OF CIRCULATORY SYSTEM	22	17	5
748	OF RESPIRATORY SYSTEM	3	3	0
<u>749-751</u>	<u>OF DIGESTIVE SYSTEM</u>	<u>35</u>	<u>22</u>	<u>13</u>
<u>749</u>	<u>CLEFT PALATE AND CLEFT LIP</u>	<u>16</u>	<u>14</u>	<u>2</u>
749.0	CLEFT PALATE	4	4	0
749.1	CLEFT LIP	4	3	1
749.2	CLEFT PALATE WITH CLEFT LIP	8	7	1
750,751	OTHER OF DIGESTIVE SYSTEM	19	8	11
752	OF GENITAL ORGANS	43	23	20
753	OF URINARY ORGANS	4	1	3
<u>754-756</u>	<u>OF MUSCULOSKELETAL SYSTEM</u>	<u>116</u>	<u>41</u>	<u>75</u>
754	CERTAIN MUSCULOSKELETAL ANOMALIES	25	17	8
<u>755</u>	<u>OF LIMBS</u>	<u>81</u>	<u>19</u>	<u>62</u>
755.0	POLYDACTYLY	57	8	49
755.1-755.9	OTHER	24	11	13
756	OTHER OF MUSCULOSKELETAL SYSTEM	10	5	5
757	OF THE INTEGUMENT	20	7	13
758	CHROMOSOMAL ANOMALIES	15	10	5
<u>759</u>	<u>OTHER AND UNSPECIFIED</u>	<u>9</u>	<u>6</u>	<u>3</u>
759.0-759.8	OTHER UNSPECIFIED	8	6	2
759.9	UNSPECIFIED	1	0	1

* FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE
MISSISSIPPI, 1986

PLACE OF DELIVERY AND ATTENDANT	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	505	167	338	100.0	100.0	100.0
HOSPITAL	497	164	333	98.4	98.2	98.5
PHYSICIAN	485	161	324	96.0	96.4	95.8
CERTIFIED NURSE MIDWIFE	2	0	2	0.4	-	0.6
OTHER	8	3	5	1.6	1.8	1.5
UNKNOWN	2	0	2	0.4	-	0.6
OTHER NAMED PLACE	5	2	3	1.0	1.2	0.9
PHYSICIAN	1	1	0	0.2	0.6	-
OTHER	3	1	2	0.6	0.6	0.6
UNKNOWN	1	0	1	0.2	-	0.3
EN ROUTE TO HOSPITAL OR BOA	2	0	2	0.4	=	0.6
PHYSICIAN	1	0	1	0.2	-	0.3
UNKNOWN	1	0	1	0.2	-	0.3
UNKNOWN	1	1	0	0.2	0.6	=
UNKNOWN	1	1	0	0.2	0.6	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1986

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	505	167	338	12.1	7.6	17.1
UNDER 15	6	0	6	17.5	-	19.9
15-19	114	24	90	13.8	7.8	17.4
20-24	157	65	92	11.0	8.6	13.8
25-29	113	39	74	10.0	5.6	16.8
30-34	64	26	38	11.3	7.6	16.7
35-39	38	11	27	22.0	12.0	33.2
40-44	9	1	8	35.4	9.4	54.0
45-49	1	0	1	#	-	#
UNKNOWN	3	1	2	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE
MISSISSIPPI, 1986

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NO CARE	0.8	0.6	1.1	6.7	4.8	7.7
SOME CARE	99.0	99.3	98.7	81.2	86.2	78.7
UNKNOWN WHETHER ANY CARE	0.2	0.1	0.2	12.1	9.0	13.6

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE
MISSISSIPPI, 1984-1986

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1984	1985	1986	1984	1985	1986	1984	1985	1986
REPORTABLE* FETAL DEATHS									
TOTAL	567	555	505	205	186	167	362	369	338
UNDER 20	21	38	23	6	7	3	15	31	20
20 AND OVER	494	469	434	181	157	146	313	312	288
20-22	83	72	82	20	24	19	63	48	63
23-27	117	109	87	47	34	29	70	75	58
28-36	176	168	153	58	54	55	118	114	98
37 AND OVER	118	120	112	56	45	43	62	75	69
UNKNOWN	52	48	48	18	22	18	34	26	30
FETAL DEATH RATIOS#									
TOTAL	13.0	12.8	12.1	9.0	8.1	7.6	17.2	18.0	17.1
UNDER 20	0.5	0.9	0.5	0.3	0.3	0.1	0.7	1.5	1.0
20 AND OVER	11.3	10.8	10.4	8.0	6.8	6.6	14.8	15.2	14.5
20-22	1.9	1.6	2.0	0.9	1.0	0.9	3.0	2.3	3.2
23-27	2.7	2.5	2.1	2.1	1.5	1.3	3.3	3.7	2.9
28-36	4.0	3.9	3.6	2.6	2.4	2.5	5.6	5.6	4.9
37 AND OVER	2.7	2.8	2.7	2.5	2.0	1.9	2.9	3.7	3.5
UNKNOWN	1.2	1.1	1.1	0.8	1.0	0.8	1.6	1.3	1.5

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1986

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
TOTAL	24,341	67			
JANUARY	2,227	72	JULY	2,013	65
FEBRUARY	2,041	73	AUGUST	1,939	62
MARCH	2,180	70	SEPTEMBER	1,834	61
APRIL	1,949	65	OCTOBER	2,034	66
MAY	2,002	64	NOVEMBER	2,036	68
JUNE	1,873	62	DECEMBER	2,213	71

TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1986

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	24,341	15,694	8,647	100.0	100.0	100.0	9.2	9.2	9.1
0-4	637	245	392	2.6	1.6	4.5	2.4	1.8	3.0
5-9	56	25	31	0.2	0.2	0.4	0.3	0.2	0.3
10-14	84	54	30	0.3	0.3	0.3	0.4	0.4	0.3
15-24	571	329	242	2.3	2.1	2.8	1.2	1.2	1.2
25-34	659	316	343	2.7	2.0	4.0	1.5	1.1	2.3
35-44	865	461	404	3.6	2.9	4.7	2.8	2.0	5.0
45-54	1,512	924	588	6.2	5.9	6.8	6.5	5.3	9.9
55-64	3,349	2,200	1,149	13.8	14.0	13.3	15.2	13.5	20.3
65-74	5,508	3,667	1,841	22.6	23.4	21.3	30.2	28.4	34.5
75 AND OVER	11,093	7,473	3,620	45.6	47.6	41.9	106.4	105.4	108.5
UNKNOWN	7	0	7	**	-	0.1			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1986

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,037	11,304	1.15	8,440	7,254	1.16	4,597	4,050	1.14
UNDER 1	300	217	1.38	122	75	1.63	178	142	1.25
1-4	65	55	1.18	29	19	1.53	36	36	1.00
5-9	26	30	0.87	9	16	0.56	17	14	1.21
10-14	61	23	2.65	40	14	2.86	21	9	2.33
15-24	401	170	2.36	238	91	2.62	163	79	2.06
25-34	469	190	2.47	232	84	2.76	237	106	2.24
35-44	550	315	1.75	304	157	1.94	246	158	1.56
45-54	918	594	1.54	613	311	1.97	305	283	1.08
55-64	2,095	1,254	1.67	1,443	757	1.91	652	497	1.31
65-74	3,241	2,267	1.43	2,216	1,451	1.53	1,025	816	1.26
75-84	3,401	3,308	1.03	2,240	2,246	1.00	1,161	1,062	1.09
85 AND OVER	1,505	2,879	0.52	954	2,033	0.47	551	846	0.65
UNKNOWN	5	2		0	0		5	2	
MEDIAN AGE	70.0	76.6		70.4	77.9		69.3	73.6	

TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1986

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	10.2	8.2	10.1	8.4	10.2	8.0
0-4	2.7	2.1	2.2	1.4	3.2	2.8
5-9	0.2	0.3	0.2	0.3	0.3	0.3
10-14	0.6	0.2	0.6	0.2	0.4	0.2
15-24	1.6	0.7	1.6	0.7	1.6	0.8
25-34	2.2	0.9	1.6	0.6	3.5	1.3
35-44	3.7	2.0	2.7	1.4	6.7	3.5
45-54	8.4	4.8	7.2	3.5	12.4	8.2
55-64	21.1	10.4	18.8	8.7	28.6	14.7
65-74	41.8	21.6	40.1	19.7	46.2	26.1
75 AND OVER	129.3	93.2	128.4	93.0	131.1	93.9

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES FOR FIVE LEADING CAUSES, BY AGE AND CAUSE MISSISSIPPI, 1986

AGE	CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER	PERCENT	RATE*
1-4	<u>ALL CAUSES</u>	<u>120</u>	<u>100.0</u>	<u>0.6</u>
	1. ACCIDENTS (800-949)	63	52.5	30.1
	2. CONGENITAL ANOMALIES (740-759)	8	6.7	3.8
	3T. MALIGNANT NEOPLASMS (140-208)	4	3.3	1.9
	3T. HEART DISEASES (390-398, 402, 404-429)	4	3.3	1.9
	5T. PNEUMONIA AND INFLUENZA (480-487)	3	2.5	1.4
	5T. HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2.5	1.4
5T. MENINGITIS (320-322)	3	2.5	1.4	
5-14	<u>ALL CAUSES</u>	<u>140</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	89	63.6	20.6
	2. MALIGNANT NEOPLASMS (140-208)	8	5.7	1.8
	3. CONGENITAL ANOMALIES (740-759)	7	5.0	1.6
	4T. SUICIDE (950-959)	3	2.1	0.7
4T. HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2.1	0.7	
15-24	<u>ALL CAUSES</u>	<u>571</u>	<u>100.0</u>	<u>1.2</u>
	1. ACCIDENTS (800-949)	312	54.6	64.6
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	83	14.5	17.2
	3. SUICIDE (950-959)	54	9.4	11.2
	4. MALIGNANT NEOPLASMS (140-208)	21	3.7	4.3
5. HEART DISEASES (390-398, 402, 404-429)	20	3.5	4.1	
25-44	<u>ALL CAUSES</u>	<u>1,524</u>	<u>100.0</u>	<u>2.1</u>
	1. ACCIDENTS (800-949)	405	26.6	55.0
	2. MALIGNANT NEOPLASMS (140-208)	242	15.9	32.9
	3. HEART DISEASES (390-398, 402, 404-429)	236	15.5	32.0
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	163	10.7	22.1
5. SUICIDE (950-959)	80	5.2	10.9	
45-64	<u>ALL CAUSES</u>	<u>4,861</u>	<u>100.0</u>	<u>10.7</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,643	33.8	363.3
	2. MALIGNANT NEOPLASMS (140-208)	1,500	30.8	331.7
	3. CEREBROVASCULAR DISEASES (430-438)	248	5.1	54.8
	4. ACCIDENTS (800-949)	239	4.9	52.8
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	137	2.8	30.3	
65 AND OVER	<u>ALL CAUSES</u>	<u>16,601</u>	<u>100.0</u>	<u>57.9</u>
	1. HEART DISEASES (390-398, 402, 404-429)	6,895	41.5	2,406.1
	2. MALIGNANT NEOPLASMS (140-208)	3,186	19.2	1,111.8
	3. CEREBROVASCULAR DISEASES (430-438)	1,594	9.6	556.2
	4. PNEUMONIA AND INFLUENZA (480-487)	576	3.5	201.0
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	534	3.2	186.3	

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS, BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1986

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	1,902	896	1,464	700	228.0	199.4	168.6	138.6
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	782	307	269	100	93.7	68.3	31.0	19.8
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	387	222	380	178	46.4	49.4	43.8	35.2
3. GENITAL ORGANS (179-187)	162	160	130	109	19.4	35.6	15.0	21.6
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	187	54	134	58	22.4	12.0	15.4	11.5
5. BREAST (174, 175)	2	2	243	111	0.2	0.4	28.0	22.0
6. URINARY ORGANS (188, 189)	86	24	41	25	10.3	5.3	4.7	5.0
7. BRAIN (191)	59	8	45	8	7.1	1.8	5.2	1.6
8. SKIN (172, 173)	47	5	30	2	5.6	1.1	3.4	0.4
9. LIP, ORAL CAVITY, AND PHARYNX (140-149)	37	18	18	8	4.4	4.0	2.1	1.6
10. BONE AND CONNECTIVE TISSUE (170, 171)	8	12	17	10	1.0	2.7	2.0	2.0
- OTHER AND UNSPECIFIED SITES (190, 192-199)	145	84	157	91	17.4	18.7	18.1	18.0

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1961, 1966, 1971, 1976, 1981, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1961	1966	1971	1976	1981	1986
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	103	101	34	39	21	24
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	389	498	741	949	1,307	1,458
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	362	476	700	914	1,263	1,404
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	35	43	54	35	28	29
EMPHYSEMA (492)	67	183	210	181	102	92
ASTHMA (493)	52	39	22	19	34	45
(ADJUSTED FIGURES*)	(36)	(27)				

* ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1958 AND 1968.

TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1986

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF FIVE LEADING CAUSES	1,153	718	435	78.2	78.1	78.4
1. MOTOR VEHICLE (810-825)	782	528	254	53.0	57.4	45.8
2. FIRES AND FLAMES (890-899)	136	50	86	9.2	5.4	15.5
3. FALLS (880-888)	101	74	27	6.8	8.0	4.9
4. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	77	33	44	5.2	3.6	7.9
5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	57	33	24	3.9	3.6	4.3

TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1986

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	SEX		TOTAL	AGE										65 & OVER	UN- KNOW
	MALE	FEMALE		UNDER	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UN- KNOW			
				1	16	89	312	257	148	239			349		
ALL ACCIDENTS	1,012	462	1,474	16	63	89	312	257	148	239	349	1			
MOTOR VEHICLE (810-825)	555	227	782	5	22	46	236	170	91	128	84	0			
WATER TRANSPORT (830-838)	23	2	25	0	0	2	5	0	5	9	4	0			
SUBMERSION, DROWNING (830, 832)	20	1	21	0	0	2	3	0	4	9	3	0			
OTHER (831, 833-838)	3	1	4	0	0	0	2	0	1	0	1	0			
AIR AND SPACE TRANSPORT (840-845)	8	1	9	0	0	0	0	5	2	2	0	0			
POISONING (850-869)	20	25	45	0	1	2	6	7	2	14	13	0			
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	11	18	29	0	0	1	5	4	2	8	9	0			
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	9	7	16	0	1	1	1	3	0	6	4	0			
FALLS (880-888)	51	50	101	0	0	0	1	3	10	15	72	0			
FIRES AND FLAMES (890-899)	72	64	136	3	23	8	8	22	6	15	50	1			
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	69	8	77	0	9	12	23	19	4	8	2	0			
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	33	24	57	5	2	0	1	4	4	6	35	0			
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	6	3	9	1	1	1	0	2	2	0	2	0			
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	17	0	17	0	0	2	3	3	2	5	2	0			
CAUSED BY MACHINERY (919)	18	2	20	0	1	1	3	3	3	5	4	0			
CAUSED BY FIREARM MISSILE (922)	39	7	46	0	1	10	12	7	7	5	4	0			
CAUSED BY ELECTRIC CURRENT (925)	13	0	13	0	1	0	4	4	2	1	1	0			

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1986

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE
MISSISSIPPI, 1986

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL UNDER 1 YEAR	517	197	320	100.0	100.0	100.0	12.3	8.9	16.2
NEONATAL (UNDER 28 DAYS)	323	133	190	62.5	67.5	59.4	7.7	6.0	9.6
HEBDOMADAL (UNDER 7 DAYS)	259	105	154	50.1	53.3	48.1	6.2	4.8	7.8
UNDER 1 DAY	170	64	106	32.9	32.5	33.1	4.1	2.9	5.4
1-6 DAYS	89	41	48	17.2	20.8	15.0	2.1	1.8	2.4
7-27 DAYS	64	28	36	12.4	14.2	11.2	1.5	1.3	1.8
POSTNEONATAL (28 DAYS TO 1 YEAR)	194	64	130	37.5	32.5	40.6	4.6	2.9	6.6

* DEATHS PER 1,000 LIVE BIRTHS.

TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATHS,
BY CAUSE AND RACE
MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	517	197	320	12.3	8.9	16.2
1. CONGENITAL ANOMALIES (740-759)	109	60	49	2.6	2.7	2.5
2. SUDDEN INFANT DEATH SYNDROME (798.0)	74	26	48	1.8	1.2	2.4
3. RESPIRATORY DISTRESS SYNDROME (769)	50	24	26	1.2	1.1	1.3
4. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	42	9	33	1.0	0.4	1.7
5. MATERNAL COMPLICATIONS OF PREGNANCY (761)	17	10	7	0.4	0.4	0.4
6. ACCIDENTS (800-949)	16	6	10	0.4	0.3	0.5
8. SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS (EXCLUDING SIDS) (780-797, 798.1-799)	15	6	9	0.4	0.3	0.4
9. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	13	6	7	0.3	0.3	0.4
10. OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039- 139)	12	3	9	0.3	0.1	0.4

* DEATHS PER 1,000 LIVE BIRTHS.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1986

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>24,283</u>	<u>66</u>			
JANUARY	1,331	43	JULY	2,228	72
FEBRUARY	1,588	57	AUGUST	2,649	85
MARCH	1,880	61	SEPTEMBER	1,665	56
APRIL	1,769	59	OCTOBER	1,712	55
MAY	2,442	79	NOVEMBER	1,947	65
JUNE	2,895	96	DECEMBER	2,177	70

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1986

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	24,283	17,729	6,554	24,283	17,715	6,568	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	4,829	3,989	840	1,890	1,631	259	19.9	22.5	12.8	7.8	9.2	3.9
13	3	3	0	0	0	0	*	*	*	*	*	*
14	31	29	2	1	1	0	0.1	0.2	0.3	0.1	0.2	0.2
15	240	220	20	4	4	0	1.0	1.2	0.9	0.9	1.1	0.9
16	467	405	62	43	42	1	1.9	2.3	1.8	0.9	0.2	0.2
17	924	806	118	210	193	17	3.8	4.5	4.3	2.6	3.0	1.4
18	1,534	1,250	284	633	541	92	6.3	7.0	5.4	4.1	4.8	2.3
19	1,630	1,276	354	999	850	149	6.7	7.2	5.4	4.1	4.8	2.3
20-24	8,005	5,695	2,310	8,051	5,849	2,202	33.0	32.1	35.2	33.2	33.0	33.5
25-34	6,962	4,684	2,278	8,430	5,862	2,568	28.7	26.4	34.8	34.7	33.0	39.1
35-44	2,578	1,939	639	3,172	2,338	834	10.6	10.9	9.8	13.1	13.2	12.7
45-54	1,130	841	289	1,407	1,106	301	4.6	4.7	4.4	5.8	6.2	4.6
55-64	501	379	122	791	570	221	2.1	2.1	1.9	3.2	3.2	3.4
65-74	234	177	57	402	282	120	1.0	1.0	0.9	1.6	1.6	1.8
75 & OVER	44	25	19	139	76	63	0.2	0.1	0.3	0.6	0.4	1.0
UNKNOWN	0	0	0	1	1	0	-	-	-	*	*	-

* LESS THAN 0.06 PERCENT.

TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1986

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	24.4	24.0	25.4	26.6	26.4	27.0
FIRST MARRIAGES	22.0	21.2	23.6	23.7	23.2	24.8

TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1986

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	24,283	17,729	6,554	24,283	17,715	6,568	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	14,494	9,653	4,841	14,627	9,970	4,657	59.7	54.4	73.9	60.2	56.3	70.9
REMARRIAGE	9,787	8,074	1,713	9,653	7,742	1,911	40.3	45.5	26.1	39.8	43.7	29.1
SECOND	6,838	5,402	1,436	6,795	5,266	1,529	28.2	30.5	21.9	28.0	29.7	23.3
OVER TWO	2,948	2,672	276	2,858	2,476	382	12.1	15.1	4.2	11.8	14.0	5.8
THIRD	2,168	1,921	247	2,126	1,811	315	8.9	10.8	3.8	8.8	10.2	4.8
FOURTH	611	584	27	580	522	58	2.5	3.3	0.4	2.4	2.9	0.9
FIFTH	118	118	0	118	111	7	0.5	0.7	-	0.5	0.6	0.1
SIXTH	37	35	2	26	24	2	0.2	0.2	#	0.1	0.1	#
SEVENTH	9	9	0	6	6	0	#	#	-	#	#	-
EIGHTH	3	3	0	2	2	0	#	#	-	#	#	-
NINTH	0	0	0	0	0	0	-	-	-	-	-	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	2	2	0	0	0	0	#	#	-	-	-	-
UNKNOWN*	1	0	1	0	0	0	#	-	#	-	-	-
UNKNOWN**	2	2	0	3	3	0	#	#	-	#	#	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1986

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>24,283</u>	<u>17,729</u>	<u>6,554</u>	<u>24,283</u>	<u>17,715</u>	<u>6,568</u>
NOT PREVIOUSLY MARRIED	14,494	9,653	4,841	14,627	9,970	4,657
<u>REMARRIAGES</u>	<u>9,787</u>	<u>8,074</u>	<u>1,713</u>	<u>9,653</u>	<u>7,742</u>	<u>1,911</u>
WIDOWED	1,037	787	250	870	613	257
DIVORCED*	8,740	7,281	1,459	8,774	7,124	1,650
UNKNOWN**	10	6	4	9	5	4
UNKNOWN#	2	2	0	3	3	0
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	59.7	54.4	73.9	60.2	56.3	70.9
<u>REMARRIAGES</u>	<u>40.3</u>	<u>45.5</u>	<u>26.1</u>	<u>39.8</u>	<u>43.7</u>	<u>29.1</u>
WIDOWED	4.3	4.4	3.8	3.6	3.5	3.9
DIVORCED*	36.0	41.1	22.3	36.1	40.2	25.1
UNKNOWN**	##	##	0.1	##	##	0.1
UNKNOWN#	##	##	-	##	##	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE,
MISSISSIPPI, 1986

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE															
	TOTAL						WHITE						NONWHITE			
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN
NUMBER	24,283	22,601	1,681	1	17,729	16,376	1,352	1	6,554	6,225	329	0	5,990	5,892	98	0
TOTAL	21,742	21,282	459	1	15,752	15,390	361	1	5,990	5,892	98	0	5,990	5,892	98	0
MISSISSIPPI	2,541	1,319	1,222	0	1,977	986	991	0	564	333	231	0	564	333	231	0
PERCENT	100.0	93.1	6.9	*	100.0	92.4	7.6	*	100.0	95.0	5.0	-	91.4	89.9	1.5	-
TOTAL	89.5	87.6	1.9	*	88.8	86.8	2.0	*	91.4	89.9	1.5	-	91.4	89.9	1.5	-
MISSISSIPPI	10.5	5.4	5.0	-	11.2	5.6	5.6	-	8.6	5.1	3.5	-	8.6	5.1	3.5	-

* LESS THAN 0.06 PERCENT.

DIVORCES

TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1986

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL	12,871	10,155	2,630	86	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	8,833	7,410	1,362	61	68.6	73.0	51.8	70.9
CRUEL AND INHUMAN TREATMENT	2,976	2,171	786	19	23.1	21.4	29.9	22.1
DESERTION	699	305	390	4	5.4	3.0	14.8	4.6
ADULTERY	220	164	55	1	1.7	1.6	2.1	1.2
DRUNKENNESS	43	34	9	0	0.3	0.3	0.3	-
PENITENTIARY	42	26	16	0	0.3	0.2	0.6	-
ANNULMENT	34	28	6	0	0.3	0.3	0.2	-
BIGAMY	3	1	1	1	**	**	**	1.2
MISCELLANEOUS AND OTHER	9	7	2	0	0.1	0.1	0.1	-
UNKNOWN	12	9	3	0	0.1	0.1	0.1	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1986

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	12,871	10,155	2,630	86	100.0	100.0	100.0	100.0
NONE	6,061	4,979	1,046	36	47.1	49.0	39.8	41.9
ONE	3,357	2,618	714	25	26.1	25.8	27.1	29.1
TWO	2,337	1,821	503	13	18.2	17.9	19.1	15.1
THREE OR MORE	1,072	705	358	9	8.3	6.9	13.6	10.5
UNKNOWN	44	32	9	3	0.3	0.3	0.3	3.5

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1986

NUMBER OF YEARS MARRIED	NUMBER			PERCENT				
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>12,871</u>	<u>10,155</u>	<u>2,630</u>	<u>86</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>UNDER FIVE</u>	<u>5,665</u>	<u>4,785</u>	<u>846</u>	<u>34</u>	<u>44.0</u>	<u>47.1</u>	<u>32.2</u>	<u>39.5</u>
<u>UNDER ONE</u>	781	709	69	3	6.1	7.0	2.6	3.5
<u>ONE</u>	1,380	1,175	198	7	10.7	11.6	7.5	8.1
<u>TWO</u>	1,318	1,101	206	11	10.2	10.8	7.8	12.8
<u>THREE</u>	1,168	990	171	7	9.1	9.7	6.5	8.1
<u>FOUR</u>	1,018	810	202	6	7.9	8.0	7.7	7.0
<u>FIVE-NINE</u>	3,170	2,438	717	15	24.6	24.0	27.3	17.4
<u>TEN-NINETEEN</u>	2,683	1,927	731	25	20.8	19.0	27.8	29.1
<u>TWENTY AND OVER</u>	1,241	915	321	5	9.6	9.0	12.2	5.8
<u>UNKNOWN</u>	112	90	15	7	0.9	0.9	0.6	8.1

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

MAJOR TABLES

1986



TABLE i
POPULATION PROJECTIONS AND PERCENT CHANGE SINCE 1980 CENSUS,
BY COUNTY AND RACE,
MISSISSIPPI, 1985

County	Population			Percent Change since 1980		
	Total	White	Non-white	Total	White	Non-white
STATE	2,656,612	1,702,584	954,265	5.4	5.4	5.4
Adams	38,711	19,463	19,252	1.8	-0.3	4.0
Alcorn	35,694	31,851	3,852	8.0	8.1	7.7
Amite	13,200	7,059	6,146	-1.3	0.9	-3.6
Attala	19,934	12,103	7,841	0.3	0.4	0.4
Benton	8,595	5,412	3,189	5.4	7.1	2.9
Bolivar	44,357	16,160	28,203	-3.5	-4.9	-2.7
Calhoun	16,285	12,149	4,143	4.0	4.3	3.2
Carroll	9,973	5,564	4,408	2.0	4.4	-0.8
Chickasaw	18,251	11,579	6,677	2.2	1.7	3.2
Choctaw	9,350	6,661	2,692	3.9	3.3	5.6
Claiborne	13,041	3,196	9,850	6.2	4.0	7.0
Clarke	17,836	11,617	6,228	5.2	5.6	4.8
Clay	22,464	10,944	11,524	6.6	4.5	8.6
Coahoma	35,227	12,586	22,638	-4.6	-3.7	-5.0
Copiah	27,620	14,409	13,210	4.2	5.6	2.7
Covington	16,542	11,026	5,521	3.9	5.9	0.1
DeSoto	60,849	50,983	9,865	12.8	15.3	1.4
Forrest	70,712	49,935	20,779	7.1	4.6	13.6
Franklin	8,389	5,294	3,099	2.2	2.9	1.1
George	15,922	14,471	1,453	4.1	4.8	-2.4
Greene	10,429	8,428	2,004	6.1	7.6	0.6
Grenada	21,912	12,813	9,100	4.1	5.0	2.9
Hancock	27,336	24,531	2,801	11.4	12.0	5.9
Harrison	167,380	128,919	38,462	6.2	3.9	14.4
Hinds	268,868	139,477	129,393	7.1	2.4	12.8
Holmes	22,879	6,171	16,706	-0.4	-6.2	1.9
Humphreys	13,569	4,499	9,075	-2.6	-4.6	-1.5
Issaquena	2,474	1,154	1,329	-1.6	4.2	-5.5
Itawamba	22,290	20,865	1,427	8.6	8.7	7.9
Jackson	130,145	103,001	27,150	10.3	8.8	16.5
Jasper	17,797	8,785	9,018	3.1	0.3	6.0
Jefferson	8,915	1,544	7,376	-2.9	-6.1	-2.1
Jeff Davis	14,328	6,303	8,030	3.5	-1.5	7.8
Jones	65,418	50,210	15,209	5.7	6.1	4.2
Kemper	10,073	4,609	5,466	-0.7	1.1	-2.2
Lafayette	33,705	24,217	9,487	8.6	7.4	11.8
Lamar	26,997	24,021	2,980	13.3	13.7	10.5
Lauderdale	80,659	53,428	27,232	4.4	2.0	9.3
Lawrence	13,260	9,266	3,994	5.9	7.3	2.8
Leake	19,534	11,865	7,674	4.0	3.6	4.6
Lee	61,521	48,715	12,811	7.8	7.7	8.2
Leflore	41,325	16,019	25,307	-0.5	-4.2	2.0

Table i - Page 2
Population Projections - Mississippi - 1985

County	Population			Percent Change since 1980		
	Total	White	Non-white	Total	White	Non-white
Lincoln	32,390	22,641	9,751	7.3	7.4	7.2
Lowndes	62,189	39,049	23,142	8.5	5.1	14.9
Madison	47,337	22,222	25,119	13.8	21.8	7.5
Marion	27,275	19,157	8,122	6.1	6.6	4.9
Marshall	31,950	15,577	16,377	9.0	14.1	4.6
Monroe	37,627	26,430	11,197	3.4	3.5	3.1
Montgomery	13,578	8,322	5,256	1.6	5.6	-4.1
Neshoba	25,164	17,866	7,298	5.8	4.6	8.7
Newton	20,366	14,250	6,122	2.1	1.8	3.0
Noxubee	12,576	4,441	8,135	-4.8	-4.6	-5.0
Oktibbeha	40,568	25,704	14,867	12.6	11.1	15.4
Panola	28,673	14,947	13,725	1.8	4.4	-0.9
Pearl River	37,721	32,410	5,310	11.6	13.2	2.6
Perry	10,220	8,244	1,975	3.6	6.9	-8.2
Pike	37,785	20,925	16,863	4.4	2.5	7.0
Pontotoc	22,919	19,389	3,532	9.6	10.0	7.0
Prentiss	26,337	23,432	2,905	9.6	9.6	10.0
Quitman	11,486	5,223	6,264	-9.1	-5.6	-11.8
Rankin	76,188	62,627	13,563	9.7	11.3	3.2
Scott	25,584	16,125	9,460	4.2	1.7	8.7
Sharkey	7,699	2,653	5,052	-3.3	-1.7	-4.0
Simpson	25,475	17,687	7,787	8.7	9.2	7.5
Smith	15,789	12,527	3,263	4.7	5.6	1.6
Stone	10,681	8,161	2,518	9.9	9.4	11.8
Sunflower	34,411	12,961	21,453	-1.2	-0.7	-1.6
Tallahatchie	15,934	7,036	8,903	-7.1	-3.0	-10.1
Tate	21,188	12,763	8,433	5.3	3.4	8.4
Tippah	19,956	16,753	3,207	6.5	6.4	7.0
Tishomingo	19,576	18,782	802	6.2	6.2	5.8
Tunica	8,958	2,453	6,507	-7.2	-4.4	-8.2
Union	23,036	19,993	3,052	6.0	6.9	0.4
Walthall	14,438	8,451	5,986	4.9	4.4	5.6
Warren	54,427	33,103	21,330	5.4	3.8	8.0
Washington	72,509	31,035	41,475	0.2	-1.8	1.8
Wayne	20,152	13,053	7,101	5.3	2.8	10.3
Webster	10,273	8,404	1,870	-0.3	1.7	-8.1
Wilkinson	9,598	3,084	6,518	-4.2	-6.3	-3.1
Winston	19,946	11,886	8,065	2.4	1.9	3.2
Yalobusha	13,501	8,170	5,336	2.8	0.9	5.8
Yazoo	27,366	13,346	14,023	0.1	1.1	-0.9

NOTE: Figures for white and nonwhite do not add to the total because of the method of calculation. Also, all figures were rounded to whole numbers.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1986

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	41,242	21,541	19,701	41,868	22,060	19,808	15.8	13.0	20.8
ADAMS	975	510	465	589	262	327	15.2	13.5	17.0
ALCORN	393	336	57	403	330	73	11.3	10.4	19.0
AMITE	0	0	0	209	111	98	15.8	15.7	15.9
ATTALA	135	98	37	284	121	163	14.2	10.0	20.8
BENTON	2	1	1	113	58	55	13.1	10.7	17.2
BOLIVAR	865	142	723	859	172	687	19.4	10.6	24.4
CALHOUN	0	0	0	191	106	85	11.7	8.7	20.5
CARROLL	2	0	2	113	48	65	11.3	8.6	14.7
CHICKASAW	0	0	0	311	143	168	17.0	12.4	25.2
CHOCTAW	99	35	64	119	64	55	12.7	9.6	20.4
CLAIBORNE	78	2	76	174	17	157	13.3	5.3	15.9
CLARKE	0	0	0	250	132	118	14.0	11.4	18.9
CLAY	294	90	204	388	132	256	17.3	12.1	22.2
COAHOMA	1,224	286	938	696	144	552	19.8	11.4	24.4
COPIAH	212	92	120	453	159	294	16.4	11.0	22.2
COVINGTON	191	78	113	325	173	152	19.6	15.7	27.5
DESOTO	3	0	3	910	745	165	15.0	14.6	16.7
FORREST	2,470	1,677	793	1,070	654	416	15.1	13.1	20.0
FRANKLIN	6	2	4	122	57	65	14.5	10.8	21.0
GEORGE	97	75	22	236	204	32	14.8	14.1	22.0
GREENE	24	23	1	147	107	40	14.1	12.7	20.0
GRENADA	707	348	359	311	139	172	14.2	10.8	18.9
HANCOCK	140	108	32	467	408	59	17.1	16.6	21.1
HARRISON	3,674	2,791	883	3,002	2,217	785	17.9	17.2	20.4
HINDS	7,379	2,652	4,727	4,344	1,664	2,680	16.2	11.9	20.7
HOLMES	256	24	232	434	57	377	19.0	9.2	22.6
HUMPHREYS	4	0	4	288	47	241	21.2	10.4	26.6
ISSAQUENA	0	0	0	30	8	22	12.1	6.9	16.6
ITAWAMBA	0	0	0	252	230	22	11.3	11.0	15.4
JACKSON	1,619	1,147	472	1,879	1,359	520	14.4	13.2	19.2
JASPER	1	0	1	264	100	164	14.8	11.4	18.2
JEFFERSON	23	1	22	155	14	141	17.4	9.1	19.1
JEFF DAVIS	4	3	1	230	81	149	16.0	12.8	18.6
JONES	1,306	744	562	892	574	318	13.6	11.4	20.9
KEMPER	0	0	0	148	48	100	14.7	10.4	18.3
LAFAYETTE	288	183	105	337	188	149	10.0	7.8	15.7
LAMAR	10	8	2	441	375	66	16.3	15.6	22.1
LAUDERDALE	2,144	1,197	947	1,208	686	522	15.0	12.8	19.2
LAWRENCE	37	15	22	203	122	81	15.3	13.2	20.3
LEAKE	3	1	2	316	154	162	16.2	13.0	21.1
LEE	2,517	1,920	597	1,039	735	304	16.9	15.1	23.7
LEFLORE	927	225	702	705	199	506	17.1	12.4	20.0

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	26	12	14	420	280	140	13.0	12.4	14.4
LOWNDES	1,084	609	475	1,108	636	472	17.8	16.3	20.4
MADISON	285	6	279	927	389	538	19.6	17.5	21.4
MARION	103	84	19	371	252	119	13.6	13.2	14.6
MARSHALL	6	0	6	551	208	343	17.2	13.4	20.9
MONROE	1,010	731	279	585	351	234	15.5	13.3	20.9
MONTGOMERY	159	32	127	184	70	114	13.6	8.4	21.7
NESHOPA	175	74	101	352	156	196	14.0	8.7	26.8
NEWTON	68	33	35	283	136	147	13.9	9.5	24.0
NOXUBEE	127	8	119	263	55	208	20.9	12.4	25.6
OKTIBBEHA	904	393	511	541	234	307	13.3	9.1	20.6
PANOLA	416	89	327	521	189	332	18.2	12.6	24.2
PEARL RIVER	485	390	95	585	489	96	15.5	15.1	18.1
PERRY	42	33	9	179	117	62	17.5	14.2	31.4
PIKE	1,332	729	603	532	219	313	14.1	10.5	18.6
PONTOTOC	50	40	10	288	225	63	12.6	11.6	17.8
PRENTISS	0	0	0	354	289	65	13.4	12.3	22.4
QUITMAN	29	5	24	223	58	165	19.4	11.1	26.3
RANKIN	1,796	1,536	260	1,153	913	240	15.1	14.6	17.7
SCOTT	68	44	24	408	219	189	15.9	13.6	20.0
SHARKEY	70	7	63	162	34	128	21.0	12.8	25.3
SIMPSON	73	39	34	376	215	161	14.8	12.2	20.7
SMITH	1	1	0	187	133	54	11.8	10.6	16.5
STONE	3	2	1	178	125	53	16.7	15.3	21.0
SUNFLOWER	483	126	357	598	126	472	17.4	9.7	22.0
TALLAHATCHIE	93	17	76	293	75	218	18.4	10.6	24.5
TATE	220	67	153	313	178	135	14.8	13.9	16.0
TIPPAH	81	35	46	298	244	54	14.9	14.6	16.8
TISHOMINGO	16	13	3	244	230	14	12.5	12.2	17.4
TUNICA	13	0	13	199	34	165	22.2	13.9	25.4
UNION	603	358	245	286	242	44	12.4	12.1	14.4
WALTHALL	9	6	3	235	92	143	16.3	10.9	23.9
WARREN	1,104	420	684	768	355	413	14.1	10.7	19.4
WASHINGTON	1,373	441	932	1,343	414	929	18.5	13.3	22.4
WAYNE	301	130	171	352	194	158	17.5	14.9	22.2
WEBSTER	85	43	42	147	97	50	14.3	11.5	26.7
WILKINSON	191	61	130	178	46	132	18.5	14.9	20.2
WINSTON	164	72	92	305	134	171	15.3	11.3	21.2
YALOBUSHA	0	0	0	173	85	88	12.8	10.4	16.5
YAZOO	85	41	44	498	178	320	18.2	13.3	22.8
OUT OF STATE	2,226	1,711	515	1,600	1,192	408			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1986

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	965	673	292
BROOKHAVEN	150	70	80
CANTON	257	33	224
CLARKSDALE	436	102	334
CLEVELAND	278	77	201
CLINTON	252	200	52
COLUMBUS	471	181	290
CORINTH	154	99	55
GAUTIER#	108	74	34
GREENVILLE	811	181	630
GREENWOOD	364	100	264
GRENADA	182	64	118
GULFPORT	819	521	298
HATTIESBURG	720	348	372
JACKSON	3,518	1,204	2,314
LAUREL	325	133	192
MCCOMB	176	65	111
MERIDIAN	645	282	363
MOSS POINT	304	73	231
NATCHEZ	352	143	209
OCEAN SPRINGS	228	198	30
PASCAGOULA	559	410	149
PEARL	312	277	35
PICAYUNE	152	93	59
SOUTHAVEN	243	235	8
STARKVILLE	322	141	181
TUPELO	405	264	141
VICKSBURG	421	115	306
YAZOO CITY	268	66	202

* LIVE BIRTHS PER 1,000 POPULATION.

** INCORPORATED TOWNS OF 10,000
POPULATION OR MORE.

FIGURES ARE FOR JULY-DECEMBER ONLY,
SINCE GAUTIER WAS NOT INCORPORATED
UNTIL JUNE 30, 1986.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 1B
 FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1986

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>68.0</u>	<u>56.5</u>	<u>88.0</u>				
ADAMS	66.4	60.4	72.0	LINCOLN	59.1	57.2	63.4
ALCORN	48.8	44.9	80.3	LOWNDES	70.4	64.4	80.6
AMITE	75.2	79.3	71.2	MADISON	80.7	70.7	90.0
ATTALA	70.1	51.1	96.7	MARION	62.4	60.4	66.8
BENTON	61.7	53.5	73.4	MARSHALL	72.9	58.6	85.7
BOLIVAR	82.1	46.0	102.3	MONROE	70.4	61.0	91.6
CALHOUN	54.7	41.4	90.9	MONTGOMERY	64.4	41.4	97.7
CARROLL	51.8	41.0	64.5	NESHOBA	64.4	41.2	116.4
CHICKASAW	76.8	57.0	109.1	NEWTON	66.2	47.4	104.5
CHOCTAW	57.9	44.9	87.3	NOXUBEE	99.5	65.0	115.7
CLAIBORNE	54.6	28.4	60.6	OKTIBBEHA	50.2	33.6	80.4
CLARKE	63.6	51.5	86.4	PANOLA	83.3	59.3	108.5
CLAY	75.6	54.8	94.1	PEARL RIVER	66.0	64.1	77.7
COAHOMA	90.1	53.2	110.0	PERRY	76.7	61.6	142.8
COPIAH	75.0	52.0	98.6	PIKE	64.3	49.6	81.2
COVINGTON	87.5	71.3	117.8	PONTOTOC	57.0	53.0	78.6
DESOTO	59.0	56.6	72.9	PRENTISS	59.2	54.6	94.6
FORREST	59.4	51.2	79.2	QUITMAN	94.3	53.4	128.8
FRANKLIN	71.2	54.4	97.4	RANKIN	61.4	58.2	77.3
GEORGE	65.4	62.0	100.0	SCOTT	72.5	62.6	88.9
GREENE	63.2	57.4	86.6	SHARKEY	95.4	63.2	110.0
GRENADA	62.8	49.3	80.6	SIMPSON	66.1	54.8	91.1
HANCOCK	77.2	75.1	95.5	SMITH	54.4	49.8	70.8
HARRISON	76.0	73.5	83.6	STONE	71.9	66.5	89.2
HINDS	64.8	49.6	80.1	SUNFLOWER	82.9	49.0	101.6
HOLMES	87.1	46.3	100.5	TALLAHATCHIE	86.8	53.6	110.3
HUMPHREYS	97.8	52.4	117.5	TATE	61.9	59.2	66.0
ISSAQUENA	53.1	29.5	74.6	TIPPAH	67.5	66.0	75.3
ITAWAMBA	50.0	48.7	69.6	TISHOMINGO	56.5	55.5	82.4
JACKSON	59.8	54.8	78.6	TUNICA	102.3	69.5	113.3
JASPER	69.9	56.6	81.5	UNION	56.4	55.0	65.5
JEFFERSON	80.2	57.4	83.5	WALTHALL	78.1	54.8	107.4
JEFF DAVIS	73.4	62.4	81.3	WARREN	60.4	45.8	83.2
JONES	60.5	50.8	92.4	WASHINGTON	82.4	60.7	98.1
KEMPER	69.9	51.4	84.4	WAYNE	75.8	65.6	93.9
LAFAYETTE	39.8	30.5	64.9	WEBSTER	68.4	55.2	127.2
LAMAR	67.0	63.9	91.7	WILKINSON	85.1	75.5	89.0
LAUDERDALE	66.3	57.6	82.6	WINSTON	72.2	55.5	94.5
LAWRENCE	69.0	59.5	90.6	YALOBUSHA	61.1	52.0	73.4
LEAKE	77.2	63.5	96.9	YAZOO	84.5	64.2	102.5
LEE	71.8	64.4	99.9				
LEFLORE	74.2	59.0	82.6				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1986

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
STATE	41,868	22,060	21,994	11	55	19,808	19,716	36	56	21,605	20,263
ADAMS	589	262	262	0	0	327	326	0	1	303	286
ALCORN	403	330	330	0	0	73	73	0	0	197	206
AMITE	209	111	111	0	0	98	98	0	0	98	111
ATTALA	284	121	120	1	0	163	160	0	3	146	138
BENTON	113	58	58	0	0	55	54	1	0	47	66
BOLIVAR	859	172	172	0	0	687	683	0	4	449	410
CALHOUN	191	106	106	0	0	85	85	0	0	97	94
CARROLL	113	48	48	0	0	65	64	1	0	59	54
CHICKASAW	311	143	143	0	0	168	168	0	0	158	153
CHOCTAW	119	64	64	0	0	55	55	0	0	54	65
CLAIBORNE	174	17	17	0	0	157	155	0	2	93	81
CLARKE	250	132	132	0	0	118	118	0	0	124	126
CLAY	388	132	132	0	0	256	255	1	0	206	182
COAHOMA	696	144	144	0	0	552	551	1	0	351	345
COPIAH	453	159	158	1	0	294	291	0	3	222	231
COVINGTON	325	173	171	0	2	152	152	0	0	145	180
DESOTO	910	745	745	0	0	165	162	1	2	461	449
FORREST	1,070	654	650	0	4	416	416	0	0	566	504
FRANKLIN	122	57	57	0	0	65	65	0	0	57	65
GEORGE	236	204	203	0	1	32	32	0	0	122	114
GREENE	147	107	107	0	0	40	40	0	0	67	80
GRENADA	311	139	139	0	0	172	172	0	0	149	162
HANCOCK	467	408	402	2	4	59	58	1	0	232	235
HARRISON	3,002	2,217	2,211	1	5	785	782	0	3	1,583	1,419

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	WHITE			NONWHITE			SEX			
		TOTAL	HOSP. OR CLINIC	PHYS. OR OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. OR OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,344	1,664	1,661	1	2	2,680	2,666	5	9	2,280	2,064
HOLMES	434	57	57	0	0	377	374	0	3	232	202
HUMPHREYS	288	47	47	0	0	241	238	3	0	154	134
ISSAQUENA	30	8	8	0	0	22	22	0	0	13	17
ITAWAMBA	252	230	230	0	0	22	22	0	0	128	124
JACKSON	1,879	1,359	1,353	2	4	520	518	0	2	966	913
JASPER	264	100	100	0	0	164	164	0	0	133	131
JEFFERSON	155	14	14	0	0	141	141	0	0	82	73
JEFF DAVIS	230	81	80	0	1	149	148	0	1	121	109
JONES	892	574	571	0	3	318	317	1	0	443	449
KEMPER	148	48	48	0	0	100	100	0	0	70	78
LAFAYETTE	337	188	188	0	0	149	148	0	1	169	168
LAMAR	441	375	373	0	2	66	65	1	0	238	203
LAUDERDALE	1,208	686	686	0	0	522	520	0	2	645	563
LAWRENCE	203	122	122	0	0	81	80	1	0	107	96
LEAKE	316	154	154	0	0	162	161	1	0	173	143
LEE	1,039	735	734	1	0	304	304	0	0	536	503
LEFLORE	705	199	199	0	0	506	501	4	1	365	340
LINCOLN	420	280	280	0	0	140	139	0	1	219	201
LOWNDES	1,108	636	635	1	0	472	471	1	0	588	520
MADISON	927	389	388	0	1	538	536	2	0	471	456
MARION	371	252	251	0	1	119	119	0	0	190	181
MARSHALL	551	208	208	0	0	343	343	0	0	276	275
MONROE	585	351	346	0	5	234	234	0	0	328	257
MONTGOMERY	184	70	70	0	0	114	111	3	0	99	85
NESHOBA	352	156	156	0	0	196	195	1	0	168	184
NEWTON	283	136	136	0	0	147	147	0	0	143	140
NOXUBEE	263	55	55	0	0	208	208	0	0	136	127
OKTIBBEHA	541	234	234	0	0	307	307	0	0	276	265
PANOLA	521	189	189	0	0	332	329	1	2	257	264

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	585	489	488	0	1	96	96	0	0	299	286
PERRY	179	117	117	0	0	62	62	0	0	105	74
PIKE	532	219	218	0	1	313	310	0	3	276	256
PONTOTOC	288	225	225	0	0	63	63	0	0	162	126
PRENTISS	354	289	289	0	0	65	65	0	0	174	180
QUITMAN	223	58	58	0	0	165	165	0	0	117	106
RANKIN	1,153	913	908	0	5	240	239	0	1	583	570
SCOTT	408	219	218	0	1	189	189	0	0	206	202
SHARKEY	162	34	33	0	1	128	126	2	0	81	81
SIMPSON	376	215	214	0	1	161	159	1	1	184	192
SMITH	187	133	132	0	1	54	54	0	0	100	87
STONE	178	125	124	0	1	53	53	0	0	89	89
SUNFLOWER	598	126	126	0	0	472	471	1	0	325	273
TALLAHATCHIE	293	75	75	0	0	218	217	0	1	133	160
TATE	313	178	178	0	0	135	134	0	1	157	156
TIPPAH	298	244	243	0	1	54	54	0	0	148	150
TISHOMINGO	244	230	230	0	0	14	14	0	0	123	121
TUNICA	199	34	34	0	0	165	164	1	0	102	97
UNION	286	242	241	0	1	44	44	0	0	152	134
WALTHALL	235	92	87	0	5	143	141	0	2	116	119
WARREN	768	355	354	0	1	413	410	0	3	410	358
WASHINGTON	1,343	414	414	0	0	929	927	0	2	702	641
WAYNE	352	194	194	0	0	158	158	0	0	180	172
WEBSTER	147	97	97	0	0	50	50	0	0	78	69
WILKINSON	178	46	46	0	0	132	130	0	2	96	82
WINSTON	305	134	133	0	1	171	170	1	0	158	147
YALOBUSHA	173	85	85	0	0	88	88	0	0	92	81
YAZOO	498	178	178	0	0	320	320	0	0	265	233

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	41,868	343	8,255	14,255	11,350	5,668	1,727	254	14	2
ADAMS	589	1	110	196	148	111	19	4	0	0
ALCORN	403	3	78	141	90	59	29	3	0	0
AMITE	209	1	37	69	60	33	8	1	0	0
ATTALA	284	4	48	105	64	43	17	3	0	0
BENTON	113	1	23	42	30	13	4	0	0	0
BOLIVAR	859	20	250	305	155	87	34	8	0	0
CALHOUN	191	3	37	73	53	18	7	0	0	0
CARROLL	113	1	24	44	30	9	5	0	0	0
CHICKASAW	311	1	70	106	82	29	20	3	0	0
CHOCTAW	119	0	19	47	27	20	6	0	0	0
CLAIBORNE	174	3	34	56	45	27	7	2	0	0
CLARKE	250	3	60	85	63	24	14	1	0	0
CLAY	388	1	77	136	91	56	23	4	0	0
COAHOMA	696	11	188	236	166	69	24	2	0	0
COPIAH	453	5	95	163	102	64	20	4	0	0
COVINGTON	325	2	86	111	75	35	13	2	1	0
DESOTO	910	1	134	317	289	121	44	4	0	0
FORREST	1,070	8	194	352	309	146	56	4	1	0
FRANKLIN	122	1	11	43	43	14	7	3	0	0
GEORGE	236	0	51	107	43	28	7	0	0	0
GREENE	147	0	35	55	38	15	4	0	0	0
GRENADA	311	5	68	92	82	49	13	2	0	0
HANCOCK	467	3	93	147	128	65	26	4	1	0
HARRISON	3,002	16	493	1,109	901	373	95	14	1	0
HINDS	4,344	35	683	1,281	1,318	784	220	20	2	1
HOLMES	434	3	118	158	88	48	17	2	0	0
HUMPHREYS	288	3	77	92	72	37	6	1	0	0
ISSAQUENA	30	0	5	16	4	3	2	0	0	0
ITAWAMBA	252	1	42	110	73	20	4	2	0	0
JACKSON	1,879	9	319	676	528	263	75	9	0	0
JASPER	264	0	39	93	87	30	12	3	0	0
JEFFERSON	155	2	25	50	43	27	7	1	0	0
JEFF DAVIS	230	2	52	79	59	28	10	0	0	0
JONES	892	8	160	315	257	114	30	8	0	0
KEMPER	148	1	35	51	36	17	7	1	0	0
LAFAYETTE	337	3	48	115	105	45	19	2	0	0
LAMAR	441	1	64	150	143	63	17	3	0	0
LAUDERDALE	1,208	11	205	434	325	179	46	8	0	0
LAWRENCE	203	2	35	76	58	24	8	0	0	0
LEAKE	316	2	64	116	75	42	15	1	1	0
LEE	1,039	8	194	339	305	148	39	6	0	0
LEFLORE	705	8	186	219	174	73	40	5	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	420	0	92	141	104	60	21	2	0	0
LOWNDES	1,108	4	216	368	334	139	44	3	0	0
MADISON	927	12	145	264	303	155	44	4	0	0
MARION	371	5	75	123	108	45	14	1	0	0
MARSHALL	551	3	128	201	138	57	18	6	0	0
MONROE	585	6	131	189	168	69	18	4	0	0
MONTGOMERY	184	3	47	58	42	25	7	0	2	0
NESHOBA	352	2	79	120	90	46	12	3	0	0
NEWTON	283	3	64	95	75	33	10	3	0	0
NOXUBEE	263	2	61	82	64	42	11	1	0	0
OKTIBBEHA	541	0	76	162	172	92	30	7	2	0
PANOLA	521	5	130	174	125	60	20	7	0	0
PEARL RIVER	585	3	117	193	170	73	25	4	0	0
PERRY	179	0	43	77	32	22	5	0	0	0
PIKE	532	6	110	169	135	86	19	6	0	1
PONTOTOC	288	0	50	109	74	41	11	3	0	0
PRENTISS	354	3	71	135	91	38	14	2	0	0
QUITMAN	223	15	49	79	52	19	5	4	0	0
RANKIN	1,153	3	175	360	363	196	52	4	0	0
SCOTT	408	2	96	144	102	49	12	3	0	0
SHARKEY	162	2	53	59	23	20	3	2	0	0
SIMPSON	376	2	66	138	111	49	9	1	0	0
SMITH	187	2	29	74	55	21	5	1	0	0
STONE	178	2	35	57	49	26	7	2	0	0
SUNFLOWER	598	11	184	193	128	51	27	3	1	0
TALLAHATCHIE	293	3	85	95	64	35	9	2	0	0
TATE	313	1	49	122	83	38	16	4	0	0
TIPPAH	298	3	69	107	69	41	7	2	0	0
TISHOMINGO	244	0	43	105	56	32	7	1	0	0
TUNICA	199	3	65	68	37	19	6	1	0	0
UNION	286	3	60	110	73	25	13	1	1	0
WALTHALL	235	2	50	84	59	29	11	0	0	0
WARREN	768	3	123	263	207	129	40	3	0	0
WASHINGTON	1,343	17	349	447	327	151	39	13	0	0
WAYNE	352	5	68	124	96	42	12	5	0	0
WEBSTER	147	3	30	61	27	18	7	1	0	0
WILKINSON	178	2	32	67	44	24	9	0	0	0
WINSTON	305	4	76	95	74	42	12	2	0	0
YALOBUSHA	173	0	40	56	49	23	5	0	0	0
YAZOO	498	5	128	180	113	53	15	3	1	0

TABLE 3B
 WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	22,060	42	3,076	7,566	6,952	3,398	915	106	5	0
ADAMS	262	0	29	86	76	62	7	2	0	0
ALCORN	330	2	57	115	74	51	28	3	0	0
AMITE	111	0	13	37	43	16	2	0	0	0
ATTALA	121	0	14	48	34	21	3	1	0	0
BENTON	58	0	8	26	14	7	3	0	0	0
BOLIVAR	172	1	22	66	47	30	5	1	0	0
CALHOUN	106	1	15	39	33	12	6	0	0	0
CARROLL	48	1	7	18	15	5	2	0	0	0
CHICKASAW	143	0	20	56	40	23	4	0	0	0
CHOCTAW	64	0	8	26	13	13	4	0	0	0
CLAIBORNE	17	0	2	5	6	3	1	0	0	0
CLARKE	132	1	26	48	37	14	5	1	0	0
CLAY	132	0	20	45	41	19	7	0	0	0
COAHOMA	144	0	16	52	51	17	8	0	0	0
COPIAH	159	1	21	60	46	25	6	0	0	0
COVINGTON	173	0	33	61	47	22	8	2	0	0
DESOTO	745	0	100	244	251	114	34	2	0	0
FORREST	654	1	81	198	224	109	38	3	0	0
FRANKLIN	57	0	2	16	28	7	3	1	0	0
GEORGE	204	0	39	96	41	24	4	0	0	0
GREENE	107	0	21	40	31	13	2	0	0	0
GRENADA	139	1	24	44	43	23	4	0	0	0
HANCOCK	408	1	81	134	116	55	19	2	0	0
HARRISON	2,217	6	319	833	708	276	66	9	0	0
HINDS	1,664	2	118	400	626	399	112	7	0	0
HOLMES	57	0	7	19	15	12	4	0	0	0
HUMPHREYS	47	0	5	21	15	6	0	0	0	0
ISSAQUENA	8	0	1	5	0	0	2	0	0	0
ITAWAMBA	230	1	37	104	70	15	1	2	0	0
JACKSON	1,359	3	201	506	392	200	52	5	0	0
JASPER	100	0	9	43	33	10	4	1	0	0
JEFFERSON	14	0	1	6	5	2	0	0	0	0
JEFF DAVIS	81	0	10	36	22	10	3	0	0	0
JONES	574	1	75	207	187	80	20	4	0	0
KEMPER	48	0	9	14	14	8	2	1	0	0
LAFAYETTE	188	0	23	58	70	22	14	1	0	0
LAMAR	375	0	50	123	130	56	13	3	0	0
LAUDERDALE	686	1	80	257	204	112	28	4	0	0
LAWRENCE	122	0	16	49	39	14	4	0	0	0
LEAKE	154	2	25	55	44	24	3	0	1	0
LEE	735	1	125	232	226	116	31	4	0	0
LEFLORE	199	0	28	59	67	33	11	1	0	0

TABLE 3B - PAGE 2
 WHITE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	280	0	47	100	77	42	13	1	0	0
LOWNDES	636	0	85	217	220	87	26	1	0	0
MADISON	389	0	13	76	191	88	20	1	0	0
MARION	252	1	47	75	81	37	10	1	0	0
MARSHALL	208	0	38	89	58	14	6	3	0	0
MONROE	351	3	62	123	109	45	8	1	0	0
MONTGOMERY	70	0	12	24	20	10	3	0	1	0
NESHOBA	156	0	25	52	48	28	2	1	0	0
NEWTON	136	0	24	38	45	24	4	1	0	0
NOXUBEE	55	0	5	15	23	9	3	0	0	0
OKTIBBEHA	234	0	8	73	89	43	18	2	1	0
PANOLA	189	0	33	65	57	27	4	3	0	0
PEARL RIVER	489	1	89	159	145	68	23	4	0	0
PERRY	117	0	22	53	25	15	2	0	0	0
PIKE	219	1	34	66	75	36	5	2	0	0
PONTOTOC	225	0	31	88	61	37	6	2	0	0
PRENTISS	289	1	55	113	76	31	12	1	0	0
QUITMAN	58	0	9	22	17	8	1	1	0	0
RANKIN	913	2	123	282	297	166	40	3	0	0
SCOTT	219	0	47	79	60	28	3	2	0	0
SHARKEY	34	0	6	12	7	7	1	1	0	0
SIMPSON	215	0	28	89	63	28	6	1	0	0
SMITH	133	0	18	52	40	18	4	1	0	0
STONE	125	0	23	39	39	19	4	1	0	0
SUNFLOWER	126	0	15	43	46	15	7	0	0	0
TALLAHATCHIE	75	0	9	22	25	15	4	0	0	0
TATE	178	0	27	67	49	26	8	1	0	0
TIPPAH	244	0	52	96	51	37	6	2	0	0
TISHOMINGO	230	0	38	102	52	30	7	1	0	0
TUNICA	34	0	3	13	12	5	0	1	0	0
UNION	242	2	42	94	67	22	13	1	1	0
WALTHALL	92	0	17	32	31	8	4	0	0	0
WARREN	355	0	29	119	118	70	19	0	0	0
WASHINGTON	414	2	54	129	143	68	13	5	0	0
WAYNE	194	1	32	68	59	27	7	0	0	0
WEBSTER	97	0	12	42	24	14	5	0	0	0
WILKINSON	46	0	3	17	14	7	5	0	0	0
WINSTON	134	1	18	43	39	25	8	0	0	0
YALOBUSHA	85	0	18	26	28	11	2	0	0	0
YAZOO	178	0	25	65	53	23	10	1	1	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	19,808	301	5,179	6,689	4,398	2,270	812	148	9	2
ADAMS	327	1	81	110	72	49	12	2	0	0
ALCORN	73	1	21	26	16	8	1	0	0	0
AMITE	98	1	24	32	17	17	6	1	0	0
ATTALA	163	4	34	57	30	22	14	2	0	0
BENTON	55	1	15	16	16	6	1	0	0	0
BOLIVAR	687	19	228	239	108	57	29	7	0	0
CALHOUN	85	2	22	34	20	6	1	0	0	0
CARROLL	65	0	17	26	15	4	3	0	0	0
CHICKASAW	168	1	50	50	42	6	16	3	0	0
CHOCTAW	55	0	11	21	14	7	2	0	0	0
CLAIBORNE	157	3	32	51	39	24	6	2	0	0
CLARKE	118	2	34	37	26	10	9	0	0	0
CLAY	256	1	57	91	50	37	16	4	0	0
COAHOMA	552	11	172	184	115	52	16	2	0	0
COPIAH	294	4	74	103	56	39	14	4	0	0
COVINGTON	152	2	53	50	28	13	5	0	1	0
DESOTO	165	1	34	73	38	7	10	2	0	0
FORREST	416	7	113	154	85	37	18	1	1	0
FRANKLIN	65	1	9	27	15	7	4	2	0	0
GEORGE	32	0	12	11	2	4	3	0	0	0
GREENE	40	0	14	15	7	2	2	0	0	0
GRENADA	172	4	44	48	39	26	9	2	0	0
HANCOCK	59	2	12	13	12	10	7	2	1	0
HARRISON	785	10	174	276	193	97	29	5	1	0
HINDS	2,680	33	565	881	692	385	108	13	2	1
HOLMES	377	3	111	139	73	36	13	2	0	0
HUMPHREYS	241	3	72	71	57	31	6	1	0	0
ISSAQUENA	22	0	4	11	4	3	0	0	0	0
ITAWAMBA	22	0	5	6	3	5	3	0	0	0
JACKSON	520	6	118	170	136	63	23	4	0	0
JASPER	164	0	30	50	54	20	8	2	0	0
JEFFERSON	141	2	24	44	38	25	7	1	0	0
JEFF DAVIS	149	2	42	43	37	18	7	0	0	0
JONES	318	7	85	108	70	34	10	4	0	0
KEMPER	100	1	26	37	22	9	5	0	0	0
LAFAYETTE	149	3	25	57	35	23	5	1	0	0
LAMAR	66	1	14	27	13	7	4	0	0	0
LAUDERDALE	522	10	125	177	121	67	18	4	0	0
LAWRENCE	81	2	19	27	19	10	4	0	0	0
LEAKE	162	0	39	61	31	18	12	1	0	0
LEE	304	7	69	107	79	32	8	2	0	0
LEFLORE	506	8	158	160	107	40	29	4	0	0

TABLE 3C - PAGE 2
NONWHITE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	140	0	45	41	27	18	8	1	0	0
LOWNDES	472	4	131	151	114	52	18	2	0	0
MADISON	538	12	132	188	112	67	24	3	0	0
MARION	119	4	28	48	27	8	4	0	0	0
MARSHALL	343	3	90	112	80	43	12	3	0	0
MONROE	234	3	69	66	59	24	10	3	0	0
MONTGOMERY	114	3	35	34	22	15	4	0	1	0
NESHOBA	196	2	54	68	42	18	10	2	0	0
NEWTON	147	3	40	57	30	9	6	2	0	0
NOXUBEE	208	2	56	67	41	33	8	1	0	0
OKTIBBEHA	307	0	68	89	83	49	12	5	1	0
PANOLA	332	5	97	109	68	33	16	4	0	0
PEARL RIVER	96	2	28	34	25	5	2	0	0	0
PERRY	62	0	21	24	7	7	3	0	0	0
PIKE	313	5	76	103	60	50	14	4	0	1
PONTOTOC	63	0	19	21	13	4	5	1	0	0
PRENTISS	65	2	16	22	15	7	2	1	0	0
QUITMAN	165	15	40	57	35	11	4	3	0	0
RANKIN	240	1	52	78	66	30	12	1	0	0
SCOTT	189	2	49	65	42	21	9	1	0	0
SHARKEY	128	2	47	47	16	13	2	1	0	0
SIMPSON	161	2	38	49	48	21	3	0	0	0
SMITH	54	2	11	22	15	3	1	0	0	0
STONE	53	2	12	18	10	7	3	1	0	0
SUNFLOWER	472	11	169	150	82	36	20	3	1	0
TALLAHATCHIE	218	3	76	73	39	20	5	2	0	0
TATE	135	1	22	55	34	12	8	3	0	0
TIPPAH	54	3	17	11	18	4	1	0	0	0
TISHOMINGO	14	0	5	3	4	2	0	0	0	0
TUNICA	165	3	62	55	25	14	6	0	0	0
UNION	44	1	18	16	6	3	0	0	0	0
WALTHALL	143	2	33	52	28	21	7	0	0	0
WARREN	413	3	94	144	89	59	21	3	0	0
WASHINGTON	929	15	295	318	184	83	26	8	0	0
WAYNE	158	4	36	56	37	15	5	5	0	0
WEBSTER	50	3	18	19	3	4	2	1	0	0
WILKINSON	132	2	29	50	30	17	4	0	0	0
WINSTON	171	3	58	52	35	17	4	2	0	0
YALOBUSHA	88	0	22	30	21	12	3	0	0	0
YAZOO	320	5	103	115	60	30	5	2	0	0

TABLE 4
 ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1986

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>14,222</u>	<u>2,024</u>	<u>12,198</u>	<u>34.0</u>	<u>9.2</u>	<u>61.6</u>
ADAMS	230	24	206	39.0	9.2	63.0
ALCORN	65	26	39	16.1	7.9	53.4
AMITE	60	10	50	28.7	9.0	51.0
ATTALA	94	9	85	33.1	7.4	52.1
BENTON	32	5	27	28.3	8.6	49.1
BOLIVAR	553	27	526	64.4	15.7	76.6
CALHOUN	60	11	49	31.4	10.4	57.6
CARROLL	43	7	36	38.0	14.6	55.4
CHICKASAW	90	8	82	28.9	5.6	48.8
CHOCTAW	38	3	35	31.9	4.7	63.6
CLAIBORNE	112	0	112	64.4	-	71.3
CLARKE	68	7	61	27.2	5.3	51.7
CLAY	154	9	145	39.7	6.8	56.6
COAHOMA	416	15	401	59.8	10.4	72.6
COPIAH	189	14	175	41.7	8.8	59.5
COVINGTON	114	10	104	35.1	5.8	68.4
DESOTO	176	73	103	19.3	9.8	62.4
FORREST	365	80	285	34.1	12.2	68.5
FRANKLIN	43	5	38	35.2	8.8	58.5
GEORGE	39	19	20	16.5	9.3	62.5
GREENE	36	7	29	24.5	6.5	72.5
GRENADA	121	13	108	38.9	9.4	62.8
HANCOCK	94	61	33	20.1	15.0	55.9
HARRISON	654	264	390	21.8	11.9	49.7
HINDS	1,630	130	1,500	37.5	7.8	56.0
HOLMES	252	1	251	58.1	1.8	66.6
HUMPHREYS	172	2	170	59.7	4.2	70.5
ISSAQUENA	13	1	12	43.3	12.5	54.5
ITAWAMBA	24	15	9	9.5	6.5	40.9
JACKSON	468	168	300	24.9	12.4	57.7
JASPER	76	4	72	28.8	4.0	43.9
JEFFERSON	91	1	90	58.7	7.1	63.8
JEFF DAVIS	98	6	92	42.6	7.4	61.7
JONES	226	48	178	25.3	8.4	56.0
KEMPER	57	2	55	38.5	4.2	55.0
LAFAYETTE	92	17	75	27.3	9.0	50.3
LAMAR	60	26	34	13.6	6.9	51.5
LAUDERDALE	372	65	307	30.8	9.5	58.8
LAWRENCE	47	10	37	23.2	8.2	45.7
LEAKE	79	6	73	25.0	3.9	45.1
LEE	232	77	155	22.3	10.5	51.0
LEFLORE	381	21	360	54.0	10.6	71.1

TABLE 4 - PAGE 2
 ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	98	15	83	23.3	5.4	59.3
LOWNDES	325	48	277	29.3	7.5	58.7
MADISON	362	14	348	39.0	3.6	64.7
MARION	83	22	61	22.4	8.7	51.3
MARSHALL	239	25	214	43.4	12.0	62.4
MONROE	181	31	150	30.9	8.8	64.1
MONTGOMERY	75	7	68	40.8	10.0	59.6
NESHOBA	115	10	105	32.7	6.4	53.6
NEWTON	93	8	85	32.9	5.9	57.8
NOXUBEE	139	4	135	52.8	7.3	64.9
OKTIBBEHA	190	15	175	35.1	6.4	57.0
PANOLA	237	17	220	45.5	9.0	66.3
PEARL RIVER	118	60	58	20.2	12.3	60.4
PERRY	50	13	37	27.9	11.1	59.7
PIKE	196	20	176	36.8	9.1	56.2
PONTOTOC	47	19	28	16.3	8.4	44.4
PRENTISS	81	36	45	22.9	12.4	69.2
QUITMAN	121	4	117	54.3	6.9	70.9
RANKIN	205	89	116	17.8	9.7	48.3
SCOTT	119	18	101	29.2	8.2	53.4
SHARKEY	114	5	109	70.4	14.7	85.2
SIMPSON	99	14	85	26.3	6.5	52.8
SMITH	38	7	31	20.3	5.3	57.4
STONE	46	15	31	25.8	12.0	58.5
SUNFLOWER	367	13	354	61.4	10.3	75.0
TALLAHATCHIE	179	7	172	61.1	9.3	78.9
TATE	98	16	82	31.3	9.0	60.7
TIPPAH	51	25	26	17.1	10.2	48.1
TISHOMINGO	21	17	4	8.6	7.4	28.6
TUNICA	124	0	124	62.3	-	75.2
UNION	45	19	26	15.7	7.8	59.1
WALTHALL	84	7	77	35.7	7.6	53.8
WARREN	289	22	267	37.6	6.2	64.6
WASHINGTON	717	30	687	53.4	7.2	74.0
WAYNE	111	15	96	31.5	7.7	60.8
WEBSTER	45	5	40	30.6	5.2	80.0
WILKINSON	90	3	87	50.6	6.5	65.9
WINSTON	121	9	112	39.7	6.7	65.5
YALOBUSHA	65	5	60	37.6	5.9	68.2
YAZOO	228	8	220	45.8	4.5	68.8

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	14,222	329	5,500	5,079	2,102	859	303	44	5	1
ADAMS	230	1	87	85	34	20	1	2	0	0
ALCORN	65	3	26	25	8	3	0	0	0	0
AMITE	60	1	24	22	7	5	1	0	0	0
ATTALA	94	4	32	33	10	10	3	2	0	0
BENTON	32	1	12	12	5	1	1	0	0	0
BOLIVAR	553	19	228	208	51	31	13	3	0	0
CALHOUN	60	2	24	19	11	3	1	0	0	0
CARROLL	43	1	18	20	1	2	1	0	0	0
CHICKASAW	90	1	36	31	14	1	6	1	0	0
CHOCTAW	38	0	11	16	6	3	2	0	0	0
CLAIBORNE	112	3	32	41	22	13	1	0	0	0
CLARKE	68	3	32	22	4	3	4	0	0	0
CLAY	154	1	53	60	23	11	5	1	0	0
COAHOMA	416	11	163	159	53	21	8	1	0	0
COPIAH	189	5	72	72	17	18	5	0	0	0
COVINGTON	114	2	55	35	13	8	1	0	0	0
DESOTO	176	1	68	66	31	5	5	0	0	0
FORREST	365	8	132	148	55	15	6	1	0	0
FRANKLIN	43	1	8	17	11	4	1	1	0	0
GEORGE	39	0	22	12	0	3	2	0	0	0
GREENE	36	0	18	13	5	0	0	0	0	0
GRENADA	121	5	48	33	17	15	2	1	0	0
HANCOCK	94	3	40	25	10	9	6	0	1	0
HARRISON	654	14	261	245	88	32	12	1	1	0
HINDS	1,630	35	567	602	278	116	29	2	1	0
HOLMES	252	3	97	88	39	19	6	0	0	0
HUMPHREYS	172	3	68	50	31	18	2	0	0	0
ISSAQUENA	13	0	4	7	2	0	0	0	0	0
ITAWAMBA	24	0	8	10	3	1	2	0	0	0
JACKSON	468	8	182	187	68	12	10	1	0	0
JASPER	76	0	25	29	20	1	1	0	0	0
JEFFERSON	91	2	23	30	19	14	3	0	0	0
JEFF DAVIS	98	2	38	30	19	7	2	0	0	0
JONES	226	7	91	78	31	12	6	1	0	0
KEMPER	57	1	23	20	9	2	2	0	0	0
LAFAYETTE	92	3	30	36	14	6	2	1	0	0
LAMAR	60	1	20	29	6	2	2	0	0	0
LAUDERDALE	372	11	140	131	55	25	8	2	0	0
LAWRENCE	47	2	16	23	4	0	2	0	0	0
LEAKE	79	1	35	26	8	7	2	0	0	0
LEE	232	7	87	79	41	14	2	2	0	0
LEFLORE	381	8	160	122	52	25	13	1	0	0

TABLE 5A - PAGE 2
 TOTAL ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	98	0	42	25	19	7	5	0	0	0
LOWNDES	325	4	140	106	50	16	8	1	0	0
MADISON	362	12	124	141	56	19	8	2	0	0
MARION	83	4	37	28	9	4	1	0	0	0
MARSHALL	239	3	89	82	43	18	4	0	0	0
MONROE	181	5	82	46	30	12	4	2	0	0
MONTGOMERY	75	3	35	22	10	2	2	0	1	0
NESHOBA	115	2	45	39	17	7	4	1	0	0
NEWTON	93	3	35	37	13	4	0	1	0	0
NOXUBEE	139	2	54	46	22	11	4	0	0	0
OKTIBBEHA	190	0	66	54	41	17	10	1	1	0
PANOLA	237	4	92	87	37	12	4	1	0	0
PEARL RIVER	118	3	45	45	21	2	2	0	0	0
PERRY	50	0	33	14	2	0	1	0	0	0
PIKE	196	6	80	61	28	15	5	0	0	1
PONTOTOC	47	0	20	21	4	2	0	0	0	0
PRENTISS	81	2	31	29	14	3	1	1	0	0
QUITMAN	121	15	39	46	16	2	2	1	0	0
RANKIN	205	3	76	72	35	12	7	0	0	0
SCOTT	119	2	47	47	14	7	2	0	0	0
SHARKEY	114	2	48	41	14	8	1	0	0	0
SIMPSON	99	2	41	26	23	5	2	0	0	0
SMITH	38	2	9	18	6	3	0	0	0	0
STONE	46	2	17	20	6	1	0	0	0	0
SUNFLOWER	367	11	171	115	46	16	7	1	0	0
TALLAHATCHIE	179	3	79	61	26	7	1	2	0	0
TATE	98	1	28	43	18	4	4	0	0	0
TIPPAH	51	3	24	14	7	3	0	0	0	0
TISHOMINGO	21	0	7	7	3	4	0	0	0	0
TUNICA	124	3	60	43	11	5	2	0	0	0
UNION	45	3	16	18	7	1	0	0	0	0
WALTHALL	84	2	30	32	6	12	2	0	0	0
WARREN	289	3	96	106	50	26	7	1	0	0
WASHINGTON	717	16	299	251	104	36	11	0	0	0
WAYNE	111	5	32	39	22	8	2	3	0	0
WEBSTER	45	3	17	20	1	2	2	0	0	0
WILKINSON	90	2	27	36	18	6	1	0	0	0
WINSTON	121	4	52	40	17	8	0	0	0	0
YALOBUSHA	65	0	25	24	12	2	2	0	0	0
YAZOO	228	5	94	81	29	13	4	2	0	0

TABLE 5B
 WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	2,024	29	826	723	285	115	40	4	2	0
ADAMS	24	0	10	6	4	3	0	1	0	0
ALCORN	26	2	8	10	3	3	0	0	0	0
AMITE	10	0	3	3	3	1	0	0	0	0
ATTALA	9	0	4	2	0	3	0	0	0	0
BENTON	5	0	1	3	0	0	1	0	0	0
BOLIVAR	27	0	7	14	4	2	0	0	0	0
CALHOUN	11	0	3	3	3	1	1	0	0	0
CARROLL	7	1	3	3	0	0	0	0	0	0
CHICKASAW	8	0	0	5	2	1	0	0	0	0
CHOCTAW	3	0	0	2	0	1	0	0	0	0
CLAIBORNE	0	0	0	0	0	0	0	0	0	0
CLARKE	7	1	3	3	0	0	0	0	0	0
CLAY	9	0	4	4	1	0	0	0	0	0
COAHOMA	15	0	1	9	2	1	2	0	0	0
COPIAH	14	1	7	6	0	0	0	0	0	0
COVINGTON	10	0	5	4	0	1	0	0	0	0
DESOTO	73	0	36	22	12	2	1	0	0	0
FORREST	80	1	26	30	16	7	0	0	0	0
FRANKLIN	5	0	0	2	3	0	0	0	0	0
GEORGE	19	0	10	7	0	2	0	0	0	0
GREENE	7	0	5	1	1	0	0	0	0	0
GRENADA	13	1	5	3	2	2	0	0	0	0
HANCOCK	61	1	31	18	5	3	3	0	0	0
HARRISON	264	4	105	103	39	10	3	0	0	0
HINDS	130	2	48	44	25	11	0	0	0	0
HOLMES	1	0	0	0	0	0	1	0	0	0
HUMPHREYS	2	0	0	2	0	0	0	0	0	0
ISSAQUENA	1	0	1	0	0	0	0	0	0	0
ITAWAMBA	15	0	5	9	1	0	0	0	0	0
JACKSON	168	2	72	66	19	5	3	1	0	0
JASPER	4	0	2	2	0	0	0	0	0	0
JEFFERSON	1	0	0	1	0	0	0	0	0	0
JEFF DAVIS	6	0	3	3	0	0	0	0	0	0
JONES	48	0	20	16	6	6	0	0	0	0
KEMPER	2	0	1	0	1	0	0	0	0	0
LAFAYETTE	17	0	9	6	2	0	0	0	0	0
LAMAR	26	0	8	15	2	0	1	0	0	0
LAUDERDALE	65	1	30	21	7	1	4	1	0	0
LAWRENCE	10	0	2	6	2	0	0	0	0	0
LEAKE	6	1	5	0	0	0	0	0	0	0
LEE	77	0	29	26	12	7	2	1	0	0
LEFLORE	21	0	11	7	1	1	1	0	0	0

TABLE 5B - PAGE 2
 WHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	15	0	4	2	6	1	2	0	0	0
LOWNDES	48	0	22	12	10	1	3	0	0	0
MADISON	14	0	6	6	2	0	0	0	0	0
MARION	22	0	14	7	0	1	0	0	0	0
MARSHALL	25	0	9	13	3	0	0	0	0	0
MONROE	31	2	16	7	4	2	0	0	0	0
MONTGOMERY	7	0	3	2	1	0	0	0	1	0
NESHOBA	10	0	2	8	0	0	0	0	0	0
NEWTON	8	0	3	3	1	1	0	0	0	0
NOXUBEE	4	0	1	1	2	0	0	0	0	0
OKTIBBEHA	15	0	2	6	4	1	1	0	1	0
PANOLA	17	0	6	6	3	1	1	0	0	0
PEARL RIVER	60	1	22	24	9	2	2	0	0	0
PERRY	13	0	12	1	0	0	0	0	0	0
PIKE	20	1	12	5	2	0	0	0	0	0
PONTOTOC	19	0	5	10	2	2	0	0	0	0
PRENTISS	36	0	15	13	5	3	0	0	0	0
QUITMAN	4	0	3	1	0	0	0	0	0	0
RANKIN	89	2	38	30	12	6	1	0	0	0
SCOTT	18	0	6	9	3	0	0	0	0	0
SHARKEY	5	0	3	1	1	0	0	0	0	0
SIMPSON	14	0	8	2	2	1	1	0	0	0
SMITH	7	0	2	4	1	0	0	0	0	0
STONE	15	0	6	5	3	1	0	0	0	0
SUNFLOWER	13	0	8	3	1	1	0	0	0	0
TALLAHATCHIE	7	0	5	2	0	0	0	0	0	0
TATE	16	0	7	3	3	2	1	0	0	0
TIPPAH	25	0	11	9	3	2	0	0	0	0
TISHOMINGO	17	0	5	6	3	3	0	0	0	0
TUNICA	0	0	0	0	0	0	0	0	0	0
UNION	19	2	4	9	4	0	0	0	0	0
WALTHALL	7	0	4	1	0	1	1	0	0	0
WARREN	22	0	10	5	4	1	2	0	0	0
WASHINGTON	30	1	15	6	3	4	1	0	0	0
WAYNE	15	1	4	4	3	2	1	0	0	0
WEBSTER	5	0	2	3	0	0	0	0	0	0
WILKINSON	3	0	0	2	1	0	0	0	0	0
WINSTON	9	1	2	1	3	2	0	0	0	0
YALOBUSHA	5	0	3	2	0	0	0	0	0	0
YAZOO	8	0	3	2	3	0	0	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	12,198	300	4,674	4,356	1,817	744	263	40	3	1
ADAMS	206	1	77	79	30	17	1	1	0	0
ALCORN	39	1	18	15	5	0	0	0	0	0
AMITE	50	1	21	19	4	4	1	0	0	0
ATTALA	85	4	28	31	10	7	3	2	0	0
BENTON	27	1	11	9	5	1	0	0	0	0
BOLIVAR	526	19	221	194	47	29	13	3	0	0
CALHOUN	49	2	21	16	8	2	0	0	0	0
CARROLL	36	0	15	17	1	2	1	0	0	0
CHICKASAW	82	1	36	26	12	0	6	1	0	0
CHOCTAW	35	0	11	14	6	2	2	0	0	0
CLAIBORNE	112	3	32	41	22	13	1	0	0	0
CLARKE	61	2	29	19	4	3	4	0	0	0
CLAY	145	1	49	56	22	11	5	1	0	0
COAHOMA	401	11	162	150	51	20	6	1	0	0
COPIAH	175	4	65	66	17	18	5	0	0	0
COVINGTON	104	2	50	31	13	7	1	0	0	0
DESOTO	103	1	32	44	19	3	4	0	0	0
FORREST	285	7	106	118	39	8	6	1	0	0
FRANKLIN	38	1	8	15	8	4	1	1	0	0
GEORGE	20	0	12	5	0	1	2	0	0	0
GREENE	29	0	13	12	4	0	0	0	0	0
GRENADA	108	4	43	30	15	13	2	1	0	0
HANCOCK	33	2	9	7	5	6	3	0	1	0
HARRISON	390	10	156	142	49	22	9	1	1	0
HINDS	1,500	33	519	558	253	105	29	2	1	0
HOLMES	251	3	97	88	39	19	5	0	0	0
HUMPHREYS	170	3	68	48	31	18	2	0	0	0
ISSAQUENA	12	0	3	7	2	0	0	0	0	0
ITAWAMBA	9	0	3	1	2	1	2	0	0	0
JACKSON	300	6	110	121	49	7	7	0	0	0
JASPER	72	0	23	27	20	1	1	0	0	0
JEFFERSON	90	2	23	29	19	14	3	0	0	0
JEFF DAVIS	92	2	35	27	19	7	2	0	0	0
JONES	178	7	71	62	25	6	6	1	0	0
KEMPER	55	1	22	20	8	2	2	0	0	0
LAFAYETTE	75	3	21	30	12	6	2	1	0	0
LAMAR	34	1	12	14	4	2	1	0	0	0
LAUDERDALE	307	10	110	110	48	24	4	1	0	0
LAWRENCE	37	2	14	17	2	0	2	0	0	0
LEAKE	73	0	30	26	8	7	2	0	0	0
LEE	155	7	58	53	29	7	0	1	0	0
LEFLORE	360	8	149	115	51	24	12	1	0	0

TABLE 5C - PAGE 2
NONWHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	83	0	38	23	13	6	3	0	0	0
LOWNDES	277	4	118	94	40	15	5	1	0	0
MADISON	348	12	118	135	54	19	8	2	0	0
MARION	61	4	23	21	9	3	1	0	0	0
MARSHALL	214	3	80	69	40	18	4	0	0	0
MONROE	150	3	66	39	26	10	4	2	0	0
MONTGOMERY	68	3	32	20	9	2	2	0	0	0
NESHOBA	105	2	43	31	17	7	4	1	0	0
NEWTON	85	3	32	34	12	3	0	1	0	0
NOXUBEE	135	2	53	45	20	11	4	0	0	0
OKTIBBEHA	175	0	64	48	37	16	9	1	0	0
PANOLA	220	4	86	81	34	11	3	1	0	0
PEARL RIVER	58	2	23	21	12	0	0	0	0	0
PERRY	37	0	21	13	2	0	1	0	0	0
PIKE	176	5	68	56	26	15	5	0	0	1
PONTOTOC	28	0	15	11	2	0	0	0	0	0
PRENTISS	45	2	16	16	9	0	1	1	0	0
QUITMAN	117	15	36	45	16	2	2	1	0	0
RANKIN	116	1	38	42	23	6	6	0	0	0
SCOTT	101	2	41	38	11	7	2	0	0	0
SHARKEY	109	2	45	40	13	8	1	0	0	0
SIMPSON	85	2	33	24	21	4	1	0	0	0
SMITH	31	2	7	14	5	3	0	0	0	0
STONE	31	2	11	15	3	0	0	0	0	0
SUNFLOWER	354	11	163	112	45	15	7	1	0	0
TALLAHATCHIE	172	3	74	59	26	7	1	2	0	0
TATE	82	1	21	40	15	2	3	0	0	0
TIPPAH	26	3	13	5	4	1	0	0	0	0
TISHOMINGO	4	0	2	1	0	1	0	0	0	0
TUNICA	124	3	60	43	11	5	2	0	0	0
UNION	26	1	12	9	3	1	0	0	0	0
WALTHALL	77	2	26	31	6	11	1	0	0	0
WARREN	267	3	86	101	46	25	5	1	0	0
WASHINGTON	687	15	284	245	101	32	10	0	0	0
WAYNE	96	4	28	35	19	6	1	3	0	0
WEBSTER	40	3	15	17	1	2	2	0	0	0
WILKINSON	87	2	27	34	17	6	1	0	0	0
WINSTON	112	3	50	39	14	6	0	0	0	0
YALOBUSHA	60	0	22	22	12	2	2	0	0	0
YAZOO	220	5	91	79	26	13	4	2	0	0

TABLE 6
 IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1986

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	3,625	1,327	2,298	8.6	6.0	11.6
ADAMS	60	18	42	10.2	6.9	12.8
ALCORN	34	25	9	8.4	7.6	12.3
AMITE	16	4	12	7.6	3.6	12.2
ATTALA	12	4	8	4.2	3.3	4.9
BENTON	5	3	2	4.4	5.2	3.6
BOLIVAR	91	12	79	10.6	7.0	11.5
CALHOUN	22	8	14	11.5	7.5	16.5
CARROLL	13	4	9	11.5	8.3	13.8
CHICKASAW	27	10	17	8.7	7.0	10.1
CHOCTAW	7	2	5	5.9	3.1	9.1
CLAIBORNE	19	0	19	10.9	-	12.1
CLARKE	23	11	12	9.2	8.3	10.2
CLAY	30	4	26	7.7	3.0	10.2
COAHOMA	69	9	60	9.9	6.2	10.9
COPIAH	53	8	45	11.7	5.0	15.3
COVINGTON	27	13	14	8.3	7.5	9.2
DESOTO	75	54	21	8.2	7.2	12.7
FORREST	85	38	47	7.9	5.8	11.3
FRANKLIN	13	7	6	10.6	12.3	9.2
GEORGE	16	11	5	6.8	5.4	15.6
GREENE	4	3	1	2.7	2.8	2.5
GRENADA	26	6	20	8.4	4.3	11.6
HANCOCK	32	27	5	6.8	6.6	8.5
HARRISON	222	143	79	7.4	6.4	10.1
HINDS	406	89	317	9.3	5.3	11.8
HOLMES	45	5	40	10.4	8.8	10.6
HUMPHREYS	32	4	28	11.1	8.5	11.6
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	14	10	4	5.6	4.3	18.2
JACKSON	142	75	67	7.6	5.5	12.9
JASPER	27	7	20	10.2	7.0	12.2
JEFFERSON	19	0	19	12.2	-	13.5
JEFF DAVIS	32	6	26	13.9	7.4	17.4
JONES	71	33	38	8.0	5.7	12.0
KEMPER	11	1	10	7.4	2.1	10.0
LAFAYETTE	30	14	16	8.9	7.4	10.7
LAMAR	25	17	8	5.7	4.5	12.1
LAUDERDALE	86	45	41	7.1	6.6	7.8
LAWRENCE	17	10	7	8.4	8.2	8.6
LEAKE	33	8	25	10.4	5.2	15.4
LEE	69	39	30	6.6	5.3	9.9
LEFLORE	75	9	66	10.6	4.5	13.0

TABLE 6 - PAGE 2
IMMATURE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	39	24	15	9.3	8.6	10.7
LOWNDES	98	34	64	8.8	5.3	13.6
MADISON	90	24	66	9.7	6.2	12.3
MARION	37	21	16	10.0	8.3	13.4
MARSHALL	58	16	42	10.5	7.7	12.2
MONROE	48	22	26	8.2	6.3	11.1
MONTGOMERY	16	3	13	8.7	4.3	11.4
NESHOBA	29	12	17	8.2	7.7	8.7
NEWTON	17	4	13	6.0	2.9	8.8
NOXUBEE	29	4	25	11.0	7.3	12.0
OKTIBBEHA	42	12	30	7.8	5.1	9.8
PANOLA	54	16	38	10.4	8.5	11.4
PEARL RIVER	37	26	11	6.3	5.3	11.4
PERRY	13	5	8	7.3	4.3	12.9
PIKE	55	16	39	10.3	7.3	12.5
PONTOTOC	23	16	7	8.0	7.1	11.1
PRENTISS	21	16	5	5.9	5.5	7.7
QUITMAN	33	3	30	14.8	5.2	18.2
RANKIN	89	53	36	7.7	5.8	15.0
SCOTT	43	14	29	10.5	6.4	15.3
SHARKEY	23	4	19	14.2	11.8	14.8
SIMPSON	25	12	13	6.6	5.6	8.1
SMITH	14	6	8	7.5	4.5	14.8
STONE	15	9	6	8.4	7.2	11.3
SUNFLOWER	58	3	55	9.7	2.4	11.6
TALLAHATCHIE	32	2	30	10.9	2.7	13.8
TATE	20	5	15	6.4	2.8	11.1
TIPPAH	27	24	3	9.1	9.8	5.6
TISHOMINGO	17	14	3	7.0	6.1	21.4
TUNICA	22	1	21	11.0	2.9	12.7
UNION	30	25	5	10.5	10.3	11.4
WALTHALL	16	6	10	6.8	6.5	7.0
WARREN	60	12	48	7.8	3.4	11.6
WASHINGTON	127	28	99	9.4	6.8	10.6
WAYNE	31	14	17	8.8	7.2	10.8
WEBSTER	9	3	6	6.1	3.1	12.0
WILKINSON	20	0	20	11.2	-	15.2
WINSTON	27	8	19	8.8	6.0	11.1
YALOBUSHA	10	2	8	5.8	2.4	9.1
YAZOO	56	12	44	11.2	6.7	13.8

* BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TABLE 7
 PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1986

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	5,702	2,047	3,655	13.6	9.3	18.4
ADAMS	81	27	54	13.8	10.3	16.5
ALCORN	63	42	21	15.6	12.7	28.8
AMITE	26	11	15	12.4	9.9	15.3
ATTALA	43	13	30	15.1	10.7	18.4
BENTON	13	7	6	11.5	12.1	10.9
BOLIVAR	129	14	115	15.0	8.1	16.7
CALHOUN	26	5	21	13.6	4.7	24.7
CARROLL	18	8	10	15.9	16.7	15.4
CHICKASAW	58	17	41	18.6	11.9	24.4
CHOCTAW	12	5	7	10.1	7.8	12.7
CLAIBORNE	32	1	31	18.4	5.9	19.7
CLARKE	36	15	21	14.4	11.4	17.8
CLAY	50	7	43	12.9	5.3	16.8
COAHOMA	119	16	103	17.1	11.1	18.6
COPIAH	83	15	68	18.3	9.4	23.1
COVINGTON	49	21	28	15.1	12.1	18.4
DESOTO	90	68	22	9.9	9.1	13.3
FORREST	120	50	70	11.2	7.6	16.8
FRANKLIN	22	8	14	18.0	14.0	21.5
GEORGE	24	18	6	10.2	8.8	18.8
GREENE	15	11	4	10.2	10.3	10.0
GRENADA	37	12	25	11.9	8.6	14.5
HANCOCK	42	35	7	9.0	8.6	11.9
HARRISON	324	192	132	10.8	8.7	16.8
HINDS	599	134	465	13.8	8.0	17.4
HOLMES	87	4	83	20.0	7.0	22.0
HUMPHREYS	54	5	49	18.8	10.6	20.3
ISSAQUENA	3	0	3	10.0	-	13.6
ITAWAMBA	26	21	5	10.3	9.1	22.7
JACKSON	205	108	97	10.9	7.9	18.6
JASPER	38	8	30	14.4	8.0	18.3
JEFFERSON	32	1	31	20.6	7.1	22.0
JEFF DAVIS	43	14	29	18.7	17.3	19.5
JONES	105	56	49	11.8	9.8	15.4
KEMPER	14	5	9	9.4	10.4	9.0
LAFAYETTE	41	16	25	12.2	8.5	16.8
LAMAR	41	32	9	9.3	8.5	13.6
LAUDERDALE	137	64	73	11.3	9.3	14.0
LAWRENCE	35	21	14	17.2	17.2	17.3
LEAKE	54	16	38	17.1	10.4	23.4
LEE	138	71	67	13.3	9.7	22.0
LEFLORE	107	16	91	15.2	8.0	18.0

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1986

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	65	32	33	15.5	11.4	23.6
LOWNDES	141	55	86	12.7	8.6	18.2
MADISON	128	31	97	13.8	8.0	18.0
MARION	55	26	29	14.8	10.3	24.4
MARSHALL	77	25	52	14.0	12.0	15.2
MONROE	88	35	53	15.0	10.0	22.6
MONTGOMERY	31	8	23	16.8	11.4	20.2
NESHOBA	44	13	31	12.5	8.3	15.8
NEWTON	29	7	22	10.2	5.1	15.0
NOXUBEE	46	6	40	17.5	10.9	19.2
OKTIBBEHA	65	21	44	12.0	9.0	14.3
PANOLA	88	18	70	16.9	9.5	21.1
PEARL RIVER	54	39	15	9.2	8.0	15.6
PERRY	20	13	7	11.2	11.1	11.3
PIKE	109	28	81	20.5	12.8	25.9
PONTOTOC	30	15	15	10.4	6.7	23.8
PRENTISS	45	27	18	12.7	9.3	27.7
QUITMAN	51	8	43	22.9	13.8	26.1
RANKIN	145	99	46	12.6	10.8	19.2
SCOTT	66	22	44	16.2	10.0	23.3
SHARKEY	28	6	22	17.3	17.6	17.2
SIMPSON	37	20	17	9.8	9.3	10.6
SMITH	26	16	10	13.9	12.0	18.5
STONE	21	10	11	11.8	8.0	20.8
SUNFLOWER	103	13	90	17.2	10.3	19.1
TALLAHATCHIE	53	7	46	18.1	9.3	21.1
TATE	34	16	18	10.9	9.0	13.3
TIPPAH	29	23	6	9.7	9.4	11.1
TISHOMINGO	30	26	4	12.3	11.3	28.6
TUNICA	42	2	40	21.1	5.9	24.2
UNION	43	29	14	15.0	12.0	31.8
WALTHALL	40	8	32	17.0	8.7	22.4
WARREN	97	27	70	12.6	7.6	16.9
WASHINGTON	233	36	197	17.3	8.7	21.2
WAYNE	43	20	23	12.2	10.3	14.6
WEBSTER	18	5	13	12.2	5.2	26.0
WILKINSON	20	1	19	11.2	2.2	14.4
WINSTON	55	18	37	18.0	13.4	21.6
YALOBUSHA	26	7	19	15.0	8.2	21.6
YAZOO	76	19	57	15.3	10.7	17.8

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
 REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1986

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	506	168	338	505	167	338	12.1	7.6	17.1
ADAMS	15	2	13	13	1	12	22.1	3.8	36.7
ALCORN	4	2	2	4	2	2	9.9	6.1	27.4
AMITE	0	0	0	0	0	0	-	-	-
ATTALA	0	0	0	2	0	2	7.0	-	12.3
BENTON	0	0	0	2	0	2	17.7	-	36.4
BOLIVAR	19	1	18	19	2	17	22.1	11.6	24.7
CALHOUN	0	0	0	0	0	0	-	-	-
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	0	0	0	4	2	2	12.9	14.0	11.9
CHOCTAW	1	0	1	2	1	1	16.8	15.6	18.2
CLAIBORNE	0	0	0	1	0	1	5.7	-	6.4
CLARKE	0	0	0	4	2	2	16.0	15.2	16.9
CLAY	5	1	4	6	1	5	15.5	7.6	19.5
COAHOMA	14	1	13	10	1	9	14.4	6.9	16.3
COPIAH	2	0	2	6	2	4	13.2	12.6	13.6
COVINGTON	0	0	0	1	0	1	3.1	-	6.6
DESOTO	0	0	0	6	5	1	6.6	6.7	6.1
FORREST	25	13	12	12	4	8	11.2	6.1	19.2
FRANKLIN	0	0	0	2	1	1	16.4	17.5	15.4
GEORGE	0	0	0	3	2	1	12.7	9.8	31.2
GREENE	0	0	0	3	1	2	20.4	9.3	50.0
GRENADA	8	2	6	5	1	4	16.1	7.2	23.2
HANCOCK	0	0	0	3	3	0	6.4	7.4	-
HARRISON	42	25	17	33	18	15	11.0	8.1	19.1
HINDS	142	43	99	62	15	47	14.3	9.0	17.5
HOLMES	1	0	1	6	0	6	13.8	-	15.9
HUMPHREYS	0	0	0	1	0	1	3.5	-	4.1
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	2	2	0	7.9	8.7	-
JACKSON	10	7	3	13	8	5	6.9	5.9	9.6
JASPER	0	0	0	5	1	4	18.9	10.0	24.4
JEFFERSON	0	0	0	1	0	1	6.4	-	7.1
JEFF DAVIS	1	0	1	3	1	2	13.0	12.3	13.4
JONES	20	7	13	12	6	6	13.4	10.4	18.9
KEMPER	0	0	0	6	2	4	40.5	41.7	40.0
LAFAYETTE	4	2	2	3	0	3	8.9	-	20.1
LAMAR	0	0	0	4	4	0	9.1	10.7	-
LAUDERDALE	21	9	12	12	2	10	9.9	2.9	19.2
LAWRENCE	0	0	0	2	1	1	9.8	8.2	12.3
LEAKE	1	0	1	5	2	3	15.8	13.0	18.5
LEE	24	14	10	11	7	4	10.6	9.5	13.2
LEFLORE	13	2	11	12	2	10	17.0	10.0	19.8

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 1986

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	0	0	0	2	0	2	4.8	-	14.3
LOWNDES	12	3	9	10	4	6	9.0	6.3	12.7
MADISON	4	1	3	14	5	9	15.1	12.8	16.7
MARION	1	0	1	6	3	3	16.2	11.9	25.2
MARSHALL	0	0	0	10	2	8	18.1	9.6	23.3
MONROE	9	6	3	6	5	1	10.2	14.2	4.3
MONTGOMERY	1	1	0	2	2	0	10.9	28.6	-
NESHOBA	3	1	2	6	3	3	17.0	19.2	15.3
NEWTON	0	0	0	2	1	1	7.1	7.4	6.8
NOXUBEE	3	0	3	5	0	5	19.0	-	24.0
OKTIBBEHA	8	2	6	4	0	4	7.4	-	13.0
PANOLA	5	0	5	6	2	4	11.5	10.6	12.0
PEARL RIVER	4	2	2	7	4	3	12.0	8.2	31.2
PERRY	0	0	0	1	0	1	5.6	-	16.1
PIKE	10	3	7	6	1	5	11.3	4.6	16.0
PONTOTOC	0	0	0	1	1	0	3.5	4.4	-
PRENTISS	0	0	0	4	1	3	11.3	3.5	46.2
QUITMAN	0	0	0	2	0	2	9.0	-	12.1
RANKIN	13	7	6	13	7	6	11.3	7.7	25.0
SCOTT	1	0	1	9	4	5	22.0	18.3	26.4
SHARKEY	0	0	0	1	0	1	6.2	-	7.8
SIMPSON	0	0	0	3	0	3	8.0	-	18.6
SMITH	0	0	0	2	1	1	10.7	7.5	18.5
STONE	0	0	0	1	0	1	5.6	-	18.9
SUNFLOWER	10	0	10	12	0	12	20.1	-	25.4
TALLAHATCHIE	2	0	2	8	1	7	27.3	13.3	32.1
TATE	4	2	2	1	1	0	3.2	5.6	-
TIPPAH	5	2	3	6	2	4	20.1	8.2	74.1
TISHOMINGO	0	0	0	0	0	0	-	-	-
TUNICA	0	0	0	0	0	0	-	-	-
UNION	5	1	4	2	2	0	7.0	8.3	-
WALTHALL	1	1	0	2	2	0	8.5	21.7	-
WARREN	10	2	8	10	3	7	13.0	8.4	16.9
WASHINGTON	14	1	13	18	4	14	13.4	9.7	15.1
WAYNE	2	0	2	7	2	5	19.9	10.3	31.6
WEBSTER	2	1	1	1	0	1	6.8	-	20.0
WILKINSON	0	0	0	2	0	2	11.2	-	15.2
WINSTON	4	1	3	5	2	3	16.4	14.9	17.5
YALOBUSHA	0	0	0	2	0	2	11.6	-	22.7
YAZOO	1	0	1	5	0	5	10.0	-	15.6
OUT OF STATE	26	16	10	27	17	10			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1986

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	23,584	15,114	8,470	24,341	15,694	8,647	9.2	9.2	9.1
ADAMS	463	226	237	441	205	236	11.4	10.5	12.2
ALCORN	275	248	27	298	266	32	8.3	8.4	8.3
AMITE	53	25	28	126	64	62	9.5	9.1	10.1
ATTALA	176	122	54	247	165	82	12.4	13.6	10.4
BENTON	34	24	10	76	48	28	8.8	8.9	8.8
BOLIVAR	435	176	259	494	210	284	11.1	13.0	10.1
CALHOUN	100	81	19	185	151	34	11.4	12.4	8.2
CARROLL	36	23	13	98	61	37	9.8	11.0	8.4
CHICKASAW	131	92	39	177	128	49	9.7	11.0	7.3
CHOCTAW	63	42	21	79	56	23	8.4	8.4	8.5
CLAIBORNE	66	16	50	97	29	68	7.4	9.1	6.9
CLARKE	144	96	48	187	134	53	10.5	11.5	8.5
CLAY	145	91	54	195	122	73	8.7	11.1	6.3
COAHOMA	413	162	251	403	146	257	11.4	11.6	11.4
COPIAH	200	108	92	302	159	143	10.9	11.0	10.8
COVINGTON	126	94	32	153	108	45	9.2	9.8	8.2
DESOTO	131	97	34	395	313	82	6.5	6.1	8.3
FORREST	868	621	247	732	520	212	10.4	10.4	10.2
FRANKLIN	69	49	20	97	63	34	11.6	11.9	11.0
GEORGE	100	89	11	152	137	15	9.5	9.5	10.3
GREENE	52	44	8	113	98	15	10.8	11.6	7.5
GRENADA	219	133	86	238	141	97	10.9	11.0	10.6
HANCOCK	188	169	19	269	244	25	9.8	9.9	8.9
HARRISON	1,698	1,373	325	1,407	1,136	271	8.4	8.8	7.0
HINDS	3,794	2,122	1,672	2,061	1,130	931	7.7	8.1	7.2
HOLMES	155	45	110	219	71	148	9.6	11.5	8.8
HUMPHREYS	104	31	73	148	56	92	10.9	12.4	10.1
ISSAQUENA	13	7	6	22	10	12	8.9	8.7	9.0
ITAWAMBA	127	116	11	230	211	19	10.3	10.1	13.3
JACKSON	689	565	124	794	656	138	6.1	6.4	5.1
JASPER	97	63	34	172	94	78	9.7	10.7	8.6
JEFFERSON	60	13	47	95	26	69	10.6	16.8	9.4
JEFF DAVIS	100	48	52	153	80	73	10.7	12.7	9.1
JONES	569	407	162	645	468	177	9.9	9.3	11.6
KEMPER	59	32	27	100	53	47	9.9	11.5	8.6
LAFAYETTE	275	182	93	231	142	89	6.8	5.9	9.4
LAMAR	304	245	59	193	165	28	7.1	6.9	9.4
LAUDERDALE	1,031	706	325	769	524	245	9.5	9.8	9.0
LAWRENCE	91	60	31	138	91	47	10.4	9.8	11.8
LEAKE	185	119	66	243	151	92	12.4	12.7	12.0
LEE	966	763	203	527	395	132	8.6	8.1	10.3
LEFLORE	465	234	231	440	217	223	10.6	13.5	8.8

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1986

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	279	197	82	288	212	76	8.9	9.4	7.8
LOWNDES	481	317	164	453	291	162	7.3	7.4	7.0
MADISON	228	81	147	351	149	202	7.4	6.7	8.0
MARION	229	161	68	308	216	92	11.3	11.3	11.3
MARSHALL	168	69	99	281	129	152	8.8	8.3	9.3
MONROE	348	244	104	409	284	125	10.9	10.7	11.2
MONTGOMERY	181	107	74	185	104	81	13.6	12.5	15.4
NESHOBA	162	119	43	269	202	67	10.7	11.3	9.2
NEWTON	156	112	44	226	167	59	11.1	11.7	9.6
NOXUBEE	105	33	72	132	42	90	10.5	9.4	11.1
OKTIBBEHA	244	134	110	257	144	113	6.3	5.6	7.6
PANOLA	236	131	105	299	168	131	10.4	11.2	9.5
PEARL RIVER	284	241	43	365	311	54	9.7	9.6	10.2
PERRY	75	60	15	102	79	23	10.0	9.6	11.6
PIKE	415	252	163	399	239	160	10.6	11.4	9.5
PONTOTOC	133	120	13	226	203	23	9.9	10.5	6.5
PRENTISS	168	152	16	249	232	17	9.4	9.9	5.8
QUITMAN	92	26	66	119	58	61	10.4	11.1	9.7
RANKIN	393	289	104	569	424	145	7.5	6.8	10.7
SCOTT	220	147	73	268	173	95	10.5	10.7	10.0
SHARKEY	75	34	41	103	41	62	13.4	15.4	12.3
SIMPSON	197	130	67	250	163	87	9.8	9.2	11.2
SMITH	59	49	10	139	118	21	8.8	9.4	6.4
STONE	86	62	24	108	82	26	10.1	10.0	10.3
SUNFLOWER	257	105	152	311	121	190	9.0	9.3	8.8
TALLAHATCHIE	104	51	53	169	81	88	10.6	11.5	9.9
TATE	128	82	46	181	116	65	8.5	9.1	7.7
TIPPAH	163	133	30	210	176	34	10.5	10.5	10.6
TISHOMINGO	125	117	8	186	177	9	9.5	9.4	11.2
TUNICA	59	21	38	103	39	64	11.5	15.9	9.8
UNION	242	204	38	225	194	31	9.8	9.7	10.2
WALTHALL	116	82	34	148	104	44	10.2	12.3	7.4
WARREN	524	264	260	505	260	245	9.3	7.8	11.5
WASHINGTON	722	282	440	712	283	429	9.8	9.1	10.3
WAYNE	153	105	48	176	122	54	8.7	9.3	7.6
WEBSTER	100	83	17	113	94	19	11.0	11.2	10.2
WILKINSON	142	68	74	136	59	77	14.2	19.1	11.8
WINSTON	154	102	52	202	125	77	10.1	10.5	9.5
YALOBUSHA	80	54	26	145	99	46	10.7	12.1	8.6
YAZOO	232	135	97	323	169	154	11.8	12.7	11.0
OUT OF STATE	1,598	1,201	397	841	621	220			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1986

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	372	302	70
BROOKHAVEN	158	110	48
CANTON	147	53	94
CLARKSDALE	279	108	171
CLEVELAND	155	87	68
CLINTON	116	80	36
COLUMBUS	267	162	105
CORINTH	146	124	22
GAUTIER#	27	26	1
GREENVILLE	499	196	303
GREENWOOD	291	150	141
GRENADA	167	101	66
GULFPORT	501	388	113
HATTIESBURG	528	348	180
JACKSON	1,660	927	733
LAUREL	290	171	119
MCCOMB	180	114	66
MERIDIAN	499	307	192
MOSS POINT	136	64	72
NATCHEZ	316	146	170
OCEAN SPRINGS	150	136	14
PASCAGOULA	225	195	30
PEARL	95	84	11
PICAYUNE	127	91	36
SOUTHAVEN	80	80	0
STARKVILLE	135	92	43
TUPELO	251	187	64
VICKSBURG	335	155	180
YAZOO CITY	171	79	92

* DEATHS PER 1,000 POPULATION.

** INCORPORATED TOWNS OF 10,000
POPULATION OR MORE.

FIGURES ARE FOR JULY-DECEMBER ONLY,
SINCE GAUTIER WAS NOT INCORPORATED
UNTIL JUNE 30, 1986.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>24,341</u>	<u>15,694</u>	<u>8,647</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>322</u>	<u>187</u>	<u>135</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>10</u>	<u>2</u>	<u>8</u>
<u>002-003</u>	<u>Typhoid and paratyphoid fevers, and other salmonella infections</u>	<u>4</u>	<u>2</u>	<u>2</u>
003	Other salmonella infections	4	2	2
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>6</u>	<u>0</u>	<u>6</u>
008	Intestinal infections due to other organisms	1	0	1
009	Ill-defined intestinal infections	5	0	5
<u>010-018</u>	<u>Tuberculosis</u>	<u>26</u>	<u>11</u>	<u>15</u>
<u>010-012</u>	<u>Respiratory</u>	<u>24</u>	<u>10</u>	<u>14</u>
011	Pulmonary	24	10	14
<u>013-018</u>	<u>Other forms</u>	<u>2</u>	<u>1</u>	<u>1</u>
017	Other organs	1	1	0
018	Miliary	1	0	1
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>2</u>	<u>2</u>	<u>0</u>
023	Brucellosis	1	1	0
027	Other zoonotic bacterial diseases	1	1	0
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>175</u>	<u>104</u>	<u>71</u>
031	Other diseases due to mycobacteria	3	2	1
036	Meningococcal infection	3	1	2
037	Tetanus	1	0	1
038	Septicemia	162	98	64
039	Actinomycotic infections	1	1	0
040	Other bacterial diseases	1	0	1
041	Bacterial infection of unspecified site	4	2	2
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>11</u>	<u>8</u>	<u>3</u>
046	Slow virus infection	4	4	0
047	Meningitis due to enterovirus	2	1	1
049	Other non-arthropod-borne diseases	5	3	2
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>4</u>	<u>2</u>	<u>2</u>
052	Chickenpox	1	0	1
053	Herpes zoster	1	1	0
054	Herpes simplex	1	0	1
055	Measles	1	1	0
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>25</u>	<u>15</u>	<u>10</u>
070	Viral hepatitis	18	11	7
078	Other diseases due to viruses and Chlamydiae	5	2	3
079	Viral infection in conditions classified elsewhere and of unspecified site	2	2	0
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>4</u>	<u>4</u>	<u>0</u>
082	Tick-borne rickettsioses	3	3	0
083	Other rickettsioses	1	1	0
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>090-097</u>	<u>Syphilis and its sequelae</u>	<u>1</u>	<u>0</u>	<u>1</u>
093	Cardiovascular	1	0	1
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 2
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>110-118</u>	<u>Mycoses</u>	<u>35</u>	<u>22</u>	<u>13</u>
112	Candidiasis	16	11	5
115	Histoplasmosis	1	1	0
116	Blastomycotic infection	4	1	3
117	Other mycoses	14	9	5
<u>120-129</u>	<u>Helminthiases</u>	<u>2</u>	<u>1</u>	<u>1</u>
121	Other trematode infections	1	0	1
127	Other intestinal helminthiases	1	1	0
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>27</u>	<u>16</u>	<u>11</u>
135	Sarcoidosis	9	3	6
136	Other and unspecified infectious and parasitic diseases	16	11	5
137	Late effects of tuberculosis	2	2	0
<u>140-239</u>	<u>NEOPLASMS</u>	<u>5,017</u>	<u>3,400</u>	<u>1,617</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>4,962</u>	<u>3,366</u>	<u>1,596</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>81</u>	<u>55</u>	<u>26</u>
140	Lip	1	1	0
141	Tongue	19	14	5
142	Major salivary glands	7	6	1
144	Floor of mouth	1	1	0
145	Other and unspecified parts of mouth	9	5	4
146	Oropharynx	9	5	4
147	Nasopharynx	8	5	3
148	Hypopharynx	3	2	1
149	Other and ill-defined sites	24	16	8
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,167</u>	<u>767</u>	<u>400</u>
150	Esophagus	74	38	36
151	Stomach	170	84	86
152	Small intestine, including duodenum	12	9	3
153	Colon	434	308	126
154	Rectum, rectosigmoid junction, and anus	66	42	24
155	Liver and intrahepatic bile ducts	89	65	24
156	Gallbladder and extrahepatic bile ducts	37	27	10
157	Pancreas	268	186	82
158	Retroperitoneum and peritoneum	7	5	2
159	Other and ill-defined sites	10	3	7
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,458</u>	<u>1,051</u>	<u>407</u>
160	Nasal cavities, middle ear, and accessory sinuses	6	5	1
161	Larynx	34	24	10
162	Trachea, bronchus, and lung	1,404	1,011	393
163	Pleura	5	4	1
164	Thymus, heart, and mediastinum	9	7	2
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>489</u>	<u>347</u>	<u>142</u>
170	Bone and articular cartilage	25	13	12
171	Connective and other soft tissue	22	12	10
172	Melanoma of skin	60	59	1
173	Skin, other	24	18	6
174	Female breast	354	243	111
175	Male breast	4	2	2

Table 10 - Page 3
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>179-189</u>	<u>Genitourinary organs</u>	<u>737</u>	<u>419</u>	<u>318</u>
(<u>179-187</u>)	(<u>Genital organs</u>)	<u>561</u>	<u>292</u>	<u>269</u>
179	Uterus, part unspecified	38	15	23
180	Cervix uteri	56	18	38
182	Body of uterus	32	9	23
183	Ovary and other uterine adnexa	97	77	20
184	Other and unspecified female genital organs	16	11	5
185	Prostate	318	159	159
186	Testis	2	2	0
187	Penis and other male genital organs	2	1	1
(<u>188,189</u>)	(<u>Urinary organs</u>)	<u>176</u>	<u>127</u>	<u>49</u>
188	Bladder	77	53	24
189	Kidney and other and unspecified urinary organs	99	74	25
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>597</u>	<u>406</u>	<u>191</u>
190	Eye	6	6	0
191	Brain	120	104	16
192	Other and unspecified parts of nervous system	4	2	2
193	Thyroid gland	14	11	3
194	Other endocrine glands and related structures	6	4	2
195	Other and ill-defined sites	47	32	15
199	Site unspecified	400	247	153
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>433</u>	<u>321</u>	<u>112</u>
200	Lymphosarcoma and reticulosarcoma	33	29	4
201	Hodgkin's disease	19	16	3
202	Other lymphoid and histiocytic tissue	89	76	13
203	Multiple myeloma and immunoproliferative neoplasms	103	55	48
(<u>204-208</u>)	(<u>Leukemia</u>)	<u>189</u>	<u>145</u>	<u>44</u>
204	Lymphatic	60	44	16
205	Myeloid	72	56	16
206	Monocytic	2	2	0
207	Other specified	5	3	2
208	Unspecified cell type	50	40	10
<u>210-229</u>	<u>Benign neoplasms</u>	<u>17</u>	<u>11</u>	<u>6</u>
211	Benign neoplasm of other parts of digestive system	1	1	0
212	Benign neoplasm of respiratory and intrathoracic organs	3	2	1
216	Benign neoplasm of skin	2	1	1
218	Uterine leiomyoma	2	1	1
220	Benign neoplasm of ovary	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	5	4	1
227	Benign neoplasm of other endocrine glands and related structures	1	0	1
228	Hemangioma and lymphangioma, any site	1	1	0
229	Benign neoplasm of other and unspecified sites	1	1	0
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>38</u>	<u>23</u>	<u>15</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>6</u>	<u>3</u>	<u>3</u>
235	Digestive and respiratory systems	1	0	1

Table 10 - Page 4
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
236	Genitourinary organs	1	1	0
237	Endocrine glands and nervous system	1	0	1
238	Other and unspecified sites and tissues	3	2	1
239	Unspecified nature	32	20	12
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>585</u>	<u>310</u>	<u>275</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>4</u>	<u>3</u>	<u>1</u>
242	Thyrototoxicosis with or without goiter	4	3	1
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>411</u>	<u>206</u>	<u>205</u>
250	Diabetes mellitus	400	199	201
251	Other disorders of pancreatic internal secretion	4	1	3
252	Disorders of parathyroid gland	2	1	1
255	Disorders of adrenal glands	5	5	0
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>38</u>	<u>21</u>	<u>17</u>
261	Nutritional marasmus	6	5	1
263	Other and unspecified protein-calorie malnutrition	30	15	15
269	Other nutritional deficiencies	2	1	1
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>132</u>	<u>80</u>	<u>52</u>
270	Disorders of amino-acid transport and metabolism	1	1	0
271	Disorders of carbohydrate transport and metabolism	1	1	0
272	Disorders of lipid metabolism	4	3	1
273	Disorders of plasma protein metabolism	4	2	2
274	Gout	1	1	0
275	Disorders of mineral metabolism	11	5	6
276	Disorders of fluid, electrolyte, and acid-base balance	59	38	21
277	Other and unspecified disorders of metabolism	15	8	7
278	Obesity and other hyperalimentation	16	6	10
279	Disorders involving the immune mechanism	20	15	5
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>104</u>	<u>65</u>	<u>39</u>
<u>280-285</u>	<u>Anemias</u>	<u>56</u>	<u>30</u>	<u>26</u>
280	Iron deficiency	1	1	0
281	Other deficiency	3	3	0
282	Hereditary hemolytic	14	3	11
283	Acquired hemolytic	8	7	1
284	Aplastic	16	11	5
285	Other and unspecified	14	5	9
286	Coagulation defects	13	10	3
287	Purpura and other hemorrhagic conditions	13	8	5
288	Diseases of white blood cells	5	4	1
289	Other diseases of blood and blood-forming organs	17	13	4
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>185</u>	<u>126</u>	<u>59</u>
<u>290-299</u>	<u>Psychoses</u>	<u>35</u>	<u>23</u>	<u>12</u>
290	Senile and presenile organic psychotic conditions	13	8	5
291	Alcoholic psychoses	8	6	2

Table 10 - Page 5
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
295	Schizophrenic psychoses	4	2	2
298	Other nonorganic psychoses	10	7	3
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>136</u>	<u>96</u>	<u>40</u>
300	Neurotic disorders	2	2	0
303	Alcohol dependence syndrome	35	22	13
304	Drug dependence	1	0	1
305	Nondependent abuse of drugs	10	6	4
307	Special symptoms or syndromes not elsewhere classified	3	2	1
308	Acute reaction to stress	1	1	0
310	Specific nonpsychotic mental disorders following organic brain damage	81	60	21
311	Depressive disorder, not elsewhere classified	3	3	0
<u>317-319</u>	<u>Mental retardation</u>	<u>14</u>	<u>7</u>	<u>7</u>
318	Other specified	7	3	4
319	Unspecified	7	4	3
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>292</u>	<u>206</u>	<u>86</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>23</u>	<u>10</u>	<u>13</u>
320	Bacterial meningitis	12	4	8
322	Meningitis of unspecified cause	6	2	4
323	Encephalitis, myelitis, and encephalomyelitis	3	2	1
324	Intracranial and intraspinal abscess	1	1	0
326	Late effects of intracranial abscess or pyogenic infection	1	1	0
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>167</u>	<u>141</u>	<u>26</u>
331	Other cerebral degenerations	78	61	17
332	Parkinson's disease	50	45	5
333	Other extrapyramidal disease and abnormal movement disorders	7	7	0
334	Spinocerebellar disease	2	2	0
335	Anterior horn cell disease	30	26	4
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>86</u>	<u>43</u>	<u>43</u>
340	Multiple sclerosis	5	5	0
342	Hemiplegia	3	3	0
343	Infantile cerebral palsy	6	3	3
344	Other paralytic syndromes	3	2	1
345	Epilepsy	31	13	18
348	Other conditions of brain	35	15	20
349	Other and unspecified disorders of the nervous system	3	2	1
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>15</u>	<u>12</u>	<u>3</u>
356	Hereditary and idiopathic peripheral neuropathy	1	1	0
357	Inflammatory and toxic neuropathy	4	2	2
358	Myoneural disorders	4	4	0
359	Muscular dystrophies and other myopathies	6	5	1
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 6
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>381-383</u>	<u>Otitis media and mastoiditis</u>	<u>1</u>	<u>0</u>	<u>1</u>
382	Suppurative and unspecified otitis media	1	0	1
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,276</u>	<u>7,348</u>	<u>3,928</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>29</u>	<u>24</u>	<u>5</u>
394	Diseases of mitral valve	14	11	3
395	Diseases of aortic valve	1	1	0
396	Diseases of mitral and aortic valves	10	8	2
398	Other rheumatic heart disease	4	4	0
<u>401-405</u>	<u>Hypertensive disease</u>	<u>541</u>	<u>242</u>	<u>299</u>
<u>401,403</u>	<u>Hypertension with or without renal disease</u>	<u>126</u>	<u>55</u>	<u>71</u>
401	Essential hypertension	65	31	34
403	Hypertensive renal disease	61	24	37
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>415</u>	<u>187</u>	<u>228</u>
402	Hypertensive heart disease	382	171	211
404	Hypertensive heart and renal disease	33	16	17
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,662</u>	<u>3,370</u>	<u>1,292</u>
410	Acute myocardial infarction	2,971	2,111	860
411	Other acute and subacute forms of ischemic heart disease	17	10	7
412	Old myocardial infarction	11	10	1
413	Angina pectoris	9	7	2
414	Other forms of chronic ischemic heart disease	1,654	1,232	422
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>225</u>	<u>144</u>	<u>81</u>
415	Acute pulmonary heart disease	197	125	72
416	Chronic pulmonary heart disease	28	19	9
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>3,482</u>	<u>2,128</u>	<u>1,354</u>
421	Acute and subacute endocarditis	5	2	3
422	Acute myocarditis	3	0	3
423	Other diseases of pericardium	7	4	3
424	Other diseases of endocardium	69	52	17
425	Cardiomyopathy	183	103	80
426	Conduction disorders	15	7	8
427	Cardiac dysrhythmias	795	482	313
428	Heart failure	523	357	166
429	Ill-defined heart diseases	1,882	1,121	761
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,906</u>	<u>1,123</u>	<u>783</u>
430	Subarachnoid hemorrhage	77	53	24
431	Intracerebral hemorrhage	216	120	96
432	Other and unspecified intracranial hemorrhage	22	7	15
433	Occlusion and stenosis of precerebral arteries	18	11	7
434	Occlusion of cerebral arteries	258	170	88
435	Transient cerebral ischemia	5	5	0
436	Acute but ill-defined cerebrovascular disease	1,111	615	496
437	Other and ill-defined cerebrovascular disease	115	89	26
438	Late effects of cerebrovascular disease	84	53	31
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>384</u>	<u>291</u>	<u>93</u>
440	Atherosclerosis	193	136	57

Table 10 - Page 7
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>191</u>	<u>155</u>	<u>36</u>
441	Aortic aneurysm	126	109	17
442	Other aneurysm	13	9	4
443	Other peripheral vascular disease	20	14	6
444	Arterial embolism and thrombosis	17	11	6
446	Polyarteritis nodosa and allied conditions	9	8	1
447	Other disorders of arteries and arterioles	6	4	2
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>47</u>	<u>26</u>	<u>21</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>21</u>	<u>12</u>	<u>9</u>
451	Phlebitis and thrombophlebitis	13	9	4
453	Other venous embolism and thrombosis	8	3	5
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>26</u>	<u>14</u>	<u>12</u>
454	Varicose veins of lower extremities	3	1	2
455	Hemorrhoids	1	0	1
456	Varicose veins of other sites	4	3	1
458	Hypotension	8	6	2
459	Other disorders of circulatory system	10	4	6
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,663</u>	<u>1,247</u>	<u>416</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>12</u>	<u>7</u>	<u>5</u>
464	Acute laryngitis and tracheitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	5	1	4
466	Acute bronchitis and bronchiolitis	6	5	1
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>4</u>	<u>2</u>	<u>2</u>
473	Chronic sinusitis	1	1	0
478	Other diseases of upper respiratory tract	3	1	2
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>681</u>	<u>471</u>	<u>210</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>659</u>	<u>452</u>	<u>207</u>
480	Viral	5	3	2
481	Pneumococcal	12	8	4
482	Other bacterial	49	31	18
483	Due to other specified organism	4	4	0
485	Broncho, organism unspecified	46	34	12
486	Organism unspecified	543	372	171
487	Influenza	22	19	3
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>693</u>	<u>575</u>	<u>118</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>29</u>	<u>25</u>	<u>4</u>
490	Unqualified	4	3	1
491	Chronic	25	22	3
492	Emphysema	92	81	11
493	Asthma	45	25	20
494	Bronchiectasis	9	9	0
496	Chronic airways obstruction, not elsewhere classified	518	435	83
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>73</u>	<u>56</u>	<u>17</u>
501	Asbestosis	3	3	0

Table 10 - Page 8
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
506	Respiratory conditions due to chemical fumes and vapors	1	0	1
507	Pneumonitis due to solids and liquids	68	53	15
508	Respiratory conditions due to other and unspecified external agents	1	0	1
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>200</u>	<u>136</u>	<u>64</u>
510	Empyema	8	6	2
511	Pleurisy	14	8	6
512	Pneumothorax	5	3	2
513	Abscess of lung and mediastinum	16	9	7
514	Pulmonary congestion and hypostasis	18	13	5
515	Postinflammatory pulmonary fibrosis	32	30	2
516	Other alveolar and parietoalveolar pneumopathy	4	3	1
518	Other diseases of lung	88	55	33
519	Other diseases of respiratory system	15	9	6
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>780</u>	<u>541</u>	<u>239</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>84</u>	<u>55</u>	<u>29</u>
530	Diseases of esophagus	19	12	7
<u>531-533</u>	<u>Peptic ulcer</u>	<u>53</u>	<u>35</u>	<u>18</u>
531	Gastric ulcer	14	9	5
532	Duodenal ulcer	15	10	5
533	Peptic ulcer, site unspecified	24	16	8
534	Gastrojejunal ulcer	2	1	1
535	Gastritis and duodenitis	3	3	0
536	Disorders of function of stomach	1	0	1
537	Other disorders of stomach and duodenum	6	4	2
<u>540-543</u>	<u>Appendicitis</u>	<u>6</u>	<u>4</u>	<u>2</u>
540	Acute appendicitis	5	3	2
541	Appendicitis, unqualified	1	1	0
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>19</u>	<u>14</u>	<u>5</u>
550	Inguinal	4	2	2
551	Other, of abdominal cavity, with gangrene	5	4	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	5	4	1
553	Other, of abdominal cavity without mention of obstruction or gangrene	5	4	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>76</u>	<u>50</u>	<u>26</u>
555	Regional enteritis	1	1	0
556	Idiopathic proctocolitis	1	1	0
557	Vascular insufficiency of intestine	57	35	22
558	Other noninfective gastroenteritis and colitis	17	13	4
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>140</u>	<u>93</u>	<u>47</u>
560	Intestinal obstruction without mention of hernia	58	36	22
562	Diverticula of intestine	36	30	6
564	Functional digestive disorders, not elsewhere classified	2	2	0
566	Abscess of anal and rectal regions	6	2	4
567	Peritonitis	16	9	7
568	Other disorders of peritoneum	4	4	0
569	Other disorders of intestine	18	10	8

Table 10 - Page 9
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>455</u>	<u>325</u>	<u>130</u>
570	Acute and subacute necrosis of liver	6	3	3
571	Chronic liver disease and cirrhosis	236	177	59
572	Liver abscess and sequelae of chronic liver disease	40	25	15
573	Other disorders of liver	18	15	3
<u>574,575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>38</u>	<u>29</u>	<u>9</u>
574	Cholelithiasis	14	13	1
575	Other disorders of gallbladder	24	16	8
576	Other disorders of biliary tract	11	8	3
577	Diseases of pancreas	42	24	18
578	Gastrointestinal hemorrhage	63	43	20
579	Intestinal malabsorption	1	1	0
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>552</u>	<u>314</u>	<u>238</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>287</u>	<u>140</u>	<u>147</u>
580	Acute glomerulonephritis	4	1	3
581	Nephrotic syndrome	4	3	1
582	Chronic glomerulonephritis	22	8	14
583	Nephritis and nephropathy, unqualified	3	1	2
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>252</u>	<u>126</u>	<u>126</u>
584	Acute	37	22	15
585	Chronic	58	25	33
586	Unspecified	156	78	78
587	Renal sclerosis, unspecified	1	1	0
588	Disorders resulting from impaired renal function	2	1	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>254</u>	<u>166</u>	<u>88</u>
590	Infections of kidney	36	25	11
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>5</u>	<u>2</u>	<u>3</u>
592	Of kidney and ureter	5	2	3
593	Other disorders of kidney and ureter	42	21	21
595	Cystitis	1	1	0
596	Other disorders of bladder	1	1	0
597	Urethritis, not sexually transmitted, and urethral syndrome	1	0	1
598	Urethral stricture	3	0	3
599	Other disorders of urethra and urinary tract	165	116	49
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>6</u>	<u>6</u>	<u>0</u>
600	Hyperplasia of prostate	5	5	0
601	Inflammatory diseases of prostate	1	1	0
<u>610,611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>2</u>	<u>0</u>	<u>2</u>
615	Inflammatory diseases of uterus, except cervix	1	0	1
616	Inflammatory disease of cervix, vagina, and vulva	1	0	1
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
619	Fistula involving female genital tract	2	1	1
620	Noninflammatory disorders of ovary, fallopian tube, and broad ligament	1	1	0

Table 10 - Page 10
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>3</u>	<u>0</u>	<u>3</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>0</u>	<u>1</u>
633	Ectopic pregnancy	1	0	1
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>1</u>	<u>0</u>	<u>1</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
673	Obstetrical pulmonary embolism	1	0	1
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>62</u>	<u>19</u>	<u>43</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>6</u>	<u>3</u>	<u>3</u>
682	Other cellulitis and abscess	4	1	3
686	Other local infections of skin and subcutaneous tissue	2	2	0
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>9</u>	<u>3</u>	<u>6</u>
692	Contact dermatitis and other eczema	1	1	0
695	Erythematous conditions	8	2	6
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>47</u>	<u>13</u>	<u>34</u>
707	Chronic ulcer of skin	45	12	33
709	Other disorders of skin and subcutaneous tissue	2	1	1
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>64</u>	<u>29</u>	<u>35</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>51</u>	<u>27</u>	<u>24</u>
710	Diffuse diseases of connective tissue	29	12	17
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>22</u>	<u>15</u>	<u>7</u>
711	Arthropathy associated with infections	2	0	2
714	Rheumatoid arthritis and other inflammatory polyarthropathies	14	11	3
715	Osteoarthritis and allied disorders	5	3	2
716	Other and unspecified arthropathies	1	1	0
<u>720-724</u>	<u>Dorsopathies</u>	<u>1</u>	<u>0</u>	<u>1</u>
722	Intervertebral disc disorders	1	0	1
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>6</u>	<u>2</u>	<u>4</u>
725	Polymyalgia rheumatica	1	1	0
728	Disorders of muscle, ligament, and fascia	3	0	3
729	Other disorders of soft tissues	2	1	1
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>6</u>	<u>0</u>	<u>6</u>
730	Osteomyelitis, periostitis, and other infections involving bone	1	0	1
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere	1	0	1
732	Osteochondropathies	1	0	1

Table 10 - Page 11
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
733	Other disorders of bone and cartilage	2	0	2
737	Curvature of spine	1	0	1
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>148</u>	<u>81</u>	<u>67</u>
<u>740-742</u>	<u>Nervous system</u>	<u>18</u>	<u>9</u>	<u>9</u>
740	Anencephalus and similar anomalies	8	4	4
741	Spina bifida	1	1	0
742	Other congenital anomalies of nervous system	9	4	5
<u>743,744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>60</u>	<u>33</u>	<u>27</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	10	8	2
746	Heart	33	18	15
747	Other congenital anomalies of circulatory system	17	7	10
748	Respiratory system	18	10	8
<u>749-751</u>	<u>Digestive system</u>	<u>10</u>	<u>5</u>	<u>5</u>
751	Other congenital anomalies of digestive system	10	5	5
<u>752,753</u>	<u>Genitourinary system</u>	<u>12</u>	<u>9</u>	<u>3</u>
753	Urinary system	12	9	3
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>6</u>	<u>3</u>	<u>3</u>
756	Other congenital musculoskeletal anomalies	6	3	3
757	Congenital anomalies of the integument	1	0	1
758	Chromosomal anomalies	12	8	4
759	Other and unspecified congenital anomalies	11	4	7
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>221</u>	<u>76</u>	<u>145</u>
760	Maternal conditions unrelated to present pregnancy	1	0	1
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>25</u>	<u>13</u>	<u>12</u>
761	Maternal complications of pregnancy	17	10	7
762	Complications of placenta, cord, and membranes	6	3	3
763	Other complications of labor and delivery	2	0	2
764	Slow fetal growth and fetal malnutrition	1	0	1
<u>765,766</u>	<u>Disorders relating to gestation</u>	<u>42</u>	<u>9</u>	<u>33</u>
765	Short gestation and unspecified low birthweight	42	9	33
767	Birth trauma	2	1	1
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>94</u>	<u>36</u>	<u>58</u>
768	Intrauterine hypoxia and birth asphyxia	13	6	7
769	Respiratory distress syndrome	50	24	26
770	Other respiratory conditions of fetus and newborn	31	6	25
771	Infections specific to the perinatal period	15	4	11
772	Fetal and neonatal hemorrhage	8	2	6
773	Hemolytic disease of fetus or newborn, due to isoimmunization	1	0	1
775	Endocrine and metabolic disturbances specific to the fetus and newborn	1	0	1
776	Hematological disorders of fetus and newborn	1	0	1

Table 10 - Page 12
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
777	Perinatal disorders of digestive system	7	1	6
778	Conditions involving the integument and temperature regulation of fetus and newborn	3	1	2
779	Other and ill-defined conditions originating in the perinatal period	20	9	11
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>917</u>	<u>437</u>	<u>480</u>
<u>780-789</u>	<u>Symptoms</u>	<u>26</u>	<u>10</u>	<u>16</u>
780	General	11	0	11
785	Involving cardiovascular system	8	6	2
786	Involving respiratory system and other chest symptoms	2	0	2
787	Involving digestive system	1	0	1
789	Other involving abdomen and pelvis	4	4	0
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>891</u>	<u>427</u>	<u>464</u>
797	Senility without mention of psychosis	33	13	20
798	Sudden death, cause unknown	82	29	53
799	Other ill-defined and unknown causes	776	385	391
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,150</u>	<u>1,308</u>	<u>842</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,474</u>	<u>919</u>	<u>555</u>
<u>800-807</u>	<u>Railway</u>	<u>7</u>	<u>5</u>	<u>2</u>
801	Involving collision with other object	1	1	0
805	Hit by rolling stock	6	4	2
<u>810-825</u>	<u>Motor vehicle</u>	<u>782</u>	<u>528</u>	<u>254</u>
(<u>810-819</u>)	(<u>Traffic</u>)	<u>761</u>	<u>513</u>	<u>248</u>
810	Involving collision with train	9	7	2
812	Involving collision with another motor vehicle	312	224	88
813	Involving collision with other vehicle	7	4	3
814	Involving collision with pedestrian	77	31	46
815	Other involving collision on the highway	59	39	20
816	Due to loss of control, without collision on the highway	221	157	64
818	Other noncollision	8	4	4
819	Of unspecified nature	68	47	21
(<u>820-825</u>)	(<u>Nontraffic</u>)	<u>21</u>	<u>15</u>	<u>6</u>
821	Involving other off-road motor vehicle	7	7	0
822	Involving collision of other motor vehicle with moving object	11	6	5
825	Of other and unspecified nature	3	2	1
<u>826-829</u>	<u>Other road vehicle</u>	<u>1</u>	<u>0</u>	<u>1</u>
826	Pedal cycle accident	1	0	1
<u>830-838</u>	<u>Water transport</u>	<u>25</u>	<u>20</u>	<u>5</u>
830	Accident to watercraft causing submersion	6	5	1
831	Accident to watercraft causing other injury	1	1	0
832	Other submersion or drowning in water transport	15	12	3
837	Explosion, fire or burning in watercraft	1	0	1
838	Other and unspecified	2	2	0

Table 10 - Page 13
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
<u>840-845</u>	<u>Air and space transport</u>	<u>9</u>	<u>9</u>	<u>0</u>
841	Accident to powered aircraft, other and unspecified	8	8	0
844	Other specified air transport accidents	1	1	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>850-869</u>	<u>Poisoning</u>	<u>45</u>	<u>26</u>	<u>19</u>
(850-858)	(<u>By drugs, medicaments, and biologicals</u>)	<u>29</u>	<u>18</u>	<u>11</u>
850	Analgesics, antipyretics, antirheumatics	2	2	0
853	Tranquillizers	3	2	1
854	Other psychotropic agents	3	3	0
855	Other drugs acting on central and autonomic nervous systems	2	2	0
856	Antibiotics	2	0	2
858	Other drugs	17	9	8
(860-869)	(<u>By other solid and liquid substances, gases, and vapors</u>)	<u>16</u>	<u>8</u>	<u>8</u>
860	Alcohol, not elsewhere classified	7	4	3
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	1	0	1
868	Other utility gas and other carbon monoxide	6	2	4
869	Other gases and vapors	2	2	0
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>1</u>	<u>1</u>	<u>0</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	1	1	0
<u>878,879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>24</u>	<u>15</u>	<u>9</u>
878	Surgical operation or other surgical procedure	19	12	7
879	Other procedures	5	3	2
<u>880-888</u>	<u>Falls</u>	<u>101</u>	<u>74</u>	<u>27</u>
880	On or from stairs or steps	3	1	2
881	On or from ladders or scaffolding	3	1	2
882	From or out of building or other structure	6	4	2
883	Into hole or other opening in surface	3	2	1
884	Other from one level to another	10	8	2
885	On same level from slipping, tripping, or stumbling	3	2	1
887	Fracture, cause unspecified	39	32	7
888	Other and unspecified fall	34	24	10
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>136</u>	<u>50</u>	<u>86</u>
890	Conflagration in private dwelling	112	38	74
891	Conflagration in other and unspecified building or structure	9	7	2
892	Conflagration not in building or structure	3	2	1
893	Ignition of clothing	5	3	2
897	Controlled fire not in building or structure	1	0	1
898	Other specified fire and flames	2	0	2
899	Unspecified fire	4	0	4
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>47</u>	<u>18</u>	<u>29</u>
900	Excessive heat	17	5	12

Table 10 - Page 14
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
901	Excessive cold	10	2	8
904	Hunger, thirst, exposure, and neglect	14	7	7
905	Venomous animals and plants as the cause of poisoning and toxic reactions	2	2	0
907	Lightning	4	2	2
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>143</u>	<u>72</u>	<u>71</u>
910	Drowning and submersion	77	33	44
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	23	11	12
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	34	22	12
913	Mechanical suffocation	9	6	3
<u>916-929</u>	<u>Other accidents</u>	<u>151</u>	<u>100</u>	<u>51</u>
916	Struck by falling object	14	8	6
917	Striking against or struck by objects or persons	1	0	1
918	Caught accidentally in or between objects	2	1	1
919	Caused by machinery	20	12	8
920	Caused by cutting and piercing instruments or objects	2	2	0
922	Caused by firearm missile	46	32	14
923	Caused by explosive material	5	4	1
924	Caused by hot substance or object, caustic or corrosive material, and steam	3	1	2
925	Caused by electric current	13	9	4
927	Overexertion and strenuous movements	2	1	1
928	Other and unspecified environmental and accidental causes	31	23	8
929	Late effects of accidental injury	12	7	5
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>2</u>	<u>1</u>	<u>1</u>
931	Other anti-infectives	1	1	0
939	Psychotropic agents	1	0	1
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>292</u>	<u>246</u>	<u>46</u>
<u>950-952</u>	<u>By poisoning</u>	<u>33</u>	<u>30</u>	<u>3</u>
950	By solid or liquid substances	25	22	3
952	By other gases and vapors	8	8	0
953	By hanging, strangulation, and suffocation	10	7	3
954	By submersion (drowning)	3	2	1
955	By firearms and explosives	240	202	38
956	By cutting and piercing instruments	3	3	0
958	By other and unspecified means	2	1	1
959	Late effects of self-inflicted injury	1	1	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>344</u>	<u>125</u>	<u>219</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>341</u>	<u>124</u>	<u>217</u>
960	Fight, brawl, rape	1	1	0
963	Assault by hanging and strangulation	8	6	2
965	Assault by firearms and explosives	229	85	144

Table 10 - Page 15
Deaths - Mississippi - 1986

International Classification Number*	Cause*	Total	White	Non-white
966	Assault by cutting and piercing instrument	70	20	50
967	Child battering and other maltreatment	4	1	3
968	Assault by other and unspecified means	29	11	18
<u>970-978</u>	<u>Legal intervention</u>	<u>3</u>	<u>1</u>	<u>2</u>
970	Injury by firearms	3	1	2
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>40</u>	<u>18</u>	<u>22</u>
980	Poisoning by solid or liquid substances	1	0	1
983	Hanging, strangulation, or suffocation	1	1	0
984	Submersion (drowning)	2	0	2
985	Injury by firearms and explosives	22	13	9
986	Injury by cutting and piercing instruments	4	1	3
988	Injury by other and unspecified means	10	3	7
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
 DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
 ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1986

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	RATE#	RACE	TOTAL BY RACE SEX		TOTAL BY RACE AND SEX	AGE										65 AND OVER	MD
					SEX	SEX		1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
001-999	ALL CAUSES	24,341	9.2	W	15,694	M	8,440	122	29	40	238	232	304	613	1,443	5,410	0		
				NW	8,647	F	7,254	75	19	14	91	84	157	311	757	5,730	0		
001-139	INFECTIOUS AND PARASITIC DISEASES	322	12.1	W	187	M	107	2	0	0	3	3	9	4	18	68	0		
				NW	135	F	80	2	3	1	0	0	2	3	7	62	0		
010-018	TUBERCULOSIS	26	1.0	W	11	M	10	0	0	0	0	0	0	0	1	9	0		
				NW	15	F	1	0	0	0	0	0	0	0	0	1	0		
070	VIRAL HEPATITIS	18	0.7	W	11	M	7	0	0	0	0	1	2	1	0	3	0		
				NW	7	F	4	0	0	0	0	0	0	1	0	3	0		
140-208	MALIGNANT NEOPLASMS	4,962	186.8	W	3,366	M	1,902	0	1	2	5	14	55	143	437	1,244	0		
				NW	1,596	F	1,464	0	2	0	7	17	66	137	307	927	0		
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	55	2.1	W	34	M	20	0	0	0	1	1	0	2	6	10	0		
				NW	21	F	14	0	0	0	0	0	0	0	1	12	0		
						F	7	0	0	0	0	0	0	1	1	4	0		
						F	14	0	0	0	1	1	0	3	5	5	0		

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1986

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	RATE#	SEX	TOTAL BY RACE	SEX	AGE										TOTAL BY RACE AND SEX	65 AND OVER	ND
							1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	585	22.0	W	310	M	2	1	0	3	10	7	9	17	94	0			
				NW	275	F	0	1	1	1	4	4	8	17	131	0			
250	DIABETES MELLITUS	400	15.0	W	199	M	0	0	0	1	0	4	8	10	60	0			
				NW	201	F	0	0	0	1	3	2	7	13	90	0			
260-269	NUTRITIONAL DEFICIENCIES	38	1.4	W	21	M	1	0	0	0	0	0	0	1	7	0			
				NW	17	F	0	0	0	0	0	0	0	0	12	0			
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	104	3.9	W	65	M	1	0	0	0	0	2	1	3	24	0			
				NW	39	F	0	0	3	0	0	0	0	2	32	0			
280-285	ANEMIAS	56	2.1	W	30	M	0	0	0	0	0	0	0	0	13	0			
				NW	26	F	0	0	1	3	0	3	1	1	16	0			
290-319	MENTAL DISORDERS	185	7.0	W	126	M	0	1	0	0	8	13	9	30	0				
				NW	59	F	0	0	0	0	0	1	5	57	0				
303	ALCOHOLISM	35	1.3	W	22	M	0	0	0	0	4	7	4	2	0	0			
				NW	13	F	0	0	0	0	0	0	3	2	2	0			
						F	0	0	0	0	2	1	2	1	1	0			

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1986

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										TOTAL BY RACE AND SEX
							1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	DNR	
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	292	W	206	M	95	2	0	2	7	2	3	12	62	0		
			NW	86	F	111	0	1	1	1	3	5	14	84	0		
						54	1	1	2	5	2	1	12	19	0		
						32	1	1	1	3	4	1	0	16	0		
320-322	MENINGITIS	18	W	6	M	4	1	0	0	0	0	0	0	1	0		
			NW	12	F	2	1	0	0	0	0	0	0	1	0		
						10	5	1	0	0	0	0	3	1	0		
						2	1	1	0	0	0	0	0	0	0		
345	EPILEPSY	31	W	13	M	7	0	0	0	1	0	1	1	3	0		
			NW	18	F	6	0	0	0	0	1	0	0	5	0		
						13	0	1	1	1	1	0	3	5	0		
						5	0	0	0	1	1	0	0	2	0		
390-459	DISEASES OF THE CIRCULATORY SYSTEM	11,276	W	7,348	M	3,671	4	0	8	17	75	245	619	2,702	0		
			NW	3,928	F	3,677	1	0	2	8	24	79	267	3,296	0		
						1,913	7	1	9	28	72	130	306	1,354	0		
						2,015	4	2	9	29	50	113	231	1,575	2		
390-398, 402, 404-429	HEART DISEASES	8,813	W	5,853	M	3,043	3	0	6	12	68	223	548	2,182	0		
			NW	2,960	F	2,810	1	0	1	5	16	54	217	2,516	0		
						1,461	5	2	8	22	57	109	230	1,025	2		
						1,499	2	1	5	19	37	87	175	1,172	1		
401, 403	HYPERTENSION	126	W	55	M	25	0	0	0	0	0	4	3	18	0		
			NW	71	F	30	0	0	0	0	0	1	2	27	0		
						30	0	0	0	1	2	2	5	20	0		
						41	0	0	0	0	2	4	10	25	0		
430-438	CEREBROVASCULAR DISEASES	1,906	W	1,123	M	440	1	0	0	1	4	14	39	380	0		
			NW	783	F	683	0	0	0	1	3	8	20	37	614	0	
						364	0	0	1	1	5	13	14	268	0		
						419	2	1	0	9	9	20	43	332	1		

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1986

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER		RACE	SEX	TOTAL BY RACE AND SEX	AGE										TOTAL BY RACE AND SEX	55-64	65 AND OVER	ND
		NUMBER	RATE#				1-4	5-9	10-14	15-24	25-34	35-44	45-54							
440	ATHEROSCLEROSIS	193	7.3	W	M	136	0	0	0	0	0	0	0	0	0	0	4	42	0	
				NW	F	57	0	0	0	0	0	0	0	0	0	0	3	86	0	
					F		0	0	0	0	0	0	0	0	0	0	4	21	0	
					M		0	0	0	0	0	0	0	0	0	0	1	30	0	
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,663	62.6	W	M	1,247	3	0	1	2	2	6	10	27	105	554	46	460	0	
				NW	F	416	0	0	1	2	2	11	11	11	46	197	24	197	0	
					M		2	0	1	1	1	3	3	6	21	103	21	103	0	
					F		0	0	1	1	1	3	3	6	21	103	21	103	0	
480-486	PNEUMONIA	659	24.8	W	M	452	2	0	1	0	0	3	5	5	17	174	17	174	0	
				NW	F	207	0	0	0	0	0	1	3	5	10	224	10	224	0	
					M		1	0	0	0	1	2	3	7	7	95	7	95	0	
					F		0	0	0	0	1	2	3	1	10	66	10	66	0	
487	INFLUENZA	22	0.8	W	M	19	0	0	0	0	0	0	0	0	0	0	3	9	0	
				NW	F	3	0	0	0	0	0	0	0	0	0	0	0	5	0	
					M		0	0	0	0	0	0	0	0	0	0	0	2	0	
					F		0	0	0	0	0	0	0	0	0	0	0	0	0	
492	EMPHYSEMA	92	3.5	W	M	81	0	0	0	0	0	0	0	1	17	38	17	38	0	
				NW	F	11	0	0	0	0	0	0	0	1	7	17	7	17	0	
					M		0	0	0	0	0	0	0	0	0	0	0	9	0	
					F		0	0	0	0	0	0	0	0	0	0	1	0	0	
490, 491, 493-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS	601	22.6	W	M	494	0	0	1	1	1	2	2	14	51	260	51	260	0	
				NW	F	107	0	0	1	2	0	4	4	2	21	135	21	135	0	
					M		1	0	0	0	3	3	3	3	12	58	12	58	0	
					F		0	0	0	1	0	5	5	3	4	17	4	17	0	
520-579	DISEASES OF THE DIGESTIVE SYSTEM	780	29.4	W	M	541	0	0	0	0	2	10	10	29	62	165	62	165	0	
				NW	F	239	0	0	0	0	4	7	7	15	35	210	35	210	0	
					M		2	0	0	1	10	12	12	20	61	61	20	61	0	
					F		0	0	0	0	3	4	4	17	75	17	75	0		

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1986

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL NUMBER	RATE#	RACE	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER
								1-	5-	10-	15-	25-	35-	45-	55-			
								4	9	14	24	34	44	54	64			
531-533	ULCER OF STOMACH AND DUODENUM	53	2.0	W	35	M F M F	20 15 11 7	0 0 0 0 0 0 0 0	15 11 6 6									
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	236	8.9	W	177	M F M F	104 73 33 26	0 0 0 0 0 0 0 0	39 37 5 9									
580-629	DISEASES OF THE GENITOURINARY SYSTEM	552	20.8	W	314	M F M F	151 163 109 129	1 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	133 150 84 96			
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	287	10.8	W	140	M F M F	75 65 70 77	0 0 0 0 0 0 0 0	64 61 53 53									
590	INFECTIONS OF KIDNEY	36	1.4	W	25	M F M F	7 18 3 8	0 0 0 0 0 0 0 0	7 18 3 7									
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	3	7.2	W	0	M F M F	0 0 0 3	0 0 0 0 0 0 0 0										
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	62	2.3	W	19	M F M F	8 11 22 21	0 0 0 0 0 0 0 0	4 11 17 18									

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1986

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER	RATE#	RACE	TOTAL BY RACE	SEX	AGE										65 AND OVER
							1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
950-959	SUICIDE	292	11.0	W	246	M	0	0	0	33	27	23	27	26	49	0	
							0	0	1	7	4	13	11	13	12	0	
960-978	HOMICIDE AND LEGAL INTERVENTION	344	12.9	W	125	M	0	0	1	19	18	22	13	10	8	0	
							1	0	1	0	2	6	5	2	8	0	
				NW	219	F	2	1	0	13	11	10	3	1	8	0	

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1986

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	517	197	320	323	133	190	194	64	130
ADAMS	12	3	9	9	3	6	3	0	3
ALCORN	3	2	1	1	1	0	2	1	1
AMITE	3	1	2	2	1	1	1	0	1
ATTALA	1	1	0	1	1	0	0	0	0
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	9	2	7	5	2	3	4	0	4
CALHOUN	0	0	0	0	0	0	0	0	0
CARROLL	1	0	1	1	0	1	0	0	0
CHICKASAW	6	2	4	2	1	1	4	1	3
CHOCTAW	1	0	1	1	0	1	0	0	0
CLAIBORNE	2	0	2	0	0	0	2	0	2
CLARKE	2	2	0	2	2	0	0	0	0
CLAY	3	0	3	2	0	2	1	0	1
COAHOMA	8	0	8	7	0	7	1	0	1
COPIAH	13	1	12	9	1	8	4	0	4
COVINGTON	2	2	0	1	1	0	1	1	0
DESOTO	12	11	1	10	9	1	2	2	0
FORREST	9	5	4	3	3	0	6	2	4
FRANKLIN	1	0	1	1	0	1	0	0	0
GEORGE	4	3	1	3	3	0	1	0	1
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	5	0	5	3	0	3	2	0	2
HANCOCK	7	7	0	6	6	0	1	1	0
HARRISON	35	23	12	24	17	7	11	6	5
HINDS	50	11	39	28	5	23	22	6	16
HOLMES	6	1	5	3	0	3	3	1	2
HUMPHREYS	6	0	6	4	0	4	2	0	2
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	6	3	3	5	2	3	1	1	0
JACKSON	22	13	9	14	8	6	8	5	3
JASPER	4	1	3	4	1	3	0	0	0
JEFFERSON	1	0	1	1	0	1	0	0	0
JEFF DAVIS	2	0	2	2	0	2	0	0	0
JONES	7	0	7	6	0	6	1	0	1
KEMPER	2	1	1	1	1	0	1	0	1
LAFAYETTE	4	2	2	2	1	1	2	1	1
LAMAR	1	1	0	1	1	0	0	0	0
LAUDERDALE	13	7	6	9	5	4	4	2	2
LAWRENCE	3	0	3	2	0	2	1	0	1
LEAKE	4	0	4	2	0	2	2	0	2
LEE	15	7	8	9	6	3	6	1	5
LEFLORE	11	1	10	6	0	6	5	1	4

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1986

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	2	1	1	1	1	0	1	0	1
LOWNDES	11	4	7	8	3	5	3	1	2
MADISON	11	3	8	4	2	2	7	1	6
MARION	5	3	2	2	1	1	3	2	1
MARSHALL	5	1	4	3	0	3	2	1	1
MONROE	7	3	4	3	2	1	4	1	3
MONTGOMERY	1	0	1	0	0	0	1	0	1
NESHOBA	7	2	5	5	1	4	2	1	1
NEWTON	4	3	1	4	3	1	0	0	0
NOXUBEE	5	1	4	3	1	2	2	0	2
OKTIBBEHA	3	1	2	0	0	0	3	1	2
PANOLA	5	2	3	2	1	1	3	1	2
PEARL RIVER	5	3	2	4	2	2	1	1	0
PERRY	2	2	0	0	0	0	2	2	0
PIKE	10	6	4	8	4	4	2	2	0
PONTOTOC	3	1	2	2	1	1	1	0	1
PRENTISS	4	3	1	3	2	1	1	1	0
QUITMAN	3	0	3	2	0	2	1	0	1
RANKIN	7	6	1	4	3	1	3	3	0
SCOTT	9	5	4	4	1	3	5	4	1
SHARKEY	7	2	5	6	2	4	1	0	1
SIMPSON	2	1	1	0	0	0	2	1	1
SMITH	2	1	1	1	1	0	1	0	1
STONE	2	1	1	2	1	1	0	0	0
SUNFLOWER	9	0	9	8	0	8	1	0	1
TALLAHATCHIE	11	2	9	8	1	7	3	1	2
TATE	3	2	1	3	2	1	0	0	0
TIPPAH	6	6	0	5	5	0	1	1	0
TISHOMINGO	1	1	0	1	1	0	0	0	0
TUNICA	2	1	1	1	1	0	1	0	1
UNION	2	1	1	2	1	1	0	0	0
WALTHALL	3	1	2	1	0	1	2	1	1
WARREN	17	3	14	10	2	8	7	1	6
WASHINGTON	24	5	19	11	4	7	13	1	12
WAYNE	6	3	3	3	1	2	3	2	1
WEBSTER	1	0	1	0	0	0	1	0	1
WILKINSON	1	0	1	1	0	1	0	0	0
WINSTON	3	1	2	2	1	1	1	0	1
YALOBUSHA	1	0	1	0	0	0	1	0	1
YAZOO	9	3	6	4	1	3	5	2	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1982-1986 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	14.2	9.8	19.0	9.0	6.5	11.6	5.2	3.3	7.4
ADAMS	16.1	9.2	21.4	10.0	6.4	12.8	6.1	2.8	8.6
ALCORN	7.9	8.2	6.0	4.2	4.4	3.0	3.7	3.8	3.0
AMITE	15.8	15.5	16.2	9.9	8.8	10.8	5.9	6.6	5.4
ATTALA	12.9	7.8	17.4	8.6	7.8	9.4	4.3	-	8.0
BENTON	8.1	3.5	12.2	4.9	3.5	6.1	3.2	-	6.1
BOLIVAR	15.4	8.6	17.4	7.9	7.7	8.0	7.5	1.0	9.3
CALHOUN	10.1	4.6	18.3	6.4	3.1	11.4	3.7	1.5	6.8
CARROLL	17.8	4.5	26.6	14.2	4.5	20.7	3.6	-	5.9
CHICKASAW	17.0	18.0	16.0	10.1	12.9	7.4	6.9	5.2	8.6
CHOCTAW	16.4	8.9	24.1	13.4	3.0	24.1	3.0	5.9	-
CLAIBORNE	16.8	14.0	17.2	10.8	14.0	10.3	5.9	-	6.9
CLARKE	10.1	11.4	8.9	5.1	7.1	3.0	5.1	4.3	5.9
CLAY	14.4	9.7	17.1	9.5	5.5	11.7	5.0	4.2	5.4
COAHOMA	23.0	8.8	26.9	13.9	6.3	16.0	9.1	2.5	10.9
COPIAH	15.8	10.6	18.8	11.8	9.5	13.2	3.9	1.2	5.6
COVINGTON	12.0	9.0	15.1	6.0	6.4	5.5	6.0	2.6	9.6
DESOTO	12.6	13.0	10.8	8.1	9.0	4.8	4.4	4.0	6.0
FORREST	12.1	10.9	13.9	8.1	7.9	8.3	4.0	3.0	5.6
FRANKLIN	16.9	11.1	22.8	14.1	11.1	17.1	2.8	-	5.7
GEORGE	14.9	13.3	23.9	9.9	10.8	4.8	5.0	2.5	19.1
GREENE	11.8	9.0	18.9	6.5	3.6	14.2	5.2	5.4	4.7
GRENADA	13.6	5.2	20.6	9.5	2.6	15.2	4.1	2.6	5.4
HANCOCK	11.3	11.4	10.7	6.1	6.0	7.1	5.2	5.4	3.6
HARRISON	11.1	9.5	15.6	6.9	5.5	10.7	4.2	3.9	4.9
HINDS	12.6	7.6	15.9	8.6	5.4	10.6	4.0	2.2	5.3
HOLMES	24.1	13.0	26.1	14.1	10.4	14.7	10.0	2.6	11.4
HUMPHREYS	30.8	21.2	33.4	20.1	15.2	21.4	10.7	6.1	11.9
ISSAQUENA	5.3	-	7.2	-	-	-	5.3	-	7.2
ITAWAMBA	11.4	9.1	30.5	6.5	4.6	22.9	4.9	4.6	7.6
JACKSON	12.0	9.6	18.8	8.4	6.8	12.9	3.6	2.8	5.9
JASPER	15.2	15.4	15.1	11.0	15.4	8.6	4.1	-	6.5
JEFFERSON	14.9	-	16.5	8.0	-	8.9	6.9	-	7.6
JEFF DAVIS	11.8	2.4	16.8	6.7	-	10.4	5.0	2.4	6.5
JONES	15.0	8.8	26.5	10.6	6.7	18.1	4.3	2.1	8.5
KEMPER	15.2	8.1	18.5	11.4	4.0	14.8	3.8	4.0	3.7
LAFAYETTE	9.0	7.0	11.4	5.8	3.0	9.1	3.2	4.0	2.3
LAMAR	5.8	5.2	9.1	3.6	3.1	6.1	2.2	2.1	3.0
LAUDERDALE	14.3	10.3	19.0	9.4	7.7	11.3	4.9	2.6	7.7
LAWRENCE	9.2	3.2	17.6	5.5	1.6	11.0	3.7	1.6	6.6
LEAKE	20.3	8.7	29.8	13.1	7.3	17.9	7.2	1.4	11.9
LEE	12.0	7.5	22.1	8.3	6.4	12.6	3.7	1.1	9.5
LEFLORE	23.6	15.7	26.8	14.6	11.4	15.8	9.0	4.4	10.9

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1982-1986

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	12.8	8.1	21.0	9.0	6.7	12.8	3.8	1.4	8.2
LOWNDES	9.9	6.7	14.2	7.5	5.4	10.3	2.4	1.3	3.9
MADISON	14.3	9.0	17.9	8.3	5.6	10.1	6.0	3.4	7.8
MARION	11.4	10.0	13.8	5.0	5.7	3.8	6.4	4.3	10.1
MARSHALL	14.0	7.8	18.0	8.7	3.9	11.8	5.3	3.9	6.2
MONROE	15.9	13.4	19.5	10.3	9.0	12.2	5.6	4.5	7.3
MONTGOMERY	11.9	7.9	14.3	7.0	5.3	8.0	5.0	2.6	6.4
NESHOBA	15.7	10.6	21.3	8.1	5.8	10.6	7.6	4.8	10.6
NEWTON	11.8	8.6	15.5	9.2	6.2	12.7	2.6	2.5	2.8
NOXUBEE	16.1	9.9	17.8	9.5	9.9	9.4	6.6	-	8.4
OKTIBBEHA	11.0	9.1	12.5	6.5	5.3	7.5	4.5	3.8	5.0
PANOLA	13.9	5.2	18.6	8.8	3.1	11.8	5.1	2.1	6.8
PEARL RIVER	15.8	13.1	28.0	10.8	10.7	11.2	5.0	2.5	16.8
PERRY	5.5	4.8	7.0	-	-	-	5.5	4.8	7.0
PIKE	17.3	13.5	20.2	12.6	8.7	15.4	4.8	4.8	4.8
PONTOTOC	8.8	6.7	17.7	6.1	5.0	10.6	2.7	1.7	7.1
PRENTISS	12.0	12.6	8.5	6.9	7.4	4.3	5.0	5.2	4.3
QUITMAN	21.6	6.2	27.4	12.1	6.2	14.3	9.5	-	13.1
RANKIN	10.0	8.3	15.8	5.5	3.7	11.8	4.5	4.6	3.9
SCOTT	21.6	16.7	27.3	11.7	8.8	15.2	9.8	7.9	12.1
SHARKEY	18.1	20.6	17.4	13.8	15.5	13.4	4.2	5.2	4.0
SIMPSON	18.1	17.6	18.8	9.6	7.9	11.7	8.6	9.7	7.0
SMITH	12.3	9.8	17.5	8.5	5.6	14.6	3.8	4.2	2.9
STONE	6.2	3.5	12.8	3.8	3.5	4.2	2.5	-	8.5
SUNFLOWER	16.8	5.3	20.0	10.5	4.0	12.3	6.3	1.3	7.6
TALLAHATCHIE	20.9	12.5	23.7	12.3	2.5	15.5	8.6	10.0	8.2
TATE	14.1	12.8	15.6	10.4	9.3	11.7	3.7	3.5	3.9
TIPPAH	15.9	17.2	10.7	13.0	13.6	10.7	2.9	3.6	-
TISHOMINGO	16.2	16.3	16.1	11.1	10.8	16.1	5.1	5.4	-
TUNICA	25.6	12.3	28.1	10.8	6.1	11.7	14.8	6.1	16.4
UNION	9.5	6.6	22.4	4.1	2.5	11.2	5.4	4.2	11.2
WALTHALL	16.4	9.8	21.5	9.5	3.9	13.8	6.9	5.9	7.7
WARREN	19.0	15.9	22.2	13.0	12.2	13.9	6.0	3.6	8.3
WASHINGTON	17.3	6.2	22.2	10.3	4.4	12.9	7.0	1.8	9.4
WAYNE	13.9	13.9	13.8	8.0	7.0	9.2	5.9	7.0	4.6
WEBSTER	15.4	10.2	24.4	6.4	4.1	10.4	9.0	6.1	13.9
WILKINSON	12.0	15.5	10.6	8.7	15.5	6.1	3.3	-	4.6
WINSTON	16.8	12.6	19.7	9.7	6.3	12.0	7.1	6.3	7.6
YALOBUSHA	9.2	4.2	14.0	4.1	2.1	6.0	5.1	2.1	8.0
YAZOO	20.6	14.2	23.9	10.1	5.4	12.5	10.5	8.7	11.4

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN 1 YEAR; NEONATAL - AGE LESS THAN 28 DAYS;
 POSTNEONATAL - AGE 28 DAYS TO 1 YEAR.

TABLE 13
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1986

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
ALL CAUSES	517	12.3	W	197	133	64	41	13	9	6	64
			NW	320	190	106	48	16	11	9	130
MENINGOCOCCAL INFECTION	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	12	0.3	W	3	0	0	0	0	0	0	3
			NW	9	1	0	0	0	0	1	8
MENINGITIS (320-322)	8	0.2	W	2	0	0	0	0	0	0	2
			NW	6	2	0	0	2	0	0	4
ACUTE UPPER RESPIRATORY	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
PNEUMONIA AND INFLUENZA (480-487)	9	0.2	W	2	1	0	1	0	0	0	1
			NW	7	0	0	0	0	0	0	7
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
CONGENITAL ANOMALIES (740-759)	109	2.6	W	60	47	20	13	6	5	3	13
			NW	49	36	14	15	3	1	3	13
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	17	0.4	W	10	10	8	1	1	0	0	0
			NW	7	7	7	0	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	6	0.1	W	3	3	2	1	0	0	0	0
			NW	3	3	3	0	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	2	1	1	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	42	1.0	W	9	9	9	0	0	0	0	0
			NW	33	32	31	1	0	0	0	1

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1986

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
BIRTH TRAUMA (767)	2	##	W	1	1	0	1	0	0	0	0
			NW	1	1	0	1	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	13	0.3	W	6	6	1	3	2	0	0	0
			NW	7	6	1	2	3	0	0	1
RESPIRATORY DISTRESS SYNDROME (769)	50	1.2	W	24	24	9	12	2	0	1	0
			NW	26	24	10	12	1	1	0	2
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	15	0.4	W	4	4	2	2	0	0	0	0
			NW	11	10	4	1	2	1	2	1
NEONATAL HEMORRHAGE (772)	8	0.2	W	2	2	0	1	1	0	0	0
			NW	6	6	2	1	2	1	0	0
HEMORRHAGIC DISEASE OF	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	74	1.8	W	26	4	0	0	0	3	1	22
			NW	48	6	1	2	0	3	0	42
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	15	0.4	W	6	2	1	1	0	0	0	4
			NW	9	3	2	0	0	0	1	6
ACCIDENTS (800-949)	16	0.4	W	6	0	0	0	0	0	0	6
			NW	10	0	0	0	0	0	0	10
ALL OTHER CAUSES	111	2.6	W	32	20	12	5	1	1	1	12
			NW	79	50	29	12	3	4	2	29

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1986

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
STATE	1,451	785	26	42	96	136	75	43	248
ADAMS	20	10	0	4	1	2	2	0	1
ALCORN	16	7	0	1	2	3	0	1	2
AMITE	6	3	0	1	0	0	0	1	1
ATTALA	11	6	0	0	1	0	2	0	2
BENTON	7	6	0	0	0	0	0	0	1
BOLIVAR	16	7	1	0	1	3	0	0	4
CALHOUN	6	4	0	0	0	0	0	1	1
CARROLL	4	3	1	0	0	0	0	0	0
CHICKASAW	7	5	0	0	0	0	1	1	0
CHOCTAW	6	3	0	0	1	1	0	0	1
CLAIBORNE	8	6	0	0	0	1	0	0	1
CLARKE	9	8	0	0	0	0	1	0	0
CLAY	8	3	0	0	2	0	1	0	2
COAHOMA	15	8	2	0	2	0	0	0	3
COPIAH	23	10	0	1	0	9	0	0	3
COVINGTON	16	15	0	0	0	0	0	1	0
DESOTO	23	17	0	0	0	3	2	0	1
FORREST	54	32	1	1	3	3	2	3	9
FRANKLIN	2	1	0	0	0	0	0	1	0
GEORGE	8	4	0	1	0	1	1	0	1
GREENE	4	3	0	0	0	0	0	1	0
GRENADA	15	7	0	0	0	3	0	1	4
HANCOCK	20	7	1	0	1	6	4	0	1
HARRISON	86	37	3	7	7	3	8	1	20
HINDS	200	95	0	11	26	24	7	5	32
HOLMES	12	3	1	0	0	2	3	0	3
HUMPHREYS	6	2	0	0	0	2	0	1	1
ISSAQUENA	4	2	0	0	0	0	0	1	1
ITAWAMBA	7	3	0	0	0	2	0	0	2
JACKSON	46	23	2	0	3	2	5	1	10
JASPER	5	2	0	1	0	0	0	1	1
JEFFERSON	9	6	0	0	0	0	0	2	1
JEFF DAVIS	8	6	0	0	0	1	0	0	1
JONES	35	19	1	3	4	3	0	0	5
KEMPER	6	4	0	0	0	0	1	0	1
LAFAYETTE	15	9	0	0	0	1	2	1	2
LAMAR	5	2	0	0	2	0	1	0	0
LAUDERDALE	57	35	0	0	9	1	0	0	12
LAWRENCE	7	4	0	0	0	0	1	0	2
LEAKE	9	3	0	0	1	1	0	0	4
LEE	54	38	0	0	3	1	1	1	10
LEFLORE	27	16	0	1	2	3	2	0	3

TABLE 14 - PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 1986

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	9	4	1	0	0	1	0	1	2
LOWNDES	28	16	0	0	2	2	4	1	3
MADISON	16	3	1	1	0	3	2	0	6
MARION	15	8	0	0	2	2	0	1	2
MARSHALL	28	21	0	0	0	0	3	1	3
MONROE	23	12	0	0	1	0	1	3	6
MONTGOMERY	4	2	0	0	1	1	0	0	0
NESHOBA	16	10	0	0	0	0	2	1	3
NEWTON	9	7	0	0	1	0	0	0	1
NOXUBEE	9	4	0	0	0	3	0	0	2
OKTIBBEHA	12	6	0	0	1	2	0	0	3
PANOLA	26	20	0	0	1	1	3	0	1
PEARL RIVER	23	17	1	0	2	1	0	2	0
PERRY	5	4	0	0	0	0	1	0	0
PIKE	19	9	0	2	1	0	0	1	6
PONTOTOC	6	4	0	0	0	1	0	0	1
PRENTISS	9	5	0	1	1	0	0	0	2
QUITMAN	8	2	0	0	1	2	0	0	3
RANKIN	17	5	1	0	3	0	0	0	8
SCOTT	24	15	0	1	0	3	2	1	2
SHARKEY	2	0	0	0	0	1	1	0	0
SIMPSON	8	4	0	0	0	0	1	0	3
SMITH	3	1	0	1	0	0	0	0	1
STONE	6	6	0	0	0	0	0	0	0
SUNFLOWER	18	12	0	1	0	1	0	0	4
TALLAHATCHIE	9	3	0	0	1	1	2	0	2
TATE	9	5	0	1	0	0	0	0	3
TIPPAH	11	6	0	0	0	0	1	0	4
TISHOMINGO	13	7	1	0	1	1	0	0	3
TUNICA	18	12	2	0	0	3	0	0	1
UNION	10	4	1	0	1	0	0	2	2
WALTHALL	6	1	0	1	0	2	0	0	2
WARREN	22	12	1	0	1	3	1	1	3
WASHINGTON	54	18	3	0	3	18	2	1	9
WAYNE	8	5	0	1	0	1	0	0	1
WEBSTER	3	2	0	0	0	0	0	0	1
WILKINSON	12	9	1	0	0	2	0	0	0
WINSTON	10	9	0	0	0	0	0	0	1
YALOBUSHA	5	2	0	0	0	0	1	0	2
YAZOO	16	9	0	0	1	0	1	2	3

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1986

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	24,283	17,729	6,554	24,283	17,729	6,554	22,601	16,376	6,225
ADAMS	378	266	112	405	286	119	315	199	116
ALCORN	338	312	26	350	325	25	301	279	22
AMITE	98	61	37	112	73	39	90	56	34
ATTALA	177	116	61	173	111	62	173	114	59
BENTON	48	30	18	65	45	20	55	36	19
BOLIVAR	305	127	178	307	125	182	302	124	178
CALHOUN	130	110	20	150	132	18	132	112	20
CARROLL	58	36	22	68	43	25	62	32	30
CHICKASAW	205	153	52	188	145	43	189	141	48
CHOCTAW	56	41	15	55	41	14	63	49	14
CLAIBORNE	88	30	58	85	30	55	74	22	52
CLARKE	145	108	37	154	117	37	134	102	32
CLAY	152	99	53	163	99	64	149	91	58
COAHOMA	261	129	132	264	126	138	252	122	130
COPIAH	226	126	100	235	131	104	220	122	98
COVINGTON	143	109	34	186	148	38	158	123	35
DESOTO	593	489	104	559	459	100	402	352	50
FORREST	876	701	175	730	569	161	731	572	159
FRANKLIN	55	34	21	63	40	23	60	36	24
GEORGE	303	276	27	283	261	22	197	178	19
GREENE	62	58	4	93	80	13	62	51	11
GRENADA	190	116	74	191	121	70	175	113	62
HANCOCK	329	305	24	339	315	24	285	263	22
HARRISON	2,169	1,836	333	2,158	1,825	333	1,818	1,523	295
HINDS	2,804	1,718	1,086	2,576	1,553	1,023	2,577	1,542	1,035
HOLMES	131	43	88	144	47	97	132	43	89
HUMPHREYS	77	40	37	91	52	39	75	37	38
ISSAQUENA	15	6	9	14	6	8	15	6	9
ITAWAMBA	165	155	10	188	178	10	162	153	9
JACKSON	1,296	1,099	197	1,362	1,159	203	1,285	1,098	187
JASPER	134	73	61	124	64	60	137	72	65
JEFFERSON	64	17	47	58	16	42	34	6	28
JEFF DAVIS	80	45	35	91	51	40	89	45	44
JONES	611	506	105	622	513	109	601	494	107
KEMPER	46	20	26	69	37	32	50	21	29
LAFAYETTE	196	150	46	206	152	54	194	140	54
LAMAR	210	187	23	257	226	31	264	241	23
LAUDERDALE	789	584	205	755	553	202	732	546	186
LAWRENCE	84	59	25	99	73	26	92	67	25
LEAKE	154	111	43	164	116	48	159	109	50
LEE	713	585	128	660	531	129	680	547	133
LEFLORE	337	185	151	351	196	155	340	192	148

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1986

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	240	181	59	248	189	59	219	165	54
LOWNDES	494	333	161	490	329	161	441	298	143
MADISON	304	176	128	333	189	144	349	220	129
MARION	270	209	61	265	202	63	257	201	56
MARSHALL	242	122	120	213	99	114	214	111	103
MONROE	284	235	49	299	246	53	283	236	47
MONTGOMERY	107	62	45	114	65	49	113	66	47
NESHOBA	256	185	71	258	185	73	244	174	70
NEWTON	138	102	36	163	120	43	157	119	38
NOXUBEE	81	20	61	84	21	63	87	20	67
OKTIBBEHA	275	191	84	253	171	82	256	167	89
PANOLA	231	154	77	244	156	88	221	145	76
PEARL RIVER	414	365	49	398	349	49	375	330	45
PERRY	121	96	25	117	97	20	95	78	17
PIKE	367	229	138	351	217	134	354	216	138
PONTOTOC	199	171	28	211	184	27	193	171	22
PRENTISS	203	187	16	212	198	14	214	200	14
QUITMAN	85	49	36	67	38	29	72	39	33
RANKIN	737	651	86	723	644	79	793	708	85
SCOTT	279	199	80	279	209	70	275	203	72
SHARKEY	50	23	27	56	28	28	48	24	24
SIMPSON	216	164	52	238	184	54	219	164	55
SMITH	128	104	24	156	132	24	130	106	24
STONE	130	112	18	123	107	16	112	96	16
SUNFLOWER	227	111	116	234	114	120	189	97	92
TALLAHATCHIE	135	79	56	144	88	56	129	76	53
TATE	193	128	65	189	129	60	188	130	58
TIPPAH	216	200	16	211	194	17	185	170	15
TISHOMINGO	229	224	5	224	219	5	156	152	4
TUNICA	57	20	37	57	22	35	47	14	33
UNION	193	178	15	203	188	15	198	182	16
WALTHALL	92	54	38	101	60	41	90	60	30
WARREN	458	326	132	447	321	126	423	294	129
WASHINGTON	534	295	239	540	301	239	515	282	233
WAYNE	158	104	54	167	114	53	154	102	52
WEBSTER	87	79	8	80	77	3	74	67	7
WILKINSON	110	68	42	103	58	45	65	30	35
WINSTON	160	104	56	170	117	53	149	97	52
YALOBUSHA	110	79	31	120	88	32	126	91	35
YAZOO	183	109	74	191	110	81	175	104	71
OUT OF STATE	*	*	*	*	*	*	1,681	1,352	329
UNKNOWN STATE							1	1	0

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
 DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
 MISSISSIPPI, 1986

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>12,871</u>	<u>10,155</u>	<u>2,630</u>	<u>86</u>
ADAMS	215	142	72	1
ALCORN	190	184	6	0
AMITE	61	50	11	0
ATTALA	91	65	26	0
BENTON	36	28	7	1
BOLIVAR	146	91	54	1
CALHOUN	53	48	5	0
CARROLL	8	4	4	0
CHICKASAW	98	78	20	0
CHOCTAW	2	2	0	0
CLAIBORNE	37	19	18	0
CLARKE	85	65	20	0
CLAY	62	42	20	0
COAHOMA	147	85	62	0
COPIAH	113	68	44	1
COVINGTON	63	47	16	0
DESOTO	390	369	21	0
FORREST	428	318	78	32
FRANKLIN	37	23	14	0
GEORGE	105	98	7	0
GREENE	0	0	0	0
GRENADA	111	86	25	0
HANCOCK	155	146	7	2
HARRISON	1,280	1,108	171	1
HINDS	1,365	882	466	17
HOLMES	66	23	43	0
HUMPHREYS	38	26	12	0
ISSAQUENA	7	5	2	0
ITAWAMBA	116	111	5	0
JACKSON	899	765	134	0
JASPER	78	52	26	0
JEFFERSON	9	2	7	0
JEFF DAVIS	22	15	7	0
JONES	382	326	55	1
KEMPER	30	19	11	0
LAFAYETTE	98	81	17	0
LAMAR	146	128	9	9
LAUDERDALE	429	355	74	0
LAWRENCE	64	53	11	0
LEAKE	72	53	19	0
LEE	321	290	31	0
LEFLORE	164	102	62	0

TABLE 16 - PAGE 2
 DIVORCES - MISSISSIPPI - 1986

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
LINCOLN	148	114	34	0
LOWNDES	304	243	61	0
MADISON	136	99	37	0
MARION	157	130	27	0
MARSHALL	129	95	34	0
MONROE	181	151	30	0
MONTGOMERY	39	31	8	0
NESHOBA	125	111	14	0
NEWTON	97	66	28	3
NOXUBEE	25	10	13	2
OKTIBBEHA	129	84	36	9
PANOLA	109	79	30	0
PEARL RIVER	235	223	12	0
PERRY	22	21	1	0
PIKE	88	58	28	2
PONTOTOC	109	102	7	0
PRENTISS	119	115	4	0
QUITMAN	26	16	10	0
RANKIN	551	502	47	2
SCOTT	144	96	48	0
SHARKEY	24	15	9	0
SIMPSON	86	65	21	0
SMITH	74	66	7	1
STONE	61	51	10	0
SUNFLOWER	101	56	45	0
TALLAHATCHIE	46	30	15	1
TATE	82	71	11	0
TIPPAH	108	105	3	0
TISHOMINGO	111	107	4	0
TUNICA	0	0	0	0
UNION	126	114	12	0
WALTHALL	56	46	10	0
WARREN	152	109	43	0
WASHINGTON	353	230	123	0
WAYNE	92	73	19	0
WEBSTER	42	38	4	0
WILKINSON	30	16	14	0
WINSTON	88	67	21	0
YALOBUSHA	58	44	14	0
YAZOO	89	52	37	0

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE:

Table 17 extends from page 103 through page 144 with identical data for each county as well as for the state.




TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS AND ALCORN COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	82	51	31	211.8	262.0	161.0	54	46	8	151.3	144.4	207.7
DIABETES MELLITUS (250)	11	2	9	28.4	10.3	46.7	3	3	0	8.4	9.4	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	154	63	91	397.8	323.7	472.7	119	103	16	333.4	323.4	415.4
HYPERTENSION (401, 403)	2	1	1	5.2	5.1	5.2	1	1	0	2.8	3.1	-
CEREBROVASCULAR DISEASES (430-438)	39	23	16	100.7	118.2	83.1	25	24	1	70.0	75.4	26.0
ATHEROSCLEROSIS (440)	11	6	5	28.4	30.8	26.0	2	2	0	5.6	6.3	-
PNEUMONIA AND INFLUENZA (480-487)	12	7	5	31.0	36.0	26.0	11	10	1	30.8	31.4	26.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	15.5	25.7	5.2	11	10	1	30.8	31.4	26.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	3	2	12.9	15.4	10.4	4	3	1	11.2	9.4	26.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	2	4	15.5	10.3	20.8	1	0	1	2.8	-	26.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	3	2	12.9	15.4	10.4	1	1	0	2.8	3.1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8	3	5	13.6	11.4	15.3	1	1	0	2.5	3.0	-
ACCIDENTS (800-949)	28	12	16	72.3	61.6	83.1	16	16	0	44.8	50.2	-
MOTOR VEHICLE ACCIDENTS# (810-825)	16	9	7	41.3	46.2	36.4	8	8	0	22.4	25.1	-
SUICIDE (950-959)	6	5	1	15.5	25.7	5.2	4	4	0	11.2	12.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	0	5	12.9	-	26.0	2	2	0	5.6	6.3	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	22	0	22	56.8	-	114.3	8	8	0	22.4	25.1	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF AMITE AND ATTALA COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY					ATTALA COUNTY				
	TOTAL	NUMBER		RATE**		TOTAL	NUMBER		RATE**	
		WHITE	NON-WHITE	WHITE	NON-WHITE		WHITE	NON-WHITE	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	18	10	8	136.4	141.7	52	31	21	256.1	267.8
DIABETES MELLITUS (250)	3	1	2	22.7	14.2	11	7	4	57.8	51.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	36	22	14	272.7	311.6	100	68	32	501.6	408.1
HYPERTENSION (401, 403)	0	0	0	-	-	2	0	2	10.0	25.5
CEREBROVASCULAR DISEASES (430-438)	9	2	7	68.2	28.3	13	9	4	74.4	51.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	2	0	2	10.0	25.5
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	30.3	28.3	9	5	4	41.3	51.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	22.7	28.3	6	6	0	30.1	49.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	0	0	0	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	1	1	0	5.0	8.3
INFECTIONS OF KIDNEY (590)	2	1	1	15.2	14.2	1	1	0	5.0	8.3
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	0	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	7.6	14.2	0	0	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.8	-	1	1	0	3.5	8.3
ACCIDENTS (800-949)	7	3	4	53.0	42.5	14	10	4	70.2	51.0
MOTOR VEHICLE ACCIDENTS# (810-825)	5	2	3	37.9	28.3	7	5	2	35.1	25.5
SUICIDE (950-959)	2	2	0	15.2	28.3	1	0	1	5.0	12.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	7.6	14.2	0	0	0	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	21	10	11	159.1	141.7	3	1	2	15.0	8.3

* CAUSES AND NUMBER ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON AND BOLIVAR COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	11.6	-	31.4	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	9	7	2	104.7	129.3	62.7	32	49	173.7	182.6	198.0	173.7
DIABETES MELLITUS (250)	2	2	0	23.3	37.0	-	1	5	17.7	13.5	6.2	17.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	24	16	8	279.2	295.6	250.9	81	89	315.6	383.2	501.2	315.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	3	10.6	9.0	6.2	10.6
CEREBROVASCULAR DISEASES (430-438)	4	2	2	46.5	37.0	62.7	16	27	95.7	96.9	99.0	95.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	6	7	24.8	29.3	37.1	24.8
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	34.9	18.5	62.7	11	8	28.4	42.8	68.1	28.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	9	3	10.6	27.0	55.7	10.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	6	1	3.5	15.8	37.1	3.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	11.6	18.5	-	0	6	21.3	13.5	-	21.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	-	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	-	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	7.1	4.5	-	7.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	5	3	4.4	5.8	11.6	4.4
ACCIDENTS (800-949)	6	5	1	69.8	92.4	31.4	22	12	42.5	49.6	61.9	42.5
MOTOR VEHICLE ACCIDENTS# (810-825)	3	3	0	34.9	55.4	-	10	3	10.6	22.5	43.3	10.6
SUICIDE (950-959)	1	1	0	11.6	18.5	-	2	1	3.5	4.5	6.2	3.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	11.6	18.5	-	9	2	24.8	20.3	12.4	24.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	16	7	9	186.2	129.3	282.2	42	32	113.5	94.7	61.9	113.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CALHOUN AND CARROLL COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY				CARROLL COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	TOTAL	WHITE	TOTAL	WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	35	5	214.9	246.9	19	12	215.7	158.8
DIABETES MELLITUS (250)	3	0	18.4	24.7	3	2	35.9	22.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	14	448.3	485.6	46	29	521.2	385.7
HYPERTENSION (401, 403)	1	0	6.1	8.2	0	0	-	-
CEREBROVASCULAR DISEASES (430-438)	11	2	67.5	74.1	5	4	71.9	22.7
ATHEROSCLEROSIS (440)	0	0	-	-	0	0	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	1	43.0	49.4	2	1	18.0	22.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	1	30.7	32.9	2	2	35.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	-	-	0	0	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	12.3	16.5	1	0	10.0	22.7
INFECTIONS OF KIDNEY (590)	0	0	-	-	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	0	0	-	-	0	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	-	-	1	0	8.8	15.4
ACCIDENTS (800-949)	11	3	67.5	65.8	4	2	40.1	45.4
MOTOR VEHICLE ACCIDENTS# (810-825)	9	6	55.3	49.4	3	1	30.1	45.4
SUICIDE (950-959)	2	0	12.3	16.5	1	1	18.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	24.6	8.2	3	1	18.0	45.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	18.4	24.7	0	0	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW AND CHOCTAW COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	10.7	-	37.1
MALIGNANT NEOPLASMS (140-208)	30	22	8	164.4	190.0	119.8	18	14	4	192.5	210.2	148.6
DIABETES MELLITUS (250)	0	0	0	-	-	-	1	1	0	10.7	15.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	74	58	16	405.4	500.9	239.6	36	25	11	385.0	375.3	408.6
HYPERTENSION (401, 403)	3	2	1	16.4	17.3	15.0	1	0	1	10.7	-	37.1
CEREBROVASCULAR DISEASES (430-438)	17	11	6	93.1	95.0	89.9	4	2	2	42.8	30.0	74.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	4	3	38.4	34.5	44.9	4	3	1	42.8	45.0	37.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	38.4	60.4	-	1	1	0	10.7	15.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	11.0	17.3	-	1	0	1	10.7	-	37.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	1	0	5.5	8.6	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	11.0	-	30.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.4	7.0	6.0	1	0	1	8.4	-	18.2
ACCIDENTS (800-949)	12	10	2	65.8	86.4	30.0	5	5	0	53.5	75.1	-
MOTOR VEHICLE ACCIDENTS# (810-825)	9	8	1	49.3	69.1	15.0	2	2	0	21.4	30.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	16.4	8.6	30.0	3	3	0	32.1	45.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.5	-	15.0	0	0	0	-	-	-
	1	0	1	5.5	-	15.0	1	0	1	10.7	-	37.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAIBORNE AND CLARKE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	22	6	16	168.7	187.7	162.4	33	25	8	185.0	215.2	128.4
DIABETES MELLITUS (250)	1	0	1	7.7	-	10.2	1	0	1	5.6	-	16.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	12	29	314.4	375.5	294.4	80	55	25	448.5	473.4	401.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	5.6	-	16.0
CEREBROVASCULAR DISEASES (430-438)	5	1	4	38.3	31.3	40.6	13	8	5	72.9	68.9	80.3
ATHEROSCLEROSIS (440)	1	1	0	7.7	31.3	-	2	1	1	11.2	8.6	16.0
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	7.7	-	10.2	5	4	1	28.0	34.4	16.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	30.7	93.9	10.2	8	8	0	44.8	68.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	15.3	-	20.3	1	1	0	5.6	8.6	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	23.0	31.3	20.3	2	1	1	11.2	8.6	16.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	2	0	8.0	15.2	-
ACCIDENTS (800-949)	6	3	3	46.0	93.9	30.4	9	5	4	50.5	43.0	64.2
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	23.0	62.6	10.2	8	4	4	44.8	34.4	64.2
SUICIDE (950-959)	1	0	1	7.7	-	10.2	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	3	2	1	16.8	17.2	16.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	30.7	-	40.6	15	12	3	84.1	103.3	48.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY AND COAHOMA COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.8	-	4.4
MALIGNANT NEOPLASMS (140-208)	46	30	16	204.8	274.1	138.8	88	40	48	249.8	317.8	212.0
DIABETES MELLITUS (250)	7	1	6	31.2	9.1	52.1	5	2	3	14.2	15.9	13.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	56	24	356.1	511.7	208.3	146	49	97	414.4	389.3	428.5
HYPERTENSION (401, 403)	1	0	1	4.4	-	8.7	2	0	2	5.7	-	8.8
CEREBROVASCULAR DISEASES (430-438)	8	5	3	35.6	45.7	26.0	45	19	26	127.7	151.0	114.8
ATHEROSCLEROSIS (440)	1	1	0	4.4	9.1	-	5	3	2	14.2	23.8	8.8
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	4.4	9.1	-	8	4	4	22.7	31.8	17.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	22.2	36.6	8.7	7	4	3	19.9	31.8	13.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	8.9	9.1	8.7	2	0	2	5.7	-	8.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	8.9	18.3	-	2	0	2	5.7	-	8.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	2.8	7.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	8.9	-	17.4	2	0	2	5.7	-	8.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	5.2	-	7.8	3	0	3	4.3	-	5.4
ACCIDENTS (800-949)	10	8	2	44.5	73.1	17.4	11	5	6	31.2	39.7	26.5
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	17.8	27.4	8.7	4	0	4	11.4	-	17.7
SUICIDE (950-959)	1	0	1	4.4	-	8.7	4	2	2	11.4	15.9	8.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	8.9	9.1	8.7	8	0	8	22.7	-	35.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	13.4	-	26.0	21	3	18	59.6	23.8	79.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF COPIAH AND COVINGTON COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY				COVINGTON COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	TOTAL	WHITE	TOTAL	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	47	22	170.2	152.7	32	26	193.4	235.8
DIABETES MELLITUS (250)	8	6	29.0	41.6	4	2	24.2	18.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	110	70	398.3	485.8	54	35	326.4	317.4
HYPERTENSION (401, 403)	0	0	-	-	5	4	30.2	36.3
CEREBROVASCULAR DISEASES (430-438)	27	8	97.8	55.5	9	5	54.4	45.3
ATHEROSCLEROSIS (440)	0	0	-	-	2	1	12.1	9.1
PNEUMONIA AND INFLUENZA (480-487)	5	1	18.1	6.9	6	5	36.3	45.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	4	32.6	27.8	5	4	30.2	36.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	3.6	6.9	0	0	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	21.7	27.8	0	0	-	-
INFECTIONS OF KIDNEY (590)	1	1	3.6	6.9	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	1	0	3.6	-	1	1	6.0	9.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8	1	17.7	6.3	1	1	3.1	5.8
ACCIDENTS (800-949)	22	13	79.6	90.2	14	12	84.6	108.8
MOTOR VEHICLE ACCIDENTS# (810-825)	10	3	36.2	20.8	12	11	72.5	99.8
SUICIDE (950-959)	3	2	10.9	13.9	3	3	18.1	27.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	0	25.3	-	2	0	12.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	1	43.4	6.9	2	1	12.1	9.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO AND FORREST COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	1.6	-	10.1	3	0	3	4.2	-	14.4
MALIGNANT NEOPLASMS (140-208)	89	75	14	146.3	147.1	141.9	154	109	45	217.8	218.3	216.6
DIABETES MELITUS (250)	5	5	0	8.2	9.8	-	23	9	14	32.5	18.0	67.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	106	82	24	174.2	160.8	243.3	251	199	52	355.0	398.5	250.2
HYPERTENSION (401, 403)	2	2	0	3.3	3.9	-	8	5	3	11.3	10.0	14.4
CEREBROVASCULAR DISEASES (430-438)	31	23	8	50.9	45.1	81.1	63	43	20	89.1	86.1	96.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	15	10	5	21.2	20.0	24.1
PNEUMONIA AND INFLUENZA (480-487)	7	5	2	11.5	9.8	20.3	39	24	15	55.2	48.1	72.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	16	1	27.9	31.4	10.1	25	21	4	35.4	42.0	19.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	4.9	3.9	10.1	1	1	0	1.4	2.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	8.2	3.9	30.4	8	5	3	11.3	10.0	14.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	1.4	2.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	3.3	3.9	-	4	2	2	5.6	4.0	9.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8	7	1	8.8	9.4	6.1	2	1	1	1.9	1.5	2.4
ACCIDENTS (800-949)	37	32	5	60.8	62.8	50.7	23	16	7	32.5	32.0	33.7
MOTOR VEHICLE ACCIDENTS# (810-825)	20	19	1	32.9	37.3	10.1	12	10	2	17.0	20.0	9.6
SUICIDE (950-959)	12	11	1	19.7	21.6	10.1	7	6	1	9.9	12.0	4.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	4	3	11.5	7.8	30.4	7	3	4	9.9	6.0	19.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	29	20	9	47.6	39.2	91.2	16	9	7	22.6	18.0	33.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF FRANKLIN AND GEORGE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	20	13	7	238.4	245.6	225.9	28	28	0	175.8	193.5	-
DIABETES MELLITUS (250)	6	3	3	71.5	56.7	96.8	3	2	1	18.8	13.8	68.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	45	33	12	536.4	623.3	387.2	53	49	4	332.9	338.6	275.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	2	0	12.6	13.8	-
CEREBROVASCULAR DISEASES (430-438)	5	4	1	59.6	75.6	32.3	11	10	1	69.1	69.1	68.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	6.3	6.9	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	23.8	18.9	32.3	1	1	0	6.3	6.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	23.8	18.9	32.3	7	7	0	44.0	48.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	11.9	18.9	-	4	4	0	25.1	27.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	11.9	-	32.3	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	4	3	1	25.1	20.7	68.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	8.2	-	15.4	1	1	0	4.2	4.9	-
ACCIDENTS (800-949)	4	3	1	47.7	56.7	32.3	16	13	3	100.5	89.8	206.5
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	35.8	37.8	32.3	6	5	1	37.7	34.6	68.8
SUICIDE (950-959)	2	2	0	23.8	37.8	-	2	1	1	12.6	6.9	68.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	1	0	6.3	6.9	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE AND GRENADA COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	24	18	6	230.1	213.6	299.4	48	31	17	219.0	241.9	186.8
DIABETES MELLITUS (250)	4	4	0	38.4	47.5	-	4	1	3	18.2	7.8	33.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	36	33	3	345.2	391.6	149.7	86	58	28	392.5	452.7	307.7
HYPERTENSION (401, 403)	1	1	0	9.6	11.9	-	4	0	4	18.2	-	44.0
CEREBROVASCULAR DISEASES (430-438)	9	7	2	86.3	83.0	99.8	21	15	6	95.8	117.1	65.9
ATHEROSCLEROSIS (440)	5	5	0	47.9	59.3	-	1	1	0	4.6	7.8	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	19.2	23.7	-	9	5	4	41.1	39.0	44.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	47.9	47.5	49.9	1	1	0	4.6	7.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	2	1	13.7	15.6	11.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	19.2	23.7	-	9	4	5	41.1	31.2	54.9
INFECTIONS OF KIDNEY (590)	1	1	0	9.6	11.9	-	2	2	0	9.1	15.6	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	9.6	-	17.4
ACCIDENTS (800-949)	7	7	0	67.1	83.0	-	18	8	10	82.1	62.4	109.9
MOTOR VEHICLE ACCIDENTS# (810-825)	6	6	0	57.5	71.2	-	8	4	4	36.5	31.2	44.0
SUICIDE (950-959)	0	0	0	-	-	-	4	2	2	18.2	15.6	22.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	0	1	4.6	-	11.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	6	2	76.7	71.2	99.8	8	4	4	36.5	31.2	44.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HANCOCK AND HARRISON COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	1	1	1.2	0.8	2.6
MALIGNANT NEOPLASMS (140-208)	64	59	5	234.1	240.5	178.5	303	249	54	181.0	193.1	140.4
DIABETES MELLITUS (250)	6	5	1	21.9	20.4	35.7	21	16	5	12.5	12.4	13.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	94	86	8	343.9	350.6	285.6	550	451	99	328.6	349.8	257.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	1	2	1.8	0.8	5.2
CEREBROVASCULAR DISEASES (430-438)	13	11	2	47.6	44.8	71.4	75	56	19	44.8	43.4	49.4
ATHEROSCLEROSIS (440)	1	1	0	3.6	4.1	-	6	3	3	3.6	2.3	7.8
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	29.3	32.6	-	26	24	2	15.5	18.6	5.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	25.6	24.4	35.7	52	48	4	31.1	37.2	10.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	10	10	0	36.6	40.8	-	24	19	5	14.3	14.7	13.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	21.9	20.4	35.7	8	5	3	4.8	3.9	7.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	4	0	14.6	16.3	-	8	7	1	4.8	5.4	2.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	6.4	7.4	-	17	12	5	5.7	5.4	6.4
ACCIDENTS (800-949)	22	18	4	80.5	73.4	142.8	83	66	17	49.6	51.2	44.2
MOTOR VEHICLE ACCIDENTS# (810-825)	11	8	3	40.2	32.6	107.1	40	33	7	23.9	25.6	18.2
SUICIDE (950-959)	3	3	0	11.0	12.2	-	27	26	1	16.1	20.2	2.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	0	14.6	16.3	-	27	17	10	16.1	13.2	26.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	7	3	4	4.2	2.3	10.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS AND HOLMES COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	4	2	2	1.5	1.4	1.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	450	267	183	167.4	191.4	141.4	35	15	20	153.0	243.1	119.7
DIABETES MELLITUS (250)	27	11	16	10.0	7.9	12.4	4	1	3	17.5	16.2	18.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	759	430	329	282.3	308.3	254.3	54	24	30	236.0	388.9	179.6
CEREBROVASCULAR DISEASES (430-438)	10	2	8	3.7	1.4	6.2	1	0	1	4.4	-	6.0
HYPERTENSION (401, 403)	125	65	60	46.5	46.6	46.4	15	2	13	65.6	32.4	77.8
ATHEROSCLEROSIS (440)	11	9	2	4.1	6.4	1.5	1	0	1	4.4	-	6.0
PNEUMONIA AND INFLUENZA (480-487)	41	32	9	15.2	22.9	7.0	1	0	1	4.4	-	6.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	60	43	17	22.3	30.8	13.1	6	3	3	26.2	48.6	18.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	25	13	12	9.3	9.3	9.3	2	2	0	8.7	32.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	30	11	19	11.2	7.9	14.7	3	2	1	13.1	32.4	6.0
INFECTIONS OF KIDNEY (590)	1	0	1	0.4	-	0.8	1	1	0	4.4	16.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	15	6	9	5.6	4.3	7.0	2	1	1	8.7	16.2	6.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	20	4	16	4.6	2.4	6.0	4	0	4	9.2	-	10.6
ACCIDENTS (800-949)	129	61	68	48.0	43.7	52.6	15	3	12	65.6	48.6	71.8
MOTOR VEHICLE ACCIDENTS# (810-825)	55	31	24	20.4	22.2	18.5	8	3	5	35.0	48.6	29.9
SUICIDE (950-959)	29	24	5	10.8	17.2	3.9	1	0	1	4.4	-	6.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	37	8	29	13.8	5.7	22.4	9	0	9	39.3	-	53.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	34	13	21	12.6	9.3	16.2	36	7	29	157.4	113.4	173.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HUMPHREYS AND ISSAQUEUNA COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY				ISSAQUEUNA COUNTY				
	NUMBER		RATE**		NUMBER		RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	27	10	17	199.0	222.3	187.3	4	161.7	225.7
DIABETES MELLITUS (250)	1	0	1	7.4	-	11.0	1	40.4	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	57	24	33	420.1	533.4	363.6	6	242.5	225.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	-	-
CEREBROVASCULAR DISEASES (430-438)	22	9	13	162.1	200.0	143.2	0	-	-
ATHEROSCLEROSIS (440)	1	1	0	7.4	22.2	-	0	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	1	3	29.5	22.2	33.0	0	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	0	2	14.7	-	22.0	0	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	7.4	-	11.0	0	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	14.7	-	22.0	0	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	13.9	-	16.6	0	-	-
ACCIDENTS (800-949)	10	5	5	73.7	111.1	55.1	2	80.8	173.3
MOTOR VEHICLE ACCIDENTS# (810-825)	4	4	0	29.5	88.9	-	1	40.4	86.6
SUICIDE (950-959)	2	0	2	14.7	-	22.0	0	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	14.7	-	22.0	1	40.4	75.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	14.7	-	22.0	8	323.4	376.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA AND JACKSON COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY					JACKSON COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	0	1	0	0.8	1.0	-
MALIGNANT NEOPLASMS (140-208)	49	46	219.8	220.5	3	195	25	149.8	165.0	92.1
DIABETES MELLITUS (250)	3	3	13.4	14.4	0	6	2	4.6	3.9	7.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	68	327.5	325.9	5	304	59	233.6	237.9	217.3
HYPERTENSION (401, 403)	0	0	-	-	0	2	0	1.5	1.9	-
CEREBROVASCULAR DISEASES (430-438)	32	31	143.6	148.6	1	48	10	36.9	36.9	36.8
ATHEROSCLEROSIS (440)	2	2	9.0	9.6	0	4	0	3.1	3.9	-
PNEUMONIA AND INFLUENZA (480-487)	12	11	53.8	52.7	1	21	0	16.1	20.4	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	31.4	33.5	0	27	1	20.7	25.2	3.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	4.5	4.8	0	12	2	9.2	9.7	7.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	4.5	4.8	0	3	1	2.3	1.9	3.7
INFECTIONS OF KIDNEY (590)	0	0	-	-	0	1	0	0.8	1.0	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	4.5	-	1	7	2	5.4	4.8	7.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	2	15.9	8.7	2	10	5	5.3	3.7	9.6
ACCIDENTS (800-949)	16	13	71.8	62.3	3	54	12	41.5	40.8	44.2
MOTOR VEHICLE ACCIDENTS# (810-825)	10	9	44.9	43.1	1	27	5	20.7	21.4	18.4
SUICIDE (950-959)	3	3	13.4	14.4	0	11	0	8.4	10.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	4	22.4	19.2	1	8	4	6.1	3.9	14.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	4.5	4.8	0	21	7	16.1	13.6	25.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JASPER AND JEFFERSON COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY				JEFFERSON COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON- WHITE	TOTAL	NON- WHITE	TOTAL	NON- WHITE	TOTAL	NON- WHITE
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	39	21	219.1	199.6	16	6	179.5	388.6
DIABETES MELLITUS (250)	3	0	16.8	33.3	1	0	11.2	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	58	34	325.9	266.1	29	9	325.3	582.9
HYPERTENSION (401, 403)	0	0	-	-	0	0	-	-
CEREBROVASCULAR DISEASES (430- 438)	19	13	106.8	66.5	5	1	56.1	64.8
ATHEROSCLEROSIS (440)	1	1	5.6	11.4	1	0	11.2	-
PNEUMONIA AND INFLUENZA (480- 487)	5	2	28.1	33.3	4	1	44.9	64.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	3	33.7	33.3	0	0	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	-	-	0	0	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	5.6	11.4	0	0	-	-
INFECTIONS OF KIDNEY (590)	2	0	11.2	22.2	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	11.2	11.1	1	0	11.2	-
ACCIDENTS (800-949)	2	0	7.6	12.2	1	0	6.4	7.1
MOTOR VEHICLE ACCIDENTS# (810-825)	10	6	56.2	44.4	9	3	101.0	194.3
SUICIDE (950-959)	5	4	28.1	11.1	5	1	56.1	64.8
HOMICIDE AND LEGAL INTER- VENTION (960-978)	1	1	5.6	11.4	1	1	11.2	64.8
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	3	2	16.8	11.1	0	0	-	-
	3	1	16.8	22.2	14	3	157.0	194.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS AND JONES COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY					JONES COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	1	1	7.0	15.9	-	1	0	1.5	-	6.6
MALIGNANT NEOPLASMS (140-208)	23	11	160.5	174.5	149.4	148	107	226.2	213.1	269.6
DIABETES MELLITUS (250)	1	0	7.0	-	12.4	8	6	12.2	12.0	13.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	62	37	432.7	587.0	311.3	244	186	373.0	370.4	381.4
HYPERTENSION (401, 403)	0	0	-	-	-	10	7	15.3	13.9	19.7
CEREBROVASCULAR DISEASES (430-438)	10	4	69.8	63.5	74.7	44	31	67.3	61.7	85.5
ATHEROSCLEROSIS (440)	1	0	7.0	-	12.4	3	3	4.6	6.0	-
PNEUMONIA AND INFLUENZA (480-487)	9	6	62.8	95.2	37.4	23	13	35.2	25.9	65.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	34.9	63.5	12.4	14	12	21.4	23.9	13.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	7.0	-	12.4	5	4	7.6	8.0	6.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	7.0	-	12.4	7	6	10.7	12.0	6.6
INFECTIONS OF KIDNEY (590)	0	0	-	-	-	1	1	1.5	2.0	-
MATERNAL CAUSES (630-676)	0	0	-	-	-	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	20.9	31.7	12.4	2	1	3.0	2.0	6.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	4.3	-	6.7	5	0	5.6	-	15.7
ACCIDENTS (800-949)	10	3	69.8	47.6	87.2	29	18	44.3	35.8	72.3
MOTOR VEHICLE ACCIDENTS# (810-825)	6	2	41.9	31.7	49.8	14	11	21.4	21.9	19.7
SUICIDE (950-959)	2	2	14.0	31.7	-	8	7	12.2	13.9	6.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	7.0	15.9	-	10	6	15.3	12.0	26.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	1	48.8	15.9	74.7	4	2	6.1	4.0	13.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF KEMPER AND LAFAYETTE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY				LAFAYETTE COUNTY					
	NUMBER		RATE**		NUMBER		RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	3.0	-	10.5
MALIGNANT NEOPLASMS (140-208)	29	18	11	287.9	390.5	201.2	58	172.1	140.4	253.0
DIABETES MELLITUS (250)	0	0	0	-	-	-	3	8.9	-	31.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	30	15	15	297.8	325.4	274.4	80	237.4	223.0	274.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	3.0	4.1	-
CEREBROVASCULAR DISEASES (430-438)	3	2	1	29.8	43.4	18.3	14	41.5	16.5	105.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	29.8	43.4	18.3	7	20.8	20.6	21.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	12	35.6	33.0	42.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	39.7	65.1	18.3	4	11.9	8.2	21.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	9.9	-	18.3	2	5.9	4.1	10.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	3.0	4.1	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	5.9	4.1	10.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	-	-	-
ACCIDENTS (800-949)	12	5	7	119.1	108.5	128.1	9	26.7	16.5	52.7
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	89.3	108.5	73.2	3	8.9	-	31.6
SUICIDE (950-959)	2	2	0	19.8	43.4	-	3	8.9	8.2	10.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	9.9	21.7	-	2	5.9	-	21.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	39.7	-	73.2	2	5.9	4.1	10.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR AND LAUDERDALE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	46	37	9	170.4	154.0	302.0	157	116	41	194.6	217.1	150.6
DIABETES MELLITUS (250)	4	3	1	14.8	12.5	33.6	10	8	2	12.4	15.0	7.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	65	62	3	240.8	258.1	100.7	323	219	104	400.4	409.9	381.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	2.5	1.9	3.7
CEREBROVASCULAR DISEASES (430-438)	15	10	5	55.6	41.6	167.8	52	36	16	64.5	67.4	58.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	3	0	3.7	5.6	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	25.9	25.0	33.6	17	13	4	21.1	24.3	14.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	18.5	20.8	-	23	19	4	28.5	35.6	14.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.7	4.2	-	10	8	2	12.4	15.0	7.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	15	6	9	18.6	11.2	33.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	1	1	2.5	1.9	3.7
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	6	4	2	7.4	7.5	7.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	2	2	3.3	2.9	3.8
ACCIDENTS (800-949)	15	12	3	55.6	50.0	100.7	40	31	9	49.6	58.0	33.0
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	22.2	20.8	33.6	22	18	4	27.3	33.7	14.7
SUICIDE (950-959)	0	0	0	-	-	-	9	7	2	11.2	13.1	7.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	15	5	10	18.6	9.4	36.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	10	9	1	37.0	37.5	33.6	5	2	3	6.2	3.7	11.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAWRENCE AND LEAKE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY					LEAKE COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	-	1	1	5.1	8.4	-
MALIGNANT NEOPLASMS (140-208)	22	17	165.9	183.5	125.2	27	15	215.0	227.6	195.5
DIABETES MELLITUS (250)	1	0	7.5	-	25.0	3	1	15.4	8.4	26.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	45	32	339.4	345.3	325.5	62	28	460.7	522.5	364.9
HYPERTENSION (401, 403)	2	0	15.1	-	50.1	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	9	5	67.9	54.0	100.2	11	7	92.1	92.7	91.2
ATHEROSCLEROSIS (440)	1	0	7.5	-	25.0	2	2	10.2	-	26.1
PNEUMONIA AND INFLUENZA (480-487)	4	2	30.2	21.6	50.1	6	6	30.7	50.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	45.2	64.8	-	6	5	30.7	42.1	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	15.1	21.6	-	1	0	5.1	-	13.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	15.1	21.6	-	8	6	41.0	50.6	26.1
INFECTIONS OF KIDNEY (590)	1	1	7.5	10.8	-	2	2	10.2	16.8	-
MATERNAL CAUSES (630-676)	0	0	-	-	-	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	7.5	-	25.0	1	0	5.1	-	13.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	9.8	-	24.7	1	0	3.2	-	6.2
ACCIDENTS (800-949)	12	4	90.5	43.2	200.3	14	7	71.7	59.0	91.2
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	52.8	21.6	125.2	3	1	15.4	8.4	26.1
SUICIDE (950-959)	2	2	15.1	21.6	-	3	3	15.4	25.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	4	45.2	43.2	50.1	4	2	20.5	16.8	26.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	7.5	10.8	-	19	7	97.3	59.0	156.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE AND LEFLORE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	2.4	6.2	-
MALIGNANT NEOPLASMS (140-208)	108	84	24	175.6	172.4	187.3	81	41	40	196.0	255.9	158.0
DIABETES MELLITUS (250)	5	2	3	8.1	4.1	23.4	10	1	9	24.2	6.2	35.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	219	161	58	356.0	330.5	452.7	182	100	82	440.4	624.2	324.0
HYPERTENSION (401, 403)	2	1	1	3.2	2.0	7.8	1	0	1	2.4	-	4.0
CEREBROVASCULAR DISEASES (430-438)	33	27	6	53.6	55.4	46.8	37	13	24	89.5	81.2	94.8
ATHEROSCLEROSIS (440)	4	4	0	6.5	8.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	21	15	6	34.1	30.8	46.8	7	2	5	16.9	12.5	19.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	24	22	2	39.0	45.2	15.6	5	4	1	12.1	25.0	4.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	4.9	6.2	-	5	4	1	12.1	25.0	4.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	1.6	2.0	-	2	2	0	4.8	12.5	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	3	2	8.1	6.2	15.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	3	2	4.8	4.1	6.6	6	0	6	8.5	-	11.8
ACCIDENTS (800-949)	20	16	4	32.5	32.8	31.2	27	11	16	65.3	68.7	63.2
MOTOR VEHICLE ACCIDENTS# (810-825)	13	11	2	21.1	22.6	15.6	13	8	5	31.4	49.9	19.8
SUICIDE (950-959)	9	8	1	14.6	16.4	7.8	6	5	1	14.5	31.2	4.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	2	4	9.8	4.1	31.2	6	0	6	14.5	-	23.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	3	3	9.8	6.2	23.4	4	2	2	9.7	12.5	7.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LINCOLN AND LOWNDES COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY				LOWNDES COUNTY				
	NUMBER		RATE**		NUMBER		RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TUBERCULOSIS (010-018)	1	1	0	3.1	4.4	-	0	-	-
MALIGNANT NEOPLASMS (140-208)	44	37	7	135.8	163.4	71.8	39	166.4	168.5
DIABETES MELLITUS (250)	7	3	4	21.6	13.2	41.0	4	11.2	17.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	125	99	26	385.9	437.3	266.6	64	266.9	276.6
HYPERTENSION (401, 403)	2	2	0	6.2	8.8	-	3	9.6	13.0
CEREBROVASCULAR DISEASES (430- 438)	23	14	9	71.0	61.8	92.3	11	49.8	47.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	3.2	5.1
PNEUMONIA AND INFLUENZA (480- 487)	3	1	2	9.3	4.4	20.5	4	19.3	17.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	10	2	37.0	44.2	20.5	3	27.3	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.1	4.4	-	2	6.4	8.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	4	1	15.4	17.7	10.2	1	4.8	4.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	1.6	4.3
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.1	4.4	-	1	1.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.4	-	7.1	1	4.5	8.5
ACCIDENTS (800-949)	16	10	6	49.4	44.2	61.5	8	35.4	34.6
MOTOR VEHICLE ACCIDENTS# (810-825)	7	5	2	21.6	22.1	20.5	4	19.3	17.3
SUICIDE (950-959)	0	0	0	-	-	-	5	8.0	-
HOMICIDE AND LEGAL INTER- VENTION (960-978)	4	1	3	12.3	4.4	30.8	3	8.0	8.6
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	14	8	6	43.2	35.3	61.5	2	8.0	13.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON AND MARION COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY				MARION COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	3.7	5.2
MALIGNANT NEOPLASMS (140-208)	84	39	45	177.4	175.5	179.1	190.6	203.6
DIABETES MELLITUS (250)	2	0	2	4.2	-	8.0	18.3	10.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	98	49	49	207.0	220.5	195.1	333.6	365.4
HYPERTENSION (401, 403)	4	0	4	8.4	-	15.9	7.3	10.4
CEREBROVASCULAR DISEASES (430-438)	33	9	24	69.7	40.5	95.5	124.6	78.3
ATHEROSCLEROSIS (440)	1	0	1	2.1	-	4.0	-	-
PNEUMONIA AND INFLUENZA (480-487)	14	7	7	29.6	31.5	27.9	55.0	62.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	10.6	18.0	4.0	33.0	41.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	6.3	9.0	4.0	7.3	10.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	4.2	4.5	4.0	14.7	10.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	3.7	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	-	-
CONGENITAL ANOMALIES (740-759)	5	2	3	10.6	9.0	11.9	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.1	-	1.8	5.4	4.0
ACCIDENTS (800-949)	16	8	8	33.8	36.0	31.8	80.7	73.1
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	6.3	9.0	4.0	47.7	41.8
SUICIDE (950-959)	2	1	1	4.2	4.5	4.0	14.7	15.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	8.4	-	15.9	7.3	10.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	40	7	33	84.5	31.5	131.4	102.6	78.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MARSHALL AND MONROE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	3.1	6.4	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	57	31	26	178.4	199.0	158.8	73	54	19	194.0	204.3	169.7
DIABETES MELLITUS (250)	3	1	2	9.4	6.4	12.2	4	2	2	10.6	7.6	17.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	74	30	44	231.6	192.6	268.7	168	107	61	446.5	404.8	544.8
HYPERTENSION (401, 403)	1	0	1	3.1	-	6.1	1	1	0	2.6	3.8	-
CEREBROVASCULAR DISEASES (430-438)	21	10	11	65.7	64.2	67.2	39	23	16	103.6	87.0	142.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	3	0	8.0	11.4	-
PNEUMONIA AND INFLUENZA (480-487)	9	5	4	28.2	32.1	24.4	13	9	4	34.6	34.0	35.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	18.8	25.7	12.2	12	12	0	31.9	45.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	6.3	12.8	-	3	3	0	8.0	11.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	12.5	12.8	12.2	4	1	3	10.6	3.8	26.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	3.1	-	6.1	1	1	0	2.6	3.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1.8	-	2.9	2	1	1	3.4	2.8	4.3
ACCIDENTS (800-949)	30	11	19	93.9	70.6	116.0	28	23	5	74.4	87.0	44.6
MOTOR VEHICLE ACCIDENTS# (810-825)	20	5	15	62.6	32.1	91.6	15	13	2	39.9	49.2	17.9
SUICIDE (950-959)	2	1	1	6.3	6.4	6.1	3	3	0	8.0	11.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	3	5	25.0	19.2	30.5	1	0	1	2.6	-	8.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	28	9	19	87.6	57.8	116.0	14	10	4	37.2	37.8	35.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY AND NESHOBA COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOBA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	32	20	12	235.7	240.3	228.3	51	40	11	202.7	223.9	150.7
DIABETES MELLITUS (250)	1	0	1	7.4	-	19.0	6	4	2	23.8	22.4	27.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	88	45	43	648.1	540.7	818.1	74	64	10	294.1	358.2	137.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	20	13	7	147.3	156.2	133.2	26	19	7	103.3	106.3	95.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	3	0	11.9	16.8	-
PNEUMONIA AND INFLUENZA (480-487)	6	3	3	44.2	36.0	57.1	8	7	1	31.8	39.2	13.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	8	1	66.3	96.1	19.0	7	6	1	27.8	33.6	13.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	7.4	12.0	-	5	1	4	19.9	5.6	54.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	7.4	12.0	-	5	1	4	19.9	5.6	54.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	4	1	3	15.9	5.6	41.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	0	1	2.8	-	5.1
ACCIDENTS (800-949)	7	4	3	51.6	48.1	57.1	19	9	10	75.5	50.4	137.0
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	44.2	48.1	38.0	16	8	8	63.6	44.8	109.6
SUICIDE (950-959)	0	0	0	-	-	-	3	3	0	11.9	16.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	14.7	-	38.0	3	0	3	11.9	-	41.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	4	3	51.6	48.1	57.1	28	23	5	111.3	128.7	68.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF NEWTON AND NOXUBEE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	8.0	-	12.3
MALIGNANT NEOPLASMS (140-208)	34	27	7	166.9	189.5	114.3	20	10	10	159.0	225.2	122.9
DIABETES MELLITUS (250)	6	5	1	29.5	35.1	16.3	1	0	1	8.0	-	12.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	104	74	30	510.6	519.3	490.0	36	16	20	286.3	360.3	245.8
CEREBROVASCULAR DISEASES (430-438)	0	0	0	-	-	-	0	0	0	-	-	-
HYPERTENSION (401, 403)	10	8	2	49.1	56.1	32.7	14	3	11	111.3	67.6	135.2
ATHEROSCLEROSIS (440)	3	3	0	14.7	21.0	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	4.9	7.0	-	2	0	2	15.9	-	24.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	9.8	14.0	-	3	1	2	23.8	22.5	24.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.9	7.0	-	1	1	0	8.0	22.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	19.6	21.0	16.3	3	0	3	23.8	-	36.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	8.0	-	12.3
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	380.2	-	480.8
CONGENITAL ANOMALIES (740-759)	2	2	0	9.8	14.0	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	7.1	7.4	6.8	2	1	1	7.6	18.2	4.8
ACCIDENTS (800-949)	12	7	5	58.9	49.1	81.7	11	1	10	87.5	22.5	122.9
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	34.4	28.1	49.0	5	0	5	39.8	-	61.5
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	9.8	7.0	16.3	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	13	8	5	63.8	56.1	81.7	21	3	18	167.0	67.6	221.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA AND PANOLA COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	61	33	28	150.4	128.4	188.3	69	39	30	240.6	260.9	218.6
DIABETES MELLITUS (250)	8	3	5	19.7	11.7	33.6	7	1	6	24.4	6.7	43.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	86	47	39	212.0	182.8	262.3	98	61	37	341.8	408.1	269.6
HYPERTENSION (401, 403)	2	0	2	4.9	-	13.4	1	0	1	3.5	-	7.3
CEREBROVASCULAR DISEASES (430-438)	22	11	11	54.2	42.8	74.0	33	17	16	115.1	113.7	116.6
ATHEROSCLEROSIS (440)	2	2	0	4.9	7.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	12.3	11.7	13.4	9	7	2	31.4	46.8	14.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	17.2	23.3	6.7	10	5	5	34.9	33.4	36.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	4.9	7.8	-	1	1	0	3.5	6.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	9.9	7.8	13.4	7	3	4	24.4	20.1	29.1
INFECTIONS OF KIDNEY (590)	1	0	1	2.5	-	6.7	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	2	1	10.5	13.4	7.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	1.9	5.3	-
ACCIDENTS (800-949)	14	9	5	34.5	35.0	33.6	18	10	8	62.8	66.9	58.3
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	14.8	15.6	13.4	11	6	5	38.4	40.1	36.4
SUICIDE (950-959)	4	3	1	9.9	11.7	6.7	1	1	0	3.5	6.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	9.9	-	26.9	3	0	3	10.5	-	21.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	2	3	12.3	7.8	20.2	6	3	3	20.9	20.1	21.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PEARL RIVER AND PERRY COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	2.6	3.1	-	0	-	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	82	69	13	217.4	212.9	244.8	20	18	2	195.7	218.3	101.3
DIABETES MELLITUS (250)	4	3	1	10.6	9.2	18.8	2	1	1	19.6	12.1	50.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	147	126	21	389.7	388.8	395.5	33	29	4	322.9	351.8	202.5
HYPERTENSION (401, 403)	1	1	0	2.6	3.1	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	19	14	5	50.4	43.2	94.2	8	5	3	78.3	60.6	151.9
ATHEROSCLEROSIS (440)	2	2	0	5.3	6.2	-	1	1	0	9.8	12.1	-
PNEUMONIA AND INFLUENZA (480-487)	8	6	2	21.2	18.5	37.7	4	1	3	39.1	12.1	151.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	10	1	29.2	30.8	18.8	1	1	0	9.8	12.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	5.3	6.2	-	1	1	0	9.8	12.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	6	1	18.6	18.5	18.8	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	0	1	2.6	-	18.8	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	2.6	3.1	-	1	1	0	9.8	12.1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	2	2	6.8	4.1	20.8	0	0	0	-	-	-
ACCIDENTS (800-949)	27	26	1	71.6	80.2	18.8	11	10	1	107.6	121.3	50.6
MOTOR VEHICLE ACCIDENTS# (810-825)	18	17	1	47.7	52.4	18.8	10	9	1	97.8	109.2	50.6
SUICIDE (950-959)	5	5	0	13.2	15.4	-	2	2	0	19.6	24.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	5.3	6.2	-	1	1	0	9.8	12.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	2	1	8.0	6.2	18.8	5	3	2	48.9	36.4	101.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE AND PONTOTOC COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY				PONTOTOC COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	1	0	1	2.6	-	5.9	0	-
MALIGNANT NEOPLASMS (140-208)	78	51	27	206.4	243.7	160.1	46	216.6
DIABETES MELLITUS (250)	8	4	4	21.2	19.1	23.7	3	10.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	138	79	59	365.2	377.5	349.9	89	422.9
HYPERTENSION (401, 403)	1	1	0	2.6	4.8	-	0	-
CEREBROVASCULAR DISEASES (430-438)	56	34	22	148.2	162.5	130.5	26	118.6
ATHEROSCLEROSIS (440)	1	1	0	2.6	4.8	-	5	20.6
PNEUMONIA AND INFLUENZA (480-487)	12	10	2	31.8	47.8	11.9	12	56.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	6	4	26.5	28.7	23.7	6	30.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	4	1	13.2	19.1	5.9	0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	5.3	4.8	5.9	1	5.2
INFECTIONS OF KIDNEY (590)	1	1	0	2.6	4.8	-	0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	-
CONGENITAL ANOMALIES (740-759)	3	3	0	7.9	14.3	-	2	5.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	3	9.4	9.1	9.6	0	-
ACCIDENTS (800-949)	16	8	8	42.3	38.2	47.4	12	46.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	15.9	14.3	17.8	7	30.9
SUICIDE (950-959)	2	1	1	5.3	4.8	5.9	5	25.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	2	7	23.8	9.6	41.5	1	5.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	5	7	31.8	23.9	41.5	1	5.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PRENTISS AND QUITMAN COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY				QUITMAN COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	-	-
MALIGNANT NEOPLASMS (140-208)	43	41	2	163.3	175.0	68.8	191.5	229.8
DIABETES MELLITUS (250)	3	2	1	11.4	8.5	34.4	26.1	19.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	65	63	2	246.8	268.9	68.8	383.1	402.1
HYPERTENSION (401, 403)	5	5	0	19.0	21.3	-	-	-
CEREBROVASCULAR DISEASES (430-438)	20	20	0	75.9	85.4	-	139.3	76.6
ATHEROSCLEROSIS (440)	2	2	0	7.6	8.5	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	19.0	21.3	-	43.5	57.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	10	0	38.0	42.7	-	26.1	57.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	7.6	8.5	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	7.6	4.3	34.4	8.7	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	8.7	19.1
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	448.4	606.1
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	8.5	6.9	15.4	9.0	12.1
ACCIDENTS (800-949)	18	16	2	68.3	68.3	68.8	87.1	95.8
MOTOR VEHICLE ACCIDENTS# (810-825)	12	11	1	45.6	46.9	34.4	17.4	31.9
SUICIDE (950-959)	2	2	0	7.6	8.5	-	8.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	7.6	4.3	34.4	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	39	35	4	148.1	149.4	137.7	17.4	38.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN AND SCOTT COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	104	76	28	136.5	121.4	206.4	48	38	10	187.6	235.6	105.7
DIABETES MELLITUS (250)	12	7	5	15.8	11.2	36.9	2	0	2	7.8	-	21.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	188	149	39	246.8	237.9	287.5	91	56	35	355.7	347.3	370.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	3.9	-	10.6
CEREBROVASCULAR DISEASES (430-438)	39	22	17	51.2	35.1	125.3	17	11	6	66.4	68.2	63.4
ATHEROSCLEROSIS (440)	5	3	2	6.6	4.8	14.7	6	5	1	23.4	31.0	10.6
PNEUMONIA AND INFLUENZA (480-487)	24	16	8	31.5	25.5	59.0	6	4	2	23.4	24.8	21.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	14	3	22.3	22.4	22.1	8	6	2	31.3	37.2	21.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	6	0	7.9	9.6	-	2	1	1	7.8	6.2	10.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	3.9	3.2	7.4	3	2	1	11.7	12.4	10.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	2.6	1.6	7.4	4	3	1	15.6	18.6	10.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	2.6	2.2	4.2	2	0	2	4.9	-	10.6
ACCIDENTS (800-949)	30	24	6	39.4	38.3	44.2	23	10	13	89.9	62.0	137.4
MOTOR VEHICLE ACCIDENTS# (810-825)	18	15	3	23.6	24.0	22.1	13	6	7	50.8	37.2	74.0
SUICIDE (950-959)	12	12	0	15.8	19.2	-	7	7	0	27.4	43.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	5	3	10.5	8.0	22.1	7	4	3	27.4	24.8	31.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	17	9	8	22.3	14.4	59.0	11	5	6	43.0	31.0	63.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SHARKEY AND SIMPSON COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY				SIMPSON COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	-	-
MALIGNANT NEOPLASMS (140-208)	29	13	16	376.7	490.0	316.7	231.6	203.5
DIABETES MELLITUS (250)	1	1	0	13.0	37.7	-	19.6	17.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	30	17	13	389.7	640.8	257.3	341.5	311.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	-	-
CEREBROVASCULAR DISEASES (430- 438)	9	0	9	116.9	-	178.1	66.7	56.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3.9	-
PNEUMONIA AND INFLUENZA (480- 487)	5	2	3	64.9	75.4	59.4	43.2	56.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	26.0	37.7	19.8	23.6	33.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	11.8	17.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	39.0	-	59.4	11.8	11.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	13.0	-	19.8	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	3	30.9	58.8	23.4	-	-
ACCIDENTS (800-949)	3	0	3	39.0	-	59.4	62.8	62.2
MOTOR VEHICLE ACCIDENTS# (810-825)	0	0	0	-	-	-	39.2	45.2
SUICIDE (950-959)	0	0	0	-	-	-	7.8	5.6
HOMICIDE AND LEGAL INTER- VENTION (960-978)	2	0	2	26.0	-	39.6	23.6	17.0
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	6	3	3	77.9	113.1	59.4	15.7	22.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH AND STONE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY				STONE COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	-	-
MALIGNANT NEOPLASMS (140-208)	27	21	6	171.0	167.6	183.9	187.2	220.6
DIABETES MELLITUS (250)	4	3	1	25.3	23.9	30.6	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	38	36	2	240.7	287.4	61.3	383.8	355.3
HYPERTENSION (401, 403)	1	0	1	6.3	-	30.6	-	-
CEREBROVASCULAR DISEASES (430-438)	11	9	2	69.7	71.8	61.3	103.0	85.8
ATHEROSCLEROSIS (440)	4	4	0	25.3	31.9	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	31.7	31.9	30.6	18.7	12.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	25.3	31.9	-	37.4	36.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	28.1	36.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	6.3	-	30.6	18.7	12.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	12.7	16.0	-	9.4	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	5.6	8.0
ACCIDENTS (800-949)	8	8	0	50.7	63.9	-	37.4	49.0
MOTOR VEHICLE ACCIDENTS# (810-825)	5	5	0	31.7	39.9	-	37.4	49.0
SUICIDE (950-959)	0	0	0	-	-	-	9.4	12.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	28.1	12.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	21	16	5	133.0	127.7	153.2	18.7	24.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SUNFLOWER AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY					TALLAHATCHIE COUNTY				
	NUMBER		RATE**		TOTAL	NUMBER		RATE**		TOTAL
	TOTAL	NON-WHITE	WHITE	NON-WHITE		WHITE	TOTAL	NON-WHITE	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	59	27	171.4	246.9	32	17	200.8	241.6	168.5	200.8
DIABETES MELLITUS (250)	4	2	11.6	15.4	7	3	43.9	42.6	44.9	43.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	109	62	316.8	362.6	55	29	345.2	412.2	292.0	345.2
HYPERTENSION (401, 403)	4	3	11.6	7.7	2	1	12.6	14.2	11.2	12.6
CEREBROVASCULAR DISEASES (430-438)	38	10	110.4	77.2	14	6	87.9	85.3	89.8	87.9
ATHEROSCLEROSIS (440)	1	0	2.9	-	2	1	12.6	14.2	11.2	12.6
PNEUMONIA AND INFLUENZA (480-487)	10	7	29.1	23.1	1	1	6.3	14.2	-	6.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	14.5	23.1	2	2	12.6	28.4	-	12.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	2.9	7.7	1	0	6.3	-	11.2	6.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	2	20.3	15.4	4	3	25.1	42.6	11.2	25.1
INFECTIONS OF KIDNEY (590)	0	0	-	-	0	0	-	-	-	-
MATERNAL CAUSES (630-676)	1	0	167.2	-	0	0	-	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	5.8	-	1	1	6.3	14.2	-	6.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	8	0	13.4	-	5	0	17.1	-	22.9	17.1
ACCIDENTS (800-949)	18	13	52.3	38.6	10	3	62.8	42.6	78.6	62.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	1	26.2	7.7	4	1	25.1	14.2	33.7	25.1
SUICIDE (950-959)	2	1	5.8	7.7	1	1	6.3	14.2	-	6.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	1	20.3	7.7	3	0	18.8	-	33.7	18.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	2	20.3	15.4	10	3	62.8	42.6	78.6	62.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE AND TIPPAH COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	42	31	11	198.2	242.9	130.4	33	26	7	165.4	155.2	218.3
DIABETES MELLITUS (250)	0	0	0	-	-	-	2	2	0	10.0	11.9	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	48	33	15	226.5	258.6	177.9	59	53	6	295.6	316.4	187.1
HYPERTENSION (401, 403)	1	0	1	4.7	-	11.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	11	5	75.5	86.2	59.3	22	17	5	110.2	101.5	155.9
ATHEROSCLEROSIS (440)	2	2	0	9.4	15.7	-	3	2	1	15.0	11.9	31.2
PNEUMONIA AND INFLUENZA (480-487)	6	5	1	28.3	39.2	11.8	3	3	0	15.0	17.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	4	4	37.8	31.3	47.4	1	1	0	5.0	6.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	4.7	7.8	-	5	3	2	25.0	17.9	62.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	5.0	6.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.4	5.6	7.4	3	3	0	10.1	12.3	-
ACCIDENTS (800-949)	15	7	8	70.8	54.8	94.9	18	12	6	90.2	71.6	187.1
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	42.5	39.2	47.4	8	6	2	40.1	35.8	62.4
SUICIDE (950-959)	0	0	0	-	-	-	8	8	0	40.1	47.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	14.2	-	35.6	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	4	4	37.8	31.3	47.4	41	35	6	205.4	208.9	187.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TISHOMINGO AND TUNICA COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	40	38	2	204.3	202.3	249.4	21	9	12	234.4	366.9	184.4
DIABETES MELLITUS (250)	3	3	0	15.3	16.0	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	60	6	337.1	319.4	748.1	35	11	24	390.7	448.4	368.8
CEREBROVASCULAR DISEASES (430-438)	0	0	0	-	-	-	0	0	0	-	-	-
ATHEROSCLEROSIS (440)	14	13	1	71.5	69.2	124.7	9	3	6	100.5	122.3	92.2
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	5.1	5.3	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	15.3	16.0	-	5	1	4	55.8	40.8	61.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	8	8	0	40.9	42.6	-	4	3	1	44.6	122.3	15.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	15.3	16.0	-	1	1	0	11.2	40.8	-
INFECTIONS OF KIDNEY (590)	2	2	0	10.2	10.6	-	3	1	2	33.5	40.8	30.7
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	5.1	5.3	-	0	0	0	-	-	-
ACCIDENTS (800-949)	0	0	0	-	-	-	1	1	0	5.0	29.4	-
MOTOR VEHICLE ACCIDENTS# (810-825)	18	18	0	91.9	95.8	-	6	1	5	67.0	40.8	76.8
SUICIDE (950-959)	8	8	0	40.9	42.6	-	2	0	2	22.3	-	30.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	10.2	10.6	-	4	4	0	44.6	163.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	15.3	16.0	-	2	0	2	22.3	-	30.7
	5	5	0	25.5	26.6	-	7	3	4	78.1	122.3	61.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION AND WALTHALL COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	57	48	9	247.4	240.1	294.9	28	21	7	193.9	248.5	116.9
DIABETES MELLITUS (250)	2	2	0	8.7	10.0	-	2	2	0	13.8	23.7	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	70	58	12	303.9	290.1	393.2	51	34	17	353.2	402.3	284.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	13.8	11.8	16.7
CEREBROVASCULAR DISEASES (430-438)	19	16	3	82.5	80.0	98.3	10	9	1	69.3	106.5	16.7
ATHEROSCLEROSIS (440)	3	2	1	13.0	10.0	32.8	4	3	1	27.7	35.5	16.7
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	34.7	40.0	-	1	1	0	6.9	11.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	34.7	40.0	-	4	3	1	27.7	35.5	16.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	17.4	15.0	32.8	3	3	0	20.8	35.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	8.7	10.0	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	1	0	4.3	5.0	-	2	2	0	13.8	23.7	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.3	5.0	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	11	11	0	47.8	55.0	-	8	8	0	55.4	23.7	100.2
ACCIDENTS (800-949)	8	8	0	34.7	40.0	-	1	1	0	4.2	-	7.0
MOTOR VEHICLE ACCIDENTS# (810-825)	3	3	0	13.0	15.0	-	2	2	0	13.8	23.7	16.7
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	13.8	23.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	2	2	0	13.8	23.7	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	9	8	1	39.1	40.0	32.8	7	4	3	48.5	47.3	50.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WARREN AND WASHINGTON COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	1.4	-	2.4
MALIGNANT NEOPLASMS (140-208)	107	53	54	196.6	160.1	253.2	123	56	67	169.6	180.4	161.5
DIABETES MELLITUS (250)	8	2	6	14.7	6.0	28.1	5	1	4	6.9	3.2	9.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	187	111	76	343.6	335.3	356.3	303	114	189	417.9	367.3	455.7
HYPERTENSION (401, 403)	4	1	3	7.3	3.0	14.1	5	0	5	6.9	-	12.0
CEREBROVASCULAR DISEASES (430-438)	55	25	30	101.0	75.5	140.6	52	20	32	71.7	64.4	77.2
ATHEROSCLEROSIS (440)	5	3	2	9.2	9.1	9.4	6	2	4	8.3	6.4	9.6
PNEUMONIA AND INFLUENZA (480-487)	9	6	3	16.5	18.1	14.1	17	7	10	23.4	22.6	24.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	2	9.2	9.1	9.4	21	15	6	29.0	48.3	14.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	1.8	-	4.7	12	10	2	16.6	32.2	4.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	0	7	12.9	-	32.8	14	4	10	19.3	12.9	24.1
INFECTIONS OF KIDNEY (590)	1	1	0	1.8	3.0	-	2	1	1	2.8	3.2	2.4
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	5.5	3.0	9.4	8	3	5	11.0	9.7	12.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	1	5	7.8	2.8	12.1	5	0	5	3.7	-	5.4
ACCIDENTS (800-949)	26	12	14	47.8	36.2	65.6	39	18	21	53.8	58.0	50.6
MOTOR VEHICLE ACCIDENTS# (810-825)	12	8	4	22.0	24.2	18.8	19	11	8	26.2	35.4	19.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	3	3	11.0	9.1	14.1	7	3	4	9.6	9.7	9.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	2	5	12.9	6.0	23.4	14	4	10	19.3	12.9	24.1
	13	7	6	23.9	21.1	28.1	33	7	26	45.5	22.6	62.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE AND WEBSTER COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY					WEBSTER COUNTY				
	NUMBER		RATE**		TOTAL	NUMBER		RATE**		TOTAL
	TOTAL	WHITE	NON-WHITE	TOTAL		WHITE	NON-WHITE	WHITE	NON-WHITE	
TUBERCULOSIS (010-018)	0	0	0	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	32	21	11	158.8	34	27	7	321.0	331.0	374.3
DIABETES MELLITUS (250)	5	4	1	24.8	3	1	2	11.9	29.2	107.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	50	16	327.5	34	31	3	368.9	331.0	160.4
HYPERTENSION (401, 403)	0	0	0	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	8	3	54.6	7	6	1	71.4	68.1	53.5
ATHEROSCLEROSIS (440)	1	1	0	5.0	1	1	0	11.9	9.7	-
PNEUMONIA AND INFLUENZA (480-487)	8	7	1	39.7	2	2	0	23.8	19.5	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	29.8	7	7	0	83.3	68.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	9.9	1	1	0	11.9	9.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	24.8	3	2	1	23.8	29.2	53.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	9.9	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	0	0	0	-	-	-
ACCIDENTS (800-949)	15	11	4	74.4	2	2	0	23.8	19.5	-
MOTOR VEHICLE ACCIDENTS# (810-825)	9	6	3	44.7	1	1	0	11.9	9.7	-
SUICIDE (950-959)	0	0	0	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	14.9	2	0	2	-	19.5	107.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	3	2	24.8	2	2	0	11.9	19.5	53.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WILKINSON AND WINSTON COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	22	11	11	229.2	356.7	168.8	41	31	10	205.6	260.8	124.0
DIABETES MELLITUS (250)	5	1	4	52.1	32.4	61.4	7	1	6	35.1	8.4	74.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	22	25	489.7	713.4	383.6	71	44	27	356.0	370.2	334.8
HYPERTENSION (401, 403)	1	0	1	10.4	-	15.3	3	1	2	15.0	8.4	24.8
CEREBROVASCULAR DISEASES (430-438)	12	4	8	125.0	129.7	122.7	23	15	8	115.3	126.2	99.2
ATHEROSCLEROSIS (440)	3	1	2	31.2	32.4	30.7	1	1	0	5.0	8.4	-
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	20.8	64.8	-	7	5	2	35.1	42.1	24.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	52.1	162.1	-	6	6	0	30.1	50.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	31.2	32.4	30.7	3	2	1	15.0	16.8	12.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	10.4	-	15.3	4	1	3	20.0	8.4	37.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	5.0	8.4	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.6	-	7.6	1	0	1	3.3	-	5.8
ACCIDENTS (800-949)	9	2	7	93.8	64.8	107.4	12	3	9	60.2	25.2	111.6
MOTOR VEHICLE ACCIDENTS# (810-825)	6	2	4	62.5	64.8	61.4	8	3	5	40.1	25.2	62.0
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	10.0	16.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	20.8	32.4	15.3	2	1	1	10.0	8.4	12.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	1	5	62.5	32.4	76.7	3	1	2	15.0	8.4	24.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	40	29	11	296.3	355.0	206.1	67	33	34	247.3	242.4	242.4
DIABETES MELLITUS (250)	2	1	1	14.8	12.2	18.7	9	4	5	30.0	35.6	35.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	42	31	11	311.1	379.4	206.1	127	62	65	464.6	463.5	463.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	0	2	-	14.3	14.3
CEREBROVASCULAR DISEASES (430-438)	19	9	10	140.7	110.2	187.4	24	11	13	87.7	92.7	92.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	16	12	4	58.5	89.9	28.5
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	29.6	24.5	37.5	9	6	3	32.9	45.0	21.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	22.2	36.7	-	4	4	0	14.6	30.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	14.8	12.2	18.7	2	1	1	7.3	7.5	7.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	0	3	22.2	-	56.2	3	1	2	11.0	7.5	14.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	3.6	-	7.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	4	1	3	8.0	9.4	9.4
ACCIDENTS (800-949)	14	11	3	103.7	134.6	56.2	20	15	5	73.1	112.4	35.6
MOTOR VEHICLE ACCIDENTS# (810-825)	10	8	2	74.1	97.9	37.5	12	10	2	43.8	74.9	14.3
SUICIDE (950-959)	2	1	1	14.8	12.2	18.7	4	3	1	14.6	22.5	7.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	7.4	-	18.7	3	2	1	11.0	15.0	7.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	14.8	24.5	-	4	2	2	14.6	15.0	14.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF STATE OF MISSISSIPPI, 1986

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER		RATE**			
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	26	11	15	1.0	0.6	1.6
MALIGNANT NEOPLASMS (140-208)	4,962	3,366	1,596	186.8	197.7	167.2
DIABETES MELLITUS (250)	400	199	201	15.0	11.7	21.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	8,813	5,853	2,960	331.7	343.8	310.2
HYPERTENSION (401, 403)	126	55	71	4.7	3.2	7.4
CEREBROVASCULAR DISEASES (430-438)	1,906	1,123	783	71.7	66.0	82.0
ATHEROSCLEROSIS (440)	193	136	57	7.3	8.0	6.0
PNEUMONIA AND INFLUENZA (480-487)	681	471	210	25.6	27.7	22.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	693	575	118	26.1	33.8	12.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	236	177	59	8.9	10.4	6.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	287	140	147	10.8	8.2	15.4
INFECTIONS OF KIDNEY (590)	36	25	11	1.4	1.5	1.2
MATERNAL CAUSES (630-676)	3	0	3	7.2	-	15.1
CONGENITAL ANOMALIES (740-759)	148	81	67	5.6	4.8	7.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	221	76	145	5.3	3.4	7.3
ACCIDENTS (800-949)	1,474	919	555	55.5	54.0	58.2
MOTOR VEHICLE ACCIDENTS# (810-825)	782	528	254	29.4	31.0	26.6
SUICIDE (950-959)	292	246	46	11.0	14.4	4.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	344	125	219	12.9	7.3	23.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	917	437	480	34.5	25.7	50.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 18
 LIVE BIRTHS AND RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1986,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1986)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

TABLE 18 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1986

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8

* Births per 1,000 population.

TABLE 19
 DEATHS AND RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1986,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1986)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

TABLE 19 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1986

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	NOT AVAILABLE
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	NOT AVAILABLE
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	NOT AVAILABLE
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	NOT AVAILABLE
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	NOT AVAILABLE
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	NOT AVAILABLE
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	NOT AVAILABLE
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	NOT AVAILABLE
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	NOT AVAILABLE
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	NOT AVAILABLE
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	NOT AVAILABLE
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1

* Deaths per 1,000 population.

TABLE 20
 MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1986,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1986)

Year	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	469	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

TABLE 20 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1986

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 21
 INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1917-1986,
 (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1986)

Year	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

TABLE 21 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1986

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2

* Deaths of children under 1 year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 22
 NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1986,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1986)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

TABLE 22 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-1986

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 23
 POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1986,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1986)

Year	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

TABLE 23 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1986

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 24
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1986

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

TABLE 24 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1986

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.