




Vital Statistics Mississippi 1988



Bureau of Information Resources
Division of Public Health Statistics
P.O. Box 1700
Jackson, Mississippi 39215-1700

Telephone: 601/960-7960

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Rates	2
Classification of Cause of Death	3
SUMMARY TABLES, 1988	
POPULATION	
Table P1. Population Projections and Percentage Distribution, by Age, Race, and Sex	7
LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1988	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age of Mother and Race	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race	12
Table A10. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race	13
FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race	14
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	15
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race	15
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1986-1988	16
DEATHS	
Table C1. Deaths and Average per Day, by Month	17
Table C2. Deaths, Percentage Distribution, and Rates, by Age and Race	17
Table C3A. Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race	18
Table C3B. Death Rates, by Age, Race, and Sex	18
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	19
Table C5. Deaths, Percent of Total Deaths, and Rates from Five Leading Causes, by Age and Cause	20

SUMMARY TABLES, 1988

DEATHS (continued)

Table C6.	Deaths and Rates from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race	21
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1963, 1968, 1973, 1978, 1983, 1988	21
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	22
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	23
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1988	24
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race	25
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	25

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	26
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	27
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	28
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	29
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	30
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	31

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	32
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	32
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	33

INDUCED TERMINATIONS

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	34
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	35
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	36

MAJOR TABLES, 1988

POPULATION

Table i.	Population Projections and Percent Change Since 1980 Census, by County and Race, Mississippi, 1988	39
----------	--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1988	41
-----------	---	----

MAJOR TABLES, 1988

Page

LIVE BIRTHS (continued)

Table 1B.	Fertility Rates, by County of Residence and Race, Mississippi, 1988	44
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1988	45
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1988	48
Table 3B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1988	50
Table 3C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1988	52
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1988	54
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1988	56
Table 5B.	White Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1988	58
Table 5C.	Nonwhite Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1988	60
Table 6.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1988	62
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1988	64

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1988	66
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1988	68
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1988	71
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1988	86
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1988	93
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1984-1988 (5-Year Average)	95
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1988	97
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1988	99

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1988	101
-----------	--	-----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1988	103
-----------	--	-----

MAJOR TABLES, 1988

INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1988	105
-----------	---	-----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	107
	The State	127

TIME SERIES TABLES

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1988, (Occurrence Data 1913-1943, Residence Data 1944-1988)	131
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1988, (Occurrence Data 1913-1943, Residence Data 1944-1988)	133
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1988, (Occurrence Data 1913-1943, Residence Data 1944-1988)	135
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1988, (Occurrence Data 1917-1943, Residence Data 1944-1988)	137
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1988, (Occurrence Data 1924-1944, Residence Data 1945-1988)	139
Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1988, (Occurrence Data 1924-1943, Residence Data 1944-1988)	141
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1988	143
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1988	145

VITAL STATISTICS MISSISSIPPI, 1988

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1988; the second part contains major statistical tables for 1988. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1986, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Introduction Mississippi - 1988

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Population figures used in this publication are based on projections of population that were developed by the Mississippi Research and Development Center. A data tape containing population projections for the years 1985, 1990, 1995, 2000, 2005, and 2010 by county of residence, age group, race, and sex was obtained by the Department of Health, which then produced a straight-line projection for 1988 based on the data for 1985 and 1990. All figures were rounded to whole numbers, and, because of this method of calculation, figures by race and by sex do not add up to the total figures.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1988

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

POPULATION

TABLE P1. POPULATION PROJECTIONS AND PERCENTAGE DISTRIBUTION, BY AGE, RACE, AND SEX
MISSISSIPPI, 1988

AGE	NUMBER				PERCENT					
	TOTAL	WHITE		NONWHITE		TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE		MALE	FEMALE	MALE	FEMALE
TOTAL	2,748,786	863,935	895,834	467,059	522,203	100.0	100.0	100.0	100.0	100.0
0-4	273,096	70,631	68,069	68,346	66,065	9.9	8.2	7.6	14.6	12.6
5-9	244,455	65,116	62,259	59,245	57,843	8.9	7.5	7.0	12.7	11.1
10-14	215,227	62,609	59,053	46,820	46,769	7.8	7.2	6.6	10.0	9.0
15-19	220,950	66,357	62,603	46,182	45,831	8.0	7.7	7.0	9.9	8.8
20-24	238,038	72,684	68,577	48,082	48,709	8.7	8.4	7.6	10.3	9.3
25-29	246,474	78,540	75,138	44,251	48,555	9.0	9.1	8.4	9.5	9.3
30-34	216,605	72,987	71,705	32,758	39,171	7.9	8.4	8.0	7.0	7.5
35-39	185,846	65,684	65,903	24,718	29,555	6.8	7.6	7.4	5.3	5.7
40-44	157,378	58,200	58,929	17,966	22,294	5.7	6.7	6.6	3.8	4.3
45-49	130,199	48,495	49,834	13,693	18,191	4.7	5.6	5.6	2.9	3.5
50-54	115,620	42,755	44,373	11,634	16,881	4.2	4.9	5.0	2.5	3.2
55-59	109,799	39,638	42,983	10,803	16,378	4.0	4.6	4.8	2.3	3.1
60-64	106,809	37,180	42,994	10,513	16,156	3.9	4.3	4.8	2.2	3.1
65-69	96,497	31,733	39,998	9,934	14,839	3.5	3.7	4.5	2.1	2.8
70-74	85,009	25,397	35,631	9,673	14,326	3.1	2.9	4.0	2.1	2.7
75 & OVER	106,784	25,929	47,785	12,441	20,640	3.9	3.0	5.3	2.7	4.0
UNDER 15	732,778	198,356	189,381	174,411	170,677	26.6	23.0	21.1	37.3	32.7
15-64	1,727,718	582,520	583,039	260,600	301,721	62.8	67.4	65.1	55.8	57.8
65 & OVER	288,290	83,059	123,414	32,048	49,805	10.5	9.6	13.8	6.9	9.5

NOTE: FIGURES BY SEX AND BY RACE DO NOT ADD TO TOTAL BECAUSE OF THE METHOD OF CALCULATION. ALSO,
ALL FIGURES WERE ROUNDED TO WHOLE NUMBERS.

LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1988**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>42,040</u>	<u>115</u>			
JANUARY	3,388	109	JULY	3,896	126
FEBRUARY	3,128	112	AUGUST	4,059	131
MARCH	3,385	109	SEPTEMBER	3,883	129
APRIL	3,068	102	OCTOBER	3,448	111
MAY	3,237	104	NOVEMBER	3,517	117
JUNE	3,474	116	DECEMBER	3,557	115

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE
MISSISSIPPI, 1940, 1950, 1960, 1970-1988**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9	1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
1950	46.1	83.3	18.9	1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
1960	73.2	99.0	51.3	1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0
1970*	90.0	99.7	79.7	1982*	99.4	99.6	99.2
1971*	92.2	99.6	84.2	1983*	99.5	99.6	99.4
1972*	95.2	99.8	90.4	1984*	99.5	99.6	99.4
1973*	96.4	99.7	92.8	1985*	99.6	99.7	99.4
1974*	97.4	99.7	94.8	1986*	99.6	99.7	99.5
1975*	97.9	99.6	96.0	1987*	99.6	99.8	99.5
				1988*	99.6	99.7	99.6

* INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.

**TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY TYPE OF FACILITY, ATTENDANT, AND RACE
MISSISSIPPI, 1988**

TYPE OF FACILITY AND RACE	NUMBER					PERCENT					UN- KNOWN	
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE		OTHER NAMED PERSON
TOTAL	42,040	41,664	251	19	101	5	100.0	99.1	0.6	*	0.2	*
HOSPITAL HOME, ETC. ENROUTE TO HOS- PITAL UNKNOWN PLACE	41,896	41,623	242	0	31	0	99.6	99.0	0.6	-	0.1	-
	128	41	9	19	55	4	0.3	0.1	*	*	0.1	*
	15	0	0	0	15	0	*	-	-	-	*	-
	1	0	0	0	0	1	*	-	-	-	-	-
WHITE	21,685	21,594	40	18	31	2	100.0	99.6	0.2	0.1	0.1	*
HOSPITAL HOME, ETC. ENROUTE TO HOS- PITAL UNKNOWN PLACE	21,622	21,583	31	0	8	0	99.7	99.5	0.1	-	*	-
	59	11	9	18	20	1	0.3	*	*	0.1	0.1	*
	3	0	0	0	3	0	*	-	-	-	*	-
	1	0	0	0	0	1	*	-	-	-	-	-
NONWHITE	20,355	20,070	211	1	70	3	100.0	98.6	1.0	*	0.3	*
HOSPITAL HOME, ETC. ENROUTE TO HOS- PITAL UNKNOWN PLACE	20,274	20,040	211	0	23	0	99.6	98.4	1.0	-	0.1	-
	69	30	0	1	35	3	0.3	0.1	-	*	0.2	*
	12	0	0	0	12	0	*	-	-	-	*	-
	0	0	0	0	0	0	*	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1988**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	42,040	21,685	20,355	100.0	100.0	100.0	66.0	53.8	86.9
UNDER 15	316	50	266	0.8	0.2	1.3	3.0	0.8	5.7
15-19	8,380	3,072	5,308	19.9	14.2	26.1	77.3	49.1	115.8
20-24	13,960	7,035	6,925	33.2	32.4	34.0	119.0	102.6	142.2
25-29	11,296	6,880	4,416	26.9	31.7	21.7	91.3	91.6	90.9
30-34	5,875	3,513	2,362	14.0	16.2	11.6	53.0	49.0	60.3
35-39	1,877	982	895	4.5	4.5	4.4	19.7	14.9	30.3
40-44	316	145	171	0.8	0.7	0.8	3.9	2.5	7.7
45-49	11	3	8	**	**	**	0.2	0.1	0.4
UNKNOWN	9	5	4	**	**	**			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER AND RACE
MISSISSIPPI, 1988**

YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
FATHER									
MEDIAN YEARS COMPLETED*	12.7	12.8	12.6						
TOTAL LEGITIMATE BIRTHS	26,220	19,205	7,015	100.0	100.0	100.0			
0-6 YEARS	300	187	113	1.2	1.0	1.6	1.2	1.0	1.6
7-9 YEARS	1,866	1,462	404	7.2	7.7	5.9	8.4	8.7	7.5
10, 11 YEARS	3,177	2,165	1,012	12.3	11.4	14.7	20.6	20.0	22.3
12 YEARS	10,450	7,327	3,123	40.3	38.5	45.5	61.0	58.5	67.8
1-3 YEARS COLLEGE	5,304	3,924	1,380	20.5	20.6	20.1	81.4	79.1	87.9
4 OR MORE YEARS COLLEGE	4,808	3,975	833	18.6	20.9	12.1	100.0	100.0	100.0
UNKNOWN	315	165	150						
MOTHER									
MEDIAN YEARS COMPLETED*	12.5	12.7	12.3						
TOTAL BIRTHS	42,040	21,685	20,355	100.0	100.0	100.0			
0-6 YEARS	353	129	224	0.8	0.6	1.1	0.8	0.6	1.1
7-9 YEARS	4,637	2,053	2,584	11.1	9.5	12.8	11.9	10.1	13.9
10, 11 YEARS	7,211	2,644	4,567	17.2	12.2	22.6	29.1	22.3	36.4
12 YEARS	16,226	8,293	7,933	38.7	38.3	39.2	67.9	60.7	75.6
1-3 YEARS COLLEGE	8,528	4,896	3,632	20.4	22.6	17.9	88.2	83.3	93.5
4 OR MORE YEARS COLLEGE	4,921	3,612	1,309	11.8	16.7	6.5	100.0	100.0	100.0
UNKNOWN	164	58	106						

* CALCULATIONS EXCLUDE BIRTHS TO PARENTS WITH EDUCATION UNKNOWN; CALCULATIONS FOR FATHERS ALSO EXCLUDE ILLEGITIMATE BIRTHS.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1988**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	15,820	2,480	13,340	37.6	11.4	65.5
UNDER 15	306	41	265	96.8	82.0	99.6
15-19	5,942	990	4,952	70.9	32.2	93.3
20-24	5,598	824	4,774	40.1	11.7	68.9
25-29	2,432	396	2,036	21.5	5.8	46.1
30-34	1,078	173	905	18.3	4.9	38.3
35-39	378	43	335	20.1	4.4	37.4
40-44	78	10	68	24.7	6.9	39.8
45-49	3	0	3	27.3	-	37.5
UNKNOWN	5	3	2			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND
MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE
MISSISSIPPI, 1988**

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	42,040	21,685	20,355	100.0	100.0	100.0	66.0	53.8	86.9	24.4	25.4	23.1
FIRST	14,443	7,982	6,461	34.4	36.8	31.7	22.7	19.8	27.6	21.0	22.6	19.4
SECOND	12,929	7,292	5,637	30.8	33.6	27.7	20.3	18.1	24.1	24.6	25.8	22.8
THIRD	7,748	3,808	3,940	18.4	17.6	19.4	12.2	9.4	16.8	26.4	27.8	24.9
FOURTH	3,690	1,550	2,140	8.8	7.1	10.5	5.8	3.8	9.1	28.0	29.0	27.0
FIFTH	1,662	588	1,074	4.0	2.7	5.3	2.6	1.5	4.6	28.8	29.8	28.3
SIXTH	706	201	505	1.7	0.9	2.5	1.1	0.5	2.2	30.3	31.3	29.9
SEVENTH	339	77	262	0.8	0.4	1.3	0.5	0.2	1.1	32.1	33.6	31.8
EIGHTH	147	44	103	0.4	0.2	0.5	0.2	0.1	0.4	33.1	33.2	33.1
NINTH	101	18	83	0.2	0.1	0.4	0.2	#	0.4	34.5	35.2	34.5
TENTH & OVER	125	23	102	0.3	0.1	0.5	0.2	#	0.4	36.7	35.0	37.1
UNKNOWN	150	102	48	0.4	0.5	0.2	0.2	0.2	0.2			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY WHETHER MOTHER RECEIVED PRENATAL CARE, TIME DURING PREGNANCY CARE BEGAN, AND RACE MISSISSIPPI, 1988

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,040</u>	<u>21,685</u>	<u>20,355</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	430	129	301	1.0	0.6	1.5
<u>SOME PRENATAL CARE</u>	<u>41,401</u>	<u>21,482</u>	<u>19,919</u>	<u>98.5</u>	<u>99.1</u>	<u>97.8</u>
FIRST TRIMESTER	31,665	18,471	13,194	75.3	85.2	64.8
SECOND TRIMESTER	8,367	2,650	5,717	19.9	12.2	28.1
THIRD TRIMESTER	1,260	330	930	3.0	1.5	4.6
UNKNOWN MONTH	109	31	78	0.2	0.1	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	209	74	135	0.5	0.3	0.7

TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY MATURITY AND RACE MISSISSIPPI, 1988

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>42,040</u>	<u>21,685</u>	<u>20,355</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,475	530	945	3.5	2.4	4.6
PREMATURE ONLY**	3,786	1,322	2,464	9.0	6.1	12.1
BOTH IMMATURE AND PREMATURE	2,191	774	1,417	5.2	3.6	7.0
TOTAL IMMATURE	3,666	1,304	2,362	8.7	6.0	11.6
TOTAL PREMATURE	5,977	2,096	3,881	14.2	9.7	19.1
TOTAL IMMATURE AND/OR PREMATURE	7,452	2,626	4,826	17.7	12.1	23.7
NEITHER IMMATURE NOR PREMATURE**	34,588	19,059	15,529	82.3	87.9	76.3

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL MALFORMATIONS REPORTED ON LIVE BIRTH CERTIFICATES,
BY MALFORMATION AND RACE
MISSISSIPPI, 1988**

INTERNATIONAL CLASSIFICATION NUMBER*	MALFORMATION	TOTAL	WHITE	NON- WHITE
<u>740-759</u>	<u>TOTAL</u>	<u>326</u>	<u>158</u>	<u>168</u>
740-742	OF NERVOUS SYSTEM	31	12	19
743	OF EYE	2	2	0
744	OF EAR, FACE, AND NECK	3	2	1
745-747	OF CIRCULATORY SYSTEM	20	13	7
748	OF RESPIRATORY SYSTEM	9	6	3
<u>749-751</u>	<u>OF DIGESTIVE SYSTEM</u>	<u>58</u>	<u>32</u>	<u>26</u>
749	CLEFT PALATE AND CLEFT LIP	32	24	8
749.0	CLEFT PALATE	9	7	2
749.1	CLEFT LIP	9	4	5
749.2	CLEFT PALATE WITH CLEFT LIP	14	13	1
750,751	OTHER OF DIGESTIVE SYSTEM	26	8	18
752	OF GENITAL ORGANS	34	21	13
753	OF URINARY ORGANS	2	2	0
<u>754-756</u>	<u>OF MUSCULOSKELETAL SYSTEM</u>	<u>117</u>	<u>43</u>	<u>74</u>
754	CERTAIN MUSCULOSKELETAL ANOMALIES	21	14	7
<u>755</u>	<u>OF LIMBS</u>	<u>85</u>	<u>22</u>	<u>63</u>
755.0	POLYDACTYLY	63	6	57
755.1-755.9	OTHER	22	16	6
756	OTHER OF MUSCULOSKELETAL SYSTEM	11	7	4
757	OF THE INTEGUMENT	21	8	13
758	CHROMOSOMAL ANOMALIES	19	12	7
<u>759</u>	<u>OTHER AND UNSPECIFIED</u>	<u>10</u>	<u>5</u>	<u>5</u>
759.0-759.8	OTHER UNSPECIFIED	9	5	4
759.9	UNSPECIFIED	1	0	1

* FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

FETAL DEATHS

**TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE
MISSISSIPPI, 1988**

PLACE OF DELIVERY AND ATTENDANT	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>448</u>	<u>158</u>	<u>290</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>HOSPITAL</u>	<u>437</u>	<u>156</u>	<u>281</u>	<u>97.5</u>	<u>98.7</u>	<u>96.9</u>
PHYSICIAN	427	154	273	95.3	97.5	94.1
OTHER	3	0	3	0.7	-	1.0
UNKNOWN	7	2	5	1.6	1.3	1.7
<u>OTHER NAMED PLACE</u>	<u>9</u>	<u>1</u>	<u>8</u>	<u>2.0</u>	<u>0.6</u>	<u>2.8</u>
PHYSICIAN	1	0	1	0.2	-	0.3
OTHER	5	0	5	1.1	-	1.7
UNKNOWN	3	1	2	0.7	0.6	0.7
<u>EN ROUTE TO HOSPITAL OR BOA</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>0.4</u>	<u>0.6</u>	<u>0.3</u>
PHYSICIAN	1	1	0	0.2	0.6	-
UNKNOWN	1	0	1	0.2	-	0.3

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1988**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>448</u>	<u>158</u>	<u>290</u>	<u>10.6</u>	<u>7.3</u>	<u>14.2</u>
UNDER 15	11	0	11	34.8	-	41.4
15-19	106	25	81	12.6	8.1	15.2
20-24	143	49	94	10.2	7.0	13.6
25-29	106	45	61	9.4	6.5	13.8
30-34	47	24	23	8.0	6.8	9.7
35-39	24	11	13	12.8	11.2	14.5
40-44	9	3	6	28.5	20.7	35.1
45-49	0	0	0	-	-	-
UNKNOWN	2	1	1	#	#	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE
MISSISSIPPI, 1988**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.0	0.6	1.5	10.0	4.4	13.1
SOME CARE	98.5	99.1	97.8	76.8	88.6	70.3
UNKNOWN WHETHER ANY CARE	0.5	0.3	0.7	12.7	5.7	16.6

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE
MISSISSIPPI, 1986-1988**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1986	1987	1988	1986	1987	1988	1986	1987	1988
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>505</u>	<u>485</u>	<u>448</u>	<u>167</u>	<u>169</u>	<u>158</u>	<u>338</u>	<u>316</u>	<u>290</u>
UNDER 20	23	17	24	3	2	5	20	15	19
<u>20 AND OVER</u>	<u>434</u>	<u>419</u>	<u>354</u>	<u>146</u>	<u>151</u>	<u>139</u>	<u>288</u>	<u>268</u>	<u>215</u>
20-22	82	84	57	19	22	12	63	62	45
23-27	87	99	84	29	32	31	58	67	53
28-36	153	137	123	55	51	54	98	86	69
37 AND OVER	112	99	90	43	46	42	69	53	48
UNKNOWN	48	49	70	18	16	14	30	33	56
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>12.1</u>	<u>11.7</u>	<u>10.6</u>	<u>7.6</u>	<u>7.8</u>	<u>7.3</u>	<u>17.1</u>	<u>16.0</u>	<u>14.2</u>
UNDER 20	0.5	0.4	0.6	0.1	0.1	0.2	1.0	0.8	0.9
<u>20 AND OVER</u>	<u>10.4</u>	<u>10.2</u>	<u>8.4</u>	<u>6.6</u>	<u>7.0</u>	<u>6.4</u>	<u>14.5</u>	<u>13.6</u>	<u>10.6</u>
20-22	2.0	2.0	1.4	0.9	1.0	0.6	3.2	3.1	2.2
23-27	2.1	2.4	2.0	1.3	1.5	1.4	2.9	3.4	2.6
28-36	3.6	3.3	2.9	2.5	2.4	2.5	4.9	4.4	3.4
37 AND OVER	2.7	2.4	2.1	1.9	2.1	1.9	3.5	2.7	2.4
UNKNOWN	1.1	1.2	1.7	0.8	0.7	0.6	1.5	1.7	2.8

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1988**

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
<u>TOTAL</u>	<u>24,706</u>	<u>68</u>			
JANUARY	2,011	65	JULY	1,922	62
FEBRUARY	1,857	66	AUGUST	2,109	68
MARCH	2,026	65	SEPTEMBER	2,035	68
APRIL	1,837	61	OCTOBER	1,981	64
MAY	1,728	56	NOVEMBER	1,872	62
JUNE	1,717	57	DECEMBER	2,007	65

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1988**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>24,706</u>	<u>16,034</u>	<u>8,672</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.0</u>	<u>9.1</u>	<u>8.8</u>
0-4	616	230	386	2.5	1.4	4.4	2.2	1.6	2.9
5-9	56	22	34	0.2	0.1	0.4	0.2	0.2	0.3
10-14	71	33	38	0.3	0.2	0.4	0.3	0.3	0.4
15-24	492	290	202	2.0	1.8	2.3	1.1	1.1	1.1
25-34	644	312	332	2.6	1.9	3.8	1.4	1.0	2.0
35-44	877	460	417	3.6	2.9	4.8	2.6	1.8	4.4
45-54	1,448	839	609	5.9	5.2	7.0	5.9	4.5	10.1
55-64	3,243	2,128	1,115	13.1	13.3	12.8	15.0	13.1	20.7
65-74	5,468	3,638	1,830	22.1	22.7	21.1	30.1	27.4	37.5
75 AND OVER	11,780	8,079	3,701	47.7	50.4	42.7	110.3	109.6	111.9
UNKNOWN	11	3	8	**	**	0.1			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1988**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,194	11,512	1.15	8,551	7,483	1.14	4,643	4,029	1.15
UNDER 1	291	225	1.29	108	81	1.33	183	144	1.27
1-4	59	41	1.44	29	12	2.42	30	29	1.03
5-9	33	23	1.43	13	9	1.44	20	14	1.43
10-14	49	22	2.23	24	9	2.67	25	13	1.92
15-24	351	141	2.49	212	78	2.72	139	63	2.21
25-34	452	192	2.35	217	95	2.28	235	97	2.42
35-44	564	313	1.80	316	144	2.19	248	169	1.47
45-54	941	507	1.86	569	270	2.11	372	237	1.57
55-64	1,953	1,290	1.51	1,351	777	1.74	602	513	1.17
65-74	3,287	2,181	1.51	2,249	1,389	1.62	1,038	792	1.31
75-84	3,601	3,576	1.01	2,434	2,507	0.97	1,167	1,069	1.09
85 AND OVER	1,607	2,996	0.54	1,028	2,110	0.49	579	886	0.65
UNKNOWN	6	5		1	2		5	3	
MEDIAN AGE	70.8	77.3		71.4	78.5		69.5	74.3	

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1988**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	9.9	8.1	9.9	8.4	9.9	7.7
0-4	2.5	2.0	1.9	1.4	3.1	2.6
5-9	0.3	0.2	0.2	0.1	0.3	0.2
10-14	0.4	0.2	0.4	0.2	0.5	0.3
15-24	1.5	0.6	1.5	0.6	1.5	0.7
25-34	2.0	0.8	1.4	0.6	3.0	1.1
35-44	3.4	1.8	2.6	1.2	5.8	3.2
45-54	8.1	3.9	6.2	2.9	14.7	6.8
55-64	19.9	10.9	17.6	9.0	28.2	15.8
65-74	42.8	20.8	39.4	18.4	52.9	27.2
75 AND OVER	135.8	96.0	133.5	96.6	140.3	94.7

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 1988**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>20,745</u>	<u>13,631</u>	<u>7,114</u>	<u>84.0</u>	<u>85.0</u>	<u>82.0</u>
1. HEART DISEASES (390-398, 402, 404-429)	9,204	6,150	3,054	37.2	38.4	35.2
2. MALIGNANT NEOPLASMS (140-208)	5,246	3,536	1,710	21.2	22.0	19.7
3. CEREBROVASCULAR DISEASES (430-438)	1,971	1,186	785	8.0	7.4	9.0
4. ACCIDENTS (800-949)	1,434	888	546	5.8	5.5	6.3
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	800	631	169	3.2	3.9	1.9
6. PNEUMONIA AND INFLUENZA (480-487)	709	499	210	2.9	3.1	2.4
7. DIABETES MELLITUS (250)	494	244	250	2.0	1.5	2.9
8. HOMICIDE AND LEGAL INTERVENTION (960-978)	307	100	207	1.2	0.6	2.4
9. SUICIDE (950-959)	297	245	52	1.2	1.5	0.6
10. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	283	152	131	1.1	0.9	1.5

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 1988**

AGE	CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER	PERCENT	RATE*
1-4	<u>ALL CAUSES</u>	<u>100</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (800-949)	52	52.0	24.3
	2. CONGENITAL ANOMALIES (740-759)	6	6.0	2.8
	3. MALIGNANT NEOPLASMS (140-208)	5	5.0	2.3
	4. MENINGITIS (320-322)	4	4.0	1.9
	5T. HEART DISEASES (390-398, 402, 404-429)	3	3.0	1.4
	5T. HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3.0	1.4
5-14	<u>ALL CAUSES</u>	<u>127</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	68	53.5	14.8
	2T. MALIGNANT NEOPLASMS (140-208)	9	7.1	2.0
	2T. HEART DISEASES (390-398, 402, 404-429)	9	7.1	2.0
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	6	4.7	1.3
	5. CONGENITAL ANOMALIES (740-759)	5	3.9	1.1
15-24	<u>ALL CAUSES</u>	<u>492</u>	<u>100.0</u>	<u>1.1</u>
	1. ACCIDENTS (800-949)	276	56.1	60.1
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	52	10.6	11.3
	3. SUICIDE (950-959)	48	9.8	10.5
	4. MALIGNANT NEOPLASMS (140-208)	22	4.5	4.8
	5. HEART DISEASES (390-398, 402, 404-429)	13	2.6	2.8
25-44	<u>ALL CAUSES</u>	<u>1,521</u>	<u>100.0</u>	<u>1.9</u>
	1. ACCIDENTS (800-949)	405	26.6	50.2
	2. HEART DISEASES (390-398, 402, 404-429)	242	15.9	30.0
	3. MALIGNANT NEOPLASMS (140-208)	230	15.1	28.5
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	164	10.8	20.3
	5. SUICIDE (950-959)	87	5.7	10.8
45-64	<u>ALL CAUSES</u>	<u>4,691</u>	<u>100.0</u>	<u>10.1</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,666	35.5	360.3
	2. MALIGNANT NEOPLASMS (140-208)	1,435	30.6	310.3
	3. CEREBROVASCULAR DISEASES (430-438)	282	6.0	61.0
	4. ACCIDENTS (800-949)	229	4.9	49.5
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	151	3.2	32.7
65 & OVER	<u>ALL CAUSES</u>	<u>17,248</u>	<u>100.0</u>	<u>59.8</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,263	42.1	2,519.3
	2. MALIGNANT NEOPLASMS (140-208)	3,543	20.5	1,229.0
	3. CEREBROVASCULAR DISEASES (430-438)	1,613	9.4	559.5
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	634	3.7	219.9
	5. PNEUMONIA AND INFLUENZA (480-487)	618	3.6	214.4

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1988**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	1,984	1,038	1,552	672	229.6	222.2	173.2	128.7
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	831	352	350	86	96.2	75.4	39.1	16.5
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	390	288	397	189	45.1	61.7	44.3	36.2
3. GENITAL ORGANS (179-187)	210	156	146	98	24.3	33.4	16.3	18.8
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	168	76	134	61	19.4	16.3	15.0	11.7
5. BREAST (174, 175)	3	1	261	114	0.3	0.2	29.1	21.8
6. URINARY ORGANS (188, 189)	80	30	45	25	9.3	6.4	5.0	4.8
7. LIP, ORAL CAVITY, AND PHARYNX (140-149)	34	27	22	7	3.9	5.8	2.4	1.3
8. BRAIN (191)	46	8	26	7	5.3	1.7	2.9	1.3
9. SKIN (172, 173)	50	4	18	3	5.8	0.8	2.0	0.6
10. BONE AND CONNECTIVE TISSUE (170, 171)	19	10	13	6	2.2	2.1	1.4	1.1
- OTHER AND UNSPECIFIED SITES (190, 192-199)	153	86	140	76	17.7	18.4	15.6	14.6

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1963, 1968, 1973, 1978, 1983, 1988**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1963	1968	1973	1978	1983	1988
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	106	78	31	42	23	23
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	480	634	811	1,113	1,378	1,619
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	443	602	768	1,069	1,340	1,567
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	49	38	42	38	32	44
EMPHYSEMA (492)	152	213	191	138	85	132
ASTHMA (493)	45	52	21	23	35	38
(ADJUSTED FIGURES*)	(31)					

* ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1968.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1988**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF FIVE LEADING CAUSES	1,134	704	430	79.1	79.3	78.8
1. MOTOR VEHICLE (810-825)	776	507	269	54.1	57.1	49.3
2. FIRES AND FLAMES (890-899)	119	39	80	8.3	4.4	14.6
3. FALLS (880-888)	112	87	25	7.8	9.8	4.6
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	76	51	25	5.3	5.7	4.6
5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	51	20	31	3.6	2.2	5.7

TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1988

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	SEX		AGE							UN- KNOWN	
	MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64		65 & OVER
<u>ALL ACCIDENTS</u>	<u>1,434</u>	<u>433</u>	<u>20</u>	<u>52</u>	<u>68</u>	<u>276</u>	<u>226</u>	<u>179</u>	<u>229</u>	<u>382</u>	<u>2</u>
MOTOR VEHICLE (810-825)	776	212	4	26	37	211	160	107	124	107	0
<u>WATER TRANSPORT (830-838)</u>	<u>18</u>	<u>7</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>7</u>	<u>1</u>	<u>7</u>	<u>2</u>	<u>1</u>	<u>0</u>
SUBMERSION, DROWNING (830, 832)	16	7	0	0	0	7	1	5	2	1	0
OTHER (831, 833-838)	2	0	0	0	0	0	0	2	0	0	0
AIR AND SPACE TRANSPORT (840-845)	2	0	0	0	0	0	1	1	0	0	0
<u>POISONING (850-869)</u>	<u>49</u>	<u>17</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>13</u>	<u>10</u>	<u>10</u>	<u>12</u>	<u>0</u>
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	38	15	0	0	1	2	8	9	9	9	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	11	2	0	0	0	1	5	1	1	3	0
FALLS (880-888)	112	62	0	0	0	6	8	5	9	84	0
FIRES AND FLAMES (890-899)	119	57	1	10	12	5	6	7	20	56	2
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	51	6	3	5	6	12	12	5	3	5	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	76	28	5	5	2	4	2	2	8	48	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	7	1	3	0	1	0	2	1	0	0	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	24	3	1	1	1	4	2	6	7	2	0
CAUSED BY MACHINERY (919)	21	0	0	1	0	4	2	1	8	5	0
CAUSED BY FIREARM MISSILE (922)	48	9	0	1	7	11	9	7	6	7	0
CAUSED BY ELECTRIC CURRENT (925)	3	0	0	1	0	0	0	1	1	0	0

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1988

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE
MISSISSIPPI, 1988**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL UNDER 1 YEAR</u>	<u>516</u>	<u>189</u>	<u>327</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>12.3</u>	<u>8.7</u>	<u>16.1</u>
<u>NEONATAL (UNDER 28 DAYS)</u>	<u>318</u>	<u>118</u>	<u>200</u>	<u>61.6</u>	<u>62.4</u>	<u>61.2</u>	<u>7.6</u>	<u>5.4</u>	<u>9.8</u>
<u>HEBDOMADAL (UNDER 7 DAYS)</u>	<u>262</u>	<u>92</u>	<u>170</u>	<u>50.8</u>	<u>48.7</u>	<u>52.0</u>	<u>6.2</u>	<u>4.2</u>	<u>8.4</u>
<u>UNDER 1 DAY</u>	173	56	117	33.5	29.6	35.8	4.1	2.6	5.7
1-6 DAYS	89	36	53	17.2	19.0	16.2	2.1	1.7	2.6
7-27 DAYS	56	26	30	10.9	13.8	9.2	1.3	1.2	1.5
<u>POSTNEONATAL (28 DAYS TO 1 YEAR)</u>	<u>198</u>	<u>71</u>	<u>127</u>	<u>38.4</u>	<u>37.6</u>	<u>38.8</u>	<u>4.7</u>	<u>3.3</u>	<u>6.2</u>

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATHS,
BY CAUSE AND RACE
MISSISSIPPI, 1988**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>ALL CAUSES</u>	<u>516</u>	<u>189</u>	<u>327</u>	<u>12.3</u>	<u>8.7</u>	<u>16.1</u>
1. CONGENITAL ANOMALIES (740-759)	102	51	51	2.4	2.4	2.5
2. SUDDEN INFANT DEATH SYNDROME (798.0)	84	32	52	2.0	1.5	2.6
3. RESPIRATORY DISTRESS SYNDROME (769)	54	21	33	1.3	1.0	1.6
4. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	42	8	34	1.0	0.4	1.7
5. ACCIDENTS (800-949)	20	8	12	0.5	0.4	0.6
6. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	16	6	10	0.4	0.3	0.5
7. MATERNAL COMPLICATIONS OF PREGNANCY (761)	15	1	14	0.4	**	0.7
8. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	12	2	10	0.3	0.1	0.5
9. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	11	2	9	0.3	0.1	0.4
10. SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS (EXCLUDING SIDS) (780-797, 798.1-799)	9	2	7	0.2	0.1	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** LESS THAN 0.06.

MARRIAGES

**TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1988**

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
<u>TOTAL</u>	<u>24,919</u>	<u>68</u>			
JANUARY	1,382	44	JULY	2,677	86
FEBRUARY	1,646	59	AUGUST	2,224	72
MARCH	1,842	59	SEPTEMBER	2,021	67
APRIL	2,140	71	OCTOBER	1,821	59
MAY	2,176	70	NOVEMBER	1,812	60
JUNE	2,737	91	DECEMBER	2,441	79

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1988

AGE	NUMBER				PERCENT			
	BRIDE		GROOM		BRIDE		GROOM	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	NON-WHITE
TOTAL	24,919	18,335	6,584	24,919	18,328	6,591	100.0	100.0
UNDER 20	4,661	3,946	715	1,850	1,641	209	18.7	10.9
13	2	2	0	0	0	0	*	*
14	26	24	2	1	1	0	0.1	0.1
15	222	200	22	2	2	0	0.9	0.3
16	472	434	38	29	29	0	1.9	0.6
17	899	791	108	219	206	13	3.6	1.6
18	1,488	1,246	242	603	551	52	6.0	3.7
19	1,552	1,249	303	996	852	144	6.2	4.6
20-24	7,809	5,507	2,302	7,633	5,622	2,011	31.3	35.0
25-34	7,480	5,122	2,358	9,033	6,294	2,739	30.0	35.8
35-44	2,959	2,205	754	3,470	2,540	930	11.9	11.4
45-54	1,165	879	286	1,519	1,185	334	4.7	4.3
55-64	543	430	113	811	616	195	2.2	1.7
65-74	240	194	46	435	306	129	1.0	0.7
75 & OVER	57	48	9	164	121	43	0.2	0.1
UNKNOWN	5	4	1	4	3	1	*	*

* LESS THAN 0.06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1988**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	25.0	24.7	26.2	28.3	28.0	28.9
FIRST MARRIAGES	22.2	21.3	23.9	24.0	23.4	25.7

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1988**

MARRIAGE ORDER	NUMBER			PERCENT					
	BRIDE			GROOM			BRIDE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>24,919</u>	<u>18,335</u>	<u>6,584</u>	<u>24,919</u>	<u>18,328</u>	<u>6,591</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
FIRST	14,766	9,866	4,900	14,921	10,286	4,635	59.2	53.8	74.4
<u>REMARRIAGE</u>	<u>10,134</u>	<u>8,453</u>	<u>1,681</u>	<u>9,975</u>	<u>8,021</u>	<u>1,952</u>	<u>40.7</u>	<u>46.1</u>	<u>25.5</u>
SECOND	7,054	5,670	1,384	6,909	5,337	1,572	28.3	30.9	21.0
<u>OVER TWO</u>	<u>3,076</u>	<u>2,780</u>	<u>296</u>	<u>3,064</u>	<u>2,684</u>	<u>380</u>	<u>12.3</u>	<u>15.2</u>	<u>4.5</u>
THIRD	2,297	2,035	262	2,287	1,977	310	9.2	11.1	4.0
FOURTH	593	568	25	603	544	59	2.4	3.1	0.4
FIFTH	127	120	7	131	122	9	0.5	0.6	0.1
SIXTH	41	39	2	33	31	2	0.2	0.2	#
SEVENTH	11	11	0	9	9	0	#	0.1	-
EIGHTH	4	4	0	1	1	0	#	#	-
NINTH	0	0	0	0	0	0	-	-	-
TENTH	1	1	0	0	0	0	#	#	-
OVER TEN	2	2	0	0	0	0	#	#	-
UNKNOWN*	4	3	1	2	2	0	#	#	-
UNKNOWN**	19	16	3	23	19	4	0.1	0.1	#
							0.1	0.1	0.1

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1988**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>24,919</u>	<u>18,335</u>	<u>6,584</u>	<u>24,919</u>	<u>18,328</u>	<u>6,591</u>
NOT PREVIOUSLY MARRIED	14,765	9,865	4,900	14,921	10,286	4,635
<u>REMARRIAGES</u>	<u>10,134</u>	<u>8,453</u>	<u>1,681</u>	<u>9,975</u>	<u>8,023</u>	<u>1,952</u>
WIDOWED	1,066	838	228	928	690	238
DIVORCED*	9,047	7,599	1,448	9,031	7,321	1,710
UNKNOWN**	21	16	5	16	12	4
UNKNOWN#	19	16	3	23	19	4
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	59.2	53.8	74.4	59.9	56.1	70.3
<u>REMARRIAGES</u>	<u>40.7</u>	<u>46.1</u>	<u>25.5</u>	<u>40.0</u>	<u>43.8</u>	<u>29.6</u>
WIDOWED	4.3	4.6	3.5	3.7	3.8	3.6
DIVORCED*	36.3	41.4	22.0	36.2	39.9	25.9
UNKNOWN**	0.1	0.1	0.1	0.1	0.1	0.1
UNKNOWN#	0.1	0.1	##	0.1	0.1	0.1

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1988**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHITE			NONWHITE		
	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER
NUMBER									
TOTAL	<u>24,919</u>	<u>22,775</u>	<u>2,144</u>	<u>18,335</u>	<u>16,656</u>	<u>1,679</u>	<u>6,584</u>	<u>6,119</u>	<u>465</u>
MISSISSIPPI	21,971	21,490	481	16,093	15,706	387	5,878	5,784	94
OTHER	2,948	1,285	1,663	2,242	950	1,292	706	335	371
PERCENT									
TOTAL	<u>100.0</u>	<u>91.4</u>	<u>8.6</u>	<u>100.0</u>	<u>90.8</u>	<u>9.2</u>	<u>100.0</u>	<u>92.9</u>	<u>7.1</u>
MISSISSIPPI	88.2	86.2	1.9	87.8	85.7	2.1	89.3	87.8	1.4
OTHER	11.8	5.2	6.7	12.2	5.2	7.0	10.7	5.1	5.6

DIVORCES

**TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1988**

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL</u>	<u>12,097</u>	<u>9,454</u>	<u>2,473</u>	<u>170</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	8,734	7,156	1,448	130	72.2	75.7	58.6	76.5
CRUEL AND INHUMAN TREATMENT	2,383	1,737	620	26	19.7	18.4	25.1	15.3
DESERTION	566	264	297	5	4.7	2.8	12.0	2.9
ADULTERY	253	188	63	2	2.1	2.0	2.5	1.2
DRUNKENNESS	50	37	11	2	0.4	0.4	0.4	1.2
PENITENTIARY	30	14	15	1	0.2	0.1	0.6	0.6
ANNULMENT	24	20	1	3	0.2	0.2	**	1.8
BIGAMY	12	6	6	0	0.1	0.1	0.2	-
MISCELLANEOUS AND OTHER	16	13	3	0	0.1	0.1	0.1	-
UNKNOWN	29	19	9	1	0.2	0.2	0.4	0.6

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1988**

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
<u>TOTAL DIVORCES</u>	<u>12,097</u>	<u>9,454</u>	<u>2,473</u>	<u>170</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	5,425	4,438	915	72	44.8	46.9	37.0	42.4
ONE	3,271	2,543	677	51	27.0	26.9	27.4	30.0
TWO	2,307	1,757	523	27	19.1	18.6	21.1	15.9
THREE OR MORE	1,046	681	348	17	8.6	7.2	14.1	10.0
UNKNOWN	48	35	10	3	0.4	0.4	0.4	1.8

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1988**

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>12,097</u>	<u>9,454</u>	<u>2,473</u>	<u>170</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
UNDER FIVE	4,965	4,163	730	72	41.0	44.0	29.5	42.4
UNDER ONE	655	575	69	11	5.4	6.1	2.8	6.5
ONE	1,074	912	147	15	8.9	9.6	5.9	8.8
TWO	1,185	1,014	155	16	9.8	10.7	6.3	9.4
THREE	1,060	863	179	18	8.8	9.1	7.2	10.6
FOUR	991	799	180	12	8.2	8.4	7.3	7.0
FIVE-NINE	3,252	2,473	737	42	26.9	26.2	29.8	24.7
TEN-NINETEEN	2,606	1,873	695	38	21.5	19.8	28.1	22.4
TWENTY AND OVER	1,163	862	291	10	9.6	9.1	11.8	5.9
UNKNOWN	111	83	20	8	0.9	0.9	0.8	4.7

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 1988**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>5,170</u>	<u>2,561</u>	<u>2,588</u>	<u>21</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>123.0</u>	<u>118.1</u>	<u>127.1</u>
UNDER 15	103	27	76	0	2.0	1.0	2.9	325.9	540.0	285.7
15-19	1,441	814	623	4	27.9	31.8	24.1	172.0	265.0	117.4
20-24	1,616	762	846	8	31.2	29.8	32.7	115.8	108.3	122.2
25-29	1,003	465	530	8	19.4	18.2	20.5	88.8	67.6	120.0
30-34	620	304	316	0	12.0	11.9	12.2	105.5	86.5	133.8
35-39	297	139	157	1	5.7	5.4	6.1	158.2	141.5	175.4
40-44	77	46	31	0	1.5	1.8	1.2	243.7	317.2	181.3
45-49	6	3	3	0	0.1	0.1	0.1	545.4	1000.0	375.0
50 & OVER	1	0	1	0	**	-	**	#	-	#
UNKNOWN	6	1	5	0	0.1	**	0.2			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

NO LIVE BIRTHS TO WOMEN IN THIS AGE/RACE GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1988**

CHARACTERISTICS OF PATIENT	NUMBER				PERCENT		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>5,170</u>	<u>2,561</u>	<u>2,588</u>	<u>21</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
MISSISSIPPI RESIDENT	4,383	2,142	2,221	20	84.8	83.6	85.8
<u>NONRESIDENT</u>	<u>787</u>	<u>419</u>	<u>367</u>	<u>1</u>	<u>15.2</u>	<u>16.4</u>	<u>14.2</u>
BORDER STATE	752	401	350	1	14.5	15.6	13.5
OTHER STATE	35	18	17	0	0.7	0.7	0.6
<u>MARITAL STATUS</u>							
MARRIED	961	557	403	1	18.6	21.7	15.6
NOT MARRIED	4,094	1,983	2,100	11	79.2	77.4	81.1
UNKNOWN	115	21	85	9	2.2	0.8	3.3
<u>EDUCATION (COMPLETED YEARS)</u>							
0-6 YEARS	11	1	10	0	0.2	*	0.4
7-9 YEARS	112	54	58	0	2.2	2.1	2.2
10, 11 YEARS	235	128	107	0	4.5	5.0	4.1
12 YEARS	591	311	279	1	11.4	12.1	10.8
1-3 YEARS COLLEGE	812	401	411	0	15.7	15.6	15.9
4 OR MORE YEARS COLLEGE	320	155	165	0	6.2	6.0	6.4
UNKNOWN	3,089	1,511	1,558	20	59.7	59.0	60.2
<u>NUMBER OF LIVING CHILDREN</u>							
NONE	2,610	1,540	1,061	9	50.5	60.1	41.0
ONE	1,289	555	729	5	24.9	21.7	28.2
TWO	827	327	496	4	16.0	12.8	19.2
THREE	300	105	193	2	5.8	4.1	7.4
FOUR	100	27	72	1	1.9	1.0	2.8
FIVE OR MORE	44	7	37	0	0.8	0.3	1.4
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
NONE	3,876	1,918	1,941	17	75.0	74.9	75.0
ONE	1,000	494	505	1	19.3	19.3	19.5
TWO	231	119	109	3	4.5	4.6	4.2
THREE OR MORE	62	29	33	0	1.2	1.1	1.3
UNKNOWN	1	1	0	0	*	*	-

* LESS THAN 0.06 PERCENT.

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1988**

MEDICAL CHARACTERISTICS	NUMBER				PERCENT		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>5,170</u>	<u>2,561</u>	<u>2,588</u>	<u>21</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	2,424	1,280	1,134	10	46.9	50.0	43.8
9, 10	1,375	647	721	7	26.6	25.3	27.8
11, 12	740	332	406	2	14.3	13.0	15.7
13-15	377	177	199	1	7.3	6.9	7.7
16-20	112	50	62	0	2.2	2.0	2.4
21 OR MORE	10	6	4	0	0.2	0.2	0.2
UNKNOWN	132	69	62	1	2.6	2.7	2.4
<u>PRIMARY PROCEDURE</u>							
SUCTION CURETTAGE	5,138	2,548	2,569	21	99.4	99.5	99.3
SHARP CURETTAGE	6	0	6	0	0.1	-	0.2
INTRA-UTERINE PROSTA- GLANDIN INSTILLATION	21	10	11	0	0.4	0.4	0.4
HYSTEROTOMY	3	1	2	0	**	**	0.1
HYSTERECTOMY	1	1	0	0	**	**	-
OTHER	1	1	0	0	**	**	-
<u>COMPLICATIONS</u>							
NO KNOWN COMPLICATIONS	5,162	2,555	2,586	21	99.8	99.8	99.9
<u>SOME COMPLICATIONS</u>	<u>6</u>	<u>4</u>	<u>2</u>	<u>0</u>	<u>0.1</u>	<u>0.2</u>	<u>0.1</u>
HEMORRHAGE	3	2	1	0	**	0.1	**
RETAINED PRODUCTS	2	1	1	0	**	**	**
OTHER	1	1	0	0	**	**	-
UNKNOWN	2	2	0	0	**	0.1	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

MAJOR TABLES
1988

TABLE I
POPULATION PROJECTIONS AND PERCENT CHANGE SINCE 1980 CENSUS,
BY COUNTY AND RACE,
MISSISSIPPI, 1988

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	2,748,786	1,759,769	989,262	9.0	9.0	9.2
ADAMS	39,139	19,382	19,763	2.9	-0.8	6.8
ALCORN	37,445	33,412	4,043	13.3	13.4	13.0
AMITE	13,123	7,107	6,023	-1.8	1.6	-5.5
ATTALA	20,085	12,190	7,895	1.1	1.1	1.0
BENTON	8,892	5,650	3,247	9.1	11.8	4.8
BOLIVAR	43,515	15,650	27,870	-5.3	-7.9	-3.8
CALHOUN	16,704	12,498	4,214	6.6	7.3	5.0
CARROLL	10,112	5,710	4,407	3.4	7.1	-0.8
CHICKASAW	18,535	11,718	6,822	3.8	2.9	5.4
CHOCTAW	9,595	6,816	2,780	6.6	5.7	9.1
CLAIBORNE	13,509	3,268	10,243	10.0	6.3	11.3
CLARKE	18,472	12,023	6,451	9.0	9.3	8.6
CLAY	23,418	11,256	12,164	11.1	7.5	14.6
COAHOMA	34,309	12,256	22,049	-7.1	-6.3	-7.5
COPIAH	28,433	14,954	13,478	7.3	9.6	4.8
COVINGTON	16,941	11,411	5,535	6.4	9.6	0.3
DESOTO	65,421	55,462	9,962	21.3	25.5	2.4
FORREST	73,743	51,304	22,441	11.7	7.5	22.6
FRANKLIN	8,536	5,402	3,139	4.0	5.0	2.4
GEORGE	16,333	14,898	1,434	6.8	7.9	-3.7
GREENE	10,865	8,847	2,019	10.6	12.9	1.4
GRENADA	22,497	13,206	9,295	6.9	8.2	5.1
HANCOCK	29,239	26,321	2,922	19.2	20.2	10.5
HARRISON	173,413	131,760	41,651	10.0	6.2	23.8
HINDS	279,877	141,063	138,814	11.5	3.5	21.0
HOLMES	22,947	5,942	17,007	-0.1	-9.7	3.7
HUMPHREYS	13,395	4,368	9,032	-3.8	-7.4	-2.0
ISSAQUENA	2,451	1,182	1,282	-2.5	6.8	-8.8
ITAWAMBA	23,489	22,001	1,488	14.5	14.6	12.6
JACKSON	137,871	108,092	29,781	16.8	14.1	27.8
JASPER	18,214	8,817	9,393	5.5	0.6	10.4
JEFFERSON	8,796	1,485	7,312	-4.2	-9.7	-3.0
JEFF DAVIS	14,667	6,241	8,429	5.9	-2.5	13.2
JONES	67,704	52,088	15,622	9.4	10.1	7.0
KEMPER	10,112	4,666	5,451	-0.4	2.4	-2.5
LAFAYETTE	35,448	25,283	10,164	14.2	12.2	19.7
LAMAR	29,150	25,974	3,176	22.4	23.0	17.8
LAUDERDALE	83,007	54,126	28,885	7.4	3.3	15.9
LAWRENCE	13,768	9,680	4,084	10.0	12.1	5.1
LEAKE	20,094	12,166	7,930	6.9	6.2	8.1
LEE	64,387	50,949	13,439	12.8	12.6	13.6
LEFLORE	41,294	15,592	25,702	-0.6	-6.8	3.6

TABLE i - PAGE 2
POPULATION PROJECTIONS - MISSISSIPPI - 1988

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	33,927	23,706	10,228	12.4	12.5	12.4
LOWNDES	65,364	40,164	25,211	14.1	8.1	25.1
MADISON	51,476	25,167	26,314	23.7	37.9	12.6
MARION	28,337	19,936	8,407	10.2	11.0	8.6
MARSHALL	33,725	16,892	16,840	15.1	23.8	7.6
MONROE	38,467	27,016	11,450	5.7	5.8	5.4
MONTGOMERY	13,779	8,620	5,158	3.1	9.3	-5.9
NESHOBA	26,164	18,465	7,703	10.0	8.1	14.7
NEWTON	20,708	14,468	6,244	3.8	3.4	5.0
NOXUBEE	12,226	4,319	7,912	-7.5	-7.2	-7.6
OKTIBBEHA	43,577	27,360	16,220	21.0	18.2	25.9
PANOLA	29,083	15,351	13,734	3.3	7.3	-0.9
PEARL RIVER	40,386	34,986	5,401	19.5	22.2	4.4
PERRY	10,476	8,584	1,899	6.2	11.3	-11.8
PIKE	38,919	21,322	17,600	7.6	4.5	11.6
PONTOTOC	24,330	20,643	3,692	16.3	17.2	11.9
PRENTISS	27,919	24,854	3,067	16.2	16.2	16.1
QUITMAN	10,893	5,031	5,861	-13.8	-9.0	-17.5
RANKIN	80,423	66,619	13,807	15.8	18.4	5.0
SCOTT	26,324	16,324	10,005	7.2	3.0	14.9
SHARKEY	7,580	2,626	4,957	-4.8	-2.7	-5.8
SIMPSON	26,919	18,732	8,188	14.8	15.6	13.0
SMITH	16,272	12,970	3,304	7.9	9.3	2.8
STONE	11,351	8,642	2,709	16.8	15.8	20.2
SUNFLOWER	34,226	12,906	21,326	-1.8	-1.1	-2.1
TALLAHATCHIE	15,277	6,901	8,373	-11.0	-4.8	-15.5
TATE	21,860	12,993	8,876	8.6	5.3	14.1
TIPPAH	20,827	17,470	3,363	11.1	11.0	12.2
TISHOMINGO	20,330	19,506	836	10.3	10.4	10.3
TUNICA	8,625	2,391	6,234	-10.6	-6.8	-12.0
UNION	23,976	20,912	3,068	10.3	11.8	0.9
WALTHALL	14,907	8,698	6,210	8.3	7.4	9.6
WARREN	56,316	33,826	22,497	9.1	6.1	13.9
WASHINGTON	72,757	30,616	42,141	0.6	-3.2	3.5
WAYNE	20,857	13,300	7,558	9.0	4.8	17.4
WEBSTER	10,296	8,524	1,770	0.0	3.1	-13.0
WILKINSON	9,358	2,965	6,396	-6.6	-9.9	-4.9
WINSTON	20,321	12,050	8,271	4.3	3.3	5.9
YALOBUSHA	13,815	8,247	5,573	5.1	1.8	10.6
YAZOO	27,468	13,451	14,021	0.4	1.9	-0.9

NOTE: FIGURES FOR WHITE AND NONWHITE DO NOT ADD TO THE TOTAL BECAUSE OF THE METHOD OF CALCULATION. ALSO, ALL FIGURES WERE ROUNDED TO WHOLE NUMBERS.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1988

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	41,269	21,015	20,254	42,040	21,685	20,355	15.3	12.3	20.6
ADAMS	1,012	443	569	595	245	350	15.2	12.6	17.7
ALCORN	151	131	20	379	329	50	10.1	9.8	12.4
AMITE	0	0	0	173	84	89	13.2	11.8	14.8
ATTALA	210	106	104	275	117	158	13.7	9.6	20.0
BENTON	0	0	0	135	72	63	15.2	12.7	19.4
BOLIVAR	819	129	690	874	195	679	20.1	12.5	24.4
CALHOUN	0	0	0	215	119	96	12.9	9.5	22.8
CARROLL	0	0	0	116	47	69	11.5	8.2	15.6
CHICKASAW	5	1	4	309	141	168	16.7	12.0	24.6
CHOCTAW	118	44	74	111	59	52	11.6	8.6	18.7
CLAIBORNE	46	2	44	158	16	142	11.7	4.9	13.9
CLARKE	2	0	2	239	139	100	12.9	11.6	15.5
CLAY	309	97	212	384	132	252	16.4	11.7	20.7
COAHOMA	1,299	299	1,000	657	152	505	19.1	12.4	22.9
COPIAH	226	85	141	436	160	276	15.3	10.7	20.5
COVINGTON	170	68	102	286	149	137	16.9	13.0	24.8
DESOTO	63	39	24	1,028	828	200	15.7	14.9	20.1
FORREST	2,716	1,777	939	1,091	607	484	14.8	11.8	21.6
FRANKLIN	3	0	3	139	59	80	16.3	10.9	25.5
GEORGE	64	45	19	243	201	42	14.9	13.5	29.3
GREENE	0	0	0	136	93	43	12.5	10.5	21.3
GRENADA	859	387	472	356	151	205	15.8	11.4	22.0
HANCOCK	152	119	33	458	402	56	15.7	15.3	19.2
HARRISON	3,586	2,636	950	2,801	1,976	825	16.2	15.0	19.8
HINDS	7,590	2,682	4,908	4,295	1,526	2,769	15.3	10.8	19.9
HOLMES	192	17	175	450	65	385	19.6	10.9	22.6
HUMPHREYS	2	0	2	266	59	207	19.8	13.5	22.9
ISSAQUENA	0	0	0	32	8	24	13.0	6.8	18.7
ITAWAMBA	0	0	0	242	224	18	10.3	10.2	12.1
JACKSON	1,672	1,161	511	1,872	1,319	553	13.6	12.2	18.6
JASPER	0	0	0	238	72	166	13.1	8.2	17.7
JEFFERSON	1	0	1	153	15	138	17.4	10.1	18.9
JEFF DAVIS	0	0	0	212	70	142	14.4	11.2	16.8
JONES	1,199	605	594	927	568	359	13.7	10.9	23.0
KEMPER	1	0	1	150	45	105	14.8	9.6	19.3
LAFAYETTE	441	278	163	346	201	145	9.8	8.0	14.3
LAMAR	1	1	0	453	366	87	15.5	14.1	27.4
LAUDERDALE	2,182	1,245	937	1,247	663	584	15.0	12.2	20.2
LAWRENCE	0	0	0	181	108	73	13.1	11.2	17.9
LEAKE	4	2	2	319	142	177	15.9	11.7	22.3
LEE	2,640	2,089	551	1,122	775	347	17.4	15.2	25.8
LEFLORE	908	187	721	677	172	505	16.4	11.0	19.6

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1988

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	112	55	57	393	233	160	11.6	9.8	15.6
LOWNDES	1,116	528	588	1,085	543	542	16.6	13.5	21.5
MADISON	255	8	247	1,039	492	547	20.2	19.5	20.8
MARION	2	2	0	373	231	142	13.2	11.6	16.9
MARSHALL	12	1	11	558	212	346	16.5	12.6	20.5
MONROE	977	667	310	543	335	208	14.1	12.4	18.2
MONTGOMERY	127	26	101	181	77	104	13.1	8.9	20.2
NESHOBA	181	49	132	407	216	191	15.6	11.7	24.8
NEWTON	22	12	10	312	162	150	15.1	11.2	24.0
NOXUBEE	108	5	103	262	55	207	21.4	12.7	26.2
OKTIBBEHA	973	454	519	565	252	313	13.0	9.2	19.3
PANOLA	427	109	318	582	222	360	20.0	14.5	26.2
PEARL RIVER	382	272	110	567	448	119	14.0	12.8	22.0
PERRY	12	7	5	177	127	50	16.9	14.8	26.3
PIKE	1,306	662	644	569	238	331	14.6	11.2	18.8
PONTOTOC	0	0	0	341	283	58	14.0	13.7	15.7
PRENTISS	0	0	0	347	293	54	12.4	11.8	17.6
QUITMAN	1	0	1	214	84	130	19.6	16.7	22.2
RANKIN	1,845	1,594	251	1,279	1,016	263	15.9	15.2	19.0
SCOTT	10	3	7	436	209	227	16.6	12.8	22.7
SHARKEY	11	0	11	149	23	126	19.6	8.8	25.4
SIMPSON	8	1	7	379	203	176	14.1	10.8	21.5
SMITH	4	3	1	198	132	66	12.2	10.2	20.0
STONE	0	0	0	152	116	36	13.4	13.4	13.3
SUNFLOWER	414	99	315	641	129	512	18.7	10.0	24.0
TALLAHATCHIE	1	0	1	342	70	272	22.4	10.1	32.5
TATE	288	92	196	333	172	161	15.2	13.2	18.1
TIPPAH	0	0	0	261	210	51	12.5	12.0	15.2
TISHOMINGO	1	0	1	208	201	7	10.2	10.3	8.4
TUNICA	1	0	1	191	23	168	22.1	9.6	26.9
UNION	858	531	327	299	251	48	12.5	12.0	15.6
WALTHALL	4	3	1	233	94	139	15.6	10.8	22.4
WARREN	1,100	459	641	853	421	432	15.1	12.4	19.2
WASHINGTON	1,408	445	963	1,262	390	872	17.3	12.7	20.7
WAYNE	309	136	173	316	173	143	15.2	13.0	18.9
WEBSTER	0	0	0	132	95	37	12.8	11.1	20.9
WILKINSON	150	29	121	147	34	113	15.7	11.5	17.7
WINSTON	107	47	60	264	110	154	13.0	9.1	18.6
YALOBUSHA	1	0	1	207	89	118	15.0	10.8	21.2
YAZOO	93	41	52	467	150	317	17.0	11.2	22.6
OUT OF STATE	2,317	1,788	529	1,546	1,118	428			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1988

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	869	582	287
BROOKHAVEN	157	51	106
CANTON	277	48	229
CLARKSDALE	417	111	306
CLEVELAND	266	89	177
CLINTON	269	211	58
COLUMBUS	471	148	323
CORINTH	137	96	41
GAUTIER	204	127	77
GREENVILLE	801	221	580
GREENWOOD	362	80	282
GRENADA	207	63	144
GULFPORT	763	440	323
HATTIESBURG	703	287	416
JACKSON	3,399	1,067	2,332
LAUREL	345	118	227
MCCOMB	199	70	129
MERIDIAN	690	267	423
MOSS POINT	326	77	249
NATCHEZ	367	143	224
OCEAN SPRINGS	206	183	23
PASCAGOULA	501	360	141
PEARL	308	263	45
PICAYUNE	189	102	87
SOUTHAVEN	261	244	17
STARKVILLE	323	146	177
TUPELO	463	280	183
VICKSBURG	452	128	324
YAZOO CITY	263	55	208

* LIVE BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1988

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>66.0</u>	<u>53.8</u>	<u>86.9</u>				
ADAMS	67.0	57.6	75.7	LINCOLN	51.7	44.4	67.8
ALCORN	43.9	42.8	52.1	LOWNDES	66.6	54.6	85.4
AMITE	62.4	58.8	66.3	MADISON	83.0	78.7	87.3
ATTALA	65.8	47.9	91.3	MARION	59.4	52.6	75.4
BENTON	69.0	60.1	82.9	MARSHALL	70.5	55.2	84.8
BOLIVAR	85.1	54.9	101.1	MONROE	63.3	56.3	79.1
CALHOUN	59.0	44.3	100.3	MONTGOMERY	61.6	43.3	89.6
CARROLL	52.3	39.0	68.2	NESHOBA	69.7	53.6	105.5
CHICKASAW	74.6	55.0	106.5	NEWTON	70.5	54.1	105.0
CHOCTAW	52.3	40.0	80.5	NOXUBEE	100.9	66.2	117.1
CLAIBORNE	48.2	25.4	53.7	OKTIBBEHA	50.0	35.0	76.5
CLARKE	57.8	51.9	68.4	PANOLA	90.7	67.4	115.3
CLAY	71.3	53.2	86.7	PEARL RIVER	59.6	54.2	95.3
COAHOMA	87.6	59.5	102.2	PERRY	73.2	64.0	114.7
COPIAH	69.2	49.6	89.6	PIKE	65.8	52.0	81.4
COVINGTON	75.1	59.2	106.0	PONTOTOC	62.0	60.8	68.8
DESOTO	63.2	59.1	88.6	PRENTISS	53.9	51.2	74.8
FORREST	58.9	46.9	86.7	QUITMAN	93.7	81.5	103.6
FRANKLIN	77.5	53.8	114.8	RANKIN	65.8	62.2	84.7
GEORGE	64.4	58.2	130.8	SCOTT	74.3	58.8	98.3
GREENE	54.9	46.4	90.9	SHARKEY	87.4	42.8	107.9
GRENADA	69.6	51.5	93.9	SIMPSON	61.8	47.9	92.6
HANCOCK	69.6	67.8	84.8	SMITH	54.5	46.2	84.6
HARRISON	69.1	64.8	82.4	STONE	56.8	57.6	54.6
HINDS	62.9	46.1	78.8	SUNFLOWER	88.3	49.6	109.8
HOLMES	88.6	55.0	98.8	TALLAHATCHIE	105.3	50.2	146.5
HUMPHREYS	89.8	66.3	99.9	TATE	64.5	57.2	74.8
ISSAQUENA	57.6	29.1	86.0	TIPPAH	55.3	53.2	66.6
ITAWAMBA	44.9	44.3	54.9	TISHOMINGO	46.1	46.4	37.8
JACKSON	56.7	51.2	76.2	TUNICA	100.0	46.5	119.0
JASPER	60.7	40.2	78.0	UNION	55.6	53.4	70.2
JEFFERSON	80.4	63.6	82.8	WALTHALL	73.5	53.0	99.6
JEFF DAVIS	65.6	54.6	72.9	WARREN	64.9	53.6	81.8
JONES	60.5	48.2	101.3	WASHINGTON	76.6	58.6	88.8
KEMPER	68.3	46.6	85.4	WAYNE	65.4	57.2	79.2
LAFAYETTE	39.9	32.4	59.0	WEBSTER	61.1	52.8	101.9
LAMAR	63.6	57.7	112.5	WILKINSON	73.1	58.8	78.8
LAUDERDALE	66.1	55.0	85.7	WINSTON	60.2	44.3	80.9
LAWRENCE	58.1	49.7	77.6	YALOBUSHA	69.4	52.8	91.0
LEAKE	73.9	55.7	100.2	YAZOO	78.5	53.9	100.2
LEE	74.4	65.1	109.3				
LEFLORE	71.5	53.5	80.7				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1988

COUNTY	TOTAL	WHITE			NONWHITE			SEX			
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
STATE	42,040	21,685	21,622	11	52	20,355	20,274	30	51	21,343	20,697
ADAMS	595	245	245	0	0	350	350	0	0	322	273
ALCORN	379	329	329	0	0	50	50	0	0	197	182
AMITE	173	84	84	0	0	89	89	0	0	80	93
ATTALA	275	117	117	0	0	158	157	1	0	138	137
BENTON	135	72	72	0	0	63	63	0	0	72	63
BOLIVAR	874	195	195	0	0	679	674	2	3	418	456
CALHOUN	215	119	119	0	0	96	96	0	0	127	88
CARROLL	116	47	47	0	0	69	69	0	0	60	56
CHICKASAW	309	141	140	0	1	168	166	1	1	139	170
CHOCTAW	111	59	59	0	0	52	51	1	0	59	52
CLAIBORNE	158	16	16	0	0	142	142	0	0	79	79
CLARKE	239	139	139	0	0	100	98	0	2	113	126
CLAY	384	132	132	0	0	252	251	0	1	189	195
COAHOMA	657	152	151	0	1	505	505	0	0	348	309
COPIAH	436	160	160	0	0	276	273	0	3	228	208
COVINGTON	286	149	147	0	2	137	137	0	0	136	150
DESOTO	1,028	828	825	0	3	200	200	0	0	526	502
FORREST	1,091	607	605	0	2	484	482	0	2	535	556
FRANKLIN	139	59	59	0	0	80	80	0	0	77	62
GEORGE	243	201	201	0	0	42	42	0	0	122	121
GREENE	136	93	93	0	0	43	43	0	0	70	66
GRENADA	356	151	151	0	0	205	204	0	1	171	185
HANCOCK	458	402	400	1	1	56	56	0	0	225	233
HARRISON	2,801	1,976	1,969	1	6	825	820	1	4	1,422	1,379

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS HOLMES HUMPHREYS ISSAQUENA ITAWAMBA JACKSON	4,295	1,526	1,517	0	9	2,769	2,760	1	8	2,130	2,165
	450	65	65	0	0	385	385	0	0	232	218
	266	59	59	0	0	207	205	1	1	135	131
	32	8	8	0	0	24	24	0	0	16	16
	242	224	224	0	0	18	18	0	0	125	117
	1,872	1,319	1,315	1	3	553	552	0	1	944	928
JASPER JEFFERSON JEFF DAVIS JONES KEMPER LAFAYETTE	238	72	72	0	0	166	166	0	0	121	117
	153	15	15	0	0	138	138	0	0	77	76
	212	70	70	0	0	142	142	0	0	105	107
	927	568	565	0	3	359	359	0	0	505	422
	150	45	45	0	0	105	104	0	1	76	74
	346	201	201	0	0	145	144	0	1	175	171
LAMAR LAUDERDALE LAWRENCE LEAKE LEE LEFLORE	453	366	365	0	1	87	87	0	0	231	222
	1,247	663	660	2	1	584	582	0	2	597	650
	181	108	108	0	0	73	73	0	0	89	92
	319	142	139	0	3	177	176	1	0	155	164
	1,122	775	775	0	0	347	346	1	0	574	548
	677	172	172	0	0	505	500	5	0	359	318
LINCOLN LOWNDES MADISON MARION MARSHALL MONROE	393	233	233	0	0	160	157	1	2	201	192
	1,085	543	541	2	0	542	540	1	1	538	547
	1,039	492	492	0	0	547	541	4	2	534	505
	373	231	229	0	2	142	142	0	0	203	170
	558	212	212	0	0	346	346	0	0	275	283
	543	335	333	0	2	208	206	0	2	290	253
MONTGOMERY NESHOMA NEWTON NOXUBEE OKTIBBEHA PANOLA	181	77	77	0	0	104	104	0	0	93	88
	407	216	214	2	0	191	190	0	1	201	206
	312	162	161	0	1	150	150	0	0	173	139
	262	55	55	0	0	207	207	0	0	146	116
	565	252	252	0	0	313	313	0	0	275	290
	582	222	222	0	0	360	357	2	1	290	292

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1988

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER PERRY PIKE PONTOTOC PRENTISS QUITMAN	567	448	448	0	0	119	119	0	0	268	299
	177	127	127	0	0	50	50	0	0	84	93
	569	238	238	0	0	331	331	0	0	297	272
	341	283	283	0	0	58	58	0	0	174	167
	347	293	293	0	0	54	54	0	0	188	159
	214	84	84	0	0	130	130	0	0	117	97
	1,279	1,016	1,013	0	3	263	260	2	1	663	616
RANKIN SCOTT SHARKEY SIMPSON SMITH STONE	436	209	208	0	1	227	226	0	1	226	210
	149	23	23	0	0	126	125	0	1	76	73
	379	203	203	0	0	176	176	0	0	199	180
	198	132	129	1	2	66	64	1	1	99	99
	152	116	116	0	0	36	36	0	0	86	66
	641	129	129	0	0	512	508	0	4	341	300
	342	70	70	0	0	272	272	0	0	174	168
SUNFLOWER TALLAHATCHIE TATE TIPPAH TISHOMINGO TUNICA	333	172	172	0	0	161	161	0	0	157	176
	261	210	210	0	0	51	51	0	0	122	139
	208	201	201	0	0	7	7	0	0	102	106
	191	23	23	0	0	168	168	0	0	81	110
	299	251	251	0	0	48	48	0	0	155	144
	233	94	92	0	2	139	138	1	0	127	106
	853	421	417	1	3	432	431	0	1	445	408
WASHINGTON WAYNE WEBSTER	1,262	390	390	0	0	872	869	2	1	670	592
	316	173	173	0	0	143	143	0	0	164	152
	132	95	95	0	0	37	37	0	0	74	58
WILKINSON WINSTON YALOBUSHA YAZOO	147	34	34	0	0	113	113	0	0	75	72
	264	110	110	0	0	154	153	1	0	121	143
	207	89	89	0	0	118	118	0	0	105	102
	467	150	150	0	0	317	316	0	1	235	232

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	42,040	316	8,380	13,960	11,296	5,875	1,877	316	11	9
ADAMS	595	6	113	193	165	96	19	3	0	0
ALCORN	379	1	77	121	104	56	20	0	0	0
AMITE	173	2	29	61	45	23	12	1	0	0
ATTALA	275	2	64	92	71	34	11	1	0	0
BENTON	135	1	32	50	28	19	5	0	0	0
BOLIVAR	874	10	251	295	181	95	38	4	0	0
CALHOUN	215	2	45	90	41	30	5	2	0	0
CARROLL	116	0	23	43	31	15	2	2	0	0
CHICKASAW	309	0	75	114	72	29	14	4	0	1
CHOCTAW	111	0	27	35	33	13	3	0	0	0
CLAIBORNE	158	1	36	43	44	19	14	1	0	0
CLARKE	239	1	43	82	73	33	7	0	0	0
CLAY	384	7	77	131	93	55	19	2	0	0
COAHOMA	657	8	192	217	157	61	17	5	0	0
COPIAH	436	0	108	144	106	49	26	3	0	0
COVINGTON	286	2	67	96	61	40	15	5	0	0
DESOTO	1,028	2	138	363	294	172	49	8	2	0
FORREST	1,091	9	231	343	304	151	44	7	0	2
FRANKLIN	139	0	22	44	50	21	2	0	0	0
GEORGE	243	1	53	99	61	16	10	3	0	0
GREENE	136	0	26	58	39	6	5	2	0	0
GRENADA	356	2	94	105	94	48	13	0	0	0
HANCOCK	458	2	94	139	129	63	27	4	0	0
HARRISON	2,801	15	460	986	806	376	135	22	1	0
HINDS	4,295	37	686	1,269	1,255	774	243	27	1	3
HOLMES	450	4	111	156	99	53	21	5	1	0
HUMPHREYS	266	2	75	95	56	30	8	0	0	0
ISSAQUENA	32	0	6	14	6	5	1	0	0	0
ITAWAMBA	242	1	44	100	64	25	5	3	0	0
JACKSON	1,872	15	345	606	518	288	87	12	0	1
JASPER	238	1	43	83	68	31	9	3	0	0
JEFFERSON	153	0	30	53	46	17	4	3	0	0
JEFF DAVIS	212	0	55	80	40	26	8	3	0	0
JONES	927	11	168	288	295	119	39	7	0	0
KEMPER	150	2	30	51	36	18	9	4	0	0
LAFAYETTE	346	1	56	119	107	45	14	4	0	0
LAMAR	453	3	80	133	130	85	19	3	0	0
LAUDERDALE	1,247	14	237	392	337	203	59	5	0	0
LAWRENCE	181	1	23	67	58	26	6	0	0	0
LEAKE	319	1	61	115	74	51	13	3	1	0
LEE	1,122	9	199	371	319	160	56	7	0	1
LEFLORE	677	6	170	209	170	88	25	9	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	393	0	78	142	92	61	17	3	0	0
LOWNDES	1,085	8	197	373	313	155	38	1	0	0
MADISON	1,039	7	156	261	348	186	70	10	1	0
MARION	373	3	71	152	91	41	13	2	0	0
MARSHALL	558	3	121	189	153	64	21	7	0	0
MONROE	543	2	110	201	145	67	17	1	0	0
MONTGOMERY	181	3	42	66	46	19	2	2	1	0
NESHOBA	407	4	78	159	104	45	16	1	0	0
NEWTON	312	4	58	113	83	38	12	4	0	0
NOXUBEE	262	3	63	82	63	36	12	3	0	0
OKTIBBEHA	565	4	75	173	189	91	27	6	0	0
PANOLA	582	6	126	224	127	67	26	6	0	0
PEARL RIVER	567	1	136	198	141	60	24	7	0	0
PERRY	177	1	47	68	38	15	6	2	0	0
PIKE	569	4	122	183	149	83	23	4	1	0
PONTOTOC	341	5	77	115	80	46	17	1	0	0
PRENTISS	347	0	79	132	82	39	13	2	0	0
QUITMAN	214	1	60	77	49	19	4	4	0	0
RANKIN	1,279	3	178	390	390	235	72	11	0	0
SCOTT	436	1	91	166	115	48	11	3	1	0
SHARKEY	149	4	36	52	36	12	6	2	0	1
SIMPSON	379	2	69	126	109	51	20	2	0	0
SMITH	198	2	42	72	43	27	9	3	0	0
STONE	152	0	27	54	51	16	3	1	0	0
SUNFLOWER	641	14	178	214	135	68	26	5	1	0
TALLAHATCHIE	342	4	113	137	54	20	13	1	0	0
TATE	333	4	67	114	94	36	12	6	0	0
TIPPAH	261	1	50	100	75	24	10	1	0	0
TISHOMINGO	208	1	36	75	58	28	9	1	0	0
TUNICA	191	5	62	63	32	19	7	3	0	0
UNION	299	1	56	103	83	48	5	3	0	0
WALTHALL	233	0	52	80	62	28	6	5	0	0
WARREN	853	5	136	246	254	168	39	5	0	0
WASHINGTON	1,262	18	319	407	296	147	64	11	0	0
WAYNE	316	0	76	109	82	38	9	2	0	0
WEBSTER	132	0	31	45	37	14	4	1	0	0
WILKINSON	147	0	36	56	29	18	8	0	0	0
WINSTON	264	2	60	75	54	51	18	4	0	0
YALOBUSHA	207	1	52	77	46	22	9	0	0	0
YAZOO	467	7	121	146	108	61	21	3	0	0

TABLE 3B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	21,685	50	3,072	7,035	6,880	3,513	982	145	3	5
ADAMS	245	2	25	74	76	56	11	1	0	0
ALCORN	329	0	68	108	89	47	17	0	0	0
AMITE	84	1	6	30	31	11	5	0	0	0
ATTALA	117	1	17	38	41	17	3	0	0	0
BENTON	72	0	13	30	15	12	2	0	0	0
BOLIVAR	195	0	27	59	62	38	9	0	0	0
CALHOUN	119	1	21	51	24	19	3	0	0	0
CARROLL	47	0	4	19	17	5	1	1	0	0
CHICKASAW	141	0	31	51	38	14	7	0	0	0
CHOCTAW	59	0	12	19	20	6	2	0	0	0
CLAIBORNE	16	0	3	3	4	5	1	0	0	0
CLARKE	139	1	19	52	44	21	2	0	0	0
CLAY	132	1	15	51	40	21	4	0	0	0
COAHOMA	152	1	13	45	58	27	8	0	0	0
COPIAH	160	0	23	57	39	29	12	0	0	0
COVINGTON	149	0	34	49	36	23	5	2	0	0
DESOTO	828	1	104	283	250	144	39	6	1	0
FORREST	607	3	87	182	206	99	24	5	0	1
FRANKLIN	59	0	5	13	30	10	1	0	0	0
GEORGE	201	0	41	85	51	14	8	2	0	0
GREENE	93	0	16	41	29	4	1	2	0	0
GRENADA	151	0	25	47	50	23	6	0	0	0
HANCOCK	402	0	82	133	115	49	19	4	0	0
HARRISON	1,976	5	277	690	605	290	94	15	0	0
HINDS	1,526	2	114	363	567	369	95	13	1	2
HOLMES	65	0	8	24	20	10	3	0	0	0
HUMPHREYS	59	0	10	17	19	9	4	0	0	0
ISSAQUENA	8	0	2	4	2	0	0	0	0	0
ITAWAMBA	224	1	40	95	60	22	3	3	0	0
JACKSON	1,319	6	210	423	397	212	63	7	0	1
JASPER	72	0	8	21	28	10	4	1	0	0
JEFFERSON	15	0	1	6	7	1	0	0	0	0
JEFF DAVIS	70	0	13	27	16	10	2	2	0	0
JONES	568	1	76	170	204	90	25	2	0	0
KEMPER	45	0	5	15	16	5	3	1	0	0
LAFAYETTE	201	0	24	68	68	30	9	2	0	0
LAMAR	366	1	58	103	107	78	16	3	0	0
LAUDERDALE	663	3	83	197	211	133	32	4	0	0
LAWRENCE	108	0	10	42	39	15	2	0	0	0
LEAKE	142	0	25	54	35	22	5	1	0	0
LEE	775	4	114	267	234	112	38	5	0	1
LEFLORE	172	0	19	48	67	32	5	1	0	0

TABLE 3B - PAGE 2
WHITE LIVE BIRTHS - MISSISSIPPI - 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	233	0	41	84	63	36	8	1	0	0
LOWNDES	543	0	63	165	199	91	25	0	0	0
MADISON	492	0	23	84	217	128	34	6	0	0
MARION	231	0	40	91	66	26	7	1	0	0
MARSHALL	212	0	45	72	64	24	5	2	0	0
MONROE	335	1	58	132	95	37	11	1	0	0
MONTGOMERY	77	0	10	31	21	12	2	1	0	0
NESHOBA	216	0	32	77	67	33	7	0	0	0
NEWTON	162	0	22	58	49	25	5	3	0	0
NOXUBEE	55	0	2	17	22	11	3	0	0	0
OKTIBBEHA	252	0	13	66	107	45	18	3	0	0
PANOLA	222	3	42	81	59	32	5	0	0	0
PEARL RIVER	448	0	94	159	114	57	18	6	0	0
PERRY	127	0	33	49	31	10	3	1	0	0
PIKE	238	0	33	72	90	32	11	0	0	0
PONTOTOC	283	2	59	98	73	38	12	1	0	0
PRENTISS	293	0	62	112	71	33	13	2	0	0
QUITMAN	84	0	13	25	33	11	0	2	0	0
RANKIN	1,016	1	115	313	334	184	61	8	0	0
SCOTT	209	0	30	90	58	25	4	1	1	0
SHARKEY	23	0	1	6	11	1	3	1	0	0
SIMPSON	203	0	32	69	68	26	7	1	0	0
SMITH	132	1	17	53	29	22	7	3	0	0
STONE	116	0	16	41	44	12	2	1	0	0
SUNFLOWER	129	0	15	36	41	27	10	0	0	0
TALLAHATCHIE	70	0	15	23	22	6	4	0	0	0
TATE	172	1	21	65	58	19	5	3	0	0
TIPPAH	210	1	42	79	60	19	9	0	0	0
TISHOMINGO	201	1	34	72	56	28	9	1	0	0
TUNICA	23	0	3	4	8	6	2	0	0	0
UNION	251	1	44	85	71	44	3	3	0	0
WALTHALL	94	0	15	31	36	11	0	1	0	0
WARREN	421	1	44	113	155	89	16	3	0	0
WASHINGTON	390	2	54	114	137	59	21	3	0	0
WAYNE	173	0	32	60	55	19	6	1	0	0
WEBSTER	95	0	17	31	30	12	4	1	0	0
WILKINSON	34	0	4	8	13	7	2	0	0	0
WINSTON	110	0	17	31	22	29	10	1	0	0
YALOBUSHA	89	0	14	37	19	13	6	0	0	0
YAZOO	150	0	17	47	45	30	11	0	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	20,355	266	5,308	6,925	4,416	2,362	895	171	8	4
ADAMS	350	4	88	119	89	40	8	2	0	0
ALCORN	50	1	9	13	15	9	3	0	0	0
AMITE	89	1	23	31	14	12	7	1	0	0
ATTALA	158	1	47	54	30	17	8	1	0	0
BENTON	63	1	19	20	13	7	3	0	0	0
BOLIVAR	679	10	224	236	119	57	29	4	0	0
CALHOUN	96	1	24	39	17	11	2	2	0	0
CARROLL	69	0	19	24	14	10	1	1	0	0
CHICKASAW	168	0	44	63	34	15	7	4	0	1
CHOCTAW	52	0	15	16	13	7	1	0	0	0
CLAIBORNE	142	1	33	40	40	14	13	1	0	0
CLARKE	100	0	24	30	29	12	5	0	0	0
CLAY	252	6	62	80	53	34	15	2	0	0
COAHOMA	505	7	179	172	99	34	9	5	0	0
COPIAH	276	0	85	87	67	20	14	3	0	0
COVINGTON	137	2	33	47	25	17	10	3	0	0
DESOTO	200	1	34	80	44	28	10	2	1	0
FORREST	484	6	144	161	98	52	20	2	0	1
FRANKLIN	80	0	17	31	20	11	1	0	0	0
GEORGE	42	1	12	14	10	2	2	1	0	0
GREENE	43	0	10	17	10	2	4	0	0	0
GRENADA	205	2	69	58	44	25	7	0	0	0
HANCOCK	56	2	12	6	14	14	8	0	0	0
HARRISON	825	10	183	296	201	86	41	7	1	0
HINDS	2,769	35	572	906	688	405	148	14	0	1
HOLMES	385	4	103	132	79	43	18	5	1	0
HUMPHREYS	207	2	65	78	37	21	4	0	0	0
ISSAQUENA	24	0	4	10	4	5	1	0	0	0
ITAWAMBA	18	0	4	5	4	3	2	0	0	0
JACKSON	553	9	135	183	121	76	24	5	0	0
JASPER	166	1	35	62	40	21	5	2	0	0
JEFFERSON	138	0	29	47	39	16	4	3	0	0
JEFF DAVIS	142	0	42	53	24	16	6	1	0	0
JONES	359	10	92	118	91	29	14	5	0	0
KEMPER	105	2	25	36	20	13	6	3	0	0
LAFAYETTE	145	1	32	51	39	15	5	2	0	0
LAMAR	87	2	22	30	23	7	3	0	0	0
LAUDERDALE	584	11	154	195	126	70	27	1	0	0
LAWRENCE	73	1	13	25	19	11	4	0	0	0
LEAKE	177	1	36	61	39	29	8	2	1	0
LEE	347	5	85	104	85	48	18	2	0	0
LEFLORE	505	6	151	161	103	56	20	8	0	0

TABLE 3C - PAGE 2
NONWHITE LIVE BIRTHS - MISSISSIPPI - 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	160	0	37	58	29	25	9	2	0	0
LOWNDES	542	8	134	208	114	64	13	1	0	0
MADISON	547	7	133	177	131	58	36	4	1	0
MARION	142	3	31	61	25	15	6	1	0	0
MARSHALL	346	3	76	117	89	40	16	5	0	0
MONROE	208	1	52	69	50	30	6	0	0	0
MONTGOMERY	104	3	32	35	25	7	0	1	1	0
NESHOBA	191	4	46	82	37	12	9	1	0	0
NEWTON	150	4	36	55	34	13	7	1	0	0
NOXUBEE	207	3	61	65	41	25	9	3	0	0
OKTIBBEHA	313	4	62	107	82	46	9	3	0	0
PANOLA	360	3	84	143	68	35	21	6	0	0
PEARL RIVER	119	1	42	39	27	3	6	1	0	0
PERRY	50	1	14	19	7	5	3	1	0	0
PIKE	331	4	89	111	59	51	12	4	1	0
PONTOTOC	58	3	18	17	7	8	5	0	0	0
PRENTISS	54	0	17	20	11	6	0	0	0	0
QUITMAN	130	1	47	52	16	8	4	2	0	0
RANKIN	263	2	63	77	56	51	11	3	0	0
SCOTT	227	1	61	76	57	23	7	2	0	0
SHARKEY	126	4	35	46	25	11	3	1	0	1
SIMPSON	176	2	37	57	41	25	13	1	0	0
SMITH	66	1	25	19	14	5	2	0	0	0
STONE	36	0	11	13	7	4	1	0	0	0
SUNFLOWER	512	14	163	178	94	41	16	5	1	0
TALLAHATCHIE	272	4	98	114	32	14	9	1	0	0
TATE	161	3	46	49	36	17	7	3	0	0
TIPPAH	51	0	8	21	15	5	1	1	0	0
TISHOMINGO	7	0	2	3	2	0	0	0	0	0
TUNICA	168	5	59	59	24	13	5	3	0	0
UNION	48	0	12	18	12	4	2	0	0	0
WALTHALL	139	0	37	49	26	17	6	4	0	0
WARREN	432	4	92	133	99	79	23	2	0	0
WASHINGTON	872	16	265	293	159	88	43	8	0	0
WAYNE	143	0	44	49	27	19	3	1	0	0
WEBSTER	37	0	14	14	7	2	0	0	0	0
WILKINSON	113	0	32	48	16	11	6	0	0	0
WINSTON	154	2	43	44	32	22	8	3	0	0
YALOBUSHA	118	1	38	40	27	9	3	0	0	0
YAZOO	317	7	104	99	63	31	10	3	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1988

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>15,820</u>	<u>2,480</u>	<u>13,340</u>	<u>37.6</u>	<u>11.4</u>	<u>65.5</u>
ADAMS	296	36	260	49.7	14.7	74.3
ALCORN	61	35	26	16.1	10.6	52.0
AMITE	58	8	50	33.5	9.5	56.2
ATTALA	99	13	86	36.0	11.1	54.4
BENTON	51	12	39	37.8	16.7	61.9
BOLIVAR	566	26	540	64.8	13.3	79.5
CALHOUN	73	19	54	34.0	16.0	56.2
CARROLL	46	4	42	39.6	8.5	60.9
CHICKASAW	99	13	86	32.0	9.2	51.2
CHOCTAW	39	5	34	35.1	8.5	65.4
CLAIBORNE	96	3	93	60.8	18.8	65.5
CLARKE	67	10	57	28.0	7.2	57.0
CLAY	177	17	160	46.1	12.9	63.5
COAHOMA	413	14	399	62.9	9.2	79.0
COPIAH	197	16	181	45.2	10.0	65.6
COVINGTON	105	19	86	36.7	12.8	62.8
DESOTO	226	106	120	22.0	12.8	60.0
FORREST	425	95	330	39.0	15.6	68.2
FRANKLIN	54	3	51	38.8	5.1	63.8
GEORGE	45	17	28	18.5	8.4	66.7
GREENE	40	13	27	29.4	14.0	62.8
GRENADA	161	20	141	45.2	13.2	68.8
HANCOCK	112	81	31	24.4	20.1	55.4
HARRISON	761	326	435	27.2	16.5	52.7
HINDS	1,831	147	1,684	42.6	9.6	60.8
HOLMES	277	3	274	61.6	4.6	71.2
HUMPHREYS	174	8	166	65.4	13.6	80.2
ISSAQUENA	15	0	15	46.9	-	62.5
ITAWAMBA	33	24	9	13.6	10.7	50.0
JACKSON	545	211	334	29.1	16.0	60.4
JASPER	85	2	83	35.7	2.8	50.0
JEFFERSON	96	1	95	62.7	6.7	68.8
JEFF DAVIS	101	10	91	47.6	14.3	64.1
JONES	283	51	232	30.5	9.0	64.6
KEMPER	68	2	66	45.3	4.4	62.8
LAFAYETTE	102	12	90	29.5	6.0	62.1
LAMAR	74	33	41	16.3	9.0	47.1
LAUDERDALE	437	56	381	35.0	8.4	65.2
LAWRENCE	49	7	42	27.1	6.5	57.5
LEAKE	109	18	91	34.2	12.7	51.4
LEE	291	81	210	25.9	10.4	60.5
LEFLORE	386	17	369	57.0	9.9	73.1

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1988

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	105	19	86	26.7	8.2	53.8
LOWNDES	384	44	340	35.4	8.1	62.7
MADISON	367	23	344	35.3	4.7	62.9
MARION	110	29	81	29.5	12.6	57.0
MARSHALL	254	34	220	45.5	16.0	63.6
MONROE	182	31	151	33.5	9.2	72.6
MONTGOMERY	79	6	73	43.6	7.8	70.2
NESHOBA	143	18	125	35.1	8.3	65.4
NEWTON	99	16	83	31.7	9.9	55.3
NOXUBEE	143	0	143	54.6	-	69.1
OKTIBBEHA	201	10	191	35.6	4.0	61.0
PANOLA	287	26	261	49.3	11.7	72.5
PEARL RIVER	164	87	77	28.9	19.4	64.7
PERRY	51	20	31	28.8	15.7	62.0
PIKE	231	22	209	40.6	9.2	63.1
PONTOTOC	79	43	36	23.2	15.2	62.1
PRENTISS	72	38	34	20.7	13.0	63.0
QUITMAN	110	7	103	51.4	8.3	79.2
RANKIN	241	90	151	18.8	8.8	57.4
SCOTT	156	25	131	35.8	12.0	57.7
SHARKEY	100	1	99	67.1	4.3	78.6
SIMPSON	114	17	97	30.1	8.4	55.1
SMITH	56	10	46	28.3	7.6	69.7
STONE	35	10	25	23.0	8.6	69.4
SUNFLOWER	418	14	404	65.2	10.8	78.9
TALLAHATCHIE	215	7	208	62.9	10.0	76.5
TATE	124	16	108	37.2	9.3	67.1
TIPPAH	46	21	25	17.6	10.0	49.0
TISHOMINGO	26	23	3	12.5	11.4	42.8
TUNICA	145	2	143	75.9	8.7	85.1
UNION	55	25	30	18.4	10.0	62.5
WALTHALL	78	11	67	33.5	11.7	48.2
WARREN	313	33	280	36.7	7.8	64.8
WASHINGTON	724	47	677	57.4	12.0	77.6
WAYNE	107	19	88	33.9	11.0	61.5
WEBSTER	36	8	28	27.3	8.4	75.7
WILKINSON	87	0	87	59.2	-	77.0
WINSTON	108	7	101	40.9	6.4	65.6
YALOBUSHA	97	13	84	46.9	14.6	71.2
YAZOO	255	14	241	54.6	9.3	76.0

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>15,820</u>	<u>306</u>	<u>5,942</u>	<u>5,598</u>	<u>2,432</u>	<u>1,078</u>	<u>378</u>	<u>78</u>	<u>3</u>	<u>5</u>
ADAMS	296	6	101	107	52	26	4	0	0	0
ALCORN	61	1	24	21	6	8	1	0	0	0
AMITE	58	2	23	23	4	4	2	0	0	0
ATTALA	99	2	42	37	10	6	1	1	0	0
BENTON	51	1	19	18	10	2	1	0	0	0
BOLIVAR	566	10	231	207	81	24	12	1	0	0
CALHOUN	73	2	26	31	7	6	1	0	0	0
CARROLL	46	0	17	16	10	3	0	0	0	0
CHICKASAW	99	0	49	33	11	3	1	1	0	1
CHOCTAW	39	0	17	16	4	1	1	0	0	0
CLAIBORNE	96	1	34	30	19	7	5	0	0	0
CLARKE	67	1	25	23	10	6	2	0	0	0
CLAY	177	6	60	61	24	18	7	1	0	0
COAHOMA	413	8	176	144	62	16	5	2	0	0
COPIAH	197	0	82	64	35	9	4	3	0	0
COVINGTON	105	2	38	39	13	9	3	1	0	0
DESOTO	226	2	69	91	30	27	6	0	1	0
FORREST	425	9	178	151	52	25	8	1	0	1
FRANKLIN	54	0	15	17	16	5	1	0	0	0
GEORGE	45	1	23	11	5	3	1	1	0	0
GREENE	40	0	11	19	6	1	2	1	0	0
GRENADA	161	2	75	44	26	9	5	0	0	0
HANCOCK	112	2	48	31	19	9	3	0	0	0
HARRISON	761	14	290	280	108	50	12	7	0	0
HINDS	1,831	36	581	676	335	144	52	6	0	1
HOLMES	277	4	98	104	45	19	6	1	0	0
HUMPHREYS	174	2	68	66	25	10	3	0	0	0
ISSAQUENA	15	0	3	9	0	3	0	0	0	0
ITAWAMBA	33	1	11	11	8	2	0	0	0	0
JACKSON	545	14	207	179	87	42	12	3	0	1
JASPER	85	1	30	34	13	7	0	0	0	0
JEFFERSON	96	0	28	36	18	11	2	1	0	0
JEFF DAVIS	101	0	41	42	12	4	2	0	0	0
JONES	283	10	111	88	48	17	7	2	0	0
KEMPER	68	2	24	25	6	8	1	2	0	0
LAFAYETTE	102	1	35	38	19	5	2	2	0	0
LAMAR	74	3	34	21	12	4	0	0	0	0
LAUDERDALE	437	14	167	142	71	29	13	1	0	0
LAWRENCE	49	1	14	18	10	5	1	0	0	0
LEAKE	109	1	37	34	21	14	1	1	0	0
LEE	291	8	114	90	43	23	11	1	0	1
LEFLORE	386	6	149	135	62	26	7	1	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	105	0	42	38	12	9	3	1	0	0
LOWNDES	384	8	139	155	55	23	3	1	0	0
MADISON	367	7	135	126	55	22	19	2	1	0
MARION	110	3	40	43	14	8	1	1	0	0
MARSHALL	254	3	85	84	53	20	7	2	0	0
MONROE	182	2	65	61	33	18	3	0	0	0
MONTGOMERY	79	3	31	28	11	5	0	1	0	0
NESHOBA	143	4	50	60	21	5	3	0	0	0
NEWTON	99	4	36	28	16	9	4	2	0	0
NOXUBEE	143	3	58	45	24	7	4	2	0	0
OKTIBBEHA	201	4	60	77	38	14	7	1	0	0
PANOLA	287	5	93	117	40	16	12	4	0	0
PEARL RIVER	164	1	73	53	24	6	6	1	0	0
PERRY	51	1	22	17	7	2	2	0	0	0
PIKE	231	4	92	77	32	19	4	3	0	0
PONTOTOC	79	5	35	24	5	5	5	0	0	0
PRENTISS	72	0	35	24	12	1	0	0	0	0
QUITMAN	110	1	49	41	12	5	1	1	0	0
RANKIN	241	2	89	75	35	33	6	1	0	0
SCOTT	156	1	70	51	25	7	2	0	0	0
SHARKEY	100	4	33	43	15	2	2	1	0	0
SIMPSON	114	2	37	43	20	8	4	0	0	0
SMITH	56	2	25	17	8	4	0	0	0	0
STONE	35	0	14	14	7	0	0	0	0	0
SUNFLOWER	418	14	165	145	61	22	7	3	1	0
TALLAHATCHIE	215	4	92	87	20	7	4	1	0	0
TATE	124	4	49	41	15	7	7	1	0	0
TIPPAH	46	1	13	22	6	2	1	1	0	0
TISHOMINGO	26	0	6	14	4	2	0	0	0	0
TUNICA	145	5	57	53	16	8	4	2	0	0
UNION	55	1	22	18	11	3	0	0	0	0
WALTHALL	78	0	39	19	13	5	2	0	0	0
WARREN	313	5	96	106	62	34	10	0	0	0
WASHINGTON	724	17	284	250	101	47	23	2	0	0
WAYNE	107	0	48	33	16	8	1	1	0	0
WEBSTER	36	0	17	15	1	2	1	0	0	0
WILKINSON	87	0	32	38	6	7	4	0	0	0
WINSTON	108	2	46	33	17	7	2	1	0	0
YALOBUSHA	97	1	38	40	15	2	1	0	0	0
YAZOO	255	7	105	81	39	17	5	1	0	0

TABLE 5B
WHITE LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>2,480</u>	<u>41</u>	<u>990</u>	<u>824</u>	<u>396</u>	<u>173</u>	<u>43</u>	<u>10</u>	<u>0</u>	<u>3</u>
ADAMS	36	2	15	14	2	3	0	0	0	0
ALCORN	35	0	15	13	2	4	1	0	0	0
AMITE	8	1	2	4	1	0	0	0	0	0
ATTALA	13	1	5	6	1	0	0	0	0	0
BENTON	12	0	5	5	1	1	0	0	0	0
BOLIVAR	26	0	12	10	4	0	0	0	0	0
CALHOUN	19	1	5	10	2	1	0	0	0	0
CARROLL	4	0	0	1	2	1	0	0	0	0
CHICKASAW	13	0	8	4	0	1	0	0	0	0
CHOCTAW	5	0	3	2	0	0	0	0	0	0
CLAIBORNE	3	0	1	0	0	2	0	0	0	0
CLARKE	10	1	4	3	1	0	1	0	0	0
CLAY	17	0	4	10	1	2	0	0	0	0
COAHOMA	14	1	3	7	1	2	0	0	0	0
COPIAH	16	0	10	4	0	1	1	0	0	0
COVINGTON	19	0	10	5	2	2	0	0	0	0
DESOTO	106	1	40	37	14	12	2	0	0	0
FORREST	95	3	41	29	15	4	2	0	0	1
FRANKLIN	3	0	1	1	1	0	0	0	0	0
GEORGE	17	0	12	3	0	1	1	0	0	0
GREENE	13	0	3	4	5	0	0	1	0	0
GRENADA	20	0	10	2	5	2	1	0	0	0
HANCOCK	81	0	37	26	13	3	2	0	0	0
HARRISON	326	4	122	113	49	27	7	4	0	0
HINDS	147	1	47	54	33	11	0	1	0	0
HOLMES	3	0	1	1	1	0	0	0	0	0
HUMPHREYS	8	0	4	2	2	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	24	1	8	9	6	0	0	0	0	0
JACKSON	211	5	82	66	37	14	6	0	0	1
JASPER	2	0	1	1	0	0	0	0	0	0
JEFFERSON	1	0	0	1	0	0	0	0	0	0
JEFF DAVIS	10	0	4	3	2	1	0	0	0	0
JONES	51	0	21	17	4	6	3	0	0	0
KEMPER	2	0	1	1	0	0	0	0	0	0
LAFAYETTE	12	0	5	6	1	0	0	0	0	0
LAMAR	33	1	14	8	6	4	0	0	0	0
LAUDERDALE	56	3	25	15	7	5	0	1	0	0
LAWRENCE	7	0	2	3	2	0	0	0	0	0
LEAKE	18	0	5	7	5	1	0	0	0	0
LEE	81	4	36	25	8	5	2	0	0	1
LEFLORE	17	0	4	7	5	0	1	0	0	0

TABLE 5B - PAGE 2
WHITE LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	19	0	12	4	2	0	0	1	0	0
LOWNDES	44	0	15	20	4	4	1	0	0	0
MADISON	23	0	7	9	5	1	0	1	0	0
MARION	29	0	14	8	6	1	0	0	0	0
MARSHALL	34	0	13	9	8	4	0	0	0	0
MONROE	31	1	16	11	2	1	0	0	0	0
MONTGOMERY	6	0	1	3	1	1	0	0	0	0
NESHOBA	18	0	8	5	4	1	0	0	0	0
NEWTON	16	0	7	3	3	2	0	1	0	0
NOXUBEE	0	0	0	0	0	0	0	0	0	0
OKTIBBEHA	10	0	2	3	4	1	0	0	0	0
PANOLA	26	2	10	8	5	1	0	0	0	0
PEARL RIVER	87	0	36	30	13	4	4	0	0	0
PERRY	20	0	8	5	5	2	0	0	0	0
PIKE	22	0	9	6	4	3	0	0	0	0
PONTOTOC	43	2	19	14	3	3	2	0	0	0
PRENTISS	38	0	20	10	8	0	0	0	0	0
QUITMAN	7	0	2	1	3	1	0	0	0	0
RANKIN	90	0	32	26	16	14	2	0	0	0
SCOTT	25	0	13	9	3	0	0	0	0	0
SHARKEY	1	0	0	1	0	0	0	0	0	0
SIMPSON	17	0	6	9	2	0	0	0	0	0
SMITH	10	1	3	3	1	2	0	0	0	0
STONE	10	0	3	4	3	0	0	0	0	0
SUNFLOWER	14	0	6	5	3	0	0	0	0	0
TALLAHATCHIE	7	0	3	4	0	0	0	0	0	0
TATE	16	1	6	7	1	0	1	0	0	0
TIPPAH	21	1	6	10	2	1	1	0	0	0
TISHOMINGO	23	0	5	12	4	2	0	0	0	0
TUNICA	2	0	1	1	0	0	0	0	0	0
UNION	25	1	11	6	6	1	0	0	0	0
WALTHALL	11	0	5	3	3	0	0	0	0	0
WARREN	33	1	13	6	12	1	0	0	0	0
WASHINGTON	47	1	21	11	11	3	0	0	0	0
WAYNE	19	0	11	3	5	0	0	0	0	0
WEBSTER	8	0	3	3	0	1	1	0	0	0
WILKINSON	0	0	0	0	0	0	0	0	0	0
WINSTON	7	0	5	2	0	0	0	0	0	0
YALOBUSHA	13	0	4	6	3	0	0	0	0	0
YAZOO	14	0	6	5	0	2	1	0	0	0

TABLE 5C
NONWHITE LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	13,340	265	4,952	4,774	2,036	905	335	68	3	2
ADAMS	260	4	86	93	50	23	4	0	0	0
ALCORN	26	1	9	8	4	4	0	0	0	0
AMITE	50	1	21	19	3	4	2	0	0	0
ATTALA	86	1	37	31	9	6	1	1	0	0
BENTON	39	1	14	13	9	1	1	0	0	0
BOLIVAR	540	10	219	197	77	24	12	1	0	0
CALHOUN	54	1	21	21	5	5	1	0	0	0
CARROLL	42	0	17	15	8	2	0	0	0	0
CHICKASAW	86	0	41	29	11	2	1	1	0	1
CHOCTAW	34	0	14	14	4	1	1	0	0	0
CLAIBORNE	93	1	33	30	19	5	5	0	0	0
CLARKE	57	0	21	20	9	6	1	0	0	0
CLAY	160	6	56	51	23	16	7	1	0	0
COAHOMA	399	7	173	137	61	14	5	2	0	0
COPIAH	181	0	72	60	35	8	3	3	0	0
COVINGTON	86	2	28	34	11	7	3	1	0	0
DESOTO	120	1	29	54	16	15	4	0	1	0
FORREST	330	6	137	122	37	21	6	1	0	0
FRANKLIN	51	0	14	16	15	5	1	0	0	0
GEORGE	28	1	11	8	5	2	0	1	0	0
GREENE	27	0	8	15	1	1	2	0	0	0
GRENADA	141	2	65	42	21	7	4	0	0	0
HANCOCK	31	2	11	5	6	6	1	0	0	0
HARRISON	435	10	168	167	59	23	5	3	0	0
HINDS	1,684	35	534	622	302	133	52	5	0	1
HOLMES	274	4	97	103	44	19	6	1	0	0
HUMPHREYS	166	2	64	64	23	10	3	0	0	0
ISSAQUENA	15	0	3	9	0	3	0	0	0	0
ITAWAMBA	9	0	3	2	2	2	0	0	0	0
JACKSON	334	9	125	113	50	28	6	3	0	0
JASPER	83	1	29	33	13	7	0	0	0	0
JEFFERSON	95	0	28	35	18	11	2	1	0	0
JEFF DAVIS	91	0	37	39	10	3	2	0	0	0
JONES	232	10	90	71	44	11	4	2	0	0
KEMPER	66	2	23	24	6	8	1	2	0	0
LAFAYETTE	90	1	30	32	18	5	2	2	0	0
LAMAR	41	2	20	13	6	0	0	0	0	0
LAUDERDALE	381	11	142	127	64	24	13	0	0	0
LAWRENCE	42	1	12	15	8	5	1	0	0	0
LEAKE	91	1	32	27	16	13	1	1	0	0
LEE	210	4	78	65	35	18	9	1	0	0
LEFLORE	369	6	145	128	57	26	6	1	0	0

TABLE 5C - PAGE 2
 NONWHITE LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1988

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	86	0	30	34	10	9	3	0	0	0
LOWNDES	340	8	124	135	51	19	2	1	0	0
MADISON	344	7	128	117	50	21	19	1	1	0
MARION	81	3	26	35	8	7	1	1	0	0
MARSHALL	220	3	72	75	45	16	7	2	0	0
MONROE	151	1	49	50	31	17	3	0	0	0
MONTGOMERY	73	3	30	25	10	4	0	1	0	0
NESHOBA	125	4	42	55	17	4	3	0	0	0
NEWTON	83	4	29	25	13	7	4	1	0	0
NOXUBEE	143	3	58	45	24	7	4	2	0	0
OKTIBBEHA	191	4	58	74	34	13	7	1	0	0
PANOLA	261	3	83	109	35	15	12	4	0	0
PEARL RIVER	77	1	37	23	11	2	2	1	0	0
PERRY	31	1	14	12	2	0	2	0	0	0
PIKE	209	4	83	71	28	16	4	3	0	0
PONTOTOC	36	3	16	10	2	2	3	0	0	0
PRENTISS	34	0	15	14	4	1	0	0	0	0
QUITMAN	103	1	47	40	9	4	1	1	0	0
RANKIN	151	2	57	49	19	19	4	1	0	0
SCOTT	131	1	57	42	22	7	2	0	0	0
SHARKEY	99	4	33	42	15	2	2	1	0	0
SIMPSON	97	2	31	34	18	8	4	0	0	0
SMITH	46	1	22	14	7	2	0	0	0	0
STONE	25	0	11	10	4	0	0	0	0	0
SUNFLOWER	404	14	159	140	58	22	7	3	1	0
TALLAHATCHIE	208	4	89	83	20	7	4	1	0	0
TATE	108	3	43	34	14	7	6	1	0	0
TIPPAH	25	0	7	12	4	1	0	1	0	0
TISHOMINGO	3	0	1	2	0	0	0	0	0	0
TUNICA	143	5	56	52	16	8	4	2	0	0
UNION	30	0	11	12	5	2	0	0	0	0
WALTHALL	67	0	34	16	10	5	2	0	0	0
WARREN	280	4	83	100	50	33	10	0	0	0
WASHINGTON	677	16	263	239	90	44	23	2	0	0
WAYNE	88	0	37	30	11	8	1	1	0	0
WEBSTER	28	0	14	12	1	1	0	0	0	0
WILKINSON	87	0	32	38	6	7	4	0	0	0
WINSTON	101	2	41	31	17	7	2	1	0	0
YALOBUSHA	84	1	34	34	12	2	1	0	0	0
YAZOO	241	7	99	76	39	15	4	1	0	0

TABLE 6
IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1988

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>3,666</u>	<u>1,304</u>	<u>2,362</u>	<u>8.7</u>	<u>6.0</u>	<u>11.6</u>
ADAMS	56	14	42	9.4	5.7	12.0
ALCORN	24	19	5	6.3	5.8	10.0
AMITE	16	4	12	9.2	4.8	13.5
ATTALA	19	6	13	6.9	5.1	8.2
BENTON	11	3	8	8.1	4.2	12.7
BOLIVAR	98	10	88	11.2	5.1	13.0
CALHOUN	29	14	15	13.5	11.8	15.6
CARROLL	14	6	8	12.1	12.8	11.6
CHICKASAW	25	8	17	8.1	5.7	10.1
CHOCTAW	7	1	6	6.3	1.7	11.5
CLAIBORNE	21	2	19	13.3	12.5	13.4
CLARKE	32	11	21	13.4	7.9	21.0
CLAY	34	5	29	8.8	3.8	11.5
COAHOMA	60	5	55	9.1	3.3	10.9
COPIAH	40	15	25	9.2	9.4	9.0
COVINGTON	26	13	13	9.1	8.7	9.5
DESOTO	82	59	23	8.0	7.1	11.5
FORREST	99	32	67	9.1	5.3	13.8
FRANKLIN	10	3	7	7.2	5.1	8.8
GEORGE	12	9	3	4.9	4.5	7.1
GREENE	6	3	3	4.4	3.2	7.0
GRENADA	38	14	24	10.7	9.3	11.7
HANCOCK	19	16	3	4.1	4.0	5.4
HARRISON	196	109	87	7.0	5.5	10.5
HINDS	448	92	356	10.4	6.0	12.8
HOLMES	50	5	45	11.1	7.7	11.7
HUMPHREYS	30	3	27	11.3	5.1	13.0
ISSAQUENA	3	2	1	9.4	25.0	4.2
ITAWAMBA	22	20	2	9.1	8.9	11.1
JACKSON	133	77	56	7.1	5.8	10.1
JASPER	17	4	13	7.1	5.6	7.8
JEFFERSON	17	0	17	11.1	-	12.3
JEFF DAVIS	24	3	21	11.3	4.3	14.8
JONES	77	39	38	8.3	6.9	10.6
KEMPER	11	1	10	7.3	2.2	9.5
LAFAYETTE	29	9	20	8.4	4.5	13.8
LAMAR	49	32	17	10.8	8.7	19.5
LAUDERDALE	75	24	51	6.0	3.6	8.7
LAWRENCE	11	5	6	6.1	4.6	8.2
LEAKE	22	5	17	6.9	3.5	9.6
LEE	88	43	45	7.8	5.5	13.0
LEFLORE	71	8	63	10.5	4.6	12.5

TABLE 6 - PAGE 2
IMMATURE LIVE BIRTHS - MISSISSIPPI - 1988

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	29	10	19	7.4	4.3	11.9
LOWNDES	103	26	77	9.5	4.8	14.2
MADISON	84	20	64	8.1	4.1	11.7
MARION	28	18	10	7.5	7.8	7.0
MARSHALL	59	12	47	10.6	5.7	13.6
MONROE	40	16	24	7.4	4.8	11.5
MONTGOMERY	14	3	11	7.7	3.9	10.6
NESHOBA	24	10	14	5.9	4.6	7.3
NEWTON	24	8	16	7.7	4.9	10.7
NOXUBEE	22	0	22	8.4	-	10.6
OKTIBBEHA	43	9	34	7.6	3.6	10.9
PANOLA	64	18	46	11.0	8.1	12.8
PEARL RIVER	36	26	10	6.3	5.8	8.4
PERRY	10	4	6	5.6	3.2	12.0
PIKE	53	15	38	9.3	6.3	11.5
PONTOTOC	20	14	6	5.9	4.9	10.3
PRENTISS	35	27	8	10.1	9.2	14.8
QUITMAN	18	6	12	8.4	7.1	9.2
RANKIN	93	62	31	7.3	6.1	11.8
SCOTT	41	15	26	9.4	7.2	11.4
SHARKEY	22	1	21	14.8	4.3	16.7
SIMPSON	32	15	17	8.4	7.4	9.6
SMITH	23	18	5	11.6	13.6	7.6
STONE	6	4	2	3.9	3.4	5.6
SUNFLOWER	66	10	56	10.3	7.8	10.9
TALLAHATCHIE	35	4	31	10.2	5.7	11.4
TATE	39	14	25	11.7	8.1	15.5
TIPPAH	33	28	5	12.6	13.3	9.8
TISHOMINGO	13	13	0	6.2	6.5	.
TUNICA	21	2	19	11.0	8.7	11.3
UNION	31	29	2	10.4	11.6	4.2
WALTHALL	22	7	15	9.4	7.4	10.8
WARREN	83	31	52	9.7	7.4	12.0
WASHINGTON	116	24	92	9.2	6.2	10.6
WAYNE	25	6	19	7.9	3.5	13.3
WEBSTER	13	6	7	9.8	6.3	18.9
WILKINSON	12	1	11	8.2	2.9	9.7
WINSTON	20	5	15	7.6	4.5	9.7
YALOBUSHA	18	4	14	8.7	4.5	11.9
YAZOO	45	10	35	9.6	6.7	11.0

* BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1988

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>5,977</u>	<u>2,096</u>	<u>3,881</u>	<u>14.2</u>	<u>9.7</u>	<u>19.1</u>
ADAMS	89	22	67	15.0	9.0	19.1
ALCORN	36	33	3	9.5	10.0	6.0
AMITE	29	7	22	16.8	8.3	24.7
ATTALA	47	19	28	17.1	16.2	17.7
BENTON	26	11	15	19.2	15.3	23.8
BOLIVAR	151	15	136	17.3	7.7	20.0
CALHOUN	34	18	16	15.8	15.1	16.7
CARROLL	18	4	14	15.5	8.5	20.3
CHICKASAW	56	15	41	18.1	10.6	24.4
CHOCTAW	10	2	8	9.0	3.4	15.4
CLAIBORNE	33	2	31	20.9	12.5	21.8
CLARKE	36	17	19	15.1	12.2	19.0
CLAY	53	12	41	13.8	9.1	16.3
COAHOMA	132	16	116	20.1	10.5	23.0
COPIAH	75	24	51	17.2	15.0	18.5
COVINGTON	54	17	37	18.9	11.4	27.0
DESOTO	106	81	25	10.3	9.8	12.5
FORREST	150	66	84	13.7	10.9	17.4
FRANKLIN	15	5	10	10.8	8.5	12.5
GEORGE	15	10	5	6.2	5.0	11.9
GREENE	11	7	4	8.1	7.5	9.3
GRENADA	62	18	44	17.4	11.9	21.5
HANCOCK	31	21	10	6.8	5.2	17.8
HARRISON	321	181	140	11.5	9.2	17.0
HINDS	671	143	528	15.6	9.4	19.1
HOLMES	85	6	79	18.9	9.2	20.5
HUMPHREYS	54	10	44	20.3	16.9	21.2
ISSAQUENA	3	1	2	9.4	12.5	8.3
ITAWAMBA	23	20	3	9.5	8.9	16.7
JACKSON	240	140	100	12.8	10.6	18.1
JASPER	29	6	23	12.2	8.3	13.8
JEFFERSON	27	2	25	17.6	13.3	18.1
JEFF DAVIS	30	5	25	14.2	7.1	17.6
JONES	121	58	63	13.0	10.2	17.5
KEMPER	19	6	13	12.7	13.3	12.4
LAFAYETTE	45	14	31	13.0	7.0	21.4
LAMAR	62	40	22	13.7	10.9	25.3
LAUDERDALE	157	54	103	12.6	8.1	17.6
LAWRENCE	23	14	9	12.7	13.0	12.3
LEAKE	45	16	29	14.1	11.3	16.4
LEE	165	92	73	14.7	11.9	21.0
LEFLORE	101	12	89	14.9	7.0	17.6

TABLE 7 - PAGE 2
PREMATURE LIVE BIRTHS - MISSISSIPPI - 1988

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	68	26	42	17.3	11.2	26.2
LOWNDES	153	53	100	14.1	9.8	18.4
MADISON	121	34	87	11.6	6.9	15.9
MARION	43	23	20	11.5	10.0	14.1
MARSHALL	94	24	70	16.8	11.3	20.2
MONROE	64	26	38	11.8	7.8	18.3
MONTGOMERY	30	7	23	16.6	9.1	22.1
NESHOBA	43	16	27	10.6	7.4	14.1
NEWTON	37	13	24	11.8	8.0	16.0
NOXUBEE	40	1	39	15.3	1.8	18.8
OKTIBBEHA	67	13	54	11.8	5.2	17.2
PANOLA	89	22	67	15.3	9.9	18.6
PEARL RIVER	50	29	21	8.8	6.5	17.6
PERRY	19	8	11	10.7	6.3	22.0
PIKE	121	25	96	21.3	10.5	29.0
PONTOTOC	38	30	8	11.1	10.6	13.8
PRENTISS	54	44	10	15.6	15.0	18.5
QUITMAN	40	9	31	18.7	10.7	23.8
RANKIN	138	81	57	10.8	8.0	21.7
SCOTT	67	21	46	15.4	10.0	20.3
SHARKEY	28	3	25	18.8	13.0	19.8
SIMPSON	60	29	31	15.8	14.3	17.6
SMITH	27	17	10	13.6	12.9	15.2
STONE	11	6	5	7.2	5.2	13.9
SUNFLOWER	109	12	97	17.0	9.3	18.9
TALLAHATCHIE	74	9	65	21.6	12.8	23.9
TATE	50	15	35	15.0	8.7	21.7
TIPPAH	41	32	9	15.7	15.2	17.6
TISHOMINGO	23	22	1	11.0	10.9	14.3
TUNICA	42	6	36	22.0	26.1	21.4
UNION	50	39	11	16.7	15.5	22.9
WALTHALL	45	11	34	19.3	11.7	24.5
WARREN	101	32	69	11.8	7.6	16.0
WASHINGTON	226	37	189	17.9	9.5	21.7
WAYNE	39	12	27	12.3	6.9	18.9
WEBSTER	16	12	4	12.1	12.6	10.8
WILKINSON	14	0	14	9.5	-	12.4
WINSTON	45	15	30	17.0	13.6	19.5
YALOBUSHA	38	6	32	18.4	6.7	27.1
YAZOO	72	14	58	15.4	9.3	18.3

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1988

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>452</u>	<u>160</u>	<u>292</u>	<u>448</u>	<u>158</u>	<u>290</u>	<u>10.6</u>	<u>7.3</u>	<u>14.2</u>
ADAMS	16	6	10	11	5	6	18.5	20.4	17.1
ALCORN	2	1	1	4	2	2	10.6	6.1	40.0
AMITE	0	0	0	4	2	2	23.1	23.8	22.5
ATTALA	0	0	0	3	1	2	10.9	8.5	12.6
BENTON	0	0	0	4	3	1	29.6	41.7	15.9
BOLIVAR	11	1	10	17	2	15	19.4	10.2	22.1
CALHOUN	0	0	0	1	0	1	4.6	-	10.4
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	0	0	0	4	1	3	12.9	7.1	17.8
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	2	0	2	6	0	6	38.0	-	42.2
CLARKE	0	0	0	0	0	0	-	-	-
CLAY	3	0	3	3	0	3	7.8	-	11.9
COAHOMA	17	2	15	6	2	4	9.1	13.2	7.9
COPIAH	3	1	2	7	0	7	16.0	-	25.4
COVINGTON	3	0	3	4	1	3	14.0	6.7	21.9
DESOTO	1	0	1	8	4	4	7.8	4.8	20.0
FORREST	23	14	9	9	5	4	8.2	8.2	8.3
FRANKLIN	0	0	0	1	0	1	7.2	-	12.5
GEORGE	0	0	0	0	0	0	-	-	-
GREENE	0	0	0	1	0	1	7.4	-	23.2
GRENADA	10	4	6	4	3	1	11.2	19.9	4.9
HANCOCK	4	1	3	4	2	2	8.7	5.0	35.7
HARRISON	31	21	10	23	15	8	8.2	7.6	9.7
HINDS	130	32	98	52	13	39	12.1	8.5	14.1
HOLMES	1	0	1	3	0	3	6.7	-	7.8
HUMPHREYS	0	0	0	1	0	1	3.8	-	4.8
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	1	1	0	4.1	4.5	-
JACKSON	13	5	8	15	6	9	8.0	4.5	16.3
JASPER	0	0	0	3	2	1	12.6	27.8	6.0
JEFFERSON	1	0	1	3	0	3	19.6	-	21.7
JEFF DAVIS	0	0	0	0	0	0	-	-	-
JONES	17	5	12	11	3	8	11.9	5.3	22.3
KEMPER	2	0	2	4	0	4	26.7	-	38.1
LAFAYETTE	3	1	2	2	0	2	5.8	-	13.8
LAMAR	0	0	0	1	1	0	2.2	2.7	-
LAUDERDALE	18	11	7	12	7	5	9.6	10.6	8.6
LAWRENCE	0	0	0	3	0	3	16.6	-	41.1
LEAKE	0	0	0	3	0	3	9.4	-	16.9
LEE	22	13	9	8	2	6	7.1	2.6	17.3
LEFLORE	7	3	4	8	3	5	11.8	17.4	9.9

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 1988

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	0	0	0	3	1	2	7.6	4.3	12.5
LOWNDES	8	4	4	8	4	4	7.4	7.4	7.4
MADISON	6	0	6	15	4	11	14.4	8.1	20.1
MARION	0	0	0	8	2	6	21.4	8.6	42.2
MARSHALL	0	0	0	3	1	2	5.4	4.7	5.8
MONROE	11	7	4	10	7	3	18.4	20.9	14.4
MONTGOMERY	1	0	1	2	0	2	11.0	-	19.2
NESHOBA	2	1	1	6	4	2	14.7	18.5	10.5
NEWTON	0	0	0	4	3	1	12.8	18.5	6.7
NOXUBEE	0	0	0	1	0	1	3.8	-	4.8
OKTIBBEHA	11	3	8	7	0	7	12.4	-	22.4
PANOLA	7	0	7	8	1	7	13.7	4.5	19.4
PEARL RIVER	3	3	0	5	4	1	8.8	8.9	8.4
PERRY	1	0	1	0	0	0	-	-	-
PIKE	12	5	7	4	3	1	7.0	12.6	3.0
PONTOTOC	0	0	0	5	5	0	14.7	17.7	-
PRENTISS	0	0	0	2	1	1	5.8	3.4	18.5
QUITMAN	0	0	0	3	0	3	14.0	-	23.1
RANKIN	7	6	1	16	11	5	12.5	10.8	19.0
SCOTT	0	0	0	3	1	2	6.9	4.8	8.8
SHARKEY	0	0	0	5	0	5	33.6	-	39.7
SIMPSON	0	0	0	5	1	4	13.2	4.9	22.7
SMITH	0	0	0	4	3	1	20.2	22.7	15.2
STONE	0	0	0	1	1	0	6.6	8.6	-
SUNFLOWER	2	0	2	6	0	6	9.4	-	11.7
TALLAHATCHIE	0	0	0	5	1	4	14.6	14.3	14.7
TATE	2	0	2	3	2	1	9.0	11.6	6.2
TIPPAH	0	0	0	0	0	0	-	-	-
TISHOMINGO	0	0	0	2	2	0	9.6	10.0	-
TUNICA	0	0	0	2	0	2	10.5	-	11.9
UNION	6	4	2	1	1	0	3.3	4.0	-
WALTHALL	1	1	0	5	2	3	21.4	21.3	21.6
WARREN	11	2	9	10	3	7	11.7	7.1	16.2
WASHINGTON	13	3	10	12	1	11	9.5	2.6	12.6
WAYNE	3	0	3	6	2	4	19.0	11.6	28.0
WEBSTER	0	0	0	1	1	0	7.6	10.5	-
WILKINSON	3	0	3	5	0	5	34.0	-	44.2
WINSTON	0	0	0	0	0	0	-	-	-
YALOBUSHA	0	0	0	3	0	3	14.5	-	25.4
YAZOO	2	0	2	5	0	5	10.7	-	15.8
OUT OF STATE	18	12	6	22	14	8			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1988

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>23,990</u>	<u>15,511</u>	<u>8,479</u>	<u>24,706</u>	<u>16,034</u>	<u>8,672</u>	<u>9.0</u>	<u>9.1</u>	<u>8.8</u>
ADAMS	462	222	240	408	188	220	10.4	9.7	11.1
ALCORN	316	279	37	352	312	40	9.4	9.3	9.9
AMITE	51	24	27	145	78	67	11.0	11.0	11.1
ATTALA	164	131	33	231	161	70	11.5	13.2	8.9
BENTON	34	22	12	69	45	24	7.8	8.0	7.4
BOLIVAR	397	149	248	460	170	290	10.6	10.9	10.4
CALHOUN	110	80	30	174	133	41	10.4	10.6	9.7
CARROLL	32	16	16	76	42	34	7.5	7.4	7.7
CHICKASAW	147	102	45	192	128	64	10.4	10.9	9.4
CHOCTAW	71	52	19	101	77	24	10.5	11.3	8.6
CLAIBORNE	50	13	37	95	19	76	7.0	5.8	7.4
CLARKE	142	98	44	195	132	63	10.6	11.0	9.8
CLAY	178	98	80	227	120	107	9.7	10.7	8.8
COAHOMA	388	141	247	376	144	232	11.0	11.7	10.5
COPIAH	182	98	84	275	145	130	9.7	9.7	9.6
COVINGTON	101	79	22	162	116	46	9.6	10.2	8.3
DESOTO	127	97	30	392	321	71	6.0	5.8	7.1
FORREST	954	676	278	743	523	220	10.1	10.2	9.8
FRANKLIN	68	33	35	85	48	37	10.0	8.9	11.8
GEORGE	106	102	4	172	161	11	10.5	10.8	7.7
GREENE	61	54	7	122	103	19	11.2	11.6	9.4
GRENADA	230	136	94	229	131	98	10.2	9.9	10.5
HANCOCK	223	197	26	314	286	28	10.7	10.9	9.6
HARRISON	1,731	1,420	311	1,420	1,163	257	8.2	8.8	6.2
HINDS	4,029	2,291	1,738	2,217	1,233	984	7.9	8.7	7.1
HOLMES	164	41	123	232	69	163	10.1	11.6	9.6
HUMPHREYS	87	29	58	139	47	92	10.4	10.8	10.2
ISSAQUENA	5	2	3	11	2	9	4.5	1.7	7.0
ITAWAMBA	127	120	7	217	204	13	9.2	9.3	8.7
JACKSON	730	596	134	805	665	140	5.8	6.2	4.7
JASPER	103	62	41	183	112	71	10.0	12.7	7.6
JEFFERSON	48	6	42	90	17	73	10.2	11.4	10.0
JEFF DAVIS	99	53	46	148	83	65	10.1	13.3	7.7
JONES	568	413	155	583	436	147	8.6	8.4	9.4
KEMPER	65	33	32	117	59	58	11.6	12.6	10.6
LAFAYETTE	285	194	91	197	125	72	5.6	4.9	7.1
LAMAR	306	262	44	183	163	20	6.3	6.3	6.3
LAUDERDALE	1,108	762	346	787	537	250	9.5	9.9	8.6
LAWRENCE	81	57	24	125	88	37	9.1	9.1	9.1
LEAKE	172	122	50	236	148	88	11.7	12.2	11.1
LEE	1,110	889	221	574	454	120	8.9	8.9	8.9
LEFLORE	424	193	231	432	198	234	10.5	12.7	9.1

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1988

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	343	236	107	351	251	100	10.3	10.6	9.8
LOWNDES	501	313	188	454	283	171	6.9	7.0	6.8
MADISON	198	64	134	383	171	212	7.4	6.8	8.0
MARION	217	145	72	291	196	95	10.3	9.8	11.3
MARSHALL	170	83	87	300	161	139	8.9	9.5	8.2
MONROE	280	199	81	380	272	108	9.9	10.1	9.4
MONTGOMERY	152	94	58	161	106	55	11.7	12.3	10.7
NESHOBA	157	105	52	268	200	68	10.2	10.8	8.8
NEWTON	160	105	55	216	142	74	10.4	9.8	11.8
NOXUBEE	97	33	64	126	47	79	10.3	10.9	10.0
OKTIBBEHA	237	124	113	256	134	122	5.9	4.9	7.5
PANOLA	246	141	105	364	208	156	12.5	13.6	11.4
PEARL RIVER	244	210	34	355	304	51	8.8	8.7	9.4
PERRY	57	50	7	81	67	14	7.7	7.8	7.4
PIKE	424	286	138	405	265	140	10.4	12.4	8.0
PONTOTOC	109	95	14	214	181	33	8.8	8.8	8.9
PRENTISS	150	140	10	235	216	19	8.4	8.7	6.2
QUITMAN	86	30	56	110	52	58	10.1	10.3	9.9
RANKIN	400	294	106	607	465	142	7.5	7.0	10.3
SCOTT	158	95	63	222	136	86	8.4	8.3	8.6
SHARKEY	77	31	46	102	44	58	13.4	16.8	11.7
SIMPSON	209	155	54	286	202	84	10.6	10.8	10.2
SMITH	82	65	17	168	141	27	10.3	10.9	8.2
STONE	111	86	25	148	116	32	13.0	13.4	11.8
SUNFLOWER	229	93	136	319	122	197	9.3	9.4	9.2
TALLAHATCHIE	96	49	47	171	80	91	11.2	11.6	10.9
TATE	127	82	45	189	127	62	8.6	9.8	7.0
TIPPAH	136	124	12	198	174	24	9.5	10.0	7.1
TISHOMINGO	138	133	5	219	213	6	10.8	10.9	7.2
TUNICA	57	15	42	90	27	63	10.4	11.3	10.1
UNION	247	195	52	243	200	43	10.1	9.6	14.0
WALTHALL	134	87	47	157	100	57	10.5	11.5	9.2
WARREN	547	298	249	518	293	225	9.2	8.7	10.0
WASHINGTON	703	287	416	663	261	402	9.1	8.5	9.5
WAYNE	168	107	61	207	130	77	9.9	9.8	10.2
WEBSTER	94	78	16	119	96	23	11.6	11.3	13.0
WILKINSON	143	58	85	152	52	100	16.2	17.5	15.6
WINSTON	161	101	60	229	146	83	11.3	12.1	10.0
YALOBUSHA	99	69	30	159	117	42	11.5	14.2	7.5
YAZOO	210	112	98	299	150	149	10.9	11.2	10.6
OUT OF STATE	1,610	1,182	428	894	659	235			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1988

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE
BILOXI	396	323	73
BROOKHAVEN	194	127	67
CANTON	150	53	97
CLARKSDALE	268	104	164
CLEVELAND	143	69	74
CLINTON	125	102	23
COLUMBUS	291	174	117
CORINTH	162	134	28
GAUTIER	61	54	7
GREENVILLE	441	173	268
GREENWOOD	279	125	154
GRENADA	172	94	78
GULFPORT	524	402	122
HATTIESBURG	524	332	192
JACKSON	1,807	1,009	798
LAUREL	272	177	95
MCCOMB	184	143	41
MERIDIAN	497	316	181
MOSS POINT	148	77	71
NATCHEZ	279	122	157
OCEAN SPRINGS	127	119	8
PASCAGOULA	262	219	43
PEARL	102	89	13
PICAYUNE	119	85	34
SOUTHAVEN	86	84	2
STARKVILLE	137	86	51
TUPELO	270	221	49
VICKSBURG	339	171	168
YAZOO CITY	178	78	100

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>24,706</u>	<u>16,034</u>	<u>8,672</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>374</u>	<u>226</u>	<u>148</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>4</u>	<u>4</u>	<u>0</u>
<u>002,003</u>	<u>Typhoid and paratyphoid fevers, and other</u>			
	<u>salmonella infections</u>	<u>1</u>	<u>1</u>	<u>0</u>
003	Other salmonella infections	1	1	0
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>3</u>	<u>3</u>	<u>0</u>
008	Intestinal infections due to other organisms	3	3	0
<u>010-018</u>	<u>Tuberculosis</u>	<u>30</u>	<u>15</u>	<u>15</u>
<u>010-012</u>	<u>Respiratory</u>	<u>23</u>	<u>14</u>	<u>9</u>
011	Pulmonary	23	14	9
<u>013-018</u>	<u>Other forms</u>	<u>7</u>	<u>1</u>	<u>6</u>
015	Bones and joints	1	0	1
017	Other organs	5	1	4
018	Miliary	1	0	1
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>182</u>	<u>115</u>	<u>67</u>
031	Other diseases due to mycobacteria	5	4	1
036	Meningococcal infection	3	2	1
037	Tetanus	1	1	0
038	Septicemia	166	105	61
039	Actinomycotic infections	1	0	1
040	Other bacterial diseases	2	1	1
041	Bacterial infection of unspecified site	4	2	2
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>73</u>	<u>43</u>	<u>30</u>
042	With specified conditions	72	42	30
044	Other human immunodeficiency virus infection	1	1	0
<u>045-049</u>	<u>Polioomyelitis and other non-arthropod-borne</u>			
	<u>diseases of central nervous system</u>	<u>2</u>	<u>1</u>	<u>1</u>
046	Slow virus infection	1	1	0
049	Other non-arthropod-borne diseases	1	0	1
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>2</u>	<u>2</u>	<u>0</u>
053	Herpes zoster	1	1	0
054	Herpes simplex	1	1	0
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>22</u>	<u>14</u>	<u>8</u>
070	Viral hepatitis	18	11	7
078	Other diseases due to viruses and Chlamydiae	1	1	0
079	Viral infection in conditions classified			
	elsewhere and of unspecified site	3	2	1
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>1</u>	<u>1</u>	<u>0</u>
082	Tick-borne rickettsioses	1	1	0
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-118</u>	<u>Mycoses</u>	<u>39</u>	<u>21</u>	<u>18</u>
112	Candidiasis	18	10	8
115	Histoplasmosis	1	1	0
116	Blastomycotic infection	5	4	1
117	Other mycoses	15	6	9

Table 10 - Page 2
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>120-129</u>	<u>Helminthiases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>19</u>	<u>10</u>	<u>9</u>
135	Sarcoidosis	7	1	6
136	Other and unspecified infectious and parasitic diseases	11	8	3
137	Late effects of tuberculosis	1	1	0
<u>140-239</u>	<u>NEOPLASMS</u>	<u>5,316</u>	<u>3,581</u>	<u>1,735</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>5,246</u>	<u>3,536</u>	<u>1,710</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>90</u>	<u>56</u>	<u>34</u>
140	Lip	1	1	0
141	Tongue	18	11	7
142	Major salivary glands	5	3	2
143	Gum	2	2	0
144	Floor of mouth	5	5	0
145	Other and unspecified parts of mouth	15	9	6
146	Oropharynx	8	6	2
147	Nasopharynx	9	5	4
148	Hypopharynx	6	2	4
149	Other and ill-defined sites	21	12	9
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,264</u>	<u>787</u>	<u>477</u>
150	Esophagus	92	51	41
151	Stomach	148	65	83
152	Small intestine, including duodenum	6	3	3
153	Colon	495	326	169
154	Rectum, rectosigmoid junction, and anus	70	49	21
155	Liver and intrahepatic bile ducts	95	57	38
156	Gallbladder and extrahepatic bile ducts	37	25	12
157	Pancreas	303	196	107
158	Retroperitoneum and peritoneum	5	4	1
159	Other and ill-defined sites	13	11	2
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,619</u>	<u>1,181</u>	<u>438</u>
160	Nasal cavities, middle ear, and accessory sinuses	10	8	2
161	Larynx	29	18	11
162	Trachea, bronchus, and lung	1,567	1,145	422
163	Pleura	5	4	1
164	Thymus, heart, and mediastinum	8	6	2
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>502</u>	<u>364</u>	<u>138</u>
170	Bone and articular cartilage	29	20	9
171	Connective and other soft tissue	19	12	7
172	Melanoma of skin	47	46	1
173	Skin, other	28	22	6
174	Female breast	375	261	114
175	Male breast	4	3	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>790</u>	<u>481</u>	<u>309</u>
(179-187)	(Genital organs)	<u>610</u>	<u>356</u>	<u>254</u>
179	Uterus, part unspecified	39	19	20
180	Cervix uteri	66	24	42
182	Body of uterus	31	19	12

International Classification Number*	Cause*	Total	White	Non- white
183	Ovary and other uterine adnexa	93	71	22
184	Other and unspecified female genital organs	15	13	2
185	Prostate	360	207	153
186	Testis	1	1	0
187	Penis and other male genital organs	5	2	3
(188,189)	(Urinary organs)	180	125	55
188	Bladder	83	51	32
189	Kidney and other and unspecified urinary organs	97	74	23
190-199	Other and unspecified sites	542	365	177
191	Brain	87	72	15
192	Other and unspecified parts of nervous system	4	2	2
193	Thyroid gland	11	8	3
194	Other endocrine glands and related structures	8	5	3
195	Other and ill-defined sites	29	17	12
199	Site unspecified	403	261	142
200-208	Lymphatic and hematopoietic tissue	439	302	137
200	Lymphosarcoma and reticulosarcoma	30	24	6
201	Hodgkin's disease	19	17	2
202	Other lymphoid and histiocytic tissue	99	76	23
203	Multiple myeloma and immunoproliferative neoplasms	110	64	46
(204-208)	(Leukemia)	181	121	60
204	Lymphatic	54	35	19
205	Myeloid	71	50	21
206	Monocytic	4	3	1
207	Other specified	2	1	1
208	Unspecified cell type	50	32	18
210-229	Benign neoplasms	24	14	10
211	Benign neoplasm of other parts of digestive system	1	0	1
212	Benign neoplasm of respiratory and intrathoracic organs	2	1	1
218	Uterine leiomyoma	2	0	2
225	Benign neoplasm of brain and other parts of nervous system	17	13	4
227	Benign neoplasm of other endocrine glands and related structures	2	0	2
230-234	Carcinoma in situ	0	0	0
235-239	Neoplasms of uncertain behavior and unspecified nature	46	31	15
235-238	Uncertain behavior	16	12	4
237	Endocrine glands and nervous system	3	2	1
238	Other and unspecified sites and tissues	13	10	3
239	Unspecified nature	30	19	11
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES	668	342	326
240-246	Diseases of thyroid gland	7	4	3
240	Simple and unspecified goiter	1	0	1
242	Thyrotoxicosis with or without goiter	3	1	2

Table 10 - Page 4
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
244	Acquired hypothyroidism	3	3	0
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>503</u>	<u>248</u>	<u>255</u>
250	Diabetes mellitus	494	244	250
251	Other disorders of pancreatic internal secretion	3	1	2
252	Disorders of parathyroid gland	1	0	1
253	Disorders of pituitary gland and its hypothalamic control	1	1	0
255	Disorders of adrenal glands	2	1	1
259	Other endocrine disorders	2	1	1
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>32</u>	<u>16</u>	<u>16</u>
261	Nutritional marasmus	2	2	0
262	Other severe protein-calorie malnutrition	1	0	1
263	Other and unspecified protein-calorie malnutrition	26	11	15
269	Other nutritional deficiencies	3	3	0
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>126</u>	<u>74</u>	<u>52</u>
270	Disorders of amino-acid transport and metabolism	3	1	2
271	Disorders of carbohydrate transport and metabolism	2	2	0
272	Disorders of lipid metabolism	5	4	1
273	Disorders of plasma protein metabolism	4	1	3
275	Disorders of mineral metabolism	13	7	6
276	Disorders of fluid, electrolyte, and acid-base balance	61	37	24
277	Other and unspecified disorders of metabolism	16	13	3
278	Obesity and other hyperalimentation	19	8	11
279	Disorders involving the immune mechanism	3	1	2
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>84</u>	<u>52</u>	<u>32</u>
<u>280-285</u>	<u>Anemias</u>	<u>43</u>	<u>24</u>	<u>19</u>
281	Other deficiency	1	1	0
282	Hereditary hemolytic	8	1	7
283	Acquired hemolytic	2	2	0
284	Aplastic	11	8	3
285	Other and unspecified	21	12	9
286	Coagulation defects	13	6	7
287	Purpura and other hemorrhagic conditions	9	7	2
288	Diseases of white blood cells	3	1	2
289	Other diseases of blood and blood-forming organs	16	14	2
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>206</u>	<u>141</u>	<u>65</u>
<u>290-299</u>	<u>Psychoses</u>	<u>65</u>	<u>50</u>	<u>15</u>
290	Senile and presenile organic psychotic conditions	38	32	6
291	Alcoholic psychoses	7	4	3
294	Other organic psychotic conditions (chronic)	1	0	1
295	Schizophrenic psychoses	6	4	2
296	Affective psychoses	1	1	0
298	Other nonorganic psychoses	12	9	3

Table 10 - Page 5
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>133</u>	<u>87</u>	<u>46</u>
303	Alcohol dependence syndrome	32	19	13
304	Drug dependence	1	1	0
305	Nondependent abuse of drugs	11	2	9
307	Special symptoms or syndromes not elsewhere classified	1	0	1
308	Acute reaction to stress	2	2	0
310	Specific nonpsychotic mental disorders following organic brain damage	84	62	22
311	Depressive disorder, not elsewhere classified	1	1	0
315	Specific delays in development	1	0	1
<u>317-319</u>	<u>Mental retardation</u>	<u>8</u>	<u>4</u>	<u>4</u>
318	Other specified	4	3	1
319	Unspecified	4	1	3
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>322</u>	<u>215</u>	<u>107</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>22</u>	<u>7</u>	<u>15</u>
320	Bacterial meningitis	11	4	7
322	Meningitis of unspecified cause	7	3	4
323	Encephalitis, myelitis, and encephalomyelitis	3	0	3
324	Intracranial and intraspinal abscess	1	0	1
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>185</u>	<u>147</u>	<u>38</u>
330	Cerebral degenerations usually manifest in childhood	3	3	0
331	Other cerebral degenerations	92	68	24
332	Parkinson's disease	49	44	5
333	Other extrapyramidal disease and abnormal movement disorders	5	4	1
334	Spinocerebellar disease	4	4	0
335	Anterior horn cell disease	31	24	7
336	Other diseases of spinal cord	1	0	1
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>94</u>	<u>49</u>	<u>45</u>
340	Multiple sclerosis	6	4	2
341	Other demyelinating diseases of central nervous system	1	1	0
343	Infantile cerebral palsy	8	3	5
344	Other paralytic syndromes	6	4	2
345	Epilepsy	36	17	19
348	Other conditions of brain	32	16	16
349	Other and unspecified disorders of the nervous system	5	4	1
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>21</u>	<u>12</u>	<u>9</u>
352	Disorders of other cranial nerves	1	0	1
356	Hereditary and idiopathic peripheral neuropathy	3	2	1
357	Inflammatory and toxic neuropathy	4	1	3
359	Muscular dystrophies and other myopathies	13	9	4
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 6
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,771</u>	<u>7,728</u>	<u>4,043</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>37</u>	<u>26</u>	<u>11</u>
394	Diseases of mitral valve	22	18	4
395	Diseases of aortic valve	1	0	1
396	Diseases of mitral and aortic valves	7	5	2
397	Diseases of other endocardial structures	2	1	1
398	Other rheumatic heart disease	5	2	3
<u>401-405</u>	<u>Hypertensive disease</u>	<u>461</u>	<u>184</u>	<u>277</u>
<u>401,403</u>	<u>Hypertension with or without renal disease</u>	<u>122</u>	<u>45</u>	<u>77</u>
401	Essential hypertension	63	20	43
403	Hypertensive renal disease	59	25	34
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>339</u>	<u>139</u>	<u>200</u>
402	Hypertensive heart disease	291	118	173
404	Hypertensive heart and renal disease	48	21	27
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>5,018</u>	<u>3,619</u>	<u>1,399</u>
410	Acute myocardial infarction	3,174	2,247	927
411	Other acute and subacute forms of ischemic heart disease	14	7	7
412	Old myocardial infarction	6	4	2
413	Angina pectoris	10	9	1
414	Other forms of chronic ischemic heart disease	1,814	1,352	462
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>198</u>	<u>113</u>	<u>85</u>
415	Acute pulmonary heart disease	175	102	73
416	Chronic pulmonary heart disease	21	10	11
417	Other diseases of pulmonary circulation	2	1	1
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>3,612</u>	<u>2,253</u>	<u>1,359</u>
421	Acute and subacute endocarditis	8	5	3
422	Acute myocarditis	3	2	1
423	Other diseases of pericardium	6	3	3
424	Other diseases of endocardium	74	55	19
425	Cardiomyopathy	238	145	93
426	Conduction disorders	16	10	6
427	Cardiac dysrhythmias	724	417	307
428	Heart failure	673	430	243
429	Ill-defined heart diseases	1,870	1,186	684
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,971</u>	<u>1,186</u>	<u>785</u>
430	Subarachnoid hemorrhage	76	44	32
431	Intracerebral hemorrhage	231	136	95
432	Other and unspecified intracranial hemorrhage	31	19	12
433	Occlusion and stenosis of precerebral arteries	19	13	6
434	Occlusion of cerebral arteries	232	150	82
435	Transient cerebral ischemia	5	5	0
436	Acute but ill-defined cerebrovascular disease	1,169	683	486
437	Other and ill-defined cerebrovascular disease	125	89	36
438	Late effects of cerebrovascular disease	83	47	36

Table 10 - Page 7
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>406</u>	<u>304</u>	<u>102</u>
440	Atherosclerosis	191	135	56
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>215</u>	<u>169</u>	<u>46</u>
441	Aortic aneurysm	138	114	24
442	Other aneurysm	6	4	2
443	Other peripheral vascular disease	37	26	11
444	Arterial embolism and thrombosis	15	10	5
446	Polyarteritis nodosa and allied conditions	13	10	3
447	Other disorders of arteries and arterioles	6	5	1
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>68</u>	<u>43</u>	<u>25</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>15</u>	<u>12</u>	<u>3</u>
451	Phlebitis and thrombophlebitis	9	8	1
453	Other venous embolism and thrombosis	6	4	2
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>53</u>	<u>31</u>	<u>22</u>
454	Varicose veins of lower extremities	2	0	2
456	Varicose veins of other sites	9	7	2
457	Noninfective disorders of lymphatic channels	3	2	1
458	Hypotension	16	11	5
459	Other disorders of circulatory system	23	11	12
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,811</u>	<u>1,348</u>	<u>463</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>9</u>	<u>7</u>	<u>2</u>
464	Acute laryngitis and tracheitis	1	0	1
466	Acute bronchitis and bronchiolitis	8	7	1
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>2</u>	<u>1</u>	<u>1</u>
473	Chronic sinusitis	1	1	0
478	Other diseases of upper respiratory tract	1	0	1
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>709</u>	<u>499</u>	<u>210</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>694</u>	<u>486</u>	<u>208</u>
480	Viral	3	1	2
481	Pneumococcal	16	11	5
482	Other bacterial	41	32	9
483	Due to other specified organism	1	1	0
485	Broncho, organism unspecified	40	30	10
486	Organism unspecified	593	411	182
487	Influenza	15	13	2
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>800</u>	<u>631</u>	<u>169</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>44</u>	<u>39</u>	<u>5</u>
490	Unqualified	11	9	2
491	Chronic	33	30	3
492	Emphysema	132	100	32
493	Asthma	38	21	17
494	Bronchiectasis	9	7	2
496	Chronic airways obstruction, not elsewhere classified	577	464	113

Table 10 - Page 8
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>87</u>	<u>65</u>	<u>22</u>
500	Coalworkers' pneumoconiosis	1	1	0
501	Asbestosis	4	3	1
507	Pneumonitis due to solids and liquids	82	61	21
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>204</u>	<u>145</u>	<u>59</u>
510	Empyema	5	2	3
511	Pleurisy	10	6	4
512	Pneumothorax	2	2	0
513	Abscess of lung and mediastinum	6	0	6
514	Pulmonary congestion and hypostasis	19	13	6
515	Postinflammatory pulmonary fibrosis	51	45	6
516	Other alveolar and parietoalveolar pneumopathy	9	6	3
518	Other diseases of lung	85	64	21
519	Other diseases of respiratory system	17	7	10
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>741</u>	<u>504</u>	<u>237</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>1</u>	<u>1</u>	<u>0</u>
527	Diseases of the salivary glands	1	1	0
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>82</u>	<u>59</u>	<u>23</u>
530	Diseases of esophagus	23	16	7
<u>531-533</u>	<u>Peptic ulcer</u>	<u>43</u>	<u>33</u>	<u>10</u>
531	Gastric ulcer	8	6	2
532	Duodenal ulcer	13	12	1
533	Peptic ulcer, site unspecified	22	15	7
535	Gastritis and duodenitis	4	2	2
536	Disorders of function of stomach	5	2	3
537	Other disorders of stomach and duodenum	7	6	1
<u>540-543</u>	<u>Appendicitis</u>	<u>2</u>	<u>1</u>	<u>1</u>
540	Acute appendicitis	1	0	1
542	Other appendicitis	1	1	0
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>13</u>	<u>9</u>	<u>4</u>
550	Inguinal	1	1	0
551	Other, of abdominal cavity, with gangrene	1	0	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	7	5	2
553	Other, of abdominal cavity without mention of obstruction or gangrene	4	3	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>89</u>	<u>66</u>	<u>23</u>
555	Regional enteritis	1	0	1
557	Vascular insufficiency of intestine	69	53	16
558	Other noninfective gastroenteritis and colitis	19	13	6
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>130</u>	<u>87</u>	<u>43</u>
560	Intestinal obstruction without mention of hernia	53	33	20
562	Diverticula of intestine	25	19	6
564	Functional digestive disorders, not elsewhere classified	2	2	0
566	Abscess of anal and rectal regions	5	2	3
567	Peritonitis	22	15	7

Table 10 - Page 9
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
568	Other disorders of peritoneum	4	3	1
569	Other disorders of intestine	19	13	6
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>424</u>	<u>281</u>	<u>143</u>
570	Acute and subacute necrosis of liver	3	1	2
571	Chronic liver disease and cirrhosis	210	148	62
572	Liver abscess and sequelae of chronic liver disease	47	33	14
573	Other disorders of liver	14	8	6
<u>574,575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>45</u>	<u>27</u>	<u>18</u>
574	Cholelithiasis	22	12	10
575	Other disorders of gallbladder	23	15	8
576	Other disorders of biliary tract	13	10	3
577	Diseases of pancreas	35	20	15
578	Gastrointestinal hemorrhage	57	34	23
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>536</u>	<u>307</u>	<u>229</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>283</u>	<u>152</u>	<u>131</u>
580	Acute glomerulonephritis	1	0	1
581	Nephrotic syndrome	2	0	2
582	Chronic glomerulonephritis	16	8	8
583	Nephritis and nephropathy, unqualified	3	2	1
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>261</u>	<u>142</u>	<u>119</u>
584	Acute	34	19	15
585	Chronic	62	33	29
586	Unspecified	164	89	75
587	Renal sclerosis, unspecified	1	1	0
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>239</u>	<u>144</u>	<u>95</u>
590	Infections of kidney	26	17	9
591	Hydronephrosis	2	2	0
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>3</u>	<u>3</u>	<u>0</u>
592	Of kidney and ureter	2	2	0
594	Of lower urinary tract	1	1	0
593	Other disorders of kidney and ureter	52	22	30
596	Other disorders of bladder	2	1	1
598	Urethral stricture	3	2	1
599	Other disorders of urethra and urinary tract	151	97	54
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>10</u>	<u>8</u>	<u>2</u>
600	Hyperplasia of prostate	7	6	1
604	Orchitis and epididymitis	1	1	0
607	Disorders of penis	1	1	0
608	Other disorders of male genital organs	1	0	1
<u>610,611</u>	<u>Disorders of breast</u>	<u>1</u>	<u>1</u>	<u>0</u>
611	Other disorders of breast	1	1	0
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>2</u>	<u>1</u>	<u>1</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	1	0	1
616	Inflammatory disease of cervix, vagina, and vulva	1	1	0

Table 10 - Page 10
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>1</u>	<u>1</u>	<u>0</u>
629	Other disorders of female genital organs	1	1	0
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>7</u>	<u>2</u>	<u>5</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>1</u>	<u>0</u>
637	Unspecified abortion	1	1	0
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>1</u>	<u>0</u>	<u>1</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	1	0	1
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>2</u>	<u>1</u>	<u>1</u>
669	Other complications of labor and delivery, not elsewhere classified	2	1	1
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>3</u>	<u>0</u>	<u>3</u>
673	Obstetrical pulmonary embolism	2	0	2
674	Other and unspecified complications of the puerperium, not elsewhere classified	1	0	1
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>69</u>	<u>29</u>	<u>40</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>8</u>	<u>6</u>	<u>2</u>
682	Other cellulitis and abscess	6	6	0
686	Other local infections of skin and subcutaneous tissue	2	0	2
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>7</u>	<u>3</u>	<u>4</u>
694	Bullous dermatoses	3	1	2
695	Erythematous conditions	4	2	2
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>54</u>	<u>20</u>	<u>34</u>
707	Chronic ulcer of skin	53	19	34
709	Other disorders of skin and subcutaneous tissue	1	1	0
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>76</u>	<u>51</u>	<u>25</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>47</u>	<u>34</u>	<u>13</u>
710	Diffuse diseases of connective tissue	23	12	11
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthrosis</u>	<u>24</u>	<u>22</u>	<u>2</u>
711	Arthropathy associated with infections	2	2	0
714	Rheumatoid arthritis and other inflammatory polyarthropathies	14	13	1
715	Osteoarthrosis and allied disorders	6	5	1
716	Other and unspecified arthropathies	2	2	0
<u>720-724</u>	<u>Dorsopathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
720	Ankylosing spondylitis and other inflammatory spondylopathies	1	1	0

Table 10 - Page 11
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non-white
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>13</u>	<u>6</u>	<u>7</u>
725	Polymyalgia rheumatica	1	1	0
727	Other disorders of synovium, tendon, and bursa	1	0	1
728	Disorders of muscle, ligament, and fascia	5	2	3
729	Other disorders of soft tissues	6	3	3
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>15</u>	<u>10</u>	<u>5</u>
730	Osteomyelitis, periostitis, and other infections involving bone	7	4	3
733	Other disorders of bone and cartilage	6	5	1
737	Curvature of spine	2	1	1
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>154</u>	<u>82</u>	<u>72</u>
<u>740-742</u>	<u>Nervous system</u>	<u>29</u>	<u>16</u>	<u>13</u>
740	Anencephalus and similar anomalies	10	6	4
741	Spina bifida	2	0	2
742	Other congenital anomalies of nervous system	17	10	7
<u>743,744</u>	<u>Eye, ear, face, and neck</u>	<u>1</u>	<u>1</u>	<u>0</u>
743	Eye	1	1	0
<u>745-747</u>	<u>Circulatory system</u>	<u>64</u>	<u>32</u>	<u>32</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	17	8	9
746	Heart	32	15	17
747	Other congenital anomalies of circulatory system	15	9	6
748	Respiratory system	11	6	5
<u>749-751</u>	<u>Digestive system</u>	<u>4</u>	<u>3</u>	<u>1</u>
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	3	2	1
<u>752,753</u>	<u>Genitourinary system</u>	<u>7</u>	<u>5</u>	<u>2</u>
753	Urinary system	7	5	2
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>8</u>	<u>5</u>	<u>3</u>
756	Other congenital musculoskeletal anomalies	8	5	3
757	Congenital anomalies of the integument	2	2	0
758	Chromosomal anomalies	15	4	11
759	Other and unspecified congenital anomalies	13	8	5
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>231</u>	<u>67</u>	<u>164</u>
760	Maternal conditions unrelated to present pregnancy	2	1	1
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>26</u>	<u>3</u>	<u>23</u>
761	Maternal complications of pregnancy	15	1	14
762	Complications of placenta, cord, and membranes	11	2	9
<u>765,766</u>	<u>Disorders relating to gestation</u>	<u>42</u>	<u>8</u>	<u>34</u>
765	Short gestation and unspecified low birthweight	42	8	34

Table 10 - Page 12
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
767	Birth trauma	4	2	2
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>103</u>	<u>40</u>	<u>63</u>
768	Intrauterine hypoxia and birth asphyxia	16	6	10
769	Respiratory distress syndrome	54	21	33
770	Other respiratory conditions of fetus and newborn	33	13	20
771	Infections specific to the perinatal period	12	2	10
772	Fetal and neonatal hemorrhage	5	0	5
777	Perinatal disorders of digestive system	2	1	1
778	Conditions involving the integument and temperature regulation of fetus and newborn	2	2	0
779	Other and ill-defined conditions originating in the perinatal period	33	8	25
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>287</u>	<u>115</u>	<u>172</u>
<u>780-789</u>	<u>Symptoms</u>	<u>22</u>	<u>13</u>	<u>9</u>
780	General	7	3	4
783	Concerning nutrition, metabolism and development	2	1	1
785	Involving cardiovascular system	8	6	2
786	Involving respiratory system and other chest symptoms	4	2	2
789	Other involving abdomen and pelvis	1	1	0
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>265</u>	<u>102</u>	<u>163</u>
797	Senility without mention of psychosis	26	18	8
798	Sudden death, cause unknown	89	34	55
799	Other ill-defined and unknown causes	150	50	100
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,053</u>	<u>1,244</u>	<u>809</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,434</u>	<u>888</u>	<u>546</u>
<u>800-807</u>	<u>Railway</u>	<u>7</u>	<u>2</u>	<u>5</u>
805	Hit by rolling stock	3	1	2
807	Railway accident of unspecified nature	4	1	3
<u>810-825</u>	<u>Motor vehicle</u>	<u>776</u>	<u>507</u>	<u>269</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>759</u>	<u>499</u>	<u>260</u>
810	Involving collision with train	17	12	5
812	Involving collision with another motor vehicle	245	169	76
813	Involving collision with other vehicle	7	3	4
814	Involving collision with pedestrian	89	47	42
815	Other involving collision on the highway	23	16	7
816	Due to loss of control, without collision on the highway	239	167	72
818	Other noncollision	13	6	7
819	Of unspecified nature	126	79	47
<u>(820-825)</u>	<u>(Nontraffic)</u>	<u>17</u>	<u>8</u>	<u>9</u>
822	Involving collision of other motor vehicle with moving object	11	6	5

Table 10 - Page 13
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
823	Involving collision with stationary object	1	0	1
825	Of other and unspecified nature	5	2	3
<u>826-829</u>	<u>Other road vehicle</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>830-838</u>	<u>Water transport</u>	<u>18</u>	<u>8</u>	<u>10</u>
830	Accident to watercraft causing submersion	8	0	8
832	Other submersion or drowning in water transport	8	6	2
837	Explosion, fire or burning in watercraft	1	1	0
838	Other and unspecified	1	1	0
<u>840-845</u>	<u>Air and space transport</u>	<u>2</u>	<u>2</u>	<u>0</u>
840	Accident to powered aircraft at takeoff or landing	1	1	0
841	Accident to powered aircraft, other and unspecified	1	1	0
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>850-869</u>	<u>Poisoning</u>	<u>49</u>	<u>41</u>	<u>8</u>
(850-858)	(By drugs, medicaments, and biologicals)	<u>38</u>	<u>35</u>	<u>3</u>
850	Analgesics, antipyretics, antirheumatics	6	6	0
852	Other sedatives and hypnotics	1	1	0
854	Other psychotropic agents	2	2	0
855	Other drugs acting on central and autonomic nervous systems	6	5	1
856	Antibiotics	1	1	0
858	Other drugs	22	20	2
(860-869)	(By other solid and liquid substances, gases, and vapors)	<u>11</u>	<u>6</u>	<u>5</u>
860	Alcohol, not elsewhere classified	1	0	1
861	Cleansing and polishing agents, disinfectants, paints and varnishes	1	1	0
862	Petroleum products, other solvents and their vapors, not elsewhere classified	1	1	0
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	1	0	1
867	Gas distributed by pipeline	1	0	1
868	Other utility gas and other carbon monoxide	4	3	1
869	Other gases and vapors	2	1	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>4</u>	<u>1</u>	<u>3</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	2	0	2
876	Other and unspecified misadventures during medical care	2	1	1
<u>878,879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadven- tures at the time of procedure</u>	<u>25</u>	<u>17</u>	<u>8</u>
878	Surgical operation or other surgical procedure	21	13	8
879	Other procedures	4	4	0

Table 10 - Page 14
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
<u>880-888</u>	<u>Falls</u>	<u>112</u>	<u>87</u>	<u>25</u>
880	On or from stairs or steps	3	2	1
881	On or from ladders or scaffolding	1	0	1
882	From or out of building or other structure	12	12	0
883	Into hole or other opening in surface	2	1	1
884	Other from one level to another	4	4	0
885	On same level from slipping, tripping, or stumbling	3	3	0
887	Fracture, cause unspecified	39	30	9
888	Other and unspecified fall	48	35	13
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>119</u>	<u>39</u>	<u>80</u>
890	Conflagration in private dwelling	100	30	70
891	Conflagration in other and unspecified building or structure	2	1	1
893	Ignition of clothing	4	1	3
894	Ignition of highly inflammable material	2	1	1
895	Controlled fire in private dwelling	3	1	2
897	Controlled fire not in building or structure	1	1	0
899	Unspecified fire	7	4	3
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>36</u>	<u>11</u>	<u>25</u>
900	Excessive heat	10	3	7
901	Excessive cold	16	3	13
904	Hunger, thirst, exposure, and neglect	6	2	4
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	1	0
906	Other injury caused by animals	1	0	1
908	Cataclysmic storms and floods resulting from storms	2	2	0
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>134</u>	<u>76</u>	<u>58</u>
910	Drowning and submersion	51	20	31
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	37	20	17
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	39	31	8
913	Mechanical suffocation	7	5	2
<u>916-929</u>	<u>Other accidents</u>	<u>150</u>	<u>95</u>	<u>55</u>
916	Struck by falling object	20	12	8
917	Striking against or struck by objects or persons	4	1	3
919	Caused by machinery	21	15	6
920	Caused by cutting and piercing instruments or objects	1	1	0
921	Caused by explosion of pressure vessel	3	1	2
922	Caused by firearm missile	48	30	18
923	Caused by explosive material	10	7	3
925	Caused by electric current	3	3	0
927	Overexertion and strenuous movements	1	1	0

Table 10 - Page 15
Deaths - Mississippi - 1988

International Classification Number*	Cause*	Total	White	Non- white
928	Other and unspecified environmental and accidental causes	28	15	13
929	Late effects of accidental injury	11	9	2
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>2</u>	<u>2</u>	<u>0</u>
939	Psychotropic agents	1	1	0
947	Other and unspecified drugs and medicaments	1	1	0
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>297</u>	<u>245</u>	<u>52</u>
<u>950-952</u>	<u>By poisoning</u>	<u>31</u>	<u>27</u>	<u>4</u>
950	By solid or liquid substances	22	18	4
952	By other gases and vapors	9	9	0
953	By hanging, strangulation, and suffocation	14	10	4
954	By submersion (drowning)	3	1	2
955	By firearms and explosives	243	202	41
956	By cutting and piercing instruments	3	3	0
957	By jumping from high place	1	1	0
958	By other and unspecified means	2	1	1
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>307</u>	<u>100</u>	<u>207</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>303</u>	<u>100</u>	<u>203</u>
963	Assault by hanging and strangulation	12	8	4
964	Assault by submersion (drowning)	1	0	1
965	Assault by firearms and explosives	189	62	127
966	Assault by cutting and piercing instrument	54	11	43
967	Child battering and other maltreatment	2	1	1
968	Assault by other and unspecified means	44	17	27
969	Late effects of injury purposely inflicted by other person	1	1	0
<u>970-978</u>	<u>Legal intervention</u>	<u>4</u>	<u>0</u>	<u>4</u>
970	Injury by firearms	4	0	4
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>15</u>	<u>11</u>	<u>4</u>
980	Poisoning by solid or liquid substances	2	2	0
982	Poisoning by other gases	2	1	1
983	Hanging, strangulation or suffocation	1	0	1
984	Submersion (drowning)	1	1	0
985	Injury by firearms and explosives	3	3	0
988	Injury by other and unspecified means	6	4	2
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1988

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL NUMBER	RATE#	RACE	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	CONFIDENTIAL	AGE								65 AND OVER	NMONKN
									1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64		
001-999	ALL CAUSES	24,706	9.0	W	16,034	M	8,551	108	29	13	24	212	217	316	569	1,351	5,711	1
				NW	8,672	F	7,483	81	12	9	9	78	95	144	270	777	6,006	2
001-139	INFECTIOUS AND PARASITIC DISEASES	374	13.6	W	226	M	122	2	1	0	0	4	18	15	8	18	56	0
				NW	148	F	104	2	0	1	0	1	1	5	5	12	77	0
010-018	TUBERCULOSIS	30	1.1	W	15	M	9	0	0	0	0	0	0	0	0	2	7	0
				NW	15	F	6	0	0	0	0	1	0	0	0	0	5	0
070	VIRAL HEPATITIS	18	0.6	W	11	M	6	0	0	0	0	0	0	0	1	2	3	0
				NW	7	F	5	0	0	0	0	0	0	0	1	0	4	0
140-208	MALIGNANT NEOPLASMS	5,246	190.8	W	3,536	M	1,984	0	3	1	2	9	21	45	149	396	1,358	0
				NW	1,710	F	1,552	0	0	2	0	4	13	60	117	306	1,050	0
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	70	2.5	W	45	M	18	0	0	0	0	0	0	2	1	2	13	0
				NW	25	F	27	0	0	0	0	0	1	1	0	3	22	0
						M	6	0	1	0	0	0	0	0	3	0	5	0
						F	19	0	1	0	0	0	0	2	3	10	10	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1988

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	AGE								65 AND OVER	UNKNOWN	
		NUMBER	RATE#					1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64			
240-279	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS</u>	668	24.3	W	342	M	143	3	0	0	2	1	9	11	24	93	0	
				NW	326	F	199	2	0	0	2	2	6	9	22	156	0	
							124	2	0	0	1	3	7	14	14	83	0	
							202	1	0	0	0	0	2	10	51	130	0	
280	DIABETES MELLITUS	494	18.0	W	244	M	104	0	0	0	1	1	6	6	20	70	0	
				NW	250	F	140	0	0	0	1	1	4	6	16	112	0	
							87	0	0	0	0	3	6	9	12	57	0	
							163	0	0	0	0	2	5	8	45	103	0	
260-269	NUTRITIONAL DEFICIENCIES	32	1.2	W	16	M	5	0	0	0	0	0	0	1	0	4	0	
				NW	16	F	11	0	0	0	0	0	0	0	0	11	0	
							6	0	0	0	0	0	0	1	1	4	0	
							10	0	0	0	0	0	0	0	0	10	0	
280-289	<u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	84	3.0	W	52	M	19	0	0	0	0	0	0	0	1	18	0	
				NW	32	F	33	0	0	0	0	0	1	1	4	27	0	
							21	0	0	2	3	2	1	2	1	12	0	
							11	0	1	0	0	0	0	1	1	6	0	
280-285	ANEMIAS	43	1.6	W	24	M	8	0	0	0	0	0	0	0	0	8	0	
				NW	19	F	16	0	0	0	0	0	0	1	2	13	0	
							12	0	0	0	2	3	0	0	0	7	0	
							7	0	1	0	1	0	0	0	1	4	0	
290-319	<u>MENTAL DISORDERS</u>	206	7.5	W	141	M	56	0	1	0	1	0	6	3	11	34	0	
				NW	65	F	85	0	0	2	0	0	0	2	3	78	0	
							42	0	0	1	2	4	5	0	7	21	0	
							23	0	1	1	0	0	1	1	3	16	0	
303	ALCOHOLISM	32	1.2	W	19	M	17	0	0	0	0	0	4	2	8	3	0	
				NW	13	F	2	0	0	0	0	0	0	1	0	1	1	0
							9	0	0	0	0	0	1	0	0	2	0	0
							4	0	0	0	0	0	1	1	5	1	0	0

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1988

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE								55- 64	65 AND OVER	UNKNOWN
		NUMBER	RATE#					1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54				
20-389	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	322	<u>11.7</u>	W	<u>215</u>	M	<u>118</u>	<u>6</u>	<u>4</u>	<u>1</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>4</u>	<u>8</u>	<u>83</u>	0	
				NW	<u>107</u>	F	<u>97</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>2</u>	<u>3</u>	<u>6</u>	<u>77</u>	0	
20-322	MENINGITIS	18	0.6	W	7	M	5	2	0	0	0	0	0	0	1	0	0	
				NW	11	F	2	0	0	0	1	0	0	0	0	1	0	
45	EPILEPSY	36	1.3	W	17	M	13	1	0	0	2	2	1	0	1	6	0	
				NW	19	F	4	0	0	0	0	3	0	1	0	0	0	
90-459	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	11,771	<u>428.2</u>	W	<u>7,728</u>	M	<u>3,910</u>	3	0	4	4	16	85	240	<u>661</u>	<u>2,897</u>	0	
				NW	<u>4,043</u>	F	<u>3,818</u>	2	0	1	4	10	23	<u>80</u>	<u>257</u>	<u>3,441</u>	0	
90-398, 402, 004-429	HEART DISEASES	9,204	334.8	W	6,150	M	<u>3,260</u>	3	0	3	4	10	76	217	576	2,371	0	
				NW	3,054	F	2,890	1	0	0	3	5	17	60	209	2,595	0	
01,403	HYPERTENSION	122	4.4	W	45	M	21	0	0	0	0	0	1	2	2	16	0	
				NW	77	F	24	0	0	0	0	0	0	0	0	24	0	
30-438	CEREBROVASCULAR DISEASES	1,971	71.7	W	1,186	M	466	0	0	0	0	6	6	17	61	376	0	
				NW	785	F	720	0	0	1	1	5	5	18	38	652	0	
						M	357	3	0	1	2	6	13	20	51	261	0	
						F	428	3	1	1	2	4	15	24	53	324	1	

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1988

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE SEX	TOTAL BY RACE AND SEX	AGE								65 AND OVER	UNKNOWN
		NUMBER	RATE#				1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64		
440	ATHEROSCLEROSIS	191	6.9	W	M 135 F 56	M 45 F 90 M 24 F 32	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 1 0 0	1 1 0 1	44 88 24 31	0 0 0 0
460-519	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	1,811	65.9	W	M 1,348	M 755 F 593 M 287 F 176	2 0 1 0	0 0 1 0	1 0 0 0	1 3 5 2	3 3 8 2	4 3 8 7	20 14 11 7	91 53 34 22	629 514 214 132	1 1 0 0
480-486	PNEUMONIA	694	25.2	W	M 486	M 227 F 259 M 116 F 92	1 0 0 0	0 0 1 0	0 0 0 0	0 1 2 2	2 2 2 1	2 1 4 2	7 4 0 3	19 7 16 5	194 243 88 80	0 1 0 0
487	INFLUENZA	15	0.5	W	M 13	M 6 F 7 M 2 F 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 1 0	1 0 0 0	5 7 1 0	0 0 0 0
492	EMPHYSEMA	132	4.8	W	M 100	M 66 F 34 M 26 F 6	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	2 0 1 0	15 5 4 1	48 29 21 4	1 0 0 0
490, 491, 493-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS	668	24.3	W	M 531	M 332 F 199 M 91 F 46	0 0 0 0	0 0 0 0	1 0 0 0	1 0 1 1	0 1 2 1	1 1 1 2	5 9 7 2	45 33 9 13	279 155 71 27	0 0 0 0
520-579	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	741	27.0	W	M 504	M 249 F 255 M 121 F 116	1 0 0 0	0 0 0 0	0 0 1 1	1 1 0 3	5 2 6 4	14 5 16 7	25 6 18 10	46 35 17 15	157 202 60 74	0 1 0 0

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 1988

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE								65 AND OVER	UNKNOWN
						1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64		
						UNDER 1									
<u>710-739</u>	DISEASES OF THE MUSCULO- SKELETAL SYSTEM AND CONNECTIVE TISSUE	W NW	51 25	M F M F	14 37 11 14	0 0 0 0	0 0 0 0	0 0 0 0	0 0 1 1	0 1 1 1	0 1 2 0	2 1 0 3	1 7 0 1	11 27 7 8	0 0 0 0
<u>740-759</u>	CONGENITAL ANOMALIES	W NW	82 72	M F M F	35 47 34 38	26 25 23 28	0 1 2 2	0 0 0 0	0 3 1 1	0 2 1 2	1 1 0 4	2 2 2 0	2 5 1 0	4 6 1 0	0 0 0 0
<u>760-779</u>	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	W NW	67 164	M F M F	40 27 94 70	40 27 94 70	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0	0 0 0 0
<u>780-799</u>	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	W NW	115 172	M F M F	59 56 96 76	19 15 36 23	1 0 1 0	0 0 0 0	1 0 2 1	2 0 3 0	4 1 2 2	1 1 2 3	3 3 6 7	28 35 42 38	0 0 0 0
<u>800-999</u>	ALL EXTERNAL CAUSES	W NW	1,244 809	M F M F	879 365 594 215	5 4 10 5	11 2 10 7	16 8 14 7	185 58 101 38	146 51 150 37	125 34 95 21	99 27 63 12	73 47 36 14	202 128 96 59	0 0 2 0
<u>810-825</u>	MOTOR VEHICLE ACCIDENTS	W NW	507 269	M F M F	356 151 208 61	0 2 2 0	9 1 7 2	6 6 6 0	110 41 43 17	68 26 51 15	51 14 35 7	37 13 20 3	19 13 14 5	45 34 23 5	0 0 0 0
<u>800-807, 826-949</u>	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	W NW	381 277	M F M F	259 122 178 99	5 1 6 4	2 1 3 3	7 2 6 7	31 7 20 7	37 8 18 3	36 6 23 7	20 4 23 9	24 10 12 3	91 80 56 48	0 0 2 0

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1988

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE SEX	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	UNKNOWN
		NUMBER	RATE#					UNDER 1	1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64			
950-959	SUICIDE	297	10.8	W	245	M	190	0	0	0	1	29	26	21	28	24	61	0	
						F	55	0	0	0	0	8	8	9	4	15	11	0	
						M	42	0	0	0	0	8	16	3	5	4	6	0	
						F	10	0	0	0	0	3	2	2	0	2	1	0	
960-978	HOMICIDE AND LEGAL INTERVENTION	307	11.2	W	100	M	66	0	0	0	2	11	13	17	14	6	3	0	
						F	34	1	2	0	0	1	8	5	5	9	3	0	
						M	163	1	1	0	2	30	65	34	14	5	11	0	
						F	44	1	0	2	0	10	17	5	0	4	5	0	

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1988

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>516</u>	<u>189</u>	<u>327</u>	<u>318</u>	<u>118</u>	<u>200</u>	<u>198</u>	<u>71</u>	<u>127</u>
ADAMS	7	3	4	4	3	1	3	0	3
ALCORN	3	2	1	1	1	0	2	1	1
AMITE	2	0	2	1	0	1	1	0	1
ATTALA	3	1	2	1	0	1	2	1	1
BENTON	0	0	0	0	0	0	0	0	0
BOLIVAR	16	0	16	10	0	10	6	0	6
CALHOUN	1	1	0	0	0	0	1	1	0
CARROLL	3	2	1	1	1	0	2	1	1
CHICKASAW	7	1	6	6	1	5	1	0	1
CHOCTAW	0	0	0	0	0	0	0	0	0
CLAIBORNE	2	0	2	1	0	1	1	0	1
CLARKE	3	0	3	3	0	3	0	0	0
CLAY	3	0	3	3	0	3	0	0	0
COAHOMA	11	1	10	7	1	6	4	0	4
COPIAH	7	2	5	3	1	2	4	1	3
COVINGTON	3	1	2	2	0	2	1	1	0
DESOTO	12	10	2	4	4	0	8	6	2
FORREST	7	1	6	5	0	5	2	1	1
FRANKLIN	3	1	2	1	1	0	2	0	2
GEORGE	1	1	0	1	1	0	0	0	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	3	2	1	2	1	1	1	1	0
HANCOCK	6	6	0	3	3	0	3	3	0
HARRISON	43	24	19	26	14	12	17	10	7
HINDS	56	15	41	34	10	24	22	5	17
HOLMES	3	2	1	3	2	1	0	0	0
HUMPHREYS	8	0	8	5	0	5	3	0	3
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	2	2	0	1	1	0	1	1	0
JACKSON	14	8	6	7	4	3	7	4	3
JASPER	3	0	3	2	0	2	1	0	1
JEFFERSON	4	0	4	2	0	2	2	0	2
JEFF DAVIS	1	1	0	0	0	0	1	1	0
JONES	14	7	7	9	4	5	5	3	2
KEMPER	1	0	1	1	0	1	0	0	0
LAFAYETTE	2	1	1	1	1	0	1	0	1
LAMAR	2	2	0	2	2	0	0	0	0
LAUDERDALE	16	6	10	11	2	9	5	4	1
LAWRENCE	2	1	1	1	0	1	1	1	0
LEAKE	5	1	4	3	1	2	2	0	2
LEE	18	8	10	10	5	5	8	3	5
LEFLORE	9	2	7	4	1	3	5	1	4

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1988

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	4	0	4	1	0	1	3	0	3
LOWNDES	7	2	5	6	2	4	1	0	1
MADISON	5	0	5	4	0	4	1	0	1
MARION	6	4	2	3	2	1	3	2	1
MARSHALL	8	1	7	5	0	5	3	1	2
MONROE	6	4	2	5	4	1	1	0	1
MONTGOMERY	3	1	2	2	0	2	1	1	0
NESHOBA	9	3	6	7	3	4	2	0	2
NEWTON	5	0	5	3	0	3	2	0	2
NOXUBEE	4	0	4	3	0	3	1	0	1
OKTIBBEHA	9	2	7	9	2	7	0	0	0
PANOLA	12	3	9	5	0	5	7	3	4
PEARL RIVER	8	6	2	2	2	0	6	4	2
PERRY	0	0	0	0	0	0	0	0	0
PIKE	9	5	4	7	4	3	2	1	1
PONTOTOC	3	2	1	3	2	1	0	0	0
PRENTISS	2	2	0	1	1	0	1	1	0
QUITMAN	3	1	2	2	1	1	1	0	1
RANKIN	10	7	3	6	6	0	4	1	3
SCOTT	6	1	5	3	1	2	3	0	3
SHARKEY	3	1	2	1	0	1	2	1	1
SIMPSON	3	2	1	2	2	0	1	0	1
SMITH	2	0	2	1	0	1	1	0	1
STONE	1	1	0	1	1	0	0	0	0
SUNFLOWER	15	3	12	8	3	5	7	0	7
TALLAHATCHIE	7	2	5	5	2	3	2	0	2
TATE	3	0	3	2	0	2	1	0	1
TIPPAH	10	9	1	7	6	1	3	3	0
TISHOMINGO	4	3	1	3	3	0	1	0	1
TUNICA	3	0	3	2	0	2	1	0	1
UNION	3	2	1	3	2	1	0	0	0
WALTHALL	3	3	0	2	2	0	1	1	0
WARREN	6	3	3	3	1	2	3	2	1
WASHINGTON	9	0	9	7	0	7	2	0	2
WAYNE	3	1	2	2	1	1	1	0	1
WEBSTER	0	0	0	0	0	0	0	0	0
WILKINSON	2	0	2	2	0	2	0	0	0
WINSTON	2	0	2	2	0	2	0	0	0
YALOBUSHA	4	0	4	2	0	2	2	0	2
YAZOO	8	0	8	5	0	5	3	0	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1984-1988 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>13.3</u>	<u>9.3</u>	<u>17.6</u>	<u>8.3</u>	<u>6.0</u>	<u>10.9</u>	<u>5.0</u>	<u>3.3</u>	<u>6.8</u>
ADAMS	14.0	7.4	19.0	8.9	6.7	10.6	5.1	0.7	8.4
ALCORN	7.6	6.7	12.6	3.8	3.4	6.3	3.8	3.4	6.3
AMITE	15.9	11.2	20.1	9.6	6.7	12.1	6.4	4.5	8.0
ATTALA	8.6	4.9	11.6	4.3	3.2	5.2	4.3	1.6	6.5
BENTON	6.3	9.7	3.0	3.1	6.5	-	3.1	3.2	3.0
BOLIVAR	15.5	8.3	17.5	8.6	7.3	8.9	7.0	1.0	8.6
CALHOUN	6.6	6.6	6.6	1.9	3.3	-	4.7	3.3	6.6
CARROLL	17.6	8.8	23.4	10.6	4.4	14.6	7.0	4.4	8.8
CHICKASAW	20.6	17.2	23.9	11.6	10.6	12.6	9.0	6.6	11.3
CHOCTAW	10.8	-	21.5	10.8	-	21.5	-	-	-
CLAIBORNE	14.2	-	16.1	6.6	-	7.4	7.6	-	8.7
CLARKE	9.6	5.8	14.2	7.2	5.8	8.8	2.4	-	5.3
CLAY	14.9	9.0	18.2	9.1	1.5	13.2	5.9	7.5	5.0
COAHOMA	16.2	9.2	18.2	11.9	7.9	13.0	4.3	1.3	5.2
COPIAH	18.0	7.3	24.2	11.9	4.8	15.9	6.2	2.4	8.3
COVINGTON	12.2	9.0	15.5	7.4	5.2	9.9	4.7	3.9	5.6
DESOTO	11.2	12.0	7.9	7.0	7.7	4.5	4.2	4.4	3.4
FORREST	10.9	9.3	13.2	6.5	5.6	7.7	4.4	3.6	5.4
FRANKLIN	16.0	13.2	18.3	13.1	13.2	13.0	2.9	-	5.2
GEORGE	11.6	10.0	20.6	8.5	9.1	5.2	3.1	0.9	15.5
GREENE	5.4	3.7	9.5	4.0	1.9	9.5	1.3	1.9	-
GRENADA	13.3	7.8	17.6	9.2	3.9	13.5	4.0	3.9	4.1
HANCOCK	12.1	11.4	17.5	7.2	6.7	10.5	4.9	4.6	7.0
HARRISON	11.2	9.6	15.3	6.5	5.5	9.2	4.6	4.1	6.1
HINDS	12.3	7.0	15.5	8.2	4.6	10.4	4.1	2.4	5.1
HOLMES	18.3	17.6	18.4	10.6	11.7	10.5	7.7	5.9	8.0
HUMPHREYS	33.2	19.9	36.7	24.2	19.9	25.4	9.0	-	11.4
ISSAQUENA	-	-	-	-	-	-	-	-	-
ITAWAMBA	12.3	9.9	36.7	8.2	6.3	27.5	4.1	3.6	9.2
JACKSON	11.1	8.6	17.8	7.3	6.1	10.5	3.8	2.5	7.4
JASPER	18.9	14.0	21.8	14.4	12.0	15.8	4.5	2.0	6.1
JEFFERSON	20.6	-	22.8	8.5	-	9.4	12.1	-	13.4
JEFF DAVIS	9.0	7.9	9.6	7.2	5.3	8.2	1.8	2.6	1.4
JONES	13.4	9.5	20.5	8.5	5.6	13.9	4.9	3.9	6.6
KEMPER	12.2	8.6	13.9	8.2	4.3	9.9	4.1	4.3	4.0
LAFAYETTE	6.0	5.9	6.2	2.7	3.9	1.2	3.3	2.0	5.0
LAMAR	9.6	8.8	14.0	7.0	5.7	14.0	2.6	3.1	-
LAUDERDALE	12.7	8.7	17.6	8.6	5.8	12.0	4.1	2.9	5.6
LAWRENCE	11.2	5.2	19.8	5.1	-	12.3	6.1	5.2	7.4
LEAKE	15.0	7.4	21.4	8.8	7.4	10.1	6.1	-	11.3
LEE	15.4	10.7	26.5	9.7	8.0	13.6	5.8	2.7	13.0
LEFLORE	17.7	11.5	20.2	11.4	7.7	12.9	6.3	3.8	7.2

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1984-1988 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	9.8	6.6	15.1	6.0	5.2	7.6	3.7	1.5	7.6
LOWNDES	10.0	6.0	14.8	6.1	4.0	8.7	3.9	2.0	6.2
MADISON	9.8	4.4	14.0	5.4	2.0	8.0	4.5	2.4	6.1
MARION	15.9	17.4	13.4	6.5	7.1	5.4	9.5	10.3	8.1
MARSHALL	15.2	8.5	19.4	10.7	4.7	14.5	4.4	3.8	4.8
MONROE	11.8	9.3	15.4	6.6	6.4	6.9	5.2	2.9	8.6
MONTGOMERY	16.2	11.1	19.4	8.6	2.8	12.3	7.6	8.4	7.0
NESHOBA	17.5	14.1	21.0	10.8	9.1	12.6	6.7	5.0	8.4
NEWTON	13.5	12.8	14.3	8.8	9.0	8.6	4.7	3.8	5.7
NOXUBEE	15.0	3.5	18.2	9.8	3.5	11.5	5.3	-	6.7
OKTIBBEHA	11.9	6.4	16.6	8.0	4.0	11.3	4.0	2.4	5.3
PANOLA	16.3	10.2	19.8	9.3	4.1	12.2	7.0	6.1	7.6
PEARL RIVER	15.9	13.0	28.2	9.1	8.4	12.3	6.8	4.6	15.8
PERRY	3.5	3.4	3.6	-	-	-	3.5	3.4	3.6
PIKE	16.2	15.4	16.8	12.6	11.1	13.7	3.6	4.3	3.1
PONTOTOC	9.0	7.1	18.0	7.1	5.5	14.4	1.9	1.6	3.6
PRENTISS	9.5	8.9	12.4	5.0	5.2	4.1	4.4	3.7	8.3
QUITMAN	17.2	11.9	19.5	12.6	11.9	13.0	4.5	-	6.5
RANKIN	9.0	8.0	12.7	5.2	4.6	7.1	3.8	3.4	5.5
SCOTT	18.4	13.8	23.3	8.5	6.4	10.7	9.9	7.4	12.6
SHARKEY	18.3	25.2	16.6	12.2	18.9	10.6	6.1	6.3	6.0
SIMPSON	13.2	12.5	14.2	5.3	4.8	5.9	8.0	7.7	8.3
SMITH	10.6	7.2	17.2	6.7	4.3	11.5	3.8	2.9	5.7
STONE	5.0	3.5	8.6	5.0	3.5	8.6	-	-	-
SUNFLOWER	17.8	6.0	20.8	12.0	6.0	13.5	5.8	-	7.3
TALLAHATCHIE	23.6	15.9	26.0	14.6	8.0	16.8	8.9	8.0	9.2
TATE	11.0	6.8	15.8	7.9	5.7	10.5	3.0	1.1	5.3
TIPPAH	21.4	20.3	25.7	17.8	15.9	25.7	3.6	4.4	-
TISHOMINGO	14.9	12.8	51.7	8.4	7.9	17.2	6.5	4.9	34.5
TUNICA	20.0	14.0	21.1	7.4	7.0	7.4	12.6	7.0	13.6
UNION	11.2	8.9	21.9	7.9	5.6	18.2	3.3	3.2	3.6
WALTHALL	12.5	12.9	12.2	8.0	8.6	7.6	4.5	4.3	4.6
WARREN	16.9	14.1	19.7	10.6	10.2	11.0	6.3	3.9	8.6
WASHINGTON	14.0	6.4	17.4	8.6	4.6	10.4	5.4	1.8	7.0
WAYNE	14.1	9.8	19.0	9.4	5.4	13.9	4.7	4.4	5.1
WEBSTER	11.1	14.8	4.0	6.9	10.6	-	4.2	4.2	4.0
WILKINSON	17.8	8.9	21.0	14.2	8.9	16.1	3.6	-	4.8
WINSTON	13.2	8.2	16.5	9.2	4.9	12.1	4.0	3.3	4.4
YALOBUSHA	12.1	2.4	20.4	7.7	2.4	12.2	4.4	-	8.1
YAZOO	19.5	11.8	23.4	10.4	4.7	13.2	9.2	7.1	10.2

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1988

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
<u>ALL CAUSES</u>	<u>516</u>	<u>12.3</u>	W	<u>189</u>	<u>118</u>	<u>56</u>	<u>36</u>	<u>12</u>	<u>11</u>	<u>3</u>	<u>71</u>
			NW	<u>327</u>	<u>200</u>	<u>117</u>	<u>53</u>	<u>12</u>	<u>6</u>	<u>12</u>	<u>127</u>
MENINGOCOCCAL INFECTION (036)	3	0.1	W	2	0	0	0	0	0	0	2
			NW	1	0	0	0	0	0	0	1
SEPTICEMIA (038)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	5	0.1	W	2	2	0	1	1	0	0	0
			NW	3	0	0	0	0	0	0	3
MENINGITIS (320-322)	5	0.1	W	2	1	0	0	1	0	0	1
			NW	3	1	0	0	0	0	1	2
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	6	0.1	W	2	0	0	0	0	0	0	2
			NW	4	1	1	0	0	0	0	3
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	102	2.4	W	51	39	21	12	3	2	1	12
			NW	51	27	9	11	3	2	2	24
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	2	##	W	1	1	0	1	0	0	0	0
			NW	1	1	1	0	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	15	0.4	W	1	1	1	0	0	0	0	0
			NW	14	14	14	0	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	11	0.3	W	2	2	1	1	0	0	0	0
			NW	9	9	8	1	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	42	1.0	W	8	8	8	0	0	0	0	0
			NW	34	34	33	1	0	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1988

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
BIRTH TRAUMA (767)	4	0.1	W	2	2	1	1	0	0	0	0
			NW	2	1	0	1	0	0	0	1
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	16	0.4	W	6	6	2	1	2	1	0	0
			NW	10	9	2	5	1	0	1	1
RESPIRATORY DISTRESS SYNDROME (769)	54	1.3	W	21	21	8	10	3	0	0	0
			NW	33	31	19	12	0	0	0	2
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	12	0.3	W	2	2	0	1	0	1	0	0
			NW	10	9	2	3	3	0	1	1
NEONATAL HEMORRHAGE (772)	5	0.1	W	0	0	0	0	0	0	0	0
			NW	5	5	2	2	0	1	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	84	2.0	W	32	4	0	1	0	3	0	28
			NW	52	7	0	1	0	0	6	45
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	9	0.2	W	2	1	0	1	0	0	0	1
			NW	7	3	0	2	1	0	0	4
ACCIDENTS (800-949)	20	0.5	W	8	2	1	0	0	1	0	6
			NW	12	1	1	0	0	0	0	11
ALL OTHER CAUSES	120	2.8	W	45	26	13	6	2	3	2	19
			NW	75	47	25	14	4	3	1	28

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1988

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
STATE	<u>1,412</u>	<u>791</u>	<u>20</u>	<u>44</u>	<u>109</u>	<u>115</u>	<u>45</u>	<u>40</u>	<u>248</u>
ADAMS	16	6	0	0	2	0	2	0	6
ALCORN	29	18	0	1	0	1	0	1	8
AMITE	9	6	0	0	0	1	0	1	1
ATTALA	2	2	0	0	0	0	0	0	0
BENTON	7	6	0	0	0	0	0	0	1
BOLIVAR	13	4	2	0	1	3	0	0	3
CALHOUN	4	2	0	0	1	0	0	0	1
CARROLL	8	4	0	1	0	1	0	0	2
CHICKASAW	8	6	0	0	1	0	0	0	1
CHOCTAW	9	4	0	1	1	0	0	0	3
CLAIBORNE	8	6	0	0	0	1	1	0	0
CLARKE	10	7	0	0	0	2	1	0	0
CLAY	10	5	0	0	1	0	1	1	2
COAHOMA	19	12	0	0	0	3	0	0	4
COPIAH	10	6	0	0	0	3	1	0	0
COVINGTON	7	6	0	0	0	0	0	1	0
DESOTO	15	9	1	0	1	0	1	2	1
FORREST	34	23	0	0	5	0	1	0	5
FRANKLIN	6	4	0	0	0	0	0	0	2
GEORGE	11	8	0	0	1	0	0	0	2
GREENE	5	3	0	0	0	0	0	1	1
GRENADA	11	9	1	0	1	0	0	0	0
HANCOCK	18	11	0	1	0	1	1	0	4
HARRISON	81	36	0	6	5	3	4	4	23
HINDS	202	106	0	7	31	11	4	8	35
HOLMES	13	8	0	0	0	1	2	0	2
HUMPHREYS	6	1	0	0	0	1	1	1	2
ISSAQUENA	1	0	0	0	0	0	0	0	1
ITAWAMBA	11	8	0	0	0	0	0	1	2
JACKSON	44	27	1	1	4	0	2	2	7
JASPER	6	3	0	0	0	3	0	0	0
JEFFERSON	2	2	0	0	0	0	0	0	0
JEFF DAVIS	9	4	0	0	0	5	0	0	0
JONES	22	13	1	2	1	1	0	0	4
KEMPER	6	3	0	0	0	1	0	0	2
LAFAYETTE	12	9	0	0	0	2	0	0	1
LAMAR	11	4	0	0	1	1	0	1	4
LAUDERDALE	58	30	1	3	8	1	0	3	12
LAWRENCE	11	9	0	0	1	0	0	1	0
LEAKE	14	8	0	0	1	1	2	0	2
LEE	80	42	0	5	11	10	0	1	11
LEFLORE	16	7	0	1	4	1	1	0	2

TABLE 14 - PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 1988

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	13	7	0	1	0	1	1	1	2
LOWNDES	26	14	0	0	1	1	2	1	7
MADISON	18	10	0	0	0	2	2	1	3
MARION	24	14	0	2	3	1	1	0	3
MARSHALL	29	22	0	0	0	2	1	1	3
MONROE	21	16	0	0	0	1	1	0	3
MONTGOMERY	4	2	0	1	1	0	0	0	0
NESHOBA	11	7	0	1	0	1	0	0	2
NEWTON	7	4	0	0	0	1	0	0	2
NOXUBEE	11	5	0	1	0	4	0	0	1
OKTIBBEHA	12	7	0	1	1	2	0	0	1
PANOLA	14	10	0	1	0	0	2	0	1
PEARL RIVER	15	12	0	0	0	0	0	1	2
PERRY	10	5	0	0	0	3	0	1	1
PIKE	15	9	0	0	2	0	1	0	3
PONTOTOC	7	5	0	0	0	0	1	0	1
PRENTISS	9	8	0	0	0	0	0	0	1
QUITMAN	14	6	0	0	1	1	0	0	6
RANKIN	28	16	2	0	2	2	1	1	4
SCOTT	16	10	0	0	0	3	1	0	2
SHARKEY	6	3	0	0	0	1	0	0	2
SIMPSON	13	7	0	0	0	1	1	0	4
SMITH	8	6	0	0	1	0	0	0	1
STONE	7	6	1	0	0	0	0	0	0
SUNFLOWER	9	3	0	0	0	3	1	0	2
TALLAHATCHIE	4	3	0	0	0	0	0	0	1
TATE	11	8	0	0	0	0	1	0	2
TIPPAH	5	1	0	1	1	0	0	0	2
TISHOMINGO	9	4	0	1	1	0	1	0	2
TUNICA	8	6	1	0	0	1	0	0	0
UNION	15	9	0	1	1	1	0	1	2
WALTHALL	4	1	0	0	0	1	0	1	1
WARREN	23	7	1	3	7	1	0	0	4
WASHINGTON	56	23	0	0	3	17	1	0	12
WAYNE	7	5	0	0	1	0	1	0	0
WEBSTER	2	2	0	0	0	0	0	0	0
WILKINSON	9	5	1	1	1	0	0	0	1
WINSTON	8	3	0	0	0	2	0	1	2
YALOBUSHA	12	4	7	0	0	0	0	0	1
YAZOO	18	9	0	0	0	4	0	1	4

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1988

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>STATE</u>	<u>24,919</u>	<u>18,335</u>	<u>6,584</u>	<u>24,919</u>	<u>18,335</u>	<u>6,584</u>	<u>22,775</u>	<u>16,656</u>	<u>6,119</u>
ADAMS	478	326	152	484	335	149	324	205	119
ALCORN	321	297	24	328	302	26	298	272	26
AMITE	117	71	46	145	95	50	89	54	35
ATTALA	211	140	71	202	134	68	209	137	72
BENTON	41	31	10	52	39	13	45	36	9
BOLIVAR	309	146	163	293	136	157	288	137	151
CALHOUN	143	113	30	160	136	24	144	120	24
CARROLL	58	37	21	69	51	18	53	34	19
CHICKASAW	230	161	69	206	149	57	207	150	57
CHOCTAW	69	52	17	86	65	21	65	44	21
CLAIBORNE	73	22	51	72	21	51	55	12	43
CLARKE	129	87	42	158	111	47	138	91	47
CLAY	171	96	75	192	111	81	168	94	74
COAHOMA	254	130	124	248	121	127	232	113	119
COPIAH	216	123	93	233	136	97	220	124	96
COVINGTON	158	123	35	165	131	34	164	125	39
DESOTO	629	542	87	582	502	80	425	381	44
FORREST	810	636	174	711	556	155	714	559	155
FRANKLIN	65	44	21	74	54	20	63	41	22
GEORGE	307	284	23	284	264	20	206	192	14
GREENE	97	85	12	117	100	17	80	70	10
GRENADA	235	150	85	214	132	82	217	138	79
HANCOCK	347	309	38	368	327	41	260	240	20
HARRISON	2,058	1,729	329	2,032	1,705	327	1,701	1,413	288
HINDS	2,708	1,653	1,055	2,374	1,418	956	2,363	1,382	981
HOLMES	133	40	93	151	49	102	134	40	94
HUMPHREYS	93	39	54	95	39	56	82	29	53
ISSAQUENA	12	6	6	14	7	7	14	7	7
ITAWAMBA	189	179	10	208	197	11	192	182	10
JACKSON	1,295	1,095	200	1,363	1,161	202	1,255	1,071	184
JASPER	120	66	54	145	80	65	124	66	58
JEFFERSON	41	7	34	52	11	41	25	6	19
JEFF DAVIS	149	83	66	147	77	70	143	80	63
JONES	611	491	120	601	484	117	599	485	114
KEMPER	57	35	22	68	45	23	58	35	23
LAFAYETTE	218	173	45	207	161	46	199	162	37
LAMAR	198	185	13	238	218	20	247	231	16
LAUDERDALE	765	595	170	730	568	162	718	562	156
LAWRENCE	120	102	18	133	108	25	121	100	21
LEAKE	151	118	33	153	119	34	137	110	27
LEE	785	667	118	712	605	107	722	615	107
LEFLORE	238	126	112	248	122	126	225	120	105

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1988

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	337	265	72	345	276	69	310	247	63
LOWNDES	522	346	176	514	341	173	460	302	158
MADISON	333	190	143	395	223	172	460	299	161
MARION	309	237	72	299	226	73	271	211	60
MARSHALL	209	125	84	206	128	78	186	113	73
MONROE	333	268	65	366	296	70	332	262	70
MONTGOMERY	106	75	31	120	80	40	120	83	37
NESHOBA	217	168	49	244	194	50	214	164	50
NEWTON	204	138	66	205	134	71	197	139	58
NOXUBEE	89	33	56	94	35	59	88	26	62
OKTIBBEHA	304	200	104	283	172	111	286	184	102
PANOLA	226	148	78	228	151	77	210	130	80
PEARL RIVER	454	422	32	466	432	34	392	365	27
PERRY	132	112	20	132	110	22	135	115	20
PIKE	387	246	141	377	232	145	315	189	126
PONTOTOC	235	212	23	249	219	30	228	199	29
PRENTISS	222	204	18	218	202	16	211	192	19
QUITMAN	86	44	42	97	52	45	84	41	43
RANKIN	817	709	108	789	677	112	845	750	95
SCOTT	251	174	77	263	192	71	257	180	77
SHARKEY	39	15	24	51	27	24	35	13	22
SIMPSON	259	194	65	296	229	67	267	208	59
SMITH	111	91	20	141	119	22	136	113	23
STONE	118	105	13	119	105	14	98	85	13
SUNFLOWER	255	102	153	268	110	158	217	88	129
TALLAHATCHIE	107	58	49	113	68	45	101	54	47
TATE	166	114	52	179	124	55	157	115	42
TIPPAH	190	168	22	191	167	24	188	169	19
TISHOMINGO	201	199	2	215	212	3	162	160	2
TUNICA	62	20	42	62	19	43	62	19	43
UNION	218	195	23	214	191	23	212	189	23
WALTHALL	147	91	56	152	100	52	113	63	50
WARREN	547	398	149	556	406	150	491	350	141
WASHINGTON	449	251	198	455	256	199	450	247	203
WAYNE	147	109	38	152	120	32	139	99	40
WEBSTER	97	84	13	101	91	10	110	95	15
WILKINSON	184	133	51	172	120	52	60	33	27
WINSTON	174	124	50	186	129	57	177	124	53
YALOBUSHA	97	74	23	104	80	24	104	76	28
YAZOO	169	100	69	188	108	80	172	100	72
OUT OF STATE	*	*	*	*	*	*	2,144	1,679	465

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1988

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>12,097</u>	<u>9,454</u>	<u>2,473</u>	<u>170</u>
ADAMS	0	0	0	0
ALCORN	131	108	17	6
AMITE	70	53	16	1
ATTALA	77	54	22	1
BENTON	33	25	8	0
BOLIVAR	154	75	79	0
CALHOUN	58	50	8	0
CARROLL	10	9	1	0
CHICKASAW	101	73	28	0
CHOCTAW	22	17	5	0
CLAIBORNE	42	12	30	0
CLARKE	43	31	12	0
CLAY	76	49	27	0
COAHOMA	134	78	56	0
COPIAH	95	55	36	4
COVINGTON	63	44	18	1
DESOTO	468	442	26	0
FORREST	421	350	63	8
FRANKLIN	38	20	18	0
GEORGE	123	117	6	0
GREENE	0	0	0	0
GRENADA	124	93	31	0
HANCOCK	190	172	14	4
HARRISON	1,259	1,094	165	0
HINDS	1,328	847	459	22
HOLMES	69	25	44	0
HUMPHREYS	34	17	14	3
ISSAQUENA	0	0	0	0
ITAWAMBA	130	127	3	0
JACKSON	860	737	123	0
JASPER	57	38	19	0
JEFFERSON	0	0	0	0
JEFF DAVIS	52	27	22	3
JONES	394	342	52	0
KEMPER	20	14	6	0
LAFAYETTE	132	96	36	0
LAMAR	153	121	4	28
LAUDERDALE	441	300	91	50
LAWRENCE	55	45	10	0
LEAKE	84	66	18	0
LEE	0	0	0	0
LEFLORE	173	110	63	0

TABLE 16 - PAGE 2
 DIVORCES - MISSISSIPPI - 1988

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
LINCOLN	137	103	34	0
LOWNDES	267	206	61	0
MADISON	153	119	34	0
MARION	128	109	19	0
MARSHALL	109	86	23	0
MONROE	220	172	46	2
MONTGOMERY	55	45	10	0
NESHOBA	119	96	23	0
NEWTON	67	51	16	0
NOXUBEE	32	18	12	2
OKTIBBEHA	121	75	37	9
PANOLA	162	120	42	0
PEARL RIVER	230	222	8	0
PERRY	75	66	9	0
PIKE	0	0	0	0
PONTOTOC	135	126	9	0
PRENTISS	110	101	7	2
QUITMAN	19	13	6	0
RANKIN	549	503	40	6
SCOTT	124	101	23	0
SHARKEY	21	16	5	0
SIMPSON	124	99	25	0
SMITH	70	61	9	0
STONE	44	42	2	0
SUNFLOWER	91	51	37	3
TALLAHATCHIE	40	25	15	0
TATE	87	68	19	0
TIPPAH	84	81	3	0
TISHOMINGO	119	109	1	9
TUNICA	0	0	0	0
UNION	132	120	12	0
WALTHALL	43	33	9	1
WARREN	0	0	0	0
WASHINGTON	359	224	130	5
WAYNE	100	77	23	0
WEBSTER	46	39	7	0
WILKINSON	0	0	0	0
WINSTON	86	64	22	0
YALOBUSHA	56	33	23	0
YAZOO	69	47	22	0

* DIVORCES OF MIXED-RACE COUPLES ARE
 INCLUDED IN FIGURES FOR NONWHITES.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1988

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>4,383</u>	<u>2,142</u>	<u>2,221</u>	<u>20</u>					
ADAMS	41	20	21	0	LINCOLN	39	24	15	0
ALCORN	7	6	1	0	LOWNDES	88	51	37	0
AMITE	15	4	11	0	MADISON	195	108	86	1
ATTALA	32	16	15	1	MARION	13	8	5	0
BENTON	1	0	1	0	MARSHALL	6	2	4	0
BOLIVAR	61	30	31	0	MONROE	42	20	22	0
CALHOUN	11	8	3	0	MONTGOMERY	35	17	18	0
CARROLL	12	5	7	0	NESHOBA	33	17	16	0
CHICKASAW	32	16	16	0	NEWTON	45	25	20	0
CHOCTAW	15	11	4	0	NOXUBEE	9	1	8	0
CLAIBORNE	46	9	37	0	OKTIBBEHA	127	82	45	0
CLARKE	22	10	12	0	PANOLA	33	12	21	0
CLAY	34	17	17	0	PEARL RIVER	7	6	1	0
COAHOMA	23	5	18	0	PERRY	9	8	1	0
COPIAH	61	23	37	1	PIKE	66	30	35	1
COVINGTON	20	8	12	0	PONTOTOC	7	5	2	0
DESOTO	27	25	2	0	PRENTISS	16	16	0	0
FORREST	151	102	48	1	QUITMAN	4	2	2	0
FRANKLIN	7	2	5	0	RANKIN	209	174	32	3
GEORGE	0	0	0	0	SCOTT	46	23	23	0
GREENE	0	0	0	0	SHARKEY	12	5	6	1
GRENADA	28	17	10	1	SIMPSON	52	28	24	0
HANCOCK	12	10	2	0	SMITH	14	7	6	1
HARRISON	82	55	27	0	STONE	5	4	1	0
HINDS	1,260	445	812	3	SUNFLOWER	75	19	55	1
HOLMES	53	11	42	0	TALLAHATCHIE	7	4	3	0
HUMPHREYS	28	9	19	0	TATE	11	6	5	0
ISSAQUENA	4	1	3	0	TIPPAH	4	3	1	0
ITAWAMBA	14	11	3	0	TISHOMINGO	5	4	1	0
JACKSON	9	7	2	0	TUNICA	4	0	4	0
JASPER	25	8	17	0	UNION	8	6	2	0
JEFFERSON	19	4	15	0	WALTHALL	9	8	1	0
JEFF DAVIS	17	9	8	0	WARREN	153	63	90	0
JONES	107	74	33	0	WASHINGTON	127	54	71	2
KEMPER	12	6	6	0	WAYNE	5	4	1	0
LAFAYETTE	52	39	13	0	WEBSTER	15	10	5	0
LAMAR	47	39	8	0	WILKINSON	1	0	1	0
LAUDERDALE	152	89	63	0	WINSTON	43	18	24	1
LAWRENCE	20	9	10	1	YALOBUSHA	11	7	4	0
LEAKE	36	20	16	0	YAZOO	39	16	23	0
LEE	63	39	24	0					
LEFLORE	96	26	69	1					

NOTE:

Table 18 extends from page 107 through 127 with identical data for each county as well as for the state.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	1	1	5.3	3.0	24.7
MALIGNANT NEOPLASMS (140-208)	87	37	50	222.3	190.9	253.0	68	56	12	181.6	167.6	296.8
DIABETES MELLITUS (250)	8	2	6	20.4	10.3	30.4	10	7	3	26.7	21.0	74.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	146	68	78	373.0	350.8	394.7	115	109	6	307.1	326.2	148.4
HYPERTENSION (401, 403)	3	0	3	7.7	-	15.2	3	2	1	8.0	6.0	24.7
CEREBROVASCULAR DISEASES (430-438)	45	20	25	115.0	103.2	126.5	30	29	1	80.1	86.8	24.7
ATHEROSCLEROSIS (440)	3	1	2	7.7	5.2	10.1	1	1	0	2.7	3.0	-
PNEUMONIA AND INFLUENZA (480-487)	10	6	4	25.6	31.0	20.2	18	14	4	48.1	41.9	98.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	5	5	25.6	25.8	25.3	14	12	2	37.4	35.9	49.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	2	4	15.3	10.3	20.2	3	3	0	8.0	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	5.1	-	10.1	5	5	0	13.4	15.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	0	3	7.7	-	15.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	5.0	12.2	-	1	1	0	2.6	3.0	-
ACCIDENTS (800-949)	13	9	4	33.2	46.4	20.2	29	28	1	77.4	83.8	24.7
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	10.2	10.3	10.1	15	15	0	40.0	44.9	-
SUICIDE (950-959)	4	1	3	10.2	5.2	15.2	8	6	2	21.4	18.0	49.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	7.7	-	15.2	2	2	0	5.3	6.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	2	3	12.8	10.3	15.2	8	7	1	21.4	21.0	24.7

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	29	16	13	221.0	225.1	215.8	44	25	19	219.1	205.1	240.6
DIABETES MELLITUS (250)	5	2	3	38.1	28.1	49.8	1	1	0	5.0	8.2	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	31	16	358.2	436.2	265.6	80	58	22	398.3	475.8	278.6
HYPERTENSION (401, 403)	1	0	1	7.6	-	16.6	1	1	0	5.0	8.2	-
CEREBROVASCULAR DISEASES (430-438)	12	6	6	91.4	84.4	99.6	17	10	7	84.6	82.0	88.7
ATHEROSCLEROSIS (440)	3	1	2	22.9	14.1	33.2	2	2	0	10.0	16.4	-
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	7.6	-	16.6	13	12	1	64.7	98.4	12.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	38.1	56.3	16.6	13	12	1	64.7	98.4	12.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	15.2	14.1	16.6	2	2	0	10.0	16.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	4	2	2	19.9	16.4	25.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	15.2	-	33.2	2	1	1	10.0	8.2	12.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.8	-	11.2	1	0	1	3.6	-	6.3
ACCIDENTS (800-949)	9	3	6	68.6	42.2	99.6	7	4	3	34.8	32.8	38.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	5	53.3	28.1	83.0	3	2	1	14.9	16.4	12.7
SUICIDE (950-959)	1	1	0	7.6	14.1	-	5	4	1	24.9	32.8	12.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	2	0	2	10.0	-	25.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	15.2	14.1	16.6	9	6	3	44.8	49.2	38.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	11	8	3	123.7	141.6	92.4	88	25	63	202.2	159.7	226.0
DIABETES MELLITUS (250)	0	0	0	-	-	-	14	4	10	32.2	25.6	35.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	31	21	10	348.6	371.7	308.0	164	75	89	376.9	479.2	319.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	8	3	5	18.4	19.2	17.9
CEREBROVASCULAR DISEASES (430-438)	4	1	3	45.0	17.7	92.4	45	13	32	103.4	83.1	114.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	9	3	6	20.7	19.2	21.5
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	33.7	35.4	30.8	18	6	12	41.4	38.3	43.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	16	11	5	36.8	70.3	17.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	1	1	4.6	6.4	3.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	22.5	17.7	30.8	6	3	3	13.8	19.2	10.8
INFECTIONS OF KIDNEY (590)	2	2	0	22.5	35.4	-	1	0	1	2.3	-	3.6
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	114.4	-	147.3
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	4	0	4	9.2	-	14.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	10	0	10	11.4	-	14.7
ACCIDENTS (800-949)	4	0	4	45.0	-	123.2	18	6	12	41.4	38.3	43.0
MOTOR VEHICLE ACCIDENTS# (810-825)	3	0	3	33.7	-	92.4	9	4	5	20.7	25.6	17.9
SUICIDE (950-959)	2	1	1	22.5	17.7	30.8	2	2	0	4.6	12.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	0	45.0	70.8	-	8	1	7	18.4	6.4	25.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	11.2	17.7	-	5	0	5	11.5	-	17.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	39	30	9	233.5	240.0	213.6	8	4	4	79.1	70.0	90.8
DIABETES MELLITUS (250)	3	2	1	18.0	16.0	23.7	1	0	1	9.9	-	22.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	69	51	18	413.1	408.1	427.1	39	21	18	385.7	367.8	408.4
HYPERTENSION (401, 403)	2	1	1	12.0	8.0	23.7	1	1	0	9.9	17.5	-
CEREBROVASCULAR DISEASES (430-438)	11	11	0	65.8	88.0	-	9	6	3	89.0	105.1	68.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	41.9	56.0	-	1	0	1	9.9	-	22.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	29.9	32.0	23.7	2	2	0	19.8	35.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	19.8	35.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	12.0	8.0	23.7	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	8.6	21.3	-
ACCIDENTS (800-949)	5	5	0	29.9	40.0	-	2	1	1	19.8	17.5	22.7
MOTOR VEHICLE ACCIDENTS# (810-825)	2	2	0	12.0	16.0	-	1	1	0	9.9	17.5	-
SUICIDE (950-959)	3	2	1	18.0	16.0	23.7	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	2	4	35.9	16.0	94.9	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	12.0	8.0	23.7	2	1	1	19.8	17.5	22.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	10.8	8.5	14.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	46	36	10	248.2	307.2	146.6	24	21	3	250.1	308.1	107.9
DIABETES MELLITUS (250)	3	2	1	16.2	17.1	14.6	4	4	0	41.7	58.7	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	48	25	393.8	409.6	366.5	33	22	11	343.9	322.8	395.7
HYPERTENSION (401, 403)	1	0	1	5.4	-	14.6	1	1	0	10.4	14.7	-
CEREBROVASCULAR DISEASES (430-438)	21	14	7	113.3	119.5	102.6	7	4	3	73.0	58.7	107.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	21.6	17.1	29.3	1	1	0	10.4	14.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	6	2	43.2	51.2	29.3	4	4	0	41.7	58.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	10.4	14.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5.4	8.5	-	1	1	0	10.4	14.7	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	323.6	-	595.2	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	5.4	-	14.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	12.9	7.1	17.8	0	0	0	-	-	-
ACCIDENTS (800-949)	7	6	1	37.8	51.2	14.6	10	6	4	104.2	88.0	143.9
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	27.0	34.1	14.6	5	4	1	52.1	58.7	36.0
SUICIDE (950-959)	3	3	0	16.2	25.6	-	2	2	0	20.8	29.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	5.4	-	14.6	2	0	2	20.8	-	71.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	5.4	8.5	-	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	22	6	16	162.8	183.6	156.2	38	29	9	205.7	241.2	139.5
DIABETES MELLITUS (250)	5	0	5	37.0	-	48.8	1	0	1	5.4	-	15.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	29	9	20	214.7	275.4	195.2	90	62	28	487.2	515.7	434.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	0	8	59.2	-	78.1	15	9	6	81.2	74.8	93.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	3	0	16.2	25.0	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	4	2	2	21.6	16.6	31.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	2	4	44.4	61.2	39.0	7	6	1	37.9	49.9	15.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	22.2	30.6	19.5	1	1	0	5.4	8.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	7.4	-	9.8	2	0	2	10.8	-	31.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	7.4	-	9.8	1	0	1	5.4	-	15.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.3	-	7.0	1	0	1	4.2	-	10.0
ACCIDENTS (800-949)	9	0	9	66.6	-	87.9	11	5	6	59.6	41.6	93.0
MOTOR VEHICLE ACCIDENTS# (810-825)	7	0	7	51.8	-	68.3	7	4	3	37.9	33.3	46.5
SUICIDE (950-959)	1	1	0	7.4	30.6	-	2	2	0	10.8	16.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	22.2	-	29.3	3	0	3	16.2	-	46.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.3	8.9	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	47	31	16	200.7	275.4	131.5	78	33	45	227.3	269.2	204.1
DIABETES MELLITUS (250)	3	0	3	12.8	-	24.7	13	4	9	37.9	32.6	40.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	100	50	50	427.0	444.2	411.0	147	54	93	428.4	440.6	421.8
HYPERTENSION (401, 403)	1	0	1	4.3	-	8.2	7	0	7	20.4	-	31.7
CEREBROVASCULAR DISEASES (430-438)	19	6	13	81.1	53.3	106.9	35	14	21	102.0	114.2	95.2
ATHEROSCLEROSIS (440)	1	0	1	4.3	-	8.2	1	0	1	2.9	-	4.5
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	21.4	35.5	8.2	10	5	5	29.1	40.8	22.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	29.9	53.3	8.2	11	8	3	32.1	65.3	13.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	12.8	26.6	-	2	2	0	5.8	16.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	4.3	-	8.2	2	1	1	5.8	8.2	4.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	2.9	-	4.5
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	7.8	-	11.9	5	1	4	7.6	6.6	7.9
ACCIDENTS (800-949)	16	8	8	68.3	71.1	65.8	17	4	13	49.6	32.6	59.0
MOTOR VEHICLE ACCIDENTS# (810-825)	10	5	5	42.7	44.4	41.1	9	2	7	26.2	16.3	31.7
SUICIDE (950-959)	3	3	0	12.8	26.6	-	4	2	2	11.6	16.3	9.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	8.5	-	16.4	4	2	2	11.6	16.3	9.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	7	1	6	20.4	8.2	27.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	55	34	21	193.4	227.4	155.8	43	29	14	253.8	254.1	252.9
DIABETES MELLITUS (250)	10	3	7	35.2	20.1	51.9	6	5	1	35.4	43.8	18.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	95	51	44	334.1	341.0	326.4	58	47	11	342.4	411.9	198.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	3	2	1	17.7	17.5	18.1
CEREBROVASCULAR DISEASES (430-438)	26	13	13	91.4	86.9	96.4	9	7	2	53.1	61.3	36.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	6	3	31.6	40.1	22.2	1	0	1	5.9	-	18.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	10	2	42.2	66.9	14.8	3	3	0	17.7	26.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	5.9	8.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	3.5	-	7.4	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	1	0	3.5	6.7	-	1	1	0	5.9	8.8	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	349.6	-	729.9
CONGENITAL ANOMALIES (740-759)	6	3	3	21.1	20.1	22.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	7.0	-	14.6
ACCIDENTS (800-949)	14	4	10	49.2	26.7	74.2	10	8	2	59.0	70.1	36.1
MOTOR VEHICLE ACCIDENTS# (810-825)	8	2	6	28.1	13.4	44.5	6	5	1	35.4	43.8	18.1
SUICIDE (950-959)	4	4	0	14.1	26.7	-	3	2	1	17.7	17.5	18.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	14.1	6.7	22.2	2	1	1	11.8	8.8	18.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	14.1	-	29.7	2	1	1	11.8	8.8	18.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	1.5	1.8	-	2	1	1	2.7	1.9	4.4
MALIGNANT NEOPLASMS (140-208)	79	66	13	120.8	119.0	130.5	170	124	46	230.5	241.7	205.0
DIABETES MELLITUS (250)	7	6	1	10.7	10.8	10.0	28	15	13	38.0	29.2	57.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	135	112	23	206.4	201.9	230.9	275	204	71	372.9	397.6	316.4
HYPERTENSION (401, 403)	2	2	0	3.0	3.6	-	6	4	2	8.1	7.8	8.9
CEREBROVASCULAR DISEASES (430-438)	38	31	7	58.1	55.9	70.3	72	50	22	97.6	97.4	98.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	18	12	6	24.4	23.4	26.7
PNEUMONIA AND INFLUENZA (480-487)	13	9	4	19.9	16.2	40.2	23	15	8	31.2	29.2	35.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	16	1	26.0	28.8	10.0	13	13	0	17.6	25.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	3.0	1.8	10.0	7	7	0	9.5	13.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	4.6	1.8	20.1	4	2	2	5.4	3.9	8.9
INFECTIONS OF KIDNEY (590)	1	1	0	1.5	1.8	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	3.0	3.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	3	1	3.9	3.6	5.0	4	0	4	3.7	-	8.3
ACCIDENTS (800-949)	23	19	4	35.2	34.2	40.2	19	15	4	25.8	29.2	17.8
MOTOR VEHICLE ACCIDENTS# (810-825)	14	11	3	21.4	19.8	30.1	9	8	1	12.2	15.6	4.4
SUICIDE (950-959)	5	5	0	7.6	9.0	-	10	8	2	13.6	15.6	8.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	6	1	10.7	10.8	10.0	7	2	5	9.5	3.9	22.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	3	1	6.1	5.4	10.0	6	2	4	8.1	3.9	17.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	22	14	8	257.7	259.2	254.8	40	38	2	244.9	255.1	139.5
DIABETES MELLITUS (250)	3	0	3	35.1	-	95.6	3	3	0	18.4	20.1	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	34	20	14	398.3	370.2	446.0	67	64	3	410.2	429.6	209.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	3	2	1	35.1	37.0	31.8	11	10	1	67.3	67.1	69.7
ATHEROSCLEROSIS (440)	1	0	1	11.7	-	31.8	1	1	0	6.1	6.7	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	11.7	18.5	-	2	2	0	12.2	13.4	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	23.4	18.5	31.8	7	6	1	42.8	40.3	69.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	11.7	18.5	-	1	1	0	6.1	6.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	1	1	0	6.1	6.7	-
INFECTIONS OF KIDNEY (590)	1	0	1	11.7	-	31.8	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	11.7	-	31.8	1	1	0	6.1	6.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	5	2	3	58.6	37.0	95.6	13	13	0	79.6	87.3	-
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	46.9	37.0	63.7	8	8	0	49.0	53.7	-
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	12.2	13.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	1	0	6.1	6.7	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	6.1	6.7	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	4.4	-	10.8
MALIGNANT NEOPLASMS (140-208)	23	21	2	211.7	237.4	99.0	37	21	16	164.5	159.0	172.1
DIABETES MELLITUS (250)	1	1	0	9.2	11.3	-	4	2	2	17.8	15.1	21.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	37	34	3	340.5	384.3	148.6	106	63	43	471.2	477.0	462.6
HYPERTENSION (401, 403)	1	1	0	9.2	11.3	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	8	3	101.2	90.4	148.6	38	19	19	168.9	143.9	204.4
ATHEROSCLEROSIS (440)	8	8	0	73.6	90.4	-	1	0	1	4.4	-	10.8
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	18.4	11.3	49.5	7	3	4	31.1	22.7	43.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	4	2	55.2	45.2	99.0	4	4	0	17.8	30.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	2	2	17.8	15.1	21.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	18.4	11.3	49.5	1	0	1	4.4	-	10.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	1	0	280.9	662.2	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	1	1	5.6	6.6	4.9
ACCIDENTS (800-949)	7	5	2	64.4	56.5	99.0	5	3	2	22.2	22.7	21.5
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	18.4	11.3	49.5	3	3	0	13.3	22.7	-
SUICIDE (950-959)	1	1	0	9.2	11.3	-	3	2	1	13.3	15.1	10.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	18.4	22.6	-	3	1	2	13.3	7.6	21.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	9.2	11.3	-	1	1	0	4.4	7.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
MALIGNANT NEOPLASMS (140-208)	74	67	7	253.1	254.6	239.6	355	307	48	204.7	233.0	115.2
DIABETES MELLITUS (250)	3	2	1	10.3	7.6	34.2	19	14	5	11.0	10.6	12.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	120	110	10	410.4	417.9	342.2	494	409	85	284.9	310.4	204.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	4	0	2.3	3.0	-
CEREBROVASCULAR DISEASES (430-438)	16	15	1	54.7	57.0	34.2	72	59	13	41.5	44.8	31.2
ATHEROSCLEROSIS (440)	2	2	0	6.8	7.6	-	6	3	3	3.5	2.3	7.2
PNEUMONIA AND INFLUENZA (480-487)	10	10	0	34.2	38.0	-	44	38	6	25.4	28.8	14.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	12	3	51.3	45.6	102.7	53	45	8	30.6	34.2	19.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	17.1	19.0	-	12	10	2	6.9	7.6	4.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	10.3	7.6	34.2	15	10	5	8.6	7.6	12.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	6.8	7.6	-	12	8	4	6.9	6.1	9.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.2	2.5	-	17	7	10	6.1	3.5	12.1
ACCIDENTS (800-949)	19	17	2	65.0	64.6	68.4	87	62	25	50.2	47.0	60.0
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	20.5	19.0	34.2	42	31	11	24.2	23.5	26.4
SUICIDE (950-959)	6	6	0	20.5	22.8	-	27	24	3	15.6	18.2	7.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3	1	13.7	11.4	34.2	16	10	6	9.2	7.6	14.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	10.3	11.4	-	6	4	2	3.5	3.0	4.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	1	1	0.7	0.7	0.7	1	0	1	4.4	-	5.9
MALIGNANT NEOPLASMS (140-208)	507	281	226	181.2	199.2	162.8	42	13	29	183.0	218.8	170.5
DIABETES MELLITUS (250)	42	17	25	15.0	12.0	18.0	3	0	3	13.1	-	17.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	792	463	329	283.0	328.2	237.0	39	15	24	170.0	252.4	141.1
HYPERTENSION (401, 403)	6	0	6	2.1	-	4.3	3	0	3	13.1	-	17.6
CEREBROVASCULAR DISEASES (430-438)	167	99	68	59.7	70.2	49.0	21	7	14	91.5	117.8	82.3
ATHEROSCLEROSIS (440)	13	9	4	4.6	6.4	2.9	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	61	40	21	21.8	28.4	15.1	5	3	2	21.8	50.5	11.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	65	44	21	23.2	31.2	15.1	6	4	2	26.1	67.3	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	16	14	2	5.7	9.9	1.4	4	0	4	17.4	-	23.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	18	7	11	6.4	5.0	7.9	4	2	2	17.4	33.6	11.8
INFECTIONS OF KIDNEY (590)	2	2	0	0.7	1.4	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	21	10	11	7.5	7.1	7.9	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	26	4	22	6.0	2.6	7.9	3	2	1	6.7	30.8	2.6
ACCIDENTS (800-949)	113	46	67	40.4	32.6	48.3	14	4	10	61.0	67.3	58.8
MOTOR VEHICLE ACCIDENTS# (810-825)	61	25	36	21.8	17.7	25.9	8	2	6	34.9	33.6	35.3
SUICIDE (950-959)	19	16	3	6.8	11.3	2.2	3	2	1	13.1	33.6	5.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	52	7	45	18.6	5.0	32.4	3	0	3	13.1	-	17.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	18	8	10	6.4	5.7	7.2	58	9	49	252.8	151.5	288.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	26	6	20	194.1	137.4	221.4	2	0	2	81.6	-	156.0
DIABETES MELLITUS (250)	5	2	3	37.3	45.8	33.2	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	55	20	35	410.6	457.9	387.5	6	1	5	244.8	84.6	390.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	7	2	5	52.2	45.8	55.4	0	0	0	-	-	-
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	7.5	22.9	-	1	0	1	40.8	-	78.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	22.4	45.8	11.1	1	1	0	40.8	84.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	7.5	-	11.1	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	14.9	-	22.1	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	6	1	5	44.8	22.9	55.4	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	11.3	-	14.5	0	0	0	-	-	-
ACCIDENTS (800-949)	8	3	5	59.7	68.7	55.4	0	0	0	-	-	-
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	22.4	45.8	11.1	0	0	0	-	-	-
SUICIDE (950-959)	1	0	1	7.5	-	11.1	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	0	5	37.3	-	55.4	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	14.9	-	22.1	1	0	1	40.8	-	78.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	41	38	3	174.6	172.7	201.6	196	168	28	142.2	155.4	94.0
DIABETES MELLITUS (250)	2	2	0	8.5	9.1	-	8	7	1	5.8	6.5	3.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	86	80	6	366.1	363.6	403.2	334	271	63	242.2	250.7	211.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	1.4	0.9	3.4
CEREBROVASCULAR DISEASES (430-438)	24	24	0	102.2	109.1	-	33	28	5	23.9	25.9	16.8
ATHEROSCLEROSIS (440)	3	3	0	12.8	13.6	-	3	3	0	2.2	2.8	-
PNEUMONIA AND INFLUENZA (480-487)	9	8	1	38.3	36.4	67.2	27	21	6	19.6	19.4	20.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	34.0	36.4	-	25	24	1	18.1	22.2	3.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	4.2	-	67.2	12	11	1	8.7	10.2	3.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	8.5	9.1	-	6	4	2	4.4	3.7	6.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.7	0.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.2	4.5	-	6	6	0	4.4	5.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.1	4.5	-	3	2	1	1.6	1.5	1.8
ACCIDENTS (800-949)	16	15	1	68.1	68.2	67.2	44	36	8	31.9	33.3	26.9
MOTOR VEHICLE ACCIDENTS# (810-825)	9	9	0	38.3	40.9	-	25	20	5	18.1	18.5	16.8
SUICIDE (950-959)	1	1	0	4.2	4.5	-	9	9	0	6.5	8.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	8.5	9.1	-	6	2	4	4.4	1.8	13.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	8.5	9.1	-	6	2	4	4.4	1.8	13.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	5.5	-	10.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	29	21	8	159.2	238.2	85.2	21	4	17	238.7	269.4	232.5
DIABETES MELLITUS (250)	8	2	6	43.9	22.7	63.9	3	1	2	34.1	67.3	27.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	52	28	439.2	589.8	298.1	23	6	17	261.5	404.0	232.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	11.4	-	13.7
CEREBROVASCULAR DISEASES (430-438)	14	10	4	76.9	113.4	42.6	8	1	7	91.0	67.3	95.7
ATHEROSCLEROSIS (440)	1	1	0	5.5	11.3	-	1	0	1	11.4	-	13.7
PNEUMONIA AND INFLUENZA (480-487)	12	6	6	65.9	68.0	63.9	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	2	27.4	34.0	21.3	1	0	1	11.4	-	13.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	22.0	34.0	10.6	1	0	1	11.4	-	13.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	5.5	-	10.6	1	0	1	11.4	-	13.7
INFECTIONS OF KIDNEY (590)	1	1	0	5.5	11.3	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	5.5	-	10.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	13.1	-	14.5
ACCIDENTS (800-949)	8	2	6	43.9	22.7	63.9	1	1	0	11.4	67.3	-
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	11.0	11.3	10.6	1	1	0	11.4	67.3	-
SUICIDE (950-959)	3	2	1	16.5	22.7	10.6	1	0	1	11.4	-	13.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	2	0	2	22.7	-	27.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	11.0	-	21.3	11	0	11	125.0	-	150.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	32	19	13	218.2	304.4	154.2	125	100	25	184.6	192.0	160.0
DIABETES MELLITUS (250)	7	4	3	47.7	64.1	35.6	6	5	1	8.9	9.6	6.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	62	37	25	422.7	592.8	296.6	215	175	40	317.6	336.0	256.0
HYPERTENSION (401, 403)	3	0	3	20.4	-	35.6	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	7	4	75.0	112.2	47.4	42	30	12	62.0	57.6	76.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	1.5	1.9	-
PNEUMONIA AND INFLUENZA (480-487)	6	6	0	40.9	96.1	-	15	12	3	22.2	23.0	19.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	6.8	-	11.9	17	12	5	25.1	23.0	32.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	13.6	16.0	11.9	7	6	1	10.3	11.5	6.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	6.8	-	11.9	10	5	5	14.8	9.6	32.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	0	2	3.0	-	12.8
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	6	5	1	8.9	9.6	6.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	6	0	6	6.5	-	16.7
ACCIDENTS (800-949)	8	1	7	54.5	16.0	83.0	22	16	6	32.5	30.7	38.4
MOTOR VEHICLE ACCIDENTS# (810-825)	2	0	2	13.6	-	23.7	11	9	2	16.2	17.3	12.8
SUICIDE (950-959)	4	3	1	27.3	48.1	11.9	10	9	1	14.8	17.3	6.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	6.8	-	11.9	8	4	4	11.8	7.7	25.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	6.8	16.0	-	6	3	3	8.9	5.8	19.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	9.9	-	18.3	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	28	14	14	276.9	300.0	256.8	46	28	18	129.8	110.7	177.1
DIABETES MELLITUS (250)	3	1	2	29.7	21.4	36.7	5	3	2	14.1	11.9	19.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	25	24	484.6	535.8	440.3	72	50	22	203.1	197.8	216.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	4	7	108.8	85.7	128.4	14	6	8	39.5	23.7	78.7
ATHEROSCLEROSIS (440)	2	2	0	19.8	42.9	-	1	1	0	2.8	4.0	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	9.9	21.4	-	3	0	3	8.5	-	29.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	29.7	42.9	18.3	6	6	0	16.9	23.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	2.8	4.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	19.8	21.4	18.3	2	0	2	5.6	-	19.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	2.8	-	9.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	7	3	4	69.2	64.3	73.4	11	3	8	31.0	11.9	78.7
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	39.6	64.3	18.3	7	3	4	19.7	11.9	39.4
SUICIDE (950-959)	1	1	0	9.9	21.4	-	3	2	1	8.5	7.9	9.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	19.8	21.4	18.3	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	9.9	-	18.3	1	1	0	2.8	4.0	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	44	41	3	150.9	157.8	94.4	147	102	45	177.1	188.4	155.8
DIABETES MELLITUS (250)	5	4	1	17.2	15.4	31.5	13	5	8	15.7	9.2	27.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	69	61	8	236.7	234.8	251.9	305	209	96	367.4	386.1	332.4
HYPERTENSION (401, 403)	1	1	0	3.4	3.8	-	2	1	1	2.4	1.8	3.5
CEREBROVASCULAR DISEASES (430-438)	10	7	3	34.3	27.0	94.4	81	61	20	97.6	112.7	69.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	4	3	1	4.8	5.5	3.5
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	13.7	15.4	-	29	17	12	34.9	31.4	41.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	10	1	37.7	38.5	31.5	34	27	7	41.0	49.9	24.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	6.9	7.7	-	9	8	1	10.8	14.8	3.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	9	5	4	10.8	9.2	13.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	0	2.4	3.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	4.4	5.5	-	11	3	8	8.8	4.5	13.7
ACCIDENTS (800-949)	10	9	1	34.3	34.6	31.5	41	29	12	49.4	53.6	41.5
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	17.2	15.4	31.5	22	15	7	26.5	27.7	24.2
SUICIDE (950-959)	4	3	1	13.7	11.6	31.5	11	8	3	13.2	14.8	10.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3.4	3.8	-	7	3	4	8.4	5.5	13.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.4	3.8	-	3	2	1	3.6	3.7	3.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	29	16	13	210.6	165.3	318.3	53	32	21	263.8	263.0	264.8
DIABETES MELLITUS (250)	2	1	1	14.5	10.3	24.5	5	2	3	24.9	16.4	37.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	34	24	10	246.9	247.9	244.8	97	67	30	482.7	550.7	378.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	10.0	8.2	12.6
CEREBROVASCULAR DISEASES (430-438)	7	5	2	50.8	51.6	49.0	11	7	4	54.7	57.5	50.4
ATHEROSCLEROSIS (440)	4	2	2	29.0	20.7	49.0	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	36.3	41.3	24.5	6	5	1	29.9	41.1	12.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	6	2	58.1	62.0	49.0	7	4	3	34.8	32.9	37.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	5	3	2	24.9	24.6	25.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	4	3	1	19.9	24.6	12.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.5	-	13.7	3	1	2	9.4	7.0	11.3
ACCIDENTS (800-949)	18	15	3	130.7	155.0	73.4	15	7	8	74.6	57.5	100.9
MOTOR VEHICLE ACCIDENTS# (810-825)	14	12	2	101.7	124.0	49.0	6	4	2	29.9	32.9	25.2
SUICIDE (950-959)	1	1	0	7.3	10.3	-	4	4	0	19.9	32.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	7.3	-	24.5	7	3	4	34.8	24.6	50.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	14.5	20.7	-	3	0	3	14.9	-	37.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	120	97	23	186.4	190.4	171.1	109	48	61	264.0	307.8	237.3
DIABETES MELLITUS (250)	1	0	1	1.6	-	7.4	10	5	5	24.2	32.1	19.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	232	185	47	360.3	363.1	349.7	165	84	81	399.6	538.7	315.2
HYPERTENSION (401, 403)	3	2	1	4.6	3.9	7.4	4	0	4	9.7	-	15.6
CEREBROVASCULAR DISEASES (430-438)	42	32	10	65.2	62.8	74.4	25	7	18	60.5	44.9	70.0
ATHEROSCLEROSIS (440)	10	9	1	15.5	17.7	7.4	2	0	2	4.8	-	7.8
PNEUMONIA AND INFLUENZA (480-487)	19	15	4	29.5	29.4	29.8	8	5	3	19.4	32.1	11.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	20	19	1	31.1	37.3	7.4	15	6	9	36.3	38.5	35.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	7	5	2	10.9	9.8	14.9	1	0	1	2.4	-	3.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	3.1	2.0	7.4	2	0	2	4.8	-	7.8
INFECTIONS OF KIDNEY (590)	1	1	0	1.6	2.0	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	3.1	3.9	-	2	0	2	4.8	-	7.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	9	4	5	8.0	5.2	14.4	3	1	2	4.4	5.8	4.0
ACCIDENTS (800-949)	50	35	15	77.6	68.7	111.6	23	10	13	55.7	64.1	50.6
MOTOR VEHICLE ACCIDENTS# (810-825)	23	15	8	35.7	29.4	59.5	11	5	6	26.6	32.1	23.3
SUICIDE (950-959)	6	5	1	9.3	9.8	7.4	2	2	0	4.8	12.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	5	3	12.4	9.8	22.3	3	0	3	7.3	-	11.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	4.6	2.0	14.9	2	0	2	4.8	-	7.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	2.9	4.2	-	2	1	1	3.1	2.5	4.0
MALIGNANT NEOPLASMS (140-208)	63	50	13	185.7	210.9	127.1	118	80	38	180.5	199.2	150.7
DIABETES MELLITUS (250)	12	11	1	35.4	46.4	9.8	8	3	5	12.2	7.5	19.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	155	114	41	456.9	480.9	400.9	148	94	54	226.4	234.0	214.2
HYPERTENSION (401, 403)	1	0	1	2.9	-	9.8	5	1	4	7.6	2.5	15.9
CEREBROVASCULAR DISEASES (430-438)	29	20	9	85.5	84.4	88.0	34	21	13	52.0	52.3	51.6
ATHEROSCLEROSIS (440)	1	1	0	2.9	4.2	-	1	0	1	1.5	-	4.0
PNEUMONIA AND INFLUENZA (480-487)	7	4	3	20.6	16.9	29.3	8	5	3	12.2	12.4	11.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	10	1	32.4	42.2	9.8	19	12	7	29.1	29.9	27.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	5.9	4.2	9.8	5	3	2	7.6	7.5	7.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	2.9	-	9.8	4	2	2	6.1	5.0	7.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.9	-	9.8	5	2	3	7.6	5.0	11.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.5	-	6.2	5	1	4	4.6	1.8	7.4
ACCIDENTS (800-949)	20	10	10	59.0	42.2	97.8	18	10	8	27.5	24.9	31.7
MOTOR VEHICLE ACCIDENTS# (810-825)	11	6	5	32.4	25.3	48.9	11	7	4	16.8	17.4	15.9
SUICIDE (950-959)	4	3	1	11.8	12.6	9.8	8	7	1	12.2	17.4	4.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	5.9	-	19.6	3	2	1	4.6	5.0	4.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	5.9	8.4	-	4	2	2	6.1	5.0	7.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	1.9	-	3.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	88	41	47	171.0	162.9	178.6	58	41	17	204.7	205.6	202.2
DIABETES MELLITUS (250)	6	2	4	11.6	7.9	15.2	7	5	2	24.7	25.1	23.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	112	50	62	217.6	198.7	235.6	104	68	36	367.0	341.1	428.2
HYPERTENSION (401, 403)	6	1	5	11.6	4.0	19.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	29	9	20	56.3	35.8	76.0	25	15	10	88.2	75.2	118.9
ATHEROSCLEROSIS (440)	3	0	3	5.8	-	11.4	4	4	0	14.1	20.1	-
PNEUMONIA AND INFLUENZA (480-487)	12	7	5	23.3	27.8	19.0	16	12	4	56.5	60.2	47.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	11	2	25.2	43.7	7.6	4	3	1	14.1	15.0	11.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	2	2	7.8	7.9	7.6	1	1	0	3.5	5.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	14	7	7	27.2	27.8	26.6	3	3	0	10.6	15.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	1	0	1	96.2	-	182.8	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	5.8	4.0	7.6	2	1	1	7.0	5.0	11.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	1.9	-	3.6	1	1	0	2.7	4.3	-
ACCIDENTS (800-949)	27	8	19	52.4	31.8	72.2	24	14	10	84.7	70.2	118.9
MOTOR VEHICLE ACCIDENTS# (810-825)	18	6	12	35.0	23.8	45.6	11	8	3	38.8	40.1	35.7
SUICIDE (950-959)	6	5	1	11.6	19.9	3.8	2	1	1	7.0	5.0	11.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	1	6	13.6	4.0	22.8	3	0	3	10.6	-	35.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	3.9	4.0	3.8	2	1	1	7.0	5.0	11.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.6	-	8.7
MALIGNANT NEOPLASMS (140-208)	59	31	28	174.9	183.5	166.3	86	68	18	223.6	251.7	157.2
DIABETES MELLITUS (250)	6	3	3	17.8	17.8	17.8	7	3	4	18.2	11.1	34.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	113	57	56	335.1	337.4	332.5	144	97	47	374.3	359.0	410.5
HYPERTENSION (401, 403)	1	0	1	3.0	-	5.9	1	0	1	2.6	-	8.7
CEREBROVASCULAR DISEASES (430-438)	16	8	8	47.4	47.4	47.5	31	17	14	80.6	62.9	122.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	7.8	7.4	8.7
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	14.8	23.7	5.9	17	15	2	44.2	55.5	17.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	29.6	53.3	5.9	4	4	0	10.4	14.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	8.9	11.8	5.9	4	1	3	10.4	3.7	26.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	5	2	20.8	29.6	11.9	5	3	2	13.0	11.1	17.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	2.6	3.7	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	0	5	9.0	-	14.4	4	3	1	7.4	9.0	4.8
ACCIDENTS (800-949)	29	18	11	86.0	106.6	65.3	24	21	3	62.4	77.7	26.2
MOTOR VEHICLE ACCIDENTS# (810-825)	18	12	6	53.4	71.0	35.6	15	14	1	39.0	51.8	8.7
SUICIDE (950-959)	4	3	1	11.9	17.8	5.9	6	5	1	15.6	18.5	8.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	10	4	6	29.6	23.7	35.6	4	2	2	10.4	7.4	17.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	5.9	5.9	5.9	3	2	1	7.8	7.4	8.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.8	-	13.0
MALIGNANT NEOPLASMS (140-208)	36	23	13	261.3	266.8	252.0	52	41	11	198.7	222.0	142.8
DIABETES MELLITUS (250)	2	2	0	14.5	23.2	-	9	4	5	34.4	21.7	64.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	68	46	22	493.5	533.6	426.5	104	83	21	397.5	449.5	272.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	1	1	7.6	5.4	13.0
CEREBROVASCULAR DISEASES (430-438)	18	11	7	130.6	127.6	135.7	13	9	4	49.7	48.7	51.9
ATHEROSCLEROSIS (440)	1	1	0	7.2	11.6	-	2	2	0	7.6	10.8	-
PNEUMONIA AND INFLUENZA (480-487)	2	0	2	14.5	-	38.8	7	5	2	26.8	27.1	26.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	29.0	46.4	-	9	8	1	34.4	43.3	13.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	0	2	7.6	-	26.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	21.8	11.6	38.8	3	3	0	11.5	16.2	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	7.2	-	19.4	3	2	1	11.5	10.8	13.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.5	-	9.6	4	1	3	9.8	4.6	15.7
ACCIDENTS (800-949)	6	4	2	43.5	46.4	38.8	14	10	4	53.5	54.2	51.9
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	14.5	11.6	19.4	6	4	2	22.9	21.7	26.0
SUICIDE (950-959)	4	4	0	29.0	46.4	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	7.2	-	19.4	4	2	2	15.3	10.8	26.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	7.2	-	19.4	5	2	3	19.1	10.8	38.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	8.2	-	12.6
MALIGNANT NEOPLASMS (140-208)	44	35	9	212.5	241.9	144.1	25	14	11	204.5	324.1	139.0
DIABETES MELLITUS (250)	8	3	5	38.6	20.7	80.1	2	1	1	16.4	23.2	12.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	71	44	27	342.9	304.1	432.4	36	15	21	294.4	347.3	265.4
HYPERTENSION (401, 403)	4	3	1	19.3	20.7	16.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	9	5	67.6	62.2	80.1	9	3	6	73.6	69.5	75.8
ATHEROSCLEROSIS (440)	6	3	3	29.0	20.7	48.0	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	24.1	20.7	32.0	4	0	4	32.7	-	50.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	38.6	55.3	-	4	1	3	32.7	23.2	37.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	4.8	-	16.0	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	9.6	6.9	16.0	3	3	0	24.5	69.5	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	9.6	-	32.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	6.4	-	13.3	2	0	2	7.6	-	9.7
ACCIDENTS (800-949)	16	10	6	77.3	69.1	96.1	20	6	14	163.6	138.9	176.9
MOTOR VEHICLE ACCIDENTS# (810-825)	11	6	5	53.1	41.5	80.1	12	5	7	98.2	115.8	88.5
SUICIDE (950-959)	2	2	0	9.6	13.8	-	1	1	0	8.2	23.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	9.6	6.9	16.0	3	0	3	24.5	-	37.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	4.8	-	16.0	6	0	6	49.1	-	75.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.4	-	7.3
MALIGNANT NEOPLASMS (140-208)	55	30	25	126.2	109.6	154.1	81	44	37	278.5	286.6	269.4
DIABETES MELLITUS (250)	9	4	5	20.6	14.6	30.8	7	3	4	24.1	19.5	29.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	92	51	41	211.1	186.4	252.8	131	78	53	450.4	508.1	385.9
HYPERTENSION (401, 403)	2	0	2	4.6	-	12.3	1	0	1	3.4	-	7.3
CEREBROVASCULAR DISEASES (430-438)	14	5	9	32.1	18.3	55.5	33	15	18	113.5	97.7	131.1
ATHEROSCLEROSIS (440)	2	2	0	4.6	7.3	-	1	1	0	3.4	6.5	-
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	9.2	14.6	-	10	7	3	34.4	45.6	21.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	7	2	20.6	25.6	12.3	12	8	4	41.3	52.1	29.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	2.3	-	6.2	1	0	1	3.4	-	7.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	9.2	11.0	6.2	9	7	2	30.9	45.6	14.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	3	0	6.9	11.0	-	2	0	2	6.9	-	14.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	0	7	12.4	-	22.4	4	0	4	6.9	-	11.1
ACCIDENTS (800-949)	16	5	11	36.7	18.3	67.8	23	19	4	79.1	123.8	29.1
MOTOR VEHICLE ACCIDENTS# (810-825)	7	2	5	16.1	7.3	30.8	16	15	1	55.0	97.7	7.3
SUICIDE (950-959)	1	1	0	2.3	3.6	-	6	4	2	20.6	26.0	14.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	6.9	3.6	12.3	2	2	0	6.9	13.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	2.3	-	6.2	5	2	3	17.2	13.0	21.8

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	75	68	7	185.7	194.4	129.6	21	15	6	200.4	174.7	316.0
DIABETES MELLITUS (250)	5	4	1	12.4	11.4	18.5	1	1	0	9.5	11.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	141	120	21	349.1	343.0	388.8	26	24	2	248.2	279.6	105.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	9.5	-	52.6
CEREBROVASCULAR DISEASES (430-438)	24	22	2	59.4	62.9	37.0	9	6	3	85.9	69.9	158.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	13	12	1	32.2	34.3	18.5	3	3	0	28.6	34.9	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	12	1	32.2	34.3	18.5	1	1	0	9.5	11.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	5.0	2.8	18.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	5	2	17.3	14.3	37.0	2	2	0	19.1	23.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	9.5	11.6	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	5.0	5.7	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	3.5	4.5	-	0	0	0	-	-	-
ACCIDENTS (800-949)	24	23	1	59.4	65.7	18.5	7	6	1	66.8	69.9	52.6
MOTOR VEHICLE ACCIDENTS# (810-825)	18	18	0	44.6	51.4	-	2	2	0	19.1	23.3	-
SUICIDE (950-959)	5	4	1	12.4	11.4	18.5	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	7.4	5.7	18.5	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	5.0	2.8	18.5	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	2.6	-	5.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	78	57	21	200.4	267.3	119.3	58	53	5	238.4	256.7	135.4
DIABETES MELLITUS (250)	13	3	10	33.4	14.1	56.8	2	2	0	8.2	9.7	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	152	102	50	390.6	478.4	284.1	81	69	12	332.9	334.2	325.0
HYPERTENSION (401, 403)	2	1	1	5.1	4.7	5.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	53	35	18	136.2	164.2	102.3	21	17	4	86.3	82.4	108.3
ATHEROSCLEROSIS (440)	8	8	0	20.6	37.5	-	4	4	0	16.4	19.4	-
PNEUMONIA AND INFLUENZA (480-487)	6	5	1	15.4	23.4	5.7	5	3	2	20.6	14.5	54.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	4	4	20.6	18.8	22.7	7	4	3	28.8	19.4	81.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	1	3	10.3	4.7	17.0	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	10.3	9.4	11.4	2	1	1	8.2	4.8	27.1
INFECTIONS OF KIDNEY (590)	1	1	0	2.6	4.7	-	2	1	1	8.2	4.8	27.1
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	5.1	4.7	5.7	2	1	1	8.2	4.8	27.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	3	2	8.8	12.6	6.0	1	1	0	2.9	3.5	-
ACCIDENTS (800-949)	17	11	6	43.7	51.6	34.1	13	13	0	53.4	63.0	-
MOTOR VEHICLE ACCIDENTS# (810-825)	9	6	3	23.1	28.1	17.0	10	10	0	41.1	48.4	-
SUICIDE (950-959)	3	3	0	7.7	14.1	-	1	1	0	4.1	4.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	1	5	15.4	4.7	28.4	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	2	2	10.3	9.4	11.4	1	0	1	4.1	-	27.1

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	50	48	2	179.1	193.1	65.2	26	14	12	238.7	278.3	204.7
DIABETES MELLITUS (250)	1	1	0	3.6	4.0	-	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	98	88	10	351.0	354.1	326.0	41	19	22	376.4	377.6	375.4
HYPERTENSION (401, 403)	2	2	0	7.2	8.0	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	18	17	1	64.5	68.4	32.6	5	2	3	45.9	39.8	51.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	17.9	16.1	32.6	6	5	1	55.1	99.4	17.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	25.1	24.1	32.6	1	0	1	9.2	-	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.6	4.0	-	1	1	0	9.2	19.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	14.3	16.1	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	18.4	19.9	17.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.9	3.4	-	1	0	1	4.7	-	7.7
ACCIDENTS (800-949)	16	13	3	57.3	52.3	97.8	13	4	9	119.3	79.5	153.6
MOTOR VEHICLE ACCIDENTS# (810-825)	13	10	3	46.6	40.2	97.8	6	2	4	55.1	39.8	68.2
SUICIDE (950-959)	2	2	0	7.2	8.0	-	2	1	1	18.4	19.9	17.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	3	0	3	27.5	-	51.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	11	1	43.0	44.2	32.6	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	133	103	30	165.4	154.6	217.3	44	30	14	167.1	183.8	139.9
DIABETES MELLITUS (250)	16	11	5	19.9	16.5	36.2	2	0	2	7.6	-	20.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	193	148	45	240.0	222.2	325.9	82	56	26	311.5	343.0	259.9
HYPERTENSION (401, 403)	1	0	1	1.2	-	7.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	46	33	13	57.2	49.5	94.2	17	7	10	64.6	42.9	100.0
ATHEROSCLEROSIS (440)	6	5	1	7.5	7.5	7.2	3	2	1	11.4	12.2	10.0
PNEUMONIA AND INFLUENZA (480-487)	10	6	4	12.4	9.0	29.0	3	2	1	11.4	12.2	10.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	25	23	2	31.1	34.5	14.5	5	3	2	19.0	18.4	20.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	3.7	4.5	-	1	1	0	3.8	6.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	11	6	5	13.7	9.0	36.2	3	1	2	11.4	6.1	20.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	8	5	3	9.9	7.5	21.7	2	2	0	7.6	12.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	2.3	3.0	-	2	0	2	4.6	-	8.8
ACCIDENTS (800-949)	44	35	9	54.7	52.5	65.2	25	16	9	95.0	98.0	90.0
MOTOR VEHICLE ACCIDENTS# (810-825)	26	21	5	32.3	31.5	36.2	11	6	5	41.8	36.8	50.0
SUICIDE (950-959)	9	8	1	11.2	12.0	7.2	2	2	0	7.6	12.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	2.5	3.0	-	4	0	4	15.2	-	40.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	9	6	3	11.2	9.0	21.7	3	0	3	11.4	-	30.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	17	8	9	224.3	304.6	181.6	49	33	16	182.0	176.2	195.4
DIABETES MELLITUS (250)	3	2	1	39.6	76.2	20.2	5	2	3	18.6	10.7	36.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	34	16	18	448.5	609.3	363.1	117	84	33	434.6	448.4	403.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	3.7	-	12.2
CEREBROVASCULAR DISEASES (430-438)	9	2	7	118.7	76.2	141.2	12	8	4	44.6	42.7	48.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	1	1	7.4	5.3	12.2
PNEUMONIA AND INFLUENZA (480-487)	9	3	6	118.7	114.2	121.0	7	5	2	26.0	26.7	24.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	52.8	76.2	40.3	9	8	1	33.4	42.7	12.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	39.6	76.2	20.2	6	5	1	22.3	26.7	12.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	13.2	-	20.2	1	1	0	3.7	5.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	13.2	38.1	-	4	3	1	14.8	16.0	12.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.7	-	7.9	0	0	0	-	-	-
ACCIDENTS (800-949)	7	4	3	92.3	152.3	60.5	17	13	4	63.2	69.4	48.8
MOTOR VEHICLE ACCIDENTS# (810-825)	5	3	2	66.0	114.2	40.3	11	9	2	40.9	48.0	24.4
SUICIDE (950-959)	0	0	0	-	-	-	6	6	0	22.3	32.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	13.2	-	20.2	1	1	0	3.7	5.3	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	13.2	-	20.2	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	2	0	12.3	15.4	-	2	2	0	17.6	23.1	-
MALIGNANT NEOPLASMS (140-208)	38	32	6	233.5	246.7	181.6	24	17	7	211.4	196.7	258.4
DIABETES MELLITUS (250)	5	4	1	30.7	30.8	30.3	2	2	0	17.6	23.1	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	61	52	9	374.9	400.9	272.4	68	55	13	599.1	636.4	479.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	2	0	17.6	23.1	-
CEREBROVASCULAR DISEASES (430-438)	12	10	2	73.7	77.1	60.5	15	12	3	132.1	138.8	110.7
ATHEROSCLEROSIS (440)	3	2	1	18.4	15.4	30.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	18.4	23.1	-	8	7	1	70.5	81.0	36.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	7	1	49.2	54.0	30.3	1	1	0	8.8	11.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	8.8	11.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	6.1	7.7	-	2	2	0	17.6	23.1	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	8.8	-	36.9
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	12.3	7.7	30.3	1	1	0	8.8	11.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.0	-	15.2	0	0	0	-	-	-
ACCIDENTS (800-949)	10	6	4	61.4	46.3	121.1	7	5	2	61.7	57.8	73.8
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	36.9	23.1	90.8	6	5	1	52.8	57.8	36.9
SUICIDE (950-959)	1	1	0	6.1	7.7	-	1	1	0	8.8	11.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	12.3	15.4	-	1	0	1	8.8	-	36.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	8.8	11.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	71	29	42	207.4	224.7	196.9	29	17	12	189.8	246.3	143.3
DIABETES MELLITUS (250)	6	1	5	17.5	7.7	23.4	1	0	1	6.5	-	11.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	129	54	75	376.9	418.4	351.7	65	28	37	425.5	405.7	441.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	6.5	14.5	-
CEREBROVASCULAR DISEASES (430-438)	24	6	18	70.1	46.5	84.4	14	5	9	91.6	72.4	107.5
ATHEROSCLEROSIS (440)	3	1	2	8.8	7.7	9.4	3	2	1	19.6	29.0	11.9
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	20.4	46.5	4.7	3	1	2	19.6	14.5	23.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	6	4	29.2	46.5	18.8	6	3	3	39.3	43.5	35.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.9	7.7	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	0	6	17.5	-	28.1	3	1	2	19.6	14.5	23.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	6.5	-	11.9
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	8.8	7.7	9.4	1	0	1	6.5	-	11.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	1	6	10.9	7.8	11.7	5	2	3	14.6	28.6	11.0
ACCIDENTS (800-949)	13	3	10	38.0	23.2	46.9	13	8	5	85.1	115.9	59.7
MOTOR VEHICLE ACCIDENTS# (810-825)	4	1	3	11.7	7.7	14.1	7	5	2	45.8	72.4	23.9
SUICIDE (950-959)	5	4	1	14.6	31.0	4.7	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	8.8	-	14.1	3	0	3	19.6	-	35.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	5.8	-	9.4	1	0	1	6.5	-	11.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	37	28	9	169.2	215.5	101.4	31	27	4	148.8	154.6	118.9
DIABETES MELLITUS (250)	4	3	1	18.3	23.1	11.3	3	0	3	14.4	-	89.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	48	19	306.5	369.4	214.1	78	71	7	374.5	406.4	208.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	11	6	77.8	84.7	67.6	19	17	2	91.2	97.3	59.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	2	0	9.6	11.4	-
PNEUMONIA AND INFLUENZA (480-487)	11	7	4	50.3	53.9	45.1	5	5	0	24.0	28.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	9	2	50.3	69.3	22.5	6	5	1	28.8	28.6	29.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	3	0	14.4	17.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	13.7	7.7	22.5	6	5	1	28.8	28.6	29.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	4.8	5.7	-
MATERNAL CAUSES (630-676)	1	1	0	300.3	581.4	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.6	7.7	-	3	3	0	14.4	17.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	9.0	-	18.6	4	3	1	15.3	14.3	19.6
ACCIDENTS (800-949)	7	3	4	32.0	23.1	45.1	12	10	2	57.6	57.2	59.5
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	18.3	15.4	22.5	6	4	2	28.8	22.9	59.5
SUICIDE (950-959)	3	3	0	13.7	23.1	-	3	3	0	14.4	17.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.6	-	11.3	2	2	0	9.6	11.4	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	9.6	11.4	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.9	5.1	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	43	42	1	211.5	215.3	119.6	7	4	3	81.2	167.3	48.1
DIABETES MELLITUS (250)	6	5	1	29.5	25.6	119.6	1	0	1	11.6	-	16.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	82	82	0	403.3	420.4	-	35	9	26	405.8	376.4	417.1
HYPERTENSION (401, 403)	1	1	0	4.9	5.1	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	12	12	0	59.0	61.5	-	8	3	5	92.8	125.5	80.2
ATHEROSCLEROSIS (440)	5	5	0	24.6	25.6	-	1	0	1	11.6	-	16.0
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	34.4	35.9	-	1	1	0	11.6	41.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	29.5	30.8	-	2	1	1	23.2	41.8	16.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.9	5.1	-	2	1	1	23.2	41.8	16.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	7	1	39.4	35.9	119.6	3	1	2	34.8	41.8	32.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	9.8	5.1	119.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.8	5.0	-	1	0	1	5.2	-	6.0
ACCIDENTS (800-949)	14	13	1	68.9	66.6	119.6	8	1	7	92.8	41.8	112.3
MOTOR VEHICLE ACCIDENTS# (810-825)	6	6	0	29.5	30.8	-	5	1	4	58.0	41.8	64.2
SUICIDE (950-959)	2	2	0	9.8	10.2	-	2	1	1	23.2	41.8	16.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	9.8	10.2	-	6	1	5	69.6	41.8	80.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	6	0	29.5	30.8	-	3	0	3	34.8	-	48.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION, WALTHAM, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHAM COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	6.7	11.5	-
MALIGNANT NEOPLASMS (140-208)	43	36	7	179.3	172.2	228.2	23	14	9	154.3	161.0	144.9
DIABETES MELLITUS (250)	8	5	3	33.4	23.9	97.8	6	3	3	40.2	34.5	48.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	87	75	12	362.9	358.6	391.1	76	53	23	509.8	609.3	370.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	6.7	-	16.1
CEREBROVASCULAR DISEASES (430-438)	23	18	5	95.9	86.1	163.0	7	3	4	47.0	34.5	64.4
ATHEROSCLEROSIS (440)	2	2	0	8.3	9.6	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	11	9	2	45.9	43.0	65.2	3	2	1	20.1	23.0	16.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	33.4	38.2	-	3	3	0	20.1	34.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.2	4.8	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	8	3	5	33.4	14.3	163.0	2	0	2	13.4	-	32.2
INFECTIONS OF KIDNEY (590)	1	0	1	4.2	-	32.6	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.2	4.8	-	1	1	0	6.7	11.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.7	4.0	20.8	2	2	0	8.6	21.3	-
ACCIDENTS (800-949)	15	13	2	62.6	62.2	65.2	7	4	3	47.0	46.0	48.3
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	33.4	33.5	32.6	4	3	1	26.8	34.5	16.1
SUICIDE (950-959)	4	2	2	16.7	9.6	65.2	1	1	0	6.7	11.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	2	0	2	13.4	-	32.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.2	4.8	-	1	1	0	6.7	11.5	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	118	71	47	209.5	209.9	208.9	112	52	60	153.9	169.8	142.4
DIABETES MELLITUS (250)	10	3	7	17.8	8.9	31.1	5	1	4	6.9	3.3	9.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	173	100	73	307.2	295.6	324.5	308	115	193	423.3	375.6	458.0
HYPERTENSION (401, 403)	6	2	4	10.6	5.9	17.8	5	1	4	6.9	3.3	9.5
CEREBROVASCULAR DISEASES (430-438)	69	25	44	122.5	73.9	195.6	47	14	33	64.6	45.7	78.3
ATHEROSCLEROSIS (440)	2	2	0	3.6	5.9	-	5	2	3	6.9	6.5	7.1
PNEUMONIA AND INFLUENZA (480-487)	12	10	2	21.3	29.6	8.9	28	12	16	38.5	39.2	38.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	19	16	3	33.7	47.3	13.3	22	15	7	30.2	49.0	16.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	2	3	8.9	5.9	13.3	3	2	1	4.1	6.5	2.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	1	4	8.9	3.0	17.8	6	0	6	8.2	-	14.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	1.4	3.3	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	3.6	5.9	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	2.3	2.4	2.3	6	0	6	4.8	-	6.9
ACCIDENTS (800-949)	25	19	6	44.4	56.2	26.7	39	17	22	53.6	55.5	52.2
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	10.6	11.8	8.9	22	12	10	30.2	39.2	23.7
SUICIDE (950-959)	3	3	0	5.3	8.9	-	7	3	4	9.6	9.8	9.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	10.6	-	26.7	10	2	8	13.7	6.5	19.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	5.3	3.0	8.9	3	0	3	4.1	-	7.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	40	24	16	191.8	180.4	211.7	28	25	3	272.0	293.3	169.5
DIABETES MELLITUS (250)	3	1	2	14.4	7.5	26.5	2	2	0	19.4	23.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	81	56	25	388.4	421.0	330.8	48	38	10	466.2	445.8	565.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	25	10	15	119.9	75.2	198.5	7	6	1	68.0	70.4	56.5
ATHEROSCLEROSIS (440)	8	6	2	38.4	45.1	26.5	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	24.0	37.6	-	1	1	0	9.7	11.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	28.8	37.6	13.2	3	2	1	29.1	23.5	56.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	14.4	7.5	26.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	4.8	7.5	-	3	2	1	29.1	23.5	56.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.3	5.8	7.0	0	0	0	-	-	-
ACCIDENTS (800-949)	12	7	5	57.5	52.6	66.2	4	2	2	38.8	23.5	113.0
MOTOR VEHICLE ACCIDENTS# (810-825)	9	6	3	43.2	45.1	39.7	2	1	1	19.4	11.7	56.5
SUICIDE (950-959)	1	1	0	4.8	7.5	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	14.4	7.5	26.5	1	0	1	9.7	-	56.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	4.8	-	13.2	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	36	9	27	384.7	303.5	422.1	47	29	18	231.3	240.7	217.6
DIABETES MELLITUS (250)	6	0	6	64.1	-	93.8	10	3	7	49.2	24.9	84.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	52	20	32	555.7	674.5	500.3	69	52	17	339.6	431.5	205.5
HYPERTENSION (401, 403)	1	0	1	10.7	-	15.6	3	1	2	14.8	8.3	24.2
CEREBROVASCULAR DISEASES (430-438)	9	5	4	96.2	168.6	62.5	30	17	13	147.6	141.1	157.2
ATHEROSCLEROSIS (440)	1	0	1	10.7	-	15.6	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	21.4	33.7	15.6	7	3	4	34.4	24.9	48.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	53.4	134.9	15.6	4	4	0	19.7	33.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	10.7	33.7	-	6	4	2	29.5	33.2	24.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	3	1	2	14.8	8.3	24.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	10.7	-	15.6	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.8	-	8.8	1	0	1	3.8	-	6.5
ACCIDENTS (800-949)	8	3	5	85.5	101.2	78.2	14	9	5	68.9	74.7	60.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	64.1	101.2	46.9	7	4	3	34.4	33.2	36.3
SUICIDE (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	10.7	-	15.6	2	1	1	9.8	8.3	12.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	10.7	-	15.6	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18. DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1988

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	29	22	7	209.9	266.8	125.6	50	25	25	182.0	185.9	178.3
DIABETES MELLITUS (250)	0	0	0	-	-	-	2	1	1	7.3	7.4	7.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	51	15	477.7	618.4	269.2	117	50	67	426.0	371.7	477.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	14	11	3	101.3	133.4	53.8	38	16	22	138.3	119.0	156.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	4	4	0	14.6	29.7	-
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	36.2	60.6	-	7	6	1	25.5	44.6	7.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	50.7	84.9	-	10	7	3	36.4	52.0	21.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	21.7	36.4	-	2	1	1	7.3	7.4	7.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	14.5	24.2	-	3	2	1	10.9	14.9	7.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	0	1	214.1	-	315.4
CONGENITAL ANOMALIES (740-759)	2	0	2	14.5	-	35.9	3	1	2	10.9	7.4	14.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	9.7	-	16.9	3	0	3	6.4	-	9.5
ACCIDENTS (800-949)	14	6	8	101.3	72.8	143.5	24	18	6	87.4	133.8	42.8
MOTOR VEHICLE ACCIDENTS# (810-825)	4	3	1	29.0	36.4	17.9	12	11	1	43.7	81.8	7.1
SUICIDE (950-959)	2	1	1	14.5	12.1	17.9	4	4	0	14.6	29.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	7.2	12.1	-	3	1	2	10.9	7.4	14.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	7.2	12.1	-	2	0	2	7.3	-	14.3

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	30	15	15	1.1	0.8	1.5
MALIGNANT NEOPLASMS (140-208)	5,246	3,536	1,710	190.8	200.9	172.8
DIABETES MELLITUS (250)	494	244	250	18.0	13.9	25.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,204	6,150	3,054	334.8	349.5	308.7
HYPERTENSION (401, 403)	122	45	77	4.4	2.6	7.8
CEREBROVASCULAR DISEASES (430-438)	1,971	1,186	785	71.7	67.4	79.4
ATHEROSCLEROSIS (440)	191	135	56	6.9	7.7	5.7
PNEUMONIA AND INFLUENZA (480-487)	709	499	210	25.8	28.4	21.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	800	631	169	29.1	35.8	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	210	148	62	7.6	8.4	6.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	283	152	131	10.3	8.6	13.2
INFECTIONS OF KIDNEY (590)	26	17	9	0.9	1.0	0.9
MATERNAL CAUSES (630-676)	7	2	5	16.6	9.2	24.6
CONGENITAL ANOMALIES (740-759)	154	82	72	5.6	4.7	7.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	231	67	164	5.5	3.1	8.0
ACCIDENTS (800-949)	1,434	888	546	52.2	50.5	55.2
MOTOR VEHICLE ACCIDENTS# (810-825)	776	507	269	28.2	28.8	27.2
SUICIDE (950-959)	297	245	52	10.8	13.9	5.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	307	100	207	11.2	5.7	20.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	287	115	172	10.4	6.5	17.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 19
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1988,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1988)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

TABLE 19 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1988

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6

* Births per 1,000 population.

TABLE 20
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1988,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1988)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

TABLE 20 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1988

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8

* Deaths per 1,000 population.

TABLE 21
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1988,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1988)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

TABLE 21 - PAGE 2
MATERNAL DEATHS - MISSISSIPPI - 1913-1988

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 22
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-1988,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1988)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

TABLE 22 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1988

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1

* Deaths of children under 1 year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 23
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1988,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1988)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

TABLE 23 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-1988

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 24
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1988,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1988)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

TABLE 24 - PAGE 2
POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1988

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 25
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1988

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

TABLE 25 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1988

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.

TABLE 26
REPORTED INDUCED TERMINATIONS OF PREGNANCY AND INDUCED TERMINATION RATIOS,
BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1988

Year	Number				Ratio*		
	Total	White	Non-white	Unk. Race	Total	White	Non-white
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.