




Vital Statistics Mississippi 1991

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH



Vital Statistics Mississippi 1991

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Bureau of Information Resources
Division of Public Health Statistics
P.O. Box 1700
Jackson, Mississippi 39215-1700

Telephone: 601/960-7960

TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death	1
Occurrence and Residence Allocation	2
Population	2
Race	2
Rates	3
Classification of Cause of Death	3
 SUMMARY TABLES, 1991	
POPULATION	
Table P1. Census Population and Percentage Distribution, by Age, Race, and Sex	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1991	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother	10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother	12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother	13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother	14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother	15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother	16
Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother	16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother	17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother	17
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother	18

SUMMARY TABLES, 1991

FETAL DEATHS (continued)

Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother	19
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother	19
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 1989-1991	20

DEATHS

Table C1.	Deaths and Average per Day, by Month	21
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	21
Table C3A.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	22
Table C3B.	Death Rates, by Age, Race, and Sex	22
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	23
Table C5.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	24
Table C6.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	25
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1966, 1971, 1976, 1981, 1986, 1991	25
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	26
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	27
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1991	28
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race	29
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	29

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	30
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race ..	31
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	32
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	33
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	34
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	35

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	36
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	36
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	37

SUMMARY TABLES, 1991

Page

INDUCED TERMINATIONS OF PREGNANCY

Table F1.	Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi	38
Table F2.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi	39
Table F3.	Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi	40

MAJOR TABLES, 1991

POPULATION

Table i.	1990 Census Population and Percent Change Since 1980 Census, by Place (Counties, Towns of 10,000 or More) and Race, Mississippi, As of April 1, 1990	43
----------	--	----

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1991	46
Table 1B.	Fertility Rates, by County of Residence and Race of Mother, Mississippi, 1991	49
Table 2.	Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 1991	50
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1991	53
Table 3B.	Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 1991	55
Table 3C.	Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1991	57
Table 4.	Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1991 ...	59
Table 5A.	Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 1991	61
Table 5B.	Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 1991	63
Table 5C.	Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 1991	65
Table 6A.	Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1991	67
Table 6B.	Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1991	69
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 1991	71

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 1991	73
----------	--	----

MAJOR TABLES, 1991

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1991	75
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1991	78
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1991	93
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1991	100
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1987-1991 (5-Year Average)	102
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1991	104
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1991	106

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1991	108
-----------	--	-----

DIVORCES

Table 16.	Divorces, by County of Occurrence and Race, Mississippi, 1991	110
-----------	--	-----

INDUCED TERMINATIONS

Table 17.	Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 1991	111
-----------	---	-----

DEATHS (COUNTY AND STATE SUMMARIES)

Table 18.	Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	113
	The State	133

TIME SERIES TABLES

Table 19.	Live Births and Rates, by Year and Race, Mississippi, 1913-1991, (Occurrence Data 1913-1943, Residence Data 1944-1991)	137
Table 20.	Deaths and Rates, by Year and Race, Mississippi, 1913-1991, (Occurrence Data 1913-1943, Residence Data 1944-1991)	139
Table 21.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1991, (Occurrence Data 1913-1943, Residence Data 1944-1991)	141
Table 22.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1991, (Occurrence Data 1917-1943, Residence Data 1944-1991)	143
Table 23.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1991, (Occurrence Data 1924-1944, Residence Data 1945-1991)	145

TIME SERIES TABLES

Page

Table 24.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1991, (Occurrence Data 1924-1943, Residence Data 1944-1991)	147
Table 25.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1991	149
Table 26.	Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-1991	151

VITAL STATISTICS MISSISSIPPI, 1991

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1991; the second part contains major statistical tables for 1991. Time series tables numbered 19 through 26 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Figures from the U.S. Census of April 1, 1990 were used in this bulletin, and several types of rates and special compilations were prepared which can be done only when detailed population data of the type which comes from the decennial census are available.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, Afro-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1991

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

POPULATION

TABLE P1. CENSUS POPULATION AND PERCENTAGE DISTRIBUTION, BY AGE, RACE, AND SEX
MISSISSIPPI, 1990

AGE	NUMBER					PERCENT				
	TOTAL	WHITE		NONWHITE		TOTAL	WHITE		NONWHITE	
		MALE	FEMALE	MALE	FEMALE		MALE	FEMALE	MALE	FEMALE
TOTAL	2, 573, 216	795, 255	838, 206	435, 362	504, 393	100. 0	100. 0	100. 0	100. 0	100. 0
UNDER 1	34, 036	9, 384	9, 011	7, 776	7, 865	1. 3	1. 2	1. 1	1. 8	1. 6
1- 4	161, 329	44, 899	42, 487	37, 456	36, 487	6. 3	5. 6	5. 1	8. 6	7. 2
5- 9	211, 918	58, 653	54, 791	49, 561	48, 913	8. 2	7. 4	6. 5	11. 4	9. 7
10- 14	213, 305	58, 658	54, 606	50, 415	49, 626	8. 3	7. 4	6. 5	11. 6	9. 8
15- 19	222, 879	63, 645	59, 806	49, 274	50, 154	8. 7	8. 0	7. 1	11. 3	9. 9
20- 24	196, 640	60, 737	57, 673	36, 056	42, 174	7. 6	7. 6	6. 9	8. 3	8. 4
25- 29	197, 740	62, 879	62, 057	32, 526	40, 278	7. 7	7. 9	7. 4	7. 5	8. 0
30- 34	202, 280	64, 398	64, 074	32, 557	41, 251	7. 9	8. 1	7. 6	7. 5	8. 2
35- 39	185, 402	60, 117	60, 569	29, 324	35, 392	7. 2	7. 6	7. 2	6. 7	7. 0
40- 44	164, 162	57, 422	57, 650	22, 354	26, 736	6. 4	7. 2	6. 9	5. 1	5. 3
45- 49	131, 627	47, 517	48, 592	15, 963	19, 555	5. 1	6. 0	5. 8	3. 7	3. 9
50- 54	116, 118	41, 672	43, 396	13, 327	17, 723	4. 5	5. 2	5. 2	3. 1	3. 5
55- 59	107, 784	38, 456	41, 766	11, 435	16, 127	4. 2	4. 8	5. 0	2. 6	3. 2
60- 64	106, 712	37, 021	42, 284	11, 212	16, 195	4. 1	4. 6	5. 0	2. 6	3. 2
65- 69	99, 777	32, 639	40, 739	10, 664	15, 735	3. 9	4. 1	4. 9	2. 4	3. 1
70- 74	80, 372	24, 247	33, 801	8, 974	13, 350	3. 1	3. 0	4. 0	2. 1	2. 6
75- 79	65, 389	17, 176	28, 980	7, 572	11, 661	2. 5	2. 2	3. 4	1. 7	2. 3
80- 84	43, 411	10, 117	20, 066	5, 158	8, 070	1. 7	1. 3	2. 4	1. 2	1. 6
85 & OVER	32, 335	5, 618	15, 858	3, 758	7, 101	1. 2	0. 7	1. 9	0. 9	1. 4
UNDER 15	620, 588	171, 594	160, 895	145, 208	142, 891	24. 1	21. 6	19. 2	33. 4	28. 3
15- 64	1, 631, 344	533, 864	537, 867	254, 028	305, 585	63. 4	67. 1	64. 2	58. 3	60. 6
65 & OVER	321, 284	89, 797	139, 444	36, 126	55, 917	12. 5	11. 3	16. 6	8. 3	11. 1
MEDIAN AGE	31. 2	33. 0	36. 2	23. 2	27. 1					

LIVE BIRTHS

**TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1991**

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	43,184	118			
JANUARY	3,550	114	JULY	4,056	131
FEBRUARY	3,221	115	AUGUST	3,992	129
MARCH	3,476	112	SEPTEMBER	3,923	131
APRIL	3,287	110	OCTOBER	3,692	119
MAY	3,405	110	NOVEMBER	3,555	118
JUNE	3,297	110	DECEMBER	3,730	120

**TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-1991**

YEAR	TOTAL	WHITE	NON- WHITE	YEAR	TOTAL	WHITE	NON- WHITE
1940	14.1	27.1	3.9				
1950	46.1	83.3	18.9				
1960	73.2	99.0	51.3				
1970#	90.0	99.7	79.7	1980#	99.4	99.7	99.1
1971#	92.2	99.6	84.2	1981#	99.3	99.6	99.0
1972#	95.2	99.8	90.4	1982#	99.4	99.6	99.2
1973#	96.4	99.7	92.8	1983#	99.5	99.6	99.4
1974#	97.4	99.7	94.8	1984#	99.5	99.6	99.4
1975#	97.9	99.6	96.0	1985#	99.6	99.7	99.4
1976#	98.5	99.7	97.3	1986#	99.6	99.7	99.5
1977#	98.9	99.7	98.1	1987#	99.6	99.8	99.5
1978#	99.1	99.7	98.4	1988#	99.6	99.7	99.6
1979#	99.3	99.7	98.9	1989#	99.6	99.8	99.5
				1990#	99.6	99.6	99.6
				1991#	99.6	99.6	99.6

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD;
BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL
CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING
INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1991

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>43,184</u>	<u>42,685</u>	<u>305</u>	<u>19</u>	<u>153</u>	<u>21</u>	<u>100.0</u>	<u>98.8</u>	<u>0.7</u>	<u>*</u>	<u>0.4</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	43,024	42,650	299	1	62	12	99.6	98.8	0.7	*	0.1	*
HOME	3	2	0	0	1	0	*	*	-	-	*	-
OTHER PLACE	139	29	6	18	83	3	0.3	0.1	*	*	0.2	*
UNKNOWN PLACE	14	4	0	0	6	4	*	*	-	-	*	*
	3	0	0	0	1	2	*	-	-	-	*	*
<u>WHITE</u>	<u>21,908</u>	<u>21,752</u>	<u>69</u>	<u>15</u>	<u>61</u>	<u>10</u>	<u>100.0</u>	<u>99.3</u>	<u>0.3</u>	<u>0.1</u>	<u>0.3</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,830	21,741	63	0	20	6	99.6	99.2	0.3	-	0.1	*
HOME	1	1	0	0	0	0	*	*	-	-	-	-
OTHER PLACE	67	8	6	15	38	0	0.3	*	*	0.1	0.2	-
UNKNOWN PLACE	8	2	0	0	3	3	*	*	-	-	*	*
	1	0	0	0	0	1	*	-	-	-	-	*
<u>NONWHITE</u>	<u>21,276</u>	<u>20,933</u>	<u>236</u>	<u>4</u>	<u>92</u>	<u>11</u>	<u>100.0</u>	<u>98.4</u>	<u>1.1</u>	<u>*</u>	<u>0.4</u>	<u>*</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	21,194	20,909	236	1	42	6	99.6	98.3	1.1	*	0.2	*
HOME	2	1	0	0	1	0	*	*	-	-	*	-
OTHER PLACE	72	21	0	3	45	3	0.3	0.1	-	*	0.2	*
UNKNOWN PLACE	6	2	0	0	3	1	*	*	-	-	*	*
	2	0	0	0	1	1	*	-	-	-	*	*

* LESS THAN 0.06 PERCENT.

**TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1991**

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,184	21,908	21,276	100.0	100.0	100.0	72.2	60.5	90.2
UNDER 15	317	42	275	0.7	0.2	1.3	3.0	0.8	5.5
15-19	9,053	3,350	5,703	21.0	15.3	26.8	82.3	56.0	113.7
20-24	14,224	6,877	7,347	32.9	31.4	34.5	142.4	119.2	174.2
25-29	11,000	6,616	4,384	25.5	30.2	20.6	107.5	106.6	108.8
30-34	6,157	3,700	2,457	14.2	16.9	11.5	58.4	57.7	59.6
35-39	2,088	1,158	930	4.8	5.3	4.4	21.8	19.1	26.3
40-44	315	152	163	0.7	0.7	0.8	3.7	2.6	6.1
45-49	15	5	10	**	**	**	0.2	0.1	0.5
UNKNOWN	15	8	7	**	**	**			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER
MISSISSIPPI, 1991**

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL BIRTHS	43,184	21,908	21,276	100.0	100.0	100.0			
0-6 YEARS	296	130	166	0.7	0.6	0.8	0.7	0.6	0.8
7-9 YEARS	4,679	2,140	2,539	10.9	9.8	12.0	11.6	10.4	12.8
10, 11 YEARS	7,598	2,784	4,814	17.6	12.7	22.7	29.2	23.1	35.5
12 YEARS	16,213	7,881	8,332	37.7	36.0	39.3	66.9	59.2	74.8
1-3 YEARS COLLEGE	9,210	5,190	4,020	21.4	23.7	19.0	88.3	82.9	93.8
4 OR MORE YEARS COLLEGE	5,043	3,736	1,307	11.7	17.1	6.2	100.0	100.0	100.0
UNKNOWN	145	47	98						
MEDIAN YEARS COMPLETED*	12.6	12.7	12.4						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

**TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS
AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1991**

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>18,309</u>	<u>3,299</u>	<u>15,010</u>	<u>42.4</u>	<u>15.0</u>	<u>70.5</u>
UNDER 15	311	36	275	98.1	85.7	100.0
15-19	6,681	1,274	5,407	73.8	38.0	94.8
20-24	6,729	1,184	5,545	47.3	17.2	75.5
25-29	2,727	495	2,232	24.8	7.5	50.9
30-34	1,310	219	1,091	21.3	5.9	44.4
35-39	454	74	380	21.7	6.4	40.9
40-44	81	11	70	25.7	7.2	42.9
45-49	6	2	4	40.0	40.0	40.0
UNKNOWN	10	4	6			

**TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES,
AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER
MISSISSIPPI, 1991**

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>43,184</u>	<u>21,908</u>	<u>21,276</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>72.2</u>	<u>60.5</u>	<u>90.2</u>	<u>24.2</u>	<u>25.5</u>	<u>22.8</u>
FIRST	14,846	8,094	6,752	34.4	36.9	31.7	24.8	22.4	28.6	20.9	22.2	19.6
SECOND	13,113	7,122	5,991	30.4	32.5	28.2	21.9	19.7	25.4	24.4	26.0	22.6
THIRD	8,279	4,031	4,248	19.2	18.4	20.0	13.8	11.1	18.0	26.4	27.8	24.8
FOURTH	3,822	1,612	2,210	8.8	7.4	10.4	6.4	4.4	9.4	27.4	29.0	26.1
FIFTH	1,661	597	1,064	3.8	2.7	5.0	2.8	1.6	4.5	29.0	30.5	28.0
SIXTH	757	257	500	1.8	1.2	2.4	1.3	0.7	2.1	30.5	31.7	29.9
SEVENTH	326	88	238	0.8	0.4	1.1	0.5	0.2	1.0	31.0	31.6	30.8
EIGHTH	163	48	115	0.4	0.2	0.5	0.3	0.1	0.5	32.7	34.2	32.4
NINTH	68	17	51	0.2	0.1	0.2	0.1	#	0.2	34.1	33.0	34.5
TENTH & OVER	86	12	74	0.2	#	0.3	0.1	#	0.3	35.9	32.8	36.8
UNKNOWN	63	30	33	0.1	0.1	0.2	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

**TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY WHETHER MOTHER RECEIVED PRENATAL CARE,
TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER
MISSISSIPPI, 1991**

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>43, 184</u>	<u>21, 908</u>	<u>21, 276</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
NO PRENATAL CARE	524	118	406	1. 2	0. 5	1. 9
<u>SOME PRENATAL CARE</u>	<u>42, 479</u>	<u>21, 743</u>	<u>20, 736</u>	<u>98. 4</u>	<u>99. 2</u>	<u>97. 5</u>
FIRST TRIMESTER	31, 731	18, 539	13, 192	73. 5	84. 6	62. 0
SECOND TRIMESTER	9, 122	2, 788	6, 334	21. 1	12. 7	29. 8
THIRD TRIMESTER	1, 491	391	1, 100	3. 4	1. 8	5. 2
UNKNOWN MONTH	135	25	110	0. 3	0. 1	0. 5
UNKNOWN WHETHER ANY PRENATAL CARE	181	47	134	0. 4	0. 2	0. 6

**TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY MATURITY AND RACE OF MOTHER
MISSISSIPPI, 1991**

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>43, 184</u>	<u>21, 908</u>	<u>21, 276</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
IMMATURE ONLY**	1, 741	603	1, 138	4. 0	2. 8	5. 3
PREMATURE ONLY**	4, 129	1, 474	2, 655	9. 6	6. 7	12. 5
BOTH IMMATURE AND PREMATURE	2, 461	832	1, 629	5. 7	3. 8	7. 6
TOTAL IMMATURE	4, 202	1, 435	2, 767	9. 7	6. 6	13. 0
TOTAL PREMATURE	6, 590	2, 306	4, 284	15. 3	10. 5	20. 1
TOTAL IMMATURE AND/OR PREMATURE	8, 331	2, 909	5, 422	19. 3	13. 3	25. 5
NEITHER IMMATURE NOR PREMATURE**	34, 853	18, 999	15, 854	80. 7	86. 7	74. 5

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2, 500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

**TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES,
BY ANOMALY AND RACE OF MOTHER
MISSISSIPPI, 1991**

CONGENITAL ANOMALY	TOTAL	WHITE	NON- WHITE
<u>TOTAL ANOMALIES REPORTED</u>	<u>669</u>	<u>339</u>	<u>330</u>
ANENCEPHALUS	5	3	2
SPINA BIFIDA/MENINGOCELE	13	8	5
HYDROCEPHALUS	16	12	4
MICROCEPHALUS	5	2	3
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	8	4	4
HEART MALFORMATIONS	63	36	27
OTHER CIRCULATORY/RESPIRATORY ANOMALIES	44	25	19
RECTAL ATRESIA/STENOSIS	10	6	4
TRACHEO- ESOPHAGEAL FISTULA/ESOPHAGEAL ATRESIA	3	2	1
OMPHALOCELE/GASTROSCHISIS	19	5	14
OTHER GASTROINTESTINAL ANOMALIES	16	8	8
MALFORMED GENITALIA	76	45	31
RENAL AGENESIS	7	4	3
OTHER UROGENITAL ANOMALIES	15	8	7
CLEFT LIP/PALATE	38	28	10
POLYDACTYLY/SYNDACTYLY/ADACTYLY	121	21	100
CLUB FOOT	24	16	8
DIAPHRAGMATIC HERNIA	7	4	3
OTHER MUSCULOSKELETAL/INTEGUMENTAL ANOMALIES	91	49	42
DOWNS SYNDROME	14	12	2
OTHER CHROMOSOMAL ANOMALIES	10	8	2
<u>OTHER</u>	<u>64</u>	<u>33</u>	<u>31</u>

**TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES,
BY RISK FACTOR AND RACE OF MOTHER
MISSISSIPPI, 1991**

<u>MEDICAL RISK FACTOR</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL RISK FACTORS REPORTED</u>	<u>7, 893</u>	<u>3, 412</u>	<u>4, 481</u>
ANEMIA (HCT. < 30/HGB. < 10)	890	326	564
CARDIAC DISEASE	154	88	66
ACUTE OR CHRONIC LUNG DISEASE	205	108	97
DIABETES	760	406	354
GENITAL HERPES	143	98	45
HYDRAMNIOS/OLIGOHYDRAMNIOS	236	114	122
HEMOGLOBINOPATHY	107	4	103
HYPERTENSION, CHRONIC	491	149	342
HYPERTENSION, PREGNANCY- ASSOCIATED	1, 777	823	954
ECLAMPSIA	149	58	91
INCOMPETENT CERVIX	77	29	48
PREVIOUS INFANT 4000+ GRAMS	247	147	100
PREVIOUS PRETERM OR SMALL- FOR- GESTATIONAL- AGE INFANT	577	208	369
RENAL DISEASE	67	34	33
RH SENSITIZATION	117	86	31
UTERINE BLEEDING	214	116	98
OTHER	1, 682	618	1, 064

**TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES
AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER,
MISSISSIPPI, 1991**

RISK FACTOR	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL LIVE BIRTHS	43, 184	21, 908	21, 276	100. 0	100. 0	100. 0
TOBACCO USE DURING PREGNANCY						
NONE	36, 417	17, 113	19, 304	84. 3	78. 1	90. 7
SOME	6, 656	4, 745	1, 911	15. 4	21. 6	9. 0
1-9 CIGARETTES PER DAY	1, 561	843	718	3. 6	3. 8	3. 4
10-19 CIGARETTES PER DAY	2, 541	1, 818	723	5. 9	8. 3	3. 4
20-29 CIGARETTES PER DAY	2, 087	1, 718	369	4. 8	7. 8	1. 7
30-39 CIGARETTES PER DAY	219	199	20	0. 5	0. 9	0. 1
40-49 CIGARETTES PER DAY	108	87	21	0. 2	0. 4	0. 1
50-59 CIGARETTES PER DAY	10	9	1	*	*	*
60 OR MORE PER DAY	6	4	2	*	*	*
UNKNOWN AMOUNT	124	67	57	0. 3	0. 3	0. 3
NOT STATED	111	50	61	0. 2	0. 2	0. 3
ALCOHOL USE DURING PREGNANCY						
NONE	42, 464	21, 615	20, 849	98. 3	98. 7	98. 0
SOME	584	229	355	1. 4	1. 0	1. 7
1 DRINK PER WEEK	210	107	103	0. 5	0. 5	0. 5
2 DRINKS PER WEEK	87	29	58	0. 2	0. 1	0. 3
3 DRINKS PER WEEK	53	21	32	0. 1	0. 1	0. 2
4 DRINKS PER WEEK	17	4	13	*	*	0. 1
5 DRINKS PER WEEK	30	6	24	0. 1	*	0. 1
6 OR MORE PER WEEK	77	18	59	0. 2	0. 1	0. 3
UNKNOWN AMOUNT	110	44	66	0. 2	0. 2	0. 3
NOT STATED	136	64	72	0. 3	0. 3	0. 3
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	498	162	336	1. 2	0. 7	1. 6
1-4 POUNDS	343	137	206	0. 8	0. 6	1. 0
5-9 POUNDS	1, 083	358	725	2. 5	1. 6	3. 4
10-14 POUNDS	2, 599	983	1, 616	6. 0	4. 5	7. 6
15-19 POUNDS	3, 496	1, 586	1, 910	8. 1	7. 2	9. 0
20-24 POUNDS	7, 291	3, 428	3, 863	16. 9	15. 6	18. 2
25-29 POUNDS	7, 017	3, 706	3, 311	16. 2	16. 9	15. 6
30-34 POUNDS	7, 096	3, 908	3, 188	16. 4	17. 8	15. 0
35-39 POUNDS	3, 897	2, 402	1, 495	9. 0	11. 0	7. 0
40-44 POUNDS	3, 467	2, 117	1, 350	8. 0	9. 7	6. 3
45 OR MORE POUNDS	4, 086	2, 516	1, 570	9. 5	11. 5	7. 4
UNKNOWN AMOUNT	2, 311	605	1, 706	5. 4	2. 8	8. 0
MEDIAN WEIGHT GAIN (LBS) **	28. 6	30. 4	26. 7			

* LESS THAN 0. 06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

**TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY
REPORTED ON LIVE BIRTH CERTIFICATES,
BY COMPLICATION AND RACE OF MOTHER
MISSISSIPPI, 1991**

COMPLICATION	TOTAL	WHITE	NON- WHITE
TOTAL COMPLICATONS REPORTED	15, 402	7, 617	7, 785
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	497	251	246
MECONIUM, MODERATE/HEAVY	2, 226	981	1, 245
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	1, 275	558	717
ABRUPTIO PLACENTA	331	152	179
PLACENTA PREVIA	133	79	54
OTHER EXCESSIVE BLEEDING	97	34	63
SEIZURES DURING LABOR	26	8	18
PRECIPITOUS LABOR (< 3 HOURS)	690	244	446
PROLONGED LABOR (> 20 HOURS)	302	157	145
DYSFUNCTIONAL LABOR	1, 170	635	535
BREECH/MALPRESENTATION	1, 788	980	808
CEPHALOPELVIC DISPROPORTION	2, 638	1, 523	1, 115
CORD PROLAPSE	113	66	47
ANESTHETIC COMPLICATIONS	16	8	8
FETAL DISTRESS	2, 656	1, 155	1, 501
OTHER	1, 444	786	658

**TABLE A14. METHODS OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES,
BY METHOD AND RACE OF MOTHER
MISSISSIPPI, 1991**

METHOD OF DELIVERY	TOTAL	WHITE	NON- WHITE
TOTAL METHODS OF DELIVERY REPORTED	47, 432	24, 864	22, 568
VAGINAL	30, 254	14, 841	15, 413
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	684	278	406
PRIMARY C-SECTION	6, 934	3, 801	3, 133
REPEAT C-SECTION	4, 669	2, 592	2, 077
FORCEPS	4, 079	2, 832	1, 247
VACUUM	867	563	304

**TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES,
BY PROCEDURE AND RACE OF MOTHER
MISSISSIPPI, 1991**

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON- WHITE
TOTAL OBSTETRIC PROCEDURES REPORTED	71, 685	39, 143	32, 542
AMNIOCENTESIS	593	343	250
ELECTRONIC FETAL MONITORING	36, 685	19, 283	17, 402
INDUCTION OF LABOR	3, 267	2, 318	949
STIMULATION OF LABOR	4, 726	2, 475	2, 251
TOCOLYSIS	447	225	222
ULTRASOUND	25, 442	14, 235	11, 207
OTHER	525	264	261

**TABLE A16. ABNORMAL CONDITIONS OF NEWBORN
REPORTED ON LIVE BIRTH CERTIFICATES,
BY CONDITION AND RACE OF MOTHER
MISSISSIPPI, 1991**

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON- WHITE
TOTAL ABNORMAL CONDITIONS REPORTED	3, 064	1, 533	1, 531
ANEMIA (HCT. < 39/HGB. < 13)	165	70	95
BIRTH INJURY	217	147	70
FETAL ALCOHOL SYNDROME	1	0	1
HYALINE MEMBRANE DISEASE/RDS	479	249	230
MECONIUM ASPIRATION SYNDROME	78	29	49
ASSISTED VENTILATION < 30 MINUTES	245	86	159
ASSISTED VENTILATION 30 MINUTES OR MORE	237	112	125
SEIZURES	35	19	16
OTHER	1, 607	821	786

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 1991

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
<u>TOTAL</u>	<u>481</u>	<u>466</u>	<u>0</u>	<u>0</u>	<u>9</u>	<u>6</u>	<u>100.0</u>	<u>96.9</u>	-	-	<u>1.9</u>	<u>1.2</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	472	465	0	0	6	1	98.1	96.7	-	-	1.2	0.2
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	1	0	0	3	4	1.7	0.2	-	-	0.6	0.8
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
	1	0	0	0	0	1	0.2	-	-	-	-	0.2
<u>WHITE</u>	<u>134</u>	<u>132</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>100.0</u>	<u>98.5</u>	-	-	<u>0.7</u>	<u>0.7</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	133	132	0	0	1	0	99.2	98.5	-	-	0.7	-
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
	1	0	0	0	0	1	0.7	-	-	-	-	0.7
<u>NONWHITE</u>	<u>347</u>	<u>334</u>	<u>0</u>	<u>0</u>	<u>8</u>	<u>5</u>	<u>100.0</u>	<u>96.2</u>	-	-	<u>2.3</u>	<u>1.4</u>
HOSPITAL CLINIC/DOCTOR'S OFFICE	339	333	0	0	5	1	97.7	96.0	-	-	1.4	0.3
HOME	0	0	0	0	0	0	-	-	-	-	-	-
OTHER PLACE	8	1	0	0	3	4	2.3	0.3	-	-	0.9	1.2
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

**TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE AND RACE OF MOTHER
MISSISSIPPI, 1991**

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>481</u>	<u>134</u>	<u>347</u>	<u>11.1</u>	<u>6.1</u>	<u>16.3</u>
UNDER 15	5	1	4	15.8	#	14.5
15- 19	122	25	97	13.5	7.5	17.0
20- 24	145	39	106	10.2	5.7	14.4
25- 29	96	32	64	8.7	4.8	14.6
30- 34	73	26	47	11.8	7.0	19.1
35- 39	35	11	24	16.8	9.5	25.8
40- 44	3	0	3	9.5	-	18.4
45- 49	1	0	1	#	-	#
UNKNOWN	1	0	1	#	-	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

**TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER
MISSISSIPPI, 1991**

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	1.2	0.5	1.9	11.0	6.7	12.7
SOME CARE	98.0	99.1	96.9	76.7	82.1	74.6
UNKNOWN WHETHER ANY CARE	0.7	0.3	1.1	12.3	11.2	12.7

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS

**TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER,
MISSISSIPPI, 1989-1991**

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1989	1990	1991	1989	1990	1991	1989	1990	1991
REPORTABLE* FETAL DEATHS									
<u>TOTAL</u>	<u>425</u>	<u>523</u>	<u>481</u>	<u>126</u>	<u>157</u>	<u>134</u>	<u>299</u>	<u>366</u>	<u>347</u>
UNDER 20	23	40	18	4	7	2	19	33	16
<u>20 AND OVER</u>	<u>341</u>	<u>403</u>	<u>394</u>	<u>112</u>	<u>126</u>	<u>115</u>	<u>229</u>	<u>277</u>	<u>279</u>
20-22	68	76	74	13	14	17	55	62	57
23-27	81	96	108	28	26	29	53	70	79
28-36	115	135	124	38	47	37	77	88	87
37 AND OVER	77	96	88	33	39	32	44	57	56
UNKNOWN	61	80	69	10	24	17	51	56	52
FETAL DEATH RATIOS#									
<u>TOTAL</u>	<u>9.9</u>	<u>12.0</u>	<u>11.1</u>	<u>5.7</u>	<u>7.0</u>	<u>6.1</u>	<u>14.3</u>	<u>17.2</u>	<u>16.3</u>
UNDER 20	0.5	0.9	0.4	0.2	0.3	0.1	0.9	1.6	0.8
<u>20 AND OVER</u>	<u>7.9</u>	<u>9.2</u>	<u>9.1</u>	<u>5.1</u>	<u>5.6</u>	<u>5.2</u>	<u>10.9</u>	<u>13.0</u>	<u>13.1</u>
20-22	1.6	1.7	1.7	0.6	0.6	0.8	2.6	2.9	2.7
23-27	1.9	2.2	2.5	1.3	1.2	1.3	2.5	3.3	3.7
28-36	2.7	3.1	2.9	1.7	2.1	1.7	3.7	4.1	4.1
37 AND OVER	1.8	2.2	2.0	1.5	1.8	1.5	2.1	2.7	2.6
UNKNOWN	1.4	1.8	1.6	0.4	1.1	0.8	2.4	2.6	2.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

**TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1991**

<u>MONTH</u>	<u>DEATHS</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>DEATHS</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>25,503</u>	<u>70</u>			
JANUARY	2,277	73	JULY	2,125	68
FEBRUARY	2,017	72	AUGUST	2,004	65
MARCH	2,238	72	SEPTEMBER	1,960	65
APRIL	2,025	68	OCTOBER	2,129	69
MAY	2,105	68	NOVEMBER	2,355	78
JUNE	1,989	66	DECEMBER	2,279	74

**TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1991**

<u>AGE</u>	<u>NUMBER</u>			<u>PERCENT</u>			<u>RATE*</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>25,503</u>	<u>16,393</u>	<u>9,110</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.9</u>	<u>10.0</u>	<u>9.7</u>
UNDER 1	493	163	330	1.9	1.0	3.6	14.5	8.9	21.1
1-4	98	37	61	0.4	0.2	0.7	0.6	0.4	0.8
5-9	66	26	40	0.2	0.2	0.4	0.3	0.2	0.4
10-14	74	38	36	0.3	0.2	0.4	0.3	0.3	0.4
15-24	549	273	276	2.2	1.7	3.0	1.3	1.1	1.6
25-34	755	355	400	3.0	2.2	4.4	1.9	1.4	2.7
35-44	1,038	513	525	4.1	3.1	5.8	3.0	2.2	4.6
45-54	1,560	910	650	6.1	5.6	7.1	6.3	5.0	9.8
55-64	3,118	2,062	1,056	12.2	12.6	11.6	14.5	12.9	19.2
65-74	5,581	3,688	1,893	21.9	22.5	20.8	31.0	28.1	38.8
75-84	7,044	4,826	2,218	27.6	29.4	24.3	64.7	63.2	68.3
85 AND OVER	5,116	3,500	1,616	20.1	21.4	17.7	158.2	163.0	148.8
UNKNOWN	11	2	9	**	**	0.1			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

**TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1991**

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,357	12,146	1.10	8,517	7,876	1.08	4,840	4,270	1.13
UNDER 1	275	218	1.26	100	63	1.59	175	155	1.13
1-4	56	42	1.33	22	15	1.47	34	27	1.26
5-9	43	23	1.87	14	12	1.17	29	11	2.64
10-14	46	28	1.64	25	13	1.92	21	15	1.40
15-24	403	146	2.76	190	83	2.29	213	63	3.38
25-34	544	211	2.58	262	93	2.82	282	118	2.39
35-44	697	341	2.04	348	165	2.11	349	176	1.98
45-54	1,001	559	1.79	615	295	2.08	386	264	1.46
55-64	1,915	1,203	1.59	1,325	737	1.80	590	466	1.27
65-74	3,253	2,328	1.40	2,232	1,456	1.53	1,021	872	1.17
75-84	3,412	3,632	0.94	2,320	2,506	0.92	1,092	1,126	0.97
85 AND OVER	1,706	3,410		1,063	2,437	0.44	643	973	0.66
UNKNOWN	6	5		1	1		5	4	
MEDIAN AGE	70.2	77.7		71.1	79.0		68.3	74.6	

**TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1991**

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	10.8	9.0	10.7	9.4	11.1	8.4
UNDER 1	16.0	12.9	10.6	7.0	22.5	19.7
1-4	0.7	0.5	0.5	0.4	0.9	0.7
5-9	0.4	0.2	0.2	0.2	0.6	0.2
10-14	0.4	0.3	0.4	0.2	0.4	0.3
15-24	1.9	0.7	1.5	0.7	2.5	0.7
25-34	2.8	1.0	2.0	0.7	4.3	1.4
35-44	4.1	1.9	3.0	1.4	6.8	2.8
45-54	8.4	4.3	6.9	3.2	13.2	7.1
55-64	19.5	10.3	17.6	8.8	26.0	14.4
65-74	42.5	22.5	39.2	19.5	52.0	30.0
75-84	85.2	52.8	85.0	51.1	85.8	57.1
85 AND OVER	182.0	148.5	189.2	153.7	171.1	137.0

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

**TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES,
BY CAUSE AND RACE
MISSISSIPPI, 1991**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>21,408</u>	<u>13,917</u>	<u>7,491</u>	<u>83.9</u>	<u>84.9</u>	<u>82.2</u>
1. HEART DISEASES (390-398, 402, 404-429)	9,562	6,271	3,291	37.5	38.2	36.1
2. MALIGNANT NEOPLASMS (140-208)	5,483	3,657	1,826	21.5	22.3	20.0
3. CEREBROVASCULAR DISEASES (430-438)	1,754	1,082	672	6.9	6.6	7.4
4. ACCIDENTS (800-949)	1,459	896	563	5.7	5.5	6.2
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	869	708	161	3.4	4.3	1.8
6. PNEUMONIA AND INFLUENZA (480-487)	788	555	233	3.1	3.4	2.6
7. DIABETES MELLITUS (250)	427	186	241	1.7	1.1	2.6
8. HOMICIDE AND LEGAL INTERVENTION (960-978)	408	119	289	1.6	0.7	3.2
9. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	333	180	153	1.3	1.1	1.7
10. SUICIDE (950-959)	325	263	62	1.3	1.6	0.7

**TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES
FOR FIVE LEADING CAUSES, BY AGE AND CAUSE
MISSISSIPPI, 1991**

<u>AGE</u>	<u>CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER</u>	<u>NUMBER</u>	<u>PERCENT</u>	<u>RATE*</u>
1-4	<u>ALL CAUSES</u>	<u>98</u>	<u>100.0</u>	<u>0.6</u>
	1. ACCIDENTS (800-949)	51	52.0	31.6
	2. CONGENITAL ANOMALIES (740-759)	11	11.2	6.8
	3. HEART DISEASES (390-398, 402, 404-429)	7	7.1	4.3
	4T. MALIGNANT NEOPLASMS (140-208)	3	3.1	1.9
	4T. HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3.1	1.9
5-14	<u>ALL CAUSES</u>	<u>140</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	76	54.3	17.9
	2. MALIGNANT NEOPLASMS (140-208)	15	10.7	3.5
	3T. HEART DISEASES (390-398, 402, 404-429)	6	4.3	1.4
	3T. CONGENITAL ANOMALIES (740-759)	6	4.3	1.4
	3T. HOMICIDE AND LEGAL INTERVENTION (960-978)	6	4.3	1.4
15-24	<u>ALL CAUSES</u>	<u>549</u>	<u>100.0</u>	<u>1.3</u>
	1. ACCIDENTS (800-949)	286	52.1	68.2
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	104	18.9	24.8
	3. SUICIDE (950-959)	47	8.6	11.2
	4. MALIGNANT NEOPLASMS (140-208)	24	4.4	5.7
	5. HEART DISEASES (390-398, 402, 404-429)	22	4.0	5.2
25-44	<u>ALL CAUSES</u>	<u>1,793</u>	<u>100.0</u>	<u>2.4</u>
	1. ACCIDENTS (800-949)	418	23.3	55.8
	2. HEART DISEASES (390-398, 402, 404-429)	298	16.6	39.8
	3. MALIGNANT NEOPLASMS (140-208)	249	13.9	33.2
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	198	11.0	26.4
	5. SUICIDE (950-959)	127	7.1	16.9
45-64	<u>ALL CAUSES</u>	<u>4,678</u>	<u>100.0</u>	<u>10.1</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,631	34.9	352.8
	2. MALIGNANT NEOPLASMS (140-208)	1,467	31.4	317.4
	3T. CEREBROVASCULAR DISEASES (430-438)	228	4.9	49.3
	3T. ACCIDENTS (800-949)	228	4.9	49.3
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	148	3.2	32.0
65 & OVER	<u>ALL CAUSES</u>	<u>17,741</u>	<u>100.0</u>	<u>55.2</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,586	42.8	2,361.2
	2. MALIGNANT NEOPLASMS (140-208)	3,724	21.0	1,159.1
	3. CEREBROVASCULAR DISEASES (430-438)	1,458	8.2	453.8
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	703	4.0	218.8
	5. PNEUMONIA AND INFLUENZA (480-487)	683	3.9	212.6

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS,
BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1991**

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE	WHITE	NON- WHITE
TOTAL	2,046	1,069	1,611	757	257.3	245.5	192.2	150.1
1. RESPIRATORY AND INTRA- THORACIC ORGANS (160-165)	839	345	348	103	96.0	72.9	38.5	19.5
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	404	251	395	226	46.2	53.1	43.6	42.8
3. GENITAL ORGANS (179-187)	207	194	124	95	23.7	41.0	13.7	18.0
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	162	81	154	72	18.5	17.1	17.0	13.6
5. BREAST (174, 175)	4	1	264	142	0.5	0.2	29.2	26.9
6. URINARY ORGANS (188, 189)	77	40	45	18	8.8	8.5	5.0	3.4
7. BRAIN (191)	61	11	53	8	7.0	2.3	5.9	1.5
8. LIP, ORAL CAVITY, AND PHARYNX (140-149)	45	31	19	8	5.2	6.6	2.1	1.5
9. SKIN (172, 173)	42	7	21	5	4.8	1.5	2.3	0.9
10. BONE AND CONNECTIVE TISSUE (170, 171)	20	12	15	7	2.3	2.5	1.7	1.3
- OTHER AND UNSPECIFIED SITES (190, 192-199)	185	96	173	73	21.2	20.3	19.1	13.8

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

**TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES,
1966, 1971, 1976, 1981, 1986, 1991**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1966	1971	1976	1981	1986	1991
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	101	34	39	21	24	8
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	498	741	949	1,307	1,458	1,635
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	476	700	914	1,263	1,404	1,586
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	43	54	35	28	29	50
EMPHYSEMA (492)	183	210	181	102	92	125
ASTHMA (493)	39	22	19	34	45	45
(ADJUSTED FIGURES*)			(27)			

* ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1968.

**TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1991**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF FIVE LEADING CAUSES</u>	<u>1,180</u>	<u>722</u>	<u>458</u>	<u>80.9</u>	<u>80.6</u>	<u>81.4</u>
1. MOTOR VEHICLE (810-825)	810	524	286	55.5	58.5	50.8
2. FALLS (880-888)	123	101	22	8.4	11.3	3.9
3. FIRES AND FLAMES (890-899)	100	29	71	6.8	3.2	12.6
4. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	81	27	54	5.6	3.0	9.6
5. INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	66	41	25	4.5	4.6	4.4

**TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1991**

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER			15-	25-	35-	45-	65 &	UN-
				1	1-4	5-14	24	34	44	64	OVER	KNOWN
<u>ALL ACCIDENTS</u>	<u>1,459</u>	<u>996</u>	<u>463</u>	<u>27</u>	<u>51</u>	<u>76</u>	<u>286</u>	<u>234</u>	<u>184</u>	<u>228</u>	<u>372</u>	<u>1</u>
MOTOR VEHICLE (810-825)	810	567	243	7	22	47	215	160	116	129	114	0
<u>WATER TRANSPORT (830-838)</u>	<u>31</u>	<u>27</u>	<u>4</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>8</u>	<u>3</u>	<u>8</u>	<u>3</u>	<u>7</u>	<u>0</u>
SUBMERSION, DROWNING (830, 832)	27	25	2	0	1	0	8	2	8	2	6	0
OTHER (831, 833-838)	4	2	2	0	0	1	0	1	0	1	1	0
AIR AND SPACE TRANSPORT (840-845)	5	5	0	0	0	0	1	1	1	1	1	0
<u>POISONING (850-869)</u>	<u>44</u>	<u>32</u>	<u>12</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>4</u>	<u>13</u>	<u>12</u>	<u>8</u>	<u>4</u>	<u>0</u>
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	33	23	10	0	1	0	2	12	12	3	3	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	11	9	2	1	1	0	2	1	0	5	1	0
FALLS (880-888)	123	53	70	3	0	1	1	3	5	12	98	0
FIRES AND FLAMES (890-899)	100	58	42	5	8	5	5	7	15	17	37	1
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	81	70	11	6	10	17	12	18	5	7	6	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	66	31	35	0	2	1	1	0	3	10	49	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	8	6	2	5	0	1	0	1	0	1	0	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	20	19	1	0	1	1	1	3	5	6	3	0
CAUSED BY MACHINERY (919)	14	14	0	0	1	0	0	4	2	5	2	0
CAUSED BY FIREARM MISSILE (922)	48	41	7	0	1	2	29	8	3	2	3	0
CAUSED BY ELECTRIC CURRENT (925)	11	10	1	0	0	0	4	2	1	3	1	0

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1991

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6
1988	791	3.6	776	28.2
1989	806	3.5	797	28.7
1990	863	3.5	854	33.2
1991	811	3.3	810	31.5

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

**TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE
MISSISSIPPI, 1991**

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL UNDER 1 YEAR	493	163	330	100.0	100.0	100.0	11.4	7.4	15.5
NEONATAL (UNDER 28 DAYS)	303	95	208	61.5	58.3	63.0	7.0	4.3	9.8
HEBDOMADAL (UNDER 7 DAYS)	265	81	184	53.8	49.7	55.8	6.1	3.7	8.6
UNDER 1 DAY	208	59	149	42.2	36.2	45.2	4.8	2.7	7.0
1-6 DAYS	57	22	35	11.6	13.5	10.6	1.3	1.0	1.6
7-27 DAYS	38	14	24	7.7	8.6	7.3	0.9	0.6	1.1
POSTNEONATAL (28 DAYS TO 1 YEAR)	190	68	122	38.5	41.7	37.0	4.4	3.1	5.7

* DEATHS PER 1,000 LIVE BIRTHS.

**TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES
OF INFANT DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1991**

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	493	163	330	11.4	7.4	15.5
1. CONGENITAL ANOMALIES (740-759)	93	40	53	2.2	1.8	2.5
2. SUDDEN INFANT DEATH SYNDROME (798.0)	68	22	46	1.6	1.0	2.2
3. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	55	14	41	1.3	0.6	1.9
4. RESPIRATORY DISTRESS SYNDROME (769)	36	15	21	0.8	0.7	1.0
5. ACCIDENTS (800-949)	27	8	19	0.6	0.4	0.9
6. MATERNAL COMPLICATIONS OF PREGNANCY (761)	18	7	11	0.4	0.3	0.5
7. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	16	4	12	0.4	0.2	0.6
8T. PNEUMONIA AND INFLUENZA (480- 487)	11	5	6	0.2	0.2	0.3
8T. SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS (EXCLUDING SIDS) (780-797, 798.1-799)	11	4	7	0.2	0.2	0.3
10. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	9	2	7	0.2	0.1	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1991

<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>	<u>MONTH</u>	<u>MARRIAGES</u>	<u>AVERAGE PER DAY</u>
<u>TOTAL</u>	<u>23, 446</u>	<u>64</u>			
JANUARY	1, 239	40	JULY	2, 122	68
FEBRUARY	1, 601	57	AUGUST	2, 470	80
MARCH	2, 026	65	SEPTEMBER	1, 731	58
APRIL	1, 696	56	OCTOBER	1, 598	52
MAY	2, 025	65	NOVEMBER	1, 839	61
JUNE	2, 971	99	DECEMBER	2, 128	69

**TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1991**

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	23, 446	17, 235	6, 211	23, 446	17, 226	6, 220	100. 0	100. 0	100. 0	100. 0	100. 0	100. 0
UNDER 20	3, 839	3, 272	567	1, 567	1, 371	196	16. 4	19. 0	9. 1	6. 7	8. 0	3. 2
13	1	1	0	0	0	0	*	*	-	-	-	-
14	13	12	1	1	1	0	*	0. 1	*	*	*	-
15	177	166	11	3	3	0	0. 8	1. 0	0. 2	*	*	-
16	354	325	29	32	30	2	1. 5	1. 9	0. 5	0. 1	0. 2	*
17	622	565	57	171	161	10	2. 6	3. 3	0. 9	0. 7	0. 9	0. 2
18	1, 271	1, 084	187	473	424	49	5. 4	6. 3	3. 0	2. 0	2. 5	0. 8
19	1, 401	1, 119	282	887	752	135	6. 0	6. 5	4. 5	3. 8	4. 4	2. 2
20- 24	7, 163	5, 279	1, 884	6, 787	5, 146	1, 641	30. 6	30. 6	30. 3	28. 9	29. 9	26. 4
25- 34	7, 274	4, 852	2, 422	8, 696	6, 005	2, 691	31. 0	28. 2	39. 0	37. 1	34. 9	43. 3
35- 44	3, 185	2, 267	918	3, 630	2, 579	1, 051	13. 6	13. 2	14. 8	15. 5	15. 0	16. 9
45- 54	1, 201	938	263	1, 471	1, 132	339	5. 1	5. 4	4. 2	6. 3	6. 6	5. 4
55- 64	497	388	109	742	583	159	2. 1	2. 2	1. 8	3. 2	3. 4	2. 6
65- 74	224	190	34	411	307	104	1. 0	1. 1	0. 5	1. 8	1. 8	1. 7
75 & OVER	63	49	14	142	103	39	0. 3	0. 3	0. 2	0. 6	0. 6	0. 6

* LESS THAN 0. 06 PERCENT.

**TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1991**

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	26.0	25.1	27.7	28.9	28.5	29.7
FIRST MARRIAGES	22.6	21.7	24.6	24.3	23.7	26.7

**TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1991**

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	23,446	17,235	6,211	23,446	17,226	6,220	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	13,756	9,256	4,500	13,898	9,578	4,320	58.7	53.7	72.4	59.3	55.6	69.4
REMARRIAGE	9,684	7,975	1,709	9,538	7,640	1,898	41.3	46.3	27.5	40.7	44.4	30.5
SECOND	6,539	5,121	1,418	6,618	5,050	1,568	27.9	29.7	22.8	28.2	29.3	25.2
OVER TWO	3,144	2,853	291	2,918	2,588	330	13.4	16.6	4.7	12.4	15.0	5.3
THIRD	2,258	2,012	246	2,149	1,875	274	9.6	11.7	4.0	9.2	10.9	4.4
FOURTH	653	616	37	576	530	46	2.8	3.6	0.6	2.4	3.1	0.7
FIFTH	182	174	8	139	131	8	0.8	1.0	0.1	0.6	0.8	0.1
SIXTH	39	39	0	39	38	1	0.2	0.2	-	0.2	0.2	#
SEVENTH	7	7	0	8	8	0	#	#	-	#	#	-
EIGHTH	5	5	0	4	4	0	#	#	-	#	#	-
NINTH	0	0	0	1	0	1	-	-	-	#	-	#
TENTH	0	0	0	1	1	0	-	-	-	#	#	-
OVER TEN	0	0	0	1	1	0	-	-	-	#	#	-
UNKNOWN*	1	1	0	2	2	0	#	#	-	#	#	-
UNKNOWN**	6	4	2	10	8	2	#	#	#	#	#	#

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

**TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1991**

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
<u>TOTAL</u>	<u>23,446</u>	<u>17,235</u>	<u>6,211</u>	<u>23,446</u>	<u>17,226</u>	<u>6,220</u>
NOT PREVIOUSLY MARRIED	13,756	9,256	4,500	13,898	9,578	4,320
<u>REMARRIAGES</u>	<u>9,684</u>	<u>7,975</u>	<u>1,709</u>	<u>9,538</u>	<u>7,640</u>	<u>1,898</u>
WIDOWED	1,002	795	207	803	622	181
DIVORCED*	8,668	7,168	1,500	8,726	7,014	1,712
UNKNOWN**	14	12	2	9	4	5
UNKNOWN#	6	4	2	10	8	2
PERCENT						
<u>TOTAL</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	58.7	53.7	72.4	59.3	55.6	69.4
<u>REMARRIAGES</u>	<u>41.3</u>	<u>46.3</u>	<u>27.5</u>	<u>40.7</u>	<u>44.4</u>	<u>30.5</u>
WIDOWED	4.3	4.6	3.3	3.4	3.6	2.9
DIVORCED*	37.0	41.6	24.2	37.2	40.7	27.5
UNKNOWN**	0.1	0.1	##	##	##	0.1
UNKNOWN#	##	##	##	##	##	##

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

**TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 1991**

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE								
	TOTAL			WHITE			NONWHITE		
	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER	TOTAL	MISSIS- SIPPI	OTHER
NUMBER									
<u>TOTAL</u>	<u>23,446</u>	<u>21,891</u>	<u>1,555</u>	<u>17,235</u>	<u>16,011</u>	<u>1,224</u>	<u>6,211</u>	<u>5,880</u>	<u>331</u>
MISSISSIPPI	21,226	20,815	411	15,483	15,184	299	5,743	5,631	112
OTHER	2,220	1,076	1,144	1,752	827	925	468	249	219
PERCENT									
<u>TOTAL</u>	<u>100.0</u>	<u>93.4</u>	<u>6.6</u>	<u>100.0</u>	<u>92.9</u>	<u>7.1</u>	<u>100.0</u>	<u>94.7</u>	<u>5.3</u>
MISSISSIPPI	90.5	88.8	1.8	89.8	88.1	1.7	92.5	90.7	1.8
OTHER	9.5	4.6	4.9	10.2	4.8	5.4	7.5	4.0	3.5

DIVORCES

TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE* MISSISSIPPI, 1991

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL</u>	<u>13,027</u>	<u>9,926</u>	<u>2,689</u>	<u>412</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IRRECONCILABLE DIFFERENCES	10,200	8,217	1,687	296	78.3	82.8	62.7	71.8
CRUEL AND INHUMAN TREATMENT	1,749	1,143	542	64	13.4	11.5	20.2	15.5
DESERTION	607	266	313	28	4.7	2.7	11.6	6.8
ADULTERY	279	195	74	10	2.1	2.0	2.8	2.4
DRUNKENNESS	84	44	35	5	0.6	0.4	1.3	1.2
PENITENTIARY	43	22	18	3	0.3	0.2	0.7	0.7
ANNULMENT	19	15	1	3	0.1	0.2	**	0.7
BIGAMY	7	3	4	0	**	**	0.1	0.0
MISCELLANEOUS AND OTHER	11	6	5	0	0.1	0.1	0.2	0.0
UNKNOWN	28	15	10	3	0.2	0.2	0.4	0.7

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF MINOR CHILDREN AND RACE* MISSISSIPPI, 1991

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>TOTAL DIVORCES</u>	<u>13,027</u>	<u>9,926</u>	<u>2,689</u>	<u>412</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NONE	6,248	4,989	1,053	206	48.0	50.3	39.2	50.0
ONE	3,406	2,584	718	104	26.1	26.0	26.7	25.2
TWO	2,405	1,782	546	77	18.5	18.0	20.3	18.7
THREE OR MORE	959	567	368	24	7.4	5.7	13.7	5.8
UNKNOWN	9	4	4	1	0.1	**	0.1	0.2

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

**TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1991**

<u>NUMBER OF YEARS MARRIED</u>	<u>NUMBER</u>				<u>PERCENT</u>			
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UN- KNOWN</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UN- KNOWN</u>
<u>TOTAL DIVORCES</u>	<u>13, 027</u>	<u>9, 926</u>	<u>2, 689</u>	<u>412</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>UNDER FIVE</u>	<u>5, 267</u>	<u>4, 358</u>	<u>747</u>	<u>162</u>	<u>40. 4</u>	<u>43. 9</u>	<u>27. 8</u>	<u>39. 3</u>
<u>UNDER ONE</u>	<u>677</u>	<u>599</u>	<u>52</u>	<u>26</u>	<u>5. 2</u>	<u>6. 0</u>	<u>1. 9</u>	<u>6. 3</u>
<u>ONE</u>	<u>1, 260</u>	<u>1, 101</u>	<u>121</u>	<u>38</u>	<u>9. 7</u>	<u>11. 1</u>	<u>4. 5</u>	<u>9. 2</u>
<u>TWO</u>	<u>1, 245</u>	<u>1, 017</u>	<u>187</u>	<u>41</u>	<u>9. 6</u>	<u>10. 2</u>	<u>7. 0</u>	<u>10. 0</u>
<u>THREE</u>	<u>1, 099</u>	<u>879</u>	<u>198</u>	<u>22</u>	<u>8. 4</u>	<u>8. 8</u>	<u>7. 4</u>	<u>5. 3</u>
<u>FOUR</u>	<u>986</u>	<u>762</u>	<u>189</u>	<u>35</u>	<u>7. 6</u>	<u>7. 7</u>	<u>7. 0</u>	<u>8. 5</u>
<u>FIVE- NINE</u>	<u>3, 251</u>	<u>2, 396</u>	<u>754</u>	<u>101</u>	<u>25. 0</u>	<u>24. 1</u>	<u>28. 0</u>	<u>24. 5</u>
<u>TEN- NINETEEN</u>	<u>2, 973</u>	<u>2, 094</u>	<u>796</u>	<u>83</u>	<u>22. 8</u>	<u>21. 1</u>	<u>29. 6</u>	<u>20. 1</u>
<u>TWENTY AND OVER</u>	<u>1, 388</u>	<u>992</u>	<u>364</u>	<u>32</u>	<u>10. 6</u>	<u>10. 0</u>	<u>13. 5</u>	<u>7. 8</u>
<u>UNKNOWN</u>	<u>148</u>	<u>86</u>	<u>28</u>	<u>34</u>	<u>1. 1</u>	<u>0. 9</u>	<u>1. 0</u>	<u>8. 2</u>

* DIVORCES OF MIXED- RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

INDUCED TERMINATIONS OF PREGNANCY

**TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY,
PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS,
BY AGE AND RACE OF PATIENT
PROCEDURES PERFORMED IN MISSISSIPPI, 1991**

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	8,184	3,910	4,244	30	100.0	100.0	100.0	189.5	178.5	199.5
UNDER 15	108	29	79	0	1.3	0.7	1.9	340.7	690.5	287.3
15-19	2,078	1,063	1,011	4	25.4	27.2	23.8	229.5	317.3	177.3
20-24	2,772	1,302	1,459	11	33.9	33.3	34.4	194.9	189.3	198.6
25-29	1,567	699	866	2	19.1	17.9	20.4	142.4	105.6	197.5
30-34	932	461	467	4	11.4	11.8	11.0	151.4	124.6	190.1
35-39	468	234	234	0	5.7	6.0	5.5	224.1	202.1	251.6
40-44	138	72	64	2	1.7	1.8	1.5	438.1	473.7	392.6
45-49	9	4	5	0	0.1	0.1	0.1	600.0	800.0	500.0
UNKNOWN	112	46	59	7	1.4	1.2	1.4			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

**TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY CHARACTERISTICS OF PATIENT AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1991**

<u>CHARACTERISTICS OF PATIENT</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>8, 184</u>	<u>3, 910</u>	<u>4, 244</u>	<u>30</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>MISSISSIPPI RESIDENT</u>	<u>6, 142</u>	<u>2, 959</u>	<u>3, 166</u>	<u>17</u>	<u>75. 0</u>	<u>75. 7</u>	<u>74. 6</u>
<u>NONRESIDENT</u>	<u>2, 042</u>	<u>951</u>	<u>1, 078</u>	<u>13</u>	<u>25. 0</u>	<u>24. 3</u>	<u>25. 4</u>
<u>BORDER STATE</u>	<u>1, 973</u>	<u>917</u>	<u>1, 043</u>	<u>13</u>	<u>24. 1</u>	<u>23. 4</u>	<u>24. 6</u>
<u>OTHER STATE</u>	<u>69</u>	<u>34</u>	<u>35</u>	<u>0</u>	<u>0. 8</u>	<u>0. 9</u>	<u>0. 8</u>
<u>MARITAL STATUS</u>							
<u>MARRIED</u>	<u>1, 339</u>	<u>800</u>	<u>536</u>	<u>3</u>	<u>16. 4</u>	<u>20. 5</u>	<u>12. 6</u>
<u>NOT MARRIED</u>	<u>6, 697</u>	<u>3, 049</u>	<u>3, 630</u>	<u>18</u>	<u>81. 8</u>	<u>78. 0</u>	<u>85. 5</u>
<u>UNKNOWN</u>	<u>148</u>	<u>61</u>	<u>78</u>	<u>9</u>	<u>1. 8</u>	<u>1. 6</u>	<u>1. 8</u>
<u>EDUCATION (COMPLETED YEARS)</u>							
<u>0- 6 YEARS</u>	<u>11</u>	<u>5</u>	<u>6</u>	<u>0</u>	<u>0. 1</u>	<u>0. 1</u>	<u>0. 1</u>
<u>7- 9 YEARS</u>	<u>222</u>	<u>107</u>	<u>115</u>	<u>0</u>	<u>2. 7</u>	<u>2. 7</u>	<u>2. 7</u>
<u>10, 11 YEARS</u>	<u>600</u>	<u>347</u>	<u>253</u>	<u>0</u>	<u>7. 3</u>	<u>8. 9</u>	<u>6. 0</u>
<u>12 YEARS</u>	<u>1, 657</u>	<u>855</u>	<u>799</u>	<u>3</u>	<u>20. 2</u>	<u>21. 9</u>	<u>18. 8</u>
<u>1- 3 YEARS COLLEGE</u>	<u>2, 053</u>	<u>971</u>	<u>1, 079</u>	<u>3</u>	<u>25. 1</u>	<u>24. 8</u>	<u>25. 4</u>
<u>4 OR MORE YEARS COLLEGE</u>	<u>686</u>	<u>331</u>	<u>355</u>	<u>0</u>	<u>8. 4</u>	<u>8. 5</u>	<u>8. 4</u>
<u>UNKNOWN</u>	<u>2, 955</u>	<u>1, 294</u>	<u>1, 637</u>	<u>24</u>	<u>36. 1</u>	<u>33. 1</u>	<u>38. 6</u>
<u>NUMBER OF LIVING CHILDREN</u>							
<u>NONE</u>	<u>3, 813</u>	<u>2, 136</u>	<u>1, 667</u>	<u>10</u>	<u>46. 6</u>	<u>54. 6</u>	<u>39. 3</u>
<u>ONE</u>	<u>2, 259</u>	<u>997</u>	<u>1, 254</u>	<u>8</u>	<u>27. 6</u>	<u>25. 5</u>	<u>29. 5</u>
<u>TWO</u>	<u>1, 405</u>	<u>558</u>	<u>843</u>	<u>4</u>	<u>17. 2</u>	<u>14. 3</u>	<u>19. 9</u>
<u>THREE</u>	<u>475</u>	<u>161</u>	<u>311</u>	<u>3</u>	<u>5. 8</u>	<u>4. 1</u>	<u>7. 3</u>
<u>FOUR</u>	<u>151</u>	<u>37</u>	<u>114</u>	<u>0</u>	<u>1. 8</u>	<u>0. 9</u>	<u>2. 7</u>
<u>FIVE OR MORE</u>	<u>63</u>	<u>15</u>	<u>48</u>	<u>0</u>	<u>0. 8</u>	<u>0. 4</u>	<u>1. 1</u>
<u>UNKNOWN</u>	<u>15</u>	<u>6</u>	<u>4</u>	<u>5</u>	<u>0. 2</u>	<u>0. 2</u>	<u>0. 1</u>
<u>NUMBER OF PREVIOUS INDUCED TERMINATIONS</u>							
<u>NONE</u>	<u>5, 768</u>	<u>2, 749</u>	<u>3, 005</u>	<u>14</u>	<u>70. 5</u>	<u>70. 3</u>	<u>70. 8</u>
<u>ONE</u>	<u>1, 770</u>	<u>830</u>	<u>934</u>	<u>6</u>	<u>21. 6</u>	<u>21. 2</u>	<u>22. 0</u>
<u>TWO</u>	<u>450</u>	<u>225</u>	<u>222</u>	<u>3</u>	<u>5. 5</u>	<u>5. 8</u>	<u>5. 2</u>
<u>THREE OR MORE</u>	<u>171</u>	<u>97</u>	<u>73</u>	<u>1</u>	<u>2. 1</u>	<u>2. 5</u>	<u>1. 7</u>
<u>UNKNOWN</u>	<u>17</u>	<u>7</u>	<u>5</u>	<u>5</u>	<u>0. 2</u>	<u>0. 2</u>	<u>0. 1</u>

**TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND PERCENTAGE DISTRIBUTION,
BY MEDICAL CHARACTERISTICS AND RACE
PROCEDURES PERFORMED IN MISSISSIPPI, 1991**

<u>MEDICAL CHARACTERISTICS</u>	<u>NUMBER</u>				<u>PERCENT</u>		
	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>	<u>UNK. RACE</u>	<u>TOTAL</u>	<u>WHITE</u>	<u>NON- WHITE</u>
<u>TOTAL</u>	<u>8, 184</u>	<u>3, 910</u>	<u>4, 244</u>	<u>30</u>	<u>100. 0</u>	<u>100. 0</u>	<u>100. 0</u>
<u>COMPLETED WEEKS OF GESTATION*</u>							
UNDER 9	4, 690	2, 369	2, 309	12	57. 3	60. 6	54. 4
9, 10	1, 755	785	962	8	21. 4	20. 1	22. 7
11, 12	793	359	432	2	9. 7	9. 2	10. 2
13- 15	464	188	275	1	5. 7	4. 8	6. 5
16- 20	186	65	121	0	2. 3	1. 7	2. 8
21 OR MORE	41	17	24	0	0. 5	0. 4	0. 6
UNKNOWN	255	127	121	7	3. 1	3. 2	2. 8
<u>PRIMARY PROCEDURE</u>							
SUCTION CURRETTAGE	7, 921	3, 801	4, 092	28	96. 8	97. 2	96. 4
SHARP CURRETTAGE	164	63	99	2	2. 0	1. 6	2. 3
INTRA-UTERINE SALINE INSTILLATION	61	25	36	0	0. 7	0. 6	0. 8
INTRA-UTERINE PROSTA- GLANDIN INSTILLATION	3	0	3	0	**	-	0. 1
HYSTEROTOMY	29	17	12	0	0. 4	0. 4	0. 3
OTHER	1	0	1	0	**	-	**
UNKNOWN	5	4	1	0	0. 1	0. 1	**
<u>COMPLICATIONS</u>							
NO KNOWN COMPLICATIONS	8, 168	3, 899	4, 239	30	99. 8	99. 7	99. 9
SOME COMPLICATIONS	4	4	0	0	**	0. 1	-
HEMORRHAGE	1	1	0	0	**	**	-
OTHER	3	3	0	0	**	0. 1	-
UNKNOWN	12	7	5	0	0. 1	0. 2	0. 1

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0. 06 PERCENT.

MAJOR TABLES

1991

TABLE i
 1990 CENSUS POPULATION AND PERCENT CHANGE SINCE 1980 CENSUS,
 BY PLACE (COUNTIES, TOWNS OF 10,000 OR MORE) AND RACE,
 MISSISSIPPI, AS OF APRIL 1, 1990

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE TOTAL</u>	<u>2, 573, 216</u>	<u>1, 633, 461</u>	<u>939, 755</u>	<u>2. 1</u>	<u>1. 1</u>	<u>3. 8</u>
ADAMS	35, 356	18, 028	17, 328	- 7. 0	- 7. 7	- 6. 4
ALCORN	31, 722	28, 085	3, 637	- 4. 0	- 4. 7	1. 7
AMITE	13, 328	7, 272	6, 056	- 0. 3	3. 9	- 5. 0
ATTALA	18, 481	11, 114	7, 367	- 7. 0	- 7. 8	- 5. 7
BENTON	8, 046	4, 869	3, 177	- 1. 3	- 3. 7	2. 5
BOLIVAR	41, 875	15, 259	26, 616	- 8. 9	- 10. 2	- 8. 2
CALHOUN	14, 908	10, 829	4, 079	- 4. 8	- 7. 0	1. 6
CARROLL	9, 237	5, 560	3, 677	- 5. 5	4. 3	- 17. 3
CHICKASAW	18, 085	11, 060	7, 025	1. 3	- 2. 8	8. 6
CHOCTAW	9, 071	6, 319	2, 752	0. 8	- 2. 0	8. 0
CLAIBORNE	11, 370	1, 994	9, 376	- 7. 4	- 35. 1	1. 8
CLARKE	17, 313	11, 312	6, 001	2. 2	2. 8	1. 0
CLAY	21, 120	9, 789	11, 331	0. 2	- 6. 5	6. 8
COAHOMA	31, 665	11, 001	20, 664	- 14. 2	- 15. 9	- 13. 3
COPIAH	27, 592	13, 602	13, 990	4. 1	- 0. 3	8. 8
COVINGTON	16, 527	10, 699	5, 828	3. 8	2. 8	5. 6
DESOTO	67, 910	58, 860	9, 050	25. 9	33. 2	- 7. 0
FORREST	68, 314	46, 672	21, 642	3. 5	- 2. 2	18. 3
FRANKLIN	8, 377	5, 290	3, 087	2. 0	2. 8	0. 7
GEORGE	16, 673	15, 025	1, 648	9. 0	8. 8	10. 7
GREENE	10, 220	7, 999	2, 221	4. 0	2. 1	11. 6
GRENADA	21, 555	12, 563	8, 992	2. 4	3. 0	1. 7
HANCOCK	31, 760	28, 625	3, 135	29. 4	30. 8	18. 5
HARRISON	165, 365	127, 630	37, 735	4. 9	2. 9	12. 2
HINDS	254, 441	123, 177	131, 264	1. 4	- 9. 6	14. 4
HOLMES	21, 604	5, 176	16, 428	- 5. 9	- 21. 3	0. 2
HUMPHREYS	12, 134	3, 856	8, 278	- 12. 9	- 18. 3	- 10. 1
ISSAQUENA	1, 909	833	1, 076	- 24. 0	- 24. 8	- 23. 5
ITAWAMBA	20, 017	18, 596	1, 421	- 2. 4	- 3. 1	7. 5
JACKSON	115, 243	90, 114	25, 129	- 2. 3	- 4. 9	7. 8
JASPER	17, 114	8, 410	8, 704	- 0. 9	- 4. 0	2. 4
JEFFERSON	8, 653	1, 185	7, 468	- 5. 8	- 28. 0	- 0. 9
JEFF DAVIS	14, 051	6, 330	7, 721	1. 5	- 1. 1	3. 7
JONES	62, 031	46, 193	15, 838	0. 2	- 2. 4	8. 5
KEMPER	10, 356	4, 407	5, 949	2. 0	- 3. 3	6. 4
LAFAYETTE	31, 826	23, 151	8, 675	2. 6	2. 7	2. 2
LAMAR	30, 424	26, 599	3, 825	27. 7	25. 9	41. 9
LAUDERDALE	75, 555	48, 706	26, 849	- 2. 2	- 7. 0	7. 8
LAWRENCE	12, 458	8, 300	4, 158	- 0. 5	- 3. 8	7. 0
LEAKE	18, 436	11, 086	7, 350	- 1. 9	- 3. 2	0. 2
LEE	65, 581	51, 260	14, 321	14. 9	13. 3	21. 0
LEFLORE	37, 341	14, 516	22, 825	- 10. 1	- 13. 2	- 8. 0

TABLE i - PAGE 2
 CENSUS POPULATION - MISSISSIPPI - APRIL 1, 1990

COUNTY	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	30,278	21,162	9,116	0.3	0.4	0.2
LOWNDES	59,308	36,736	22,572	3.5	-1.1	12.0
MADISON	53,794	29,789	24,005	29.3	63.2	2.7
MARION	25,544	17,733	7,811	-0.6	-1.3	0.9
MARSHALL	30,361	14,842	15,519	3.6	8.8	-0.8
MONROE	36,582	25,394	11,188	0.5	-0.6	3.0
MONTGOMERY	12,388	6,916	5,472	-7.3	-12.3	-0.2
NESHOPA	24,800	16,945	7,855	4.2	-0.8	17.0
NEWTON	20,291	13,697	6,594	1.7	-2.2	10.9
NOXUBEE	12,604	3,959	8,645	-4.6	-14.9	1.0
OKTIBBEHA	38,375	24,064	14,311	6.5	4.0	11.1
PANOLA	29,996	15,376	14,620	6.5	7.4	5.5
PEARL RIVER	38,714	32,888	5,826	14.6	14.9	12.6
PERRY	10,865	8,333	2,532	10.1	8.0	17.6
PIKE	36,882	19,931	16,951	2.0	-2.3	7.5
PONTOTOC	22,237	18,917	3,320	6.3	7.4	0.6
PRENTISS	23,278	20,477	2,801	-3.1	-4.2	6.0
QUITMAN	10,490	4,250	6,240	-17.0	-23.1	-12.2
RANKIN	87,161	72,033	15,128	25.5	28.0	15.1
SCOTT	24,137	14,829	9,308	-1.7	-6.4	6.9
SHARKEY	7,066	2,339	4,727	-11.3	-13.4	-10.2
SIMPSON	23,953	16,124	7,829	2.2	-0.5	8.1
SMITH	14,798	11,516	3,282	-1.9	-2.9	2.1
STONE	10,750	8,362	2,388	10.6	12.0	6.0
SUNFLOWER	32,867	11,604	21,263	-5.7	-11.1	-2.4
TALLAHATCHIE	15,210	6,257	8,953	-11.3	-13.7	-9.6
TATE	21,432	13,945	7,487	6.5	13.0	-3.8
TIPPAH	19,523	16,251	3,272	4.2	3.2	9.2
TISHOMINGO	17,683	17,010	673	-4.1	-3.8	-11.2
TUNICA	8,164	1,992	6,172	-15.4	-22.4	-12.9
UNION	22,085	18,804	3,281	1.6	0.6	7.9
WALTHALL	14,352	8,252	6,100	4.3	1.9	7.7
WARREN	47,880	28,879	19,001	-7.3	-9.4	-3.8
WASHINGTON	67,935	28,334	39,601	-6.1	-10.4	-2.8
WAYNE	19,517	12,506	7,011	2.0	-1.5	8.9
WEBSTER	10,222	7,953	2,269	-0.8	-3.8	11.5
WILKINSON	9,678	3,123	6,555	-3.4	-5.1	-2.6
WINSTON	19,433	11,151	8,282	-0.2	-4.4	6.0
YALOBUSHA	12,033	7,479	4,554	-8.4	-7.6	-9.7
YAZOO	25,506	11,958	13,548	-6.7	-9.4	-4.3

TABLE i - PAGE 3
 CENSUS POPULATION - MISSISSIPPI - APRIL 1, 1990

TOWN*	POPULATION			PERCENT CHANGE SINCE 1980		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	46,319	34,547	11,772	-6.1	-10.8	11.4
BRANDON	11,077	9,648	1,429	15.1	15.6	11.6
BROOKHAVEN	10,243	5,607	4,636	-5.2	-12.7	5.9
CANTON	10,062	3,264	6,798	-9.5	-14.6	-6.8
CLARKSDALE	19,717	7,406	12,311	-6.7	-7.2	-6.4
CLEVELAND	15,384	8,260	7,124	5.9	-4.8	21.8
CLINTON	21,847	17,852	3,995	49.0	32.2	246.2
COLUMBUS	23,799	11,493	12,306	-13.1	-23.7	-0.1
CORINTH	11,820	9,183	2,637	-14.6	-19.0	5.2
GAUTIER	10,088	7,491	2,597	13.1	-3.2	120.8
GREENVILLE	45,226	17,982	27,244	11.4	11.1	11.5
GREENWOOD	18,906	7,596	11,310	-6.0	-20.1	6.6
GRENADA	10,864	5,462	5,402	-14.1	-22.6	-3.2
GULFPORT	40,775	28,496	12,279	2.8	-2.8	18.7
HATTIESBURG	41,882	24,385	17,497	2.6	-7.3	20.4
INDIANOLA	11,809	3,959	7,850	43.6	-2.2	88.1
JACKSON	196,637	85,675	110,962	-3.1	-19.4	14.8
LAUREL	18,827	9,719	9,108	-14.0	-26.3	4.6
LONG BEACH	15,804	14,504	1,300	98.4	96.4	122.6
MCCOMB	11,591	6,197	5,394	-6.0	-20.6	19.2
MERIDIAN	41,036	22,149	18,887	-11.9	-23.4	6.9
MOSS POINT	17,837	6,113	11,724	-6.1	-6.2	-6.1
NATCHEZ	19,460	9,596	9,864	-11.6	-8.7	-14.2
OCEAN SPRINGS	14,658	13,327	1,331	1.1	0.6	6.5
PASCAGOULA	25,899	19,998	5,901	-11.7	-16.7	11.1
PEARL	19,588	17,757	1,831	-5.7	-3.0	-25.9
PI CAYUNE	10,633	6,706	3,927	2.6	-3.7	15.5
RIDGELAND	11,714	10,191	1,523	114.5	110.0	150.9
SOUTHAVEN	17,949	17,363	586	11.7	9.1	280.5
STARKVILLE	18,458	12,760	5,698	21.7	15.8	37.3
TUPELO	30,685	23,072	7,613	28.4	18.6	70.8
VICKSBURG	20,908	8,476	12,432	-17.8	-29.1	-7.8
YAZOO CITY	12,427	4,316	8,111	**	-31.8	32.9

* TOWNS OF 10,000 POPULATION OR MORE.

** LESS THAN 0.06 PERCENT CHANGE.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1991

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>42, 757</u>	<u>21, 246</u>	<u>21, 511</u>	<u>43, 184</u>	<u>21, 908</u>	<u>21, 276</u>	<u>16. 8</u>	<u>13. 4</u>	<u>22. 6</u>
ADAMS	838	307	531	580	220	360	16. 4	12. 2	20. 8
ALCORN	521	434	87	407	335	72	12. 8	11. 9	19. 8
AMITE	1	1	0	179	87	92	13. 4	12. 0	15. 2
ATTALA	264	128	136	298	118	180	16. 1	10. 6	24. 4
BENTON	0	0	0	112	60	52	13. 9	12. 3	16. 4
BOLI VAR	701	102	599	793	181	612	18. 9	11. 9	23. 0
CALHOUN	1	0	1	175	104	71	11. 7	9. 6	17. 4
CARROLL	0	0	0	102	46	56	11. 0	8. 3	15. 2
CHICKASAW	1	0	1	303	144	159	16. 8	13. 0	22. 6
CHOCTAW	2	2	0	110	59	51	12. 1	9. 3	18. 5
CLAIBORNE	75	4	71	181	23	158	15. 9	11. 5	16. 8
CLARKE	0	0	0	264	145	119	15. 2	12. 8	19. 8
CLAY	286	70	216	370	128	242	17. 5	13. 1	21. 4
COAHOMA	1, 320	279	1, 041	625	124	501	19. 7	11. 3	24. 2
COPIAH	266	79	187	438	160	278	15. 9	11. 8	19. 9
COVINGTON	370	163	207	297	155	142	18. 0	14. 5	24. 4
DESOTO	599	438	161	1, 144	953	191	16. 8	16. 2	21. 1
FORREST	2, 828	1, 774	1, 054	1, 101	567	534	16. 1	12. 1	24. 7
FRANKLIN	1	0	1	110	59	51	13. 1	11. 2	16. 5
GEORGE	7	4	3	316	277	39	19. 0	18. 4	23. 7
GREENE	2	1	1	141	102	39	13. 8	12. 8	17. 6
GRENADA	862	387	475	410	162	248	19. 0	12. 9	27. 6
HANCOCK	161	127	34	470	404	66	14. 8	14. 1	21. 0
HARRISON	3, 624	2, 595	1, 029	2, 814	1, 949	865	17. 0	15. 3	22. 9
HINDS	7, 324	2, 323	5, 001	4, 342	1, 404	2, 938	17. 1	11. 4	22. 4
HOLMES	199	7	192	470	55	415	21. 8	10. 6	25. 3
HUMPHREYS	25	1	24	230	45	185	19. 0	11. 7	22. 3
ISSAQUENA	0	0	0	30	8	22	15. 7	9. 6	20. 4
ITAWAMBA	1	1	0	250	227	23	12. 5	12. 2	16. 2
JACKSON	1, 553	1, 067	486	1, 875	1, 311	564	16. 3	14. 5	22. 4
JASPER	3	0	3	285	94	191	16. 6	11. 2	21. 9
JEFFERSON	2	0	2	152	17	135	17. 6	14. 3	18. 1
JEFF DAVIS	1	1	0	237	79	158	16. 9	12. 5	20. 5
JONES	1, 205	608	597	911	556	355	14. 7	12. 0	22. 4
KEMPER	0	0	0	145	48	97	14. 0	10. 9	16. 3
LAFAYETTE	584	343	241	378	209	169	11. 9	9. 0	19. 5
LAMAR	3	2	1	510	410	100	16. 8	15. 4	26. 1
LAUDERDALE	2, 344	1, 292	1, 052	1, 306	658	648	17. 3	13. 5	24. 1
LAWRENCE	2	0	2	196	110	86	15. 7	13. 2	20. 7
LEAKE	1	0	1	300	130	170	16. 3	11. 7	23. 1
LEE	2, 360	1, 857	503	1, 208	829	379	18. 4	16. 2	26. 5
LEFLORE	761	142	619	726	175	551	19. 4	12. 0	24. 1

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1991

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	640	400	240	496	310	186	16.4	14.6	20.4
LOWNDES	1,198	580	618	1,178	584	594	19.9	15.9	26.3
MADISON	361	7	354	1,104	494	610	20.5	16.6	25.4
MARION	6	0	6	397	236	161	15.5	13.3	20.6
MARSHALL	6	2	4	547	221	326	18.0	14.9	21.0
MONROE	1,089	699	390	609	374	235	16.6	14.7	21.0
MONTGOMERY	91	17	74	206	78	128	16.6	11.3	23.4
NESHOBA	62	21	41	383	186	197	15.4	11.0	25.1
NEWTON	5	0	5	373	196	177	18.4	14.3	26.8
NOXUBEE	4	0	4	239	46	193	19.0	11.6	22.3
OKTIBBEHA	1,252	532	720	553	238	315	14.4	9.9	22.0
PANOLA	326	88	238	566	206	360	18.9	13.4	24.6
PEARL RIVER	372	261	111	605	478	127	15.6	14.5	21.8
PERRY	0	0	0	184	111	73	16.9	13.3	28.8
PIKE	1,019	454	565	613	250	363	16.6	12.5	21.4
PONTOTOC	0	0	0	322	272	50	14.5	14.4	15.1
PRENTISS	1	1	0	335	290	45	14.4	14.2	16.1
QUITMAN	1	0	1	232	59	173	22.1	13.9	27.7
RANKIN	1,865	1,648	217	1,267	1,000	267	14.5	13.9	17.6
SCOTT	10	1	9	450	216	234	18.6	14.6	25.1
SHARKEY	5	0	5	157	27	130	22.2	11.5	27.5
SIMPSON	5	2	3	403	221	182	16.8	13.7	23.2
SMITH	1	0	1	224	136	88	15.1	11.8	26.8
STONE	1	1	0	170	122	48	15.8	14.6	20.1
SUNFLOWER	559	139	420	629	115	514	19.1	9.9	24.2
TALLAHATCHIE	5	0	5	283	70	213	18.6	11.2	23.8
TATE	362	98	264	321	183	138	15.0	13.1	18.4
TIPPAH	0	0	0	292	229	63	15.0	14.1	19.2
TISHOMINGO	0	0	0	222	217	5	12.6	12.8	7.4
TUNICA	2	0	2	178	27	151	21.8	13.6	24.5
UNION	923	585	338	334	256	78	15.1	13.6	23.8
WALTHALL	4	4	0	230	91	139	16.0	11.0	22.8
WARREN	1,460	585	875	878	449	429	18.3	15.5	22.6
WASHINGTON	1,440	394	1,046	1,320	350	970	19.4	12.4	24.5
WAYNE	304	117	187	332	148	184	17.0	11.8	26.2
WEBSTER	0	0	0	149	99	50	14.6	12.4	22.0
WILKINSON	197	56	141	153	35	118	15.8	11.2	18.0
WINSTON	39	9	30	274	110	164	14.1	9.9	19.8
YALOBUSHA	0	0	0	210	99	111	17.4	13.2	24.4
YAZOO	44	6	38	475	152	323	18.6	12.7	23.8
OUT OF STATE	2,118	1,725	393	1,691	1,063	628			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1991

TOWN**	RESIDENCE DATA					
	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	878	584	294	19.0	16.9	25.0
BRANDON	206	155	51	18.6	16.1	35.7
BROOKHAVEN	189	89	100	18.4	15.9	21.6
CANTON	303	30	273	30.1	9.2	40.2
CLARKSDALE	416	101	315	21.1	13.6	25.6
CLEVELAND	255	84	171	16.6	10.2	24.0
CLINTON	252	173	79	11.5	9.7	19.8
COLUMBUS	507	148	359	21.3	12.9	29.2
CORINTH	165	115	50	14.0	12.5	19.0
GAUTIER	201	119	82	19.9	15.9	31.6
GREENVILLE	895	212	683	19.8	11.8	25.1
GREENWOOD	439	84	355	23.2	11.0	31.4
GRENADA	245	63	182	22.6	11.5	33.7
GULFPORT	868	469	399	21.3	16.4	32.5
HATTIESBURG	695	239	456	16.6	9.8	26.1
INDIANOLA	279	53	226	23.6	13.4	28.8
JACKSON	3,511	1,007	2,504	17.8	11.8	22.6
LAUREL	347	113	234	18.4	11.6	25.7
LONG BEACH	203	178	25	12.8	12.3	19.2
MCCOMB	216	73	143	18.6	11.8	26.5
MERIDIAN	758	257	501	18.5	11.6	26.5
MOSS POINT	291	54	237	16.3	8.8	20.2
NATCHEZ	349	122	227	17.9	12.7	23.0
OCEAN SPRINGS	238	204	34	16.2	15.3	25.5
PASCAGOULA	488	339	149	18.8	17.0	25.2
PEARL	294	246	48	15.0	13.8	26.2
PICAYUNE	181	93	88	17.0	13.9	22.4
RIDGELAND	224	181	43	19.1	17.8	28.2
SOUTHAVEN	314	288	26	17.5	16.6	44.4
STARKVILLE	301	138	163	16.3	10.8	28.6
TUPELO	569	352	217	18.5	15.2	28.5
VICKSBURG	487	159	328	23.3	18.8	26.4
YAZOO CITY	262	44	218	21.1	10.2	26.9

* BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>72.2</u>	<u>60.5</u>	<u>90.2</u>				
ADAMS	73.5	59.4	85.9	LINCOLN	75.0	71.0	83.0
ALCORN	58.9	55.8	79.4	LOWNDES	79.4	66.9	97.3
AMITE	65.1	62.3	68.1	MADISON	78.4	61.9	100.0
ATTALA	79.0	57.2	105.1	MARION	72.3	64.5	87.8
BENTON	66.5	63.5	70.4	MARSHALL	76.8	70.4	81.7
BOLIVAR	77.6	51.5	91.3	MONROE	75.0	70.4	84.0
CALHOUN	56.3	49.6	70.1	MONTGOMERY	79.7	60.7	98.5
CARROLL	52.7	41.6	67.5	NESHOBA	71.0	53.4	103.2
CHICKASAW	75.4	62.9	91.7	NEWTON	85.5	70.6	111.7
CHOCTAW	57.6	45.8	82.0	NOXUBEE	86.5	64.1	94.4
CLAIBORNE	56.2	67.8	54.9	OKTIBBEHA	51.1	34.8	79.2
CLARKE	69.9	61.9	83.0	PANOLA	84.7	65.9	101.2
CLAY	75.8	63.6	84.4	PEARL RIVER	69.7	66.5	85.2
COAHOMA	88.9	57.0	103.3	PERRY	74.4	59.4	120.3
COPIAH	70.1	58.3	79.3	PIKE	74.2	60.7	87.5
COVINGTON	82.7	70.1	103.0	PONTOTOC	65.4	66.6	59.8
DESOTO	69.2	66.2	89.0	PRENTISS	63.6	64.1	60.6
FORREST	61.3	47.6	88.6	QUITMAN	103.2	72.3	120.9
FRANKLIN	63.8	58.6	70.9	RANKIN	59.0	56.5	70.6
GEORGE	84.7	82.1	108.6	SCOTT	84.8	71.1	103.1
GREENE	66.4	60.2	90.9	SHARKEY	96.8	57.2	113.0
GRENADA	83.8	60.6	111.6	SIMPSON	77.1	66.0	96.9
HANCOCK	71.2	68.9	89.1	SMITH	71.9	58.2	113.1
HARRISON	73.1	67.6	89.7	STONE	68.1	65.1	77.2
HINDS	67.2	49.6	81.0	SUNFLOWER	91.7	52.8	109.7
HOLMES	98.3	58.8	107.9	TALLAHATCHIE	87.3	59.8	102.8
HUMPHREYS	85.1	57.9	96.1	TATE	63.1	57.8	71.8
ISSAQUENA	77.3	47.0	100.9	TIPPAH	69.3	66.8	80.0
ITAWAMBA	58.4	57.2	72.8	TISHOMINGO	59.7	61.1	29.4
JACKSON	69.7	64.6	85.4	TUNICA	96.6	69.9	103.6
JASPER	77.3	56.6	94.3	UNION	69.8	64.3	97.4
JEFFERSON	76.9	89.0	75.6	WALTHALL	78.4	58.6	100.6
JEFF DAVIS	77.5	62.6	87.9	WARREN	80.0	71.0	92.0
JONES	66.2	56.2	91.8	WASHINGTON	84.6	58.5	100.9
KEMPER	64.6	60.4	67.0	WAYNE	74.0	54.4	104.2
LAFAYETTE	40.9	30.7	69.1	WEBSTER	70.2	62.4	93.3
LAMAR	68.6	64.3	94.5	WILKINSON	74.4	61.7	79.2
LAUDERDALE	75.1	62.1	95.5	WINSTON	65.9	51.3	81.3
LAWRENCE	71.7	64.5	83.5	YALOBUSHA	83.6	71.3	98.8
LEAKE	77.9	60.3	100.3	YAZOO	88.6	65.3	106.6
LEE	78.0	70.0	104.2				
LEFLORE	86.2	60.7	99.5				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1991

COUNTY	WHITE					NONWHITE				SEX	
	TOTAL	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
STATE	43, 184	21, 908	21, 830	12	66	21, 276	21, 194	24	58	21, 946	21, 238
ADAMS	580	220	220	0	0	360	360	0	0	295	285
ALCORN	407	335	333	0	2	72	71	0	1	200	207
AMITE	179	87	86	1	0	92	92	0	0	99	80
ATTALA	298	118	118	0	0	180	178	1	1	148	150
BENTON	112	60	60	0	0	52	52	0	0	75	37
BOLIVAR	793	181	180	0	1	612	610	0	2	404	389
CALHOUN	175	104	104	0	0	71	71	0	0	77	98
CARROLL	102	46	46	0	0	56	56	0	0	61	41
CHICKASAW	303	144	144	0	0	159	158	0	1	154	149
CHOCTAW	110	59	59	0	0	51	51	0	0	57	53
CLAIBORNE	181	23	23	0	0	158	158	0	0	91	90
CLARKE	264	145	145	0	0	119	119	0	0	135	129
CLAY	370	128	128	0	0	242	242	0	0	176	194
COAHOMA	625	124	124	0	0	501	501	0	0	304	321
COPIAH	438	160	160	0	0	278	277	0	1	213	225
COVINGTON	297	155	153	0	2	142	140	1	1	148	149
DESOTO	1, 144	953	952	0	1	191	189	0	2	560	584
FORREST	1, 101	567	564	0	3	534	532	0	2	575	526
FRANKLIN	110	59	59	0	0	51	51	0	0	53	57
GEORGE	316	277	276	1	0	39	39	0	0	163	153
GREENE	141	102	101	0	1	39	39	0	0	73	68
GRENADA	410	162	162	0	0	248	248	0	0	208	202
HANCOCK	470	404	402	0	2	66	66	0	0	223	247
HARRISON	2, 814	1, 949	1, 939	2	8	865	857	3	5	1, 455	1, 359

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1991

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,342	1,404	1,393	3	8	2,938	2,926	4	8	2,231	2,111
HOLMES	470	55	54	0	1	415	411	0	4	248	222
HUMPHREYS	230	45	44	1	0	185	185	0	0	108	122
ISSAQUENA	30	8	8	0	0	22	22	0	0	15	15
ITAWAMBA	250	227	226	1	0	23	23	0	0	124	126
JACKSON	1,875	1,311	1,303	1	7	564	561	1	2	915	960
JASPER	285	94	94	0	0	191	190	0	1	136	149
JEFFERSON	152	17	17	0	0	135	135	0	0	74	78
JEFF DAVIS	237	79	78	0	1	158	157	0	1	108	129
JONES	911	556	552	0	4	355	350	1	4	468	443
KEMPER	145	48	48	0	0	97	97	0	0	87	58
LAFAYETTE	378	209	209	0	0	169	169	0	0	200	178
LAMAR	510	410	409	0	1	100	100	0	0	272	238
LAUDERDALE	1,306	658	656	0	2	648	648	0	0	693	613
LAWRENCE	196	110	110	0	0	86	84	0	2	94	102
LEAKE	300	130	130	0	0	170	169	0	1	169	131
LEE	1,208	829	829	0	0	379	378	1	0	632	576
LEFLORE	726	175	175	0	0	551	548	3	0	391	335
LINCOLN	496	310	310	0	0	186	186	0	0	242	254
LOWNDES	1,178	584	584	0	0	594	591	0	3	577	601
MADISON	1,104	494	493	0	1	610	608	2	0	547	557
MARION	397	236	235	0	1	161	157	0	4	195	202
MARSHALL	547	221	219	0	2	326	326	0	0	275	272
MONROE	609	374	373	0	1	235	235	0	0	296	313
MONTGOMERY	206	78	77	0	1	128	128	0	0	100	106
NESHOBA	383	186	186	0	0	197	197	0	0	188	195
NEWTON	373	196	196	0	0	177	177	0	0	186	187
NOXUBEE	239	46	46	0	0	193	193	0	0	109	130
OKTIBBEHA	553	238	236	0	2	315	315	0	0	293	260
PANOLA	566	206	204	1	1	360	359	0	1	293	273

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1991

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS. , OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	605	478	478	0	0	127	126	0	1	338	267
PERRY	184	111	111	0	0	73	73	0	0	97	87
PIKE	613	250	250	0	0	363	363	0	0	305	308
PONTOTOC	322	272	272	0	0	50	50	0	0	173	149
PRENTISS	335	290	289	0	1	45	45	0	0	177	158
QUITMAN	232	59	59	0	0	173	173	0	0	119	113
RANKIN	1,267	1,000	998	0	2	267	266	1	0	635	632
SCOTT	450	216	216	0	0	234	234	0	0	239	211
SHARKEY	157	27	27	0	0	130	130	0	0	74	83
SIMPSON	403	221	220	0	1	182	181	0	1	211	192
SMITH	224	136	136	0	0	88	87	1	0	125	99
STONE	170	122	121	1	0	48	48	0	0	79	91
SUNFLOWER	629	115	115	0	0	514	512	2	0	326	303
TALLAHATCHIE	283	70	70	0	0	213	210	2	1	134	149
TATE	321	183	183	0	0	138	138	0	0	144	177
TIPPAH	292	229	229	0	0	63	63	0	0	145	147
TISHOMINGO	222	217	217	0	0	5	5	0	0	118	104
TUNICA	178	27	27	0	0	151	149	0	2	100	78
UNION	334	256	256	0	0	78	78	0	0	165	169
WALTHALL	230	91	87	0	4	139	139	0	0	113	117
WARREN	878	449	446	0	3	429	429	0	0	450	428
WASHINGTON	1,320	350	350	0	0	970	966	0	4	677	643
WAYNE	332	148	147	0	1	184	184	0	0	170	162
WEBSTER	149	99	99	0	0	50	50	0	0	76	73
WILKINSON	153	35	35	0	0	118	118	0	0	76	77
WINSTON	274	110	110	0	0	164	163	1	0	137	137
YALOBUSHA	210	99	99	0	0	111	111	0	0	99	111
YAZOO	475	152	151	0	1	323	321	0	2	231	244

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	43,184	317	9,053	14,224	11,000	6,157	2,088	315	15	15
ADAMS	580	4	135	194	138	73	34	2	0	0
ALCORN	407	1	82	150	93	49	27	3	0	2
AMITE	179	1	30	68	43	29	7	1	0	0
ATTALA	298	2	69	111	55	49	10	2	0	0
BENTON	112	0	28	39	26	11	6	2	0	0
BOLIVAR	793	5	240	293	151	68	26	10	0	0
CALHOUN	175	1	42	61	45	21	3	2	0	0
CARROLL	102	0	17	36	30	14	3	2	0	0
CHICKASAW	303	2	60	115	70	41	13	2	0	0
CHOCTAW	110	1	17	46	23	14	7	2	0	0
CLAIBORNE	181	1	38	61	45	23	12	1	0	0
CLARKE	264	2	54	92	78	27	11	0	0	0
CLAY	370	1	88	117	93	45	24	2	0	0
COAHOMA	625	3	199	198	130	63	28	4	0	0
COPIAH	438	4	87	159	96	59	27	6	0	0
COVINGTON	297	2	75	115	63	33	6	3	0	0
DESOTO	1,144	3	153	370	368	185	61	4	0	0
FORREST	1,101	9	226	351	307	146	58	3	0	1
FRANKLIN	110	1	22	40	25	13	5	4	0	0
GEORGE	316	2	79	104	84	36	10	1	0	0
GREENE	141	0	46	42	28	21	3	1	0	0
GRENADA	410	4	89	139	101	55	18	4	0	0
HANCOCK	470	1	105	137	121	64	34	8	0	0
HARRISON	2,814	12	516	923	769	432	139	20	2	1
HINDS	4,342	32	772	1,272	1,160	783	285	35	0	3
HOLMES	470	3	121	172	92	55	22	4	1	0
HUMPHREYS	230	4	80	77	29	26	13	1	0	0
ISSAQUENA	30	1	9	10	5	4	1	0	0	0
ITAWAMBA	250	0	46	82	81	30	8	3	0	0
JACKSON	1,875	18	348	628	516	265	87	13	0	0
JASPER	285	0	61	101	68	42	12	1	0	0
JEFFERSON	152	4	30	47	34	22	13	2	0	0
JEFF DAVIS	237	1	53	93	57	27	5	1	0	0
JONES	911	8	196	296	238	122	46	5	0	0
KEMPER	145	1	34	48	36	24	2	0	0	0
LAFAYETTE	378	3	71	120	97	63	19	5	0	0
LAMAR	510	4	79	163	146	93	23	1	1	0
LAUDERDALE	1,306	9	242	452	346	188	62	6	0	1
LAWRENCE	196	1	49	58	53	18	12	5	0	0
LEAKE	300	4	58	105	75	40	15	3	0	0
LEE	1,208	6	223	403	328	194	50	3	1	0
LEFLORE	726	2	206	266	150	65	28	8	1	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
LINCOLN	496	2	105	152	140	79	16	2	0	0
LOWNDES	1, 178	6	203	387	328	184	61	9	0	0
MADISON	1, 104	10	179	257	332	235	75	15	1	0
MARION	397	2	102	143	84	44	15	6	1	0
MARSHALL	547	3	121	201	140	56	20	5	1	0
MONROE	609	6	129	215	146	91	19	2	1	0
MONTGOMERY	206	6	40	65	56	25	11	2	0	1
NESHOBA	383	4	82	150	90	45	9	3	0	0
NEWTON	373	5	80	136	82	49	20	1	0	0
NOXUBEE	239	2	58	85	51	31	10	2	0	0
OKTIBBEHA	553	4	88	152	167	105	30	5	0	2
PANOLA	566	4	135	210	122	63	28	3	1	0
PEARL RIVER	605	5	140	204	156	70	23	7	0	0
PERRY	184	1	39	70	37	28	7	1	1	0
PIKE	613	1	131	201	149	88	36	7	0	0
PONTOTOC	322	0	47	100	111	47	14	2	1	0
PRENTISS	335	0	70	115	87	47	13	2	0	1
QUITMAN	232	4	70	77	48	27	6	0	0	0
RANKIN	1, 267	7	174	347	400	241	86	10	1	1
SCOTT	450	4	110	162	95	55	22	2	0	0
SHARKEY	157	2	47	48	32	17	10	1	0	0
SIMPSON	403	2	77	143	114	47	16	4	0	0
SMITH	224	5	47	70	58	35	8	1	0	0
STONE	170	2	37	52	46	22	9	1	0	1
SUNFLOWER	629	6	209	217	115	56	25	1	0	0
TALLAHATCHIE	283	2	92	111	44	25	8	1	0	0
TATE	321	1	60	125	78	37	19	1	0	0
TIPPAH	292	1	58	129	67	25	9	2	1	0
TISHOMINGO	222	0	53	71	55	34	9	0	0	0
TUNICA	178	10	55	56	37	15	5	0	0	0
UNION	334	1	62	117	100	41	12	1	0	0
WALTHALL	230	1	47	91	50	30	7	3	0	1
WARREN	878	8	163	268	229	165	38	7	0	0
WASHINGTON	1, 320	15	377	446	280	141	55	6	0	0
WAYNE	332	5	77	105	78	51	11	5	0	0
WEBSTER	149	2	31	51	32	28	5	0	0	0
WILKINSON	153	4	21	49	43	27	8	1	0	0
WINSTON	274	2	68	77	73	37	16	1	0	0
YALOBUSHA	210	3	63	67	43	26	8	0	0	0
YAZOO	475	6	131	148	112	56	14	8	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	21, 908	42	3, 350	6, 877	6, 616	3, 700	1, 158	152	5	8
ADAMS	220	0	29	62	76	32	20	1	0	0
ALCORN	335	0	62	123	81	44	22	2	0	1
AMITE	87	0	8	33	23	19	3	1	0	0
ATTALA	118	0	26	34	28	22	7	1	0	0
BENTON	60	0	13	19	17	7	3	1	0	0
BOLIVAR	181	0	29	63	58	22	9	0	0	0
CALHOUN	104	0	15	45	29	11	2	2	0	0
CARROLL	46	0	6	15	17	6	1	1	0	0
CHICKASAW	144	0	24	55	35	21	9	0	0	0
CHOCTAW	59	0	10	22	18	6	3	0	0	0
CLAIBORNE	23	0	1	9	7	5	1	0	0	0
CLARKE	145	0	26	54	42	16	7	0	0	0
CLAY	128	0	12	35	50	22	9	0	0	0
COAHOMA	124	0	20	33	42	16	12	1	0	0
COPIAH	160	1	25	58	44	19	12	1	0	0
COVINGTON	155	0	30	60	41	20	4	0	0	0
DESOTO	953	1	106	306	324	160	52	4	0	0
FORREST	567	0	95	167	179	91	34	1	0	0
FRANKLIN	59	0	11	22	12	8	3	3	0	0
GEORGE	277	2	66	93	73	34	8	1	0	0
GREENE	102	0	27	34	22	17	2	0	0	0
GRENADA	162	0	25	50	49	27	11	0	0	0
HANCOCK	404	1	80	120	106	60	29	8	0	0
HARRISON	1, 949	5	309	612	592	323	95	11	1	1
HINDS	1, 404	2	106	332	458	349	139	18	0	0
HOLMES	55	0	8	19	14	11	3	0	0	0
HUMPHREYS	45	0	13	12	10	4	5	1	0	0
ISSAQUENA	8	0	2	4	0	1	1	0	0	0
ITAWAMBA	227	0	42	77	73	26	6	3	0	0
JACKSON	1, 311	4	200	432	397	206	63	9	0	0
JASPER	94	0	10	33	29	20	2	0	0	0
JEFFERSON	17	0	2	8	3	3	1	0	0	0
JEFF DAVIS	79	0	14	31	22	11	1	0	0	0
JONES	556	3	97	168	170	85	30	3	0	0
KEMPER	48	0	9	16	16	7	0	0	0	0
LAFAYETTE	209	0	22	61	72	38	12	4	0	0
LAMAR	410	2	53	127	121	86	19	1	1	0
LAUDERDALE	658	0	71	216	209	117	41	4	0	0
LAWRENCE	110	1	27	36	35	7	3	1	0	0
LEAKE	130	1	21	54	35	12	6	1	0	0
LEE	829	3	137	268	240	145	33	2	1	0
LEFLORE	175	0	30	59	52	25	9	0	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	310	0	53	93	101	50	12	1	0	0
LOWNDES	584	0	74	180	176	117	32	5	0	0
MADISON	494	0	22	71	201	153	42	5	0	0
MARION	236	0	63	85	52	24	8	4	0	0
MARSHALL	221	0	44	85	57	25	8	1	1	0
MONROE	374	2	68	136	98	58	11	1	0	0
MONTGOMERY	78	0	9	23	34	7	4	0	0	1
NESHOBA	186	0	33	83	47	22	1	0	0	0
NEWTON	196	1	41	58	51	31	14	0	0	0
NOXUBEE	46	0	6	9	17	10	4	0	0	0
OKTIBBEHA	238	0	20	65	75	58	17	1	0	2
PANOLA	206	1	30	78	49	35	12	1	0	0
PEARL RIVER	478	2	105	158	135	52	19	7	0	0
PERRY	111	0	23	38	24	22	3	0	1	0
PIKE	250	0	32	79	71	51	11	6	0	0
PONTOTOC	272	0	38	82	96	41	13	2	0	0
PRENTISS	290	0	60	96	76	44	11	2	0	1
QUITMAN	59	0	7	19	20	11	2	0	0	0
RANKIN	1,000	4	111	276	339	200	63	7	0	0
SCOTT	216	2	38	79	55	29	12	1	0	0
SHARKEY	27	0	1	5	11	6	3	1	0	0
SIMPSON	221	0	38	74	77	23	7	2	0	0
SMITH	136	0	23	40	48	23	1	1	0	0
STONE	122	0	27	39	35	13	6	1	0	1
SUNFLOWER	115	0	28	30	37	14	6	0	0	0
TALLAHATCHIE	70	0	14	28	14	10	4	0	0	0
TATE	183	0	23	73	48	28	11	0	0	0
TIPPAH	229	1	40	99	57	23	7	2	0	0
TISHOMINGO	217	0	51	71	52	34	9	0	0	0
TUNICA	27	0	5	9	8	5	0	0	0	0
UNION	256	0	41	85	84	35	10	1	0	0
WALTHALL	91	1	11	37	23	14	3	1	0	1
WARREN	449	1	67	125	139	97	17	3	0	0
WASHINGTON	350	0	66	101	105	57	19	2	0	0
WAYNE	148	1	29	44	38	32	3	1	0	0
WEBSTER	99	0	17	29	27	21	5	0	0	0
WILKINSON	35	0	3	9	12	11	0	0	0	0
WINSTON	110	0	19	34	36	14	7	0	0	0
YALOBUSHA	99	0	27	34	23	13	2	0	0	0
YAZOO	152	0	24	41	47	26	7	7	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15- 19	20- 24	25- 29	30- 34	35- 39	40- 44	45- 49	
STATE	21, 276	275	5, 703	7, 347	4, 384	2, 457	930	163	10	7
ADAMS	360	4	106	132	62	41	14	1	0	0
ALCORN	72	1	20	27	12	5	5	1	0	1
AMITE	92	1	22	35	20	10	4	0	0	0
ATTALA	180	2	43	77	27	27	3	1	0	0
BENTON	52	0	15	20	9	4	3	1	0	0
BOLIVAR	612	5	211	230	93	46	17	10	0	0
CALHOUN	71	1	27	16	16	10	1	0	0	0
CARROLL	56	0	11	21	13	8	2	1	0	0
CHICKASAW	159	2	36	60	35	20	4	2	0	0
CHOCTAW	51	1	7	24	5	8	4	2	0	0
CLAI BORNE	158	1	37	52	38	18	11	1	0	0
CLARKE	119	2	28	38	36	11	4	0	0	0
CLAY	242	1	76	82	43	23	15	2	0	0
COAHOMA	501	3	179	165	88	47	16	3	0	0
COPIAH	278	3	62	101	52	40	15	5	0	0
COVINGTON	142	2	45	55	22	13	2	3	0	0
DESOTO	191	2	47	64	44	25	9	0	0	0
FORREST	534	9	131	184	128	55	24	2	0	1
FRANKLIN	51	1	11	18	13	5	2	1	0	0
GEORGE	39	0	13	11	11	2	2	0	0	0
GREENE	39	0	19	8	6	4	1	1	0	0
GRENADA	248	4	64	89	52	28	7	4	0	0
HANCOCK	66	0	25	17	15	4	5	0	0	0
HARRISON	865	7	207	311	177	109	44	9	1	0
HINDS	2, 938	30	666	940	702	434	146	17	0	3
HOLMES	415	3	113	153	78	44	19	4	1	0
HUMPHREYS	185	4	67	65	19	22	8	0	0	0
ISSAQUENA	22	1	7	6	5	3	0	0	0	0
ITAWAMBA	23	0	4	5	8	4	2	0	0	0
JACKSON	564	14	148	196	119	59	24	4	0	0
JASPER	191	0	51	68	39	22	10	1	0	0
JEFFERSON	135	4	28	39	31	19	12	2	0	0
JEFF DAVIS	158	1	39	62	35	16	4	1	0	0
JONES	355	5	99	128	68	37	16	2	0	0
KEMPER	97	1	25	32	20	17	2	0	0	0
LAFAYETTE	169	3	49	59	25	25	7	1	0	0
LAMAR	100	2	26	36	25	7	4	0	0	0
LAUDERDALE	648	9	171	236	137	71	21	2	0	1
LAWRENCE	86	0	22	22	18	11	9	4	0	0
LEAKE	170	3	37	51	40	28	9	2	0	0
LEE	379	3	86	135	88	49	17	1	0	0
LEFLORE	551	2	176	207	98	40	19	8	1	0

TABLE 3C - PAGE 2

LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	186	2	52	59	39	29	4	1	0	0
LOWNDES	594	6	129	207	152	67	29	4	0	0
MADISON	610	10	157	186	131	82	33	10	1	0
MARION	161	2	39	58	32	20	7	2	1	0
MARSHALL	326	3	77	116	83	31	12	4	0	0
MONROE	235	4	61	79	48	33	8	1	1	0
MONTGOMERY	128	6	31	42	22	18	7	2	0	0
NESHOBA	197	4	49	67	43	23	8	3	0	0
NEWTON	177	4	39	78	31	18	6	1	0	0
NOXUBEE	193	2	52	76	34	21	6	2	0	0
OKTIBBEHA	315	4	68	87	92	47	13	4	0	0
PANOLA	360	3	105	132	73	28	16	2	1	0
PEARL RIVER	127	3	35	46	21	18	4	0	0	0
PERRY	73	1	16	32	13	6	4	1	0	0
PIKE	363	1	99	122	78	37	25	1	0	0
PONTOTOC	50	0	9	18	15	6	1	0	1	0
PRENTISS	45	0	10	19	11	3	2	0	0	0
QUITMAN	173	4	63	58	28	16	4	0	0	0
RANKIN	267	3	63	71	61	41	23	3	1	1
SCOTT	234	2	72	83	40	26	10	1	0	0
SHARKEY	130	2	46	43	21	11	7	0	0	0
SIMPSON	182	2	39	69	37	24	9	2	0	0
SMITH	88	5	24	30	10	12	7	0	0	0
STONE	48	2	10	13	11	9	3	0	0	0
SUNFLOWER	514	6	181	187	78	42	19	1	0	0
TALLAHATCHIE	213	2	78	83	30	15	4	1	0	0
TATE	138	1	37	52	30	9	8	1	0	0
TIPPAH	63	0	18	30	10	2	2	0	1	0
TISHOMINGO	5	0	2	0	3	0	0	0	0	0
TUNICA	151	10	50	47	29	10	5	0	0	0
UNION	78	1	21	32	16	6	2	0	0	0
WALTHALL	139	0	36	54	27	16	4	2	0	0
WARREN	429	7	96	143	90	68	21	4	0	0
WASHINGTON	970	15	311	345	175	84	36	4	0	0
WAYNE	184	4	48	61	40	19	8	4	0	0
WEBSTER	50	2	14	22	5	7	0	0	0	0
WILKINSON	118	4	18	40	31	16	8	1	0	0
WINSTON	164	2	49	43	37	23	9	1	0	0
YALOBUSHA	111	3	36	33	20	13	6	0	0	0
YAZOO	323	6	107	107	65	30	7	1	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>18,309</u>	<u>3,299</u>	<u>15,010</u>	<u>42.4</u>	<u>15.0</u>	<u>70.5</u>
ADAMS	319	41	278	55.0	18.6	77.2
ALCORN	86	39	47	21.1	11.6	65.3
AMITE	69	10	59	38.5	11.5	64.1
ATTALA	131	13	118	44.0	11.0	65.6
BENTON	40	8	32	35.7	13.3	61.5
BOLIVAR	543	20	523	68.5	11.0	85.4
CALHOUN	66	21	45	37.7	20.2	63.4
CARROLL	38	5	33	37.2	10.9	58.9
CHICKASAW	120	21	99	39.6	14.6	62.3
CHOCTAW	40	5	35	36.4	8.5	68.6
CLAIBORNE	127	1	126	70.2	4.3	79.7
CLARKE	83	17	66	31.4	11.7	55.5
CLAY	187	14	173	50.5	10.9	71.5
COAHOMA	429	21	408	68.6	16.9	81.4
COPIAH	201	25	176	45.9	15.6	63.3
COVINGTON	127	18	109	42.8	11.6	76.8
DESOTO	259	125	134	22.6	13.1	70.2
FORREST	491	105	386	44.6	18.5	72.3
FRANKLIN	44	10	34	40.0	16.9	66.7
GEORGE	61	41	20	19.3	14.8	51.3
GREENE	46	16	30	32.6	15.7	76.9
GRENADA	183	18	165	44.6	11.1	66.5
HANCOCK	154	106	48	32.8	26.2	72.7
HARRISON	965	434	531	34.3	22.3	61.4
HINDS	2,108	181	1,927	48.5	12.9	65.6
HOLMES	321	4	317	68.3	7.3	76.4
HUMPHREYS	167	11	156	72.6	24.4	84.3
ISSAQUENA	16	0	16	53.3	-	72.7
ITAWAMBA	35	24	11	14.0	10.6	47.8
JACKSON	623	255	368	33.2	19.4	65.2
JASPER	113	8	105	39.6	8.5	55.0
JEFFERSON	106	4	102	69.7	23.5	75.6
JEFF DAVIS	116	8	108	48.9	10.1	68.4
JONES	327	75	252	35.9	13.5	71.0
KEMPER	70	10	60	48.3	20.8	61.8
LAFAYETTE	130	19	111	34.4	9.1	65.7
LAMAR	112	51	61	22.0	12.4	61.0
LAUDERDALE	546	82	464	41.8	12.5	71.6
LAWRENCE	67	12	55	34.2	10.9	64.0
LEAKE	126	26	100	42.0	20.0	58.8
LEE	370	133	237	30.6	16.0	62.5
LEFLORE	481	26	455	66.2	14.8	82.6

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	162	40	122	32.7	12.9	65.6
LOWNDES	462	89	373	39.2	15.2	62.8
MADISON	446	20	426	40.4	4.0	69.8
MARION	140	35	105	35.3	14.8	65.2
MARSHALL	270	39	231	49.4	17.6	70.8
MONROE	226	51	175	37.1	13.6	74.5
MONTGOMERY	92	8	84	44.7	10.2	65.6
NESHOBA	155	26	129	40.5	14.0	65.5
NEWTON	143	32	111	38.3	16.3	62.7
NOXUBEE	140	2	138	58.6	4.3	71.5
OKTIBBEHA	210	12	198	38.0	5.0	62.8
PANOLA	302	24	278	53.4	11.6	77.2
PEARL RIVER	198	106	92	32.7	22.2	72.4
PERRY	74	24	50	40.2	21.6	68.5
PIKE	285	43	242	46.5	17.2	66.7
PONTOTOC	70	40	30	21.7	14.7	60.0
PRENTISS	83	51	32	24.8	17.6	71.1
QUITMAN	147	8	139	63.4	13.6	80.3
RANKIN	296	138	158	23.4	13.8	59.2
SCOTT	195	24	171	43.3	11.1	73.1
SHARKEY	112	3	109	71.3	11.1	83.8
SIMPSON	144	28	116	35.7	12.7	63.7
SMITH	67	8	59	29.9	5.9	67.0
STONE	44	13	31	25.9	10.6	64.6
SUNFLOWER	438	14	424	69.6	12.2	82.5
TALLAHATCHIE	193	13	180	68.2	18.6	84.5
TATE	117	25	92	36.4	13.7	66.7
TIPPAH	64	23	41	21.9	10.0	65.1
TISHOMINGO	35	33	2	15.8	15.2	40.0
TUNICA	135	6	129	75.8	22.2	85.4
UNION	82	36	46	24.6	14.1	59.0
WALTHALL	99	15	84	43.0	16.5	60.4
WARREN	376	71	305	42.8	15.8	71.1
WASHINGTON	877	63	814	66.4	18.0	83.9
WAYNE	144	15	129	43.4	10.1	70.1
WEBSTER	48	12	36	32.2	12.1	72.0
WILKINSON	90	4	86	58.8	11.4	72.9
WINSTON	124	8	116	45.2	7.3	70.7
YALOBUSHA	99	16	83	47.1	16.2	74.8
YAZOO	282	18	264	59.4	11.8	81.7

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	18,309	311	6,681	6,729	2,727	1,310	454	81	6	10
ADAMS	319	4	118	126	42	21	7	1	0	0
ALCORN	86	1	33	34	8	4	3	1	0	2
AMITE	69	1	22	28	8	7	2	1	0	0
ATTALA	131	2	50	53	8	15	2	1	0	0
BENTON	40	0	19	12	7	1	0	1	0	0
BOLIVAR	543	5	217	214	62	29	10	6	0	0
CALHOUN	66	1	30	22	8	4	1	0	0	0
CARROLL	38	0	11	16	8	3	0	0	0	0
CHICKASAW	120	2	40	44	21	9	4	0	0	0
CHOCTAW	40	1	10	17	5	6	1	0	0	0
CLAI BORNE	127	1	36	49	25	9	7	0	0	0
CLARKE	83	2	34	28	18	1	0	0	0	0
CLAY	187	1	80	71	18	12	5	0	0	0
COAHOMA	429	3	178	144	62	31	9	2	0	0
COPIAH	201	4	61	90	25	16	2	3	0	0
COVINGTON	127	2	50	53	13	7	2	0	0	0
DESOTO	259	3	93	96	33	25	9	0	0	0
FORREST	491	9	165	186	85	32	13	0	0	1
FRANKLIN	44	1	16	14	10	2	1	0	0	0
GEORGE	61	2	24	20	10	3	2	0	0	0
GREENE	46	0	21	10	8	7	0	0	0	0
GRENADA	183	4	63	70	31	13	1	1	0	0
HANCOCK	154	0	70	47	24	6	7	0	0	0
HARRISON	965	10	347	361	136	79	31	1	0	0
HINDS	2,108	32	689	758	368	198	54	7	0	2
HOLMES	321	3	112	124	45	25	9	3	0	0
HUMPHREYS	167	4	71	62	13	14	3	0	0	0
ISSAQUENA	16	1	6	5	2	2	0	0	0	0
ITAWAMBA	35	0	14	10	6	4	1	0	0	0
JACKSON	623	18	242	221	99	30	9	4	0	0
JASPER	113	0	45	43	15	7	2	1	0	0
JEFFERSON	106	4	29	33	20	13	6	1	0	0
JEFF DAVIS	116	1	41	47	18	5	3	1	0	0
JONES	327	7	125	120	48	18	7	2	0	0
KEMPER	70	1	30	24	9	5	1	0	0	0
LAFAYETTE	130	3	54	43	15	12	2	1	0	0
LAMAR	112	4	45	40	12	7	3	0	1	0
LAUDERDALE	546	9	193	215	81	33	11	3	0	1
LAWRENCE	67	1	26	19	11	4	4	2	0	0
LEAKE	126	4	39	44	21	12	6	0	0	0
LEE	370	5	137	137	55	25	9	2	0	0
LEFLORE	481	2	186	188	70	23	8	4	0	0

TABLE 5A - PAGE 2

TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	162	2	68	59	13	17	3	0	0	0
LOWNDES	462	6	152	181	71	35	13	4	0	0
MADISON	446	10	161	150	71	28	21	5	0	0
MARION	140	2	58	48	20	7	5	0	0	0
MARSHALL	270	3	88	99	50	22	6	2	0	0
MONROE	226	6	79	82	35	16	6	1	1	0
MONTGOMERY	92	6	30	31	12	8	3	1	0	1
NESHOBA	155	4	54	54	24	14	4	1	0	0
NEWTON	143	5	53	53	17	11	4	0	0	0
NOXUBEE	140	2	51	56	18	8	4	1	0	0
OKTIBBEHA	210	4	68	65	47	21	4	1	0	0
PANOLA	302	4	112	120	35	19	9	2	1	0
PEARL RIVER	198	5	81	64	29	14	4	1	0	0
PERRY	74	1	27	32	8	4	0	1	1	0
PIKE	285	1	108	94	52	18	11	1	0	0
PONTOTOC	70	0	23	28	10	7	1	0	1	0
PRENTISS	83	0	25	30	15	8	4	0	0	1
QUITMAN	147	4	63	52	15	11	2	0	0	0
RANKIN	296	7	111	108	37	20	9	2	1	1
SCOTT	195	3	76	75	25	14	2	0	0	0
SHARKEY	112	2	45	38	16	8	3	0	0	0
SIMPSON	144	2	50	55	23	11	3	0	0	0
SMITH	67	5	29	24	3	6	0	0	0	0
STONE	44	2	16	13	7	5	1	0	0	0
SUNFLOWER	438	6	179	158	57	30	8	0	0	0
TALLAHATCHIE	193	2	78	78	28	5	2	0	0	0
TATE	117	1	41	51	18	3	3	0	0	0
TIPPAH	64	1	23	28	8	4	0	0	0	0
TISHOMINGO	35	0	13	11	6	4	1	0	0	0
TUNICA	135	10	52	43	23	4	3	0	0	0
UNION	82	1	30	36	13	1	1	0	0	0
WALTHALL	99	1	36	38	15	6	2	0	0	1
WARREN	376	8	122	144	57	30	13	2	0	0
WASHINGTON	877	15	325	325	126	63	19	4	0	0
WAYNE	144	5	52	49	26	6	4	2	0	0
WEBSTER	48	2	18	17	5	5	1	0	0	0
WILKINSON	90	4	17	34	21	10	4	0	0	0
WINSTON	124	2	47	36	26	7	5	1	0	0
YALOBUSHA	99	3	40	31	16	7	2	0	0	0
YAZOO	282	6	108	101	46	14	7	0	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	3,299	36	1,274	1,184	495	219	74	11	2	4
ADAMS	41	0	17	17	3	3	1	0	0	0
ALCORN	39	0	15	14	4	3	1	1	0	1
AMITE	10	0	3	4	1	1	0	1	0	0
ATTALA	13	0	11	2	0	0	0	0	0	0
BENTON	8	0	5	1	2	0	0	0	0	0
BOLIVAR	20	0	10	7	2	1	0	0	0	0
CALHOUN	21	0	7	8	4	1	1	0	0	0
CARROLL	5	0	3	1	1	0	0	0	0	0
CHICKASAW	21	0	5	7	7	0	2	0	0	0
CHOCTAW	5	0	3	0	2	0	0	0	0	0
CLAIBORNE	1	0	0	1	0	0	0	0	0	0
CLARKE	17	0	8	5	4	0	0	0	0	0
CLAY	14	0	9	5	0	0	0	0	0	0
COAHOMA	21	0	11	6	3	1	0	0	0	0
COPIAH	25	1	7	13	3	1	0	0	0	0
COVINGTON	18	0	7	8	2	0	1	0	0	0
DESOTO	125	1	49	52	15	5	3	0	0	0
FORREST	105	0	41	42	14	6	2	0	0	0
FRANKLIN	10	0	5	2	3	0	0	0	0	0
GEORGE	41	2	13	17	6	2	1	0	0	0
GREENE	16	0	5	5	3	3	0	0	0	0
GRENADA	18	0	6	6	4	1	1	0	0	0
HANCOCK	106	0	47	35	16	4	4	0	0	0
HARRISON	434	3	159	153	65	39	14	1	0	0
HINDS	181	2	53	75	33	17	1	0	0	0
HOLMES	4	0	1	1	2	0	0	0	0	0
HUMPHREYS	11	0	8	3	0	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	24	0	10	7	4	3	0	0	0	0
JACKSON	255	4	101	93	44	8	3	2	0	0
JASPER	8	0	2	4	1	1	0	0	0	0
JEFFERSON	4	0	2	0	2	0	0	0	0	0
JEFF DAVIS	8	0	4	3	1	0	0	0	0	0
JONES	75	2	31	21	12	6	2	1	0	0
KEMPER	10	0	5	3	2	0	0	0	0	0
LAFAYETTE	19	0	5	7	3	4	0	0	0	0
LAMAR	51	2	19	18	4	5	2	0	1	0
LAUDERDALE	82	0	29	31	15	2	4	1	0	0
LAWRENCE	12	1	5	5	1	0	0	0	0	0
LEAKE	26	1	7	10	7	1	0	0	0	0
LEE	133	2	56	47	14	7	5	2	0	0
LEFLORE	26	0	10	12	3	1	0	0	0	0

LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	40	0	18	12	5	4	1	0	0	0
LOWNDES	89	0	28	38	9	10	4	0	0	0
MADISON	20	0	6	6	3	4	1	0	0	0
MARION	35	0	23	8	2	1	1	0	0	0
MARSHALL	39	0	13	11	10	5	0	0	0	0
MONROE	51	2	20	21	5	3	0	0	0	0
MONTGOMERY	8	0	2	2	3	0	0	0	0	1
NESHOBA	26	0	9	11	4	2	0	0	0	0
NEWTON	32	1	19	6	2	2	2	0	0	0
NOXUBEE	2	0	0	0	1	0	1	0	0	0
OKTIBBEHA	12	0	3	5	1	3	0	0	0	0
PANOLA	24	1	8	11	2	2	0	0	0	0
PEARL RIVER	106	2	52	27	17	5	2	1	0	0
PERRY	24	0	11	9	2	1	0	0	1	0
PIKE	43	0	15	9	10	7	1	1	0	0
PONTOTOC	40	0	15	16	5	4	0	0	0	0
PRENTISS	51	0	15	17	9	6	3	0	0	1
QUITMAN	8	0	2	3	1	2	0	0	0	0
RANKIN	138	4	52	54	17	7	4	0	0	0
SCOTT	24	1	9	11	2	1	0	0	0	0
SHARKEY	3	0	0	1	2	0	0	0	0	0
SIMPSON	28	0	13	8	6	1	0	0	0	0
SMITH	8	0	6	1	1	0	0	0	0	0
STONE	13	0	7	4	2	0	0	0	0	0
SUNFLOWER	14	0	6	4	2	2	0	0	0	0
TALLAHATCHIE	13	0	4	7	2	0	0	0	0	0
TATE	25	0	7	15	2	1	0	0	0	0
TIPPAH	23	1	6	10	4	2	0	0	0	0
TISHOMINGO	33	0	12	11	5	4	1	0	0	0
TUNICA	6	0	3	2	0	1	0	0	0	0
UNION	36	0	11	18	7	0	0	0	0	0
WALTHALL	15	1	3	6	2	2	0	0	0	1
WARREN	71	1	29	25	13	1	2	0	0	0
WASHINGTON	63	0	24	24	11	4	0	0	0	0
WAYNE	15	1	6	3	4	1	0	0	0	0
WEBSTER	12	0	4	2	2	3	1	0	0	0
WILKINSON	4	0	0	3	1	0	0	0	0	0
WINSTON	8	0	4	2	2	0	0	0	0	0
YALOBUSHA	16	0	6	6	2	2	0	0	0	0
YAZOO	18	0	9	4	3	0	2	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	15, 010	275	5, 407	5, 545	2, 232	1, 091	380	70	4	6
ADAMS	278	4	101	109	39	18	6	1	0	0
ALCORN	47	1	18	20	4	1	2	0	0	1
AMITE	59	1	19	24	7	6	2	0	0	0
ATTALA	118	2	39	51	8	15	2	1	0	0
BENTON	32	0	14	11	5	1	0	1	0	0
BOLIVAR	523	5	207	207	60	28	10	6	0	0
CALHOUN	45	1	23	14	4	3	0	0	0	0
CARROLL	33	0	8	15	7	3	0	0	0	0
CHICKASAW	99	2	35	37	14	9	2	0	0	0
CHOCTAW	35	1	7	17	3	6	1	0	0	0
CLAI BORNE	126	1	36	48	25	9	7	0	0	0
CLARKE	66	2	26	23	14	1	0	0	0	0
CLAY	173	1	71	66	18	12	5	0	0	0
COAHOMA	408	3	167	138	59	30	9	2	0	0
COPIAH	176	3	54	77	22	15	2	3	0	0
COVINGTON	109	2	43	45	11	7	1	0	0	0
DESOTO	134	2	44	44	18	20	6	0	0	0
FORREST	386	9	124	144	71	26	11	0	0	1
FRANKLIN	34	1	11	12	7	2	1	0	0	0
GEORGE	20	0	11	3	4	1	1	0	0	0
GREENE	30	0	16	5	5	4	0	0	0	0
GRENADA	165	4	57	64	27	12	0	1	0	0
HANCOCK	48	0	23	12	8	2	3	0	0	0
HARRISON	531	7	188	208	71	40	17	0	0	0
HINDS	1, 927	30	636	683	335	181	53	7	0	2
HOLMES	317	3	111	123	43	25	9	3	0	0
HUMPHREYS	156	4	63	59	13	14	3	0	0	0
ISSAQUENA	16	1	6	5	2	2	0	0	0	0
ITAWAMBA	11	0	4	3	2	1	1	0	0	0
JACKSON	368	14	141	128	55	22	6	2	0	0
JASPER	105	0	43	39	14	6	2	1	0	0
JEFFERSON	102	4	27	33	18	13	6	1	0	0
JEFF DAVIS	108	1	37	44	17	5	3	1	0	0
JONES	252	5	94	99	36	12	5	1	0	0
KEMPER	60	1	25	21	7	5	1	0	0	0
LAFAYETTE	111	3	49	36	12	8	2	1	0	0
LAMAR	61	2	26	22	8	2	1	0	0	0
LAUDERDALE	464	9	164	184	66	31	7	2	0	1
LAWRENCE	55	0	21	14	10	4	4	2	0	0
LEAKE	100	3	32	34	14	11	6	0	0	0
LEE	237	3	81	90	41	18	4	0	0	0
LEFLORE	455	2	176	176	67	22	8	4	0	0

TABLE 5C - PAGE 2

LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 1991

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	122	2	50	47	8	13	2	0	0	0
LOWNDES	373	6	124	143	62	25	9	4	0	0
MADISON	426	10	155	144	68	24	20	5	0	0
MARION	105	2	35	40	18	6	4	0	0	0
MARSHALL	231	3	75	88	40	17	6	2	0	0
MONROE	175	4	59	61	30	13	6	1	1	0
MONTGOMERY	84	6	28	29	9	8	3	1	0	0
NESHOBA	129	4	45	43	20	12	4	1	0	0
NEWTON	111	4	34	47	15	9	2	0	0	0
NOXUBEE	138	2	51	56	17	8	3	1	0	0
OKTIBBEHA	198	4	65	60	46	18	4	1	0	0
PANOLA	278	3	104	109	33	17	9	2	1	0
PEARL RIVER	92	3	29	37	12	9	2	0	0	0
PERRY	50	1	16	23	6	3	0	1	0	0
PIKE	242	1	93	85	42	11	10	0	0	0
PONTOTOC	30	0	8	12	5	3	1	0	1	0
PRENTISS	32	0	10	13	6	2	1	0	0	0
QUITMAN	139	4	61	49	14	9	2	0	0	0
RANKIN	158	3	59	54	20	13	5	2	1	1
SCOTT	171	2	67	64	23	13	2	0	0	0
SHARKEY	109	2	45	37	14	8	3	0	0	0
SIMPSON	116	2	37	47	17	10	3	0	0	0
SMITH	59	5	23	23	2	6	0	0	0	0
STONE	31	2	9	9	5	5	1	0	0	0
SUNFLOWER	424	6	173	154	55	28	8	0	0	0
TALLAHATCHIE	180	2	74	71	26	5	2	0	0	0
TATE	92	1	34	36	16	2	3	0	0	0
TIPPAH	41	0	17	18	4	2	0	0	0	0
TISHOMINGO	2	0	1	0	1	0	0	0	0	0
TUNICA	129	10	49	41	23	3	3	0	0	0
UNION	46	1	19	18	6	1	1	0	0	0
WALTHALL	84	0	33	32	13	4	2	0	0	0
WARREN	305	7	93	119	44	29	11	2	0	0
WASHINGTON	814	15	301	301	115	59	19	4	0	0
WAYNE	129	4	46	46	22	5	4	2	0	0
WEBSTER	36	2	14	15	3	2	0	0	0	0
WILKINSON	86	4	17	31	20	10	4	0	0	0
WINSTON	116	2	43	34	24	7	5	1	0	0
YALOBUSHA	83	3	34	25	14	5	2	0	0	0
YAZOO	264	6	99	97	43	14	5	0	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>4, 202</u>	<u>1, 435</u>	<u>2, 767</u>	<u>9. 7</u>	<u>6. 6</u>	<u>13. 0</u>
ADAMS	68	16	52	11. 7	7. 3	14. 4
ALCORN	33	21	12	8. 1	6. 3	16. 7
AMITE	20	7	13	11. 2	8. 0	14. 1
ATTALA	31	9	22	10. 4	7. 6	12. 2
BENTON	12	4	8	10. 7	6. 7	15. 4
BOLIVAR	95	11	84	12. 0	6. 1	13. 7
CALHOUN	26	12	14	14. 8	11. 5	19. 7
CARROLL	8	3	5	7. 8	6. 5	8. 9
CHICKASAW	23	7	16	7. 6	4. 9	10. 1
CHOCTAW	14	7	7	12. 7	11. 9	13. 7
CLAIBORNE	21	0	21	11. 6	-	13. 3
CLARKE	22	9	13	8. 3	6. 2	10. 9
CLAY	24	9	15	6. 5	7. 0	6. 2
COAHOMA	78	13	65	12. 5	10. 5	13. 0
COPIAH	47	8	39	10. 7	5. 0	14. 0
COVINGTON	21	9	12	7. 1	5. 8	8. 4
DESOTO	87	69	18	7. 6	7. 2	9. 4
FORREST	100	30	70	9. 1	5. 3	13. 1
FRANKLIN	10	5	5	9. 1	8. 5	9. 8
GEORGE	19	12	7	6. 0	4. 3	17. 9
GREENE	7	2	5	5. 0	2. 0	12. 8
GRENADA	43	9	34	10. 5	5. 6	13. 7
HANCOCK	38	27	11	8. 1	6. 7	16. 7
HARRISON	211	128	83	7. 5	6. 6	9. 6
HINDS	500	93	407	11. 5	6. 6	13. 8
HOLMES	57	3	54	12. 1	5. 4	13. 0
HUMPHREYS	31	3	28	13. 5	6. 7	15. 1
ISSAQUENA	3	0	3	10. 0	-	13. 6
ITAWAMBA	12	12	0	4. 8	5. 3	-
JACKSON	145	80	65	7. 7	6. 1	11. 5
JASPER	22	8	14	7. 7	8. 5	7. 3
JEFFERSON	18	0	18	11. 8	-	13. 3
JEFF DAVIS	30	5	25	12. 6	6. 3	15. 8
JONES	78	36	42	8. 6	6. 5	11. 8
KEMPER	11	2	9	7. 6	4. 2	9. 3
LAFAYETTE	29	12	17	7. 7	5. 7	10. 0
LAMAR	34	19	15	6. 7	4. 6	15. 0
LAUDERDALE	108	35	73	8. 3	5. 3	11. 3
LAWRENCE	22	7	15	11. 2	6. 4	17. 4
LEAKE	28	11	17	9. 3	8. 5	10. 0
LEE	115	58	57	9. 5	7. 0	15. 0
LEFLORE	97	10	87	13. 4	5. 7	15. 8

LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	35	13	22	7.0	4.2	11.8
LOWNDES	127	39	88	10.8	6.7	14.8
MADISON	106	23	83	9.6	4.6	13.6
MARION	39	21	18	9.8	8.9	11.2
MARSHALL	67	20	47	12.2	9.0	14.4
MONROE	59	20	39	9.7	5.3	16.6
MONTGOMERY	27	9	18	13.1	11.5	14.1
NESHOBA	27	10	17	7.0	5.4	8.6
NEWTON	27	6	21	7.2	3.1	11.9
NOXUBEE	34	2	32	14.2	4.3	16.6
OKTIBBEHA	39	9	30	7.0	3.8	9.5
PANOLA	65	9	56	11.5	4.4	15.6
PEARL RIVER	55	38	17	9.1	8.0	13.4
PERRY	11	6	5	6.0	5.4	6.8
PIKE	73	17	56	11.9	6.8	15.4
PONTOTOC	24	19	5	7.4	7.0	10.0
PRENTISS	30	25	5	9.0	8.6	11.1
QUITMAN	36	2	34	15.5	3.4	19.6
RANKIN	88	58	30	6.9	5.8	11.2
SCOTT	47	17	30	10.4	7.9	12.8
SHARKEY	19	0	19	12.1	-	14.6
SIMPSON	38	18	20	9.4	8.1	11.0
SMITH	14	5	9	6.2	3.7	10.2
STONE	12	5	7	7.0	4.1	14.6
SUNFLOWER	76	8	68	12.1	7.0	13.2
TALLAHATCHIE	31	7	24	11.0	10.0	11.3
TATE	31	11	20	9.6	6.0	14.5
TIPPAH	44	32	12	15.1	14.0	19.0
TISHOMINGO	23	22	1	10.4	10.1	20.0
TUNICA	23	6	17	12.9	22.2	11.2
UNION	47	32	15	14.1	12.5	19.2
WALTHALL	18	4	14	7.8	4.4	10.1
WARREN	105	34	71	12.0	7.6	16.6
WASHINGTON	147	24	123	11.1	6.8	12.7
WAYNE	33	11	22	9.9	7.4	12.0
WEBSTER	13	5	8	8.7	5.0	16.0
WILKINSON	22	3	19	14.4	8.6	16.1
WINSTON	27	7	20	9.8	6.4	12.2
YALOBUSHA	20	8	12	9.5	8.1	10.8
YAZOO	45	9	36	9.5	5.9	11.1

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>744</u>	<u>195</u>	<u>549</u>	<u>1.7</u>	<u>0.9</u>	<u>2.6</u>
ADAMS	19	5	14	3.3	2.3	3.9
ALCORN	7	5	2	1.7	1.5	2.8
AMITE	2	0	2	1.1	-	2.2
ATTALA	7	2	5	2.3	1.7	2.8
BENTON	1	0	1	0.9	-	1.9
BOLIVAR	15	4	11	1.9	2.2	1.8
CALHOUN	6	0	6	3.4	-	8.4
CARROLL	2	0	2	2.0	-	3.6
CHICKASAW	5	2	3	1.6	1.4	1.9
CHOCTAW	3	2	1	2.7	3.4	2.0
CLAIBORNE	0	0	0	-	-	-
CLARKE	1	0	1	0.4	-	0.8
CLAY	3	0	3	0.8	-	1.2
COAHOMA	20	1	19	3.2	0.8	3.8
COPIAH	7	0	7	1.6	-	2.5
COVINGTON	2	0	2	0.7	-	1.4
DESOTO	16	12	4	1.4	1.2	2.1
FORREST	28	8	20	2.5	1.4	3.7
FRANKLIN	1	0	1	0.9	-	2.0
GEORGE	0	0	0	-	-	-
GREENE	1	1	0	0.7	1.0	-
GRENADA	7	2	5	1.7	1.2	2.0
HANCOCK	4	4	0	0.8	1.0	-
HARRISON	37	25	12	1.3	1.3	1.4
HINDS	85	10	75	2.0	0.7	2.6
HOLMES	9	0	9	1.9	-	2.2
HUMPHREYS	6	2	4	2.6	4.4	2.2
ISSAQUENA	1	0	1	3.3	-	4.5
ITAWAMBA	0	0	0	-	-	-
JACKSON	25	8	17	1.3	0.6	3.0
JASPER	4	1	3	1.4	1.1	1.6
JEFFERSON	2	0	2	1.3	-	1.5
JEFF DAVIS	5	0	5	2.1	-	3.2
JONES	12	6	6	1.3	1.1	1.7
KEMPER	3	0	3	2.1	-	3.1
LAFAYETTE	3	1	2	0.8	0.5	1.2
LAMAR	9	5	4	1.8	1.2	4.0
LAUDERDALE	29	8	21	2.2	1.2	3.2
LAWRENCE	6	1	5	3.1	0.9	5.8
LEAKE	3	0	3	1.0	-	1.8
LEE	21	8	13	1.7	1.0	3.4
LEFLORE	24	0	24	3.3	-	4.4

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1, 500 GRAMS - MISSISSIPPI - 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	5	3	2	1.0	1.0	1.1
LOWNDES	24	6	18	2.0	1.0	3.0
MADISON	16	1	15	1.4	0.2	2.4
MARION	7	3	4	1.8	1.3	2.5
MARSHALL	7	2	5	1.3	0.9	1.5
MONROE	15	2	13	2.5	0.5	5.5
MONTGOMERY	2	0	2	1.0	-	1.6
NESHOBA	4	0	4	1.0	-	2.0
NEWTON	5	1	4	1.3	0.5	2.3
NOXUBEE	6	0	6	2.5	-	3.1
OKTIBBEHA	11	1	10	2.0	0.4	3.2
PANOLA	15	3	12	2.6	1.4	3.3
PEARL RIVER	6	5	1	1.0	1.0	0.8
PERRY	2	1	1	1.1	0.9	1.4
PIKE	9	0	9	1.5	-	2.5
PONTOTOC	1	0	1	0.3	-	2.0
PRENTISS	5	5	0	1.5	1.7	-
QUITMAN	6	0	6	2.6	-	3.5
RANKIN	11	5	6	0.9	0.5	2.2
SCOTT	8	1	7	1.8	0.5	3.0
SHARKEY	3	0	3	1.9	-	2.3
SIMPSON	5	1	4	1.2	0.4	2.2
SMITH	2	0	2	0.9	-	2.3
STONE	2	1	1	1.2	0.8	2.1
SUNFLOWER	12	1	11	1.9	0.9	2.1
TALLAHATCHIE	6	1	5	2.1	1.4	2.3
TATE	7	1	6	2.2	0.5	4.3
TIPPAH	6	4	2	2.0	1.7	3.2
TISHOMINGO	4	4	0	1.8	1.8	-
TUNICA	5	0	5	2.8	-	3.3
UNION	4	3	1	1.2	1.2	1.3
WALTHALL	6	0	6	2.6	-	4.3
WARREN	17	7	10	1.9	1.6	2.3
WASHINGTON	30	3	27	2.3	0.8	2.8
WAYNE	8	2	6	2.4	1.4	3.3
WEBSTER	3	1	2	2.0	1.0	4.0
WILKINSON	2	0	2	1.3	-	1.7
WINSTON	9	2	7	3.3	1.8	4.3
YALOBUSHA	4	0	4	1.9	-	3.6
YAZOO	3	2	1	0.6	1.3	0.3

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>6, 590</u>	<u>2, 306</u>	<u>4, 284</u>	<u>15. 3</u>	<u>10. 5</u>	<u>20. 1</u>
ADAMS	85	21	64	14. 6	9. 5	17. 8
ALCORN	60	41	19	14. 7	12. 2	26. 4
AMITE	26	11	15	14. 5	12. 6	16. 3
ATTALA	41	11	30	13. 8	9. 3	16. 7
BENTON	15	7	8	13. 4	11. 7	15. 4
BOLIVAR	160	13	147	20. 2	7. 2	24. 0
CALHOUN	21	8	13	12. 0	7. 7	18. 3
CARROLL	18	5	13	17. 6	10. 9	23. 2
CHICKASAW	53	18	35	17. 5	12. 5	22. 0
CHOCTAW	16	9	7	14. 5	15. 2	13. 7
CLAIBORNE	32	2	30	17. 7	8. 7	19. 0
CLARKE	31	11	20	11. 7	7. 6	16. 8
CLAY	57	14	43	15. 4	10. 9	17. 8
COAHOMA	128	16	112	20. 5	12. 9	22. 4
COPIAH	84	19	65	19. 2	11. 9	23. 4
COVINGTON	50	22	28	16. 8	14. 2	19. 7
DESOTO	127	100	27	11. 1	10. 5	14. 1
FORREST	173	71	102	15. 7	12. 5	19. 1
FRANKLIN	11	6	5	10. 0	10. 2	9. 8
GEORGE	27	22	5	8. 5	7. 9	12. 8
GREENE	7	5	2	5. 0	4. 9	5. 1
GRENADA	73	18	55	17. 8	11. 1	22. 2
HANCOCK	61	44	17	13. 0	10. 9	25. 8
HARRISON	330	181	149	11. 7	9. 3	17. 2
HINDS	760	142	618	17. 5	10. 1	21. 0
HOLMES	90	4	86	19. 1	7. 3	20. 7
HUMPHREYS	51	8	43	22. 2	17. 8	23. 2
ISSAQUENA	5	1	4	16. 7	12. 5	18. 2
ITAWAMBA	24	23	1	9. 6	10. 1	4. 3
JACKSON	226	114	112	12. 0	8. 7	19. 8
JASPER	39	16	23	13. 7	17. 0	12. 0
JEFFERSON	22	1	21	14. 5	5. 9	15. 6
JEFF DAVIS	36	5	31	15. 2	6. 3	19. 6
JONES	108	49	59	11. 8	8. 8	16. 6
KEMPER	23	2	21	15. 9	4. 2	21. 6
LAFAYETTE	46	20	26	12. 2	9. 6	15. 4
LAMAR	63	43	20	12. 4	10. 5	20. 0
LAUDERDALE	181	68	113	13. 8	10. 3	17. 4
LAWRENCE	32	12	20	16. 3	10. 9	23. 2
LEAKE	48	18	30	16. 0	13. 8	17. 6
LEE	203	109	94	16. 8	13. 1	24. 8
LEFLORE	140	13	127	19. 3	7. 4	23. 0

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1991

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	67	25	42	13.5	8.1	22.6
LOWNDES	165	59	106	14.0	10.1	17.8
MADISON	186	45	141	16.8	9.1	23.1
MARION	53	26	27	13.4	11.0	16.8
MARSHALL	95	39	56	17.4	17.6	17.2
MONROE	112	44	68	18.4	11.8	28.9
MONTGOMERY	32	8	24	15.5	10.2	18.8
NESHOBA	60	21	39	15.7	11.3	19.8
NEWTON	47	13	34	12.6	6.6	19.2
NOXUBEE	53	4	49	22.2	8.7	25.4
OKTIBBEHA	63	19	44	11.4	8.0	14.0
PANOLA	83	15	68	14.7	7.3	18.9
PEARL RIVER	76	52	24	12.6	10.9	18.9
PERRY	26	12	14	14.1	10.8	19.2
PIKE	125	37	88	20.4	14.8	24.2
PONTOTOC	42	34	8	13.0	12.5	16.0
PRENTISS	61	47	14	18.2	16.2	31.1
QUITMAN	61	5	56	26.3	8.5	32.4
RANKIN	162	109	53	12.8	10.9	19.8
SCOTT	77	28	49	17.1	13.0	20.9
SHARKEY	30	1	29	19.1	3.7	22.3
SIMPSON	48	19	29	11.9	8.6	15.9
SMITH	27	9	18	12.0	6.6	20.4
STONE	13	5	8	7.6	4.1	16.7
SUNFLOWER	134	14	120	21.3	12.2	23.3
TALLAHATCHIE	56	7	49	19.8	10.0	23.0
TATE	32	15	17	10.0	8.2	12.3
TIPPAH	51	38	13	17.5	16.6	20.6
TISHOMINGO	37	36	1	16.7	16.6	20.0
TUNICA	47	7	40	26.4	25.9	26.5
UNION	71	45	26	21.2	17.6	33.3
WALTHALL	34	13	21	14.8	14.3	15.1
WARREN	119	42	77	13.6	9.4	17.9
WASHINGTON	251	35	216	19.0	10.0	22.3
WAYNE	40	12	28	12.0	8.1	15.2
WEBSTER	17	10	7	11.4	10.1	14.0
WILKINSON	10	2	8	6.5	5.7	6.8
WINSTON	49	13	36	17.9	11.8	22.0
YALOBUSHA	25	3	22	11.9	3.0	19.8
YAZOO	70	15	55	14.7	9.9	17.0

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 1991

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>483</u>	<u>135</u>	<u>348</u>	<u>481</u>	<u>134</u>	<u>347</u>	<u>11.1</u>	<u>6.1</u>	<u>16.3</u>
ADAMS	14	2	12	10	1	9	17.2	4.5	25.0
ALCORN	2	0	2	4	2	2	9.8	6.0	27.8
AMITE	0	0	0	0	0	0	-	-	-
ATTALA	1	0	1	6	1	5	20.1	8.5	27.8
BENTON	0	0	0	1	1	0	8.9	16.7	-
BOLIVAR	12	1	11	18	2	16	22.7	11.0	26.1
CALHOUN	1	0	1	6	3	3	34.3	28.8	42.2
CARROLL	0	0	0	1	0	1	9.8	-	17.8
CHICKASAW	0	0	0	1	0	1	3.3	-	6.3
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	0	0	0	3	0	3	16.6	-	19.0
CLARKE	0	0	0	3	0	3	11.4	-	25.2
CLAY	1	0	1	2	0	2	5.4	-	8.3
COAHOMA	11	0	11	4	0	4	6.4	-	8.0
COPIAH	3	0	3	8	1	7	18.3	6.2	25.2
COVINGTON	2	0	2	2	1	1	6.7	6.4	7.0
DESOTO	7	5	2	7	7	0	6.1	7.3	-
FORREST	27	8	19	12	2	10	10.9	3.5	18.7
FRANKLIN	0	0	0	2	0	2	18.2	-	39.2
GEORGE	0	0	0	1	1	0	3.2	3.6	-
GREENE	0	0	0	1	1	0	7.1	9.8	-
GRENADA	10	3	7	5	1	4	12.2	6.2	16.1
HANCOCK	2	0	2	9	5	4	19.1	12.4	60.6
HARRISON	24	12	12	22	9	13	7.8	4.6	15.0
HINDS	145	31	114	56	5	51	12.9	3.6	17.4
HOLMES	1	0	1	4	0	4	8.5	-	9.6
HUMPHREYS	0	0	0	5	0	5	21.7	-	27.0
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	4	4	0	16.0	17.6	-
JACKSON	10	8	2	11	9	2	5.9	6.9	3.5
JASPER	0	0	0	2	0	2	7.0	-	10.5
JEFFERSON	0	0	0	2	0	2	13.2	-	14.8
JEFF DAVIS	0	0	0	7	0	7	29.5	-	44.3
JONES	9	5	4	9	7	2	9.9	12.6	5.6
KEMPER	0	0	0	1	0	1	6.9	-	10.3
LAFAYETTE	6	2	4	3	1	2	7.9	4.8	11.8
LAMAR	0	0	0	6	3	3	11.8	7.3	30.0
LAUDERDALE	21	4	17	11	0	11	8.4	-	17.0
LAWRENCE	0	0	0	2	1	1	10.2	9.1	11.6
LEAKE	0	0	0	4	2	2	13.3	15.4	11.8
LEE	21	12	9	10	4	6	8.3	4.8	15.8
LEFLORE	13	1	12	12	2	10	16.5	11.4	18.1

TABLE 8 - PAGE 2
 FETAL DEATHS - MISSISSIPPI - 1991

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7	3	4	3	1	2	6.0	3.2	10.8
LOWNDES	14	2	12	13	3	10	11.0	5.1	16.8
MADISON	4	0	4	12	1	11	10.9	2.0	18.0
MARION	2	0	2	6	2	4	15.1	8.5	24.8
MARSHALL	0	0	0	5	1	4	9.1	4.5	12.3
MONROE	10	8	2	5	3	2	8.2	8.0	8.5
MONTGOMERY	1	0	1	7	3	4	34.0	38.5	31.2
NESHOBA	1	1	0	7	4	3	18.3	21.5	15.2
NEWTON	0	0	0	2	1	1	5.4	5.1	5.6
NOXUBEE	1	0	1	6	1	5	25.1	21.7	25.9
OKTIBBEHA	14	3	11	6	1	5	10.8	4.2	15.9
PANOLA	3	1	2	8	3	5	14.1	14.6	13.9
PEARL RIVER	4	1	3	2	1	1	3.3	2.1	7.9
PERRY	0	0	0	2	1	1	10.9	9.0	13.7
PIKE	13	2	11	14	3	11	22.8	12.0	30.3
PONTOTOC	0	0	0	3	2	1	9.3	7.4	20.0
PRENTISS	0	0	0	0	0	0	-	-	-
QUITMAN	1	0	1	2	0	2	8.6	-	11.6
RANKIN	6	3	3	13	9	4	10.3	9.0	15.0
SCOTT	1	0	1	7	1	6	15.6	4.6	25.6
SHARKEY	0	0	0	2	1	1	12.7	37.0	7.7
SIMPSON	1	0	1	4	1	3	9.9	4.5	16.5
SMITH	0	0	0	1	0	1	4.5	-	11.4
STONE	0	0	0	0	0	0	-	-	-
SUNFLOWER	5	0	5	10	1	9	15.9	8.7	17.5
TALLAHATCHIE	0	0	0	2	0	2	7.1	-	9.4
TATE	3	1	2	3	3	0	9.3	16.4	-
TIPPAH	0	0	0	3	1	2	10.3	4.4	31.7
TISHOMINGO	0	0	0	2	1	1	9.0	4.6	200.0
TUNICA	1	0	1	6	0	6	33.7	-	39.7
UNION	9	6	3	3	1	2	9.0	3.9	25.6
WALTHALL	0	0	0	2	0	2	8.7	-	14.4
WARREN	7	2	5	3	1	2	3.4	2.2	4.7
WASHINGTON	20	4	16	21	4	17	15.9	11.4	17.5
WAYNE	6	3	3	6	2	4	18.1	13.5	21.7
WEBSTER	0	0	0	2	1	1	13.4	10.1	20.0
WILKINSON	3	1	2	2	0	2	13.1	-	16.9
WINSTON	2	0	2	3	0	3	10.9	-	18.3
YALOBUSHA	0	0	0	1	0	1	4.8	-	9.0
YAZOO	1	0	1	5	0	5	10.5	-	15.5
OUT OF STATE	21	13	8	23	14	9	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1991

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>24,764</u>	<u>15,851</u>	<u>8,913</u>	<u>25,503</u>	<u>16,393</u>	<u>9,110</u>	<u>9.9</u>	<u>10.0</u>	<u>9.7</u>
ADAMS	525	269	256	454	235	219	12.8	13.0	12.6
ALCORN	313	275	38	341	297	44	10.8	10.6	12.1
AMITE	41	25	16	123	74	49	9.2	10.2	8.1
ATTALA	169	111	58	196	126	70	10.6	11.3	9.5
BENTON	35	24	11	81	58	23	10.1	11.9	7.2
BOLIVAR	405	151	254	450	168	282	10.7	11.0	10.6
CALHOUN	89	75	14	147	118	29	9.9	10.9	7.1
CARROLL	48	26	22	100	58	42	10.8	10.4	11.4
CHICKASAW	122	87	35	187	127	60	10.3	11.5	8.5
CHOCTAW	65	48	17	99	73	26	10.9	11.6	9.4
CLAIBORNE	76	11	65	121	20	101	10.6	10.0	10.8
CLARKE	140	90	50	206	136	70	11.9	12.0	11.7
CLAY	183	100	83	231	113	118	10.9	11.5	10.4
COAHOMA	373	112	261	376	126	250	11.9	11.4	12.1
COPIAH	227	121	106	337	178	159	12.2	13.1	11.4
COVINGTON	98	66	32	157	109	48	9.5	10.2	8.2
DESOTO	270	195	75	447	360	87	6.6	6.1	9.6
FORREST	870	606	264	657	467	190	9.6	10.0	8.8
FRANKLIN	70	39	31	102	53	49	12.2	10.0	15.9
GEORGE	110	99	11	138	127	11	8.3	8.4	6.7
GREENE	32	28	4	92	78	14	9.0	9.8	6.3
GRENADA	234	145	89	241	155	86	11.2	12.3	9.6
HANCOCK	208	194	14	287	265	22	9.0	9.2	7.0
HARRISON	1,825	1,494	331	1,512	1,235	277	9.1	9.7	7.3
HINDS	3,850	2,163	1,687	2,226	1,193	1,033	8.7	9.7	7.9
HOLMES	218	69	149	292	88	204	13.5	17.0	12.4
HUMPHREYS	85	25	60	128	47	81	10.5	12.2	9.8
ISSAQUENA	4	0	4	15	4	11	7.8	4.8	10.2
ITAWAMBA	97	90	7	190	178	12	9.5	9.6	8.4
JACKSON	797	667	130	909	766	143	7.9	8.5	5.7
JASPER	102	60	42	202	109	93	11.8	13.0	10.7
JEFFERSON	56	7	49	95	16	79	11.0	13.5	10.6
JEFF DAVIS	85	44	41	136	65	71	9.7	10.3	9.2
JONES	661	495	166	711	550	161	11.5	11.9	10.2
KEMPER	67	29	38	120	54	66	11.6	12.2	11.1
LAFAYETTE	315	230	85	240	166	74	7.5	7.2	8.5
LAMAR	328	278	50	197	169	28	6.5	6.4	7.3
LAUDERDALE	1,101	734	367	767	522	245	10.2	10.7	9.1
LAWRENCE	83	51	32	128	80	48	10.3	9.6	11.5
LEAKE	176	129	47	242	162	80	13.1	14.6	10.9
LEE	1,195	948	247	580	469	111	8.8	9.1	7.8
LEFLORE	491	202	289	480	203	277	12.8	14.0	12.1

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1991

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	304	234	70	340	256	84	11.2	12.1	9.2
LOWNDES	492	281	211	449	259	190	7.6	7.0	8.4
MADISON	237	89	148	426	218	208	7.9	7.3	8.7
MARION	192	136	56	251	171	80	9.8	9.6	10.2
MARSHALL	133	53	80	280	133	147	9.2	9.0	9.5
MONROE	288	201	87	402	282	120	11.0	11.1	10.7
MONTGOMERY	140	73	67	157	80	77	12.7	11.6	14.1
NESHOBA	141	97	44	269	202	67	10.8	11.9	8.5
NEWTON	206	141	65	239	159	80	11.8	11.6	12.1
NOXUBEE	79	30	49	119	49	70	9.4	12.4	8.1
OKTIBBEHA	258	150	108	278	175	103	7.2	7.3	7.2
PANOLA	207	123	84	325	190	135	10.8	12.4	9.2
PEARL RIVER	300	260	40	403	348	55	10.4	10.6	9.4
PERRY	65	57	8	90	74	16	8.3	8.9	6.3
PIKE	428	230	198	441	233	208	12.0	11.7	12.3
PONTOTOC	106	92	14	204	172	32	9.2	9.1	9.6
PRENTISS	161	149	12	220	199	21	9.4	9.7	7.5
QUITMAN	72	30	42	126	53	73	12.0	12.5	11.7
RANKIN	525	386	139	660	503	157	7.6	7.0	10.4
SCOTT	181	121	60	265	168	97	11.0	11.3	10.4
SHARKEY	54	10	44	66	20	46	9.3	8.6	9.7
SIMPSON	224	167	57	272	202	70	11.4	12.5	8.9
SMITH	77	66	11	140	109	31	9.5	9.5	9.4
STONE	88	75	13	119	100	19	11.1	12.0	8.0
SUNFLOWER	317	107	210	396	139	257	12.0	12.0	12.1
TALLAHATCHIE	94	45	49	149	67	82	9.8	10.7	9.2
TATE	136	81	55	202	134	68	9.4	9.6	9.1
TIPPAH	193	167	26	258	220	38	13.2	13.5	11.6
TISHOMINGO	171	168	3	264	258	6	14.9	15.2	8.9
TUNICA	36	10	26	89	24	65	10.9	12.0	10.5
UNION	217	177	40	226	187	39	10.2	9.9	11.9
WALTHALL	113	73	40	171	109	62	11.9	13.2	10.2
WARREN	550	301	249	528	298	230	11.0	10.3	12.1
WASHINGTON	814	316	498	759	302	457	11.2	10.6	11.5
WAYNE	159	100	59	184	113	71	9.4	9.0	10.1
WEBSTER	108	93	15	134	119	15	13.1	15.0	6.6
WILKINSON	119	46	73	112	38	74	11.6	12.2	11.3
WINSTON	165	106	59	224	139	85	11.5	12.5	10.3
YALOBUSHA	102	73	29	176	126	50	14.6	16.8	11.0
YAZOO	273	125	148	350	168	182	13.7	14.0	13.4
OUT OF STATE	1,596	1,159	437	857	617	240			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1991

TOWN**	RESIDENCE DATA					
	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
BILOXI	437	363	74	9.4	10.5	6.3
BRANDON	166	127	39	15.0	13.2	27.3
BROOKHAVEN	169	115	54	16.5	20.5	11.6
CANTON	152	59	93	15.1	18.1	13.7
CLARKSDALE	273	91	182	13.8	12.3	14.8
CLEVELAND	155	79	76	10.1	9.6	10.7
CLINTON	173	141	32	7.9	7.9	8.0
COLUMBUS	298	156	142	12.5	13.6	11.5
CORINTH	170	136	34	14.4	14.8	12.9
GAUTIER	74	66	8	7.3	8.8	3.1
GREENVILLE	546	218	328	12.1	12.1	12.0
GREENWOOD	289	126	163	15.3	16.6	14.4
GRENADA	162	100	62	14.9	18.3	11.5
GULFPORT	475	367	108	11.6	12.9	8.8
HATTIESBURG	482	311	171	11.5	12.8	9.8
INDIANOLA	137	41	96	11.6	10.4	12.2
JACKSON	1,786	933	853	9.1	10.9	7.7
LAUREL	315	205	110	16.7	21.1	12.1
LONG BEACH	105	99	6	6.6	6.8	4.6
MCCOMB	191	113	78	16.5	18.2	14.5
MERIDIAN	484	310	174	11.8	14.0	9.2
MOSS POINT	135	66	69	7.6	10.8	5.9
NATCHEZ	332	176	156	17.1	18.3	15.8
OCEAN SPRINGS	160	146	14	10.9	11.0	10.5
PASCAGOULA	258	220	38	10.0	11.0	6.4
PEARL	122	111	11	6.2	6.2	6.0
PI CAYUNE	140	98	42	13.2	14.6	10.7
RIDGELAND	58	52	6	5.0	5.1	3.9
SOUTHAVEN	108	102	6	6.0	5.9	10.2
STARKVILLE	148	106	42	8.0	8.3	7.4
TUPELO	304	250	54	9.9	10.8	7.1
VICKSBURG	365	186	179	17.4	21.9	14.4
YAZOO CITY	210	83	127	16.9	19.2	15.6

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>25,503</u>	<u>16,393</u>	<u>9,110</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>467</u>	<u>254</u>	<u>213</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>7</u>	<u>5</u>	<u>2</u>
<u>002,003</u>	<u>Typhoid and paratyphoid fevers, and other salmonella infections</u>	<u>2</u>	<u>2</u>	<u>0</u>
003	Other salmonella infections	2	2	0
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>5</u>	<u>3</u>	<u>2</u>
008	Intestinal infections due to other organisms	2	1	1
009	Ill-defined intestinal infections	3	2	1
<u>010-018</u>	<u>Tuberculosis</u>	<u>14</u>	<u>7</u>	<u>7</u>
<u>010-012</u>	<u>Respiratory</u>	<u>8</u>	<u>6</u>	<u>2</u>
011	Pulmonary	8	6	2
<u>013-018</u>	<u>Other forms</u>	<u>6</u>	<u>1</u>	<u>5</u>
013	Meninges and central nervous system	1	0	1
017	Other organs	3	1	2
018	Miliary	2	0	2
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>225</u>	<u>125</u>	<u>100</u>
031	Other diseases due to mycobacteria	6	3	3
036	Meningococcal infection	2	1	1
038	Septicemia	210	114	96
039	Actinomycotic infections	2	2	0
041	Bacterial infection of unspecified site	5	5	0
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>136</u>	<u>64</u>	<u>72</u>
042	With specified conditions	127	61	66
043	Causing other specified conditions	2	1	1
044	Other human immunodeficiency virus infections	7	2	5
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>4</u>	<u>2</u>	<u>2</u>
046	Slow virus infection	3	2	1
049	Other non-arthropod-borne diseases	1	0	1
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>2</u>	<u>0</u>	<u>2</u>
054	Herpes simplex	2	0	2
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>33</u>	<u>25</u>	<u>8</u>
070	Viral hepatitis	28	21	7
078	Other diseases due to viruses and Chlamydiae	1	1	0
079	Viral infection in conditions classified elsewhere and of unspecified site	4	3	1
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>090-097</u>	<u>Syphilis and its sequelae</u>	<u>1</u>	<u>0</u>	<u>1</u>
090	Congenital	1	0	1
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>110-118</u>	<u>Mycoses</u>	<u>29</u>	<u>17</u>	<u>12</u>
112	Candidiasis	6	4	2
115	Histoplasmosis	4	3	1
116	Blastomycotic infection	3	1	2
117	Other mycoses	16	9	7

Table 10 - Page 2
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>120- 129</u>	<u>Helminthiasis</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>130- 139</u>	<u>Other infectious and parasitic diseases</u>	<u>16</u>	<u>9</u>	<u>7</u>
135	Sarcoidosis	4	0	4
136	Other and unspecified infectious and parasitic diseases	7	5	2
137	Late effects of tuberculosis	1	0	1
138	Late effects of acute poliomyelitis	4	4	0
<u>140- 239</u>	<u>NEOPLASMS</u>	<u>5, 546</u>	<u>3, 701</u>	<u>1, 845</u>
<u>140- 208</u>	<u>Malignant neoplasms</u>	<u>5, 483</u>	<u>3, 657</u>	<u>1, 826</u>
<u>140- 149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>103</u>	<u>64</u>	<u>39</u>
140	Lip	1	1	0
141	Tongue	19	8	11
142	Major salivary glands	6	5	1
143	Gum	1	0	1
144	Floor of mouth	2	2	0
145	Other and unspecified parts of mouth	14	7	7
146	Oropharynx	9	7	2
147	Nasopharynx	2	0	2
148	Hypopharynx	8	6	2
149	Other and ill-defined sites	41	28	13
<u>150- 159</u>	<u>Digestive organs and peritoneum</u>	<u>1, 276</u>	<u>799</u>	<u>477</u>
150	Esophagus	94	43	51
151	Stomach	152	80	72
152	Small intestine, including duodenum	8	4	4
153	Colon	484	316	168
154	Rectum, rectosigmoid junction, and anus	63	47	16
155	Liver and intrahepatic bile ducts	135	91	44
156	Gallbladder and extrahepatic bile ducts	28	21	7
157	Pancreas	290	183	107
158	Retroperitoneum and peritoneum	4	2	2
159	Other and ill-defined sites	18	12	6
<u>160- 165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1, 635</u>	<u>1, 187</u>	<u>448</u>
160	Nasal cavities, middle ear, and accessory sinuses	10	5	5
161	Larynx	32	22	10
162	Trachea, bronchus, and lung	1, 586	1, 156	430
163	Pleura	4	3	1
164	Thymus, heart, and mediastinum	3	1	2
<u>170- 175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>540</u>	<u>366</u>	<u>174</u>
170	Bone and articular cartilage	31	21	10
171	Connective and other soft tissue	23	14	9
172	Melanoma of skin	56	52	4
173	Skin, other	19	11	8
174	Female breast	406	264	142
175	Male breast	5	4	1
<u>179- 189</u>	<u>Genitourinary organs</u>	<u>800</u>	<u>453</u>	<u>347</u>
<u>(179- 187)</u>	<u>(Genital organs)</u>	<u>620</u>	<u>331</u>	<u>289</u>
179	Uterus, part unspecified	30	8	22
180	Cervix uteri	52	20	32
181	Placenta	1	0	1

Table 10 - Page 3
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
182	Body of uterus	16	9	7
183	Ovary and other uterine adnexa	112	80	32
184	Other and unspecified female genital organs	8	7	1
185	Prostate	399	206	193
186	Testis	2	1	1
(188, 189)	(Urinary organs)	<u>180</u>	<u>122</u>	<u>58</u>
188	Bladder	70	45	25
189	Kidney and other and unspecified urinary organs	110	77	33
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>660</u>	<u>472</u>	<u>188</u>
190	Eye	6	6	0
191	Brain	133	114	19
192	Other and unspecified parts of nervous system	3	3	0
193	Thyroid gland	10	9	1
194	Other endocrine glands and related structures	4	2	2
195	Other and ill-defined sites	39	24	15
199	Site unspecified	465	314	151
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>469</u>	<u>316</u>	<u>153</u>
200	Lymphosarcoma and reticulosarcoma	18	16	2
201	Hodgkin's disease	10	6	4
202	Other lymphoid and histiocytic tissue	145	113	32
203	Multiple myeloma and immunoproliferative neoplasms	96	47	49
(204-208)	(Leukemia)	<u>200</u>	<u>134</u>	<u>66</u>
204	Lymphatic	65	42	23
205	Myeloid	77	53	24
206	Monocytic	4	3	1
207	Other specified	4	2	2
208	Unspecified cell type	50	34	16
<u>210-229</u>	<u>Benign neoplasms</u>	<u>15</u>	<u>11</u>	<u>4</u>
211	Benign neoplasm of other parts of digestive system	1	0	1
212	Benign neoplasm of respiratory and intrathoracic organs	1	0	1
215	Other benign neoplasm of connective and other soft tissue	1	1	0
218	Uterine leiomyoma	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	10	9	1
229	Benign neoplasm of other and unspecified sites	1	1	0
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>48</u>	<u>33</u>	<u>15</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>15</u>	<u>10</u>	<u>5</u>
236	Genitourinary organs	1	0	1
237	Endocrine glands and nervous system	3	3	0
238	Other and unspecified sites and tissues	11	7	4
239	Unspecified nature	33	23	10
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>637</u>	<u>299</u>	<u>338</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>12</u>	<u>7</u>	<u>5</u>

Table 10 - Page 4
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
240	Simple and unspecified goiter	1	1	0
242	Thyrotoxicosis with or without goiter	2	0	2
244	Acquired hypothyroidism	7	5	2
245	Thyroiditis	1	1	0
246	Other disorders of thyroid	1	0	1
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>443</u>	<u>193</u>	<u>250</u>
250	Diabetes mellitus	427	186	241
251	Other disorders of pancreatic internal secretion	11	4	7
252	Disorders of parathyroid gland	1	0	1
253	Disorders of pituitary gland and its hypothalamic control	2	1	1
255	Disorders of adrenal glands	1	1	0
259	Other endocrine disorders	1	1	0
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>38</u>	<u>18</u>	<u>20</u>
261	Nutritional marasmus	1	0	1
263	Other and unspecified protein-calorie malnutrition	33	15	18
269	Other nutritional deficiencies	4	3	1
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>144</u>	<u>81</u>	<u>63</u>
271	Disorders of carbohydrate transport and metabolism	2	1	1
272	Disorders of lipid metabolism	2	1	1
273	Disorders of plasma protein metabolism	1	0	1
275	Disorders of mineral metabolism	2	2	0
276	Disorders of fluid, electrolyte, and acid-base balance	84	45	39
277	Other and unspecified disorders of metabolism	26	21	5
278	Obesity and other hyperalimentation	17	5	12
279	Disorders involving the immune mechanism	10	6	4
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>91</u>	<u>50</u>	<u>41</u>
<u>280-285</u>	<u>Anemias</u>	<u>58</u>	<u>25</u>	<u>33</u>
280	Iron deficiency	3	2	1
281	Other deficiency anemias	1	0	1
282	Hereditary hemolytic	15	1	14
283	Acquired hemolytic	1	1	0
284	Aplastic	20	14	6
285	Other and unspecified	18	7	11
286	Coagulation defects	9	6	3
287	Purpura and other hemorrhagic conditions	3	3	0
288	Diseases of white blood cells	5	4	1
289	Other diseases of blood and blood-forming organs	16	12	4
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>225</u>	<u>148</u>	<u>77</u>
<u>290-299</u>	<u>Psychoses</u>	<u>82</u>	<u>67</u>	<u>15</u>
290	Senile and presenile organic psychotic conditions	43	33	10
291	Alcoholic psychoses	8	7	1
294	Other organic psychotic conditions (chronic)	2	2	0
296	Affective psychoses	1	1	0
298	Other nonorganic psychoses	28	24	4

Table 10 - Page 5
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>300- 316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>139</u>	<u>77</u>	<u>62</u>
300	Neurotic disorders	2	1	1
303	Alcohol dependence syndrome	52	19	33
305	Nondependent abuse of drugs	12	6	6
307	Special symptoms or syndromes not elsewhere classified	2	2	0
308	Acute reaction to stress	2	1	1
310	Specific nonpsychotic mental disorders following organic brain damage	68	48	20
311	Depressive disorder, not elsewhere classified	1	0	1
<u>317- 319</u>	<u>Mental retardation</u>	<u>4</u>	<u>4</u>	<u>0</u>
318	Other specified	1	1	0
319	Unspecified	3	3	0
<u>320- 389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>374</u>	<u>267</u>	<u>107</u>
<u>320- 326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>22</u>	<u>14</u>	<u>8</u>
320	Bacterial meningitis	8	4	4
322	Meningitis of unspecified cause	7	5	2
323	Encephalitis, myelitis, and encephalomyelitis	4	3	1
324	Intracranial and intraspinal abscess	1	0	1
325	Phlebitis and thrombophlebitis of intracranial venous sinuses	2	2	0
<u>330- 337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>240</u>	<u>191</u>	<u>49</u>
330	Cerebral degenerations usually manifest in childhood	1	1	0
331	Other cerebral degenerations	134	102	32
332	Parkinson's disease	58	51	7
333	Other extrapyramidal disease and abnormal movement disorders	11	8	3
334	Spinocerebellar disease	5	5	0
335	Anterior horn cell disease	30	24	6
336	Other diseases of spinal cord	1	0	1
<u>340- 349</u>	<u>Other disorders of the central nervous system</u>	<u>94</u>	<u>48</u>	<u>46</u>
340	Multiple sclerosis	11	7	4
341	Other demyelinating diseases of central nervous system	1	1	0
342	Hemiplegia	1	0	1
343	Infantile cerebral palsy	11	4	7
344	Other paralytic syndromes	4	2	2
345	Epilepsy	31	14	17
348	Other conditions of brain	31	17	14
349	Other and unspecified disorders of the nervous system	4	3	1
<u>350- 359</u>	<u>Disorders of peripheral nervous system</u>	<u>18</u>	<u>14</u>	<u>4</u>
356	Hereditary and idiopathic peripheral neuropathy	3	3	0
358	Myoneural disorders	6	4	2
359	Muscular dystrophies and other myopathies	9	7	2
<u>360- 379</u>	<u>Disorders of the eye and adnexa</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 6
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,899</u>	<u>7,743</u>	<u>4,156</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>37</u>	<u>24</u>	<u>13</u>
394	Diseases of mitral valve	20	12	8
395	Diseases of aortic valve	1	1	0
396	Diseases of mitral and aortic valves	10	8	2
397	Diseases of other endocardial structures	3	2	1
398	Other rheumatic heart disease	3	1	2
<u>401-405</u>	<u>Hypertensive disease</u>	<u>477</u>	<u>201</u>	<u>276</u>
<u>401,403</u>	<u>Hypertension with or without renal disease</u>	<u>115</u>	<u>51</u>	<u>64</u>
401	Essential hypertension	68	30	38
403	Hypertensive renal disease	47	21	26
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>362</u>	<u>150</u>	<u>212</u>
402	Hypertensive heart disease	320	136	184
404	Hypertensive heart and renal disease	42	14	28
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,923</u>	<u>3,436</u>	<u>1,487</u>
410	Acute myocardial infarction	3,295	2,207	1,088
411	Other acute and subacute forms of ischemic heart disease	10	10	0
412	Old myocardial infarction	10	10	0
413	Angina pectoris	8	6	2
414	Other forms of chronic ischemic heart disease	1,600	1,203	397
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>215</u>	<u>120</u>	<u>95</u>
415	Acute pulmonary heart disease	188	102	86
416	Chronic pulmonary heart disease	26	17	9
417	Other diseases of pulmonary circulation	1	1	0
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>4,025</u>	<u>2,541</u>	<u>1,484</u>
420	Acute pericarditis	1	0	1
421	Acute and subacute endocarditis	9	5	4
422	Acute myocarditis	4	1	3
423	Other diseases of pericardium	10	5	5
424	Other diseases of endocardium	91	70	21
425	Cardiomyopathy	307	191	116
426	Conduction disorders	14	11	3
427	Cardiac dysrhythmias	851	542	309
428	Heart failure	883	612	271
429	Ill-defined heart diseases	1,855	1,104	751
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,754</u>	<u>1,082</u>	<u>672</u>
430	Subarachnoid hemorrhage	69	48	21
431	Intracerebral hemorrhage	193	110	83
432	Other and unspecified intracranial hemorrhage	37	21	16
433	Occlusion and stenosis of precerebral arteries	12	10	2
434	Occlusion of cerebral arteries	191	123	68
435	Transient cerebral ischemia	4	3	1
436	Acute but ill-defined cerebrovascular disease	1,102	667	435
437	Other and ill-defined cerebrovascular disease	87	66	21
438	Late effects of cerebrovascular disease	59	34	25
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>405</u>	<u>305</u>	<u>100</u>

Table 10 - Page 7
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
440	Atherosclerosis	150	113	37
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>255</u>	<u>192</u>	<u>63</u>
441	Aortic aneurysm	149	121	28
442	Other aneurysm	12	11	1
443	Other peripheral vascular disease	59	31	28
444	Arterial embolism and thrombosis	13	11	2
446	Polyarteritis nodosa and allied conditions	13	10	3
447	Other disorders of arteries and arterioles	8	7	1
448	Diseases of capillaries	1	1	0
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>63</u>	<u>34</u>	<u>29</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>15</u>	<u>9</u>	<u>6</u>
451	Phlebitis and thrombophlebitis	11	7	4
452	Portal vein thrombosis	1	1	0
453	Other venous embolism and thrombosis	3	1	2
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>48</u>	<u>25</u>	<u>23</u>
454	Varicose veins of lower extremities	1	0	1
456	Varicose veins of other sites	4	3	1
458	Hypotension	20	11	9
459	Other disorders of circulatory system	23	11	12
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,945</u>	<u>1,461</u>	<u>484</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>10</u>	<u>8</u>	<u>2</u>
464	Acute laryngitis and tracheitis	1	1	0
465	Acute upper respiratory infection of multiple or unspecified sites	2	2	0
466	Acute bronchitis and bronchiolitis	7	5	2
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
474	Chronic disease of tonsils and adenoids	1	1	0
478	Other diseases of upper respiratory tract	2	1	1
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>788</u>	<u>555</u>	<u>233</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>772</u>	<u>541</u>	<u>231</u>
480	Viral	8	6	2
481	Pneumococcal	20	16	4
482	Other bacterial	37	22	15
483	Due to other specified organism	1	1	0
485	Broncho, organism unspecified	29	20	9
486	Organism unspecified	677	476	201
487	Influenza	16	14	2
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>869</u>	<u>708</u>	<u>161</u>
<u>490, 491</u>	<u>Chronic and unqualified bronchitis</u>	<u>50</u>	<u>42</u>	<u>8</u>
490	Unqualified	11	9	2
491	Chronic	39	33	6
492	Emphysema	125	105	20
493	Asthma	45	21	24
494	Bronchiectasis	10	8	2
496	Chronic airways obstruction, not elsewhere classified	639	532	107

Table 10 - Page 8
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>91</u>	<u>67</u>	<u>24</u>
500	Coalworkers' pneumoconiosis	1	0	1
501	Asbestosis	7	7	0
502	Pneumoconiosis due to other silica or silicates	1	1	0
507	Pneumonitis due to solids and liquids	82	59	23
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>184</u>	<u>121</u>	<u>63</u>
510	Empyema	1	0	1
511	Pleurisy	14	7	7
512	Pneumothorax	3	2	1
513	Abscess of lung and mediastinum	4	1	3
514	Pulmonary congestion and hypostasis	17	6	11
515	Postinflammatory pulmonary fibrosis	45	36	9
516	Other alveolar and parietoalveolar pneumopathy	7	7	0
518	Other diseases of lung	81	53	28
519	Other diseases of respiratory system	12	9	3
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>744</u>	<u>524</u>	<u>220</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>1</u>	<u>1</u>	<u>0</u>
526	Diseases of the jaws	1	1	0
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>78</u>	<u>57</u>	<u>21</u>
530	Diseases of esophagus	18	15	3
<u>531-533</u>	<u>Peptic ulcer</u>	<u>49</u>	<u>37</u>	<u>12</u>
531	Gastric ulcer	20	15	5
532	Duodenal ulcer	16	13	3
533	Peptic ulcer, site unspecified	13	9	4
534	Gastrojejunal ulcer	1	1	0
535	Gastritis and duodenitis	6	3	3
536	Disorders of function of stomach	1	0	1
537	Other disorders of stomach and duodenum	3	1	2
<u>540-543</u>	<u>Appendicitis</u>	<u>7</u>	<u>3</u>	<u>4</u>
540	Acute appendicitis	7	3	4
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>17</u>	<u>12</u>	<u>5</u>
550	Inguinal	2	2	0
551	Other, of abdominal cavity, with gangrene	3	1	2
552	Other, of abdominal cavity with obstruction, without mention of gangrene	6	4	2
553	Other, of abdominal cavity without mention of obstruction or gangrene	6	5	1
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>101</u>	<u>73</u>	<u>28</u>
555	Regional enteritis	2	0	2
556	Idiopathic proctocolitis	4	4	0
557	Vascular insufficiency of intestine	71	53	18
558	Other noninfective gastroenteritis and colitis	24	16	8
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>130</u>	<u>95</u>	<u>35</u>
560	Intestinal obstruction without mention of hernia	51	34	17
562	Diverticula of intestine	35	29	6
564	Functional digestive disorders, not elsewhere classified	3	1	2
566	Abscess of anal and rectal regions	2	1	1
567	Peritonitis	15	12	3

Table 10 - Page 9
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
568	Other disorders of peritoneum	1	0	1
569	Other disorders of intestine	23	18	5
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>410</u>	<u>283</u>	<u>127</u>
570	Acute and subacute necrosis of liver	7	4	3
571	Chronic liver disease and cirrhosis	193	144	49
572	Liver abscess and sequelae of chronic liver disease	36	21	15
573	Other disorders of liver	15	9	6
<u>574, 575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>33</u>	<u>21</u>	<u>12</u>
574	Cholelithiasis	12	6	6
575	Other disorders of gallbladder	21	15	6
576	Other disorders of biliary tract	8	5	3
577	Diseases of pancreas	35	21	14
578	Gastrointestinal hemorrhage	82	58	24
579	Intestinal malabsorption	1	0	1
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>590</u>	<u>329</u>	<u>261</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>333</u>	<u>180</u>	<u>153</u>
580	Acute glomerulonephritis	1	1	0
581	Nephrotic syndrome	3	2	1
582	Chronic glomerulonephritis	21	10	11
583	Nephritis and nephropathy, unqualified	4	1	3
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>302</u>	<u>165</u>	<u>137</u>
584	Acute	48	30	18
585	Chronic	80	44	36
586	Unspecified	172	90	82
587	Renal sclerosis, unspecified	2	1	1
588	Disorders resulting from impaired renal function	2	1	1
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>248</u>	<u>145</u>	<u>103</u>
590	Infections of kidney	26	16	10
593	Other disorders of kidney and ureter	52	19	33
596	Other disorders of bladder	3	1	2
599	Other disorders of urethra and urinary tract	167	109	58
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>5</u>	<u>2</u>	<u>3</u>
600	Hyperplasia of prostate	2	0	2
601	Inflammatory diseases of prostate	1	1	0
604	Orchitis and epididymitis	1	1	0
608	Other disorders of male genital organs	1	0	1
<u>610, 611</u>	<u>Disorders of breast</u>	<u>1</u>	<u>0</u>	<u>1</u>
611	Other disorders of breast	1	0	1
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>1</u>	<u>1</u>	<u>0</u>
616	Inflammatory disease of cervix, vagina and vulva	1	1	0
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>2</u>	<u>1</u>	<u>1</u>
619	Fistula involving female genital tract	2	1	1
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>3</u>	<u>2</u>	<u>1</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 10
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>1</u>	<u>0</u>	<u>1</u>
669	Other complications of labor and delivery, not elsewhere classified	1	0	1
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>2</u>	<u>2</u>	<u>0</u>
673	Obstetrical pulmonary embolism	2	2	0
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>66</u>	<u>29</u>	<u>37</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>11</u>	<u>6</u>	<u>5</u>
682	Other cellulitis and abscess	7	5	2
686	Other local infections of skin and subcutaneous tissue	4	1	3
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>3</u>	<u>1</u>	<u>2</u>
694	Bullous dermatoses	1	0	1
695	Erythematous conditions	2	1	1
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>52</u>	<u>22</u>	<u>30</u>
707	Chronic ulcer of skin	52	22	30
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>78</u>	<u>48</u>	<u>30</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>46</u>	<u>30</u>	<u>16</u>
710	Diffuse diseases of connective tissue	29	17	12
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>17</u>	<u>13</u>	<u>4</u>
711	Arthropathy associated with infections	3	2	1
714	Rheumatoid arthritis and other inflammatory polyarthropathies	11	10	1
715	Osteoarthritis and allied disorders	2	1	1
716	Other and unspecified arthropathies	1	0	1
<u>720-724</u>	<u>Dorsopathies</u>	<u>5</u>	<u>4</u>	<u>1</u>
720	Ankylosing spondylitis and other inflammatory spondylopathies	1	1	0
721	Spondylosis and allied disorders	1	1	0
722	Intervertebral disc disorders	1	1	0
723	Other disorders of cervical region	2	1	1
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>8</u>	<u>2</u>	<u>6</u>
725	Polymyalgia rheumatica	1	0	1
728	Disorders of muscle, ligament, and fascia	2	1	1
729	Other disorders of soft tissues	5	1	4
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>19</u>	<u>12</u>	<u>7</u>
730	Osteomyelitis, periostitis, and other infections involving bone	6	4	2
731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere	1	1	0
733	Other disorders of bone and cartilage	5	4	1

Table 10 - Page 11
 Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
736	Other acquired deformities of limbs	1	0	1
737	Curvature of spine	6	3	3
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>138</u>	<u>60</u>	<u>78</u>
<u>740-742</u>	<u>Nervous system</u>	<u>14</u>	<u>5</u>	<u>9</u>
740	Anencephalus and similar anomalies	3	1	2
741	Spina bifida	2	0	2
742	Other congenital anomalies of nervous system	9	4	5
<u>743, 744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>64</u>	<u>24</u>	<u>40</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	13	8	5
746	Heart	45	13	32
747	Other congenital anomalies of circulatory system	6	3	3
748	Respiratory system	8	4	4
<u>749-751</u>	<u>Digestive system</u>	<u>6</u>	<u>4</u>	<u>2</u>
750	Other congenital anomalies of upper alimentary tract	1	1	0
751	Other congenital anomalies of digestive system	5	3	2
<u>752, 753</u>	<u>Genitourinary system</u>	<u>8</u>	<u>4</u>	<u>4</u>
753	Urinary system	8	4	4
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>12</u>	<u>8</u>	<u>4</u>
756	Other congenital musculoskeletal anomalies	12	8	4
758	Chromosomal anomalies	17	9	8
759	Other and unspecified congenital anomalies	9	2	7
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>232</u>	<u>66</u>	<u>166</u>
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>27</u>	<u>9</u>	<u>18</u>
761	Maternal complications of pregnancy	18	7	11
762	Complications of placenta, cord, and membranes	9	2	7
<u>765, 766</u>	<u>Disorders relating to gestation</u>	<u>55</u>	<u>14</u>	<u>41</u>
765	Short gestation and unspecified low birthweight	55	14	41
767	Birth trauma	1	1	0
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>92</u>	<u>26</u>	<u>66</u>
768	Intrauterine hypoxia and birth asphyxia	16	4	12
769	Respiratory distress syndrome	36	15	21
770	Other respiratory conditions of fetus and newborn	40	7	33
771	Infections specific to the perinatal period	9	4	5
772	Fetal and neonatal hemorrhage	2	1	1
773	Hemolytic disease of fetus or newborn, due to isoimmunization	1	0	1
777	Perinatal disorders of digestive system	5	2	3
778	Conditions involving the integument and temperature regulation of fetus and newborn	3	3	0
779	Other and ill-defined conditions originating in the perinatal period	37	6	31

Table 10 - Page 12
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>780- 799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>248</u>	<u>113</u>	<u>135</u>
<u>780- 789</u>	<u>Symptoms</u>	<u>28</u>	<u>12</u>	<u>16</u>
780	General	13	4	9
785	Involving cardiovascular system	10	6	4
786	Involving respiratory system and other chest symptoms	4	1	3
789	Other involving abdomen and pelvis	1	1	0
<u>790- 796</u>	<u>Nonspecific abnormal findings</u>	<u>1</u>	<u>1</u>	<u>0</u>
790	Nonspecific findings on examination of blood	1	1	0
<u>797- 799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>219</u>	<u>100</u>	<u>119</u>
797	Senility without mention of psychosis	9	7	2
798	Sudden death, cause unknown	71	22	49
799	Other ill-defined and unknown causes	139	71	68
<u>800- 999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2, 220</u>	<u>1, 299</u>	<u>921</u>
<u>800- 949</u>	<u>Accidents and adverse effects</u>	<u>1, 459</u>	<u>896</u>	<u>563</u>
<u>800- 807</u>	<u>Railway</u>	<u>4</u>	<u>2</u>	<u>2</u>
805	Hit by rolling stock	4	2	2
<u>810- 825</u>	<u>Motor vehicle</u>	<u>810</u>	<u>524</u>	<u>286</u>
<u>(810- 819)</u>	<u>(Traffic)</u>	<u>789</u>	<u>508</u>	<u>281</u>
810	Involving collision with train	22	8	14
811	Involving re-entrant collision with another motor vehicle	2	1	1
812	Involving collision with another motor vehicle	403	266	137
813	Involving collision with other vehicle	9	5	4
814	Involving collision with pedestrian	63	30	33
815	Other involving collision on the highway	19	15	4
816	Due to loss of control, without collision on the highway	208	135	73
818	Other noncollision	10	6	4
819	Of unspecified nature	53	42	11
<u>(820- 825)</u>	<u>(Nontraffic)</u>	<u>21</u>	<u>16</u>	<u>5</u>
821	Involving other off-road motor vehicle	2	2	0
822	Involving collision of other motor vehicle with moving object	12	7	5
825	Of other and unspecified nature	7	7	0
<u>826- 829</u>	<u>Other road vehicle</u>	<u>2</u>	<u>2</u>	<u>0</u>
826	Pedal cycle accident	1	1	0
828	Involving animal being ridden	1	1	0
<u>830- 838</u>	<u>Water transport</u>	<u>31</u>	<u>20</u>	<u>11</u>
830	Accident to watercraft causing submersion	6	4	2
831	Accident to watercraft causing other injury	1	0	1
832	Other submersion or drowning in water transport	21	13	8
838	Other and unspecified	3	3	0
<u>840- 845</u>	<u>Air and space transport</u>	<u>5</u>	<u>5</u>	<u>0</u>
841	Accident to powered aircraft, other and unspecified	5	5	0
<u>846- 848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 13
Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
<u>850-869</u>	<u>Poisoning</u>	<u>44</u>	<u>28</u>	<u>16</u>
<u>(850-858)</u>	<u>(By drugs, medicaments, and biologicals)</u>	<u>33</u>	<u>24</u>	<u>9</u>
850	Analgesics, antipyretics, antirheumatics	10	10	0
853	Tranquillizers	1	1	0
854	Other psychotropic agents	1	1	0
855	Other drugs acting on central and autonomic nervous systems	4	0	4
858	Other drugs	17	12	5
<u>(860-869)</u>	<u>(By other solid and liquid substances, gases, and vapors)</u>	<u>11</u>	<u>4</u>	<u>7</u>
860	Alcohol, not elsewhere classified	3	1	2
862	Petroleum products, other solvents and their vapors, not elsewhere classified	1	0	1
866	Other and unspecified solid and liquid substances	2	1	1
867	Gas distributed by pipeline	2	1	1
868	Other utility gas and other carbon monoxide	2	1	1
869	Other gases and vapors	1	0	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>6</u>	<u>4</u>	<u>2</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	4	2	2
874	Mechanical failure of instrument or apparatus during procedure	1	1	0
876	Other and unspecified misadventures during medical care	1	1	0
<u>878, 879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>20</u>	<u>12</u>	<u>8</u>
878	Surgical operation or other surgical procedure	14	8	6
879	Other procedures	6	4	2
<u>880-888</u>	<u>Falls</u>	<u>123</u>	<u>101</u>	<u>22</u>
880	On or from stairs or steps	5	5	0
881	On or from ladders or scaffolding	2	1	1
882	From or out of building or other structure	7	7	0
884	Other from one level to another	18	15	3
885	On same level from slipping, tripping, or stumbling	5	5	0
887	Fracture, cause unspecified	28	23	5
888	Other and unspecified fall	58	45	13
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>100</u>	<u>29</u>	<u>71</u>
890	Conflagration in private dwelling	83	21	62
892	Conflagration not in building or structure	1	1	0
893	Ignition of clothing	7	2	5
897	Controlled fire not in building or structure	2	1	1
899	Unspecified fire	7	4	3
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>23</u>	<u>10</u>	<u>13</u>
900	Excessive heat	8	5	3
901	Excessive cold	5	1	4
904	Hunger, thirst, exposure, and neglect	7	2	5
905	Venomous animals and plants as the cause of poisoning and toxic reactions	2	1	1

Table 10 - Page 14
 Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
907	Lightning	1	1	0
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>155</u>	<u>73</u>	<u>82</u>
910	Drowning and submersion	81	27	54
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	23	12	11
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	43	29	14
913	Mechanical suffocation	8	5	3
<u>916-929</u>	<u>Other accidents</u>	<u>135</u>	<u>85</u>	<u>50</u>
916	Struck by falling object	18	12	6
917	Striking against or struck by objects or persons	1	0	1
918	Caught accidentally in or between objects	1	0	1
919	Caused by machinery	14	10	4
920	Caused by cutting and piercing instruments or objects	1	1	0
921	Caused by explosion of pressure vessel	2	2	0
922	Caused by firearm missile	48	23	25
923	Caused by explosive material	3	1	2
924	Caused by hot substance or object, caustic or corrosive material, and steam	2	2	0
925	Caused by electric current	11	9	2
927	Overexertion and strenuous movements	3	2	1
928	Other and unspecified environmental and accidental causes	22	15	7
929	Late effects of accidental injury	9	8	1
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>1</u>	<u>1</u>	<u>0</u>
947	Other and unspecified drugs and medicaments	1	1	0
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>325</u>	<u>263</u>	<u>62</u>
<u>950-952</u>	<u>By poisoning</u>	<u>21</u>	<u>17</u>	<u>4</u>
950	By solid or liquid substances	16	12	4
952	By other gases and vapors	5	5	0
953	By hanging, strangulation, and suffocation	22	11	11
954	By submersion (drowning)	2	0	2
955	By firearms and explosives	274	229	45
956	By cutting and piercing instruments	3	3	0
958	By other and unspecified means	3	3	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>408</u>	<u>119</u>	<u>289</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>404</u>	<u>117</u>	<u>287</u>
960	Fight, brawl, rape	2	2	0
963	Assault by hanging and strangulation	11	6	5
964	Assault by submersion (drowning)	2	1	1
965	Assault by firearms and explosives	274	75	199
966	Assault by cutting and piercing instrument	69	11	58
967	Child battering and other maltreatment	5	1	4

Table 10 - Page 15
 Deaths - Mississippi - 1991

International Classification Number*	Cause*	Total	White	Non- white
968	Assault by other and unspecified means	39	19	20
969	Late effects of injury purposely inflicted by other person	2	2	0
<u>970-978</u>	<u>Legal intervention</u>	<u>4</u>	<u>2</u>	<u>2</u>
970	Injury by firearms	4	2	2
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>28</u>	<u>21</u>	<u>7</u>
980	Poisoning by solid or liquid substances	5	5	0
984	Submersion (drowning)	4	2	2
985	Injury by firearms and explosives	14	11	3
986	Injury by cutting and piercing instruments	1	1	0
988	Injury by other and unspecified means	4	2	2
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>0</u>	<u>0</u>	<u>0</u>

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1991

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE AND SEX	AGE												
		NUMBER	RATE#			SEX	SEX	1-	5-	10-	15-	25-	35-	45-	55-	65 U		
								<1	4	9	14	24	34	44	54	64	AND N	
<u>001-999</u>	<u>ALL CAUSES</u>	<u>25,503</u>	<u>9.9</u>	W	<u>16,393</u>	M	<u>8,517</u>	<u>100</u>	<u>22</u>	<u>14</u>	<u>25</u>	<u>190</u>	<u>262</u>	<u>348</u>	<u>615</u>	<u>1,325</u>	<u>5,615</u>	<u>1</u>
						F	<u>7,876</u>	<u>63</u>	<u>15</u>	<u>12</u>	<u>13</u>	<u>83</u>	<u>93</u>	<u>165</u>	<u>295</u>	<u>737</u>	<u>6,399</u>	<u>1</u>
				NW	<u>9,110</u>	M	<u>4,840</u>	<u>175</u>	<u>34</u>	<u>29</u>	<u>21</u>	<u>213</u>	<u>282</u>	<u>349</u>	<u>386</u>	<u>590</u>	<u>2,756</u>	<u>5</u>
						F	<u>4,270</u>	<u>155</u>	<u>27</u>	<u>11</u>	<u>15</u>	<u>63</u>	<u>118</u>	<u>176</u>	<u>264</u>	<u>466</u>	<u>2,971</u>	<u>4</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>467</u>	<u>18.1</u>	W	<u>254</u>	M	<u>167</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>25</u>	<u>30</u>	<u>23</u>	<u>19</u>	<u>68</u>	<u>0</u>
						F	<u>87</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>5</u>	<u>7</u>	<u>67</u>	<u>0</u>
				NW	<u>213</u>	M	<u>135</u>	<u>5</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>7</u>	<u>36</u>	<u>24</u>	<u>12</u>	<u>9</u>	<u>41</u>	<u>0</u>
						F	<u>78</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>7</u>	<u>8</u>	<u>2</u>	<u>7</u>	<u>49</u>	<u>0</u>
<u>010-018</u>	<u>TUBERCULOSIS</u>	<u>14</u>	<u>0.5</u>	W	<u>7</u>	M	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>0</u>
						F	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>
				NW	<u>7</u>	M	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>
						F	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>
<u>042-044</u>	<u>HUMAN IMMUNODEFICIENCY VIRUS INFECTION</u>	<u>136</u>	<u>5.3</u>	W	<u>64</u>	M	<u>61</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>23</u>	<u>23</u>	<u>14</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>
						F	<u>3</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
				NW	<u>72</u>	M	<u>63</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>6</u>	<u>33</u>	<u>20</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>
						F	<u>9</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>1</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>0</u>
<u>140-208</u>	<u>MALIGNANT NEOPLASMS</u>	<u>5,483</u>	<u>213.1</u>	W	<u>3,657</u>	M	<u>2,046</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>6</u>	<u>22</u>	<u>46</u>	<u>145</u>	<u>429</u>	<u>1,392</u>	<u>0</u>
						F	<u>1,611</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>9</u>	<u>50</u>	<u>126</u>	<u>296</u>	<u>1,120</u>	<u>0</u>
				NW	<u>1,826</u>	M	<u>1,069</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>1</u>	<u>8</u>	<u>8</u>	<u>54</u>	<u>101</u>	<u>177</u>	<u>715</u>	<u>1</u>
						F	<u>757</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>17</u>	<u>43</u>	<u>61</u>	<u>132</u>	<u>497</u>	<u>0</u>
<u>210-239</u>	<u>BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE</u>	<u>63</u>	<u>2.4</u>	W	<u>44</u>	M	<u>23</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>3</u>	<u>3</u>	<u>14</u>	<u>0</u>
						F	<u>21</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>15</u>	<u>0</u>
				NW	<u>19</u>	M	<u>9</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>4</u>	<u>0</u>
						F	<u>10</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>0</u>

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1991

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE AND SEX	SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS</u>	<u>637</u>	<u>24.8</u>	W	<u>299</u>	M	<u>121</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>4</u>	<u>1</u>	<u>13</u>	<u>14</u>	<u>84</u>	<u>0</u>		
						F	<u>178</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>3</u>	<u>3</u>	<u>3</u>	<u>7</u>	<u>23</u>	<u>136</u>	<u>0</u>		
						NW	M	<u>121</u>	<u>4</u>	<u>0</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>11</u>	<u>5</u>	<u>13</u>	<u>81</u>	<u>0</u>	
							F	<u>217</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>6</u>	<u>5</u>	<u>17</u>	<u>32</u>	<u>153</u>	<u>0</u>	
250	DIABETES MELLITUS	427	16.6	W	186	M	71	0	0	0	0	1	3	1	8	7	51	0		
						F	115	0	0	0	0	1	2	2	5	18	87	0		
						NW	M	69	0	0	0	0	0	2	7	2	12	46	0	
							F	172	0	0	0	0	0	2	4	14	28	124	0	
260-269	NUTRITIONAL DEFICIENCIES	38	1.5	W	18	M	10	0	0	0	0	0	0	0	1	0	9	0		
						F	8	0	0	0	0	0	0	0	0	0	8	0		
						NW	M	11	0	0	0	0	0	0	0	0	0	11	0	
							F	9	0	0	0	0	0	0	0	0	0	9	0	
<u>280-289</u>	<u>DISEASES OF BLOOD AND BLOOD-FORMING ORGANS</u>	<u>91</u>	<u>3.5</u>	W	<u>50</u>	M	<u>22</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>17</u>	<u>0</u>		
						F	<u>28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>22</u>	<u>0</u>		
						NW	M	<u>13</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>1</u>	<u>6</u>	<u>0</u>	
							F	<u>28</u>	<u>0</u>	<u>3</u>	<u>1</u>	<u>0</u>	<u>5</u>	<u>1</u>	<u>3</u>	<u>2</u>	<u>1</u>	<u>12</u>	<u>0</u>	
280-285	ANEMIAS	58	2.2	W	25	M	10	0	0	0	0	0	0	0	0	1	9	0		
						F	15	0	0	0	0	0	0	2	0	13	0			
						NW	M	12	0	0	0	0	1	0	2	3	0	6	0	
							F	21	0	2	1	0	3	1	2	2	1	9	0	
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>225</u>	<u>8.7</u>	W	<u>148</u>	M	<u>69</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>11</u>	<u>48</u>	<u>0</u>		
						F	<u>79</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>74</u>	<u>0</u>		
						NW	M	<u>51</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>9</u>	<u>7</u>	<u>7</u>	<u>23</u>	<u>0</u>	
							F	<u>26</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>19</u>	<u>0</u>	
303	ALCOHOLISM	52	2.0	W	19	M	18	0	0	0	0	0	0	0	5	6	7	0		
						F	1	0	0	0	0	0	0	1	0	0	0	0		
						NW	M	25	0	0	0	0	0	3	7	5	5	5	0	
							F	8	0	0	0	0	0	2	1	3	0	2	0	

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1991

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE AND SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K	
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64					
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>374</u>	<u>14.5</u>	W	<u>267</u>	M	<u>125</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>6</u>	<u>6</u>	<u>8</u>	<u>18</u>	<u>80</u>	<u>0</u>		
						F	<u>142</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>1</u>	<u>5</u>	<u>7</u>	<u>17</u>	<u>107</u>	<u>0</u>		
					NW	M	<u>59</u>	<u>3</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>5</u>	<u>7</u>	<u>4</u>	<u>5</u>	<u>28</u>	<u>0</u>		
						F	<u>48</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>0</u>	<u>2</u>	<u>3</u>	<u>6</u>	<u>28</u>	<u>0</u>		
320-322	MENINGITIS	15	0.6	W	M	5	0	0	0	0	0	0	0	1	0	1	3	0		
					F	4	1	0	0	0	0	0	0	0	1	2	0			
				NW	M	6	5	2	0	0	1	0	1	0	0	0	0	0	1	0
					F	6	1	1	0	0	0	0	0	0	0	0	0	0	0	0
345	EPILEPSY	31	1.2	W	M	14	9	0	0	0	1	0	0	2	2	3	1	0		
					F	17	5	0	0	0	0	0	1	2	0	2	0			
				NW	M	17	14	0	0	0	0	2	2	5	0	3	2	0		
					F	14	3	0	0	0	0	1	0	0	1	1	0	0		
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,899</u>	<u>462.4</u>	W	M	<u>7,743</u>	<u>3,724</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>21</u>	<u>96</u>	<u>259</u>	<u>578</u>	<u>2,763</u>	<u>1</u>		
					F	<u>4,019</u>	<u>3</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>14</u>	<u>31</u>	<u>79</u>	<u>249</u>	<u>3,641</u>	<u>0</u>				
				NW	M	<u>4,156</u>	<u>1,933</u>	<u>2</u>	<u>1</u>	<u>3</u>	<u>2</u>	<u>11</u>	<u>24</u>	<u>99</u>	<u>149</u>	<u>282</u>	<u>1,357</u>	<u>3</u>		
					F	<u>4,156</u>	<u>2,223</u>	<u>3</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>10</u>	<u>27</u>	<u>66</u>	<u>128</u>	<u>219</u>	<u>1,762</u>	<u>4</u>		
390-398, 402, 404-429	HEART DISEASES	9,562	371.6	W	M	6,271	3,084	0	1	0	1	3	17	82	233	513	2,233	1		
					F	6,271	3,187	2	2	0	0	0	10	22	61	214	2,876	0		
				NW	M	3,291	1,543	0	1	2	2	10	19	78	124	215	1,089	3		
					F	3,291	1,748	2	3	0	1	9	17	53	100	171	1,388	4		
401, 403	HYPERTENSION	115	4.5	W	M	51	21	0	0	0	0	0	0	0	2	2	17	0		
					F	51	30	0	0	0	0	0	0	1	2	27	0			
				NW	M	64	23	0	0	0	0	0	0	2	2	6	13	0		
					F	64	41	0	0	0	0	0	0	0	5	3	33	0		
430-438	CEREBROVASCULAR DISEASES	1,754	68.2	W	M	1,082	425	0	0	0	0	1	2	9	16	36	361	0		
					F	1,082	657	1	0	0	0	0	4	8	16	26	602	0		
				NW	M	672	319	1	0	1	0	0	5	14	19	56	223	0		
					F	672	353	1	0	0	0	1	9	11	22	37	272	0		

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 1991

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	TOTAL BY RACE AND SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
440	ATHEROSCLEROSIS	150	5.8	W	113	M 45	0	0	0	0	0	1	0	1	1	42	0		
						F 68	0	0	0	0	0	0	0	0	1	67	0		
				NW	37	M 11	0	0	0	0	0	0	1	0	1	9	0		
						F 26	0	0	0	0	0	0	0	0	0	26	0		
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,945</u>	<u>75.6</u>	W	<u>1,461</u>	M <u>774</u>	<u>5</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>6</u>	<u>8</u>	<u>20</u>	<u>83</u>	<u>650</u>	<u>0</u>		
						F <u>687</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>5</u>	<u>4</u>	<u>20</u>	<u>57</u>	<u>597</u>	<u>0</u>		
				NW	<u>484</u>	M <u>273</u>	<u>4</u>	<u>4</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>4</u>	<u>8</u>	<u>15</u>	<u>27</u>	<u>207</u>	<u>0</u>		
						F <u>211</u>	<u>3</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>6</u>	<u>5</u>	<u>16</u>	<u>15</u>	<u>161</u>	<u>0</u>		
480-486	PNEUMONIA	772	30.0	W	541	M 245	4	0	0	1	0	4	4	5	15	212	0		
						F 296	1	0	0	0	0	1	1	6	13	274	0		
				NW	231	M 125	4	1	0	0	0	4	3	9	11	93	0		
						F 106	2	1	0	0	1	3	3	3	4	89	0		
487	INFLUENZA	16	0.6	W	14	M 3	0	0	0	0	0	0	0	0	0	3	0		
						F 11	0	0	0	0	0	0	0	1	0	10	0		
				NW	2	M 0	0	0	0	0	0	0	0	0	0	0	0		
						F 2	0	0	0	0	0	0	0	0	0	2	0		
492	EMPHYSEMA	125	4.8	W	105	M 65	0	0	0	0	0	0	0	2	9	54	0		
						F 40	0	0	0	0	0	0	0	1	5	34	0		
				NW	20	M 13	0	0	0	0	0	0	1	0	5	7	0		
						F 7	0	0	0	0	0	0	0	0	3	4	0		
490, 491, 493-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS	744	28.9	W	603	M 365	1	0	0	0	0	1	2	8	52	301	0		
						F 238	0	0	0	0	0	2	1	9	29	197	0		
				NW	141	M 87	0	0	1	1	0	0	2	3	8	72	0		
						F 54	0	2	0	0	0	3	1	8	6	34	0		
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>744</u>	<u>28.9</u>	W	<u>524</u>	M <u>257</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>18</u>	<u>33</u>	<u>49</u>	<u>150</u>	<u>0</u>		
						F <u>267</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>10</u>	<u>7</u>	<u>24</u>	<u>223</u>	<u>0</u>		
				NW	<u>220</u>	M <u>115</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>6</u>	<u>20</u>	<u>13</u>	<u>14</u>	<u>59</u>	<u>0</u>		
						F <u>105</u>	<u>2</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>5</u>	<u>6</u>	<u>10</u>	<u>16</u>	<u>61</u>	<u>0</u>		

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 1991

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	T O T A L B Y R A C E S E X	T O T A L B Y R A C E S E X	T O T A L B Y R A C E S E X	AGE											65 A N D O V E R	U N D E R 1 8
		NUMBER	RATE#					<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
531-533	ULCER OF STOMACH AND DUODENUM	49	1.9	W	37	M	18	0	0	0	0	0	0	1	1	4	12	0		
						F	19	0	0	0	0	0	1	0	0	18	0			
						NW	12	M	7	0	0	0	0	0	0	1	2	0	4	0
						F	5	0	0	0	0	0	0	0	1	4	0			
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	193	7.5	W	144	M	93	0	0	0	0	0	3	11	23	26	30	0		
						F	51	0	0	0	0	1	4	5	8	33	0			
						NW	49	M	31	0	0	0	0	0	1	13	5	6	6	0
						F	18	0	0	0	0	3	3	1	3	8	0			
580-629	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	590	22.9	W	329	M	125	0	0	0	0	0	1	1	7	9	107	0		
						F	204	1	0	0	0	0	2	4	9	188	0			
						NW	261	M	125	2	0	0	0	0	2	3	8	16	94	0
						F	136	0	0	0	0	0	2	6	14	114	0			
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	333	12.9	W	180	M	71	0	0	0	0	0	1	1	4	8	57	0		
						F	109	1	0	0	0	0	2	2	4	100	0			
						NW	153	M	74	1	0	0	0	0	2	2	5	12	52	0
						F	79	0	0	0	0	0	2	6	7	64	0			
590	INFECTIONS OF KIDNEY	26	1.0	W	16	M	3	0	0	0	0	0	0	0	1	0	2	0		
						F	13	0	0	0	0	0	0	0	2	11	0			
						NW	10	M	3	1	0	0	0	0	0	1	0	1	0	
						F	7	0	0	0	0	0	0	2	5	0				
630-676	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	3	6.9	W	2	M	0	0	0	0	0	0	0	0	0	0	0	0		
						F	2	0	0	0	0	2	0	0	0	0	0	0		
						NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	1	0	0	0	0	0			
680-709	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	66	2.6	W	29	M	11	0	0	0	0	0	0	0	1	0	10	0		
						F	18	0	0	0	0	0	0	0	0	18	0			
						NW	37	M	19	0	0	0	0	0	1	0	2	2	14	0
						F	18	0	0	0	0	0	0	0	1	17	0			

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 1991

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE AND SEX	SEX	AGE											65 AND OVER	U N K
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
<u>710-739</u>	<u>DISEASES OF THE MUSCULO- SKELETAL SYSTEM</u>	<u>78</u>	<u>3.0</u>	W	<u>48</u>	M	<u>20</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>15</u>	<u>0</u>
						F	<u>28</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>5</u>	<u>4</u>	<u>15</u>	<u>0</u>	
						NW	M	<u>12</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>6</u>	<u>0</u>
							F	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>2</u>	<u>12</u>	<u>0</u>	
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>138</u>	<u>5.4</u>	W	<u>60</u>	M	<u>31</u>	<u>22</u>	<u>3</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>0</u>	
						F	<u>29</u>	<u>18</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>1</u>	<u>1</u>	<u>2</u>	<u>0</u>	
						NW	M	<u>36</u>	<u>25</u>	<u>4</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>4</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
							F	<u>42</u>	<u>28</u>	<u>2</u>	<u>0</u>	<u>2</u>	<u>2</u>	<u>1</u>	<u>5</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0</u>
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>232</u>	<u>5.4</u>	W	<u>66</u>	M	<u>41</u>	<u>41</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
						F	<u>25</u>	<u>24</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
						NW	M	<u>95</u>	<u>94</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
							F	<u>71</u>	<u>71</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>248</u>	<u>9.6</u>	W	<u>113</u>	M	<u>69</u>	<u>18</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>2</u>	<u>4</u>	<u>2</u>	<u>7</u>	<u>6</u>	<u>30</u>	<u>0</u>	
						F	<u>44</u>	<u>8</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>3</u>	<u>1</u>	<u>31</u>	<u>0</u>	
						NW	M	<u>70</u>	<u>26</u>	<u>2</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>2</u>	<u>5</u>	<u>7</u>	<u>24</u>	<u>0</u>
							F	<u>65</u>	<u>27</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>4</u>	<u>3</u>	<u>1</u>	<u>3</u>	<u>26</u>	<u>0</u>
<u>800-999</u>	<u>ALL EXTERNAL CAUSES</u>	<u>2,220</u>	<u>86.3</u>	W	<u>1,299</u>	M	<u>892</u>	<u>7</u>	<u>18</u>	<u>8</u>	<u>16</u>	<u>170</u>	<u>163</u>	<u>138</u>	<u>90</u>	<u>97</u>	<u>185</u>	<u>0</u>	
						F	<u>407</u>	<u>2</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>65</u>	<u>54</u>	<u>46</u>	<u>27</u>	<u>45</u>	<u>143</u>	<u>1</u>	
						NW	M	<u>705</u>	<u>9</u>	<u>20</u>	<u>13</u>	<u>15</u>	<u>177</u>	<u>180</u>	<u>106</u>	<u>59</u>	<u>28</u>	<u>97</u>	<u>1</u>
							F	<u>216</u>	<u>14</u>	<u>9</u>	<u>9</u>	<u>8</u>	<u>30</u>	<u>42</u>	<u>24</u>	<u>11</u>	<u>16</u>	<u>53</u>	<u>0</u>
<u>810-825</u>	<u>MOTOR VEHICLE ACCIDENTS</u>	<u>810</u>	<u>31.5</u>	W	<u>524</u>	M	<u>340</u>	<u>0</u>	<u>9</u>	<u>6</u>	<u>11</u>	<u>92</u>	<u>66</u>	<u>55</u>	<u>28</u>	<u>28</u>	<u>45</u>	<u>0</u>	
						F	<u>184</u>	<u>0</u>	<u>5</u>	<u>6</u>	<u>4</u>	<u>57</u>	<u>27</u>	<u>23</u>	<u>14</u>	<u>19</u>	<u>29</u>	<u>0</u>	
						NW	M	<u>227</u>	<u>3</u>	<u>7</u>	<u>5</u>	<u>5</u>	<u>59</u>	<u>56</u>	<u>29</u>	<u>21</u>	<u>11</u>	<u>31</u>	<u>0</u>
							F	<u>59</u>	<u>4</u>	<u>1</u>	<u>5</u>	<u>5</u>	<u>7</u>	<u>11</u>	<u>9</u>	<u>4</u>	<u>4</u>	<u>9</u>	<u>0</u>
<u>800-807, 826-949</u>	<u>ALL OTHER ACCIDENTS AND ADVERSE EFFECTS</u>	<u>649</u>	<u>25.2</u>	W	<u>372</u>	M	<u>240</u>	<u>6</u>	<u>9</u>	<u>2</u>	<u>2</u>	<u>33</u>	<u>37</u>	<u>30</u>	<u>21</u>	<u>23</u>	<u>77</u>	<u>0</u>	
						F	<u>132</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>2</u>	<u>6</u>	<u>3</u>	<u>4</u>	<u>15</u>	<u>94</u>	<u>0</u>		
						NW	M	<u>189</u>	<u>5</u>	<u>10</u>	<u>7</u>	<u>7</u>	<u>30</u>	<u>26</u>	<u>29</u>	<u>17</u>	<u>8</u>	<u>49</u>	<u>1</u>
							F	<u>88</u>	<u>7</u>	<u>8</u>	<u>4</u>	<u>3</u>	<u>6</u>	<u>5</u>	<u>6</u>	<u>1</u>	<u>10</u>	<u>38</u>	<u>0</u>

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1991

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL		R A C E	TOTAL BY RACE SEX	TOTAL BY RACE SEX	AGE												
		NUMBER	RATE#				<1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	U N K		
950-959	SUICIDE	325	12.6	W	263	M	202	0	0	0	0	29	33	32	26	31	51	0	
						F	61	0	0	0	1	4	14	14	6	7	14	1	
					62	NW	M	52	0	0	0	0	13	18	11	5	0	5	0
						F	10	0	0	0	0	1	4	1	1	1	2	0	
960-978	HOMICIDE AND LEGAL INTERVENTION	408	15.8	W	119	M	94	1	0	0	1	14	24	17	15	10	12	0	
						F	25	0	0	0	1	2	7	5	3	2	5	0	
					289	NW	M	231	1	3	1	3	73	79	36	15	8	12	0
						F	58	3	0	0	0	15	22	8	5	1	4	0	

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1991

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	493	163	330	303	95	208	190	68	122
ADAMS	17	5	12	13	5	8	4	0	4
ALCORN	4	2	2	2	2	0	2	0	2
AMITE	3	1	2	2	0	2	1	1	0
ATTALA	2	0	2	1	0	1	1	0	1
BENTON	2	0	2	1	0	1	1	0	1
BOLIVAR	11	2	9	7	2	5	4	0	4
CALHOUN	4	0	4	4	0	4	0	0	0
CARROLL	1	0	1	0	0	0	1	0	1
CHICKASAW	2	1	1	2	1	1	0	0	0
CHOCTAW	1	0	1	0	0	0	1	0	1
CLAIBORNE	2	0	2	0	0	0	2	0	2
CLARKE	2	2	0	1	1	0	1	1	0
CLAY	3	1	2	3	1	2	0	0	0
COAHOMA	13	0	13	9	0	9	4	0	4
COPIAH	6	0	6	3	0	3	3	0	3
COVINGTON	1	1	0	0	0	0	1	1	0
DESOTO	11	7	4	7	5	2	4	2	2
FORREST	14	4	10	7	2	5	7	2	5
FRANKLIN	0	0	0	0	0	0	0	0	0
GEORGE	0	0	0	0	0	0	0	0	0
GREENE	1	1	0	0	0	0	1	1	0
GRENADA	5	2	3	4	2	2	1	0	1
HANCOCK	6	6	0	3	3	0	3	3	0
HARRISON	29	16	13	16	8	8	13	8	5
HINDS	53	14	39	32	10	22	21	4	17
HOLMES	7	0	7	2	0	2	5	0	5
HUMPHREYS	4	2	2	4	2	2	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	1	1	0	0	0	0	1	1	0
JACKSON	15	6	9	7	4	3	8	2	6
JASPER	2	1	1	2	1	1	0	0	0
JEFFERSON	0	0	0	0	0	0	0	0	0
JEFF DAVIS	3	0	3	2	0	2	1	0	1
JONES	3	2	1	1	0	1	2	2	0
KEMPER	4	1	3	3	1	2	1	0	1
LAFAYETTE	3	1	2	2	0	2	1	1	0
LAMAR	1	1	0	0	0	0	1	1	0
LAUDERDALE	18	4	14	12	1	11	6	3	3
LAWRENCE	4	1	3	3	1	2	1	0	1
LEAKE	2	1	1	0	0	0	2	1	1
LEE	14	9	5	10	6	4	4	3	1
LEFLORE	19	3	16	15	3	12	4	0	4

TABLE 12A - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1991

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	3	2	1	2	2	0	1	0	1
LOWNDES	14	2	12	7	2	5	7	0	7
MADISON	9	2	7	6	1	5	3	1	2
MARION	5	1	4	3	1	2	2	0	2
MARSHALL	8	4	4	3	2	1	5	2	3
MONROE	8	5	3	2	1	1	6	4	2
MONTGOMERY	3	0	3	2	0	2	1	0	1
NESHOBA	4	1	3	1	0	1	3	1	2
NEWTON	1	1	0	0	0	0	1	1	0
NOXUBEE	4	1	3	3	0	3	1	1	0
OKTIBBEHA	6	3	3	5	2	3	1	1	0
PANOLA	8	0	8	8	0	8	0	0	0
PEARL RIVER	4	3	1	2	2	0	2	1	1
PERRY	4	2	2	4	2	2	0	0	0
PIKE	4	0	4	4	0	4	0	0	0
PONTOTOC	2	1	1	1	0	1	1	1	0
PRETISS	4	4	0	0	0	0	4	4	0
QUITMAN	3	0	3	3	0	3	0	0	0
RANKIN	10	8	2	5	4	1	5	4	1
SCOTT	4	2	2	3	2	1	1	0	1
SHARKEY	2	1	1	1	0	1	1	1	0
SIMPSON	4	2	2	2	1	1	2	1	1
SMITH	4	1	3	4	1	3	0	0	0
STONE	1	1	0	1	1	0	0	0	0
SUNFLOWER	12	0	12	7	0	7	5	0	5
TALLAHATCHIE	4	0	4	3	0	3	1	0	1
TATE	4	1	3	2	1	1	2	0	2
TIPPAH	4	3	1	3	2	1	1	1	0
TISHOMINGO	4	4	0	3	3	0	1	1	0
TUNICA	1	0	1	1	0	1	0	0	0
UNION	2	1	1	0	0	0	2	1	1
WALTHALL	3	1	2	0	0	0	3	1	2
WARREN	10	3	7	7	1	6	3	2	1
WASHINGTON	16	1	15	10	0	10	6	1	5
WAYNE	5	0	5	4	0	4	1	0	1
WEBSTER	3	1	2	3	1	2	0	0	0
WILKINSON	1	0	1	1	0	1	0	0	0
WINSTON	5	2	3	5	2	3	0	0	0
YALOBUSHA	3	0	3	2	0	2	1	0	1
YAZOO	4	1	3	0	0	0	4	1	3

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1987-1991 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	12.2	8.6	16.0	7.6	5.3	10.1	4.6	3.3	6.0
ADAMS	12.7	8.5	15.6	8.6	8.5	8.6	4.1	-	6.9
ALCORN	8.6	6.3	21.0	5.3	4.6	9.0	3.4	1.7	12.0
AMITE	9.2	4.8	13.4	6.9	2.4	11.1	2.3	2.4	2.2
ATTALA	8.8	3.3	12.8	4.1	-	7.0	4.8	3.3	5.8
BENTON	9.5	12.0	6.7	6.3	9.0	3.3	3.2	3.0	3.3
BOLIVAR	17.8	8.9	20.2	11.3	6.7	12.6	6.5	2.2	7.7
CALHOUN	12.0	3.3	23.1	7.4	-	16.8	4.6	3.3	6.3
CARROLL	14.8	8.6	19.5	5.5	4.3	6.5	9.2	4.3	13.0
CHI CKASAW	15.6	15.4	15.8	9.4	7.7	10.9	6.2	7.7	4.9
CHOCTAW	6.5	3.2	9.8	-	-	-	6.5	3.2	9.8
CLAIBORNE	13.0	-	14.6	7.6	-	8.5	5.4	-	6.1
CLARKE	11.9	7.2	17.7	8.0	5.8	10.6	4.0	1.4	7.1
CLAY	14.8	9.4	17.5	11.1	1.6	15.9	3.7	7.9	1.6
COAHOMA	17.2	4.3	20.6	11.7	4.3	13.6	5.5	-	7.0
COPIAH	15.3	12.2	17.0	8.7	7.3	9.5	6.5	4.9	7.5
COVINGTON	10.0	7.6	12.8	6.0	2.5	9.9	4.0	5.0	2.8
DESOTO	9.5	9.3	10.6	5.0	5.4	3.2	4.5	3.8	7.4
FORREST	10.7	9.2	12.5	6.3	5.1	7.7	4.4	4.1	4.8
FRANKLIN	10.8	7.1	13.6	6.2	7.1	5.4	4.6	-	8.2
GEORGE	2.1	2.5	-	1.4	1.7	-	0.7	0.8	-
GREENE	8.5	6.0	14.4	5.7	2.0	14.4	2.8	4.0	-
GRENADA	10.9	7.3	13.5	7.2	6.1	8.1	3.6	1.2	5.4
HANCOCK	9.8	9.8	9.8	5.6	5.4	6.6	4.3	4.4	3.3
HARRISON	11.3	8.8	17.4	6.4	4.7	10.4	5.0	4.1	7.0
HINDS	12.4	8.5	14.5	7.9	5.5	9.2	4.5	3.0	5.3
HOLMES	12.8	10.5	13.2	8.8	7.0	9.1	4.0	3.5	4.0
HUMPHREYS	26.4	22.6	27.5	18.4	22.6	17.3	8.0	-	10.2
ISSAQUENA	-	-	-	-	-	-	-	-	-
ITAWAMBA	8.4	8.3	9.8	4.6	4.2	9.8	3.8	4.2	-
JACKSON	8.8	6.4	14.6	4.8	3.8	7.3	4.0	2.6	7.3
JASPER	14.2	4.3	19.6	9.7	2.1	13.8	4.5	2.1	5.8
JEFFERSON	10.5	-	11.8	5.2	-	5.9	5.2	-	5.9
JEFF DAVIS	12.8	13.9	12.2	6.4	8.4	5.4	6.4	5.6	6.8
JONES	10.0	10.8	8.7	6.6	6.8	6.4	3.3	3.9	2.3
KEMPER	13.4	4.3	17.6	9.4	4.3	11.7	4.0	-	5.8
LAFAYETTE	8.1	5.8	11.2	3.2	2.9	3.8	4.9	2.9	7.5
LAMAR	10.3	9.5	14.1	7.4	6.5	11.8	2.9	3.0	2.4
LAUDERDALE	10.5	7.4	14.0	7.7	4.2	11.7	2.8	3.3	2.3
LAWRENCE	15.9	5.5	29.9	10.6	1.8	22.4	5.3	3.7	7.5
LEAKE	13.0	7.4	17.8	7.5	5.9	8.9	5.4	1.5	8.9
LEE	15.2	12.3	21.7	9.4	8.0	12.6	5.8	4.3	9.1
LEFLORE	17.6	13.0	19.2	12.0	10.8	12.4	5.6	2.2	6.8

TABLE 12B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI
1987-1991 AVERAGE

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	7.8	5.3	11.8	5.5	5.3	5.9	2.3	-	5.9
LOWNDES	13.0	8.5	17.6	7.1	5.3	9.0	5.8	3.2	8.6
MADISON	9.6	6.6	12.3	6.2	4.6	7.6	3.5	2.1	4.7
MARION	17.0	18.0	15.6	8.3	6.8	10.4	8.8	11.1	5.2
MARSHALL	18.8	12.4	23.1	13.1	8.0	16.6	5.7	4.4	6.5
MONROE	13.6	11.9	16.4	7.7	6.8	9.1	5.9	5.1	7.3
MONTGOMERY	16.3	9.8	20.9	7.1	2.4	10.4	9.2	7.4	10.4
NESHOBA	14.2	10.4	18.0	6.1	4.1	8.0	8.1	6.2	10.0
NEWTON	10.0	8.3	11.9	6.3	4.8	7.9	3.8	3.6	4.0
NOXUBEE	16.0	3.8	19.2	10.4	-	13.2	5.6	3.8	6.1
OKTIBBEHA	12.8	8.2	16.5	10.6	7.3	13.2	2.2	0.8	3.3
PANOLA	14.0	8.5	17.4	8.6	3.8	11.6	5.4	4.7	5.8
PEARL RIVER	10.9	9.5	16.2	5.4	4.3	9.7	5.4	5.2	6.5
PERRY	8.8	5.0	16.3	7.8	3.4	16.3	1.1	1.7	-
PIKE	11.4	9.5	12.8	8.6	7.8	9.1	2.8	1.7	3.6
PONTOTOC	9.8	9.5	10.8	7.9	7.3	10.8	1.8	2.2	-
PRENTISS	12.2	10.9	19.6	6.1	5.8	7.8	6.1	5.1	11.8
QUITMAN	14.5	12.3	15.5	12.7	9.2	14.2	1.8	3.1	1.3
RANKIN	8.8	7.0	15.4	5.4	5.0	6.6	3.5	2.0	8.8
SCOTT	11.8	5.3	18.2	5.7	3.6	7.8	6.1	1.8	10.4
SHARKEY	16.3	23.6	14.8	8.1	7.9	8.2	8.1	15.7	6.6
SIMPSON	10.9	9.7	12.3	6.2	5.8	6.7	4.7	3.9	5.6
SMITH	8.4	3.0	17.2	7.5	3.0	14.8	0.9	-	2.5
STONE	7.4	7.0	8.1	6.1	5.3	8.1	1.2	1.8	-
SUNFLOWER	19.4	11.2	21.3	11.5	9.6	12.0	7.8	1.6	9.3
TALLAHATCHIE	16.8	10.6	18.8	11.6	7.9	12.8	5.2	2.6	6.0
TATE	7.6	5.5	10.1	4.1	4.4	3.8	3.5	1.1	6.3
TIPPAH	18.0	17.4	20.4	13.9	12.2	20.4	4.2	5.2	-
TISHOMINGO	12.7	10.4	76.9	8.2	7.5	25.6	4.5	2.8	51.3
TUNICA	10.8	7.9	11.2	5.4	-	6.2	5.4	7.9	5.0
UNION	14.0	11.4	24.8	9.7	6.8	21.7	4.2	4.5	3.1
WALTHALL	11.2	8.9	12.6	6.0	4.4	7.0	5.2	4.4	5.6
WARREN	9.3	7.4	11.2	6.6	4.0	9.2	2.7	3.5	1.9
WASHINGTON	11.6	5.7	14.0	7.4	3.6	9.0	4.2	2.1	5.0
WAYNE	14.4	3.6	24.9	10.8	3.6	17.8	3.6	-	7.1
WEBSTER	22.8	18.8	31.4	19.9	16.7	26.9	2.8	2.1	4.5
WILKINSON	15.7	-	20.2	13.1	-	16.8	2.6	-	3.4
WINSTON	12.5	6.5	16.8	10.4	4.9	14.4	2.1	1.6	2.4
YALOBUSHA	17.1	4.4	27.7	10.0	4.4	14.8	7.0	-	12.9
YAZOO	13.6	4.0	18.1	5.1	1.3	6.9	8.5	2.7	11.2

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS;
POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 1991

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27		
<u>ALL CAUSES</u>	<u>493</u>	<u>11.4</u>	W	<u>163</u>	<u>95</u>	<u>59</u>	<u>22</u>	<u>8</u>	<u>3</u>	<u>3</u>	<u>68</u>
			NW	<u>330</u>	<u>208</u>	<u>149</u>	<u>35</u>	<u>12</u>	<u>6</u>	<u>6</u>	<u>122</u>
MENINGOCOCCAL INFECTION (036)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	1	0	0	0
SEPTICEMIA (038)	3	0.1	W	1	0	0	0	0	0	0	1
			NW	2	0	0	0	0	0	0	2
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	2	0	0	2	0	0	2
MENINGITIS (320-322)	4	0.1	W	1	0	0	0	0	0	0	1
			NW	3	1	0	0	1	0	0	2
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	11	0.2	W	5	1	0	0	1	0	0	4
			NW	6	1	0	0	1	0	0	5
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	93	2.2	W	40	27	13	7	2	2	3	13
			NW	53	33	20	12	0	0	1	20
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	18	0.4	W	7	7	7	0	0	0	0	0
			NW	11	11	11	0	0	0	0	0
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	9	0.2	W	2	2	1	1	0	0	0	0
			NW	7	7	6	1	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	55	1.3	W	14	14	14	0	0	0	0	0
			NW	41	40	39	1	0	0	0	1

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1991

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		R A C E	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER	
	NUMBER	RATE#			UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27			
BIRTH TRAUMA (767)	0	-	W	0	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	16	0.4	W	4	3	1	2	0	0	0	0	1
			NW	12	11	8	2	1	0	0	0	1
RESPIRATORY DISTRESS SYNDROME (769)	36	0.8	W	15	14	8	5	1	0	0	0	1
			NW	21	21	15	6	0	0	0	0	0
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	9	0.2	W	4	4	2	2	0	0	0	0	0
			NW	5	5	0	1	1	2	1	0	0
NEONATAL HEMORRHAGE (772)	2	##	W	1	1	0	1	0	0	0	0	0
			NW	1	1	0	1	0	0	0	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	68	1.6	W	22	1	0	0	1	0	0	0	21
			NW	46	4	0	0	2	1	1	0	42
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	11	0.2	W	4	0	0	0	0	0	0	0	4
			NW	7	1	0	0	0	1	0	0	6
ACCIDENTS (800-949)	27	0.6	W	8	2	2	0	0	0	0	0	6
			NW	19	0	0	0	0	0	0	0	19
ALL OTHER CAUSES	123	2.8	W	32	19	11	4	3	1	0	0	13
			NW	91	69	50	11	3	2	3	0	22

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1991

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,422</u>	<u>811</u>	<u>34</u>	<u>42</u>	<u>116</u>	<u>95</u>	<u>75</u>	<u>39</u>	<u>210</u>
ADAMS	19	6	0	3	6	0	0	1	3
ALCORN	17	10	1	0	1	1	0	0	4
AMITE	10	7	0	0	0	1	0	0	2
ATTALA	13	5	0	1	1	0	3	1	2
BENTON	4	4	0	0	0	0	0	0	0
BOLIVAR	24	13	1	0	2	3	1	0	4
CALHOUN	6	5	0	0	0	0	0	0	1
CARROLL	6	6	0	0	0	0	0	0	0
CHICKASAW	6	4	0	0	0	1	1	0	0
CHOCTAW	5	3	0	0	0	1	0	0	1
CLAIBORNE	5	4	0	0	0	1	0	0	0
CLARKE	10	7	0	0	0	0	0	1	2
CLAY	6	1	0	0	2	1	0	0	2
COAHOMA	21	16	0	1	1	2	0	0	1
COPIAH	19	7	0	1	1	3	1	3	3
COVINGTON	11	8	0	0	0	0	0	1	2
DESOTO	27	19	3	1	0	3	1	0	0
FORREST	41	24	0	1	2	1	2	6	5
FRANKLIN	5	5	0	0	0	0	0	0	0
GEORGE	7	6	1	0	0	0	0	0	0
GREENE	4	4	0	0	0	0	0	0	0
GRENADA	23	13	2	2	3	1	1	0	1
HANCOCK	11	8	1	0	0	0	0	1	1
HARRISON	68	33	2	4	11	1	8	0	9
HINDS	169	86	2	2	30	5	8	9	27
HOLMES	18	14	0	0	0	2	2	0	0
HUMPHREYS	11	7	0	1	1	0	1	1	0
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	8	6	0	0	0	0	0	0	2
JACKSON	38	21	0	2	4	3	3	0	5
JASPER	14	12	0	0	0	0	1	0	1
JEFFERSON	4	2	0	0	0	0	1	1	0
JEFF DAVIS	6	4	0	0	0	1	0	1	0
JONES	45	27	0	0	6	1	0	1	10
KEMPER	9	4	0	0	0	0	4	0	1
LAFAYETTE	15	9	0	0	2	0	0	0	4
LAMAR	17	13	0	0	2	0	0	0	2
LAUDERDALE	48	16	2	6	7	2	2	1	12
LAWRENCE	8	3	0	0	1	1	1	0	2
LEAKE	9	5	0	1	0	1	1	0	1
LEE	61	33	0	1	13	0	1	0	13
LEFLORE	19	9	0	0	3	1	3	1	2

TABLE 14 - PAGE 2
 ACCIDENTAL DEATHS - MISSISSIPPI - 1991

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	17	13	0	0	0	0	0	0	4
LOWNDES	38	26	0	1	2	0	1	1	7
MADISON	26	16	0	0	0	2	5	0	3
MARION	13	4	0	0	0	1	0	2	6
MARSHALL	20	13	1	1	0	2	1	0	2
MONROE	16	12	0	0	1	0	0	0	3
MONTGOMERY	7	3	0	0	0	4	0	0	0
NESHOBA	13	8	1	0	0	2	2	0	0
NEWTON	15	10	0	1	1	2	0	0	1
NOXUBEE	13	10	0	0	0	1	2	0	0
OKTIBBEHA	11	4	0	1	1	0	2	1	2
PANOLA	15	8	0	0	0	0	2	1	4
PEARL RIVER	17	8	1	3	0	4	0	0	1
PERRY	4	2	0	0	0	0	1	0	1
PIKE	22	8	0	1	0	4	0	1	8
PONTOTOC	8	7	0	0	0	1	0	0	0
PRENTISS	12	9	0	1	0	0	0	0	2
QUITMAN	7	4	1	0	0	2	0	0	0
RANKIN	28	18	1	2	4	0	2	0	1
SCOTT	11	7	0	0	0	0	0	0	4
SHARKEY	6	4	2	0	0	0	0	0	0
SIMPSON	11	5	0	0	0	2	1	0	3
SMITH	10	8	0	1	0	0	0	0	1
STONE	5	2	0	1	0	0	0	0	2
SUNFLOWER	12	9	0	0	0	0	1	0	2
TALLAHATCHIE	10	6	0	0	0	1	2	0	1
TATE	12	8	0	0	0	0	1	0	3
TIPPAH	10	5	0	1	1	1	1	1	0
TISHOMINGO	16	7	3	0	1	1	0	2	2
TUNICA	5	2	0	0	0	2	0	0	1
UNION	15	10	1	0	1	2	0	0	1
WALTHALL	6	4	0	0	0	2	0	0	0
WARREN	19	8	4	0	1	2	1	0	3
WASHINGTON	57	24	2	1	2	16	2	1	9
WAYNE	8	7	0	0	0	0	0	0	1
WEBSTER	4	3	0	0	0	0	0	0	1
WILKINSON	5	3	0	0	0	0	1	0	1
WINSTON	10	4	1	0	1	2	0	0	2
YALOBUSHA	5	3	1	0	0	0	1	0	0
YAZOO	16	10	0	0	1	2	0	0	3

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1991

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	23,446	17,235	6,211	23,446	17,235	6,211	21,891	16,011	5,880
ADAMS	322	198	124	332	206	126	255	149	106
ALCORN	240	215	25	242	216	26	204	181	23
AMITE	90	55	35	120	75	45	90	56	34
ATTALA	179	130	49	179	129	50	154	109	45
BENTON	37	20	17	53	32	21	47	26	21
BOLIVAR	225	98	127	234	110	124	226	105	121
CALHOUN	141	110	31	157	123	34	134	101	33
CARROLL	63	47	16	73	53	20	55	40	15
CHICKASAW	168	127	41	164	123	41	172	130	42
CHOCTAW	65	51	14	78	64	14	67	52	15
CLAYBORNE	72	20	52	73	22	51	62	14	48
CLARKE	132	95	37	155	114	41	146	104	42
CLAY	176	90	86	181	98	83	168	87	81
COAHOMA	206	84	122	207	83	124	187	73	114
COPIAH	224	135	89	243	152	91	245	146	99
COVINGTON	156	126	30	163	130	33	155	127	28
DESOTO	622	543	79	538	469	69	434	387	47
FORREST	844	666	178	700	532	168	723	565	158
FRANKLIN	78	54	24	81	56	25	75	50	25
GEORGE	287	268	19	271	253	18	218	201	17
GREENE	119	89	30	142	112	30	83	74	9
GRENADA	196	133	63	181	118	63	192	132	60
HANCOCK	312	294	18	331	314	17	265	249	16
HARRISON	2,031	1,728	303	2,001	1,701	300	1,731	1,457	274
HINDS	2,421	1,472	949	2,259	1,362	897	2,104	1,212	892
HOLMES	133	50	83	130	42	88	136	49	87
HUMPHREYS	82	38	44	87	39	48	76	36	40
ISSAQUENA	15	10	5	18	11	7	13	7	6
ITAWAMBA	213	206	7	227	219	8	193	188	5
JACKSON	1,146	984	162	1,215	1,044	171	1,140	989	151
JASPER	149	83	66	165	95	70	135	72	63
JEFFERSON	55	10	45	62	16	46	51	10	41
JEFF DAVIS	67	37	30	86	52	34	76	48	28
JONES	542	445	97	567	465	102	546	452	94
KEMPER	57	26	31	75	42	33	63	31	32
LAFAYETTE	249	184	65	231	167	64	231	170	61
LAMAR	212	196	16	243	224	19	278	255	23
LAUDERDALE	740	561	179	681	519	162	640	484	156
LAWRENCE	99	73	26	121	88	33	108	77	31
LEAKE	135	86	49	149	101	48	137	85	52
LEE	716	602	114	712	610	102	694	587	107
LEFLORE	266	139	127	269	137	132	265	139	126

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1991

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-TOTAL	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	329	255	74	320	246	74	305	232	73
LOWNDES	555	374	181	530	356	174	486	323	163
MADISON	340	202	138	409	255	154	474	333	141
MARION	261	204	57	253	198	55	260	204	56
MARSHALL	213	118	95	216	116	100	202	111	91
MONROE	353	283	70	344	274	70	346	274	72
MONTGOMERY	116	66	50	128	80	48	113	67	46
NESHOPA	225	164	61	235	174	61	219	157	62
NEWTON	158	107	51	159	104	55	155	107	48
NOXUBEE	63	37	26	77	39	38	65	30	35
OKTIBBEHA	308	201	107	288	175	113	271	164	107
PANOLA	238	161	77	237	161	76	228	154	74
PEARL RIVER	407	363	44	411	367	44	368	328	40
PERRY	133	119	14	140	122	18	128	113	15
PIKE	380	239	141	373	237	136	346	217	129
PONTOTOC	220	205	15	236	216	20	210	195	15
PRENTISS	233	208	25	208	183	25	230	205	25
QUITMAN	88	42	46	87	39	48	86	38	48
RANKIN	882	772	110	775	665	110	928	816	112
SCOTT	286	208	78	285	213	72	288	206	82
SHARKEY	56	21	35	49	18	31	53	19	34
SIMPSON	228	168	60	248	189	59	231	175	56
SMITH	104	87	17	147	135	12	133	111	22
STONE	135	120	15	129	115	14	119	106	13
SUNFLOWER	256	120	136	266	119	147	199	90	109
TALLAHATCHIE	106	56	50	109	63	46	90	43	47
TATE	148	111	37	164	131	33	144	111	33
TIPPAH	175	152	23	184	165	19	163	143	20
TISHOMINGO	151	148	3	156	153	3	135	134	1
TUNICA	58	17	41	66	24	42	58	18	40
UNION	227	202	25	232	205	27	232	205	27
WALTHALL	97	68	29	99	73	26	92	64	28
WARREN	476	351	125	483	362	121	441	328	113
WASHINGTON	445	222	223	456	231	225	412	208	204
WAYNE	182	131	51	178	129	49	165	116	49
WEBSTER	90	76	14	90	78	12	102	88	14
WILKINSON	81	37	44	80	34	46	55	13	42
WINSTON	131	92	39	144	100	44	136	94	42
YALOBUSHA	86	63	23	101	74	27	97	71	26
YAZOO	144	87	57	158	99	59	152	94	58
OUT OF STATE	*	*	*	*	*	*	1,555	1,224	331

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
 DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
 MISSISSIPPI, 1991

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN	COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
<u>STATE</u>	<u>13, 027</u>	<u>9, 926</u>	<u>2, 689</u>	<u>412</u>					
ADAMS	52	39	13	0	LINCOLN	141	99	42	0
ALCORN	212	180	11	21	LOWNDES	319	237	81	1
AMITE	67	45	22	0	MADISON	186	132	46	8
ATTALA	73	51	20	2	MARION	148	120	23	5
BENTON	42	31	11	0	MARSHALL	162	105	57	0
BOLIVAR	164	88	76	0	MONROE	213	171	36	6
CALHOUN	80	65	15	0	MONTGOMERY	40	27	13	0
CARROLL	0	0	0	0	NESHOBA	117	104	13	0
CHICKASAW	82	68	11	3	NEWTON	104	79	22	3
CHOCTAW	44	36	8	0	NOXUBEE	30	15	14	1
CLAIBORNE	33	6	27	0	OKTIBBEHA	136	84	44	8
CLARKE	48	37	8	3	PANOLA	150	110	40	0
CLAY	93	41	38	14	PEARL RIVER	261	209	30	22
COAHOMA	137	78	59	0	PERRY	62	57	5	0
COPIAH	112	72	40	0	PIKE	169	119	44	6
COVINGTON	113	91	17	5	PONTOTOC	172	161	9	2
DESOTO	539	511	27	1	PRETISS	143	111	6	26
FORREST	409	291	84	34	QUITMAN	21	13	8	0
FRANKLIN	23	15	8	0	RANKIN	577	534	37	6
GEORGE	134	67	9	58	SCOTT	167	133	33	1
GREENE	51	51	0	0	SHARKEY	13	9	4	0
GRENADA	96	65	31	0	SIMPSON	110	87	23	0
HANCOCK	165	157	7	1	SMITH	95	87	8	0
HARRISON	443	323	52	68	STONE	71	56	9	6
HINDS	1, 380	870	508	2	SUNFLOWER	134	73	56	5
HOLMES	77	30	47	0	TALLAHATCHIE	64	32	32	0
HUMPHREYS	34	19	12	3	TATE	115	89	26	0
ISSAQUENA	2	2	0	0	TIPPAH	139	126	11	2
ITAWAMBA	137	132	4	1	TISHOMINGO	50	48	2	0
JACKSON	817	700	90	27	TUNICA	34	14	20	0
JASPER	57	38	19	0	UNION	140	129	8	3
JEFFERSON	2	0	2	0	WALTHALL	60	50	10	0
JEFF DAVIS	47	30	17	0	WARREN	171	127	44	0
JONES	407	340	62	5	WASHINGTON	304	175	105	24
KEMPER	17	13	4	0	WAYNE	129	105	24	0
LAFAYETTE	134	105	29	0	WEBSTER	48	46	2	0
LAMAR	202	185	12	5	WILKINSON	0	0	0	0
LAUDERDALE	449	358	90	1	WINSTON	95	62	24	9
LAWRENCE	58	48	10	0	YALOBUSHA	51	46	5	0
LEAKE	90	70	20	0	YAZOO	97	73	24	0
LEE	494	417	65	12					
LEFLORE	173	107	64	2					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE 17
 REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI
 ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 1991

COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE	COUNTY	TOTAL	WHITE	NON- WHITE	UNK. RACE
<u>STATE</u>	<u>6, 142</u>	<u>2, 959</u>	<u>3, 166</u>	<u>17</u>					
ADAMS	78	36	42	0	LINCOLN	58	27	31	0
ALCORN	21	18	3	0	LOWNDES	95	55	40	0
AMITE	13	8	5	0	MADISON	234	117	117	0
ATTALA	27	11	16	0	MARION	40	22	18	0
BENTON	1	1	0	0	MARSHALL	40	14	26	0
BOLIVAR	100	29	70	1	MONROE	57	25	32	0
CALHOUN	13	8	5	0	MONTGOMERY	41	22	19	0
CARROLL	29	8	21	0	NESHOBA	35	19	16	0
CHICKASAW	23	10	13	0	NEWTON	44	20	24	0
CHOCTAW	17	12	5	0	NOXUBEE	23	3	20	0
CLAIBORNE	46	0	46	0	OKTIBBEHA	134	87	47	0
CLARKE	31	18	13	0	PANOLA	57	17	40	0
CLAY	43	10	33	0	PEARL RIVER	13	11	2	0
COAHOMA	43	15	27	1	PERRY	4	4	0	0
COPIAH	69	33	36	0	PIKE	60	33	27	0
COVINGTON	24	14	10	0	PONTOTOC	7	6	1	0
DESOTO	265	175	79	11	PRENTISS	8	7	1	0
FORREST	250	172	78	0	QUITMAN	11	3	8	0
FRANKLIN	11	5	6	0	RANKIN	305	230	75	0
GEORGE	1	1	0	0	SCOTT	61	32	29	0
GREENE	5	3	2	0	SHARKEY	14	4	10	0
GRENADA	49	25	24	0	SIMPSON	65	32	33	0
HANCOCK	27	23	4	0	SMITH	22	18	4	0
HARRISON	243	164	79	0	STONE	7	5	2	0
HINDS	1, 614	552	1, 062	0	SUNFLOWER	76	16	60	0
HOLMES	59	9	50	0	TALLAHATCHEE	14	6	8	0
HUMPHREYS	37	10	27	0	TATE	26	5	21	0
ISSAQUENA	2	1	1	0	TIPPAH	18	12	6	0
ITAWAMBA	11	8	3	0	TISHOMINGO	10	9	1	0
JACKSON	40	32	8	0	TUNICA	9	2	7	0
JASPER	17	8	9	0	UNION	6	3	3	0
JEFFERSON	27	2	25	0	WALTHALL	14	7	7	0
JEFF DAVIS	25	8	17	0	WARREN	175	84	91	0
JONES	105	76	29	0	WASHINGTON	179	65	114	0
KEMPER	9	1	8	0	WAYNE	17	12	4	1
LAFAYETTE	82	56	25	1	WEBSTER	17	11	6	0
LAMAR	43	28	15	0	WILKINSON	3	1	2	0
LAUDERDALE	213	127	86	0	WINSTON	43	16	27	0
LAWRENCE	19	10	9	0	YALOBUSHA	18	10	8	0
LEAKE	51	28	23	0	YAZOO	71	21	50	0
LEE	108	73	34	1					
LEFLORE	120	38	81	1					

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	106	50	56	299.8	277.3	323.2	68	56	12	214.4	199.4	329.9
DIABETES MELLITUS (250)	5	2	3	14.1	11.1	17.3	3	2	1	9.4	7.1	27.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	155	73	82	438.4	404.9	473.2	127	113	14	400.4	402.4	384.9
HYPERTENSION (401, 403)	2	2	0	5.6	11.1	-	5	5	0	15.8	17.8	-
CEREBROVASCULAR DISEASES (430-438)	42	26	16	118.8	144.2	92.3	28	27	1	88.3	96.1	27.5
ATHEROSCLEROSIS (440)	4	1	3	11.3	5.5	17.3	3	2	1	9.4	7.1	27.5
PNEUMONIA AND INFLUENZA (480-487)	11	6	5	31.1	33.3	28.8	12	12	0	37.8	42.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	11	2	36.8	61.0	11.5	13	12	1	41.0	42.7	27.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	3	2	14.1	16.6	11.5	3	2	1	9.4	7.1	27.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	0	4	11.3	-	23.1	6	5	1	18.9	17.8	27.5
INFECTIONS OF KIDNEY (590)	1	1	0	2.8	5.5	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	5.6	-	11.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	13	5	8	22.4	22.7	22.2	2	2	0	4.9	6.0	-
ACCIDENTS (800-949)	18	13	5	50.9	72.1	28.8	26	22	4	82.0	78.3	110.0
MOTOR VEHICLE ACCIDENTS# (810-825)	8	4	4	22.6	22.2	23.1	13	11	2	41.0	39.2	55.0
SUICIDE (950-959)	4	4	0	11.3	22.2	-	6	6	0	18.9	21.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	11.3	-	23.1	2	2	0	6.3	7.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	2.8	-	5.8	6	3	3	18.9	10.7	82.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	25	17	8	187.6	233.8	132.1	47	34	13	254.3	305.9	176.5
DIABETES MELLITUS (250)	2	2	0	15.0	27.5	-	3	2	1	16.2	18.0	13.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	30	17	352.6	412.5	280.7	77	51	26	416.6	458.9	352.9
HYPERTENSION (401, 403)	1	0	1	7.5	-	16.5	3	2	1	16.2	18.0	13.6
CEREBROVASCULAR DISEASES (430-438)	12	6	6	90.0	82.5	99.1	8	6	2	43.3	54.0	27.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	16.2	18.0	13.6
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	7.5	-	16.5	8	6	2	43.3	54.0	27.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	2	3	37.5	27.5	49.5	1	1	0	5.4	9.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	15.0	13.8	16.5	1	1	0	5.4	9.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	15.0	13.8	16.5	6	3	3	32.5	27.0	40.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	15.0	13.8	16.5	2	0	2	10.8	-	27.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.6	-	10.9	0	0	0	-	-	-
ACCIDENTS (800-949)	7	4	3	52.5	55.0	49.5	12	4	8	64.9	36.0	108.6
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	15.0	13.8	16.5	5	3	2	27.0	27.0	27.1
SUICIDE (950-959)	2	1	1	15.0	13.8	16.5	2	1	1	10.8	9.0	13.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	15.0	13.8	16.5	2	0	2	10.8	-	27.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	5.4	-	13.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	2.4	-	3.8
MALIGNANT NEOPLASMS (140-208)	11	10	1	136.7	205.4	31.5	85	33	52	203.0	216.3	195.4
DIABETES MELLITUS (250)	2	1	1	24.8	20.5	31.5	15	4	11	35.8	26.2	41.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	26	15	509.6	534.0	472.1	149	57	92	355.8	373.6	345.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	12	3	9	28.6	19.7	33.8
CEREBROVASCULAR DISEASES (430-438)	6	6	0	74.6	123.2	-	20	6	14	47.8	39.3	52.6
ATHEROSCLEROSIS (440)	1	1	0	12.4	20.5	-	5	4	1	11.9	26.2	3.8
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	24.8	41.1	-	20	13	7	47.8	85.2	26.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	24.8	41.1	-	16	10	6	38.2	65.5	22.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	12.4	-	31.5	2	2	0	4.8	13.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	8	2	6	19.1	13.1	22.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	3	0	3	7.2	-	11.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	8.9	-	19.2	5	2	3	6.3	11.0	4.9
ACCIDENTS (800-949)	6	5	1	74.6	102.7	31.5	27	9	18	64.5	59.0	67.6
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	62.1	82.2	31.5	15	5	10	35.8	32.8	37.6
SUICIDE (950-959)	1	0	1	12.4	-	31.5	4	1	3	9.6	6.6	11.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	12	0	12	28.6	-	45.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	12.4	-	31.5	4	0	4	9.6	-	15.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	32	29	3	214.6	267.8	73.5	22	13	9	238.2	233.8	244.8
DIABETES MELLITUS (250)	3	1	2	20.1	9.2	49.0	4	1	3	43.3	18.0	81.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	42	37	5	281.7	341.7	122.6	50	33	17	541.3	593.5	462.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	10.8	-	27.2
CEREBROVASCULAR DISEASES (430-438)	23	18	5	154.3	166.2	122.6	1	0	1	10.8	-	27.2
ATHEROSCLEROSIS (440)	1	1	0	6.7	9.2	-	1	0	1	10.8	-	27.2
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	6.7	9.2	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	47.0	64.6	-	1	1	0	10.8	18.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	10.8	18.0	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	3	1	26.8	27.7	24.5	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	22.8	-	56.3	0	0	0	-	-	-
ACCIDENTS (800-949)	9	4	5	60.4	36.9	122.6	10	2	8	108.3	36.0	217.6
MOTOR VEHICLE ACCIDENTS# (810-825)	6	4	2	40.2	36.9	49.0	6	2	4	65.0	36.0	108.8
SUICIDE (950-959)	2	1	1	13.4	9.2	24.5	2	2	0	21.6	36.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	0	26.8	36.9	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	10.8	-	27.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	41	28	13	226.7	253.2	185.0	30	21	9	330.7	332.3	327.0
DIABETES MELLITUS (250)	1	1	0	5.5	9.0	-	2	2	0	22.0	31.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	60	20	442.4	542.5	284.7	34	27	7	374.8	427.3	254.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	11	5	6	60.8	45.2	85.4	11	9	2	121.3	142.4	72.7
ATHEROSCLEROSIS (440)	1	1	0	5.5	9.0	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	38.7	54.2	14.2	1	1	0	11.0	15.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	22.1	27.1	14.2	1	1	0	11.0	15.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	0	2	11.0	-	28.5	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5.5	9.0	-	3	2	1	33.1	31.6	36.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6.6	6.9	6.3	0	0	0	-	-	-
ACCIDENTS (800-949)	13	7	6	71.9	63.3	85.4	6	2	4	66.1	31.6	145.3
MOTOR VEHICLE ACCIDENTS# (810-825)	11	6	5	60.8	54.2	71.2	3	1	2	33.1	15.8	72.7
SUICIDE (950-959)	0	0	0	-	-	-	1	1	0	11.0	15.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	11.0	9.0	14.2	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.5	-	14.2	2	2	0	22.0	31.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	26	7	19	228.7	351.0	202.6	40	22	18	231.0	194.5	300.0
DIABETES MELLITUS (250)	1	0	1	8.8	-	10.7	4	0	4	23.1	-	66.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	56	7	49	492.5	351.0	522.6	81	57	24	467.8	503.9	399.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	5.8	-	16.7
CEREBROVASCULAR DISEASES (430-438)	5	0	5	44.0	-	53.3	5	1	4	28.9	8.8	66.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.8	8.8	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	26.4	100.3	10.7	19	15	4	109.7	132.6	66.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	0	2	17.6	-	21.3	8	7	1	46.2	61.9	16.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.8	-	10.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	5	4	1	28.9	35.4	16.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	5.8	-	16.7
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	0	11.6	17.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	3.8	6.9	-
ACCIDENTS (800-949)	9	0	9	79.2	-	96.0	9	5	4	52.0	44.2	66.6
MOTOR VEHICLE ACCIDENTS# (810-825)	6	0	6	52.8	-	64.0	7	3	4	40.4	26.5	66.6
SUICIDE (950-959)	1	1	0	8.8	50.2	-	5	5	0	28.9	44.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	35.2	-	42.7	4	0	4	23.1	-	66.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	35.2	-	42.7	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	46	22	24	217.8	224.7	211.8	68	31	37	214.7	281.8	179.0
DIABETES MELLITUS (250)	3	1	2	14.2	10.2	17.6	9	0	9	28.4	-	43.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	85	48	37	402.5	490.3	326.5	142	52	90	448.4	472.7	435.5
HYPERTENSION (401, 403)	1	0	1	4.7	-	8.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	32	13	19	151.5	132.8	167.7	33	9	24	104.2	81.8	116.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	3	5	37.9	30.6	44.1	8	2	6	25.3	18.2	29.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	14.2	20.4	8.8	13	7	6	41.0	63.6	29.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	4.7	-	8.8	1	1	0	3.2	9.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	0	5	23.7	-	44.1	7	2	5	22.1	18.2	24.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	3.2	-	4.8
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.7	10.2	-	5	0	5	15.8	-	24.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	5.4	-	8.3	4	0	4	6.4	-	8.0
ACCIDENTS (800-949)	13	6	7	61.6	61.3	61.8	23	6	17	72.6	54.5	82.3
MOTOR VEHICLE ACCIDENTS# (810-825)	3	0	3	14.2	-	26.5	13	6	7	41.0	54.5	33.9
SUICIDE (950-959)	6	6	0	28.4	61.3	-	3	1	2	9.5	9.1	9.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	4	2	28.4	40.9	17.6	8	1	7	25.3	9.1	33.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	3	0	3	9.5	-	14.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	75	44	31	271.8	323.5	221.6	35	24	11	211.8	224.3	188.7
DIABETES MELLITUS (250)	5	0	5	18.1	-	35.7	4	2	2	24.2	18.7	34.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	121	70	51	438.5	514.6	364.5	54	40	14	326.7	373.9	240.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	15	4	11	54.4	29.4	78.6	12	10	2	72.6	93.5	34.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	14.5	22.0	7.1	5	4	1	30.2	37.4	17.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	8	4	43.5	58.8	28.6	4	3	1	24.2	28.0	17.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	3	2	18.1	22.0	14.3	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	14.5	14.7	14.3	1	1	0	6.0	9.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	7.2	-	14.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	4.6	-	7.2	0	0	0	-	-	-
ACCIDENTS (800-949)	21	12	9	76.1	88.2	64.3	18	11	7	108.9	102.8	120.1
MOTOR VEHICLE ACCIDENTS# (810-825)	5	4	1	18.1	29.4	7.1	10	5	5	60.5	46.7	85.8
SUICIDE (950-959)	2	2	0	7.2	14.7	-	1	0	1	6.0	-	17.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	0	7	25.4	-	50.0	6	3	3	36.3	28.0	51.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	2	5	25.4	14.7	35.7	1	1	0	6.0	9.3	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	1.5	-	11.0	1	0	1	1.5	-	4.6
MALIGNANT NEOPLASMS (140-208)	115	93	22	169.3	158.0	243.1	123	76	47	180.0	162.8	217.2
DIABETES MELLITUS (250)	4	4	0	5.9	6.8	-	17	10	7	24.9	21.4	32.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	152	123	29	223.8	209.0	320.4	231	173	58	338.1	370.7	268.0
HYPERTENSION (401, 403)	1	0	1	1.5	-	11.0	7	5	2	10.2	10.7	9.2
CEREBROVASCULAR DISEASES (430-438)	29	23	6	42.7	39.1	66.3	52	44	8	76.1	94.3	37.0
ATHEROSCLEROSIS (440)	3	3	0	4.4	5.1	-	7	6	1	10.2	12.8	4.6
PNEUMONIA AND INFLUENZA (480-487)	15	10	5	22.1	17.0	55.2	31	23	8	45.4	49.3	37.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	12	0	17.7	20.4	-	31	26	5	45.4	55.7	23.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	4.4	5.1	-	2	2	0	2.9	4.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	2.9	1.7	11.0	15	10	5	22.0	21.4	23.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	1.5	2.1	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	4.4	1.7	22.1	5	2	3	7.3	4.3	13.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	5	2	6.1	5.2	10.5	6	1	5	5.4	1.8	9.4
ACCIDENTS (800-949)	35	26	9	51.5	44.2	99.4	22	18	4	32.2	38.6	18.5
MOTOR VEHICLE ACCIDENTS# (810-825)	21	16	5	30.9	27.2	55.2	11	9	2	16.1	19.3	9.2
SUICIDE (950-959)	14	14	0	20.6	23.8	-	9	7	2	13.2	15.0	9.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	4	1	7.4	6.8	11.0	8	1	7	11.7	2.1	32.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	1.5	-	11.0	2	1	1	2.9	2.1	4.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	6.0	6.6	-
MALIGNANT NEOPLASMS (140-208)	19	8	11	226.8	151.2	356.3	39	37	2	233.9	246.2	121.4
DIABETES MELLITUS (250)	8	1	7	95.5	18.9	226.8	4	4	0	24.0	26.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	45	25	20	537.2	472.6	647.9	48	44	4	287.9	292.8	242.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	5	3	2	59.7	56.7	64.8	4	4	0	24.0	26.6	-
ATHEROSCLEROSIS (440)	2	2	0	23.9	37.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	4	3	1	24.0	20.0	60.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	47.8	56.7	32.4	6	6	0	36.0	39.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	6.0	6.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	11.9	18.9	-	1	1	0	6.0	6.6	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	5	3	2	59.7	56.7	64.8	13	11	2	78.0	73.2	121.4
MOTOR VEHICLE ACCIDENTS# (810-825)	4	2	2	47.8	37.8	64.8	9	7	2	54.0	46.6	121.4
SUICIDE (950-959)	1	0	1	11.9	-	32.4	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	23.9	18.9	32.4	1	0	1	6.0	-	60.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	15	13	2	146.8	162.5	90.0	47	34	13	218.0	270.6	144.6
DIABETES MELLITUS (250)	0	0	0	-	-	-	6	1	5	27.8	8.0	55.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	34	28	6	332.7	350.0	270.1	82	56	26	380.4	445.8	289.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	8	7	1	78.3	87.5	45.0	43	21	22	199.5	167.2	244.7
ATHEROSCLEROSIS (440)	5	3	2	48.9	37.5	90.0	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	9.8	12.5	-	9	8	1	41.8	63.7	11.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	0	29.4	37.5	-	6	6	0	27.8	47.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	9.3	15.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	9.8	12.5	-	6	2	4	27.8	15.9	44.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	0	9.3	15.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	1	2	7.3	6.2	8.1
ACCIDENTS (800-949)	8	8	0	78.3	100.0	-	12	5	7	55.7	39.8	77.8
MOTOR VEHICLE ACCIDENTS# (810-825)	6	6	0	58.7	75.0	-	5	1	4	23.2	8.0	44.5
SUICIDE (950-959)	0	0	0	-	-	-	4	3	1	18.6	23.9	11.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	19.6	12.5	45.0	1	1	0	4.6	8.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	9.8	12.5	-	1	1	0	4.6	8.0	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
MALIGNANT NEOPLASMS (140-208)	61	55	6	192.1	192.1	191.4	345	277	68	208.6	217.0	180.2
DIABETES MELLITUS (250)	2	2	0	6.3	7.0	-	14	11	3	8.5	8.6	8.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	115	104	11	362.1	363.3	350.9	573	477	96	346.5	373.7	254.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	13	10	3	7.9	7.8	8.0
CEREBROVASCULAR DISEASES (430-438)	18	18	0	56.7	62.9	-	67	52	15	40.5	40.7	39.8
ATHEROSCLEROSIS (440)	1	1	0	3.1	3.5	-	1	1	0	0.6	0.8	-
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	25.2	27.9	-	46	40	6	27.8	31.3	15.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	12	1	40.9	41.9	31.9	79	68	11	47.8	53.3	29.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	12.6	14.0	-	17	16	1	10.3	12.5	2.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	9.4	10.5	-	18	16	2	10.9	12.5	5.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	6.3	7.0	-	9	6	3	5.4	4.7	8.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	4.2	5.0	-	10	6	4	3.6	3.1	4.6
ACCIDENTS (800-949)	20	20	0	63.0	69.9	-	63	51	12	38.1	40.0	31.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	9	0	28.3	31.4	-	32	27	5	19.4	21.2	13.2
SUICIDE (950-959)	9	9	0	28.3	31.4	-	29	24	5	17.5	18.8	13.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	6.3	3.5	31.9	12	5	7	7.2	3.9	18.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	6.3	7.0	-	9	6	3	5.4	4.7	8.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	0.4	-	0.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	521	278	243	204.8	225.7	185.1	46	19	27	212.9	367.1	164.4
DIABETES MELLITUS (250)	45	19	26	17.7	15.4	19.8	9	2	7	41.6	38.6	42.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	746	396	350	293.2	321.5	266.6	89	30	59	412.0	579.6	359.1
HYPERTENSION (401, 403)	6	1	5	2.4	0.8	3.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	142	83	59	55.8	67.4	44.9	34	11	23	157.4	212.5	140.0
ATHEROSCLEROSIS (440)	12	8	4	4.7	6.5	3.0	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	67	49	18	26.3	39.8	13.7	3	1	2	13.9	19.3	12.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	72	58	14	28.3	47.1	10.7	11	4	7	50.9	77.3	42.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	21	13	8	8.2	10.6	6.1	2	1	1	9.2	19.3	6.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	30	15	15	11.8	12.2	11.4	4	1	3	18.5	19.3	18.3
INFECTIONS OF KIDNEY (590)	1	1	0	0.4	0.8	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	16	6	10	6.3	4.9	7.6	1	0	1	4.6	-	6.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	20	5	15	4.6	3.6	5.1	1	0	1	2.1	-	2.4
ACCIDENTS (800-949)	92	49	43	36.2	39.8	32.8	25	3	22	115.7	58.0	133.9
MOTOR VEHICLE ACCIDENTS# (810-825)	46	24	22	18.1	19.5	16.8	17	1	16	78.7	19.3	97.4
SUICIDE (950-959)	23	18	5	9.0	14.6	3.8	1	0	1	4.6	-	6.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	84	19	65	33.0	15.4	49.5	4	1	3	18.5	19.3	18.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	17	5	12	6.7	4.0	9.1	37	8	29	171.3	154.6	176.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	23	11	12	189.6	285.3	145.0	3	1	2	157.2	120.0	185.9
DIABETES MELLITUS (250)	1	1	0	8.2	25.9	-	2	0	2	104.8	-	185.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	12	37	403.8	311.2	447.0	2	1	1	104.8	120.0	92.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	4	1	3	33.0	25.9	36.2	2	1	1	104.8	120.0	92.9
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	16.5	25.9	12.1	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	33.0	77.8	12.1	1	0	1	52.4	-	92.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	1	0	1	8.2	-	12.1	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	16.5	-	24.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	2	2	17.4	44.4	10.8	0	0	0	-	-	-
ACCIDENTS (800-949)	12	5	7	98.9	129.7	84.6	1	0	1	52.4	-	92.9
MOTOR VEHICLE ACCIDENTS# (810-825)	7	3	4	57.7	77.8	48.3	1	0	1	52.4	-	92.9
SUICIDE (950-959)	2	1	1	16.5	25.9	12.1	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	24.7	-	36.2	2	0	2	104.8	-	185.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	53	49	4	264.8	263.5	281.5	232	203	29	201.3	225.3	115.4
DIABETES MELLITUS (250)	2	2	0	10.0	10.8	-	16	12	4	13.9	13.3	15.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	61	57	4	304.7	306.5	281.5	310	269	41	269.0	298.5	163.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	6	5	1	5.2	5.5	4.0
CEREBROVASCULAR DISEASES (430-438)	18	15	3	89.9	80.7	211.1	44	34	10	38.2	37.7	39.8
ATHEROSCLEROSIS (440)	3	3	0	15.0	16.1	-	7	3	4	6.1	3.3	15.9
PNEUMONIA AND INFLUENZA (480-487)	6	6	0	30.0	32.3	-	34	31	3	29.5	34.4	11.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	30.0	32.3	-	44	39	5	38.2	43.3	19.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	15.0	16.1	-	9	8	1	7.8	8.9	4.0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	2	1	1	1.7	1.1	4.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	6	4	2	5.2	4.4	8.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	5	2	3	2.7	1.5	5.3
ACCIDENTS (800-949)	8	8	0	40.0	43.0	-	41	34	7	35.6	37.7	27.8
MOTOR VEHICLE ACCIDENTS# (810-825)	7	7	0	35.0	37.6	-	23	20	3	20.0	22.2	11.9
SUICIDE (950-959)	7	7	0	35.0	37.6	-	16	15	1	13.9	16.6	4.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	17	7	10	14.8	7.8	39.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	15.0	16.1	-	6	4	2	5.2	4.4	8.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	50	28	22	292.2	332.9	252.8	16	2	14	184.9	168.8	187.5
DIABETES MELLITUS (250)	2	1	1	11.7	11.9	11.5	2	0	2	23.1	-	26.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	79	46	33	461.6	547.0	379.1	43	9	34	496.9	759.5	455.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	6	4	58.4	71.3	46.0	5	0	5	57.8	-	67.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	17.5	23.8	11.5	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	4	2	2	46.2	168.8	26.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	11.6	84.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	23.4	11.9	34.5	1	0	1	11.6	-	13.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	5.8	-	11.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.5	10.6	-	0	0	0	-	-	-
ACCIDENTS (800-949)	19	8	11	111.0	95.1	126.4	10	2	8	115.6	168.8	107.1
MOTOR VEHICLE ACCIDENTS# (810-825)	14	6	8	81.8	71.3	91.9	4	0	4	46.2	-	53.6
SUICIDE (950-959)	2	1	1	11.7	11.9	11.5	1	0	1	11.6	-	13.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	0	5	29.2	-	57.4	1	0	1	11.6	-	13.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	4	0	4	46.2	-	53.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	31	12	19	220.6	189.6	246.1	152	120	32	245.0	259.8	202.0
DIABETES MELLITUS (250)	5	1	4	35.6	15.8	51.8	4	2	2	6.4	4.3	12.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	44	26	18	313.1	410.7	233.1	273	225	48	440.1	487.1	303.1
HYPERTENSION (401, 403)	1	0	1	7.1	-	13.0	2	2	0	3.2	4.3	-
CEREBROVASCULAR DISEASES (430-438)	6	2	4	42.7	31.6	51.8	48	37	11	77.4	80.1	69.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	4.8	4.3	6.3
PNEUMONIA AND INFLUENZA (480-487)	8	4	4	56.9	63.2	51.8	27	17	10	43.5	36.8	63.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	3	2	35.6	47.4	25.9	25	19	6	40.3	41.1	37.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	7.1	15.8	-	8	7	1	12.9	15.2	6.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	14.2	-	25.9	8	5	3	12.9	10.8	18.9
INFECTIONS OF KIDNEY (590)	1	1	0	7.1	15.8	-	3	1	2	4.8	2.2	12.6
MATERNAL CAUSES (630-676)	1	1	0	421.9	1265.8	-	1	0	1	109.8	-	281.7
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	1.6	2.2	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	8.4	-	12.6	1	0	1	1.1	-	2.8
ACCIDENTS (800-949)	8	3	5	56.9	47.4	64.8	42	32	10	67.7	69.3	63.1
MOTOR VEHICLE ACCIDENTS# (810-825)	5	2	3	35.6	31.6	38.8	22	18	4	35.5	39.0	25.2
SUICIDE (950-959)	1	1	0	7.1	15.8	-	11	10	1	17.7	21.6	6.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	7.1	-	13.0	6	2	4	9.7	4.3	25.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	5	3	2	8.1	6.5	12.6

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	26	14	12	251.1	317.7	201.7	48	35	13	150.8	151.2	149.8
DIABETES MELLITUS (250)	0	0	0	-	-	-	3	1	2	9.4	4.3	23.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	51	26	25	492.5	590.0	420.2	85	58	27	267.1	250.5	311.2
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	3.1	4.3	-
CEREBROVASCULAR DISEASES (430-438)	10	5	5	96.6	113.4	84.0	20	15	5	62.8	64.8	57.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.1	4.3	-
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	9.6	22.7	-	4	2	2	12.6	8.6	23.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	1	2	29.0	22.7	33.6	11	9	2	34.6	38.9	23.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	9.6	22.7	-	1	1	0	3.1	4.3	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	29.0	68.1	-	4	2	2	12.6	8.6	23.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	3.1	-	11.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	20.7	20.8	20.6	1	0	1	2.6	-	5.9
ACCIDENTS (800-949)	10	0	10	96.6	-	168.1	9	8	1	28.3	34.6	11.5
MOTOR VEHICLE ACCIDENTS# (810-825)	5	0	5	48.3	-	84.0	7	6	1	22.0	25.9	11.5
SUICIDE (950-959)	1	0	1	9.6	-	16.8	6	5	1	18.8	21.6	11.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	19.3	-	33.6	6	3	3	18.8	13.0	34.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	9.6	-	16.8	1	1	0	3.1	4.3	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	49	44	5	161.0	165.4	130.7	160	110	50	211.8	225.8	186.2
DIABETES MELLITUS (250)	3	2	1	9.9	7.5	26.1	12	6	6	15.9	12.3	22.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	57	9	216.9	214.3	235.3	283	206	77	374.6	422.9	286.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	8	2	32.9	30.1	52.3	48	28	20	63.5	57.5	74.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	1.3	2.0	-
PNEUMONIA AND INFLUENZA (480-487)	7	3	4	23.0	11.3	104.6	28	18	10	37.0	37.0	37.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	10	0	32.9	37.6	-	31	29	2	41.0	59.5	7.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	3.3	3.8	-	10	7	3	13.2	14.4	11.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	9	6	3	11.9	12.3	11.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	1	1	0	76.6	152.0	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	9	4	5	11.9	8.2	18.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	12	1	11	9.2	1.5	17.0
ACCIDENTS (800-949)	15	15	0	49.3	56.4	-	45	32	13	59.6	65.7	48.4
MOTOR VEHICLE ACCIDENTS# (810-825)	9	9	0	29.6	33.8	-	17	14	3	22.5	28.7	11.2
SUICIDE (950-959)	4	4	0	13.1	15.0	-	10	8	2	13.2	16.4	7.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3.3	3.8	-	11	5	6	14.6	10.3	22.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	4	2	2	5.3	4.1	7.4

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	2	2	0	16.0	24.1	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	25	17	8	200.7	204.8	192.4	45	29	16	244.1	261.6	217.7
DIABETES MELLITUS (250)	9	7	2	72.2	84.3	48.1	7	2	5	38.0	18.0	68.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	32	20	12	256.9	241.0	288.6	103	75	28	558.7	676.5	381.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	7	6	104.4	84.3	144.3	16	12	4	86.8	108.2	54.4
ATHEROSCLEROSIS (440)	2	2	0	16.0	24.1	-	1	1	0	5.4	9.0	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	9	4	5	48.8	36.1	68.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	32.1	48.2	-	7	7	0	38.0	63.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	1	1	10.8	9.0	13.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.0	-	24.0	7	4	3	38.0	36.1	40.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	2	0	10.8	18.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	16.0	12.0	24.0	2	0	2	10.8	-	27.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.1	-	11.6	0	0	0	-	-	-
ACCIDENTS (800-949)	11	7	4	88.3	84.3	96.2	8	5	3	43.4	45.1	40.8
MOTOR VEHICLE ACCIDENTS# (810-825)	5	5	0	40.1	60.2	-	3	1	2	16.3	9.0	27.2
SUICIDE (950-959)	2	2	0	16.0	24.1	-	2	2	0	10.8	18.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	48.2	-	144.3	6	3	3	32.5	27.1	40.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	16.0	12.0	24.0	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	1.5	2.0	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	98	82	16	149.4	160.0	111.7	99	41	58	265.1	282.4	254.1
DIABETES MELLITUS (250)	3	2	1	4.6	3.9	7.0	15	2	13	40.2	13.8	57.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	259	203	56	394.9	396.0	391.0	188	97	91	503.5	668.2	398.7
HYPERTENSION (401, 403)	1	1	0	1.5	2.0	-	5	1	4	13.4	6.9	17.5
CEREBROVASCULAR DISEASES (430-438)	39	33	6	59.5	64.4	41.9	30	9	21	80.3	62.0	92.0
ATHEROSCLEROSIS (440)	4	4	0	6.1	7.8	-	2	2	0	5.4	13.8	-
PNEUMONIA AND INFLUENZA (480-487)	18	15	3	27.4	29.3	20.9	14	6	8	37.5	41.3	35.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	33	29	4	50.3	56.6	27.9	14	6	8	37.5	41.3	35.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	6.1	5.8	7.0	1	1	0	2.7	6.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	7	4	3	10.7	7.8	20.9	6	2	4	16.1	13.8	17.5
INFECTIONS OF KIDNEY (590)	1	1	0	1.5	2.0	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	5	0	7.6	9.8	-	4	1	3	10.7	6.9	13.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	2	4	5.0	2.4	10.6	10	0	10	13.8	-	18.1
ACCIDENTS (800-949)	26	21	5	39.6	41.0	34.9	26	11	15	69.6	75.8	65.7
MOTOR VEHICLE ACCIDENTS# (810-825)	13	10	3	19.8	19.5	20.9	17	8	9	45.5	55.1	39.4
SUICIDE (950-959)	7	7	0	10.7	13.6	-	2	1	1	5.4	6.9	4.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	4	1	7.6	7.8	7.0	8	1	7	21.4	6.9	30.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	5	0	7.6	9.8	-	6	1	5	16.1	6.9	21.9

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	74	52	22	244.4	245.7	241.3	114	78	36	192.2	212.3	159.5
DIABETES MELLITUS (250)	14	10	4	46.2	47.2	43.9	6	2	4	10.1	5.4	17.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	117	95	22	386.4	448.9	241.3	173	99	74	291.7	269.5	327.8
HYPERTENSION (401, 403)	1	0	1	3.3	-	11.0	4	1	3	6.7	2.7	13.3
CEREBROVASCULAR DISEASES (430-438)	21	12	9	69.4	56.7	98.7	22	10	12	37.1	27.2	53.2
ATHEROSCLEROSIS (440)	2	2	0	6.6	9.4	-	2	1	1	3.4	2.7	4.4
PNEUMONIA AND INFLUENZA (480-487)	11	8	3	36.3	37.8	32.9	10	8	2	16.9	21.8	8.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	14	11	3	46.2	52.0	32.9	10	8	2	16.9	21.8	8.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	3.3	-	11.0	1	0	1	1.7	-	4.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	16.5	14.2	21.9	8	2	6	13.5	5.4	26.6
INFECTIONS OF KIDNEY (590)	1	1	0	3.3	4.7	-	1	0	1	1.7	-	4.4
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	3	0	9.9	14.2	-	1	0	1	1.7	-	4.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	4.0	6.4	-	6	1	5	5.1	1.7	8.4
ACCIDENTS (800-949)	24	21	3	79.3	99.2	32.9	26	13	13	43.8	35.4	57.6
MOTOR VEHICLE ACCIDENTS# (810-825)	16	13	3	52.8	61.4	32.9	13	7	6	21.9	19.0	26.6
SUICIDE (950-959)	7	5	2	23.1	23.6	21.9	4	4	0	6.7	10.9	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	6.6	-	21.9	13	6	7	21.9	16.3	31.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	6.6	4.7	11.0	5	1	4	8.4	2.7	17.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	87	51	36	161.7	171.2	150.0	46	35	11	180.1	197.4	140.8
DIABETES MELLITUS (250)	4	1	3	7.4	3.4	12.5	2	1	1	7.8	5.6	12.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	149	80	69	277.0	268.6	287.4	99	69	30	387.6	389.1	384.1
HYPERTENSION (401, 403)	8	1	7	14.9	3.4	29.2	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	25	13	12	46.5	43.6	50.0	26	14	12	101.8	78.9	153.6
ATHEROSCLEROSIS (440)	1	0	1	1.8	-	4.2	6	5	1	23.5	28.2	12.8
PNEUMONIA AND INFLUENZA (480-487)	20	10	10	37.2	33.6	41.6	10	7	3	39.1	39.5	38.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	12	1	24.2	40.3	4.2	3	3	0	11.7	16.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	5.6	6.7	4.2	1	1	0	3.9	5.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	5	4	16.7	16.8	16.7	6	4	2	23.5	22.6	25.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	1	2	5.6	3.4	8.3	1	0	1	3.9	-	12.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	2.7	-	4.9	3	1	2	7.6	4.2	12.4
ACCIDENTS (800-949)	38	15	23	70.6	50.4	95.8	16	11	5	62.6	62.0	64.0
MOTOR VEHICLE ACCIDENTS# (810-825)	28	13	15	52.0	43.6	62.5	8	7	1	31.3	39.5	12.8
SUICIDE (950-959)	8	4	4	14.9	13.4	16.7	1	1	0	3.9	5.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	0	5	9.3	-	20.8	2	0	2	7.8	-	25.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	1	5	11.2	3.4	20.8	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	2.7	3.9	-
MALIGNANT NEOPLASMS (140-208)	60	30	30	197.6	202.1	193.3	94	61	33	257.0	240.2	295.0
DIABETES MELLITUS (250)	3	1	2	9.9	6.7	12.9	5	1	4	13.7	3.9	35.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	107	44	63	352.4	296.4	406.0	143	102	41	390.9	401.7	366.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	2.7	3.9	-
CEREBROVASCULAR DISEASES (430-438)	13	7	6	42.8	47.2	38.7	38	28	10	103.9	110.3	89.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	3	0	8.2	11.8	-
PNEUMONIA AND INFLUENZA (480-487)	6	3	3	19.8	20.2	19.3	15	12	3	41.0	47.2	26.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	9	6	49.4	60.6	38.7	11	10	1	30.1	39.4	8.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	6.6	13.5	-	2	1	1	5.5	3.9	8.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	13.2	13.5	12.9	8	6	2	21.9	23.6	17.9
INFECTIONS OF KIDNEY (590)	1	0	1	3.3	-	6.4	1	1	0	2.7	3.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	2.7	-	8.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	2	2	7.3	9.0	6.1	2	1	1	3.3	2.7	4.2
ACCIDENTS (800-949)	23	15	8	75.8	101.1	51.6	16	8	8	43.7	31.5	71.5
MOTOR VEHICLE ACCIDENTS# (810-825)	15	11	4	49.4	74.1	25.8	11	5	6	30.1	19.7	53.6
SUICIDE (950-959)	1	1	0	3.3	6.7	-	3	2	1	8.2	7.9	8.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	3	6	29.6	20.2	38.7	6	2	4	16.4	7.9	35.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	2	4	19.8	13.5	25.8	3	3	0	8.2	11.8	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY, NESHOPA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOPA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	33	19	14	266.4	274.7	255.8	57	48	9	229.8	283.3	114.6
DIABETES MELLITUS (250)	1	1	0	8.1	14.4	-	4	2	2	16.1	11.8	25.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	65	41	24	524.7	592.8	438.6	100	76	24	403.2	448.5	305.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	1	0	4.0	5.9	-
CEREBROVASCULAR DISEASES (430-438)	17	10	7	137.2	144.6	127.9	26	21	5	104.8	123.9	63.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	4.0	5.9	-
PNEUMONIA AND INFLUENZA (480-487)	3	0	3	24.2	-	54.8	11	8	3	44.4	47.2	38.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	16.1	14.4	18.3	6	6	0	24.2	35.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	8.1	-	18.3	5	4	1	20.2	23.6	12.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	8.1	-	18.3	4	2	2	16.1	11.8	25.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	9.7	-	15.6	1	0	1	2.6	-	5.1
ACCIDENTS (800-949)	10	2	8	80.7	28.9	146.2	14	10	4	56.4	59.0	50.9
MOTOR VEHICLE ACCIDENTS# (810-825)	3	0	3	24.2	-	54.8	8	6	2	32.2	35.4	25.5
SUICIDE (950-959)	3	0	3	24.2	-	54.8	2	2	0	8.1	11.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	24.2	-	54.8	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	4	1	3	16.1	5.9	38.2

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	4.9	7.3	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	51	35	16	251.3	255.5	242.6	17	8	9	134.9	202.1	104.1
DIABETES MELLITUS (250)	10	5	5	49.3	36.5	75.8	1	1	0	7.9	25.2	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	89	62	27	438.6	452.6	409.5	50	22	28	396.7	555.7	323.9
HYPERTENSION (401, 403)	1	1	0	4.9	7.3	-	1	0	1	7.9	-	11.6
CEREBROVASCULAR DISEASES (430-438)	15	9	6	73.9	65.7	91.0	10	2	8	79.3	50.5	92.5
ATHEROSCLEROSIS (440)	5	3	2	24.6	21.9	30.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	19.7	21.9	15.2	4	3	1	31.7	75.8	11.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	5	2	34.5	36.5	30.3	3	0	3	23.8	-	34.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	0	2	9.8	-	30.3	1	1	0	7.9	25.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	4.9	-	15.2	2	0	2	15.9	-	23.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.9	7.3	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	3	0	3	12.6	-	15.5
ACCIDENTS (800-949)	16	7	9	78.8	51.1	136.5	10	5	5	79.3	126.3	57.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	44.4	36.5	60.7	6	3	3	47.6	75.8	34.7
SUICIDE (950-959)	3	1	2	14.8	7.3	30.3	1	1	0	7.9	25.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	14.8	14.6	15.2	1	0	1	7.9	-	11.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	4.9	-	15.2	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	57	43	14	148.5	178.7	97.8	72	41	31	240.0	266.6	212.0
DIABETES MELLITUS (250)	6	3	3	15.6	12.5	21.0	3	1	2	10.0	6.5	13.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	96	58	38	250.2	241.0	265.5	128	79	49	426.7	513.8	335.2
HYPERTENSION (401, 403)	6	2	4	15.6	8.3	28.0	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	8	8	41.7	33.2	55.9	22	12	10	73.3	78.0	68.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	3	2	1	10.0	13.0	6.8
PNEUMONIA AND INFLUENZA (480-487)	8	4	4	20.8	16.6	28.0	9	3	6	30.0	19.5	41.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	7	1	20.8	29.1	7.0	14	13	1	46.7	84.5	6.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	2.6	4.2	-	1	1	0	3.3	6.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	7.8	4.2	14.0	5	2	3	16.7	13.0	20.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	3.3	6.5	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	3	1	10.4	12.5	7.0	2	0	2	6.7	-	13.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	5.4	-	9.5	5	0	5	8.8	-	13.9
ACCIDENTS (800-949)	19	10	9	49.5	41.6	62.9	21	9	12	70.0	58.5	82.1
MOTOR VEHICLE ACCIDENTS# (810-825)	11	6	5	28.7	24.9	34.9	12	5	7	40.0	32.5	47.9
SUICIDE (950-959)	4	4	0	10.4	16.6	-	4	3	1	13.3	19.5	6.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	5.2	-	14.0	4	1	3	13.3	6.5	20.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	5.2	4.2	7.0	4	1	3	13.3	6.5	20.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	95	86	9	245.4	261.5	154.5	18	14	4	165.7	168.0	158.0
DIABETES MELLITUS (250)	3	2	1	7.7	6.1	17.2	1	1	0	9.2	12.0	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	163	143	20	421.0	434.8	343.3	35	32	3	322.1	384.0	118.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	29	24	5	74.9	73.0	85.8	8	5	3	73.6	60.0	118.5
ATHEROSCLEROSIS (440)	3	2	1	7.7	6.1	17.2	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	19	17	2	49.1	51.7	34.3	1	0	1	9.2	-	39.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	10	0	25.8	30.4	-	2	2	0	18.4	24.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	7.7	9.1	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	7.7	9.1	-	1	0	1	9.2	-	39.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	2.6	3.0	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	1.6	2.1	-	4	2	2	21.7	18.0	27.4
ACCIDENTS (800-949)	20	15	5	51.7	45.6	85.8	4	4	0	36.8	48.0	-
MOTOR VEHICLE ACCIDENTS# (810-825)	11	10	1	28.4	30.4	17.2	2	2	0	18.4	24.0	-
SUICIDE (950-959)	7	7	0	18.1	21.3	-	2	2	0	18.4	24.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	0	10.3	12.2	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	4	1	12.9	12.2	17.2	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	91	48	43	246.7	240.8	253.7	44	39	5	197.9	206.2	150.6
DIABETES MELLITUS (250)	10	5	5	27.1	25.1	29.5	2	2	0	9.0	10.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	180	87	93	488.0	436.5	548.6	82	65	17	368.8	343.6	512.0
HYPERTENSION (401, 403)	1	1	0	2.7	5.0	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	39	25	14	105.7	125.4	82.6	12	11	1	54.0	58.1	30.1
ATHEROSCLEROSIS (440)	1	1	0	2.7	5.0	-	2	2	0	9.0	10.6	-
PNEUMONIA AND INFLUENZA (480-487)	6	5	1	16.3	25.1	5.9	9	8	1	40.5	42.3	30.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	10	3	35.2	50.2	17.7	8	8	0	36.0	42.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	3	3	16.3	15.0	17.7	3	3	0	13.5	15.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	10.8	10.0	11.8	5	4	1	22.5	21.1	30.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	4.5	5.3	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.7	-	5.9	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	4.9	-	8.3	1	0	1	3.1	-	20.0
ACCIDENTS (800-949)	19	10	9	51.5	50.2	53.1	12	11	1	54.0	58.1	30.1
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	16.3	25.1	5.9	9	8	1	40.5	42.3	30.1
SUICIDE (950-959)	4	4	0	10.8	20.1	-	1	1	0	4.5	5.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	3	3	16.3	15.0	17.7	1	1	0	4.5	5.3	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	2	0	9.0	10.6	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	53	48	5	227.7	234.4	178.5	32	14	18	305.0	329.4	288.5
DIABETES MELLITUS (250)	0	0	0	-	-	-	1	0	1	9.5	-	16.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	74	69	5	317.9	337.0	178.5	43	27	16	409.9	635.3	256.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	9	9	0	38.7	44.0	-	15	3	12	143.0	70.6	192.3
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	17.2	14.6	35.7	1	0	1	9.5	-	16.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	11	1	51.6	53.7	35.7	4	2	2	38.1	47.0	32.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.3	4.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	8.6	9.8	-	1	0	1	9.5	-	16.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.3	4.9	-	1	0	1	9.5	-	16.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	0	2	8.6	-	11.6
ACCIDENTS (800-949)	12	10	2	51.6	48.8	71.4	6	1	5	57.2	23.5	80.1
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	34.4	34.2	35.7	3	0	3	28.6	-	48.1
SUICIDE (950-959)	2	2	0	8.6	9.8	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.3	-	35.7	2	0	2	19.1	-	32.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	22	20	2	94.5	97.7	71.4	1	1	0	9.5	23.5	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	162	125	37	185.9	173.5	244.6	56	35	21	232.0	236.0	225.6
DIABETES MELLITUS (250)	16	8	8	18.4	11.1	52.9	2	2	0	8.3	13.5	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	220	169	51	252.4	234.6	337.1	103	64	39	426.7	431.6	419.0
HYPERTENSION (401, 403)	2	1	1	2.3	1.4	6.6	2	0	2	8.3	-	21.5
CEREBROVASCULAR DISEASES (430-438)	30	23	7	34.4	31.9	46.3	16	11	5	66.3	74.2	53.7
ATHEROSCLEROSIS (440)	3	2	1	3.4	2.8	6.6	12	9	3	49.7	60.7	32.2
PNEUMONIA AND INFLUENZA (480-487)	26	20	6	29.8	27.8	39.7	13	9	4	53.8	60.7	43.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	19	16	3	21.8	22.2	19.8	6	6	0	24.8	40.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	5.7	6.9	-	2	1	1	8.3	6.7	10.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	11	6	5	12.6	8.3	33.0	4	3	1	16.6	20.2	10.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	5	0	5.7	6.9	-	1	0	1	4.1	-	10.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	2.4	2.0	3.7	3	2	1	6.7	9.2	4.3
ACCIDENTS (800-949)	38	30	8	43.6	41.6	52.9	18	10	8	74.6	67.4	85.9
MOTOR VEHICLE ACCIDENTS# (810-825)	24	18	6	27.5	25.0	39.7	9	6	3	37.3	40.5	32.2
SUICIDE (950-959)	12	10	2	13.8	13.9	13.2	2	2	0	8.3	13.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	1	2	3.4	1.4	13.2	4	2	2	16.6	13.5	21.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	4	0	4.6	5.6	-	3	1	2	12.4	6.7	21.5

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	15	5	10	212.3	213.8	211.6	64	48	16	267.2	297.7	204.4
DIABETES MELLITUS (250)	2	0	2	28.3	-	42.3	5	2	3	20.9	12.4	38.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	21	5	16	297.2	213.8	338.5	86	67	19	359.0	415.5	242.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	4.2	-	12.8
CEREBROVASCULAR DISEASES (430-438)	7	0	7	99.1	-	148.1	17	13	4	71.0	80.6	51.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	9	6	3	37.6	37.2	38.3
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	8	6	2	33.4	37.2	25.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	0	0	0	-	-	-	10	10	0	41.7	62.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	4	4	0	16.7	24.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	28.3	42.8	21.2	1	1	0	4.2	6.2	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	14.2	-	21.2	3	0	3	12.5	-	38.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	12.7	37.0	7.7	2	1	1	5.0	4.5	5.5
ACCIDENTS (800-949)	4	2	2	56.6	85.5	42.3	14	7	7	58.4	43.4	89.4
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	42.4	85.5	21.2	7	3	4	29.2	18.6	51.1
SUICIDE (950-959)	0	0	0	-	-	-	5	4	1	20.9	24.8	12.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	14.2	-	21.2	1	0	1	4.2	-	12.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	1	0	4.2	6.2	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	22	14	8	148.7	121.6	243.8	24	20	4	223.2	239.2	167.5
DIABETES MELLITUS (250)	3	2	1	20.3	17.4	30.5	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	47	40	7	317.6	347.3	213.3	54	46	8	502.3	550.1	335.0
HYPERTENSION (401, 403)	3	2	1	20.3	17.4	30.5	1	0	1	9.3	-	41.9
CEREBROVASCULAR DISEASES (430-438)	7	7	0	47.3	60.8	-	5	4	1	46.5	47.8	41.9
ATHEROSCLEROSIS (440)	4	4	0	27.0	34.7	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	7	6	1	47.3	52.1	30.5	4	3	1	37.2	35.9	41.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	9	2	74.3	78.2	60.9	4	4	0	37.2	47.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	18.6	23.9	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	13.5	17.4	-	1	1	0	9.3	12.0	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	9.3	12.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	6.8	8.7	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	8.9	-	22.7	1	1	0	5.9	8.2	-
ACCIDENTS (800-949)	18	14	4	121.6	121.6	121.9	4	4	0	37.2	47.8	-
MOTOR VEHICLE ACCIDENTS# (810-825)	14	12	2	94.6	104.2	60.9	1	1	0	9.3	12.0	-
SUICIDE (950-959)	1	1	0	6.8	8.7	-	1	1	0	9.3	12.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	6.8	-	30.5	4	2	2	37.2	23.9	83.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	6.8	-	30.5	0	0	0	-	-	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	3.0	-	4.7	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	69	24	45	209.9	206.8	211.6	27	13	14	177.5	207.8	156.4
DIABETES MELLITUS (250)	5	1	4	15.2	8.6	18.8	4	0	4	26.3	-	44.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	186	66	120	565.9	568.8	564.4	66	30	36	433.9	479.5	402.1
HYPERTENSION (401, 403)	1	0	1	3.0	-	4.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	28	7	21	85.2	60.3	98.8	7	3	4	46.0	47.9	44.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	10	5	5	30.4	43.1	23.5	1	0	1	6.6	-	11.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	7	4	33.5	60.3	18.8	1	1	0	6.6	16.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	6	4	2	18.2	34.5	9.4	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	12.2	8.6	14.1	4	3	1	26.3	47.9	11.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	0	4	12.2	-	18.8	1	0	1	6.6	-	11.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	0	5	7.9	-	9.7	1	0	1	3.5	-	4.7
ACCIDENTS (800-949)	20	13	7	60.8	112.0	32.9	12	3	9	78.9	47.9	100.5
MOTOR VEHICLE ACCIDENTS# (810-825)	12	8	4	36.5	68.9	18.8	6	2	4	39.4	32.0	44.7
SUICIDE (950-959)	2	0	2	6.1	-	9.4	2	2	0	13.1	32.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	18.2	-	28.2	2	0	2	13.1	-	22.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	1	2	9.1	8.6	9.4	2	0	2	13.1	-	22.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	39	24	15	182.0	172.1	200.3	43	40	3	220.2	246.1	91.7
DIABETES MELLITUS (250)	4	3	1	18.7	21.5	13.4	5	3	2	25.6	18.5	61.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	73	45	28	340.6	322.7	374.0	128	107	21	655.6	658.4	641.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	19	14	5	88.6	100.4	66.8	15	13	2	76.8	80.0	61.1
ATHEROSCLEROSIS (440)	1	1	0	4.7	7.2	-	2	1	1	10.2	6.2	30.6
PNEUMONIA AND INFLUENZA (480-487)	8	6	2	37.3	43.0	26.7	12	12	0	61.5	73.8	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	23.3	35.8	-	4	4	0	20.5	24.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	5.1	6.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	14.0	14.3	13.4	2	0	2	10.2	-	61.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	1	1	10.2	6.2	30.6
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	9.3	5.5	14.5	3	2	1	10.3	8.7	15.9
ACCIDENTS (800-949)	13	6	7	60.6	43.0	93.5	17	15	2	87.1	92.3	61.1
MOTOR VEHICLE ACCIDENTS# (810-825)	7	3	4	32.7	21.5	53.4	9	9	0	46.1	55.4	-
SUICIDE (950-959)	2	2	0	9.3	14.3	-	2	2	0	10.2	12.3	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	14.0	14.3	13.4	1	1	0	5.1	6.2	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	9.3	7.2	13.4	1	1	0	5.1	6.2	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	62	61	1	350.6	358.6	148.6	20	6	14	245.0	301.2	226.8
DIABETES MELLITUS (250)	2	2	0	11.3	11.8	-	1	0	1	12.2	-	16.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	96	93	3	542.9	546.7	445.8	38	10	28	465.4	502.0	453.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	17	16	1	96.1	94.1	148.6	5	1	4	61.2	50.2	64.8
ATHEROSCLEROSIS (440)	2	2	0	11.3	11.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	16	16	0	90.5	94.1	-	4	1	3	49.0	50.2	48.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	18	18	0	101.8	105.8	-	2	1	1	24.5	50.2	16.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.6	5.9	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	11.3	11.8	-	1	0	1	12.2	-	16.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	0	11.3	11.8	-	1	0	1	12.2	-	16.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	9.0	9.2	-	0	0	0	-	-	-
ACCIDENTS (800-949)	20	20	0	113.1	117.6	-	7	1	6	85.7	50.2	97.2
MOTOR VEHICLE ACCIDENTS# (810-825)	7	7	0	39.6	41.2	-	3	1	2	36.7	50.2	32.4
SUICIDE (950-959)	3	3	0	17.0	17.6	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	0	1	12.2	-	16.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	5.6	5.9	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	48	39	9	217.3	207.4	274.3	33	21	12	229.9	254.5	196.7
DIABETES MELLITUS (250)	2	1	1	9.0	5.3	30.5	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	98	83	15	443.7	441.4	457.2	66	46	20	459.9	557.4	327.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	2	0	2	13.9	-	32.8
CEREBROVASCULAR DISEASES (430-438)	22	15	7	99.6	79.8	213.4	10	4	6	69.7	48.5	98.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	7.0	12.1	-
PNEUMONIA AND INFLUENZA (480-487)	8	5	3	36.2	26.6	91.4	4	3	1	27.9	36.4	16.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	18.1	21.3	-	5	3	2	34.8	36.4	32.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	7.0	12.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	9.0	5.3	30.5	3	2	1	20.9	24.2	16.4
INFECTIONS OF KIDNEY (590)	1	1	0	4.5	5.3	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	0	2	13.9	-	32.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	1	1	0	4.3	11.0	-
ACCIDENTS (800-949)	15	13	2	67.9	69.1	61.0	11	6	5	76.6	72.7	82.0
MOTOR VEHICLE ACCIDENTS# (810-825)	11	11	0	49.8	58.5	-	6	4	2	41.8	48.5	32.8
SUICIDE (950-959)	1	1	0	4.5	5.3	-	4	4	0	27.9	48.5	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	6	3	3	41.8	36.4	49.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	13.6	16.0	-	1	1	0	7.0	12.1	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	2.1	-	5.3	1	0	1	1.5	-	2.5
MALIGNANT NEOPLASMS (140-208)	121	71	50	252.7	245.8	263.1	134	71	63	197.2	250.6	159.1
DIABETES MELLITUS (250)	6	1	5	12.5	3.5	26.3	9	1	8	13.2	3.5	20.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	199	116	83	415.6	401.7	436.8	342	134	208	503.4	472.9	525.2
HYPERTENSION (401, 403)	3	1	2	6.3	3.5	10.5	1	0	1	1.5	-	2.5
CEREBROVASCULAR DISEASES (430-438)	47	22	25	98.2	76.2	131.6	47	15	32	69.2	52.9	80.8
ATHEROSCLEROSIS (440)	3	2	1	6.3	6.9	5.3	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	15	9	6	31.3	31.2	31.6	22	8	14	32.4	28.2	35.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	12	4	33.4	41.6	21.0	24	13	11	35.3	45.9	27.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	8	4	4	16.7	13.8	21.0	1	1	0	1.5	3.5	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	6.3	3.5	10.5	8	2	6	11.8	7.0	15.2
INFECTIONS OF KIDNEY (590)	2	0	2	4.2	-	10.5	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	4.2	3.5	5.3	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	1	5	6.8	2.2	11.6	10	0	10	7.6	-	10.3
ACCIDENTS (800-949)	22	11	11	45.9	38.1	57.9	37	22	15	54.5	77.6	37.9
MOTOR VEHICLE ACCIDENTS# (810-825)	10	7	3	20.9	24.2	15.8	22	16	6	32.4	56.5	15.2
SUICIDE (950-959)	6	6	0	12.5	20.8	-	8	4	4	11.8	14.1	10.1
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	5	4	18.8	17.3	21.0	21	2	19	30.9	7.0	48.0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	6	3	3	8.8	10.6	7.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	37	25	12	189.6	199.9	171.2	30	29	1	293.5	364.6	44.1
DIABETES MELLITUS (250)	3	1	2	15.4	8.0	28.5	0	0	0	-	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	40	27	343.3	319.8	385.1	44	40	4	430.4	503.0	176.3
HYPERTENSION (401, 403)	1	1	0	5.1	8.0	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	19	14	5	97.4	111.9	71.3	16	15	1	156.5	188.6	44.1
ATHEROSCLEROSIS (440)	8	6	2	41.0	48.0	28.5	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	2	1	1	10.2	8.0	14.3	3	2	1	29.3	25.1	44.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	25.6	40.0	-	2	2	0	19.6	25.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	10.2	8.0	14.3	2	2	0	19.6	25.1	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	15.4	16.0	14.3	2	2	0	19.6	25.1	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	10.2	-	28.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	6.0	-	10.9	3	1	2	20.1	10.1	40.0
ACCIDENTS (800-949)	11	5	6	56.4	40.0	85.6	10	10	0	97.8	125.7	-
MOTOR VEHICLE ACCIDENTS# (810-825)	9	4	5	46.1	32.0	71.3	6	6	0	58.7	75.4	-
SUICIDE (950-959)	1	1	0	5.1	8.0	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	15.4	-	42.8	2	0	2	19.6	-	88.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.1	-	14.3	3	3	0	29.3	37.7	-

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	24	6	18	248.0	192.1	274.6	44	29	15	226.4	260.1	181.1
DIABETES MELLITUS (250)	6	1	5	62.0	32.0	76.3	10	2	8	51.4	17.9	96.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	41	16	25	423.6	512.3	381.4	90	63	27	463.1	565.0	326.0
HYPERTENSION (401, 403)	1	0	1	10.3	-	15.2	3	0	3	15.4	-	36.2
CEREBROVASCULAR DISEASES (430-438)	6	4	2	62.0	128.1	30.5	23	13	10	118.4	116.6	120.7
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	1	3	41.3	32.0	45.8	3	1	2	15.4	9.0	24.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	41.3	64.0	30.5	6	5	1	30.9	44.8	12.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	1	1	10.3	9.0	12.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	10.3	-	15.2	2	1	1	10.3	9.0	12.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	5.1	9.0	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	5.1	9.0	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	6.5	-	8.5	4	1	3	14.6	9.1	18.3
ACCIDENTS (800-949)	5	1	4	51.7	32.0	61.0	14	9	5	72.0	80.7	60.4
MOTOR VEHICLE ACCIDENTS# (810-825)	3	1	2	31.0	32.0	30.5	7	6	1	36.0	53.8	12.1
SUICIDE (950-959)	3	2	1	31.0	64.0	15.2	1	1	0	5.1	9.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	10.3	-	15.2	2	0	2	10.3	-	24.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 18
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND THE STATE OF MISSISSIPPI, 1991

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	35	27	8	290.9	361.0	175.7	81	45	36	317.6	376.3	265.7
DIABETES MELLITUS (250)	2	0	2	16.6	-	43.9	3	1	2	11.8	8.4	14.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	70	52	18	581.7	695.3	395.2	150	65	85	588.1	543.6	627.4
HYPERTENSION (401, 403)	0	0	0	-	-	-	1	0	1	3.9	-	7.4
CEREBROVASCULAR DISEASES (430-438)	14	7	7	116.3	93.6	153.7	25	13	12	98.0	108.7	88.6
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.9	8.4	-
PNEUMONIA AND INFLUENZA (480-487)	9	7	2	74.8	93.6	43.9	3	3	0	11.8	25.1	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	6	0	49.9	80.2	-	7	5	2	27.4	41.8	14.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	16.6	26.7	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	16.6	26.7	-	6	2	4	23.5	16.7	29.5
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	3.9	-	7.4
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	4.8	-	9.0	0	0	0	-	-	-
ACCIDENTS (800-949)	12	9	3	99.7	120.3	65.9	18	11	7	70.6	92.0	51.7
MOTOR VEHICLE ACCIDENTS# (810-825)	7	7	0	58.2	93.6	-	11	7	4	43.1	58.5	29.5
SUICIDE (950-959)	4	0	4	33.2	-	87.8	2	2	0	7.8	16.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	8.3	13.4	-	8	2	6	31.4	16.7	44.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	0	3	24.9	-	65.9	11	3	8	43.1	25.1	59.0

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	14	7	7	0.5	0.4	0.7
MALIGNANT NEOPLASMS (140-208)	5,483	3,657	1,826	213.1	223.9	194.3
DIABETES MELLITUS (250)	427	186	241	16.6	11.4	25.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,562	6,271	3,291	371.6	383.9	350.2
HYPERTENSION (401, 403)	115	51	64	4.5	3.1	6.8
CEREBROVASCULAR DISEASES (430-438)	1,754	1,082	672	68.2	66.2	71.5
ATHEROSCLEROSIS (440)	150	113	37	5.8	6.9	3.9
PNEUMONIA AND INFLUENZA (480-487)	788	555	233	30.6	34.0	24.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	869	708	161	33.8	43.3	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	193	144	49	7.5	8.8	5.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	333	180	153	12.9	11.0	16.3
INFECTIONS OF KIDNEY (590)	26	16	10	1.0	1.0	1.1
MATERNAL CAUSES (630-676)	3	2	1	6.9	9.1	4.7
CONGENITAL ANOMALIES (740-759)	138	60	78	5.4	3.7	8.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	232	66	166	5.4	3.0	7.8
ACCIDENTS (800-949)	1,459	896	563	56.7	54.8	59.9
MOTOR VEHICLE ACCIDENTS# (810-825)	810	524	286	31.5	32.1	30.4
SUICIDE (950-959)	325	263	62	12.6	16.1	6.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	408	119	289	15.8	7.3	30.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	248	113	135	9.6	6.9	14.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 19
LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1991,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1991)

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	41, 103	21, 874	19, 229	21. 9	26. 6	18. 2
1914	40, 623	21, 360	19, 263	21. 4	25. 7	18. 0
1915	39, 484	20, 999	18, 485	20. 5	23. 8	17. 1
1916	39, 033	20, 130	18, 903	20. 0	23. 6	17. 2
1917	37, 141	19, 056	18, 085	18. 8	22. 0	16. 3
1918	39, 391	20, 005	19, 386	19. 7	22. 8	17. 2
1919	42, 491	22, 028	20, 463	21. 0	24. 9	18. 0
1920	43, 743	22, 438	21, 305	24. 4	26. 3	22. 7
1921	46, 482	23, 703	22, 779	25. 6	27. 3	24. 1
1922	43, 723	21, 286	22, 437	23. 8	24. 1	23. 6
1923	43, 266	21, 140	22, 126	23. 3	23. 6	23. 1
1924	43, 960	22, 180	21, 780	23. 4	24. 3	22. 5
1925	45, 563	22, 265	23, 298	24. 0	24. 1	23. 9
1926	50, 449	24, 600	25, 849	26. 2	26. 2	26. 3
1927	49, 204	24, 163	25, 041	25. 3	25. 3	25. 3
1928	48, 126	23, 642	24, 484	24. 5	24. 4	24. 5
1929	45, 570	22, 105	23, 465	22. 9	22. 5	23. 3
1930	47, 982	23, 192	24, 790	23. 8	23. 2	24. 0
1931	45, 123	21, 637	23, 486	22. 2	21. 4	22. 9
1932	46, 481	21, 883	24, 598	22. 6	21. 4	23. 9
1933	44, 184	20, 407	23, 777	21. 3	19. 7	22. 9
1934	47, 905	22, 342	25, 563	23. 0	21. 4	24. 6
1935	48, 291	21, 972	26, 319	23. 0	20. 8	25. 1
1936	49, 261	22, 194	27, 067	23. 3	20. 8	25. 7
1937	52, 170	23, 285	28, 885	24. 4	21. 6	27. 3
1938	53, 729	24, 046	29, 683	25. 0	22. 1	27. 8
1939	52, 288	23, 505	28, 783	24. 1	21. 4	26. 8
1940	52, 526	23, 084	29, 442	24. 0	20. 9	27. 3
1941	54, 561	24, 167	30, 394	24. 7	21. 6	28. 0
1942	56, 521	25, 306	31, 215	25. 4	22. 4	28. 6
1943	59, 408	27, 611	31, 797	28. 9	26. 4	31. 6
1944	56, 586	25, 647	30, 939	28. 3	25. 2	31. 6
1945	53, 540	23, 426	30, 114	26. 9	23. 1	30. 9
1946	61, 430	29, 715	31, 715	26. 8	25. 4	28. 2
1947	66, 291	32, 423	33, 868	28. 6	27. 5	29. 9
1948	65, 291	29, 666	35, 625	28. 0	24. 9	31. 2
1949	66, 128	28, 786	37, 342	28. 1	24. 0	32. 5
1950	64, 427	27, 188	37, 239	29. 6	22. 9	37. 6
1951	65, 512	27, 798	37, 714	30. 1	23. 4	38. 1
1952	64, 509	28, 073	36, 436	29. 6	23. 6	36. 8
1953	64, 061	28, 312	35, 749	29. 4	23. 8	36. 1
1954	64, 748	28, 781	35, 967	29. 7	24. 2	36. 3
1955	63, 244	27, 546	35, 698	29. 0	23. 2	36. 0
1956	62, 178	27, 278	34, 900	29. 5	23. 8	36. 2
1957	60, 712	26, 804	33, 908	28. 8	23. 4	35. 2
1958	59, 189	26, 812	32, 377	27. 1	20. 9	35. 9
1959	60, 562	27, 979	32, 583	27. 2	20. 9	36. 6

TABLE 19 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1991

	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	9.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2
1988	42,040	21,685	20,355	15.3	12.3	20.6
1989**	43,026	22,069	20,957	15.5	12.4	20.9
1990**	43,547	22,280	21,267	16.9	13.6	22.6
1991**	43,184	21,908	21,276	16.8	13.4	22.6

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 20
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1991,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1991)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4

TABLE 20 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1991

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9
1988	24,706	16,034	8,672	9.0	9.1	8.8
1989	25,273	16,386	8,887	9.1	9.2	8.9
1990	24,994	16,088	8,906	9.7	9.8	9.5
1991	25,503	16,393	9,110	9.9	10.0	9.7

* DEATHS PER 1,000 POPULATION.

TABLE 21
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1991,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1991)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2

TABLE 21 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1991

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2
1988	7	2	5	16.6	9.2	24.6
1989	6	1	5	13.9	4.5	23.8
1990	6	0	6	13.8	-	28.2
1991	3	2	1	6.9	9.1	4.7

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 22
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1917-1991,
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1991)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1917	3, 689	1, 296	2, 393	99. 3	68. 0	132. 3
1918	#	#	#	#	#	#
1919	3, 554	#	#	83. 6	#	#
1920	3, 499	1, 344	2, 155	80. 0	59. 9	101. 1
1921	3, 157	1, 243	1, 914	67. 9	52. 4	84. 0
1922	2, 826	1, 067	1, 759	64. 6	50. 1	78. 4
1923	2, 908	1, 104	1, 804	67. 2	52. 2	81. 5
1924	3, 137	1, 188	1, 949	71. 4	53. 6	89. 5
1925	3, 176	1, 179	1, 997	69. 7	53. 0	85. 7
1926	3, 578	1, 447	2, 131	70. 9	58. 8	82. 4
1927	3, 291	1, 303	1, 988	66. 9	54. 0	79. 4
1928	3, 567	1, 416	2, 151	74. 1	59. 9	87. 9
1929	3, 275	1, 268	2, 007	71. 9	57. 4	85. 5
1930	3, 276	1, 182	2, 094	68. 3	51. 0	84. 5
1931	2, 547	961	1, 586	56. 4	44. 4	67. 5
1932	2, 482	965	1, 517	53. 4	44. 1	61. 7
1933	2, 800	1, 035	1, 765	63. 4	50. 7	74. 2
1934	3, 070	1, 199	1, 871	64. 1	53. 7	73. 2
1935	2, 587	1, 044	1, 543	53. 6	47. 5	58. 6
1936	2, 883	1, 105	1, 778	58. 5	49. 8	65. 7
1937	3, 098	1, 174	1, 924	59. 4	50. 4	66. 6
1938	3, 051	1, 205	1, 846	56. 8	50. 1	62. 2
1939	2, 908	1, 135	1, 773	55. 6	48. 3	61. 6
1940	2, 864	1, 070	1, 794	54. 5	46. 4	60. 9
1941	2, 969	1, 113	1, 856	54. 4	46. 1	61. 1
1942	2, 654	957	1, 697	47. 0	37. 8	54. 4
1943	2, 774	1, 137	1, 637	46. 7	41. 2	51. 5
1944	2, 481	965	1, 516	43. 6	37. 1	49. 0
1945	2, 192	846	1, 346	40. 9	36. 1	44. 7
1946	2, 298	1, 005	1, 293	37. 4	33. 8	40. 8
1947	2, 428	1, 009	1, 419	36. 6	31. 1	41. 9
1948	2, 470	988	1, 482	37. 8	33. 3	41. 6
1949	2, 612	900	1, 712	39. 5	31. 3	45. 8
1950	2, 348	763	1, 585	36. 4	28. 1	42. 6
1951	2, 589	814	1, 775	39. 5	29. 3	47. 1
1952	2, 592	760	1, 832	40. 2	27. 1	50. 3
1953	2, 534	807	1, 727	39. 6	28. 5	48. 3
1954	2, 360	744	1, 616	36. 4	25. 8	44. 9
1955	2, 338	680	1, 658	37. 0	24. 7	46. 4
1956	2, 353	734	1, 619	37. 8	26. 9	46. 4
1957	2, 257	694	1, 563	37. 2	25. 9	46. 1
1958	2, 424	706	1, 718	41. 0	26. 3	53. 1
1959	2, 355	677	1, 678	38. 9	24. 2	51. 5

TABLE 22 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1991

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9
1988	516	189	327	12.3	8.7	16.1
1989	498	190	308	11.6	8.6	14.7
1990	528	189	339	12.1	8.5	15.9
1991	493	163	330	11.4	7.4	15.5

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 23
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1991,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1991)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1, 598	730	868	36. 4	32. 9	39. 8
1925	1, 639	701	938	36. 0	31. 5	40. 3
1926	1, 731	823	908	34. 3	33. 4	35. 1
1927	1, 644	786	858	33. 4	32. 5	34. 3
1928	1, 788	804	984	37. 2	34. 0	40. 2
1929	1, 662	773	889	36. 5	35. 0	37. 9
1930	1, 692	715	977	35. 3	30. 8	39. 4
1931	1, 339	590	749	29. 7	27. 3	31. 9
1932	1, 361	572	789	29. 3	26. 1	32. 1
1933	1, 540	636	904	34. 8	31. 2	38. 0
1934	1, 505	644	861	31. 4	28. 8	33. 7
1935	1, 446	642	804	29. 9	29. 2	30. 5
1936	1, 494	676	818	30. 3	30. 4	30. 2
1937	1, 678	755	923	32. 2	32. 4	32. 0
1938	1, 688	747	941	31. 4	31. 1	31. 7
1939	1, 637	735	902	31. 3	31. 3	31. 3
1940	1, 613	680	933	30. 7	29. 4	31. 7
1941	1, 663	734	929	30. 5	30. 4	30. 6
1942	1, 544	638	906	27. 3	25. 2	29. 0
1943	1, 652	791	861	27. 8	28. 6	27. 1
1944	1, 436	661	775	25. 2	25. 4	25. 1
1945	1, 351	624	727	25. 2	26. 6	24. 1
1946	1, 561	794	767	25. 4	26. 7	24. 2
1947	1, 595	750	845	24. 1	23. 1	24. 9
1948	1, 674	773	901	25. 6	26. 0	25. 3
1949	1, 594	661	933	24. 1	23. 0	25. 0
1950	1, 446	560	886	22. 4	20. 6	23. 8
1951	1, 679	626	1, 053	25. 6	22. 5	27. 9
1952	1, 658	581	1, 077	25. 7	20. 7	29. 6
1953	1, 630	635	995	25. 4	22. 4	27. 8
1954	1, 521	601	920	23. 5	20. 9	25. 6
1955	1, 440	527	913	22. 8	19. 1	25. 6
1956	1, 451	581	870	23. 3	21. 3	24. 9
1957	1, 425	540	885	23. 5	20. 1	26. 1
1958	1, 475	540	935	24. 9	20. 1	28. 9
1959	1, 450	515	935	23. 9	18. 4	28. 7
1960	1, 497	550	947	25. 3	20. 2	29. 6
1961	1, 401	509	892	23. 5	18. 6	27. 8
1962	1, 456	550	906	24. 7	20. 0	28. 8
1963	1, 449	470	979	25. 3	17. 5	32. 1
1964	1, 372	460	912	24. 2	17. 7	29. 7
1965	1, 283	470	813	25. 1	20. 1	29. 2
1966	1, 123	386	737	23. 3	17. 0	28. 9
1967	1, 053	388	665	22. 6	17. 1	27. 8
1968	1, 116	424	692	24. 4	18. 6	30. 2
1969	1, 066	441	625	22. 6	18. 4	27. 1

TABLE 23 - PAGE 2
 NEONATAL DEATHS - MISSISSIPPI - 1924- 1991

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9
1988	318	118	200	7.6	5.4	9.8
1989	309	132	177	7.2	6.0	8.4
1990	332	111	221	7.6	5.0	10.4
1991	303	95	208	7.0	4.3	9.8

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924- 1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 24
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
MISSISSIPPI, 1924-1991,
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1991)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1924	1, 539	458	1, 081	35. 0	20. 6	49. 6
1925	1, 537	478	1, 059	33. 7	21. 5	45. 4
1926	1, 847	624	1, 223	36. 6	25. 4	47. 3
1927	1, 647	517	1, 130	33. 5	21. 4	45. 1
1928	1, 779	612	1, 167	37. 0	25. 9	47. 7
1929	1, 613	495	1, 118	35. 4	22. 4	47. 6
1930	1, 584	467	1, 117	33. 0	20. 1	45. 0
1931	1, 208	371	837	26. 8	17. 1	35. 6
1932	1, 121	393	728	24. 1	18. 0	29. 6
1933	1, 260	399	861	28. 5	19. 6	36. 2
1934	1, 565	555	1, 010	32. 7	24. 8	39. 5
1935	1, 141	402	739	23. 6	18. 3	28. 1
1936	1, 389	429	960	28. 2	19. 3	35. 5
1937	1, 420	419	1, 001	27. 2	18. 0	34. 6
1938	1, 363	458	905	25. 4	19. 0	30. 5
1939	1, 271	400	871	24. 3	17. 0	30. 3
1940	1, 251	390	861	23. 8	16. 9	29. 2
1941	1, 306	379	927	23. 9	15. 7	30. 5
1942	1, 110	319	791	19. 6	12. 6	25. 3
1943	1, 122	346	776	18. 9	12. 5	24. 4
1944	1, 045	304	741	18. 4	11. 7	24. 0
1945	841	222	619	15. 7	9. 5	20. 6
1946	737	211	526	12. 0	7. 1	16. 6
1947	833	259	574	12. 6	8. 0	16. 9
1948	796	215	581	12. 2	7. 2	16. 3
1949	1, 018	239	779	15. 4	8. 3	20. 9
1950	902	203	699	14. 0	7. 5	18. 8
1951	910	188	722	13. 9	6. 8	19. 1
1952	934	179	755	14. 5	6. 4	20. 7
1953	904	172	732	14. 1	6. 1	20. 5
1954	839	143	696	13. 0	5. 0	19. 4
1955	898	153	745	14. 2	5. 6	20. 9
1956	902	153	749	14. 5	5. 6	21. 5
1957	832	154	678	13. 7	5. 7	20. 0
1958	949	166	783	16. 0	6. 2	24. 2
1959	905	162	743	14. 9	5. 8	22. 8
1960	960	164	796	16. 2	6. 0	24. 9
1961	849	136	713	14. 3	5. 0	22. 2
1962	897	155	742	15. 2	5. 6	23. 6
1963	923	140	783	16. 1	5. 2	25. 7
1964	858	139	719	15. 1	5. 4	23. 4
1965	843	123	720	16. 5	5. 3	25. 9
1966	733	134	599	15. 2	5. 9	23. 5
1967	592	124	468	12. 7	5. 5	19. 6
1968	497	93	404	10. 9	4. 1	17. 6
1969	447	89	358	9. 5	3. 7	15. 5

TABLE 24 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1991

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0
1988	198	71	127	4.7	3.3	6.2
1989	189	58	131	4.4	2.6	6.2
1990	196	78	118	4.5	3.5	5.5
1991	190	68	122	4.4	3.1	5.7

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER

** DEATHS PER 1,000 LIVE BIRTHS.

TABLE 25
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1991

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890

TABLE 25 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1991

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420
1988	24,919	18,335	6,584	12,097**	9,454	2,473
1989	24,240	17,735	6,505	12,945**	9,823	2,755
1990	24,348	17,766	6,582	12,735**	9,498	2,804
1991	23,446	17,235	6,211	13,027**	9,926	2,689

* TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U. S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

** INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

TABLE 26
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-1991

YEAR	NUMBER				RATIO*		
	TOTAL	WHITE	NON- WHITE	UNK. RACE	TOTAL	WHITE	NON- WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.